Corrigendum

Corrigendum to: pH-Dependent channel activity of heterologously-expressed main intrinsic protein (MIP) from rat lens (FEBS 25772)

[FEBS Letters 512 (2002) 199–204]**

K. Dawn Drake^a, Diana Schuette^a, Ana B. Chepelinsky^b, Tim J.C. Jacob^c, M. James C. Crabbe^a,*

^a Division of Cell and Molecular Biology, School of Animal and Microbial Sciences, The University of Reading, P.O. Box 228, Whiteknights, Reading, Berkshire RG6 6AJ, UK

^bNational Eye Institute, National Institutes of Health, Bethesda, MD, USA
^cSchool of Biosciences, University of Cardiff, Cardiff, UK

Received 22 February 2002

First published online 4 March 2002

In the original article an initial (C.) was left out of the name of the fourth author. Figs. 1–3 show cells patch-clamped with alternating voltage pulses of ± 40 mV for 1 s every 4 s, rather than with alternating current. Data were digitised using a CED 1401 plus (Cambridge Electronic design, Cambridge,

UK) rather than through a HAMEG digital scope. Lowering the external pH from 7 to 6.3 resulted in an increase in current from 0.02 (rather than 0) to 0.35 nA in sf21 cells infected with AcMIPN.

*Corresponding author. Fax: (44)-1189-318894.

E-mail address: m.j.c.crabbe@reading.ac.uk (M.J.C. Crabbe).

[☆]PII of original article S0014-5793(02)02284-6.