

CONTENTS TO VOLUME 129

Research Letters

Non-enzymatic glycosylation of human serum lipoproteins: Elevated ϵ -lysine glycosylated low density lipoprotein in diabetic patients, <i>E. Schleicher, T. Deufel, O. H. Wieland</i>	1
(S)-Norlaudanosoline synthase; the first enzyme in the benzyloquinoline biosynthetic pathway, <i>M. Rueffer, H. El-Shagi, N. Nagakura, M. H. Zenk</i>	5
Primary structure of protein S2 from the <i>Escherichia coli</i> ribosome, <i>B. Wittmann-Liebold, A. Bosserhoff</i>	10
A comparison of the effects of oestrogen and tamoxifen on the synthesis of uterine high molecular mass RNA, <i>A. P. Waters, J. T. Knowler</i>	17
The development of a 120 basepair repetitive DNA sequence in <i>Chironomus thummi</i> is correlated to the duplication of defined chromosomal segments, <i>E. R. Schmidt</i>	21
Consensus sequence of mouse satellite DNA indicates it is derived from tandem 116 basepair repeats, <i>L. Manuelidis</i>	25
Inhibition of macrophage spreading by antagonists of cellular calcium, <i>J. A. Trotter, R. L. Quintana</i>	29
^1H NMR studies of Tyr-237 of lactate dehydrogenase, <i>D. M. Parker, J. J. Holbrook, B. Birdsall, G. C. K. Roberts</i>	33
Selective uptake by glyoxysomes of in vitro translated malate synthase, <i>C. Kruse, J. Frevert, H. Kindl</i>	36
Differences in the kinetic properties of the carboxylase and oxygenase activities of ribulose biphosphate carboxylase/oxygenase, <i>M. N. Martin, F. R. Tabita</i>	39
Frequency-dependent photoacoustic signals from leaves and their relation to photosynthesis, <i>G. Bults, B. A. Horwitz, S. Malkin, D. Cahen</i>	44
Characterization and function of a 33 000 M_r polypeptide in DCMU-sensitive and -resistant strains of a cyanobacterium, <i>Aphanocapsa 6714</i> , <i>C. Astier, F. Joser-Espardellier</i>	47
Methane formation from the reactions of hydroxyl radicals and hydrogen atoms with dimethyl sulfoxide (DMSO), <i>A. M. Koulkes-Pujo, M. Moreau, J. Sutton</i>	52
Compact structure of ribosomal protein S4 in solution as revealed by small-angle X-ray scattering, <i>I. N. Serdyuk, M. A. Sarkisyan, Z. V. Gogia</i>	55
Ribosomal proteins contacting with deacylated tRNA in the S-site of the translating ribosome, <i>G. G. Abdurashidova, M. F. Turchinsky, E. I. Budowsky</i>	59
Initiation of protein synthesis in neuroblastoma cells infected by Semliki forest virus: A decreased requirement of late viral mRNA for eIF-4B and cap binding protein, <i>H. van Steeg, M. van Grinsven, F. van Mansfeld, H. O. Voorma, R. Benne</i>	62
Enhancement of phospholipid methylation in cultured hamster cells by viral transformation, <i>C. Mazière, J. C. Mazière, L. Mora, J. Polonovski</i>	67
Chemical structure of ethidium bromide metabolites extracted from rat bile, <i>B. Gauguain, C. Fraire, P. Lecointe, C. Paoletti, B. P. Roques</i>	70
Degradation of abnormal proteins in growing and in quiescent fibroblasts in culture, <i>K. B. Hendil</i>	77
On the primary and tertiary structure of relaxin from the sand tiger shark (<i>Odontaspis taurus</i>), <i>L. K. Gowan, J. W. Reinig, C. Schwabe, S. Bedarkar, T. L. Blundell</i>	80
An important role of prostacyclin in porcine thyroid cells in culture, <i>N. Takasu, T. Yamada, Y. Shimizu</i>	83
Dietary induced rapid increase of rat jejunal sucrase and lactase activity in all regions of the villus, <i>K. Yamada, S. Bustamante, O. Koldovsky</i>	89

Polychlorobiphenyls that induce δ -aminolevulinic acid synthetase inhibit uroporphyrinogen decarboxylase in cultured chick embryo liver cells, <i>S. Kawanishi, Y. Seki, S. Sano</i>	93
Domperidone directly stimulates TSH secretion in vitro, <i>R. Powell, M. C. White, M. Daniels, K. Mashiter</i>	97
Partial purification of the D-glucose transport protein from human erythrocyte membranes by affinity chromatography on wheat germ lectin-Sepharose, <i>G. Fröman, P. Lundahl, F. Acevedo</i>	100
^{31}P NMR spectroscopy of phorbol-myristate-acetate-stimulated polymorphonuclear human leukocytes, <i>A. I. Tauber, M. F. Roberts</i>	105
Binding of hydrophobic ligands to spectrin, <i>H. Isenberg, J. G. Kenna, N. M. Green, W. B. Gratzer</i>	109
Photoaffinity labelling of MSH receptors reveals a dual role of calcium in melanophore stimulation, <i>P. N. E. de Graan, A. N. Eberle, F. C. G. van de Veerdonk</i>	113
A calmodulin-dependent protein kinase that is involved in the activation of tryptophan 5-monooxygenase is specifically distributed in brain tissues, <i>T. Yamauchi, H. Fujisawa</i>	117
A reptilian neurohypophyseal hormone, mesotocin (Ile ⁸ -oxytocin), in Australian marsupials, <i>M. T. Chauvet, D. Hurpet, J. Chauvet, R. Acher</i>	120
Insulin activation of basal hepatic glycogen synthase, <i>C. J. Ciudad, F. Bosch, J. J. Guinovart</i>	123
The major proglucagon fragment: An abundant islet protein and secretory product, <i>C. Patzelt, G. Schug</i>	127
Role of valence and the cytoskeleton in the insulin-like activity of concanavalin A, <i>C. R. Kahn, K. L. Baird, E. van Obberghen</i>	131
Characterization of receptors for the endogenous lectins of soybean and jackbean seeds, <i>D. J. Bowles, S. Marcus</i>	135
Substrate specificity of cotton glyoxysomal enoyl-CoA hydratase, <i>J. A. Miernyk, R. N. Trelease</i>	139
N-Acetylglucosaminyl-N-acetylmuranyl-dipeptide, a novel murein building block formed during the cell division cycle of <i>Proteus mirabilis</i> , <i>J. Gmeiner, H.-P. Kroll</i>	142
Characterization of the lipopolysaccharide from the polymyxin-resistant <i>pmrA</i> mutants of <i>Salmonella typhimurium</i> , <i>M. Vaara, T. Vaara, M. Jensen, I. Helander, M. Nurminen, E. Th. Rietschel, P. H. Mäkelä</i>	145
The complete amino acid sequence of the single light-harvesting protein from chromatophores of <i>Rhodospirillum rubrum</i> G-9 ⁺ , <i>R. A. Brunisholz, P. A. Cuendet, R. Theiler, H. Zuber</i>	150
Purification and properties of the di-heme cytochrome (cytochrome c-552) from <i>Pseudomonas perfectomarinus</i> , <i>M. C. Liu, H. D. Peck jr, W. J. Payne, J. L. Anderson, D. V. Der Vartanian, J. LeGall</i>	155
ATP-dependent state 1-state 2 changes in isolated pea thylakoids, <i>A. Telfer, J. Barber</i>	161
The mRNA for lysopine dehydrogenase in plant tumor cells is complementary to a Ti-plasmid fragment, <i>J. Schröder, G. Schröder, H. Huisman, R. A. Schilperoort, J. Schell</i>	166
On the structure of the myosin-ADP-Mg complex, <i>R. S. Goody, W. Hofman, M. Konrad</i>	169
On the rate-limiting step of yeast tRNA ^{Phe} aminoacylation, <i>L. Dibbelt, H. G. Zachau</i>	173
Structural features of the GDP binding site of elongation factor Tu from <i>Escherichia coli</i> as determined by X-ray diffraction, <i>J. R. Rubin, K. Morikawa, J. Nyborg, T. F. M. la Cour, B. F. C. Clark, D. L. Miller</i>	177
The nucleotide sequence of sheep liver histidine-tRNA (anticodon Q-U-G), <i>M. Boissard, G. Petrissant</i>	180
A simple and efficient method for the isolation of DNA polymerase I from bacteria, <i>U. Wähnert</i>	185
Interaction of fibronectin with C1q and its collagen-like fragment (CLF), <i>E. J. Menzel, J. S. Smolem, L. Liotta, K. B. M. Reid</i>	188

Hypothesis

- An ion-exchange model for thylakoid stacking in chloroplasts, *J. T. Duniec, J. N. Israelachvili, B. W. Ninham, R. M. Pashley, S. W. Thorne* 193

Research Letters

- The temperature-sensitivity of dark-inactivation and light-activation of the ribulose-1,5-bis-phosphate carboxylase in spinach chloroplasts, *E. Weis* 197
- Interaction between ferredoxin-NADP⁺ reductase and ferredoxin at different reduction levels of the two proteins, *G. Zanetti, B. Curti* 201
- Redox potential of electron acceptors in photosystem II_α and II_β, *A. P. G. M. Thielen, H. J. van Gorkum* 205
- The sulphhydryl content of yeast mitochondrial F₁-ATPase and the stoichiometry of subunits, *R. Gregory, B. Hess* 210
- Identity of the particulate form of calmodulin with soluble calmodulin, *K. Sobue, R. Yamazaki, S. Yasuda, S. Kakuichi* 215
- The isolation and characterization of catalytically competent porphobilinogen deaminase-intermediate complexes, *A. A. Berry, P. M. Jordan, J. S. Seehra* 220
- Effects of fasting, adrenalectomy and streptozotocin-diabetes on sensitivity of hepatic carnitine acyltransferase to malonyl CoA, *E. D. Saggerson, C. A. Carpenter* 225
- Carnitine palmitoyltransferase and carnitine octanoyltransferase activities in liver, kidney cortex, adipocyte, lactating mammary gland, skeletal muscle and heart: Relative activities, latency and effect of malonyl CoA, *E. D. Saggerson, C. A. Carpenter* 229
- Increased secretion of plasminogen activator by human macrophages after exposure to leukocyte interferon, *T. Hovi, O. Saksela, A. Vaheri* 233
- Characterization of a double conjugate in uremic body fluids: Glucoronidated *o*-hydrobenzoylglycine, *L. Zimmerman, H. Jörnvall, J. Bergström, P. Fürst, J. Sjövall* 237
- A radioimmunoassay for the detection of molecular forms of human plasma kininogen, *A.-C. Syvänen, U. Turpeinen, S. Siimesmaa, U. Hamberg* 241
- lac*-Repressor headpiece constitutes a reversibly unfolding domain, *H.-J. Hinz, M. Cossmann, K. Beyreuther* 246
- Effect of papulacandin B and aculeacin A on β -(1-3) glucan-synthase from *Geotrichum lactis*, *P. Pérez, R. Varona, I. Garcia-Acha, A. Durán* 249
- Selectivity of the *Escherichia coli* outer membrane porins *ompC* and *ompF*, *K. B. Heller, T. H. Wilson* 253
- In vitro effects of glucocorticoid hormones on the synthesis of DNA in cartilage of neonatal mice, *G. Maor, M. Silberman* 256
- Hepatocyte targeting of adenine-9- β -D-arabinofuranoside 5'-monophosphate (ara-AMP) coupled to lactosaminated albumin, *L. Fiume, C. Busi, A. Mattioli, P. G. Balboni, G. Barbanti-Brodano* 261
- Oxygen species in paraquat toxicity: The crypto-OH radical, *R. J. Youngman, E. F. Elstner* 265
- Selective degradation of the high density lipoprotein-2 subfraction by heparin-releasable liver lipase, *P. H. E. Groot, H. Jansen, A. van Tol* 269
- Properties of trout HbI in water and ligand-linked binding of Na⁺, *L. Airolidi, M. Brunori, B. Giardina* 273
- The epinephrine-induced activation of the cardiac slow Ca²⁺ channel is mediated by the cAMP-dependent phosphorylation of calmodulin, a 23 000 M_r sarcolemmal protein, *M. L. Rinaldi, C. J. le Peuch, J. G. Demaille* 277
- The kinetics of the interaction between cyclic AMP and the regulatory moiety of protein kinase II. Evidence for interaction between the binding sites for cAMP, *D. Øgreid, S. O. Døskeland* 282
- The kinetics of association of cyclic AMP to the two types of binding sites associated with protein kinase II from bovine myocardium, *D. Øgreid, S. O. Døskeland* 287

Antibodies against the membrane-bound acetylcholinesterase from adult rat brain, <i>J. P. Zanetta, Z. Rakonczay, A. Reeber, P. Kada, G. Vincendon</i>	293
Purification of $(\text{Ca}^{2+} + \text{Mg}^{2+})$ -ATPase from smooth muscle by calmodulin affinity chromatography, <i>F. Wuytack, G. de Schutter, R. Casteels</i>	297
Hexamethylphosphoric triamide as a solubilizing agent. Purification and reactivation of diglyceride kinase, <i>B. Koenig, H. Sandermann, jr</i>	301
8-Azidoadenine: a photoaffinity label for the purine transport system in <i>Saccharo-</i> <i>myces cerevisiae</i> , <i>R. Schmidt, M. F. Manolson, K. J. Angelides, R. J. Poole</i>	305
Phospholipid composition of some amine storage granules, <i>O. M. de Oliveira</i> <i>Filgueiras, H. van den Bosch, R. G. Johnson, S. E. Carty, A. Scarpa</i>	309
Sequence location of a putative transglutaminase crosslinking site in human α_2 -macroglobulin, <i>S. B. Mortensen, L. Sottrup-Jensen, H. F. Hansen,</i> <i>D. M. Rider, T. E. Petersen, S. Magnusson</i>	314
A new $(1 \rightarrow 3)$ - β -D-glucan-mediated coagulation pathway found in <i>Limulus</i> amebo- cytes, <i>T. Morita, S. Tanaka, T. Nakamura, S. Iwanaga</i>	318
Amino acid sequence of horse spleen apoferritin, <i>M. Heusterspreute,</i> <i>R. R. Crichton</i>	322
Liver production of <i>N</i> -alkylated porphyrins caused in mice by treatment with substituted dihydropyridines. Evidence that the alkyl group on the pyrrole nitrogen atom originates from the drug, <i>F. De Matteis, A. H. Gibbs,</i> <i>P. B. Farmer, J. H. Lamb</i>	328
Information for Contributors	332
Author Index	333
Notes to Authors	338
Table of Contents	339