

CONTENTS TO VOLUME 140

Meeting Report

- Proteinases in mammalian tissues and cells – FEBS Advanced Course No. 74,
P. Bohley 1

Hypothesis

- Free manganese (II) and iron (II) cations can act as intracellular cell controls,
R. J. P. Williams 3

Research Letters

- The use of pressure perturbations to investigate the interaction of rabbit muscle
 myosin subfragment 1 with actin in the presence of MgADP, *M. A. Geeves,*
H. Gutfreund 11
- Synergistic activation of calcium-activated neutral protease by Mn^{2+} and Ca^{2+} ,
K. Suzuki, S. Tsuji 16
- Tetrahedral copper–sulphur coordination in yeast Cu-thionein: An EXAFS study,
J. Bordas, M. H. J. Koch 19
- Intracellular pH of yeast cells measured with fluorescent probes, *J. Slavik* 22
- An inducible outer membrane protein involved in aerobactin-mediated iron trans-
 port by ColV strains of *Escherichia coli*, *K. K. Grewal, P. J. Warner,*
P. H. Williams 27
- Enzyme regulation in C_4 photosynthesis: Role of Ca^{2+} in thioredoxin-linked acti-
 vation of sedoheptulose biphosphatase from corn leaves, *R. A. Wolosiuk,*
C. M. Hertig, A. N. Nishizawa, B. B. Buchanan 31
- Presence of the rapidly-labelled 32 000- M_r chloroplast membrane protein in tri-
 azine-resistant biotypes, *A. K. Mattoo, J. B. Marder, J. Gressel, M. Edelman* 36
- Action of 5'-fluorodeoxyuridine on synchronous nuclear division and thymidylate
 synthetase activity of *Physarum polycephalum*, *P. Gröbner, P. Loidl* 41
- Human heat-shock gene expression and the modulation of plasma membrane Na^+ ,
 K^+ -ATPase activity, *R. H. Burdon, C. M. M. Cutmore* 45
- Binding of ^{125}I -calmodulin to platelet α -granules, *S. Grinstein, W. Furuya* 49
- Complex formation of guanidinated bovine trypsin inhibitor (Kunitz) with trypsin,
 chymotrypsin and trypsinogen as studied by the spin-label technique,
H. R. Wenzel, H. Tschesche, E. von Goldammer, U. Netzelmann 53
- Irreversible inhibition and peptide mapping of urinary plasminogen activator
 urokinase, *M. Reboud-Ravaux, G. Desvages, F. Chapeville* 58
- Primary structure of rat liver Z-protein: A low- M_r cytosol protein that binds sterols,
 fatty acids and other small molecules, *K. Takahashi, S. Odani, T. Ono* 63
- On a hitherto unknown fermentation path of several amino acids by proteolytic
 Clostridia, *J. Bader, P. Rauschenbach, H. Simon* 67
- Competition between transport of glutathione disulfide (GSSG) and glutathione
S-conjugates from perfused rat liver into bile, *T. P. M. Akerboom, M. Bilzer,*
H. Sies 73
- The effect of colchicine on the in vivo and in vitro secretion of aldosterone by rat
 adrenocortical cells, *N. Payet, J.-G. Lehoux* 77
- An approach to the identification of adenosine's inhibitory site on adenylate
 cyclase, *R. A. Johnson* 80
- The local anaesthetic and bilayer fluidising agent, benzyl alcohol, decreases the
 thermostability of the integral membrane protein adenylate cyclase,
L. Needham, A. D. Whetton, M. D. Houslay 85

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Monoclonal antibody to soluble guanylate cyclase of rat brain, <i>M. Nakane, T. Deguchi</i> | 89 |
| Molecular identification of the human Rh ₀ (D) antigen, <i>C. G. Gahmberg</i> | 93 |
| Solubilization of epinephrine-specific α_2 -adrenergic receptors from adrenocortical carcinoma, <i>P. Nambi, N. V. Aiyar, R. K. Sharma</i> | 98 |
| Isolation of three native forms of myeloperoxidase from human polymorphonuclear leukocytes, <i>S. O. Pember, S. M. Fuhrer-Krüsi, K. C. Barnes, J. M. Kinkade, jr</i> | 103 |
| Effect of bacterially produced interferon- α_2 on synthesis of specific peptides in human peripheral lymphocytes, <i>H. L. Cooper</i> | 109 |
| The co-ordinated synthesis of the large and small subunits of ribulose biphosphate carboxylase during early cellular development within a 7-day wheat leaf, <i>C. Dean, R. M. Leech</i> | 113 |
| The change in membrane fluidity of neuroblastoma \times glioma hybrid cells upon cell differentiation, <i>Y. Kawasaki, T. Amano</i> | 117 |
| Stimulation by thyroliberin (TRH) of ^{86}Rb efflux from perfused bovine anterior pituitary cells, <i>S. Saith, R. J. Bicknell, J. G. Schofield</i> | 121 |
| Extra hypothalamo-neurohypophyseal immunoreactive neurophysin occurs predominantly as high M_r forms in the rat brain stem, <i>C. Sinding, M. Camier, P. Cohen</i> | 124 |
| Linear dichroism and orientation of pheophytin, the intermediary electron acceptor in photosystem-II reaction centers, <i>I. B. Ganago, V. V. Klimov, A. O. Ganago, V. A. Shuvalov, Y. E. Erokhin</i> | 127 |
| Affinity labeling of rabbit skeletal muscle phosphorylase kinase by 5'-(p-fluoro-sulfonylbenzoyl)adenosine, <i>M. M. King, G. M. Carlson</i> | 131 |
| Human C-apolipoproteins promote hydrolysis of dimyristoyl phosphatidylcholine by snake venom phospholipase A ₂ , <i>G. Bengtsson, T. Olivecrona</i> | 135 |
| Calcium effects on free and chromatin-bound RNA polymerase II reactions, <i>Y. Okai</i> | 139 |
| Notes to Authors | 142 |
| Book Reviews and Booklist No. 36 | 143 |

Review Letter

| | |
|------------------------------------------------------------------------------------------------------------------|-----|
| Lipolysis of hepatic triacylglycerol stores, <i>L. J. Debeer, A. C. Beynen, G. P. Mannaerts, M. J. H. Geelen</i> | 159 |
|------------------------------------------------------------------------------------------------------------------|-----|

Research Letters

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Manganese levels associated with inside-out thylakoid membranes in relation to oxygen evolution, <i>R. Mansfield, J. Barber</i> | 165 |
| The reduction potential of the couple O_3/O_3^- : Consequences for mechanisms of ozone toxicity, <i>W. H. Koppenol</i> | 169 |
| Interactions between antagonist-occupied muscarinic binding sites in rat adenohypophysis, <i>Y. I. Henis, R. Galron, S. Avissar, M. Sokolovsky</i> | 173 |
| N-Ethylmaleimide induces $\text{K}^+ - \text{H}^+$ antiport activity in <i>Escherichia coli</i> K-12, <i>E. P. Bakker, W. E. Mangerich</i> | 177 |
| Lactose transport in <i>Escherichia coli</i> cells: Evidence in favor of a permease-catalyzed efflux of lactose without protons, <i>H. Therisod, A. Ghazi, C. Houssin, E. Shechter</i> | 181 |
| Activation, reduction and proton-deuterium exchange reaction of the periplasmic hydrogenase from <i>Desulfovibrio gigas</i> in relation to the role of cytochrome <i>c</i> ₃ , <i>Y. M. Berlier, G. Fauque, P. A. Lepinat, J. le Gall</i> | 185 |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Evidence for the resumption of DNA replication prior to histone synthesis in HeLa cells after release from treatment with hydroxyurea, <i>E. A. Shephard, I. Phillips, J. Davis, J. L. Stein, G. S. Stein</i> | 189 |
| Homology of the 5'-terminal sequence of 28 S rRNA of mouse with yeast and <i>Xenopus</i> . Implication for the secondary structure of the 5.8 S-28 S RNA complex, <i>B. Michot, J.-P. Bachellerie, F. Raynal, M.-H. Renalier</i> | 193 |
| Parts of the sequence between the complete rRNA operons are repeated on either side of the extra 16 S rRNA gene in chloroplast DNA of <i>Euglena gracilis</i> strain Z, <i>B. Koller, H. Delius</i> | 198 |
| Carotene biosynthesis with isolated photosynthetic membranes, <i>I. E. Clarke, G. Sandmann, P. M. Bramley, P. Böger</i> | 203 |
| Partial purification of β -ketoacyl-acyl carrier protein synthase from a higher plant, <i>R. Schütz, J. Ebel, K. Hahlbrock</i> | 207 |
| Chain register in myosin rod, <i>M. Stewart</i> | 210 |
| Phosphorylation and activation of poly(A)-endoribonuclease from calf thymus gland, <i>C. M. Tsiapalis, T. Trangas, A. Gounaris</i> | 213 |
| Arsenazo III, a resonance Raman indicator with high selectivity for Ca^{2+} , <i>B. Ehrenberg</i> | 219 |
| Effects of proteolytic fragmentations on the activity of the mitochondrial natural ATPase inhibitor, <i>A.-C. Dianoux, A. Tsugita, G. Klein, P. V. Vignais</i> | 223 |
| Decreased transport of thyroxine (T_4), 3,3',5-triiodothyronine (T_3) and 3,3',5-triiodothyronine (rT_3) into rat hepatocytes in primary culture due to a decrease of cellular ATP content and various drugs, <i>E. Krenning, R. Docter, B. Bernard, T. Visser, G. Hennemann</i> | 229 |
| Identification of an endogenous Con A-binding polypeptide as the heavy subunit of α -mannosidase, <i>D. J. Bowles, J. Andralojc, S. Marcus</i> | 234 |
| Quantitation of lactic acid in caffeine-contracted and resting frog muscle by high resolution natural abundance ^{13}C NMR, <i>D. D. Doyle, M. Bárány</i> | 237 |
| Temperature-induced conformational changes in spin-labelled myoglobins: Myoglobin of <i>Aplysia brasiliana</i> , <i>M. Tabak, O. R. Nascimento, J. C. Say</i> | 241 |
| In vivo cooperation between hepatic catalase and superoxide dismutase demonstrated by diethyldithiocarbamate, <i>A. Geerts, F. Roels</i> | 245 |
| A novel inhibitor of NADH dehydrogenase in <i>Paracoccus denitrificans</i> , <i>M. K. Phillips, D. B. Kell</i> | 248 |
| Photocurrents of dark-adapted bacteriorhodopsin on black lipid membranes, <i>A. Fahr, E. Bamberg</i> | 251 |
| Preparation of large unilamellar vesicles, <i>H. H. Hub, U. Zimmerman, H. Ringsdorf</i> | 254 |
| Membrane glycoprotein synthesis: Cleavage of the signal sequence in the absence of glycosylation, <i>R. A. Irving, T. Hofmann, H. P. Ghosh</i> | 257 |
| The influence of DNA gyrase on the transcription of linear DNA in vitro, <i>Zh. G. Shmerling, A. I. Gragerov</i> | 260 |
| Isolation and characterization of cyclic AMP-dependent phosphorylation sites from rat liver ribosomal protein S6, <i>R. E. H. Wettenhall, Ph. Cohen</i> | 263 |
| On the nature of the stimulation by glucagon of citrulline synthesis in rat-liver mitochondria, <i>A. J. Verhoeven, H. E. S. J. Hensgens, A. J. Meijer, J. M. Tager</i> | 270 |
| Biogenesis of the chloroplast phosphate translocator, <i>U.-I. Flüggé</i> | 273 |
| Detection of chemically-induced dynamic electron polarisation (CIDEP) in whole cells and membrane fractions of <i>Chlorobium limicola</i> f. <i>thiosulphatophilum</i> , <i>P. Heathcote, J. T. Warden</i> | 277 |
| High sensitivity of a rat liver nucleoplasmic protein to triiodothyronine, <i>A. Rodriguez-Pena, J. Bernal</i> | 282 |
| Enhanced expression of cellular receptors for human interferon α on peripheral lymphocytes from patients with Down's syndrome, <i>K. E. Mogensen, F. Vignaux, I. Gresser</i> | 285 |
| ^{31}P NMR saturation transfer measurements of the steady state rates of creatine kinase and ATP synthetase in the rat brain, <i>E. A. Shoubridge, R. W. Briggs, G. K. Radda</i> | 288 |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| The myosin dimer: An intermediate in the self-assembly of the thick filament of vertebrate skeletal-muscle, <i>J. S. Davis, J. Buck, E. P. Greene</i> | 293 |
| Calcium uptake associated with an intracellular membrane fraction prepared from human blood platelets by high-voltage, free-flow electrophoresis, <i>S. Menashi, C. Davis, N. Crawford</i> | 298 |
| Resonance Raman studies of the quaternary structural change in carp deoxy-hemoglobin, <i>C. Dalvit, M. Cerdonio, A. Fontana, G. Mariotto, S. Vitale, A. de Young, R. W. Noble</i> | 303 |
| Bovine seminal ribonuclease: Non-hyperbolic kinetics in the second reaction step, <i>R. Piccolo, A. di Donato, S. Dudkin, G. D'Alessio</i> | 307 |
| The EPR properties of nickel in hydrogenase from <i>Mathanobacterium thermoautotrophicum</i> , <i>S. P. J. Albracht, E.-G. Graf, R. K. Thauer</i> | 311 |
| Effect of pH and divalent cations on the release and re-entry of RNA in isolated nuclei, <i>N. V. Sonina, N. A. Gudkova</i> | 314 |
| Resolution of the chloroform-released CF ₁ into ATPase complexes differing in their ATPase activity: Identification of one subunit as a putative natural inhibitor of the ATPase, <i>H. M. Younis, N. A. Morjana</i> | 317 |
| Isolation and properties of a natural inhibitor of the chloroplast adenosine triphosphatase, <i>H. M. Younis, N. A. Morjana</i> | 320 |
| Author Index | 325 |
| Table of Contents | 329 |