



Bibliography on analytical food chemistry

1 BOOKS, REVIEWS & SYMPOSIA

ANALUSIS 1991, 19 (10)

Special Dossier: Chemistry and Enology (French, English Abstract)

IND ALIMENT 1991, 30 (298) 1015

Analysis and technology on display at Achema 1991 (Italian, English Abstract)

2 GENERAL

Engelhardt H, Zapp J, Kolla P//Univ Saarland, Angew Phys Chem, W-6600 Saarbrücken, FRG

CHROMATOGRAPHIA 1991, 32 (11-12) 527

Sample preparation by supercritical fluid extraction in environmental, food and polymer analysis

Nieman DC, Butterworth DE, Nieman CN, Lee KE, Lee RD//Appalachian State Univ, Dept Hlth Leisure & Exercise Sci, Boone, NC 28608, USA

J AMER DIET ASSN 1992, 92 (1) 48

Comparison of 6 microcomputer dietary analysis systems with the USDA Nutrient Database for standard reference

Stumbo PJ//Univ Iowa Hosp & Clin, Gen Clin Res Ctr, Iowa City, Ia 52242, USA

J AMER DIET ASSN 1992, 92 (1) 57

Comparison of 6 microcomputer dietary analysis systems with the USDA Nutrient Database for standard reference - Comment

3 AMINO ACIDS, PROTEINS & ENZYMES

Miyakawa H, Kobayashi S, Shimamura S, Tomita M//Morinaga Milk Ind Co Ltd, Nutr Sci Lab, 1-83 5-chome, Higashihara, Zama, Kanagawa 228, Japan

J DAIRY SCI 1992, 75 (1) 27

Purification and characterization of an aminopeptidase from Lactobacillus helveticus LHE-511

Halford NG, Field JM, Blair H, Urwin P, Moore K, Robert L, Thompson R, Flavell RB, Tatham AS, Shewry PR*//Univ Bristol, Long Ashton Res Stn, Dept Agr Sci, AFRC, Inst Arable Crops Res, Bristol BS18 9AF, England

THEOR APPL GENET 1992, 83 (3) 373

Analysis of HMW glutenin subunits encoded by chromosome-1A of bread wheat (*Triticum aestivum* L.) indicates quantitative effects on grain quality

Kolster P, Krechting KF, Van Gelder WMJ//Agrotechnol Res Inst,

ATO DLO, POB 17, 6700 AA Wageningen, The Netherlands

J SCI FOOD AGR 1991, 57 (3) 405

Quantitative variation of total and individual high molecular weight glutenin subunits of wheat in relation to variation in environmental conditions

Levison PR, Badger SE, Toome DW, Koscielny ML, Lane L, Butts ET//Whatman Specialty Prod Div, Springfield Mill, Maidstone ME14 2LE, Kent, England

J CHROMATOGR 1992, 590 (1) 49

Economic considerations important in the scale-up of an ovalbumin separation from hen egg-white on the anion-exchange cellulose DE92

Mine Y, Chiba K, Tada M//QP Corp, Res Inst, Fuchu, Tokyo 183, Japan

J AGR FOOD CHEM 1992, 40 (1) 22

Effects of a limited proteolysis of ovalbumin on interfacial adsorptivity studied by ^{31}P nuclear magnetic resonance

Mozersky SM, Farrell HM, Barford RA//USDA ARS, Eastern Reg Res Ctr, 600 E Mermaid Lane, Philadelphia, Pa 19118, USA

SEPAR SCI TECHNOL 1991, 26 (12) 1467

Evaluation by sedimentation field-flow fractionation of the susceptibility of nonfat dry milk proteins to aggregation

4 CARBOHYDRATES

Bengtsson S, Aman P, Anderson RE//Swedish Univ Agr Sci, Dept Food Sci, S-75007 Uppsala, Sweden

CARBOHYD POLYM 1992, 17 (4) 277

Structure studies on water-soluble arabinoxylans in rye grain using enzymatic hydrolysis

Rodriguez MD, Redondo A, Villanueva MJ//Univ Complutense, Dept Nutr & Bromatol, Bromatol & Tecn Anal Farm, Fac Farm, E-28040 Madrid, Spain

FOOD CHEM 1992, 43 (4) 295

Study of dietary fibre content in cucumber by gravimetric and spectrophotometric methods

Tsang WSC, Cargel GLR, Clarke MA//Sugar Proc Res Inst Inc, 1100 Robert E Lee Blvd, New Orleans, La 70124, USA

ZUCKERINDUSTRIE 1991, 116 (12) 1053

Ion chromatographic analysis of oligosaccharides in beet sugar

Munzing K//Fed Ctr Cereal Potato & Lipid Res, POB 1354, W-4930 Detmold, FRG

THERMOCHIM ACTA 1991, 193 (DEC) 441

DSC studies of starch in cereal and cereal products

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical food chemistry. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Chemical Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the subject. Where there are no papers to appear under a heading, it will be omitted.

5 LIPIDS

De Waele C, Sandra P*, Van Laer L//State Univ Ghent, Organ Chem Lab, Kruglaan 281 S4, B-9000 Ghent, Belgium
ANALYSIS 1991, 19 (10) 351
HPLC of glycerol in wine vinegar

Shansky RE, Kane RE//Boehringer Ingelheim Pharmaceut Inc, Dept Analys Sci, Ctr Res & Dev, 175 Briar Ridge Rd, Ridgefield, Ct 06877, USA

J CHROMATOGR 1992, 589 (1-2) 165
Separation of soy lecithin using gel permeation

Cuesta C, Sanchez-Muniz FJ, Hernandez I, Lopez-Varela S//Univ Complutense Madrid, Fac Farm, CSIC, Inst Nutr & Bromatol, E-28040 Madrid, Spain

REV AGROQUIM TECHNOL ALIMENT 1991, 31 (4) 523
Changes of an olive oil used to fry potatoes - Relationships between simple analytical indices and chromatographic methods for direct evaluation of its degradation (Spanish, English Abstract)

Neff WE, Zeitoun MAM, Weisleder D//USDA ARS, Natl Ctr Agr Utilizat Res, Peoria, Il 61604, USA

J CHROMATOGR 1992, 589 (1-2) 353
Resolution of lipolysis mixtures from soybean oil by a solid-phase extraction procedure

Precht D//Fed Dairy Res Ctr, Hermann Weigmann Str 1, W-2300 Kiel, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (1) 1
Detection of foreign fat in milk fat. 1. Qualitative detection by triacylglycerol formulae

pressed potato juices (German, English Abstract)

Dabeka RW, McKenzie AD//Hlth & Welf Canada, Hlth Protect Branch, Food Directorate, Bur Chem Safety, Food Res Div, Ottawa, Ontario, Canada K1A 0L2

CAN J APPL SPECTROSC 1991, 36 (5) 123

Graphite-furnace atomic absorption spectrometric determination of selenium in foods after sequential wet digestion with nitric acid, dry ashing and coprecipitation with palladium

Dubbert PM, Rowland AK, Maury P, Liggett MV, Terre L, Krug L//Dept Vet Affairs Med Ctr, Psychol Serv, Jackson, Ms 39216, USA

J AMER DIET ASSN 1992, 92 (1) 87

Estimation of sodium intake by analyzing food records with augmented nutrition software and by overnight urine collections

Cornelis R//Univ Gent, Lab Anal Chem, Proeftuinstraat 86, B-9000 Gent, Belgium

FOOD CHEM 1992, 43 (4) 307

Use of reference materials in trace element analysis of foodstuffs

Degregori I, Delgado D, Pinochet H*, Gras N, Thieck M, Munoz L, Bruhn C, Navarrete G//Catholic Univ Valparaiso, Inst Chem, POB 4059, Valparaiso, Chile

SCI TOTAL ENVIR 1992, 111 (2-3) 201

Toxic trace elements in Chilean seafoods - Development of analytical quality control procedures

Delves HT//Southampton Gen Hosp, Trace Element Unit, Clin Biochem, Tremona Rd, Shirley, Southampton SO9 4XY, England

FOOD CHEM 1992, 43 (4) 277

Sample preparation and handling

Lyon TDB, Fell GS//Royal Infirmary, Trace Element Unit, Inst Biochem, Glasgow, Scotland

FOOD CHEM 1992, 43 (4) 299

Trace elements in autopsy tissue

Southgate DAT//AFRC Inst Food Res, Norwich Res Pk, Colney, Norwich NR4 7UA, England

FOOD CHEM 1992, 43 (4) 289

Trace elements: Databases and food composition compilations

Wedekind KJ, Hortin AE, Baker DH*//Univ Illinois, Dept Anim Sci, Urbana, Il 61801, USA

J ANIM SCI 1992, 70 (1) 178

Methodology for assessing zinc bioavailability - Efficacy estimates for zinc-methionine, zinc sulfate, and zinc oxide

7 TRACE ELEMENTS & MINERALS

Fernandez P, Conde CP, Gutierrez A, Camara C*//Univ Complutense Madrid, Fac Ciencias Quim, Dept Quim Analit, E-28040 Madrid, Spain

TALANTA 1991, 38 (12) 1387

On-line aluminium preconcentration on chelating resin and its FIA spectrofluorimetric determination in foods and dialysis concentrates

Peters TJ, Raja KB, Simpson RJ//King's Coll Sch Med & Dent, Dept Clin Biochem, Denmark Hill, Camberwell, London SE5 9RS, England

FOOD CHEM 1992, 43 (4) 315

Speciation of trace metals, with special reference to intestinal iron absorption

Schwedt G, Sasturain J, Petri J//Tech Univ Clausthal, Inst Anorgan & Analyt Chem, Paul Ernst Str 4, W-3392 Clausthal Zellerfe, FRG

DEUT LEBENSM-RUND SCH 1991, 87 (120) 386

Comparability of procedures to determine nitrate performed on

8 DRUG, BIOCIDES & CHEMICAL RESIDUES

Bushway RJ, Perkins LB, Hurst HL, Ferguson BS//Univ Maine, Dept Food Sci, Orono, Maine 04469, USA

FOOD CHEM 1992, 43 (4) 283

Determination of atrazine in milk by immunoassay

De Gaud G, Bernes-Duyckaerts A, Maghuin-Rogister G*//State Univ Liege, Ctr IRSIA, Comite Etud Endocrinol Dev Chez Bovins, Sect 2, B-4000 Liege, Belgium

J AGR FOOD CHEM 1992, 40 (1) 70

Determination of clenbuterol in bovine tissues and urine by enzyme immunoassay

Kobayashi H, Nishida M, Matano O, Goto S//Inst Environ Toxicol, Div Chem, 4321 Uchimoriya cho, Mitsukaido, Ibaraki 303, Japan

- J AGR FOOD CHEM 1992, 40 (1) 76
Effect of cysteine on the stability of ethylenethiourea and ethylenebis(dithiocarbamate) in crops during storage and/or analysis
- Wigfield YY, Lanouette M//Agr Canada, Food Prod & Inspect Branch, Div Lab Serv, Ottawa, Ontario, Canada K1A 0C6
PESTIC SCI 1991, 33 (4) 491
A modified clean-up for the determination of glyphosate and its metabolite residues in lentils using high pressure liquid chromatography and post-column fluorogenic labelling
- Pelegrí R, Gamon M, Coscolla R, Beltran V, Cunat P//CSIC, Inst Agroquím & Technol Alimentos, Jaime Roig II, E-46010 Valencia, Spain
REV AGROQUIM TECHNOL ALIMENT 1991, 31 (4) 573
Determination of mancozeb residues in fruits and vegetables by gas chromatography - Modification of the collecting methods of the carbonyl disulfide produced in the acid decomposition (Spanish, English Abstract)
- Miyahara M, Suzuki T, Saito Y//Natl Inst Hyg Sci, Div Foods, 1-18-1 Kamiyoga, Setagaya ku, Tokyo 158, Japan
J AGR FOOD CHEM 1992, 40 (1) 64
Multiresidue method for some pesticides in lanolin by capillary gas chromatography with detection by electron capture, flame photometric, mass spectrometric, and atomic emission techniques
- Sanchez FG, Lopez MH, Pareja AG//Univ Malaga, Fac Sci, Dept Analyt Chem, E-29071 Malaga, Spain
ANAL CHIM ACTA 1991, 255 (2) 311
Spectrofluorimetric determination of the organophosphorus insecticide quinalphos in citrus fruits
- Hoffmeister A, Suhren G, Heeschen W//Bundesforschungsanstalt Landwirtsch, Inst Pflanzenernährung & Bodenkunde, Bundesallee 50, W-3300 Braunschweig, FRG
MILCHWISSENSCHAFT 1991, 46 (11) 712
Enzyme immunoassays for screening sulfadimidine and sulfanilamide residues in milk
- ## 9 TOXINS
- Notermans S, Du Frenne J, Veld PI//Natl Inst Publ Hlth & Environm Protect, Water & Food Microbiol Lab, 3720 BA Bilthoven, The Netherlands
INT J FOOD MICROBIOL 1991, 14 (3-4) 325
Feasibility of a reference material for staphylococcal enterotoxin-A
- Stavric S, Buchanan B, Speirs J//Hlth & Welf Canada, Food Directorate, Bur Microbial Hazards, Ottawa, Ontario, Canada K1A 0L2
LETT APPL MICROBIOL 1992, 14 (2) 47
Comparison of a competitive enzyme immunoassay kit and the infant mouse assay for detecting Escherichia coli heat-stable enterotoxin
- Wieneke AA//Cent Publ Hlth Lab, Food Hyg Lab, 61 Colindale Ave, London NW9 5HT, England
INT J FOOD MICROBIOL 1991, 14 (3-4) 305
Comparison of 4 kits for the detection of staphylococcal enterotoxin in foods from outbreaks of food poisoning
- Hellenas KE, Nyman A, Sianina P, Loof L, Gabrielsson J//Swedish Natl Food Adm, Nutr Lab, Box 622, S-75126 Uppsala, Sweden
J CHROMATOGR-BIOMED APPL 1992, 573 (1) 69
Determination of potato glycoalkaloids and their aglycone in blood serum by high-performance liquid chromatography - Application to pharmacokinetic studies in humans
- Rayas-Duarte P, Bergeron D, Nielsen SS//Purdue Univ, Dept Food Sci, W Lafayette, In 47907, USA
J AGR FOOD CHEM 1992, 40 (1) 32
Screening of heat-stable trypsin inhibitors in dry beans and their partial purification from great northern beans (*Phaseolus vulgaris*) using anhydrotrypsin sepharose affinity chromatography
- Fukal L Marek M//Prague Inst Chem Technol, Tech 3-5, CS-16628 Prague 6, Czechoslovakia
VET MED-CZECH 1991, 36 (4) 251
Screening method for simultaneous immunochemical determination of aflatoxin and ochratoxin-A in cereals and feeds (Czech, English Abstract)
- Ruprich J, Ostry V//Inst Hyg & Epidemiol, Palackeho 1-3, CS-61242 Brno, Czechoslovakia
VET MED-CZECH 1991, 36 (4) 245
Enzymoimmunological assays of the mycotoxin ochratoxin-A (Czech, English Abstract)
- Pleasance S, Ayer SW, Laycock MV, Thibault P//Sciex Ltd, 55 Glen Cameron Rd, Thornhill, Ontario, Canada L3T 1P2
RAPID COMMUN MASS SPECTROM 1992, 6 (1) 14
Ionspray mass spectrometry of marine toxins. 3. Analysis of paralytic shellfish poisoning toxins by flow-injection analysis, liquid chromatography mass spectrometry and capillary electrophoresis mass spectrometry
- Hetmanski MT, Scudamore KA//MAFF, Cent Sci Lab, London Rd, Slough SL3 7HJ, Berks, England
J CHROMATOGR 1991, 588 (1-2) 47
Detection of zearalenone in cereal extracts using high-performance liquid chromatography with post-column derivatization
- ## 10 ADDITIVES
- Aoyama RG, McErlane KM, Erber H, Kitts DD, Burt HM//Univ British Columbia, Fac Pharmaceut Sci, 2146 E Mall, Vancouver, BC, Canada V6T 1Z3
J CHROMATOGR 1991, 588 (1-2) 181
High-performance liquid chromatographic analysis of oxytetracycline in chinook salmon following administration of medicated feed
- ## 11 FLAVOURS & AROMAS
- Lubke M//INRA, Rech Aromes Lab, 17 rue Sully, Boite Postale 1540, F-21034 Dijon, France
ANALUSIS 1991, 19 (10) 323
The advantages of supercritical fluid chromatography for analysing natural products (French, English Abstract)
- Diaz AN, Peinado MCR//Univ Malaga, Fac Sci, Dept Analyt Chem, E-29071 Malaga, Spain
J AGR FOOD CHEM 1992, 40 (1) 56
Fluorometric determination of curcumin in yogurt and mustard
- Hanneguelle S, Thibault JN, Naulet N, Martin GJ//Nucl Magnet Resonance & React Chim Lab, CNRS, URA 472, 2 rue Houssiniere, F-44072 Nantes 03, France
J AGR FOOD CHEM 1992, 40 (1) 81
Authentication of essential oils containing linalool and linalyl acetate by isotopic methods
- Krause M, Galensa R//Tech Univ Braunschweig, Inst Lebensmittel-chem, Schleinitzstr 20, W-3300 Braunschweig, FRG
J CHROMATOGR 1991, 588 (1-2) 41

High-performance liquid chromatography of diastereomeric flavanone glycosides in citrus on a beta-cyclodextrin-bonded stationary phase (Cyclobond-I)

Askari C, Kreis P, Mosandi A, Schmarr HG//Univ Frankfurt, Inst Lebensmittelchem, Robert Mayer Str 7-9, W-6000 Frankfurt 11, FRG
ARCH PHARM 1992, 325 (1) 35

Chiral compounds of essential oils. 7. Quality evaluation of mentha oils, using enantioselective CGC-analysis of monoterpenoid constituents

Krause M, Galensa R*//Tech Univ Braunschweig, Inst Lebensmittelchem, Schleinitzstr 20, W-3300 Braunschweig, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (1) 29

Determination of naringenin and naringenin-chalcone in tomato skins by reversed phase HPLC after solid phase extraction (German, English Abstract)

Srinivasan K, Sambaiah K, Chandrasekhara N//Central Food Technol Res Inst, Dept Food Chem, Mysore 570 013, India

FOOD CHEM 1992, 43 (4) 271

Loss of active principles of common spices during domestic cooking

12 ORGANIC ACIDS

Calull M, Lopez ER, Marce RM, Olucha JC, Borrull F*//Univ N Carolina, Lineberger Comprehens Canc Ctr, Campus Box 7295, Chapel Hill, NC 27599, USA

J CHROMATOGR 1992, 589 (1-2) 151

Optimization of an ion-exchange high-performance liquid chromatographic method for the determination of carboxylic acids, sugars, glycerol and ethanol in wines

Llorente M, Villarroya B, Gomez-Cordoves C*//CSIC, Inst Fermentac Ind, Juan Cervia 3, E-28006 Madrid, Spain

CHROMATOGRAPHIA 1991, 32 (11-12) 555

Reverse-phase HPLC of organic acids in musts

13 ANIMAL PRODUCTS

Damir AA, Salama AA, Mohamed MS//Univ Alexandria, Food Ind Dept, Fac Agr, Alexandria, Egypt

FOOD CHEM 1992, 43 (4) 265

Acidity, microbial, organic and free amino acids development during fermentation of skimmed milk, Kishk

Hamann J, Fyodi P, Heeschen W//Bundesanstalt Milchforsch, Inst Hyg, W-2300 Kiel, FRG

KIEL MILCHWIRT FORSCHUNGSBER 1991, 43 (4) 273

On the influence of varying preserving agents and storage times on somatic cell counting in milk using the Fosomatic-360 and Fosomatic-180 (German, English Abstract)

Synowiecki J, Shahidi F//Food Sci Program, Mem Univ Newfoundland, St John's, Newfoundland, Canada A1B 3X9

FOOD CHEM 1992, 43 (4) 275

Nucleic acid content of seal meat

14 PLANT & MICROBIAL PRODUCTS

Chen CL, Chou WY, Lin CH//Natl Chung Hsing Univ, Dept Agron, Taichung, Taiwan

J AGR ASSN CHINA-TAIWAN 1991, (155) 7

Abscisic acid enzyme-linked immunosorbent assays in rice grains (Chinese, English Abstract)

Mousa EI, Al-Mohizea IS, Al-Kanhal MA//King Saud Univ, Food Sci Dept, Coll Agr, Riyadh 11451, Saudi Arabia

FOOD CHEM 1992, 43 (4) 259

Chemical composition and nutritive value of various breads in Saudi Arabia

Minguez-Mosquera MI, Gandul-Rojas B, Gallardo-Guerrero ML//CSIC, Inst Grasa & Derivados, Unidad Estructural Biotecnol Alimentos, Ave Padre Garcia Tejero 4, E-41012 Seville, Spain

J AGR FOOD CHEM 1992, 40 (1) 60

Rapid method of quantification of chlorophylls and carotenoids in virgin olive oil by high-performance liquid chromatography

Nagy S, Rouseff RL*, Fisher JF, Lee HS//Florida Dept Citrus, Sci Res Dept, 700 Expt Stn Rd, Lake Alfred, FL 33850, USA

J AGR FOOD CHEM 1992, 40 (1) 27

HPLC separation and spectral characterization of browning pigments from white grapefruit juice stored in glass and cans

Mohamed AI, Rangappa M//Virginia State Univ, Cooperat State Res Serv, Petersburg, Va 23803, USA

PLANT FOOD HUM NUTR 1992, 42 (1) 87

Screening soybean (grain and vegetable) genotypes for nutrients and anti-nutritional factors

Sakata I, Ikeuchi M, Maruyama I*, Okuda T//Toyo Hakka Kogyo Co Ltd, Satoshio, Okayama 71903, Japan

YAKUGAKU ZASSHI-J PHARM SOC JPN 1991, 111 (12) 790

Quantitative analysis of (-)-epigallocatechin gallate in tea leaves by high-performance liquid chromatography (Japanese, English Abstract)