



Bibliography on analytical food chemistry

2 GENERAL

Moret S, Bortolo-Meazzi R, Lercker G*//^{*}Univ Firenze, Dipartimento Sci & Tecnol Alimentari & Microbiol, Sez Ind & Tecnol Alimentari, I-50144 Florence, Italy

J CHROMATOGR 1992, 591 (1-2) 175

Improvement of extraction procedure for biogenic amines in foods and their high-performance liquid chromatographic determination

Yamada K, Omura H//Kyushu Univ 46-09, Fac Agr, Dept Food Sci & Technol, 6-10-1 Hakozaki, Higashi ku, Fukuoka 812, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 286

Simplification of colorimetric measurement of secondary amines by nitrosation

3 AMINO ACIDS, PROTEINS & ENZYMES

Wieser H, Belitz HD//Tech Univ Munich, Deutsche Forsch Anstalt Lebensmittelchem, Lichtenbergstr 4, W-8046 Garching, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (3) 229

Coeliac active peptides from gliadin - Large-scale preparation and characterization

Hutchens TW, Yip TT, Morgan WT//Baylor Coll Med, Dept Pediat, USDA ARS, Childrens Nutr Res Ctr, 1100 Bates, Houston, Tx 77030, USA

PEDIAT RES 1992, 31 (3) 239

Identification of histidine-rich glycoprotein in human colostrum and milk

Lotfy S, Fleuriot A*, Macheix JJ//^{*}Univ Montpellier 2, Physiol Veg-
etale Appl Lab, Pl Eugene Bataillon, F-34095 Montpellier 5, France

PHYTOCHEMISTRY 1992, 31 (3) 767

Partial purification and characterization of hydroxycinnamoylCoA-transferases from apple and date fruits

Ortin A, Muinoblanco MT, Calvo M, Lopez-Perez MJ, Cebrian-Perez JA//Fac Vet Zaragoza, Dept Bioquim Biol Molec & Cellular, Miguel Servet 177, E-50013 Zaragoza, Spain

J DAIRY SCI 1992, 75 (3) 711

Extraction of beta-lactoglobulin from bovine milk by affinity counter-current distribution in aqueous 2-phase system

Hikuma M, Kawarai M, Tonooka Y, Hashimoto K//Nishi Tokyo Univ, Dept Biosci & Bioengn, 2525 Uenohara, Yamanashi 40901, Japan

ANAL LETT 1991, 24 (12) 2225

Determination of L-lysine in feeds by fluorometric method based on L-lysine oxidase

Tesniere C, Robin JP//INRA, Inst Prod Vigne, Biochim Metab &

Technol, 2 Pl Viala Lab, F-34060 Montpellier, France

ELECTROPHORESIS 1992, 13 (1-2) 93

2-dimensional electrophoresis of the total polypeptides in ripe red grape berries

Yoshimoto M, Kimura T, Miyamoto T, Sakamoto J, Hatano S//Kyushu Univ 4609, Fac Agr, Dept Food Sci & Technol, 6-10-1 Hakozaki, Higashi ku, Fukuoka 812, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 147

Purification and properties of acid phosphatase from Japanese radish

Ahlden I, Tragardh G//Lund Univ, Dept Food Eagn, PO Box 124, S-22100 Lund, Sweden

FOOD CHEM 1992, 44 (2) 113

A study of soluble proteins from four potato varieties used in the Swedish starch industry

Armstrong SG, Leach DN, Wyllie SG//Univ Western Sydney (UWS), Muscle Foods Res Unit, Hawkesbury, Richmond, NSW 2753, Australia

FOOD CHEM 1992, 44 (2) 147

The use of HPLC protein profiles in fish species identification

4 CARBOHYDRATES

Brown CF, Inkerman PA*//^{*}Mackay Mail Ctr, Sugar Res Inst, Box 5611, Mackay, Qld 4741, Australia

J AGR FOOD CHEM 1992, 40 (2) 227

Specific method for quantitative measurement of the total dextran content of raw sugar

Guillen R, Heredia A*, Felizon B, Jimenez A, Montano A, Fernandez-Bolanos JJ//^{*}Inst Grasa Derivados (CSIC), Apartado 1078, E-41012 Sevilla, Spain

FOOD CHEM 1992, 44 (3) 173

Fibre fraction carbohydrates in Olea europaea (Gordal and Manzanilla var.)

Honda C, Nanba T, Asaoka O, Yumoto K, Hayashi T, Ikegami S, Takai Y//Japan Med Foods Assoc, 5-3-11 Maesawa, Higashikurume shi, Tokyo 203, Japan

J FOOD HYG SOC JPN 1992, 33 (1) 46

Modification of methods for determination of dietary fiber in raw and processed pulses (Japanese, English Abstract)

Striedner J, Czjzgan FC, BrauneGG G*//^{*}Graz Tech Univ, Inst Biotechnol, Petersgasse 12, A-8010 Graz, Austria

ACTA BIOTECHNOL 1991, 11 (5) 495

Contributions to the biotechnological production of sweeteners from Stevia rebaudiana Bertoni. 1. A method for the serial analysis of diterpene glycosides by HPLC

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical food chemistry. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Chemical Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the subject. Where there are no papers to appear under a heading, it will be omitted

Nedvidek W, Ledl F, Fischer P//Univ Stuttgart, Inst Lebensmittelchem & Analyt Chem, Pfaffenwaldring 55, W-7000 Stuttgart 80, FRG
Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (3) 222

Detection of 5-hydroxymethyl-2-methyl-3-(2H)-furanone and of alpha-dicarbonyl compounds in reaction mixtures of hexoses and pentoses with different amines

Barsett H, Paulsen BS, Habte Y//Univ Oslo, Dept Pharmacogn, Inst Pharm, Postbox 1068 Blindern, 0316 Oslo 3, Norway
CARBOHYD POLYM 1992, 18 (2) 125

Further characterization of polysaccharides in seeds from *Ulmus glabra* Huds.

Shirasugi N, Misaki A**//Osaka City Univ, Fac Sci Living, Dept Food & Nutr, Sugimoto 3 chome, Sumiyoshi ku, Osaka 558, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 29

Isolation, characterization, and antitumor activities of the cell wall polysaccharides from *Elsinoe leucospila*

Will F, Dietrich H//Forsch Geisenheim, Fach Weinanal & Getrankeforsch, PO Box 1154, W-6222 Geisenheim, FRG
CARBOHYD POLYM 1992, 18 (2) 109

Isolation, purification and characterization of neutral polysaccharides from extracted apple juices

Haidacher D, Bonn GK, Scherz H*, Nitsch E, Wutka R//Deutsch Forschungsanstalt Lebensmittelchem, Lichtenbergstr 4, W-8046 Garching, FRG
J CHROMATOGR 1992, 591 (1-2) 351

Thin-layer electrophoresis of hydroxyethyl starches on a modified silica gel support

5 LIPIDS

Morgan JN, Armstrong DJ//USFDA, Natl Ctr Food Safety & Technol, Div Food Chem & Technol, Food Engr Branch, 6502 S Archer Ave, Summit Argo, IL 60501, USA
J FOOD SCI 1992, 57 (1) 43

Quantification of cholesterol oxidation products in egg yolk powder spray-dried with direct heating

Gusakova SD, Nazarova IP, Glushenkova AI, Khashimov DA, Alimov KG, Yuldashev PK//Acad Sci, Inst Bot Chem, Tashkent, Uzbekistan
KHIM PRIR SOEDIN SSSR 1991, (5) 621

Enzymatic-chemical isolation of lipids, proteins and gossipol from cotton plant groats. 1. (Russian)

Gusakova SD, Nazarova IP, Glushenkova AI, Khashimov DA, Alimov KG, Yuldashev PK//Acad Sci, Inst Bot Chem, Tashkent, Uzbekistan
KHIM PRIR SOEDIN SSSR 1991, (5) 713

Enzymatic-chemical isolation of lipids, proteins and certain phenols from sunflower and peanut plant seeds. 2. (Russian)

6 VITAMINS & CO-FACTORS

Erroz CL, Cordoba MH, Sanchez-Pedreno C//Univ Murcia, Fac Quim, Dept Qim Analit, Murcia, Spain
AN QUIM 1991, 87 (5) 683

Kinetic determination of ascorbic acid in fruit juices

Sahbaz F, Somer G**//Gazi Univ, Dept Chem, 06500 Ankara, Turkey
FOOD CHEM 1992, 44 (2) 141

Determination of ascorbic acid in fruit and vegetables using normal polarography

Seiffert B, Swaczyna H, Schaefer I//Chem & Lebensmitteluntersuc-

hungsanstalt Hamburg, Marckmannstr 129A, W-2000 Hamburg 26, FRG

DEUT LEBENSM-RUNDSCH 1992, 88 (2) 38

Simultaneous determination of L-ascorbic acid and D-isoascorbic acid in alcoholic beverages by HPLC (German, English Abstract)

Mock DM, Mock NI, Langbehn SE//Univ Iowa, Coll Med, Dept Pediat, Div Gastroenterol, Iowa, Ia 52242, USA

J NUTR 1992, 122 (3) 535

Biotin in human milk - Methods, location, and chemical form

Razagui IB, Barlow PH, Taylor KDA//Humberside Polytech, Sch Food Fish & Environ Studies, Nuns Corner, Grimsby, South Humberside DN34 5BQ, England

FOOD CHEM 1992, 44 (3) 221

A spectrofluorimetric procedure for the determination of alpha-tocopherol in nutritional supplement products

7 TRACE ELEMENTS & MINERALS

Morales-Rubio A, Salvador A, Delaguardia M**//Univ Valencia, Dept Quim Analit, C Doctor Moliner 50, E-46100 Burjassot, Spain

FRESENTIUS J ANAL CHEM 1992, 342 (4-5) 452

Microwave muffle furnace-assisted decomposition of vegetable samples for flame atomic spectrometric determination of Ca, Mg, K, Fe, Mn and Zn

Dietrich AM, Ledder TD, Gallagher DL, Grabeel MN, Hoehn RC//Virginia Polytech Inst & State Univ, Dept Civil Engr, Div Environm Engr & Environm Sci, Blacksburg, Va 24061, USA

ANAL CHEM 1992, 64 (5) 496

Determination of chlorite and chlorate in chlorinated and chloraminated drinking water by flow injection analysis and ion chromatography

O'Brien GM, Mbome L, Taylor AJ, Poulter NH**//Natural Res Inst, Chatham Maritime, Chatham, Kent ME4 4TB, England

FOOD CHEM 1992, 44 (2) 131

Variations in cyanogen content of cassava during village processing in Cameroon

Gunther K, Conbohlen A, Paprott G, Klockenkamper R//Univ Bonn, Lehrstuhl Lebensmittelwissensch & Lebensmittelchem, W-5300 Bonn 1, FRG

FRESENTIUS J ANAL CHEM 1992, 342 (4-5) 444

Multielement analysis of biological reference materials by total-reflection X-ray fluorescence and inductively coupled plasma mass spectrometry in the semiquant mode

Shen MK, Shi YY//Hangzhou Hlth & Antiepidem Stn, Hangzhou 310006, Peoples R China

ANALYST 1992, 117 (2) 137

Determination of lanthanum in food and water samples by Zeeman-effect atomic absorption spectrometry using a graphite tube lined with tungsten foil

Navarro M, Lopez MC, Lopez H, Sanchez M//Univ Granada, Fac Pharm, Dept Nutr & Bromatol, E-18012 Granada, Spain

ANAL CHIM ACTA 1992, 257 (1) 155

Microwave dissolution for the determination of mercury in fish by cold vapour atomic absorption spectrometry

Karl H//Bundesforsch Anstalt Fischerei, Inst Biochem & Technol, Palmaille 9, W-2000 Hamburg 50, FRG

DEUT LEBENSM-RUNDSCH 1992, 88 (2) 41

Determination of nitrite in smoked fish and other fish products (Ger-

man, English Abstract)

Oduza CF, Thomas SA//Teesside Polytech, Dept Chem Engr, Middlesbrough TS1 4QS, England

FRESENTIUS J ANAL CHEM 1992, 342 (4-5) 449

On the determination of phosphorus in some processed fruit products by wet-digestion and dry-ashing methods - A preliminary report

Liu XJ, Tu YF, Zhao Y, Zhu L, Liu HY, Yu H, Ding YC, Ren YB//Suzhou Univ, Dept Chem, Suzhou 215006, Peoples R China

TALANTA 1992, 39 (3) 207

Catalytic polarographic determination of total selenium in tea leaves

Garcia P, Brenes M, Garrido A**/CSIC, Inst Grasa & Derivados, Apartado 1078, E-41012 Seville, Spain

ANALYST 1992, 117 (2) 173

Rapid indirect method for determining the sodium content of table olives

Rauret G, Ribera MM//Univ Barcelona, Dept Quim Anal, Avda Diagonal 647, E-08028 Barcelona, Spain

AN QUIM 1991, 87 (5) 580

Separation of radiostrontium in milk samples

Bansal V, Rawat A, Jojo PJ, Prasad R//Aligarh Muslim Univ, Zh Coll Engr & Technol, Dept Appl Phys, Aligarh 202001, Uttar Pradesh, India

HEALTH PHYS 1992, 62 (3) 257

Analyzing uranium concentrations in drinking water samples in India using the fission-track technique

Arnaud J, Bouillet MC, Allary J, Favier A//Lab Biochim C, CHRUG, BP 217, F-38043 Grenoble Cedex 9, France

FOOD CHEM 1992, 44 (3) 213

Zinc determination in human milk by flameless atomic absorption spectrometry after dry ashing

Michalke B, Munch DC, Schramel P//Gesell Strahlen & Umweltforsch Mbh, Forschungszentrum Umwelt & Gesundheit GmbH, Inst Okol Chem, W-8042 Neuherberg, FRG

J TRACE ELEM ELECTR HLTH DIS 1991, 5 (4) 251

Contribution to Zn-speciation in human breast milk - Fractionation of organic compounds by HPLC and subsequent Zn-determination by DCP-AES

Soto-Ferreiro RM, Laino CC, Bermejo-Barrera P//Univ Santiago de Compostela, Dept Analyt Chem Nutr & Bromatol, Santiago, Spain

ANAL LETT 1991, 24 (12) 2277

Comparative study of sample preparation methods for Zn, Fe and Cu determination in mussels by flame atomic absorption spectrometry

8 DRUG, BIOCIDES & CHEMICAL RESIDUES

Pachinger A, Eisner E, Begutter H, Klus H//Gesell Umweltanalyt, Okolab, Hasnerstr 124A, A-1160 Vienna, Austria

FRESENTIUS J ANAL CHEM 1992, 342 (4-5) 413

A simple method for the determination of amitrole in drinking and ground water

Kearns GL, Johnson VA, Hendry IR, Wells TG//Arkansas Childrens Hosp, Div Pediat Clin Pharmacol, 8000 Marshall St, Little Rock, AR 72202, USA

J CHROMATOGR-BIOMED APPL 1992, 574 (2) 356

Microanalytical high-performance liquid chromatographic assay for cepiprome in human milk and urine

Lehotay J, Brandsteterova E, Oktavec D//Slovak Tech Univ, Dept Analyt Chem, Radlinskeho 9, CS-81237 Bratislava, Czechoslovakia

J LIQ CHROMATOGR 1992, 15 (3) 525

High-performance liquid chromatographic determination of ethylene-thiourea in food

Gross GA, Gruter A//Nestec Ltd, Res Ctr, Vers Chez Les Blanc, POB 44, CH-1000 Lausanne 26, Switzerland

J CHROMATOGR 1992, 592 (1-2) 271

Quantitation of mutagenic/carcinogenic heterocyclic aromatic amines in food products

Khurana AL, Ho CT//Whatman Specialty Prod Inc, 341 Kaplan Dr, Fairfield, NJ 07004, USA

J LIQ CHROMATOGR 1992, 15 (3) 535

Evaluation of polymethacrylic acid for food packaging by examining interactions using HPLC

Gaynor JD, MacTavish DC, Hamill AS//Agr Canada, Res Stn, Harrow, Ontario, Canada N0R 1G0

CHROMATOGRAPHIA 1992, 33 (3-4) 147

GC/MSD detection of the metabolic residues of metolachlor in tomato fruit

Steinwandter H//Hess Landwirtschaftliche Versuchsanstalt, Rheinstr 91, W-6100 Darmstadt, FRG

FRESENTIUS J ANAL CHEM 1992, 342 (4-5) 416

Research in environmental pollution. 4. Identification of non-o,o'-Cl and mono-o,o'-Cl substituted PCB congeners in main river fish

Steinwandter H//Hess Landwirtschaftliche Versuchsanstalt, Rheinstr 91, W-6100 Darmstadt, FRG

FRESENTIUS J ANAL CHEM 1992, 342 (4-5) 467

Research in environmental pollution. 5. Identification of non-o,o'-Cl and mono-o,o'-Cl substituted PCB congeners in Rhine river fish

Tonogai Y, Tsumura Y, Nakamura Y, Ito Y//Natl Inst Hyg Sci, Osaka Branch, 1-1-43 Hoenzaka, Chou ku, Osaka 540, Japan

J FOOD HYG SOC JPN 1992, 33 (1) 23

Analysis of post-harvest application pesticides in citrus fruits (Japanese, English Abstract)

Fortani F, Arnoldi A, Pagani S**/Univ Milano, Dipartimento Sci Molec Agroalimentari, via Celoria 2, I-20133 Milan, Italy

J AGR FOOD CHEM 1992, 40 (2) 328

Development of an enzyme-linked immunosorbent assay for triazole fungicides

Sen NP, Baddoo PA, Seaman SW, Weber D//Hlth & Welf Canada, Hlth Protect Branch, Food Directorate, Bur Chem Safety, Div Food Res, Ottawa, Ontario, Canada K1A 0L2

J AGR FOOD CHEM 1992, 40 (2) 221

Simultaneous determination of 2-(hydroxymethyl)-N-nitrosothiazolidine-4-carboxylic acid and 2-(hydroxymethyl)-N-nitrosothiazolidine in smoked meats and cheese

9 TOXINS

Van Rhijn JA, Viveen J, Tuinstra LGMT**/State Inst Qual Control Agr Prod, Bornsesteeg 45, 6708 PD Wageningen, The Netherlands

J CHROMATOGR 1992, 592 (1-2) 265

Automated determination of aflatoxin-B₁ in cattle feed by 2-column solid-phase extraction with on-line high-performance liquid chromatography

Shephard GS, Thiel PG, Sydenham EW//S African MRC, Nutr Dis

Res Inst, POB 19070, Tygerberg 7505, South Africa
J CHROMATOGR-BIOMED APPL 1992, 574 (2) 299
 Determination of fumonisin-B₁ in plasma and urine by high-performance liquid chromatography

Botsoglou NA, Spais AB//Aristotelian Univ Salonika, Sch Vet Med, Dept Anim Prod Ichthyol Ecol & Protect Environm, GR-54006 Salonika, Greece

CHROMATOGRAPHIA 1992, 33 (3-4) 174

Ion-pair, liquid chromatographic analysis of total gossypol in chicken liver

Hamato N, Takano R, Kamei-Hayashi K, Hara S//Kyoto Univ, Fac Engn & Design, Dept Chem & Mat Technol, Sakyo ku, Kyoto 606, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 275

Purification and characterization of serine proteinase inhibitors from gourd (*Lagenaria leucantha* Rusby var. *Gourda Makino*) seeds

Bonorden WR, Swanson BG//Univ Wisconsin-Madison, Food Res Inst, Dept Food Microbiol & Toxicol, 1925 Willow Dr, Madison WI 53706, USA

FOOD CHEM 1992, 44 (3) 227

Isolation and partial characterization of a porcine thyroglobulin-binding Phaseolus vulgaris L. lectin

Yotsu M, Hayashi Y, Khora SS, Sato S, Yasumoto T//Tohoku Univ, Fac Agr, Aoba ku, Sendai 981, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (2) 370

Isolation and structural assignment of 11-nortetrodotoxin-6(S)-O1 from the puffer *Arothron nigropunctatus*

Pleasant S, Quilliam MA, Marr JC//Natl Res Council Canada, Atlantic Reg Lab, Inst Marine Biosci, 1411 Oxford St, Halifax, NS, Canada B3H 3Z1

RAPID COMMUN MASS SPECTROM 1992, 6 (2) 121

Ionspray mass spectrometry of marine toxins. 4. Determination of diarrhetic shellfish poisoning toxins in mussel tissue by liquid chromatography mass spectrometry

10 ADDITIVES

Joubert E//Fruit & Fruit Technol Res Inst, Private Bag X5013, Stellenbosch 7600, South Africa

FOOD SCI TECHNOL-LEBENSMESS WISS 1991, 24 (6) 488

Spectrophotometric determination of erythrosine in Ca-pectate gels

Wedzicha BL, Bellion IR, Goddard SJ//Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England

FOOD CHEM 1992, 44 (3) 165

Infrared and ultraviolet spectra of sulphur(IV) oxospecies in water-non-electrolyte mixtures

11 FLAVOURS & AROMAS

Worner M, Schreier P//Univ Wurzburg, Lehrstuhl Lebensmittelchem, W-8700 Wurzburg, FRG

PHYTOCHEM ANALYSIS 1991, 2 (6) 260

Multidimensional gas-chromatography mass-spectrometry (MDGC/MS) - A powerful tool for the direct chiral evaluation of aroma compounds in plant tissues. 3. (1S)-(-)-2-endo-acetoxy-3-exo-hydroxybornane (vulgarole) in mugwort (*Artemisia vulgaris* L) herb

Mosandl A, Askari C, Hener U, Juchelka D, Lehmann D, Kreis P, Motz C, Palm U, Schmarr HG//Univ Frankfurt, Inst Lebensmittelchem, Robert Mayer Str 7-9, W-6000 Frankfurt, FRG

CHIRALITY 1992, 4 (1) 50

Chirality evaluation in flavour and essential oil analysis

Askari C, Mosandl A//Univ Frankfurt, Inst Lebensmittelchem, Robert Mayer Str 7-9, W-6000 Frankfurt, FRG

PHYTOCHEM ANALYSIS 1991, 2 (5) 211

Stereoisomeric flavour compounds. 52. Separation and structure elucidation of the furanoid linalool oxide stereoisomers using chiro-specific capillary gas chromatography and nuclear magnetic resonance spectroscopy

Mir MV, Granados JQ, Delaserrana HLG, Martinez MCL//Univ Granada, Fac Pharm, Dept Nutr & Bromatol, E-18012 Granada, Spain

J LIQ CHROMATOGR 1992, 15 (3) 513

High-performance liquid chromatography determination of furanic compounds in commercial brandies and caramels

Callao MP, Larrechi MS, Masip J, Guasch J, Rius FX, Minguez S//Univ Barcelona, Dept Quim, Pl Imperial Tarraco 1, E-43005 Tarragona, Spain

AN QUIM 1991, 87 (5) 588

Volatile composition of white wine and its correlation to sensorial analysis by PLS

Mattheis JP, Buchanan DA, Fellman JK//USDA ARS, Tree Fruit Res Lab, Wenatchee, Wa 98801, USA

PHYTOCHEMISTRY 1992, 31 (3) 775

Identification of headspace volatile compounds from Bing sweet cherry fruit

12 ORGANIC ACIDS

Mogele R, Pabel B, Galensa R//Tech Univ Braunschweig, Inst Food Chem, Schleinitzstr 20, W-3300 Braunschweig, FRG

J CHROMATOGR 1992, 591 (1-2) 165

Determination of organic acids, amino acids and saccharides by high-performance liquid chromatography and a post-column enzyme reactor with amperometric detection

13 ANIMAL PRODUCTS

Trout ES, Hunt MC*, Johnson DE, Claus JR, Kastner CL, Kropf DH, Stroda S//Kansas State Univ Agr & Appl Sci, Dept Anim Sci & Ind, Weber Hall, Manhattan, Ks 66506, USA

J FOOD SCI 1992, 57 (1) 25

Chemical, physical, and sensory characterization of ground beef containing 5% to 30% fat

Ammon J, Mildau G, Ruge W, Delincee H//Chem Landesuntersuchungsanstalt, Karlsruhe, Hoffstr 3, W-78300 Karlsruhe 1, FRG

DEUT LEBENSMESS-RUNDSCH 1992, 88 (2) 35

A gas chromatographic procedure to detect the radiation processing of chicken meat (German, English Abstract)

Luong JHT, Male KB, Masson C, Nguyen AL//Natl Res Council Canada, Inst Biotechnol Res, Montreal, Quebec, Canada H4P 2R2

J FOOD SCI 1992, 57 (1) 77

Hypoxanthine ratio determination in fish extract using capillary electrophoresis and immobilized enzymes

Pastoriza L, Sampedro G//Inst Invest Marinas, Eduardo Cabello 6, E-36208 Vigo, Spain

FOOD CHEM 1992, 44 (2) 127

Chemical composition of the muscle tissue of ray (*Raja radiata*) from Terranova

Deleon JCM, Morrissy M, Vallin E//Inst Nacl Nutr Salvador Zubiran, Dept Ciencia & Technol Alimentos, Vasco de Quiroga 15, Mexico City, DF, Mexico

ARCH LATINOAMER NUTR 1991, 41 (3) 428

Chemical, microbiological and sensory evaluation of a dried salted product produced from sardine (*Sardinops caerulea*) and cereals

14 PLANT & MICROBIAL PRODUCTS

Spagna G, Pifferi PG//Dept Ind Chem & Materials, Viale Risorgimento 4, I-40136 Bologna, Italy

FOOD CHEM 1992, 44 (3) 185

Purification and separation of oenocyanin anthocyanins on sulphoxyethylcellulose

Danho D, Naulet N, Martin GJ**//Lab Resonance Magnet Nucl & Reactivite Chim, CNRS, UA 472, 2 rue Houssiniere, F-44072 Nantes 03, France

ANALYSIS 1992, 20 (3) 179

Deuterium, carbon and nitrogen isotopic analysis of natural and synthetic caffeine - Authentication of coffees and coffee extracts

Khalyfa A, Kemasha S*, Alli I//McGill Univ, Dept Food Sci & Agr Chem, MacDonald Campus, 21111 Lakeshore Rd, St Anne Bellevue, Quebec, Canada H9XC 1C0

J AGR FOOD CHEM 1992, 40 (2) 215

Extraction, purification, and characterization of chlorophylls from spinach leaves

Ewaidah EH//King Saud Univ, Food Sci Dept, Coll Agr, PO Box 2460, Riyadh 11451, Saudi Arabia

FOOD CHEM 1992, 44 (2) 103

Studies on commercially canned juices produced locally in Saudi Arabia: Part 3 - Physicochemical, organoleptic and microbiological assessment

Bressani R, Demora DR, Flores R, Gomez-Brenes R//Inst Nutr Centro Amer & Panama, Apartado Postal 1188, Guatemala City, Guatemala

ARCH LATINOAMER NUTR 1991, 41 (4) 569

Evaluation of 2 methods to determine polyphenol content of raw and cooked beans (*Phaseolus vulgaris*) and effect of these on protein digestibility (Spanish, English Abstract)

Sen A, Miller SS, Arnason JT*, Fulcher RG//Univ Ottawa, Dept Biol, Ottawa, Ontario, Canada K1N 6N5

PHYTOCHEM ANALYSIS 1991, 2 (5) 225

Quantitative determination by high-performance liquid chromatography and microspectrofluorimetry of phenolic acids in maize grain

Kudou S, Tonomura M, Tsuzamoto C, Shimoyamada M, Uchida T, Okubo K//Kanesa Co Ltd, 202 Hamada, Tamagawa, Aomori 030, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (1) 142

Isolation and structural elucidation of the major genuine soybean saponin

Gnanasekharan V, Shewfelt RL, Chinnan MS//Purdue Univ, Dept Food Sci, W Lafayette, In 47907, USA

J FOOD SCI 1992, 57 (1) 149

Detection of color changes in green vegetables

Remaud G, Guillou C, Vallet C, Martin GJ**//Univ Nantes, CNRS, URA 472, 2 rue Houssiniere, F-44072 Nantes 03, France

PRESENTUS J ANAL CHEM 1992, 342 (4-5) 457

A coupled NMR and MS isotopic method for the authentication of natural vinegars