



Bibliography on analytical food chemistry

1 BOOKS, REVIEWS & SYMPOSIA

Finley JW, Robinson SF, Armstrong DJ (Eds)
Food Safety Assessment - ACS Symposium Series, Vol 484
Symp on Food Safety Assessment, at the 200th National Meeting of
the American Chemical Soc, Washington, DC, August 1990
Amer Chemical Soc (Washington), 1992, 478 pp, \$99.95 Hardbound,
ISBN: 0-8412-2198-7

Walsh MC//State Lab, Dublin 15, Ireland
TRAC-TREND ANAL CHEM 1992, 11 (4) R9
Food and environmental analysis (Meeting Report)

2 GENERAL

Hall SB, Duffield JR, Williams DR*, Barnett MI, Cosslett AG//Univ
Wales Coll Cardiff, Sch Chem & Appl Chem, POB 912, Cardiff CF1
3TB, Wales
NUTRIT 1992, 8 (3) 167
ParSafe - Computer program for safety assessment and optimization
of parenteral nutrition formulations based on chemical speciation ana-
lysis

Kent M, Thierry JM, Belliardo JJ//MAFF, Torry Res Stn, POB 31, 135
Abbey Rd, Aberdeen AB9 8DG, Scotland
INT J FOOD SCI TECHNOL 1992, 27 (2) 111
European intercomparison on electron spin resonance identification
of irradiated foodstuffs

Nakai S, Nonaka M//Univ British Columbia, Dept Food Sci, 6650 NW
Marine Dt, Vancouver, BC, Canada V6T 1Z4
J AGR FOOD CHEM 1992, 40 (5) 824
Computation of molecular weight and weight fraction of 5 and 6 com-
ponents in mixtures from model equilibrium ultracentrifugation data

Taylor A, Branch S, Crews HM, Halls DJ//Univ Surrey, Robens Inst
Ind & Environm Hlth & Safety, Guildford GU2 5XH, Surrey, England
J ANAL ATOM SPECTROM 1992, 7 (3) R67
Clinical and biological materials, foods and beverages

Velasquez R, Tsikas D, Brunner G//Hanover Med Sch, Dept Ga-
stroenterol, W-3000 Hanover 51, FRG
FRESENTIUS J ANAL CHEM 1992, 343 (1) 78
Determination of histamine in food by combined ion-pair extraction
and reversed-phase HPLC with fluorescence detection (Abstract)

3 AMINO ACIDS, PROTEINS & ENZYMES

Ros G, Rincon F//Univ Murcia, Dept Food Sci, Campus Espinardo,
E-30071 Murcia, Spain

NAHRUNG 1992, 36 (2) 199
Effects of commercial canning of SDS-PAGE patterns of the albumin
fraction of 4 pea sizes

Khan K, Huckle L, Jones BL//N Dakota State Univ, Dept Cereal Sci
& Food Technol, Fargo, ND 58105, USA
CEREAL CHEM 1992, 69 (3) 270
Inheritance of gluten protein components of a high-protein hard red
spring wheat line derived from *Triticum turgidum* var. *dicoccoides* -
Semipreparative RP-HPLC, gel electrophoresis, and amino acid com-
position studies

Synowiecki J, Heeley DH*, Shahidi F//Mem Univ Newfoundland,
Dept Biochem, St Johns, Newfoundland, Canada A1B 3X9
J AGR FOOD CHEM 1992, 40 (5) 714
Purification and characterization of myoglobin from harp seal (*Phoca
groenlandica*)

Choorit W, Prasertsan P//Prince Songkla Univ, Fac Nat Resources,
Dept Agroind, Hat Yai 90110, Thailand
WORLD J MICROBIOL BIOTECHNOL 1992, 8 (3) 284
Characterization of proteases produced by newly isolated and identi-
fied proteolytic microorganisms from fermented fish (budu)

Wang Z, Taylor KDA, Yan XJ//Humberside Polytech, Sch Food Fish
& Environm Studies, Nuns Corner, Grimsby, Humberside DN34 5BQ,
England
FOOD CHEM 1992, 45 (2) 111
Studies on the protease activities in Norway lobster (*Nephrops nor-
vegicus*) and their role in the phenolase activation process

Aktan B, Khan K//N Dakota State Univ, Dept Cereal Sci & Food
Technol, Fargo, ND 58105, USA
CEREAL CHEM 1992, 69 (3) 288
Effect of high-temperature drying of pasta on quality parameters and
on solubility, gel electrophoresis, and reversed-phase high-perform-
ance liquid chromatography of protein components

Chambers SJ, Bacon JR, Lambert N//AFRC, Inst Food Res, Nor-
wich Lab, Norwich Res Pk, Norwich NR4 7UA, England
PHYTOCHEM ANALYSIS 1992, 3 (2) 49
The quantitative analysis of seed proteins from peas using high perfor-
mance liquid chromatography

Folkertsma B, Fox PF//Natl Univ Ireland Univ Coll Cork, Dept Food
Chem, Cork, Ireland
J DAIRY RES 1992, 59 (2) 217
Use of the Cd-ninhydrin reagent to assess proteolysis in cheese during
ripening

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical food chemistry. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Chemical Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the subject. Where there are no papers to appear under a heading, it will be omitted

Gorg A, Postel W, Baumer M, Weiss W//Tech Univ Munchen, Lehrstuhl Allgemeine Lebensmitteltechnol, W-8050 Freising, FRG

ELECTROPHORESIS 1992, 13 (4) 192

2-dimensional polyacrylamide gel electrophoresis, with immobilized pH gradients in the 1st dimension, of barley seed proteins - Discrimination of cultivars with different malting grades

Ismond MAH, Welsh WD//Univ Manitoba, Food Sci Dept, Winnipeg, Manitoba, Canada R3T 2N2

FOOD CHEM 1992, 45 (2) 125

Application of new methodology to canola protein isolation

Kaltenborn G, Hutter HJ//Martin Luther Univ, Inst Pathol Biochem, O-4010 Halle, FRG

FRESENIUS J ANAL CHEM 1992, 343 (1) 156

Assay of total-nitrogen and protein-nitrogen by means of automatic decomposition and coulometric analysis

Kojima K, Ogawa HK, Seno N, Matsumoto I//Ochanomizu Univ, Fac Sci, Dept Chem, 2-1-1 Otsuka, Bunkyo ku, Tokyo 112, Japan

J CHROMATOGR 1992, 597 (1-2) 323

Affinity purification and affinity characterization of carbohydrate-binding proteins in bovine kidney

Martin R, Garcia T, Sanz B, Hernandez PE//Univ Complutense, Fac Vet, Dept Nutr & Bromatol 3, Div Higiene & Technol Alimentos, E-28040 Madrid, Spain

J SCI FOOD AGR 1992, 58 (3) 447

Partial purification of horse-specific soluble muscle proteins by immunoadsorption chromatography

Sato K, Tsukamasa Y, Imai C, Ohtsuki K, Shimizu Y, Kawabata M//Kyoto Prefectural Univ, Dept Food Sci & Nutr, Shimogamo, Kyoto 606, Japan

J AGR FOOD CHEM 1992, 40 (5) 806

Improved method for identification and determination of epsilon-(gamma-glutamyl)lysine cross-link in protein using proteolytic digestion and derivatization with phenyl isothiocyanate followed by high-performance liquid chromatography separation

Van Hekken DL, Thompsen MP//USDA ARS, Eastern Reg Res Ctr, Philadelphia, Pa 19118, USA

J DAIRY SCI 1992, 75 (5) 1204

Application of PhastSystem to the resolution of bovine milk proteins on urea-polyacrylamide gel electrophoresis

Zarkadas CG//Agr Canada, Plant Res Ctr, Plant Breeding & Management Program, Res Branch, Ottawa, Ontario, Canada K1A 0C6

J AGR FOOD CHEM 1992, 40 (5) 790

Assessment of the protein quality of selected meat products based on their amino acid profiles and their myofibrillar and connective tissue protein contents

Landry J, Delhaye S//INRA, Chim Biol Lab, F-78850 Thiverval Grignon, France

J AGR FOOD CHEM 1992, 40 (5) 776

Simplified procedure for the determination of tryptophan of foods and feedstuffs from barytic hydrolysis

Landry J, Delhaye S, Jones DG//INRA, Chim Biol Lab, F-78850 Thiverval Grignon, France

J SCI FOOD AGR 1992, 58 (3) 439

Determination of tryptophan in feedstuffs - Comparison of 2 methods of hydrolysis prior to HPLC analysis

4 CARBOHYDRATES

Kramholler B, Ledl F, Lerche H, Severin T**//Univ Munich, Inst Pharm & Lebensmittelchem, Sophienstr 10, W-8000 Munich 2, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (5) 431

HPLC separation of some characteristic components in reaction mixtures of disaccharides with amines - Model systems for milk and cereal products

Lee SC, Prosky L, Devries JW//Kellogg Co, POB 3423, Battle Creek, Mi 49016, USA

J AOAC INT 1992, 75 (3) 395

Determination of total, soluble, and insoluble dietary fiber in foods - Enzymatic gravimetric method, MES-TRIS buffer - Collaborative study

Troyano E, Martinez-Castro I, Olano A//Inst Ferment Ind, Juan Cierva 3, E-28006 Madrid, Spain

FOOD CHEM 1992, 45 (1) 41

Kinetics of galactose and tagatose formation during heat-treatment of milk

Sugier H, Kurczeski J//Tech Univ Lodz, Inst Gen Food Chem, PL-90924 Lodz, Poland

STARCH 1992, 44 (4) 153

Glucose assay with extended concentration range by flow-through enzyme enthalpymeter

Marquez MF, Gomez JM, Hernandez EG, Garcia-Villanova B//Univ Granada, Fac Farm, Dept Nutr & Bromatol, E-18012 Granada, Spain

J DAIRY RES 1992, 59 (2) 225

New spectrophotometric method for measuring hydroxymethylfurfural in powdered milk

Bugner E, Feinberg M//Ctr Informat Qual Aliments, 16 rue Claude Bernard, F-75231 Paris 05, France

J AOAC INT 1992, 75 (3) 443

Determination of monosaccharides in foods by interlaboratory study - Quantitation of bias components for liquid chromatography

Filippov MP//Acad Sci, Ctr Automat Sci Res & Metrol, Grosul St 3-2, Kishinev 277028, Moldavia

FOOD HYDROCOLLOID 1992, 6 (1) 115

Practical infrared spectroscopy of pectic substances

Dupuy N, Meurens M, Sombret B, Legrand P*, Huvenne JP**//Univ Lille 1, Lasir, CNRS, UPR A 2631, F-59655 Villeneuve Dascq, France

APPL SPECTROSC 1992, 46 (5) 860

Determination of sugars and organic acids in fruit juices by FT mid-IR investigation of dry extract

White DR, Cancalon PF**//Florida Dept Citrus, Ctr Citrus Res & Educ, Dept Sci Res, Lake Alfred, Fl 33850, USA

J AOAC INT 1992, 75 (3) 584

Detection of beet sugar adulteration of orange juice by liquid chromatography pulsed amperometric detection with column switching

White JW//Honeydata Corp, Navasota, Tx 77868, USA

J AOAC INT 1992, 75 (3) 543

Internal standard stable carbon isotope ratio method for determination of C-4 plant sugars in honey - Collaborative study, and evaluation of improved protein preparation procedure

5 LIPIDS

Komaitis ME//Agr Univ Athens, Dept Agr Ind, Iera Odos 75, GR-

- 11855 Athens, Greece
GRASAS ACEITES 1991, 42 (6) 420
Thin layer chromatographic detection of some common antioxidants
- Gomez R, Fernandez-Salguero J//Univ Cordoba, Dept Food Technol, Vet Fac, E-14005 Cordoba, Spain
FOOD CHEM 1992, 45 (2) 91
Water activity and chemical composition of some food emulsions
- Ishii T, Cassens RG, Scheller KK, Arp SC, Schaefer DM, Sebrawek JG, Fairing JD, Swatland HW, Cohen SH, Comer FW//Kyoto Univ, Fac Agr, Dept Anim Sci, Kyoto 606, Japan
FOOD STRUCT 1992, 11 (1) 55
Image analysis to determine intramuscular fat in muscle
- Kent M, Lees A, Christie RH//MAFF, Torry Res Stn, POB 31, 135 Abbey Rd, Aberdeen AB9 8DG, Scotland
INT J FOOD SCI TECHNOL 1992, 27 (2) 137
Seasonal variation in the calibration of a microwave fat-water content meter for fish flesh
- Tielmann J//Danial Schnurmann Weg 15, W-5600 Wuppertal 21, FRG
FLEISCHWIRTSCHAFT 1992, 72 (5) 756
Fat determination in fresh meat - Fat determination instrument for small and medium-sized firms
- Juarez M, Delafuente MA, Fontecha J//CSIC, Inst Frio, Ciudad Univ, E-28040 Madrid, Spain
CHROMATOGRAPHIA 1992, 33 (7-8) 351
Improved gas chromatographic method for the determination of the individual free fatty acids in cheese using a capillary column and a PTV injector
- Caputi A, Christensen E, Biedenweg N, Miller S//E & J Gallo Winery, POB 1130, Modesto, Ca 95353, USA
J AOAC INT 1992, 75 (3) 379
Liquid chromatographic method for determination of glycerol in wine and grape juice - Collaborative study
- Akasaka K, Sasaki I, Ohru H, Meguro H//Tohoku Univ, Fac Agr, Dept Food Chem, Tsutsumidouri Amamiyamachi 1-1, Aoba ku, Sendai 981, Japan
BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (4) 605
A simple fluorometry of hydroperoxides in oils and foods
- Fretzdorff B//Bundesanstalt Getreide Kartoffe & Fettforschung, Schutzenberg 12, W-4930 Detmold, FRG
Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (5) 450
Comparison of lipolytic enzyme activity assays of oats (German, English Abstract)
- Liukkonen K, Laakso S//Helsinki Univ Technol, Dept Chem Engn, Biochem & Microbiol Lab, SF-02150 Espoo, Finland
STARCH 1992, 44 (4) 128
Characterization of internal and surface lipids of oat starches from 2 isolation processes
- Arnau AC//Grasas Alimenticias SA, E-08520 Llerona, Spain
GRASAS ACEITES 1991, 42 (6) 404
Deduction and study of the general equation that determines the quantity of non-eluted materials by gas chromatography - Analysis of abused oils (Spanish, English Abstract)
- Frega N, Bocci F, Lercker G//Univ Firenze, Dipartimento Sci & Microbiol, Sez Ind & Tecno Alimentari, I-50144 Florence, Italy
J AMER OIL CHEM SOC 1992, 69 (5) 447
- Direct gas chromatographic analysis of the unsaponifiable fraction of different oils with a polar capillary column
- Joseph JD, Ackman RG//US Dept Commerce, Natl Ocean & Atmospher Adm, Natl Marine Fisheries Serv, Charleston Lab, POB 12607, Charleston, SC 29422, USA
J AOAC INT 1992, 75 (3) 488
Capillary column gas chromatographic method for analysis of encapsulated fish oils and fish oil ethyl esters - Collaborative study
- Kamel BS, Kakuda Y//Atkemix Inc, W Brantford, Ontario, Canada
J AMER OIL CHEM SOC 1992, 69 (5) 492
Characterization of the seed oil and meal from apricot, cherry, nectarine, peach and plum
- Lakshminarayana MR, Joshi S, Gowda GAN, Khetrpal CL**//Indian Inst Sci, Sophisticated Instruments Facil, Bangalore 560012, Karnataka, India
J BIOSCIENCES 1992, 17 (1) 87
Spatial distribution of oil in groundnut and sunflower seeds by nuclear magnetic resonance imaging
- Murata S, Tanaka F//Kyushu Univ, Fac Agr, 6-10-1 Hakozaki, Higashi ku, Fukuoka 812, Japan
J JPN SOC FOOD SCI TECHNOL 1992, 39 (4) 333
Measurements of vapor pressure of a series of edible oils
- Oishi M, Onishi K, Nishijima M, Nakagomi K, Nakazawa H, Uchiyama S, Suzuki S//Tokyo Metropolitan Res Lab Publ Hlth, Tama Branch Lab, Tokyo 160, Japan
J AOAC INT 1992, 75 (3) 507
Rapid and simple coulometric measurements of peroxide value in edible oils and fats
- Tsimidou M, Papadopoulos G, Boskou D//Aristotle Univ, Lab Food Chem & Technol, Fac Chem, Thessaloniki 54006, Greece
FOOD CHEM 1992, 45 (2) 141
Phenolic compounds and stability of virgin olive oil - Part I
- Mounts TL, Abidi SL, Rennick KA//USDA ARS, Natl Ctr Agr Utilizat Res, Food Qual & Safety Res, 1815 N Univ St, Peoria, IL 61604, USA
J AMER OIL CHEM SOC 1992, 69 (5) 438
HPLC analysis of phospholipids by evaporative laser light-scattering detection
- Klawonn W, Leschhorn E, Jonas D//Landesvet Untersuchungsamt Rheinland Pfalz, Blucherstr 34, W-5400 Koblenz, FRG
MONATSH VETERINARMED 1992, 47 (4) 187
The value of milk progesterone determinations under field conditions (German, English Abstract)
- Ando Y, Nishimura K, Aoyanagi N, Takagi T**//Hokkaido Univ, Dept Chem, Fac Fisheries, Minato cho, Hakodate, Hokkaido 041, Japan
J AMER OIL CHEM SOC 1992, 69 (5) 417
Stereospecific analysis of fish oil triacyl-sn-glycerols
- McGill AS, Moffat CF**//MAFF, Torry Res Stn, POB 31, 135 Abbey Rd, Aberdeen AB9 8DG, Scotland
LIPIDS 1992, 27 (5) 360
A study of the composition of fish liver and body oil triglycerides

6 VITAMINS & CO-FACTORS

Aleksandrova LG, Korolev AM, Preobrazhenskaya MN**//Acad Med

- Sci, Inst New Antibiotics, Moscow 119867, Russia
FOOD CHEM 1992, 45 (1) 61
 Study of natural ascorbigen and related compounds by HPLC
- Pfund BV, Bond AM, Hughes TC//La Trobe Univ, Dept Chem, Bundoora, Vic 3083, Australia
ANALYST 1992, 117 (5) 857
 Simple voltammetric method for the determination of beta-carotene in brine and soya oil samples at mercury and glassy carbon electrodes
- Chen BH, Chen YY//Dept Nutr & Food Sci, Fu Jen Univ, Taipei, 24205 Taiwan
FOOD CHEM 1992, 45 (2) 129
 Determination of carotenoids and chlorophylls in water convolvulus (*Ipomoea aquatica*) by liquid chromatography
- Prasad CR, Subramanian R**//Jawaharlal Nehru Univ, Sch Environm Sci, New Dehli 110067, India
FOOD CHEM 1992, 45 (1) 71
 Qualitative and comparative studies of cholesterol oxides in commercial and home-made Indian ghees
- Chase GW, Landen WO, Eitenmiller RR, Soliman AGM//US FDA, 60 8th St NE, Atlanta, Ga 30309, USA
J AOAC INT 1992, 75 (3) 561
 Liquid chromatographic determination of thiamine, riboflavin, and pyridoxine in infant formula
- Mauri LM, Alzamora SM, Tomio JM//Univ Buenos Aires, Dept Ind, Ciudad Univ, 1428 Cap Fed, Rep Argentina
FOOD CHEM 1992, 45 (1) 19
 Effect of electrolytes on the kinetics of thiamine loss in model systems of high water activity
- Clough AE//Lubrizol Corp, 29400 Lakeland Blvd, Wickliffe, Oh 44092, USA
J AMER OIL CHEM SOC 1992, 69 (5) 456
 The determination of tocopherols in vegetable oils by square-wave voltammetry
- Pikkarainen SA, Parviainen MT**//Univ Kuopio, Dept Clin Chem, SF-70210 Kuopio, Finland
J CHROMATOGR-BIOMED APPL 1992, 577 (1) 163
 Determination of retinyl palmitate and total vitamin-A content in liver and liver-based ready-to-eat foods
- Bognar A//Fed Res Ctr Nutr, Inst Chem & Biol, Garbenstr 13, W-7000 Stuttgart 70, FRG
FRESENIUS J ANAL CHEM 1992, 343 (1) 155
 Determination of vitamin-B₁ in food by high-performance liquid chromatography and post column derivatization
- Bognar A//Bundesforsch Anstalt Ernährung, Inst Chem & Biol, Garbenstr 13, W-7000 Stuttgart 70, FRG
Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (5) 469
 Determination of vitamin-D in food by means of high-performance liquid chromatography (HPLC) - Results of collaborative studies of the Working Group vitamin analysis according to Section 35 LMBG (German Food Act) (German, English Abstract)
- Sliva MG, Green AE, Sanders JK, Euber JR, Saucerman JR//Bristol Myers Squibb, 2400 W Lloyd Expressway, Evansville, In 47721, USA
J AOAC INT 1992, 75 (3) 566
 Reversed-phase liquid chromatographic determination of vitamin-D in infant formulas and enteral nutritionals

7 TRACE ELEMENTS & MINERALS

- Vaessen HAMG, Van de Kamp CG, Szteke B//Natl Inst Publ Hlth & Protect, Residue Anal Lab, POB 1, 3720 BA Bilthoven, The Netherlands
Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (5) 456
 Aluminium determination in food matrices IUPAC check sample survey of analytical performance
- Navarro M, Lopez H, Lopez MC, Sanchez M//Univ Granada, Fac Pharm, Dept Nutr & Bromatol, E-18012 Granada, Spain
J ANAL TOXICOL 1992, 16 (3) 169
 Determination of arsenic in fish by hydride generation atomic absorption spectrometry
- Bradbury JH, Egan SV//Australian Natl Univ, Div Bot & Zool, Canberra, ACT 2601, Australia
PHYTOCHEM ANALYSIS 1992, 3 (2) 91
 Rapid screening assay of cyanide content of cassava
- Onwuka CFI//Univ Agr, Dept Anim Nutr, Coll Anim Sci & Livestock Prod, PMB 2240, Abeokuta, Ogun State, Nigeria
FOOD CHEM 1992, 45 (1) 5
 Hydrocyanic acid contents of tropical browse and their influence on performance of goats
- Armelin MJA, Maihara VA, Vasconcellos MBA, Favaro DIT//Comissao Nacl Energia Nucl, Inst Pesquisas Energet & Nucl, Div Radiochem, Caixa Postal 11049, BR-05499 Sao Paulo, Brazil
J RADIOANAL NUCL CHEM LETT 1992, 164 (4) 265
 Neutron activation analysis of the distribution of inorganic elements among five varieties of Brazilian corn
- Martin JI, Soliman AM//US FDA, 60 8th St NE, Atlanta, Ga 30309, USA
J AOAC INT 1992, 75 (3) 384
 Interlaboratory study of decreasing the number of standard points in the official iron standard curve
- Barbera R, Farre R, Andion PG//Univ Valencia, Dept Nutr & Food Chem, Blasco Ibanez 13, E-46010 Valencia, Spain
NAHRUNG 1992, 36 (2) 202
 Direct determination of lead in cola beverages by electrothermal atomic absorption spectrophotometry
- Dabeka RW, McKenzie AD//Hlth & Welf Canada, Bur Chem Safety, Div Food Res, Hlth Protect Branch, Ottawa, Ontario, Canada K1A 0L2
J AOAC INT 1992, 75 (3) 386
 Total diet study of lead and cadmium in food composites - Preliminary investigations
- El-Faer MZ, Rawdah TN, Attar KM, Arab M//King Fahd Univ Petrol & Mineral, Dept Chem, Dhahran 31261, Saudi Arabia
FOOD CHEM 1992, 45 (2) 95
 Mineral and proximate composition of some commercially important fish of the Arabian Gulf
- Ong CC//Singapore Polytech, Dept Chem Process Technol, 500 Dover Rd, Singapore 0513, Singapore
FOOD CHEM 1992, 45 (2) 145
 Direct analysis of plant minerals and comparison of extraction processing using ICP-AES
- Bumbalova A, Pikulikova A, Komova M, Muchova A//Comenius Univ, Fac Pharm, Dept Analyt Chem, CS-83232 Bratislava, Czechoslovakia

J RADIOANAL NUCL CHEM LETT 1992, 164 (6) 357

Radionuclide X-ray fluorescence analysis of drinking water using pre-concentration of trace metals on chelating cellulose exchanger Ost-Sorb-Oxin

Parsa B, Hoffman A//New Jersey Dept Environm Protect & Energy, Brias, CN 411, Trenton, NJ 08625, USA

J RADIOANAL NUCL CHEM ART 1992, 158 (1) 53

Determination of ²²⁸Ra in drinking water

8 DRUG, BIOCIDES & CHEMICAL RESIDUES

Iijima Y, Saegusa K, Ito T, Anjo T, Matsuki Y, Nambara T//Food & Drug Safety Ctr, Hatano Res Inst, 729-5 Ochiai, Hadano, Kanagawa 257, Japan

J FOOD HYG SOC JPN 1992, 33 (2) 164

Simultaneous determination of anabolic compounds in beef by capillary GC/MS

Cullor JS, Van Eenennaam A, Dellinger J, Perani L, Smith W, Jensen L//Univ Calif Davis, Sch Vet Med, Dept Vet Pathol, Davis, Ca 95616, USA

VET MED-US 1992, 87 (5) 477

Antibiotic residue assays - Can they be used to test milk from individual cows

Hrdlicka J//State Vet Inst, Rantirovska 93, CS-58605 Jihlava, Czechoslovakia

VET MED-CZECH 1992, 36 (11) 695

Identification of antibiotic residues in the tissues of slaughter animals by bioautographic detection electrophoresis (Czech, English Abstract)

Hogendoorn EA, Van Zoonen P//Natl Inst Publ Hlth & Environm Protect Riv, POB 1, 3720 BA Bilthoven, The Netherlands

FRESENIUS J ANAL CHEM 1992, 343 (1) 73

Coupled-column RPLC (or LC) for the rapid screening of bentazone in water with direct sample injection (Abstract)

Rimkus G, Wolf M//Lebensmittel & Veterinaruntersuchungsamt Landes Schleswig Holstein, Max Eyth Str 5, W-2350 Neumunster, FRG

DEUT LEBENSM-RUNDSCH 1992, 88 (4) 103

Residue analysis of bromocyclen in trout (German, English Abstract)

Muir AD, Goplen BP//Agr Canada Res Stn, 107 Sci Pl, Saskatoon, Saskatchewan, Canada S7N 0X2

J AGR FOOD CHEM 1992, 40 (5) 820

Quantitative reversed-phase HPLC analysis of dicumarol in sweet-clover hay and silage samples

Ellinghaus U, Petersen B//SGS Controll Co mbH, Postfach 106529, W-2800 Bremen 1, FRG

FRESENIUS J ANAL CHEM 1992, 343 (1) 157

Rapid detection of urinary drug residues in fattening pigs

Malisch R//Chem Landesuntersuchungsanstalt, Bissierstr 5, W-7800 Freiburg, FRG

DEUT LEBENSM-RUNDSCH 1992, 88 (4) 107

Food regulations and analysis in the USA, especially in the field of drug and pesticide residues - Observations during research in the USA (German, English Abstract)

Boyer AC, Lee PW, Potter JC//Dupont Agr Prod, Exptl Stn, Wilmington, De 19880, USA

J AGR FOOD CHEM 1992, 40 (5) 914

Characterization of fenvalerate residues in dairy cattle and poultry

Cabras P, Melis M, Tuberoso C, Falqui D, Pala M//Dipartimento Tossicol, Viale A Diaz 182, I-09126 Cagliari, Italy

J AGR FOOD CHEM 1992, 40 (5) 901

High-performance liquid chromatographic determination of fenbutatin oxide and its persistence in peaches and nectarines

Malik AK, Rao ALJ*//Punjab Univ, Dept Chem, Patiala 147002, Punjab, India

PESTIC SCI 1992, 35 (1) 69

Spectrophotometric determination of ferric dimethyldithiocarbamate (Ferbam) in formulations, grain and apples using 1,10-phenanthroline

Tanaka T, Imou M, Tamase K, Umoto F, Okayama A, Oobayashi H, Aoki Y, Sasaki M//Nara Prefectural Inst Publ Hlth, 57-6 Oomori cho, Nara 630, Japan

J FOOD HYG SOC JPN 1992, 33 (2) 125

Simple determination of glyphosate and its metabolite (aminomethyl-phosphonic acid) in fruits and vegetables by high-performance liquid chromatography with fluorescence detection

Chung SY//USDA ARS, South Reg Res Ctr, 1100 Robert E Lee Blvd, POB 19687, New Orleans, La 70179, USA

WATER SCI AND TECHNOL 1992, 25 (2) 89

Attempts to improve the sensitivity of an enzyme-linked immunosorbent assay for 2-methylisoborneol

Tomita I, Anatasinkul N, Shimoi K, Okada Y, Matsuuchi K, Maruyama T, Hashizume T, Nakamura Y//Univ Shizuoka, Sch Pharmaceut Sci, 52-1 Yada, Shizuoka 422, Japan

J FOOD HYG SOC JPN 1992, 33 (2) 171

Fluorometric UMU-test and ADA-test for detection of mutagens in food

Pensabene JW, Fiddler W, Gates RA//USDA ARS, Eastern Reg Res Ctr, 600 E Mermaid Lane, Philadelphia, Pa 19118, USA

J AOAC INT 1992, 75 (3) 438

Solid-phase extraction method for volatile N-nitrosamines in hams processed with elastic rubber netting

Koning XCW, Hruvey SE//Uma Engr Ltd, 2540 Kensington Rd NW, Calgary, Alberta, Canada T2N 3S3

WATER SCI AND TECHNOL 1992, 25 (2) 27

Sensory and chemical characterization of fish tainted by exposure to oil sand wastewaters

Paasivirta J, Rantalainen AL, Welling L, Herve S, Heinonen P//Univ Jyvaskyla, Dept Chem, POB 35, SF-40351 Jyvaskyla, Finland

WATER SCI AND TECHNOL 1992, 25 (2) 105

Organochlorines as environmental tainting substances - Taste panel study and chemical analyses of incubated mussels

Leoni V, Caricchia AM, Chiavarini S//Univ Rome La Sapienza, Ist Igiene, Piazzale Aldo Moro 5, I-00185 Rome, Italy

J AOAC INT 1992, 75 (3) 511

Multiresidue method for quantitation of organophosphorus pesticides in vegetable and animal foods

Skerritt JH, Hill AS, Beasley HL, Edward SL, McAdam DP//CSIRO, Div Plant Ind, Grain Qual Res Lab, POB 7, N Ryde, NSW 2113, Australia

J AOAC INT 1992, 75 (3) 519

Enzyme-linked immunosorbent assay for quantitation of organophosphate pesticides - Fenitrothion, chlorpyrifos-methyl, and pirimiphos-methyl in wheat grain and flour-milling fractions

Jarboe HH, Kleinow KW//Louisiana State Univ, Sch Vet Med, Dept Vet Physiol Pharmacol & Toxicol, Baton Rouge, La 70803, USA
 J AOAC INT 1992, 75 (3) 428
 Matrix solid-phase dispersion isolation and liquid chromatographic determination of oxolinic acid in channel catfish (*Ictalurus punctatus*) muscle tissue

Boison JO, Korsrud GO, MacNeil JD, Keng L, Papich M//Agr Canada, Hlth Anim Lab, Food Prod & Inspect Branch, 116 Vet Rd, Saskatoon, Saskatchewan, Canada S7N 2R3
 J CHROMATOGR-BIOMED APPL 1992, 576 (2) 315
 Determination of penicillin-G in bovine plasma by high-performance liquid chromatography after pre-column derivatization

Cabras P, Tuberoso C, Melis M, Martini MG//Univ Cagliari, Dipartimento Tossicol, Viale A Diaz 182, I-90126 Cagliari, Italy
 J AGR FOOD CHEM 1992, 40 (5) 817
 Multiresidue method for pesticide determination in wine by high-performance liquid chromatography

Van Zoonen P//Natl Inst Publ Hlth & Environm Protect Riv, POB 1, 3720 BA Bilthoven, The Netherlands
 FRESENIUS J ANAL CHEM 1992, 343 (1) 7
 Pesticide analysers utilising coupled chromatographic techniques (Abstract)

Brewster JD, Lightfield AR, Barford RA//USDA ARS, Eastern Reg Res Ctr, 600 E Mermaid Lane, Philadelphia, Pa 19118, USA
 J CHROMATOGR 1992, 598 (1) 23
 Evaluation of restricted access media for high-performance liquid chromatography analysis of sulfonamide antibiotic residues in bovine serum

Carlsson A, Bjorck L//Swedish Univ Agr Sci, Dept Food Sci, POB 7051, S-75007 Uppsala, Sweden
 J FOOD PROTECT 1992, 55 (5) 374
 Liquid chromatography verification of tetracycline residues in milk and influence of milk fat lipolysis on the detection of antibiotic residues by microbial assays and the Charm-II test

Psomas JE, Fletouris DJ//Aristotelian Univ Salonika, Sch Vet Med, Food Hyg & Milk & Milk Prod Lab, GR-54006 Salonika, Greece
 J LIQ CHROMATOGR 1992, 15 (1) 37
 Liquid chromatographic assay of xylazine in sheep and cattle plasma

9 TOXINS

Sudershan RV, Prasad GS, Krishna TP, Bhat RV**//Indian Council Med Res, Natl Inst Nutr, Hyderabad 500007, Andhra Pradesh, India
 J FOOD PROTECT 1992, 55 (5) 392
 Field level evaluation of aflatoxin detection kit

Idouraine A, Weber CW, Sathé SK, Kohlhepp EA//Dept Nutr & Food Sci, Univ Arizona, Tucson, Az 85721, USA
 FOOD CHEM 1992, 45 (1) 37
 Antinutritional factors in protein fractions of tepary bean (*Phaseolus acutifolius*)

Yamasaki N, Kimura M, Yamaguchi O, Araki M//Kyushu Univ, Fac Agr, Biochem Lab, Higashi ku, Fukuoka 812, Japan
 J CHROMATOGR 1992, 597 (1-2) 207
 Isolation and characterization of isolectins from *Erythrina variegata* seeds

Muller M, Lepom P//Inst Futterprod Paulinenaue, Gutshof 7, O-1551 Paulinenaue, FRG

ZBL MIKROBIOL 1992, 147 (3-4) 197
 Analysis of *Alternaria* mycotoxins in laboratory cultures (German, English Abstract)

Nesheim S, Stack ME, Trucksess MW, Eppley RM, Krogh P//US FDA, Div Contaminants Chem, Washington, DC 20204, USA
 J AOAC INT 1992, 75 (3) 481
 Rapid solvent-efficient method for liquid chromatographic determination of ochratoxin-A in corn, barley, and kidney - Collaborative study

10 ADDITIVES

Van Ginkel LA, Stephany RW, Van Rossum HJ//Natl Inst Publ Hlth & Environm Protect, Residue Anal Lab, POB 1, 3720 BA Bilthoven, The Netherlands
 J AOAC INT 1992, 75 (3) 554
 Development and validation of a multiresidue method for beta-agonists in biological samples and animal feed

Roybal JE, Munns RK, Holland DC, Burkepille RG, Hurlbut JA//US FDA, Anim Drug Res Ctr, Denver Fed Ctr, POB 25087, Denver, Co 80225, USA
 J AOAC INT 1992, 75 (3) 433
 Liquid chromatographic determination of gentian violet in poultry feed

Sokolic M, Pokorny M//Krka Pharmaceut & Chem Works, Dept Dev Fermentat Prod, Cesta Herojev 45, YU-68000 Novo Mesto, Yugoslavia
 J PHARMACEUT BIOMED ANAL 1991, 9 (10-12) 1047
 Comparative determination of salinomycin by high-performance liquid chromatography, microbiological and colorimetric methods in testing production processes and animal feed preparations

Bersier PM, Neagle W, Clark D//Gestaltenrainweg 61, CH-4125 Riehen, Switzerland
 ANALYST 1992, 117 (5) 863
 Monitoring and assay of water treatment additives by alternating current tensammetry and voltammetry - Scope and limitations

11 FLAVOURS & AROMAS

Ames NP, Hartley RD, Akin DE, Wilson JR, Harbers LM, Reffner JA//Agr Canada, Plant Res Ctr, Ottawa, Ontario, Canada K1A 0C6
 FOOD STRUCT 1992, 11 (1) 25
 Distribution of aromatic compounds in coastal bermudagrass cell walls using ultraviolet absorption scanning microspectrometry

Braunsdorf R, Hener U, Mosandl A**//Univ Frankfurt, Inst Lebensmittelchem, Robert Mayer Str 7-9, W-6000 Frankfurt, FRG
 Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (5) 426
 Analytical differentiation between naturally grown, fermentatively produced and synthetic (nature-identical) aroma compounds. 2. GC-C-IRMS analysis of important flavour aldehydes fundamentals and applications (German, English Abstract)

Terada H, Yamamoto K//Nagoya City Publ Hlth Res Inst, 1-11 Hagiya cho, Mizuho ku, Nagoya 467, Japan
 J FOOD HYG SOC JPN 1992, 33 (2) 183
 Simultaneous determination of cyanogenic glycosides, benzaldehyde and benzoic acid in processed Japanese apricot by high performance liquid chromatography

Komaitis ME, Ifanti-Papatragianni N, Melissari-Panagiotou E//Agr Univ Athens, Dept Agr Ind, Iera Odos 75, GR-118 55 Athens, Greece
 FOOD CHEM 1992, 45 (2) 117

Composition of the essential oil of marjoram (*Origanum majorana* L)

Sinha NK, Guyer DE*, Gage DA, Lira CT//Michigan State Univ, Dept Agr Engr, E Lansing, Mi 48824, USA
J AGR FOOD CHEM 1992, 40 (5) 842

Supercritical carbon dioxide extraction of onion flavors and their analysis by gas chromatography mass spectrometry

Yan X, Wang Z, Barlow P//Humboldt State Univ, Sch Food Fish & Environm Stud, Nuns Corner, Grimsby DN34 5BQ, England
FOOD CHEM 1992, 45 (2) 135

Quantitative estimation of garlic oil content in garlic oil based health products

Zhao FJ, Evans EJ, Bilbrough PE, Schnug E, Syers JK//AFRC, Inst Arable Crops Res, Dept Soil Sci, Rothamsted Exptl Stn, Harpenden AL5 2JQ, Herts, England
J SCI FOOD AGR 1992, 58 (3) 431

Correction for protein content in the determination of the glucosinolate content of rapeseed by the X-RF method

Distefano R, Cravero MC//Ist Sperimentale Enol, Via P Micca 35, I-14100 Asti, Italy
SCI ALIMENT 1992, 12 (1) 139

The separation of hydroxycinnamates in wine

Hrudey SE, Rector D, Motkosky N//Univ Alberta, Fac Med, Environm Hlth Program, Edmonton, Alberta, Canada T6G 2G3
WATER SCI AND TECHNOL 1992, 25 (2) 65

Characterization of drinking water odour arising from spring thaw for an ice-covered upland river source

Khiari D, Brenner L, Burlingame GA, Suffet IH//Drexel Univ, Inst Environm Studies, Philadelphia, Pa 19104, USA
WATER SCI AND TECHNOL 1992, 25 (2) 97

Sensory gas chromatography for evaluation of taste and odor events in drinking water

Pirbazari M, Borow HS, Craig S, Ravindran V, McGuire MJ//Univ South Calif, Dept Civil Engr, Environm Engr Program, Los Angeles, Ca 90089, USA
WATER SCI AND TECHNOL 1992, 25 (2) 81

Physical chemical characterization of 5 earthy-musty-smelling compounds

Thorell B, Boren H, Grimvall A, Nyustrom A, Savenhed R//Linkoping Univ, Dept Water & Environm Studies, S-58183 Linkoping, Sweden
WATER SCI AND TECHNOL 1992, 25 (2) 139

Characterization and identification of odorous compounds in ozonated waters

Narasimhan S, Rajalakshmi D, Chand N//Cent Food Technol Res Inst, Area Sensory Anal & Consumer Acceptance, Mysore 570013, India
J FOOD QUAL 1992, 15 (1) 67

Quality of powdered black pepper (*Piper nigrum* L) during storage. 2. Principal components analyses of GC and sensory profiles

Macku C, Shibamoto T*//Univ Calif, Dept Environ Toxicol, Davis, Ca 95616, USA
FOOD CHEM 1992, 45 (1) 33

Formation of N-alkylpyrroles in corn oil/amino acid model systems

Veijanen A, Kolehmainen E, Kauppinen R, Lahtipera M, Paasivirta J//Univ Jyväskylä, Dept Chem, POB 35, SF-40351 Jyväskylä, Finland
WATER SCI AND TECHNOL 1992, 25 (2) 165

Methods for the identification of tainting terpenoids and other com-

pounds from algae

Barros FG, Tubino M*//Univ Estadual Campinas, Inst Quim, CP 6154, BR-13081 Campinas, SP, Brazil
ANALYST 1992, 117 (5) 917

Conductimetric and spectrophotometric determination of the volatile acidity of wines by flow injection

Hansen M, Buttery RG*, Stern DJ, Cantwell MI, Ling LC//USDA ARS, Western Reg Res Ctr, Albany, Ca 94710, USA
J AGR FOOD CHEM 1992, 40 (5) 850

Broccoli storage under low-oxygen atmosphere - Identification of higher boiling volatiles

Nagnan P, Cain AH, Rochat D//INRA, Mediateurs Chim Lab, Domaine Brouessy, F-78114 Magny les Hameaux, France
OLEAGINEUX 1992, 47 (3) 135

Extraction and identification of volatile compounds of fermented oil palm sap (palm wine), candidate attractants for the palm weevil

Pino J//Inst Invest Ind Alimenticia, Carretera Guato KM 31-2, Havana, Cuba
NAHRUNG 1992, 36 (2) 175

Headspace methods for volatile components of cocoa butter

13 ANIMAL PRODUCTS

Lucker E, König H, Gabriel W, Rosopulo A//Univ Giessen, Inst Tierärztliche Nahrungsmittelkunde, Frankfurter Str 92, W-6300 Giessen, FRG

FRESENIUS J ANAL CHEM 1992, 342 (12) 941

Analytical quality control by solid sampling graphite furnace atomic absorption spectrometry in the production of animal tissue reference materials - Bovine liver, teeth, bone, muscle, blood and equine renal cortex

Dufour E, Touati A, Salgalarrondo M, Chobert JM, Haertle T//INRA, Leima, BP 527, F-44026 Nantes 03, France
SCI ALIMENT 1992, 12 (1) 131

Characterization and identification of the chromophores formed during reductive alkylation of beta-casein by ortho-phthalaldehyde and glyoxal (French, English Abstract)

Tanaka Y, Mohri T, Fukamachi K, Takahashi K, Yasumoto T//Fukuoka Environm Res Ctr, 39 Mukaida, Dazaifu, Fukuoka 81801, Japan
J FOOD HYG SOC JPN 1992, 33 (2) 176

Determination of cyprinol and cholic acids in bile and muscle of carp by capillary gas chromatography

Elgasim EA, Alkanhal MA//King Faisal Univ, Dept Food Sci & Technol, Coll Agr & Food Sci, PO Box 420, Alhasa, Saudi Arabia
FOOD CHEM 1992, 45 (1) 1

Proximate composition, amino acids and inorganic mineral content of Arabian camel meat: Comparative study

Mazzola V//Address not available

AGR RES 1992, 40 (3) 19

Leaner chickens through MRI

Medina M, Gaya P, Guillen AM, Nunez M//Inst Nacl Invest Agrarias, Dept Prod Tecnol Aliment, Apdo 8111, E-28080 Madrid, Spain
FOOD CHEM 1992, 45 (2) 85

Characteristics of Burgos and Hispanico cheeses manufactured with calf rennet or with recombinant chymosin

Okuma H, Takahashi H, Yazawa S, Sekimukai S, Watanabe E//New

Japan Radio Co Ltd, Res & Dev Lab, 2-1-1 Fukuoka, Kamifukuoka, Saitama 356, Japan

ANAL CHIM ACTA 1992, 260 (1) 93

Development of a system with double enzyme reactors for the determination of fish freshness

Saito H, Udagawa M//MAFF, Natl Res Inst Fisheries Sci, Lipid Chem Lab, Kachidoki 5-5-1, Chuo ku, Tokyo 104, Japan

BIOSCI BIOTECHNOL BIOCHEM 12992, 56 (5) 831

Use of NMR to evaluate the oxidative deterioration of niboshi, boiled and dried fish

Antequera T, Lopez-Bote CJ, Cordoba JJ, Garcia C, Asensio MA, Ventanas J, Garcia-Regueiro JA, Diaz I//Univ Extremadura, Dept Higiene & Tecnol Aliment, Fac Vet, E-10071 Caceres, Spain

FOOD CHEM 1992, 45 (2) 105

Lipid oxidative changes in the processing of Iberian pig hams

Castro RM, Escamilla MJ, Reig FB//Univ Valencia, Fac Ciencias Quim, Dept Quim Anal, Dr Moliner 50, E-46100 Burjassot, Spain

J AOAC INT 1992, 75 (3) 577

Evaluation of the color of some Spanish unifloral honey types as a characterization parameter

Andrews CD, Berger RG, Mageau RP, Schwab B, Johnston RW//USDA, Food Safety & Inspect Serv, Div Microbiol, Beltsville, Md 20705, USA

J AOAC INT 1992, 75 (3) 572

Detection of beef, sheep, beer, and horse meat in cooked meat products by enzyme-linked immunosorbent assay

Honikel KO//ISEDD GmbH, Johanneswerkstr 4, W-4800 Bielefeld 1, FRG

FLEISCHWIRTSCHAFT 1992, 72 (5) 799

Biochemistry and analysis of meat

Delgado T, Corzo N, Santamaria G, Jimeno ML, Olano A//Univ Padua, Ist Semiot Med, Div Patol Med 3, Cattedra Biochim Clin, Via Osped 105, I-35100 Padua, Italy

CHROMATOGRAPHIA 1992, 33 (7-8) 374

Determination of furosine in milk samples by ion-pair reversed phase liquid chromatography

Doi T, Kanzaki M, Nakanuma H, Shibuya M, Matsumoto K//Morinaga Milk Ind Co Ltd, Engr Res Ctr, 4-515 Tateno Higashiyamato, Tokyo 207, Japan

J JPN SOC FOOD SCI TECHNOL 1992, 39 (4) 309

The continuous observation of milk coagulation with light scattering by means of optical fiber

Samwer KF, Maunz K, von End EG//Dialyse Praxis Heidenheim, Schmelzofenvorstadt 33, W-7920 Heidenheim Brenz, FRG

MED WELT 1992, 43 (5) 420

Observations in a course of a successful pregnancy of a dialysis patient - Influence of erythropoietin and analysis of mother's milk (German)

Stewart EM, Stevenson MH, Gray R//Queens Univ Belfast, Belfast BT7 1NN, Antrim, Northern Ireland

INT J FOOD SCI TECHNOL 1992, 27 (2) 125

Detection of irradiation in scampi tails - Effects of sample preparation, irradiation dose and storage on ESR response in the cuticle

Kolb E, Van Dich T, Leo M, Ulbrich M, Suss R//Karl Marx Univ Leipzig, Inst Fütterung & Ernährungsschaden, Inst Vet Physiol Chem, O-7010 Leipzig, FRG

BERL MUN TIERARZTL WOCHENSCHR 1992, 105 (5) 149

Analyses on the influence of a restriction of nutrient intake on the composition of the blood and on the development and composition of various tissues of sheep during growth. 1. The concentration of hemocrit and of Hb in blood, that of total protein, alpha-amino-N, non-protein-N, glucose, free fatty acids, insulin, beta-hydroxybutyrate, Na, K, Ca, Mg, Pi, Fe, Fe-binding-capacity, Cu and Zn as well as the activity of ALAT, ASAT, LDH, gamma-GT and AP in the plasma at slaughter

14 PLANT & MICROBIAL PRODUCTS

Oshodi AA//Fed Univ Technol, Dept Chem, PMB 704, Akure, Nigeria
FOOD CHEM 1992, 45 (2) 79

Proximate composition, nutritionally valuable minerals and functional properties of *Adenopus breviflorus* Benth seed flour and protein concentrate

Lehtonen P, Saarinen M, Vesanto M, Riekkola ML//Alko Ltd, Res Labs, POB 350, SF-00101 Helsinki, Finland

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 194 (5) 434

Determination wine amines by HPLC using automated precolumn derivatisation with ortho-phthalaldehyde and fluorescence detection

Glassgen WE, Seitz HU*, Metzger JW//Univ Tubingen, Inst Bot, Morgensstelle 1, W-7400 Tubingen 1, FRG

BIOL MASS SPECTROM 1992, 21 (6) 271

High-performance liquid chromatography/electrospray mass spectrometry and tandem mass spectrometry of anthocyanins from plant tissues and cell cultures of *Daucus carota* L

Ito M, Yoshikawa S, Asami K, Hanai T//Yamazaki Baking Co Ltd, Appl Microbiol Lab, Kumegawacho, Tokyo 189, Japan

CEREAL CHEM 1992, 69 (3) 325

Dielectric monitoring of gas production in fermenting bread dough

Cepicka J, Rychetsky P, Hochel I, Strejcek F, Rauch P//Prague Inst Chem Technol, Inst Biochem & Microbiol, Techn 5, CS-16628 Prague 6, Czechoslovakia

MONATSSCHR BRAUWISSEN 1992, 45 (5) 161

Immunoenzymic determination of histamine in beer (German, English Abstract)

Mohan SB, Smith L, Kemp W, Lyddiatt A//Univ Birmingham, Sch Chem Engr, Birmingham B15 2TT, England

J INST BREW 1992, 98 (3) 187

An immunochemical analysis of beer foam

Castellani L, Goretti G, Neri B, Russo MV, Zacchei P//Univ Rome La Sapienza, Dipartimento Chim, P Aldo Moro 5, I-00185 Rome, Italy

ANN CHIM-ROME 1992, 82 (3-4) 137

Coupled in series microcapillary gas chromatographic columns for betel extract analysis

Owuor PO, Orchard JE//Tea Res Fdn Kenya, PO Box 820, Kericho, Kenya

FOOD CHEM 1992, 45 (1) 45

Effects of storage time in a two-stage withering process on the quality of seedling black tea

Owuor PO//Tea Res Fdn Kenya, PO Box 820, Kericho, Kenya

FOOD CHEM 1992, 45 (2) 119

Changes in quality parameters of commercial black seedling tea due to the time of the year in the Eastern Highlands of Kenya

Aczel A//Paprika Proc Co Szeged, POB 114, H-6701 Szeged, Hungary
FRESENIUS J ANAL CHEM 1992, 343 (1) 154