



Bibliography on analytical food chemistry

2 GENERAL

Fodor P//Univ Hort & Food Ind, Dept Chem, Villanyi ut 31, H-1052 Budapest, Hungary

MICROCHEM J 1992, 45 (3) 305

Atomic spectroscopy quality control of food industry in Hungary

Janicke S, Montag A*//Inst Hyg, Marckmannstr 129A, W-2000 Hamburg 26, FRG

Z ERNAHRUNGSWISS 1992, 31 (2) 91

Determination of free and bonded methylated nucleobases in food (German, English Abstract)

Lancaster FE, Lawrence JF//Bur Chem Safety, Food Directorate, Div Food Res, Hlth Protect Branch, Ottawa, Canada K1A 0L2

FOOD ADDIT CONTAM 1992, 9 (2) 171

Determination of total nonsulphonated aromatic amines in soft drinks and hard candies by reduction and derivatization followed by high-performance liquid chromatography

Valdes EV, Leeson S*//Univ Guelph, Dept Anim & Poultry Sci, Guelph, Ontario, Canada N1G 2W1

POULTRY SCI 1992, 71 (8) 1396

The use of near infrared reflectance spectroscopy to measure in vitro digestible energy content in poultry feeds

3 AMINO ACIDS, PROTEINS & ENZYMES

Calvo MM, Leaver J, Law AJR, Banks JM//CSIC, Inst Fermentac Ind, Juan de Cierva 3, E-28006 Madrid, Spain

MILCHWISSENSCHAFT 1992, 47 (7) 417

Analysis of casein in cheese using ion-exchange chromatography

Hirayama M, Toyota K, Yamaguchi G, Hidaka H, Naito H//Meiji Seika Kaisha Ltd, Bio Sci Labs, 5-3-1 Chiyoda, Sakado, Saitama 35002, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (7) 1126

HPLC analysis of commercial casein phosphopeptides (CPP)

Morris CF, Greenblatt GA, Malkawi HI//Washington State Univ, USDA, ARS, Western Wheat Qual Lab, Pullman, Wa 99164, USA

CEREAL CHEM 1992, 69 (4) 467

Enhanced electrophoretic detection and isolation of friabilin, a starch granule protein

Gao L, Ng PKW, Bushuk W//Univ Manitoba, Dept Food Sci, Winnipeg, Manitoba, Canada R3T 2N2

CEREAL CHEM 1992, 69 (4) 452

Structure of glutenin based on farinograph and electrophoretic results

Kim DH, Kanno C*, Mizokami Y//Utsunomiya Univ, Coll Agr, Dept Appl Biochem, Utsunomiya, Tochigi 321, Japan

BIOCHIM BIOPHYS ACTA 1992, 1122 (2) 203

Purification and characterization of major glycoproteins, PAS-6 and PAS-7, from bovine milk fat globule membrane

Hernandez MJM, Alvarez-Coque MCG//Univ Valencia, Dept Analyt Chem, Calle Dr Moliner 50, E-46100 Burjassot, Spain

J FOOD SCI 1992, 57 (2) 503

Available lysine in protein, assay using O-phthalaldehyde N-acetyl-L-cysteine spectrophotometric method

Caugant I, Yvon M, Thirouin S, Petit HV, Toullec R, Bard C, Savoie L//INRA, Jeune Ruminant Lab, 65 rue St Brieuc, F-35042 Rennes, France

J AGR FOOD CHEM 1992, 40 (8) 1367

Characterization of products from in vivo and in vitro gastric digestion of milk replacers containing whey proteins

Marchylo BA, Hatcher DW, Kruger JE, Kirkland JJ//Canadian Grain Commis, Grain Res Lab, 1404-303 Main St, Winnipeg, Manitoba, Canada R3C 3G8

CEREAL CHEM 1992, 69 (4) 371

Reversed-phase high-performance liquid chromatographic analysis of wheat protein using a new, highly stable column

Neucere JN//USDA ARS, South Reg Res Ctr, POB 19687, New Orleans, La 70124, USA

J AGR FOOD CHEM 1992, 40 (8) 1422

Electrophoretic analysis of cationic proteins extracted from aflatoxin-resistant susceptible varieties of corn

Pavlovskaya G, McClements DJ*, Povey MJW//Univ Calif, Coll Agr & Environm Sci, Dept Food Sci & Technol, Davis, Ca 95616, USA

FOOD HYDROCOLLOID 1992, 6 (3) 253

Ultrasonic investigation of aqueous solutions of a globular protein

Rasyid F, Manullang M, Hansen PMT*//Ohio State Univ, Dept Food Sci & Technol, Columbus, Oh 43210, USA

FOOD HYDROCOLLOID 1992, 6 (3) 301

Isolation and characterization of coconut protein

Gao LY, Matsumoto K, Osajima Y//Kyushu Univ, Fac Agr, Dept Food Sci & Technol, 46-09 Hakazaki, Higashi ku, Fukuoka 812, Japan

J JPN SOC FOOD SCI TECHNOL 1992, 39 (7) 620

Monitoring of tyrosine during proteolysis of oyster extract by flow injection system with immobilized enzyme reactor (Japanese, English Abstract)

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical food chemistry. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Chemical Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the subject. Where there are no papers to appear under a heading, it will be omitted

4 CARBOHYDRATES

Annisson G, Choct M, Cheetham NW//CSIRO Div Human Nutr, Glen-
thorne Lab, O'Halloran Hill, SA 5158, Australia
CARBOHYD POLYM 1992, 19 (3) 151

Analysis of wheat arabinoxylans from a large-scale isolation

Linke HAB, Moss SJ//NYU, Ctr Dent, Dept Microbiol, 421 1st Ave,
New York, NY 10010, USA

Z ERNAHRUNGSWISS 1992, 31 (2) 147

Quantitation of carbohydrate sweeteners and organic acids in human
oral fluid using HPLC analysis (German, English Abstract)

Knutsen SH, Grasdalen H//Univ Trondheim, Div Biotechnol, Nor-
wegian Inst Technol, Lab Marine Biochem, N-7034 NTH Trondheim,
Norway

CARBOHYD POLYM 1992, 19 (3) 199

Analysis of carrageenans by enzymic degradation, gel filtration and
¹H-NMR spectroscopy

Czuchajowska Z, Szczodrak J, Pomeranz Y//Washington State Univ,
Dept Food Sci & Human Nutr, Pullman, Wa 99164, USA

CEREAL CHEM 1992, 69 (4) 413

Characterization and estimation of barley polysaccharides by near-in-
frared spectroscopy. 1. Barleys, starches, and beta-deuterium-glucans

Szczodrak J, Czuchajowska Z, Pomeranz Y//Marie Curie Sklodowska
Univ, Dept Appl Microbiol, PL-20033 Lublin, Poland

CEREAL CHEM 1992, 69 (4) 419

Characterization and estimation of barley polysaccharides by near-in-
frared spectroscopy. 2. Estimation of total beta-deuterium-glucans

Kikuchi A, Satoh S, Fujii T//Univ Tsukuba, Inst Biol Sci, Tsukuba,
Ibaraki 305, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (7) 1144

Analysis of plant pectic substances by electrophoresis on cellulose ace-
tate membrane

Matsuhashi S, Inoue S, Hatanaka C**//Hiroshima Univ, Fac Appl Biol
Sci, Dept Appl Biochem, Hiroshima 724, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (7) 1053

Simultaneous measurement of the galacturonate and neutral sugar
contents of pectic substances by an enzymic-HPLC method

Matsuhashi S, Hatanaka C**//Hiroshima Univ, Fac Appl Biol Sci,
Dept Appl Biochem, Hiroshima 724, Japan

BIOSCI BIOTECHNOL BIOCHEM 1992, 56 (7) 1142

Difference between the free and conjugated galacturonate residues in
their color reaction with carbazole or meta-hydroxybiphenyl reagents

Kikuchi H, Sakata T//Yakult Cent Inst Microbiol Res, 1796 Yaho,
Kunitachi, Tokyo 186, Japan

J NUTR SCI VITAMINOL 1992, 38 (3) 287

Qualitative and quantitative estimation of soluble indigestible polysac-
charides as substrate for hindgut fermentation by mini-scale batch cul-
ture

Ramachandran KN, Gupta VK//Ravishankar Univ, Dept Chem, Rai-
pur 492010, Madhya Pradesh, India

MICROCHEM J 1992, 45 (3) 361

Determination of total sugar in food and environmental samples using
3,4-dimethylphenol as a reagent

Viola R, Davies HV//Scottish Crop Res Inst, Dept Cellular & Envi-
ronm Physiol, Dundee DD2 5DA, Scotland

POTATO RES 1992, 35 (1) 55

A microplate reader assay for rapid enzymatic quantification of sugars
in potato tubers

5 LIPIDS

Agullo E, Gelos BS//Univ Nacl Sur, Dept Quim & Ingn Quim, Cate-
dra Bromatol, Avda Alem 1253, RA-8000 Bahia Blanca, Argentina

AN ASOC QUIM ARGENT 1991, 79 (6) 259

Cholesterol determination in egg pastas - Presentation of a new
quality parameter (Spanish, English Abstract)

Amelio M, Rizzo R, Varazini F//Fratelli Carli SPA, Via Garessio 11-
13, I-18100 Imperia, Italy

J CHROMATOGR 1992, 606 (2) 179

Determination of sterols, erythrodil, uvaol and alkanols in olive oils
using combined solid-phase extraction, high-performance liquid chro-
matographic and high-resolution gas chromatographic techniques

Kasprzycka-Guttman T, Odzieniak D//Univ Warsaw, Dept Chem, Pas-
teura 1, PL-02093 Warsaw, Poland

THERMOCHIM ACTA 1992, 204 (2) 303

Thermoanalytical investigation of edible oils

6 VITAMINS & CO-FACTORS

Iwase H//Ajinomoto Co Inc, Kawasaki Factory, 1-1 Suzuki cho, Kawa-
saki ku, Kawasaki, Kanagawa 210, Japan

J CHROMATOGR 1992, 606 (2) 277

Determination of ascorbic acid in elemental diet by high-performance
liquid chromatography with electrochemical detection

Kennedy JF, Rivera ZS, Lloyd LL, Warner FP, Jumel K//Univ Birm-
ingham, Sch Chem, Res Lab Chem Bioactive Carbohyd & Proteins,
Birmingham B15 2TT, England

FOOD CHEM 1992, 45 (5) 327

L-ascorbic acid stability in aseptically processed orange juice in Tetra-
Brik cartons and the effect of oxygen

Zapata S, Dufour JP//Catholic Univ Louvain, Unite Brasserie & Ind
Alimentaires, 2-Bte 7, Pl Croix Sud, B-1348 Louvain, Belgium

J FOOD SCI 1992, 57 (2) 506

Ascorbic, dehydroascorbic and isoascorbic acid simultaneous determi-
nations by reverse phase ion interaction HPLC

Scott KJ//AFRC Inst Food Res, Norwich Lab, Norwich Res Park, Col-
ney, Norwich NR4 7UA, England

FOOD CHEM 1992, 45 (5) 357

Observations on some of the problems associated with the analysis of
carotenoids in foods by HPLC

Vinas P, Campillo N, Garcia IL, Cordoba MH**//Univ Murcia, Fac
Chem, Dept Analyt Chem, E-30071 Murcia, Spain

FOOD CHEM 1992, 45 (5) 349

Liquid chromatographic determination of fat-soluble vitamins in pa-
prika and paprika oleoresin

Hasegawa H//Meiji Milk Prod Co Ltd, Cent Res Inst, Dept Med Nutr
Prod, Higashi-murayama, Tokyo 189, Japan

J CHROMATOGR 1992, 605 (2) 215

Vitamin-D determination using high-performance liquid chromato-
graphy with internal standard redox mode electrochemical detection
and its application to medical nutritional products

7 TRACE ELEMENTS & MINERALS

Edmonds JS, Shibata Y, Francesconi KA, Yoshinaga J, Morita M//

- Western Australia Marine Res Labs, POB 20, N Beach, WA 6020, Australia
 SCI TOTAL ENVIR 1992, 122 (3) 321
 Arsenic lipids in the digestive gland of the western rock lobster *Panulirus cygnus* - An investigation by HPLC ICP-MS
- Taguchi N, Hirata K, Amakawa E, Ohnishi K, Nishijima M, Sakai S, Hamada A/Tokyo Metropolitan Res Lab Publ Hlth, Tama Branch Lab, 3-16-25 Shibazakicho, Tachikawa, Tokyo 190, Japan
 JPN J TOXICOL ENVIRON HEALTH 1992, 38 (3) 289
 Determination of total bromine in foods by ion chromatography (Japanese, English Abstract)
- Garcia C, Lapa RAS, Lima JLFC, Perez-Olmos R/**Univ Basque Country, Tech Sch Engn, Dept Analyt Chem, Plaza Casilla 3, E-48012 Bilbao, Spain
 FOOD CHEM 1992, 45 (5) 365
 Determination of fluoride in Spanish vinegars
- Cox RJ, Pickford CJ, Thompson M/Harwell Lab, AEA Environm & Energy, Ctr Analyt Sci, Harwell OX11 0RE, England
 J ANAL ATOM SPECTROM 1992, 7 (4) 635
 Determination of ¹²⁹I in vegetable samples by inductively coupled plasma mass spectrometry
- Campbell MJ, Vermeir G, Dams R, Quevauviller P/State Univ Ghent, Analyt Chem Lab, Proeftunist 86, B-9000 Ghent, Belgium
 J ANAL ATOM SPECTROM 1992, 7 (4) 617
 Influence of chemical species on the determination of mercury in a biological matrix (cod muscle) using inductively coupled plasma mass spectrometry
- Schintu M, Jean-Caurant F, Amiard C/Univ Cagliari, Ist Igiene & Med Prevent, Via Porcell 4, I-09100 Cagliari, Italy
 ECOTOXICOL ENVIRON SAFETY 1992, 24 (1) 95
 Organomercury determination in biological reference materials - Application to study on mercury speciation in marine mammals off the Faroe islands
- Buzasi-Gyorfi A, Hecceghalmi-Pankotai M, Pankotai-Gilinger M/Inst Mat Testing & Qual Control, POB 114, H-1751 Budapest, Hungary
 MICROCHEM J 1992, 46 (1) 30
 Spectrochemical determination of metal content in pesticides and treated vegetables
- Moreno-Rojas R, Amaro-Lopez MA, Zurera-Cosano G/Univ Cordoba, Dept Food Hyg & Technol, Medina Azahara 9, E-14005 Cordoba, Spain
 FOOD CHEM 1992, 45 (5) 319
 Mineral content modifications in Manchego-type cheese during ripening
- Alonso A, Etxaniz B, Martinez MD/Guipuzcoa Publ Hlth Lab, Avda Navarra 4, E-20013 San Sebastian, Spain
 FOOD ADDIT CONTAM 1992, 9 (2) 111
 The determination of nitrate in cured meat products - A comparison of the HPLC UV/Vis and CD/spectrophotometric methods
- Huang YL, Kim JM, Schmid RD/Natl Univ Singapore, Bioproc Technol Unit, 10 Kent Ridge Crescent, Singapore 0511, Singapore
 ANAL CHIM ACTA 1992, 266 (2) 317
 Determination of sulphite in wine through flow-injection analysis based on the suppression of luminol chemiluminescence
- Mroczkowski W, Cyganski A/Inst Uprawy Nawozenia & Gleboznawstwa, PL-24100 Pulawy, Poland
 CHEM ANAL 1991, 36 (5-6) 917
 Spectrophotometric determination of microgramme amounts of sulfur. 7. Thermospectrophotometric method for total sulfur determination in vegetable oils (Polish, English Abstract)
- ## 8 DRUG, BIOCIDES & CHEMICAL RESIDUES
- Fay LB, Turesky RJ/Nestec Ltd, Nestle Res Ctr, CH-1000 Lausanne, Switzerland
 BIOL MASS SPECTROM 1992, 21 (9) 463
 Electron impact and fast atom bombardment mass spectrometric analysis of the food-borne carcinogens 2-amino-3-methylimidazo[4,5-f]quinoline, 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline and their metabolites
- Sanchez FG, Gallardo AA, Blanco CC/Univ Malaga, Fac Sci, Dept Analyt Chem, E-29071 Malaga, Spain
 TALANTA 1992, 39 (9) 1195
 Determination of carbamate herbicide asulam in peaches following fluorescamine fluorogenic labelling
- Forsyth DS, Weber D, Cleroux C/Hlth & Welf Canada, Bur Chem Safety, Food Directorate, Div Food Res, Hlth Protect Branch, Ottawa, Ontario, Canada K1A 0L2
 FOOD ADDIT CONTAM 1992, 9 (2) 161
 Determination of butyltin, cyclohexyltin and phenyltin compounds in beers and wines
- Sen NP, Seaman SW, Weber D/Hlth & Welf Canada, Bur Chem Safety, Food Directorate, Div Food Res, Hlth Protect Branch, Ottawa, Ontario, Canada K1A 0L2
 FOOD ADDIT CONTAM 1992, 9 (2) 149
 A method for the determination of methyl carbamate and ethyl carbamate in wines
- De Groodt JM, Debukanski BW, De Groof J, Beernaert H, Srebnik S/Minist Publ Hlth & Environm, 14 rue J Wytsman, B-1050 Brussels, Belgium
 J LIQ CHROMATOGR 1992, 15 (13) 2355
 Chloramphenicol and nitrofurantoin residue analysis by HPLC and photodiode array detection in meat and fish
- Barker SA, Long AR/Louisiana State Univ, Sch Vet Med, Residue Studies Lab, Dept Vet Physiol Pharmacol & Toxicol, Baton Rouge, La 70803, USA
 J LIQ CHROMATOGR 1992, 15 (1) 2071
 Tissue drug residue extraction and monitoring by matrix solid phase dispersion (MSPD)-HPLC analysis
- Macomber C, Bushway RJ, Perkins LB*, Baker D, Fan TS, Ferguson BS/**Univ Maine, Dept Food Sci, Orono, Me 04469, USA
 J AGR FOOD CHEM 1992, 40 (8) 1450
 Determination of the ethanesulfonate metabolite of alachlor in water by high-performance liquid chromatography
- Gross GA, Gruter A, Heyland S/Nestec Ltd, Nestle Res Ctr, Vers Chez Blanc, POB 44, CH-1000 Lausanne 26, Switzerland
 FOOD CHEM TOXICOL 1992, 30 (6) 491
 Optimization of the sensitivity of high-performance liquid chromatography in the detection of heterocyclic aromatic amine mutagens
- Tarbin JA, Shearer G/MAFF, Food Sci Lab, Food Safety Directorate, Norwich Res Pk, Norwich, England
 J CHROMATOGR-BIOMED APPL 1992, 579 (1) 177
 Improved high-performance liquid chromatographic procedure for the

determination of lasalocid in chicken tissues and egg using polymeric and porous graphitic carbon columns

Hormazabal V, Steffanak I, Yndestad M//Norwegian Coll Vet Med, Dept Food Hyg, POB 8146 Dep, N-0033 Oslo 1, Norway
J LIQ CHROMATOGR 1992, 15 (1) 2035

A time and cost-effective assay for the determination of residues of malachite green in fish tissues by HPLC

Rubi E, Lorenzo RA, Casais C, Carro AM, Cela R**/Univ Santiago de Compostela, Fac Quim, Dept Quim Analit Nutr & Bromatol, Santiago, Spain
J CHROMATOGR 1992, 605 (1) 69

Evaluation of capillary columns used in the routine determination of methylmercury in biological and environmental materials

Horie M, Nakazawa H//Saitama Prefectural Inst Publ Hlth, 639-1 Kamiokubo, Saitama 338, Japan
J LIQ CHROMATOGR 1992, 15 (1) 2057

Determination of miloxacin and its metabolite in fish by high-performance liquid chromatography with fluorescence and UV detection

Agasoster T, Rasmussen KE//Univ Oslo, Inst Pharm, POB 1068, Blindern, N-0316 Oslo 3, Norway
J PHARMACEUT BIOMED ANAL 1992, 10 (5) 349

On-line dialysis, liquid chromatography and post-column reaction detection of oxytetracycline in salmon muscle extracts

Brauer B, Funke T//Chem Landesuntersuchungsamt NRW, Sperlichstr 19, W-4400 Munster, FRG
DEUT LEBENS-M-RUNDSCH 1992, 88 (8) 243

Determination of the migration of phenolic substances into water as a test food (German, English Abstract)

Padmanabha KK, Rangaswamy JR**/Cent Food Technol Res Inst, Infestat Control & Protectants Discipline, Mysore 570013, Karnataka, India
MIKROCHIM ACTA 1992, 108 (1-2) 107

Spectrophotometric method for phosphine residue determination in coriander

Endoh YS, Takahashi Y, Nishikawa M//Minist Agr Forestry & Fisheries, Natl Vet Assay Lab, 1-15-1 Tokura, Tokyo 185, Japan
J LIQ CHROMATOGR 1992, 15 (1) 2091

HPLC determination of sulfonamides, their N4-acetyl metabolites and diaminopyrimidine coccidiostats in chicken tissues

Malisch R, Bourgeois B, Lippold R//Chem Landesuntersuchungsanstalt Freiburg, Bissierstr 5, W-7800 Freiburg, FRG
DEUT LEBENS-M-RUNDSCH 1992, 88 (7) 205

Multiresidue analysis of selected chemotherapeutics and antiparasitics. 1. Determination of sulfonamides and their N4-acetyl-metabolites, chloramphenicol and nicarbazin in meat

Nagata T, Saeki M//Publ Hlth Lab Chiba Prefecture, 666-2 Nitonacho, Chiba 280, Japan
J LIQ CHROMATOGR 1992, 15 (1) 2045

Simultaneous determination of thiamphenicol, florfenicol, and chloramphenicol residues in muscles of animals and cultured fish by liquid chromatography

Bagheri H, Vreuls JJ, Ghijsen RT, Brinkman UAT//Free Univ Amsterdam, Dept Analyt Chem, De Boelelaan 1083, 1081 HV Amsterdam, The Netherlands
CHROMATOGRAPHIA 1992, 34 (1-2) 5

Determination of triazine herbicides in surface and drinking waters by

off-line combination of liquid-chromatography and gas-chromatography mass-spectrometry

Keng LJY, Boison JO**/Agr Canada, Hlth Anim Lab, Food Prod & Inspt Branch, 116 Vet Rd, Saskatoon, Saskatchewan, Canada S7N 2R3
J LIQ CHROMATOGR 1992, 15 (1) 2025

High-performance liquid chromatographic determination of tylosin in bovine muscle, kidney and liver

9 TOXINS

Gilbert J, Sharman M, Patel S, Boenke A, Wagstaffe PJ//MAFF, Food Sci Lab, Colney Lane, Norwich NR4 7UQ, England
FOOD ADDIT CONTAM 1992, 9 (2) 119

Deoxynivalenol in wheat and maize flour reference materials. 2. Preparation and certification

Park CE, Akhtar M, Rayman MK//Hlth & Welf Canada, Food Directorate, Bur Microbial Hazards, Div Microbiol Res, Ottawa, Ontario, Canada K1A 0L2
APPL ENVIRON MICROBIOL 1992, 58 (8) 2509

Nonspecific reactions of a commercial enzyme-linked immunosorbent assay kit (TECRA) for detection of staphylococcal enterotoxins in foods

Isohata E, Hayakawa S//Confectionery Res Ctr, 1-18-7 Iriya, Taito ku, Tokyo 110, Japan
J JPN SOC FOOD SCI TECHNOL 1992, 39 (7) 632

Simultaneous analysis of several mycotoxins in grains by high-performance liquid chromatography - (Studies on chemical analysis of mycotoxins. 22.) (Japanese, English Abstract)

Leonart R, Cistero A, Careira J, Batista A, Delprado JM**/Dept Invest Alergia & Immunol Abelto SA, Miguel Fleita 19, E-28037 Madrid, Spain
ANN ALLERGY 1992, 69 (2) 128

Food allergy - Identification of the major IgE-binding component of peach (*Prunus persica*)

Vieths S, Schoning B, Brockmann S, Aulepp H//Tech Univ Berlin, Inst Lebensmittelchem, Gustav Meyer Allee 25, W-1000 Berlin 65, FRG
DEUT LEBENS-M-RUNDSCH 1992, 88 (8) 239

Allergy to fruits and vegetables - A low temperature method for the extraction of plant tissues - Characterization of the allergenic preparations (German, English Abstract)

10 ADDITIVES

Taylor SJ, McDowell IJ//Nat Resources Inst, Cent Ave, Chatham Maritime, Chatham ME4 4TB, England
CHROMATOGRAPHIA 1992, 34 (1-2) 73

Determination of the curcuminoid pigments in turmeric (*Curcuma domestica* Val) by reversed-phase high-performance liquid chromatography

Benfenati E, Natangelo M, Pallucca E, Tridico R, Borghetti E, Lualdi G//Mario Negri Inst Pharmacol Res, Via Eritrea 62, I-20157 Milan, Italy
J CHROMATOGR 1992, 605 (1) 129

Specific gas chromatography-mass spectrometry analytical method for the determination of cyhexatin in animal feed

Falcone F, Maxwell KC//Liquor Control Board Ontario, Qual Assurance Lab, 55 Lakeshore Blvd E, Toronto, Ontario, Canada M5E 1A4
J AGR FOOD CHEM 1992, 40 (8) 1355

Simultaneous continuous flow analysis of free and total sulfur dioxide in wine

11 FLAVOURS & AROMAS

Silwar R/C Melchers Prod GmbH, Aromenabt, Postfach 103347, W-2800 Bremen 1, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (2) 112

Gas chromatography-mass spectrometry investigation of aroma compounds from the reaction of cysteine and rhamnose under roasting conditions (German, English Abstract)

Yamanashi H, Mizuno C, Yoshida K//Nagoya Seiraku Co Ltd, 310 Nakasuna cho, Tenpaku ku, Nagoya 468, Japan

J JPN SOC FOOD SCI TECHNOL 1992, 39 (7) 615

Relationship between change of fresh-roasted flavor and titratable acidity of stored ground coffee (Japanese, English Abstract)

Helle N, Linke B, Bogl KW, Schreiber GA//Bundesgesundheitsamt, Inst Sozialmed & Epidemiol, Fachgebiet Lebensmittelbestrahlung, W-1000 Berlin 42, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (2) 129

Detection of irradiated spices by electron spin resonance measurements (German, English Abstract)

Cacho J, Melendez J, Ferreira V**/Univ Zaragoza, Fac Sci, Dept Analyt Chem, E-50009 Zaragoza, Spain

MIKROCHIM ACTA 1992, 108 (1-2) 61

Development of a method for analyzing volatiles from foodstuff matrices, including microextraction by demixture - Application to the analysis of grapes

Christensen KR, Reineccius GA//Univ Minnesota, Dept Food Sci & Nutr, St Paul, Mn 55108, USA

J DAIRY SCI 1992, 75 (8) 2098

Gas chromatographic analysis of volatile sulfur compounds from heated milk using static headspace sampling

Homatidou VI, Karvouni SS, Dourtoglou VG, Poulos CN//Vioryl SA, Dept Analyt Chem, Viltanioti Str, GR-14564 Kifissia, Greece

J AGR FOOD CHEM 1992, 40 (8) 1385

Determination of total volatile components of Cucumis melo L variety cantaloupensis

Leino ME//Univ Turku, Dept Chem Biochem, Food Chem Lab, SF-20500 Turku 50, Finland

J AGR FOOD CHEM 1992, 40 (8) 1379

Effect of freezing, freeze-drying, and air-drying on odor of chive characterized by headspace gas chromatography and sensory analyses

Owuor PO//Tea Res Fdn Kenya, POB 820, Kericho, Kenya

J SCI FOOD AGR 1992, 59 (2) 189

Comparison of gas chromatographic volatile profiling methods for assessing the flavour quality of Kenyan black teas

Rizzolo A, Polesello A, Polesello S//IVTIPA, Ist Sperimentale Valorizaz Tecnol Prod Agr, Via Venezian 26, I-20133 Milan, Italy

HRC-J HIGH RES CHROMATOGR 1992, 15 (7) 472

Use of headspace capillary GC to study the development of volatile compounds in fresh fruit

Wilson LA, Senechal NP, Widrlechner MP//Iowa State Univ Sci & Technol, USDA ARS, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA

J AGR FOOD CHEM 1992, 40 (8) 1362

Headspace analysis of the volatile oils of agastache

12 ORGANIC ACIDS

Ferrer AO, Granados A//Univ Zulia, Lab Alimentos Dept Quim, Venezuela

FOOD CHEM 1992, 45 (5) 311

Organic acids of low molecular weight in palmita-type cheese

13 ANIMAL PRODUCTS

Arnold RN, Scheller KK, Arp SC, Williams SN, Schaefer DM//Univ Wisconsin, Dept Meat & Anim Sci, 1675 Observ Dr, Madison, Wi 53706, USA

J FOOD SCI 1992, 57 (2) 518

Visual and spectrophotometric evaluations of beef color stability

Diaz-Cinco ME, Fraijo O, Grajeda P, Lozano-Taylor J, Demejia EG//Ctr Invest Alimentac & Desarrollo AC, Div Technol & Food Sci, Apartado Postal 1735, Hermosillo 83000, Sonora, Mexico

J FOOD SCI 1992, 57 (2) 355

Microbial and chemical analysis of Chihuahua cheese and relationship to histamine and tyramine

Lichan E, Kwan L, Nakai S, Amantea GF//Univ British Columbia, Dept Food Sci, 6650 NW Marine Dr, Vancouver, BC, Canada V6T 1Z4

J FOOD SCI 1992, 57 (2) 350

Silica-based and polymeric columns for reversed-phase HPLC analysis of cheddar cheese

Russell SM, Fletcher DL*, Cox NA//Univ Georgia, Dept Poultry Sci, Athens, Ga 30602, USA

POULTRY SCI 1992, 71 (8) 1391

A rapid method for the determination of temperature abuse of fresh broiler chicken

Malle P, Lepezennec I//Ctr Natl Etudes Vet & Alimentaires, Unite Etudes Prod Peche, rue Huret Lagache, F-62200 Boulogne sur Mer, France

SCI ALIMENT 1992, 12 (2) 257

Rapid determination of fish freshness by evaluation of ATP degradation reflected in K value

McCormick RJ, Collins DA, Field RA, Moore TD//Univ Wyoming, Dept Anim Sci, Laramie, Wy 82071, USA

J FOOD SCI 1992, 57 (2) 516

Identification of meat from game and domestic species

Hanus O, Gencurova V, Gabriel B//Vyzkumny Ustav Pro Chov Skotu, Kuo Rapotin, CS-78813 Sumperk, Czechoslovakia

VET MED-CZECH 1992, 37 (3) 149

The effect of sample aging on the accuracy of an infrared analysis of basic milk composition (Czech, English Abstract)

Urbanke W, Luf W, Brandl E**/Univ Vienna, Inst Milchhyg & Milchtechnol Vet Med, Linke Bahngasse 11, A-1030 Vienna, Austria

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (2) 137

Use of HPLC for control of the adulteration of milk and milk products of different species (German, English Abstract)

14 PLANT & MICROBIAL PRODUCTS

Castia T, Franco MA, Mattivi F, Muggioli G, Sferlazzo G, Versini G//CNR, Ist Studio Problemi Bioagr Colture Arboree Mediterranee, Via Nicola 1, I-07100 Sassari, Italy

SCI ALIMENT 1992, 12 (2) 239

Characterization of grapes cultivated in Sardinia - Chemometric methods applied to the anthocyanic fraction

Davies AJ, Mazza G**/Agr Canada, Crop Utilizat Lab, Res Stn, Morden, Manitoba, Canada R0G 1J0

J AGR FOOD CHEM 1992, 40 (8) 1341

Separation and characterization of anthocyanins of *Monarda fistulosa* by high-performance liquid chromatography

Schwarz K, Ternes W**/Univ Hannover, Inst Food Sci, Wunstorfer Str 14, W-3000 Hannover 91, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (2) 95

Antioxidative constituents of *Rosmarinus officinalis* and *Salvia officinalis*. 1. Determination of phenolic diterpenes with antioxidative activity amongst tocochromanols using HPLC

Schwarz K, Ternes W**/Univ Hannover, Inst Food Sci, Wunstorfer Str 14, W-3000 Hannover 91, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (2) 99

Antioxidative constituents of *Rosmarinus officinalis* and *Salvia officinalis*. 2. Isolation of carnosic acid and formation of other phenolic diterpenes

Abede AA, Ayoko GA, Singh K**/Ahmadu Bello Univ, Dept Chem, Zaria, Nigeria

FOOD CHEM 1992, 45 (5) 323

Chemical composition and nutritive value of retail white bread in Zaria, Nigeria

Tanizawa H, Ohkawa Y, Takino Y, Miyase T, Ueno A, Kageyama T, Hara S//Shizuoka Univ, Sch Pharmaceut Sci, 52-1 Yada, Oya, Shizuoka 422, Japan

CHEM PHARM BULL TOKYO 1992, 40 (7) 1940

Studies on natural antioxidants in citrus species. 1. Determination of antioxidative activities of citrus fruits - Note

Dearmas R, Martinez M, Rodriguez CW, Legaz ME, Mateos JL, Cafaro SV, Vicente C//Univ Havana, Fac Biol, Dept Plant Physiol, Havana, Cuba

INT SUGAR J 1992, 94 (1123) 147

The chemical nature of high molecular mass heterofructans from cane juice

Dull GG, Lefler RG, Birth GS, Smittle DA//USDA ARS, Richard B Russell Agr Res Ctr, Athens, Ga 30613, USA

TRANS ASAE 1992, 35 (2) 735

Instrument for nondestructive measurement of soluble solids in honeydew melons

Kuczynski A, Varoquaux P*, Varoquaux F**/Polish Acad Sci, Inst Agrofiz, Doswiadczalna 4, PL-20256 Lublin, Poland

SCI ALIMENT 1992, 12 (2) 213

Reflectometric method to measure the initial colour and the browning rate of white peach pulps

Wang J, Reviejo AJ, Mannino S//New Mexico State Univ, Dept Chem, Las Cruces, NM 88003, USA

ANAL LETT 1992, 25 (8) 1399

Organic-phase enzyme electrode for the determination of phenols in olive oils