



Bibliography on analytical food chemistry

1 BOOKS, REVIEWS & SYMPOSIA

Luginbuhl W, Eyer H//Fed Dairy Res Inst, CH-3097 Liebefeld, Switzerland

FOOD SCI TECHNOL-LEBENSMESSWISS 1992, 25 (4) 316

FT-IR spectrometry - A promising method for dairy research and analysis

Agarwal VK (Ed)

Analysis of Antibiotic/Drug Residues in Food Products of Animal Origin. Symp on Antibiotic/Drug Residues in Food Products of Animal Origin, New York, USA, August, 1991

Plenum Publ Corp (New York), 1992, 263 pages, \$79.50 Hardbound, ISBN: 0-306-44199-3

2 GENERAL

Disipio F//ULSS, PMIP, Settore Chim Ambientale, Via S Olivieri 195, I-66100 Chieti, Italy

IND ALIMENT 1992, 31 (306) 666

Between analysis and labelling or between measurement errors and ingredients - Law (Italian, English Abstract)

Sugisawa H, Nakamoto H, Yang R, Tamura H//Kagawa Univ, Dept Bioresource Sci, Miki cho, Miki, Kagawa 76107, Japan

J JPN SOC FOOD SCI TECHNOL 1992, 39 (8) 726

The reproducibility of GC retention index and quantitative value on the purge and trap system (Japanese, English Abstract)

3 AMINO ACIDS, PROTEINS & ENZYMES

Cheniclet C, Rafia F, Saintguily A, Verna A, Carde JP//Univ Bordeaux 1, Physiol Cellulaire Vegetale Lab, CNRS, Unite Associee 568, Ave Fac, F-33405 Talence, France

BIO CELL 1992, 75 (2) 145

Localization of the enzyme geranylgeranylpyrophosphate synthase in Capsicum fruits by immunogold cytochemistry after conventional chemical fixation or quick-freezing followed by freeze-substitution - Labelling evolution during fruit ripening

Lew EJJ, Kuzmicky DD, Kasarda DD**//USDA ARS, Western Reg Res Ctr, Albany, Ca 94710, USA

CEREAL CHEM 1992, 69 (5) 508

Characterization of low molecular weight glutenin subunits by reversed-phase high-performance liquid chromatography, sodium dodecyl sulfate-polyacrylamide gel electrophoresis, and N-terminal amino acid sequencing

Chen J, Shelton DR, Dappolonia BL, Khan K//Procter & Gamble Co, Cincinnati, Oh 45224, USA

CEREAL CHEM 1992, 69 (5) 481

Structural characterization of the carbohydrate portion of a glycopeptide from wheat gluten

Maynard F//INRA, Rech Technol Laitiere Lab, 65 rue St Briec, F-35042 Rennes, France

J DAIRY RES 1992, 59 (3) 425

Identification of a new molecular form of human alpha-lactalbumin

Wang CH, Abouziez MM, Pestka JJ, Smith DM**//Michigan State Univ, Dept Food Sci & Human Nutr, E Lansing, Mi 48824, USA

J AGR FOOD CHEM 1992, 40 (9) 1671

Antibody development and enzyme-linked immunosorbent assay for the protein marker lactate dehydrogenase to determine safe cooking end-point temperatures of turkey rolls

Makinen-Kiljunen S, Palosuo T//Helsinki Univ, Cent Hosp, Dept Allerg Dis, Meilahdentje 2, SF-00250 Helsinki, Finland

ALLERGY 1992, 47 (4) 347

A sensitive enzyme-linked immunosorbent assay for determination of bovine beta-lactoglobulin in infant feeding formulas and in human milk

Rantamaki LK, Muller HP//Swedish Univ Agr Sci, Dept Microbiol, S-75007 Uppsala, Sweden

J DAIRY RES 1992, 59 (3) 273

Isolation and characterization of alpha2-macroglobulin from mastitis milk

Addeo F, Chianese L, Salzano A, Sacchi R, Cappuccio U, Ferranti P, Malorni A//Univ Napoli Federico 2, Ist Ind Agr, Parco Gussone, I-80555 Portici, Italy

J DAIRY RES 1992, 59 (3) 401

Characterization of the 12% trichloroacetic acid-insoluble oligopeptides of Parmigiano Reggiano cheese

Zarins Z, Chrastil J//USDA ARS, South Reg Rs Ctr, New Orleans, La 70179, USA

J AGR FOOD CHEM 1992, 40 (9) 1599

Separation and purification of rice oryzenin subunits by anion-exchange and gel-permeation chromatography

Khan AA, Robinson DS**//Univ Leeds, Procter Dept Food Sci, Leeds LS2 9JT, England

FOOD CHEM 1993, 46 (1) 61

Purification of an anionic peroxidase isoenzyme from mango (*Mangifera indica* L var chaunsa)

Chen J, Khan K, Shelton DR, Dappolonia BL//Procter & Gamble Co, Cincinnati, Oh 45224, USA

CEREAL CHEM 1992, 69 (5) 475

Isolation and fractionation of carbohydrate-containing proteins from wheat gluten

Murch SJ, Bruce HL, Ball RO//Univ Guelph, Dept Anim & Poultry Sci, Guelph, Ontario, Canada N1G 2W1

FOOD RES INT 1992, 25 (1) 109

Rapid separation and quantification of myofibrillar proteins by high performance gel permeation chromatography

Thomson NH, Miles MJ, Tatham AS, Shewry PR//Univ Bristol, HH Wills Phys Lab, Tyndall Ave, Bristol BS8 1TL, Avon, England

ULTRAMICROSCOPY 1992, 42 (PT B) 1204

Molecular images of cereal proteins by STM

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical food chemistry. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Chemical Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the subject. Where there are no papers to appear under a heading, it will be omitted

Waters EJ, Wallace W, Williams PJ*//Australian Wine Res Inst, Glen Osmond, SA 5064, Australia
 J AGR FOOD CHEM 1992, 40 (9) 1514
 Identification of heat-unstable wine proteins and their resistance to peptidases

Wu W-b, Lakin AL//Southern Potato Res Ctr China, Enshi, Hubei, Peoples R China
 FOOD CHEM 1993, 46 (1) 49
 Estimation of protein in potato tissue by dye binding

Lackey DB//Nat'l Inst Med Res, Peptide Chem Lab, Mill Hill, London NW7 1AA, England
 J BIOL CHEM 1992, 267 (25) 17508
 Isolation and structural determination of a novel TRH-like tripeptide, pyroGlu-Tyr-Pro amide, from alfalfa

4 CARBOHYDRATES

Gruppen H, Hoffmann RA, Kormelink FJM, Voragen AGJ*, Kamerling JP, Vliegenthart JFG//Agr Univ Wageningen, Dept Food Sci, POB 8129, 6700 EV Wageningen, The Netherlands
 CARBOHYD RES 1992, 233 45
 Characterisation by ¹H NMR spectroscopy of enzymically derived oligosaccharides from alkali-extractable wheat-flour arabinoxylan

Vrbaski L, Markov S, Jakovljevic J, Lepojevic Z//Univ Novi Sad, Fac Technol, Bul Avnoj 1, YU-21000 Novi Sad, Yugoslavia
 BIOTECHNOL TECHNIQUE 1992, 6 (5) 413
 Improved thin-layer chromatography separation of carbohydrates in wort and beer

Tomas-Barberan FA, Garcia-Viguera C, Nieto JL, Ferreres F, Tomas-Lorente F//CEBAS (CSIC), POB 4195, E-30080 Murcia, Spain
 FOOD CHEM 1993, 46 (1) 33
 Dihydrochalcones from apple juices and jams

Hansen RW, Byrnes SM, Johnson AD//CSIRO, Div Trop Crops & Pastures, Cunningham Lab, 306 Carmody Rd, St Lucia, Qld 4067, Australia
 J SCI FOOD AGR 1992, 59 (3) 419
 Determination of galactomannan (gum) in guar (Cyamopsis tetragonolobus) by high-performance liquid chromatography

Guerra-Hernandez E, Garcia-Villanova B, Montilla-Gomez J//Univ Granada, Fac Farm, Dept Nutr & Bromatol, E-18012 Granada, Spain
 J LIQ CHROMATOGR 1992, 15 (14) 2551
 Determination of hydroxymethylfurfural in baby cereals by high-performance liquid chromatography

Abdel-Gawad AS//Assiut Univ, Fac Agr, Dept Food Sci & Technol, Assiut, Egypt
 FOOD CHEM 1993, 46 (1) 25
 Effect of domestic processing on oligosaccharide content of some dry legume seeds

Oderiz LV, Blanco EV, Hernandez JL, Rodriguez AR//Fac Pharm Santiago de Compostela, Dept Quim Analit Nutr & Bromatol, E-15706 Santiago de Compostela, Spain
 IND ALIMENT 1992, 31 (305) 533
 Comparison of 2 spectrophotometric methods for determination of different pectic fractions - Application of 7 varieties of raspberry (Italian, English Abstract)

Stumm I, Baltes W*//Tech Univ Berlin, Inst Lebensmittelchem, Gustav Meyer Allee 25, W-1000 Berlin 65, FRG
 Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (3) 246
 Determination of the synthetic carbohydrate polydextrose (German, English Abstract)

Benhura MAN, Marume M//Univ Zimbabwe, Dept Biochem, POB MP167, Mt Pleasant, Harare, Zimbabwe
 FOOD CHEM 1993, 46 (1) 7
 The mucilaginous polysaccharide material isolated from ruredzo (*Dicerocaryum zanguebarium*)

Hoover R, Vasanthan T//Mem Univ Newfoundland, Dept Biochem, St John's, NF, Canada A1B 3X9
 CARBOHYD POLYM 1992, 19 (4) 285
 Studies on isolation and characterization of starch from oat (*Avena nuda*) grains

Hricoviniova Z, Babor K//Slovak Acad Sci, Inst Chem, CS-84238 Bratislava, Czechoslovakia
 CHEM PAP-CHEM ZVESTI 1992, 46 (3) 196
 Saccharide constituents of horse chestnut (*Aesculus hippocastanum* L.) seeds. 2. Isolation and characterization of the starch

Jane J, Shen L, Chen J, Lim S, Kasemsuwan T, Nip WK//Iowa State Univ Sci & Technol, Dept Food Sci & Human Nutr, Ames, Ia 50011, USA
 CEREAL CHEM 1992, 69 (5) 528
 Physical and chemical studies of taro starches and flours

Potze J//AVEBE, Res & Dev, Proc Res, Benden Oosterdiep 158, POB 15, 96400 AA Veendam, The Netherlands
 STARCH 1992, 44 (8) 283
 Determination of the potato starch content in a slurry by an areometer

Sebecic B//Univ Zagreb, Fac Pharm & Biochem, Dept Food Chem, Domagojeva 2-1, YU-41000 Zagreb, Croatia
 NAHRUNG 1992, 36 (4) 333
 Re-evaluation of simple colorimetric method for damaged starch determination

Sowa SMH, White PJ*//Iowa State Univ Sci & Technol, Dept Food Sci & Human Nutr, 3367 Dairy Ind Bldg, Ames, Ia 50011, USA
 CEREAL CHEM 1992, 69 (5) 521
 Characterization of starch isolated from oat groats with different amounts of lipid

Teo CH, Seow CC*//Univ Sains Malaysia, Sch Ind Technol, Div Food Technol, George Town 11800, Malaysia
 STARCH 1992, 44 (8) 288
 A pulsed NMR method for the study of starch retrogradation

Kawano S, Watanabe H, Iwamoto M//Minist Agr Forestry & Fisheries, Nat'l Food Res Inst, 2-1-2 Kannondai, Tsukuba 305, Japan
 J JPN SOC HORT SCI 1992, 61 (2) 445
 Determination of sugar content in intact peaches by near infrared spectroscopy with fiber optics in interreflectance mode

Padua GW, Schmidt SJ//Univ Illinois, Dept Food Sci, 382 AESB, 1304 W Pennsylvania, Ave, Urbana, Il 61801, USA
 J AGR FOOD CHEM 1992, 40 (9) 1524
 Proton nuclear magnetic resonance measurements on various sugar solutions

5 LIPIDS

Abu-Tarboush HM, Dawood AA//King Saud Univ, Food Sci Dept, POB 2460, Riyadh 11451, Saudi Arabia
 FOOD CHEM 1993, 46 (1) 89
 Cholesterol and fat contents of animal adipose tissues

Fontana A, Antoniazzi F, Cimino G, Mazza G, Trivellone E, Zanone B//CNR, Ist Chim Molec Interesse Biol, Via Toiano 6, I-80072 Arco, Italy
 J FOOD SCI 1992, 57 (4) 869

High-resolution NMR detection of cholesterol oxides in spray-dried egg yolk

Pioch D, Lozano P, Frater C, Graille J**/CIRAD, Inst Rech Hules & Oleagineux, Div Chim Corps Gras, BP 5035, F-34032 Montpellier, France

FETT WISS TECHNOL 1992, 94 (7) 268

A quick method for cholesterol titration in complex media

Spanos GA, Schwartz SJ**/N Carolina State Univ, Dept Food Sci, Box 7624, Raleigh, NC 27695, USA

LC GC-MAG SEPARATION SCI 1992, 10 (10) 774

Determination of cholesterol in milk fat by reversed-phase high-performance liquid chromatography and evaporative light-scattering detection

Achenbach H, Hefterbubl U, Waibel R, Constenla MA/Univ Erlangen Nurnberg, Inst Pharm & Lebensmittelchem, Schuhstr 19, W-8520 Erlangen, FRG

FETT WISS TECHNOL 1992, 94 (8) 294

Gas chromatographic analysis of the seed fat of the middle American *Fevillea cordifolia* (Cucubitaceae) (German, English Abstract)

Muller RH, Heinemann S/Univ Kiel, Dept Pharmaceut & Biopharmaceut, Gutenbergstr 76-78, W-2300 Kiel 1, FRG

CLIN NUTR 1992, 11 (4) 223

Fat emulsions for parenteral nutrition. 1. Evaluation of microscopic and laser light scattering methods for the determination of the physical stability

Matter L/Chem & Food Anal Off, Worthstr 120, W-4100 Duisburg 1, FRG

HRC-J HIGH RES CHROMATOGR 1992, 15 (8) 514

Determination of the animal of origin of dairy products and raw and cooked meats by GC analysis of the fatty acid methyl esters (FAME) obtained by transesterification

Melton SL/Univ Tennessee, Dept Food Technol & Sci, POB 1071, Agr Expt Stn, Knoxville, Tn 37901, USA

J AMER OIL CHEM SOC 1992, 69 (8) 784

Analysis of soybean lecithins and beef phospholipids by HPLC with an evaporative light scattering detector

Du ZY, Bramlage WJ**/Univ Massachusetts, Dept Plant & Soil Sci, Amherst, Ma 01003, USA

J AGR FOOD CHEM 1992, 40 (9) 1566

Modified thiobarbituric acid assay for measuring lipid oxidation in sugar-rich plant tissue extracts

Madere R, Behrens WA**/Hlth & Welf Canada, Hlth Protect Branch, Bur Nutr Sci, Tunney's Pasture, Ottawa, Ontario, Canada K1A 0L2

FOOD RES INT 1992, 25 (1) 37

Malonaldehyde determination in foods by ion-pairing high-performance liquid chromatography

Ulberth F, Henninger M//Agr Univ Vienna, Dept Dairy Res & Bacteriol, Gregor Mendel Str 33, A-1180 Vienna, Austria

J AMER OIL CHEM SOC 1992, 69 (8) 829

Simplified method for the determination of trans monoenes in edible fats by TLC-GLC

Consigliari C, Bruschi R/Univ Parma, Fac Econ & Commercio, Ist Merceol, Via JF Kennedy 6, I-43100 Parma, Italy

IND ALIMENT 1992, 31 (306) 643

Origin and provenance of the extra virgin olive oil on the market - Chemometric applications (Italian, English Abstract)

Montedoro G, Servili M, Baldioli M, Miniati E/Univ Perugia, Ist Ind Agr, Via S Costanzo, I-06100 Perugia, Italy

J AGR FOOD CHEM 1992, 40 (9) 1571

Simple and hydrolyzable phenolic compounds in virgin olive oil. 1. Their extraction, separation, and quantitative and semiquantitative evaluation by HPLC

Montedoro G, Servili M, Baldioli M, Miniati E/Univ Perugia, Ist Ind Agr, Via S Costanzo, I-06100 Perugia, Italy

J AGR FOOD CHEM 1992, 40 (9) 1577

Simple and hydrolyzable phenolic compounds in virgin olive oil. 2. Initial characterization of the hydrolyzable fraction

Plank C, Lorbeer E/Univ Vienna, Inst Organ Chem, Wahringerstr 38, A-1090 Vienna, Austria

HRC-J HIGH RES CHROMATOGR 1992, 15 (9) 609

Quality control of vegetable oil methyl esters used as diesel fuel substitutes - Quantitative determination of monoglycerides, diglycerides, and triglycerides by capillary GC

Ranalli A/Ist Sperimentale Elaiotecn, Via Cesare Battisti 198, I-65100 Pescara, Italy

IND ALIMENT 1992, 31 (305) 513

Incidence of the processing parameters of the olive fruits on the chromatic and analytical characteristics of the oils (Italian, English Abstract)

Mouloud M, Metro F, Goutefongea R, Dumont JP**/INRA, Etude Interact Molec Alimentaires Lab, BP 527, F-44026 Nantes 03, France

SCI ALIMENT 1992, 12 (3) 371

Mass spectrometric study of derivatives formed by the reaction of oleic acid with nitrite - Some evidence for the formation of derivatives nitro-substituted on the alpha-position of the double bond

Pinkston JD, Bowling DJ//Procter & Gamble Co, Miami Valley Labs, POB 398707, Cincinnati, Oh 45239, USA

J MICROCOLUMN SEP 1992, 4 (4) 295

Use of SFC/MS for the confirmation of peak identities in the SFC/FID chromatogram of olestra

Sanders RA, Gardner DR, Lacey MP, Keough T//Procter & Gamble Co, Winton Hill Tech Ctr, Cincinnati, Oh 45224, USA

J AMER OIL CHEM SOC 1992, 69 (8) 760

Desorption mass spectrometry of olestra

Salivaras E, McCurdy AR**/Univ Saskatchewan, Dept Appl Microbiol & Food Sci, Saskatoon, Saskatchewan, Canada S7N 0W0

J AMER OIL CHEM SOC 1992, 69 (9) 935

Detection of olive oil adulteration with canola oil from triacylglycerol analysis by reversed-phase high-performance liquid chromatography

Fiebig HJ, Arens M//Bundesanstalt Getreide Kartoffel & Fettforsch, Inst Chem & Phys Fette, Piusallee 76, W-4400 Munster, FRG

FETT WISS TECHNOL 1992, 94 (8) 283

Estimation and application of EPN-(ECN-) values for the identification of triglycerides in the RP-HPLC - Survey by a working party of the DGF, 129th report - German standard method for investigation of fats, fatty products, tensides and related materials, 99th report - Analysis of fats. 29 (German, English Abstract)

Hierro MTG, Tomas MC, Fernandez-Martin F, Santamaria G//CSIC, Inst Fermentac Ind, Juan Cierva 3, E-28006 Madrid, Spain

J CHROMATOGR 1992, 607 (2) 329

Determination of the triglyceride composition of avocado oil by high-performance liquid chromatography using a light-scattering detector

6 VITAMINS & CO-FACTORS

Hoffman KM, Brown PR, Maugle PD//Univ Rhode Isl, Dept Chem, Kingston, RI 02881, USA

J LIQ CHROMATOGR 1992, 15 (14) 2581

Comparison of 3 HPLC methods for the analysis of vitamers of ascorbic acid in shrimp tissue

Romero-Rodriguez A, Oderiz LV, Hernandez JL, Gandara JS//Fac Pharm Santiago de Compostela, Dept Quim Anal Nutr & Bromatol, E-15706 Santiago de Compostela, Spain
SCI ALIMENT 1992, 12 (3) 593
Comparison of 2 HPLC methods for the determination of ascorbic acid in *Carica pentagona* (French, English Abstract)

Papadopoulou K, Ames JM//Dept Food Sci & Technol, Univ Reading, Whiteknights, Reading RG6 2AP, England
FOOD CHEM 1993, 46 (1) 65
Separation of the coloured reaction products formed in beta-carotene and/or phenylalanine model systems

Lambert WE, Van Neste L, De Leenheer AP**//State Univ Ghent, Med Biochem & Klin Anal Lab, Harelbekestr 72, B-9000 Ghent, Belgium
CLIN CHEM 1992, 38 (9) 1743
Enzymatic sample hydrolysis and HPLC in a study of phyloquinone concentration in human milk

Kumar V, Courie P, Haley S//North Kentucky Univ, Highland Hts, Ky 41076, USA
J CHEM EDUC 1992, 69 (8) A213
Quantitative microscale determination of vitamin-C

7 TRACE ELEMENTS & MINERALS

Cabrera C, Lorenzo ML, Gallego C, Lopez MC, Lillo E//Univ Granada, Sch Pharm, Dept Nutr & Bromatol, E-18071 Granada, Spain
J AGR FOOD CHEM 1992, 40 (9) 1631
Cadmium levels in food and feed crops, determined by electrothermal atomic absorption spectrometry

Reinecke H, Dunemann L, Schwedt G**//Tech Univ Clausthal, Inst Anorgan & Analyt Chem, Paul Ernst Str 4, W-3392 Clausthal Zellerfe, FRG
FRESENIUS J ANAL CHEM 1992, 344 (1-2) 50
The use of polarographic methods for the evaluation of the stability of element species in food extracts

Delgado MMM, de la Torre AH, Marante RA//Univ La Laguna, Dept Prevent Med & Publ Hlth, Santa Cruz de Tenerife, Islas Canarias, Spain
FOOD CHEM 1993, 46 (1) 85
Direct potentiometric determination of fluoride in beverages. Comparative study of different buffering solutions

Cerda A, Forteza R, Cerda V**//Univ Balearic Isl, Fac Sci, Dept Chem, E-07071 Palma de Mallorca, Spain
FOOD CHEM 1993, 46 (1) 95
Determination of iodide in table salt by flow injection analysis using pyrocatechol violet

Marin C, Ostapczuk P**//Julich GmbH, Res Ctr Julich, Inst Appl Phys Chem, POB 1913, W-5170 Julich 1, FRG
FRESENIUS J ANAL CHEM 1992, 343 (12) 881
Lead determination in wine by potentiometric stripping analysis

Basargin NN, Rozovskii YG, Chernova NV, Radzhabov G//Russian Acad Sci, Inst Ore Deposit Geol Petrog Mineral & Geochem, Moscow, Russia
IND LAB-ENGL TR 1992, 58 (3) 214
Group preconcentration and atomic-absorption determination of Mn, Fe, Zn, Cu, and Pb in drinking water and drainage-collector waters

Tanaka T, Aoki Y, Tamase K, Umoto F, Ohbayashi H, Imou M, Sasaki M//Nara Prefectural Inst Publ Hlth, 57-6 Omori cho, Nara 630, Japan
J FOOD HYG SOC JPN 1992, 33 (4) 359
Improved method for determination of total mercury and its applica-

tion to vegetables and fruits in markets (Japanese, English Abstract)

Malone MM, Doherty AP, Smyth MR*, Vos JG**//Dublin City Univ, Sch Chem Sci, Dublin 9, Ireland
ANALYST 1992, 117 (8) 1259
Flow injection amperometric determination of nitrite at a carbon fibre electrode modified with the polymer [Os(bipy)₂(PVP)₂₀Cl]Cl

Muir AD, Soroka JJ//Agr Canada, Res Stn, 107 Sci Pl, Saskatoon, Saskatchewan, Canada S7N 0X2
J AGR FOOD CHEM 1992, 40 (9) 1602
HPLC-ion chromatographic analysis of nitrate in plant tissues and its application to sweetclover (*Melilotus spp*) seedlings

Yaqoob M, Siddiqui MA, Masoom M//Univ Baluchistan, Inst Biochem, Quetta, Pakistan
J CHEM SOC PAKISTAN 1991, 13 (4) 248
Spectrophotometric flow injection determination of nitrate and nitrite in potable water using 8-hydroxyquinoline

Yasui A, Nagai T, Koizumi H//Minist Agr Forestry & Fisheries, Natl Food Res Inst, Kannondai 2-1-2, Tsukuba, Ibaraki 305, Japan
J JPN SOC FOOD SCI TECHNOL 1992, 39 (8) 722
Determination of nitrate, sulfate and oxalate ions in vegetables by single column ion-chromatography (Japanese, English Abstract)

Mei EW, Jiang ZC*, Liao ZH**//Wuhan Univ, Dept Chem, Wuhan 430072, Peoples R China
FRESENIUS J ANAL CHEM 1992, 344 (1-2) 54
Determination of trace amounts of rare earth and other elements in rice samples by ICP-AES with sample introduction by tungsten coil electrothermal vaporization

Wagstaffe PJ, Boenke A, Schnug E, Lindsey AS//Commiss European Communities, Community Bur Reference, rue Loi 200, B-1049 Brussels, Belgium
FRESENIUS J ANAL CHEM 1992, 344 (1-2) 1
Certification of the sulphur content of 3 rapeseed reference materials

Elhardallou SB, Walker AF//Univ Gezira, Dept Food Sci & Technol, POB 20, Wad Medani, Sudan
FOOD CHEM 1993, 46 (1) 43
Binding of Zn by three starchy legumes in the presence of Zn alone or with Fe, Ca, Mg and Cu

8 DRUG, BIOCIDES & CHEMICAL RESIDUES

Mineo H, Kaneko S, Koizumio I, Asida K, Akahori F//Atsugi Hlth Ctr, 2-3-1 Mizuhiki, Atsugi, Kanagawa 243, Japan
VET HUMAN TOXICOL 1992, 34 (5) 398
An analytical study of antibacterial residues in meat - The simultaneous determination of 23 antibiotics and 13 drugs using gas chromatography

Lesech J//INRA, Lab Natl Rech Agron, Domaine Vilvert, F-78352 Jouy en Josas, France
ANALUSIS 1992, 20 (7) 379
Cypermethrin enantiomers separation by chiral phase HPLC - Determination in fat of intoxicated quails *Coturnix coturnix japonica* (French, English Abstract)

Maruyama M//Chuo Univ, Fac Sci & Engr, Bunkyo ku, Tokyo 112, Japan
FRESENIUS J ANAL CHEM 1992, 343 (12) 890
Determination of trace amounts of 3,4-dichloroaniline by high-performance liquid chromatography with amperometric detection and its application to pesticide residue analysis

Galeano T, Guiberteau A, Salinas F//Univ Extremadura, Dept Quim

- Analit, E-06071 Badajoz, Spain
 ANAL LETT 1992, 25 (9) 1797
 Rapid determination of alpha-endosulfan and beta-endosulfan in formulations and potatoes by high-performance liquid chromatography
- Steinwandter H//Hess Landwirtschaftliche Versuchsanstalt, Rheinstr 91, W-6100 Darmstadt, FRG
 FRESENIUS J ANAL CHEM 1992, 343 (12) 887
 Contributions to the ethyl acetate application in residue analysis. 2. Micro on-line method for extracting organophosphorus pesticides from fruits, vegetables and feedstuffs
- Russo C, Lanza CM, Tomaselli F//Univ Catania, Fac Agraria, Ist Ind Agrarie, Via Valdisavoia 5, I-95123 Catania, Italy
 IND ALIMENT 1992, 31 (301) 117
 Size exclusion chromatography as clean-up method in methomyl residue determination on citrus fruits
- Ekasari I, Fokkens RH, Bonestroo MH, Schols HA, Nibbering NMM, Pilnik W//Univ Arkansas, Dept Food Sci, 272 Young Ave, Fayetteville, Ak 72703, USA
 FOOD CHEM 1993, 46 (1) 77
 Characterization of mutagenic compounds in heated orange juice by UV and mass spectra
- Fujii M, Tokumura A, Tsutsumi T, Tsukatani H, Kano M, Tanaka A//Univ Tokushima, Sch Med Sci, Tokushima 770, Japan
 J PESTIC SCI 1992, 17 (3) 141
 Residue analysis of oleic acid in cucumber fruits after spraying sodium oleate solution
- Martinez RC, Gonzalo ER, Moran MJA, Mendez JH//Univ Salamanca, Dept Quim Anal Nutr & Bromatol, E-37008 Salamanca, Spain
 J CHROMATOGR 1992, 607 (1) 37
 Sensitive method for the determination of organophosphorus pesticides in fruits and surface waters by high-performance liquid chromatography with ultraviolet detection
- Franek M, Hruska K, Sisak M, Diblikova I//Vet Res Inst, CS-62132 Brno, Czechoslovakia
 J AGR FOOD CHEM 1992, 40 (9) 1559
 Development of a microcolumn radioimmunoassay for screening of polychlorinated biphenyls in milk and in animal fats
- Patrick G, Schulz DE, Duinker JC//Univ Kiel, Inst Meerskunde, Duesternbrookerweg 20, W-2300 Kiel 1, FRG
 Z WASSER ABWASSER-ACTA HYDROCHIM HYDROBIOL 1992, (2) 115
 Analyses of polychlorinated biphenyls and organic contaminants in drinking water
- Schantz MM, Parris RM, Wise SA, Won HT, Turle R//Natl Inst Stand & Technol, Div Organ Analyt Res, Gaithersburg, Md 20899, USA
 CHEMOSPHERE 1992, 24 (12) 1687
 Polychlorinated biphenyl (PCB) congeners and chlorinated pesticides in a cod liver oil reference material
- Siren H, Hyvonen H, Saarinen M, Rovio S, Riekkola ML//Univ Helsinki, Dept Chem, Div Analyt Chem, Vuorikatu 20, SF-00100, Helsinki 10, Finland
 CHROMATOGRAPHIA 1992, 34 (5-8) 421
 Comparison of HPLC and solid phase clean-up methods for identification of PCBs in cod-liver oil by HRGC/MS-SIM technique
- Gervaise Y//Lab Crepin Anal & Controles, 2 rue Duguay Trouin, BP 1282, F-76178 Rouen, France
 ANALUSIS 1992, 20 (7) S16
 Evaluation of pesticide residues in food and the environment (French, English Abstract)
- Heikes DL, Craun JC//US FDA, 11510 W 80th St, Lenexa, Ks 66214, USA
 J AGR FOOD CHEM 1992, 40 (9) 1586
 Rapid multiresidue procedure for the determination of pesticides in anhydrous lanolin and lanolin-containing pharmaceutical preparations utilizing gel permeation chromatography cleanup with gas chromatographic and mass spectrometric techniques
- Neicheva A, Karageorgiev D, Konstantinova T//Higher Inst Food Ind, 26 Maritza BL, BU-4002 Plovdiv, Bulgaria
 SCI TOTAL ENVIR 1992, 123 29
 Gas chromatographic determination of some modern pesticides in fruits
- Reynolds SL, Thorpe SA*, Mountfort KA, Patel R, Chamberlain SJ, Hunter K, Lindsay DA, Lawn R, Telling GM, Ebdon CJ et al//*MAFF, Food Safety Directorate, Food Sci Lab, Norwich NR4 7UQ, England
 ANALYST 1992, 117 (9) 1451
 Report of 2 co-operative trials of a gel permeation chromatographic method for the isolation of pesticide residues from oils and fats
- Kurosaka R, Wakabayashi K*, Ushiyama H, Nukaya H, Arakawa N, Sugimura T, Nagao M//*Natl Canc Ctr, Res Inst, Div Carcinogenesis, 1-1 Tsukiji 5 chome, Chuo ku, Tokyo 104, Japan
 JPN J CANCER RES 1992, 83 (9) 919
 Detection of 2-amino-1-methyl-6-(4-hydroxyphenyl)imidazo[4,5-b]pyridine in broiled beef
- Takeda N, Akiyama Y//Hyogo Prefectural Inst Publ Hlth, Div Food & Drug, Arata cho, Hyogo ku, Kobe 652, Japan
 J CHROMATOGR 1992, 607 (1) 31
 Rapid determination of sulphonamides in milk using liquid chromatographic separation and fluorescamine derivatization
- Brandon DL, Binder RG, Bates AH, Montague WC//USDA ARS, Western Reg Res Ctr, Food Safety Res Unit, 800 Buchanan St, Albany, Ca 94710, USA
 J AGR FOOD CHEM 1992, 40 (9) 1722
 Monoclonal antibody-based ELISA for thiabendazole in liver
- Stern GA, Muir DCG*, Ford CA, Grift NP, Dewailly E, Bidleman TF, Walla MD//*Fisheries & Oceans Canada, Inst Freshwater, 501 Univ Cres, Winnipeg, Manitoba, Canada R3T 2N6
 ENVIRON SCI TECHNOL 1992, 26 (9) 1838
 Isolation and identification of 2 major recalcitrant toxaphene congeners in aquatic biota
- Corti P, Dreassi E, Politi N, Aprea C//Univ Siena, Dipartimento Farm Chim Tecnol, Banchi Sotto 55, I-53100 Siena, Italy
 FOOD ADDIT CONTAM 1992, 9 (3) 243
 Comparison of HPTLC and HPLC procedures for the determination of certain xenobiotic residues in apples and pears

9 TOXINS

- Banerjee A, Shetty HS//Univ Mysore, Dept Studies Appl Bot, Mysore 570006, Karnataka, India
 LETT APPL MICROBIOL 1992, 15 (3) 89
 Microbial load in poultry feed and detection of aflatoxin-B₁ using monoclonal antibody-based enzyme linked immunosorbent assay
- Putnam ML, Binkerd KA//Purdue Univ, Plant & Pest Diagnost Lab, W Lafayette, In 47907, USA
 PLANT DIS 1992, 76 (10) 1078
 Comparison of a commercial ELISA kit and TLC for detection of deoxynivalenol in wheat
- Rottinghaus GE, Coatney CE, Minor HC//Univ Missouri, Coll Vet Med, Vet Med Diagnost Lab, Columbia, Mo 65211, USA
 J VET DIAGN INVEST 1992, 4 (3) 326

A rapid, sensitive thin layer chromatography procedure for the detection of fumonisin B₁ and B₂

Alonso-Amelot ME, Perez-Mena M, Calcagno MP, Jaimés-Espinoza R//Univ Los Andes, Fac Ciencias, Dept Quim, Quim Ecol Lab, Merida 5101, Venezuela

PHYTOCHEM ANALYSIS 1992, 3 (4) 160

Quantitation of pterosins-A and pterosins-B and ptaquiloside, the main carcinogen of *Pteridium aquilinum* (L. Kuhn), by high-pressure liquid chromatography

Ogert RA, Brown JE, Singh BR, Shriverlake LC, Ligler FS//USN, Res Lab, Ctr Biomolec Sci & Engr, Washington, DC 20375, USA

ANAL BIOCHEM 1992, 205 (2) 306

Detection of *Clostridium botulinum* toxin-A using a fiber optic-based biosensor

10 ADDITIVES

Calull M, Marce RM, Sanchez G, Borrull F//Univ Barcelona, Dept Quim, Placa Imperial Tarraco 1, E-43005 Tarragona, Spain

J CHROMATOGR 1992, 607 (2) 339

Determination of additives in wine by high-performance liquid chromatography

Gliddon MJ, Poole CA, Johannsen FH, Bucher E, Thalmann A, Dresbach C, Abramowski B//Amer Cyanamid Co, POB 400, Princeton, NJ-08543, USA

ANALYST 1992, 117 (9) 1401

Microbiological assay of avoparcin in animal feeds and premixes - Cooperative study

Sastry CSP, Rao SG, Sastry BS//Andhra Univ, Sch Chem, Foods & Drugs Labs, Waltair-3, India

FOOD CHEM 1993, 46 (1) 101

New spectrophotometric methods for the determination of di-t-butyl hydroquinone

Marini D, Balestrieri F, Damiani P//Lab Chimico Cent Dogane, Via Della Luce 35, I-00153 Rome, Italy

IND ALIMENT 1992, 31 (301) 123

Analytical evaluation of the powdered saffron - Application of the multivariate analysis

Narasimhan S, Chand N, Rajalakshmi D//Cent Food Technol Res Inst, Sensory Anal & Consumer Acceptance Area, Mysore 570013, Karnataka, India

J FOOD QUAL 1992, 303

Saffron - Quality evaluation by sensory profile and gas chromatography

Disipio F//ULSS 04, PMIP, Settore Chimico Ambientale, Via S Olivieri 195, I-66100 Chieti, Italy

IND ALIMENT 1992, 31 (301) 103

The sorbic acid in foods - Extraction by vapour current distillation - Purification by liquid-liquid distribution - Dosage by ultraviolet spectrophotometry

Lagunas-Solar MC, Demateo A, Fernandez JE, Oyarzun JI, Carvacho OF, Arancibia RA, Delgado PO//Univ Calif, Crocker Nucl Lab, Davis, Ca 95616, USA

AMER J ENOL VITICULT 1992, 43 (3) 266

Radiotracer studies on the uptake and retention (conversion) of ³⁵S-sulfur dioxide in table grapes

Williams DJ, Scudamore-Smith PD, Nottingham SM, Petroff M//Queensland Dept Primary Ind, Inst Food Inst Queensland, Hamilton, Qld 4007, Australia

AMER J ENOL VITICULT 1992, 43 (3) 227

A comparison of 3 methods for determining total sulfur dioxide in white wine

11 FLAVOURS & AROMAS

Delcampo G, Lajo MC//Univ Pais Vasco, Dept Appl Chem, E-20080 San Sebastian, Spain

ANALYST 1992, 117 (8) 1343

Spectrophotometric determination of biacetyl in distillates of wine by flow injection

Rosales FG, Camacho SP//Inst Grasa & Sus Derivados, Avda Padre Garcia Tejero 4, E-41012 Seville, Spain

GRASAS ACEITES 1992, 43 (2) 93

Study of effectiveness of octadecyl C18 extraction columns in the evaluation of the bitter taste (K225) in virgin olive oil - Error and analytical scheme of method the evaluation (Spanish, English Abstract)

Dietrich A, Maas B, Messer W, Bruche G, Karl V, Kaunzinger A, Mosandl A//Univ Frankfurt, Inst Lebensmittelchem, Robert Mayer Str 7-9, W-6000 Frankfurt, FRG

HRC-J HIGH RES CHROMATOGR 1992, 15 (9) 590

Stereoisomeric flavor compounds. 58. The use of heptakis(2,3-di-O-methyl-6-O-tert-butylidimethylsilyl)-beta-cyclodextrin as a chiral stationary phase in flavor analysis

Fellous R, Derbesy M//Univ Nice Sophia Antipolis, Chim Aromes Lab, 28 Ave Valrose, F-06108 Nice 2, France

ANALUSIS 1992, 20 (7) M31

Chiral gas chromatography and authenticity of flavors (French, English Abstract)

Issanchou S//INRA, Rech Aromes Lab, 17 rue Sully, BV 1540, F-21034 Dijon, France

ANALUSIS 1992, 20 (7) M50

Sensory analysis - Principles and uses for study of flavors (French, English Abstract)

Lequere JL//INRA, Rech Aromes Lab, 17 rue Sully, F-21034 Dijon, France

ANALUSIS 1992, 20 (7) M46

Combined gas chromatography and Fourier transform infrared spectrometry in flavor analysis (French, English Abstract)

Naf R//Firmenich Co, Rech Labs, CH-1211 Geneva 8, Switzerland

ANALUSIS 1992, 20 (7) M23

Preparation of extracts, a crucial step in the analysis of flavorings (French, English Abstract)

Richard H, Giampoali P//Ecole Natl Super Ind & Agr, Chim Subst Nat Antioxydants Aromes Colorants Lab, 1 Ave Olympiades, F-91305 Massy, France

ANALUSIS 1992, 20 (7) M20

Flavors and natural flavoring (French, English Abstract)

Richard H//Ecole Natl Super Ind & Agr, Chim Subst Nat Antioxydants Aromes Colorants, 1 Ave Olympiades, F-91305 Massy, France

ANALUSIS 1992, 20 (7) M53

Perfumes and aromas - Conclusion (French, English Abstract)

Sandra P//State Univ Ghent, Organ Chem Lab, Krugslaan 281-S4, B-9000 Ghent, Belgium

ANALUSIS 1992, 20 (7) M27

Miniaturization of chromatographic columns for the analysis of flavours and fragrances (French, English Abstract)

Stapelfeldt H, Bjorn H, Skovgaard IM, Skibsted LH, Bertelsen G*//Royal Vet & Agr Univ, Dept Dairy & Food Sci, Thorvaldsensvej 40, DK-1871 Copenhagen, Denmark

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (3) 203

Warmed-over flavour in cooked sliced beef - Chemical analysis in relation to sensory evaluation

Vernin G, Lageot C//Fac Sci & Tech St Jerome, CNRS, URA 1411, Ave Escadrille Normandie Niemen, F-13397 Marseille 13, France
ANALUSIS 1992, 20 (7) M34
Combined gas chromatography and mass spectrometry for analysis of flavors and essential oils (French, English Abstract)

Vidal JP, Cantagrel R//Stn Viticole Bur Natl Interprofessionnel Cognac, 69 rue Bellefonds, BP 18, F-16100 Cognac, France
ANALUSIS 1992, 20 (7) M40
Changes in organoleptic quality of foods (French, English Abstract)

Warendorf T, Belitz HD*//Tech Univ Munich, Deutsch Forschungsanstalt Lebensmittelchem, Lichtenbergstr 4, W-8046 Garching, FRG
Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (3) 209
The flavour of bouillon. 1. Quantitative analysis of nonvolatiles (German, English Abstract)

Schnug E, Boenke A, Wagstaffe PJ, Lindsey AS//FAL, Inst Pflanzenernahrung & Bodenkunde, Bundesallee 50, W-3300 Braunschweig, FRG
FETT WISS TECHNOL 1992, 94 (8) 297
The characterisation of 3 certified rapeseed reference materials and their utilisation in the indirect determination of total glucosinolates in rapeseed by X-RF

Schnug E, Haneklaus S, Zhao F, Evans EJ//Newcastle Univ, Dept Agr, Newcastle upon Tyne NE1 7RU, England
FETT WISS TECHNOL 1992, 94 (7) 246
Relations between total sulphur and glucosinolate content in rapeseed - Calibration of the X-RF method

Visentin M, Tava A, Iori R, Palmieri S*//MAF, Ist Sperimentale Colture Ind, Via Corticella 133, I-40129 Bologna, Italy
J AGR FOOD CHEM 1992, 40 (9) 1687
Isolation and identification of trans-4-(methylthio)-3-butenyl glucosinolate from radish roots (*Raphanus sativus* L)

Cookeas EG, Efstathiou CE*//Univ Athens, Analyt Chem Lab, GR-15771 Athens, Greece
ANALYST 1992, 117 (8) 1329
Preconcentration of organic compounds at a diphenyl ether graphite paste electrode and determination of vanillin by adsorptive extractive stripping voltammetry

Koziet J//Ctr Rech Pernod Ricard, 120 Ave Marechal Foch, F-94015 Creteil, France
ANALUSIS 1992, 20 (7) M42
Use of stable isotopes for flavoring control - Case of vanillin (French, English Abstract)

Baardseth P, Naes T, Mielnik J, Skrede G, Holland S, Eide O//Matforsk, Norwegian Food Res Inst, Osloveien 1, N-1430 AS, Norway
J FOOD SCI 1992, 57 (4) 822
Dairy ingredients effects on sausage sensory properties studied by principal component analysis

Benet S, Ducruet V, Feigenbaum A//INRA, Nutr & Secur Alimentaire Lab, F-78352 Jouy en Josas, France
ANALUSIS 1992, 20 (7) 391
Security and quality of food packaging - Interactions between organic volatile compounds with high density polyethylene stoppers (French, English Abstract)

Chatonnet P, Lavigne V, Boidron JN, Dubourdieu D//Inst Oenol Bordeaux, Chercheur Soc Seguin Moreau, Bordeaux, France
SCI ALIMENT 1992, 12 (3) 513
Identification and analysis of heavy volatile sulfur compounds in wines by gas chromatography and flame photometry

Headley LM, Hardy JK//Univ Akron, Dept Chem, Akron, Oh 44325,

USA
J FOOD SCI 1992, 57 (4) 980
Adulterants in whisky - Detection and identification by principal component analysis

MacLeod G, Forcen M//Kings Coll London, Dept Food Sci, Campden Hill Rd, London W8 7AH, England
PHYTOCHEMISTRY 1992, 31 (9) 3113
Analysis of volatile components derived from the carob bean *Ceratonia siliqua*

Miranda-Lopez R, Libbey LM, Watson BT, McDaniel MR*//Oregon State Univ, Dept Food Sci & Technol, Wiegand Hall, Corvallis, Or 97331, USA
J FOOD SCI 1992, 57 (4) 985
Odor analysis of Pinot-Noir wines from grapes of different maturities by a gas-chromatography olfactometry technique (Osme)

Ohta H, Nogata Y, Yoza KI, Maeda M//Minist Agr Forestry & Fisheries, Chugoku Natl Agr Expt Stn, Fukuyama, Hiroshima 721, Japan
J CHROMATOGR 1992, 607 (1) 154
Glass capillary-gas chromatographic identification of volatile components recovered from orange essence by continuous liquid extraction

Um KW, Bailey ME*, Clarke AD, Chao RR*//Univ Missouri, Dept Food Sci & Nutr, 21 Agr Bldg, Columbia, Mo 65211, USA
J AGR FOOD CHEM 1992, 40 (9) 1641
Concentration and identification of volatile compounds from heated beef fat using supercritical CO₂ extraction gas-liquid chromatography mass spectrometry

Park PSW, Goins RE//Bristol Myers Squibb Co, Mead Johnson Res Ctr, 2400 W Lloyd Expressway, Evansville, In 47721, USA
J AGR FOOD CHEM 1992, 40 (9) 1581
Determination of volatile lipid oxidation products by dynamic head-space capillary gas chromatographic analysis with application to milk-based nutritional products

12 ORGANIC ACIDS

De Keukeleire D, Vindevogel J, Szucs R, Sandra P//State Univ Ghent, Organ Chem Lab, B-9000 Ghent, Belgium
TRAC-TREND ANAL CHEM 1992, 11 (8) 275
The history and analytical chemistry of beer bitter acids

13 ANIMAL PRODUCTS

Narvaiz P, Lescano G, Kairiyama E//Comis Nacl Energia Atom, Ctr Atom Ezeiza, Gerencia Area Radioisotopos & Radiaciones, Buenos Aires, Argentina
J FOOD SAFETY 1992, 12 (4) 263
Physicochemical and sensory analyses on egg powder irradiated to inactivate Salmonella and reduce microbial load

Sotelo CG, Pineiro C, Gallardo JM, Perez-Martin RI//CSIC, Inst Invest Marinas, Eduardo Cabello 6, E-36208 Vigo, Spain
Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (3) 224
Identification of fish species in smoked fish products by electrophoresis and isoelectric focusing

Abu-Tarboush HM, Al-Kahtani HA, El-Sarrage MS//King Saud Univ, Coll Agr, Food Sci Dept, POB 2460, Riyadh 11451, Saudi Arabia
FOOD CHEM 1993, 46 (1) 13
Floral-type identification and quality evaluation of some honey types

Scarborough A, Jones AD, Homan AC, Favell DJ//Unilever Comp serv Ltd, Res, Colworth Hse, Sharnbrook MK44 1LQ, Beds, England
MEAT SCI 1993, 33 (1) 25
Investigation of the levels of free purine and pyrimidine bases and metabolites in mechanically recovered meats

Sherikar AT, Karkare UD, Khot JB, Jayarao BM, Bhilegaonkar KN//Konkan Agr Univ, Bombay Vet Coll, Dept Food Hyg & Publ Hlth, Bombay 400012, India
MEAT SCI 1993, 33 (1) 121

Studies on thermostable antigens, production of species-specific anti-adrenal sera and comparison of immunological techniques in meat speciation

Taylor AJ, Linforth R, Weir O, Hutton T, Green B//Univ Nottingham, Loughborough LE12 5RD, England
MEAT SCI 1993, 33 (1) 75

Potential of electrospray mass spectrometry for meat pigment identification

Arnaud J, Andre D, Bouillet MC, Kia D, Favier A//CHR Univ Grenoble, Biochim Lab C, BP 217, F-38043 Grenoble 9, France
J TRACE ELEM ELECTR HLTH DIS 1992, 6 (2) 81

Problems associated with the use of exclusion-diffusion chromatography for identification of zinc ligands in human milk

Copin MP, Bourgeois C//Ind Agr & Alimentaires, Associat Dev Rech Appl, 6 rue Univ, F-29334 Quimper, France
SCI ALIMENT 1992, 12 (3) 533

Detection of irradiated poultry products using the direct epifluorescence filter technique

14 PLANT & MICROBIAL PRODUCTS

Drdak M, Daucik P, Simko P, Karovicova J, Rajniakova A//Slovak Tech Univ, Fac Chem Technol, Radlinskeho Ul 9, CS-81237 Bratislava, Czechoslovakia
NAHRUNG 1992, 36 (4) 411

Method of separation of anthocyanins in red wines by HPLC

Terada H, Suzuki A, Tanaka H, Yamamoto K//Nagoya City Publ Hlth Res Inst, 1-11 Hagiyama cho, Mizuho ku, Nagoya 467, Japan
J FOOD HYG SOC JPN 1992, 33 (4) 347

Determination of catechins and methylxanthines in foodstuffs by semi-micro high-performance liquid chromatography (Japanese, English Abstract)

Dini A, Rastrelli L, Saturnino P, Schettino O//Chem Nat Prod Dept, Via D Montesano 49, I-80131 Naples, Italy
NAHRUNG 1992, 36 (4) 400

A compositional study of *Chenopodium quinoa* seeds

Chan WH, Lee AWM, Cai PX//Hong Kong Baptist Coll, Dept Chem, 224 Waterloo Rd, Kowloon, Hong Kong
ANALYST 1992, 117 (9) 1509

Differential-pulse polarographic microdetermination of ethanol and its application to beer analysis

Hertog MGL, Hollman PCH, Venema DP//DLO State Inst Qual Control Agr Prod, POB 230, 6700 AE Wageningen, The Netherlands
J AGR FOOD CHEM 1992, 40 (9) 1591

Optimization of a quantitative HPLC determination of potentially anticarcinogenic flavonoids in vegetables and fruits

Tomas-Barberan FA, Blazquez MA, Garcia-Viguera C, Ferreres F, Tomas-Lorente F//CEBAS, (CSIC), Lab Fitoquim, Apdo 4195, E-30080 Murcia, Spain

PHYTOCHEM ANALYSIS 1992, 3 (4) 178

A comparative study of different amberlite XAD resins in flavonoid analysis

Oliver JR, Blakeney AB, Allen HM//New S Wales Dept Agr, Agr Res Inst, Wagga Wagga, NSW 2650, Australia
CEREAL CHEM 1992, 69 (5) 546

Measurement of flour color space parameters

Ni QW, Eads TM**//Purdue Univ, Dept Food Sci, W Lafayette, In 47907, USA

J AGR FOOD CHEM 1992, 40 (9) 1507

Low-speed magic-angle-spinning ¹³C NMR of fruit tissue

Schulz H, Albroscheit G, Nowak D//Gerberding & Co, Dragoco, Zent Anal, W-3450 Holzminden, FRG

Z LEBENSMITTEL-UNTERSUCH FORS 1992, 195 (3) 254

Characterization of grapefruit oil and grapefruit juice by HPLC (German, English Abstract)

Ballarini G, Ballarini B//Merlini Riccardo spa, Chim Lab, Via Ind 3, I-37066 Sommacampagna, Italy

IND ALIMENT 1992, 31 (306) 649

Determination of manipulated mushrooms by UV (Italian, English Abstract)

Duh PD, Yeh DB, Yen GC**//Natl Chung Hsing Univ, Dept Food Sci, Taichung, Taiwan

J AMER OIL CHEM SOC 1992, 69 (8) 814

Extraction and identification of an antioxidative component from peanut hulls

Galletti GC, Eagles J, Mellon FA**//AFRC, Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England

J SCI FOOD AGR 1992, 59 (3) 401

Analysis of low molecular weight plant phenolics by thermospray liquid chromatography mass spectrometry

Xu P, Price J, Aggett PJ//John Innes Inst, Dept Cell Biol, Norwich NR4 7UH, England

PROG FOOD NUTR SCI 1992, 16 (3) 245

Recent advances in methodology for analysis of phytate and inositol phosphates in foods

Seitz LM//USDA ARS, N Cent Reg, US Grain Mkt Res Lab, Manhattan, Ks 66502, USA

J AGR FOOD CHEM 1992, 40 (9) 1541

Identification of 5-(2-oxoalkyl) resorcinols and 5-(2-oxoalkenyl) resorcinols in wheat and rye grains

Bailey RG, Nursten HE, McDowell I//Univ Reading, Dept Food Sci & Technol, Reading RG6 2AP, England

J SCI FOOD AGR 1992, 59 (3) 365

Isolation and analysis of a polymeric thearubigin fraction from tea