



CONTENTS OF VOLUME 47

Number 1

| | |
|---|-----|
| Emulsifying properties of protein fractions prepared from heated milk | 1 |
| H. SINGH (New Zealand), P. F. FOX & M. CUDDIGAN (Ireland) | |
| Storage properties of melon seeds (<i>Cucumeriopsis edulis</i>) | 7 |
| O. N. UBANI, J. S. OPADOKUN, J. O. WILLIAMS, A. AKIMNUSI, D. A. AKANO & J. N. IKEORAH (Nigeria) | |
| Antimutagenicity of a partially fractionated Maillard reaction product | 11 |
| G.-C. YEN & L.-C. TSAI (Taiwan) | |
| Synthesis and taste properties of maltose and maltitol analogues | 17 |
| I. TOUFEILI (Lebanon) & S. DZIEDZIC (UK) | |
| Content of non-protein tryptophan in human milk, bovine milk and milk- and soy-based formulas | 23 |
| G. ALLEGRI, M. BIASIOLO, C. COSTA, A. BETTERO & A. BERTAZZO (Italy) | |
| Chemical, physicochemical and in-vitro fermentation characteristics of dietary fibres from <i>Palmaria palmata</i> (L.) Kuntze | 29 |
| M. LAHAYE, C. MICHEL & J. L. BARRY (France) | |
| Protease inhibitors and lectins in cowpea | 37 |
| E. MARCONI (Italy), N. Q. NG (Nigeria) & E. CARNOVALE (Italy) | |
| Nutrient composition of mechanically separated and surimi-like seal meat | 41 |
| F. SHAHIDI & J. SYNOWIECKI (Canada) | |
| Phenolic composition of white grapes (Var. Airen). Changes during ripening | 47 |
| B. FERNÁNDEZ DE SIMÓN, T. HERNÁNDEZ & I. ESTRELLA (Spain) | |
| The thermostability of purified mango isoperoxidases | 53 |
| A. A. KHAN & D. S. ROBINSON (UK) | |
| Protein nutritional value of extrusion-cooking defatted lung flour | 61 |
| M. A. CAMPOS (Brazil) & J. A. G. ARÉAS (Brazil) | |
| Rice bran and wheat bran: selective effect on plasma and liver cholesterol in high-cholesterol fed rats | 67 |
| J.-M. ROUANET, C. LAURENT & P. BESANÇON (France) | |
| The effect of pulp holding time and pectolytic enzyme treatment on the acid content in apple juice | 73 |
| L. POLL (Denmark) | |
| Research Note | |
| Characterisation of Nigerian citrus seed oils | 77 |
| K. AJEWOLE & A. ADEYEYE (Nigeria) | |
| ANALYTICAL METHODS SECTION | |
| Physicochemical and biological factors influencing methylfolate stability: use of dithiothreitol for HPLC analysis with electrochemical detection | 79 |
| M. D. LUCOCK, M. GREEN, R. HARTLEY & M. I. LEVENE (UK) | |
| The partition of ascorbic and dehydroascorbic acid in vitamin C-containing Guatemalan foods | 87 |
| J. QUÁN DE SERRANO, L. DE GONZÁLEZ & N. W. SOLOMONS (Guatemala) | |
| Separation and determination of carotenoids, retinol, retinal and their dehydro forms by isocratic reversed-phase HPLC | 93 |
| A. GUILLOU (France/Canada), G. CHOUBERT (France) & L. DE LA NOÛE (Canada) | |
| Bibliography on analytical food chemistry | 101 |
| Book Reviews | 109 |

Number 2

| | |
|---|-----|
| Effect of phospholipid on protein structure and solubility in the extrusion of lung proteins | 111 |
| S. H. PRUDÊNCIO-FERREIRA & J. A. G. ARÉAS (Brazil) | |
| Vegetables as sources of α -linolenic acid in Indian diets | 121 |
| GHAFOORUNISSA & J. PANGREKAR (India) | |
| Effect of pH on some cooking properties of cowpea (<i>V. unguiculata</i>) | 125 |
| A. O. ONIGBINDE & V. ONOBUN (Nigeria) | |
| Approach to the design of model systems for food additive-food component interactions | 129 |
| B. L. WEDZICHA, S. J. GODDARD & A. ZEB (UK) | |
| Amylodextrins containing β -glucan from oat flours and bran | 133 |
| G. E. INGLETT (USA) | |
| Effects of meat curing agents and phosphates on thiobarbituric acid (TBA) numbers of ground beef determined by the aqueous acid extraction TBA-C ₁₈ method | 137 |
| S. RAHARJO, J. N. SOFOS & G. R. SCHMIDT (USA) | |
| The major seed proteins of <i>Theobroma cacao</i> L. | 145 |
| J. VOIGT, B. BIEHL (Germany) & S. K. S. WAZIR (Malaysia) | |
| Effect of processing on the proximate composition and functional properties of cowpea (<i>Vigna unguiculata</i>) flour | 153 |
| S. Y. GIAMI (Nigeria) | |
| Nutrient composition, protein quality and antinutritional factors of some varieties of dry beans (<i>Phaseolus vulgaris</i>) grown in Burundi | 159 |
| Z. BARAMPAMA & R. E. SIMARD (Canada) | |
| Degradation of water-soluble fibre polysaccharides in carrots after different types of processing | 169 |
| M. NYMAN, T. NYLANDER & N.-G. ASP (Sweden) | |
| Effect of domestic processing and cooking methods on in-vitro starch digestibility of different pea cultivars (<i>Pisum sativum</i>) | 177 |
| S. BISHNOI & N. KHETARPAUL (India) | |
| Research Note | |
| Pectinesterase extraction from papaya | 183 |
| A. FAYYAZ, B. A. ASBI, H. M. GHAZALI, Y. B. CHE MAN & S. JINAP (Malaysia) | |
| ANALYTICAL METHODS SECTION | |
| A nutritionally valid procedure for measuring soluble dietary fibre | 187 |
| J. A. MONRO (New Zealand) | |
| Validation of chemical measures of calcium with bioassay of calcium-fortified cottage cheese | 195 |
| O. REYKDAL (Iceland) & K. LEE (USA) | |
| A new flow-injection spectrophotometric method for the determination of tannins in tea and beer using iron (III) and 1,10-phenanthroline | 201 |
| C. TOMÁS, M. CELESTE, A. CLADERA, E. GÓMEZ, J. M. ESTELA & V. CERDÀ (Spain) | |
| Determination of trace elements in Brazilian beers by ICP-AES | 205 |
| I. MATSUSHIGE & E. DE OLIVEIRA (Brazil) | |
| Quantitative determination of chymosin activity by thrombelastography | 209 |
| A PICÓN, P. GAYA & M. NUÑEZ (Spain) | |
| Bibliography of analytical food chemistry | 213 |
| Book Reviews | 219 |
| | |
| Number 3 | |
| Purification, properties and factors affecting the activity of <i>Trichoderma viride</i> cellulase | 221 |
| Z. A. OLAMA, M. A. HAMZA, M. M. EL-SAYED & M. ABDEL-FATTAH (Egypt) | |
| Effects of different organic acids on the adhesion between polyethylene film and aluminium foil | 227 |
| G. OLAFSSON, M. JÄGERSTAD, R. ÖSTE, B. WESSLÉN & T. HJERTBERG (Sweden) | |

| | |
|---|-----|
| Application of pattern recognition techniques to sensory and gas chromatographic flavor profiles of natural orange aroma J. C. C. LIN, S. NAGY & M. KLIM (USA) | 235 |
| Effect of processing on the antinutritive factors and nutritive value of rapeseed products E. H. MANSOUR, E. DWORSCHÁK, A. LUGASI, Ö. GAÁL, É. BARNA & A. GERGELY (Hungary) | 247 |
| Chemical composition of four varieties of Nigerian benniseed (<i>Sesamum indicum</i>) D. A. DASHAK & C. N. FALI (Nigeria) | 253 |
| Conjugated linoleic acid concentrations in processed cheese containing hydrogen donors, iron and dairy-based additives N. C. SHANTHA & E. A. DECKER (USA) | 257 |
| The effect of formaldehyde on the aggregation behaviour of bovine serum albumin during storage in the frozen and unfrozen states in the presence and absence of cryoprotectants and other low molecular weight hydrophilic compounds C. SOTELO & I. M. MACKIE (UK) | 263 |
| Variations in the amounts of individual flavanols in a range of green teas W. E. PRICE & J. C. SPITZER (Australia) | 271 |
| The potential of bambara groundnut (<i>Vigna subterranea</i>) in vegetable milk production and basic protein functionality systems S. H. BROUGH, S. N. AZAM-ALI & A. J. TAYLOR (UK) | 277 |
| Effect of glycerol on the kinetics of the glucose-glycine-sulphite reaction I. R. BELLION & B. L. WEDZICHA (UK) | 285 |
| ANALYTICAL METHODS SECTION | |
| Quantitative determination and profiling of total sulphur compounds in garlic health products using a simple GC procedure X. YAN, Z. WANG & P. BARLOW (UK) | 289 |
| Quantitative analysis on linamarin in cassava using a cassava β -glucosidase electrode H.-H. YEOH (Singapore) & V.-D. TRUONG (Philippines) | 295 |
| Determination of ethylenethiourea and propylenethiourea in tomato products and in fruit purees L. BOLZONI, A. SANNINO & M. BANDINI (Italy) | 299 |
| Determination of the fruit content of jam using Fourier Transform Infrared Spectroscopy R. H. WILSON, P. T. SLACK, G. P. APPLETON, L. SUN & P. S. BELTON (UK) | 303 |
| Bibliography of analytical food chemistry | 309 |
| Book Reviews | 319 |
| <i>Number 4</i> | |
| Cholesterol oxidation in whole milk powders as influenced by processing and packaging S.-H. CHAN, J. I. GRAY, E. A. GOMAA, B. R. HARTE (USA), P. M. KELLY & D. J. BUCKLEY (Ireland) | 321 |
| Nitrogen metabolism in harvested asparagus: No difference between light and dark storage at 20°C P. L. HURST, G. A. KING, D. C. WOOLLARD & W. M. BORST (New Zealand) | 329 |
| Antinutritional content of developed weaning foods as affected by domestic processing P. GAHLAWAT & S. SEHGAL (India) | 333 |
| Chemical changes during cooking of wheat A. R. CLAWSON & A. J. TAYLOR (UK) | 337 |
| The effect of citrate anions on the kinetics of cupric ion-catalysed oxidation of ascorbic acid F. ŞAHBAZ & G. SOMER (Turkey) | 345 |
| Ethanol precipitation: A source of error in dietary fibre determination E. MAÑAS & F. SAURA-CALIXTO (Spain) | 351 |
| Tartaric acid in frozen musts and wines. Optimization of Rebelein's method and validation by HPLC L. ALMELA, I. LÁZARO, J. M. LÓPEZ-ROCA & J. A. FERNÁNDEZ-LÓPEZ (Spain) | 357 |

| | |
|--|-----|
| Synthesis and taste properties of sodium disubstituted phenylsulfamates. Structure–taste relationships for sweet and bitter/sweet sulfamates | 363 |
| W. J. SPILLANE, M. B. SHEAHAN & C. A. RYDER (Ireland) | |
| Variability in physico-chemical properties and nutrient composition of different pea cultivars. | 371 |
| S. BISHNOI & N. KHETARPAUL (India) | |
| An easy technique for rapid determination of dry-matter content in cassava roots (<i>Manihot esculenta</i> Crantz) | 375 |
| F. F. F. TELES, V. E. DE L. BORGES & J. C. GASPAR JR. (Brazil) | |
| Quality evaluation of tomato pulp | 379 |
| S. PORRETTA, G. POLI, M. RONDELLI & G. ZANANGELI (Italy) | |
| Nitrosamines in cured pork products packaged in elastic rubber nettings: An update | 387 |
| N. P. SEN, P. A. BADDOO & S. W. SEAMAN (Canada) | |
| Phytic acid and selected mineral composition of seed from wild species and cultivated varieties of lupin | 391 |
| L. C. TRUGO, C. M. DONANGELO, Y. A. DUARTE & C. L. TAVARES (Brazil) | |
| Research Notes | |
| Some biochemical and microbiological changes during dehydrated attiéké storage | 395 |
| F. ABOUA (Ivory Coast) | |
| <i>Ocimum basilicum</i> : A new non-conventional source of fibre | 399 |
| S. MATHEWS, R. S. SINGHAL & P. R. KULKARNI (India) | |
| ANALYTICAL METHODS SECTION | |
| Further observations on problems associated with the analysis of carotenoids by HPLC—2: Column temperature | 403 |
| K. J. SCOTT & D. J. HART (UK) | |
| HPLC analysis of a backbone compound, β -benzyl- <i>N</i> -carbobenzoxy-L-aspartyl-D-alanine, of intense peptide sweeteners belonging to L-aspartyl-D-alanine amides | 407 |
| N. KIM, D. Y. KWON, H. D. HONG, C. MOK, Y. J. KIM & Y. J. NAM (Republic of Korea) | |
| Spectrophotometric determination of Maneb, Zineb and their decomposition products in some vegetables and its application to kinetic studies after greenhouse treatment | 411 |
| M. I. WALASH, F. BELAL, M. E. METWALLY & M. M. HEFNAWY (Egypt) | |
| Bibliography of analytical food chemistry | 417 |