

Bibliography of analytical food chemistry

1 BOOKS, REVIEWS & SYMPOSIA

Belton PS, Mellon FA, Wilson RH// AFRC Inst Food Res, Norwich Lab, Norwich Res Park, Norwich NR4 7UA, England
Spectrosc Europe 1993 5 (1) 8
Spectroscopy in food science

Deffense E// Fractionnement Tirtiaux SA, 8 rue Fleurjoux, B-6220 Fleurus, Belgium
J Amer Oil Chem Soc 1993 70 (12) 1193
Milk fat fractionation today: A review

Finglas PM, Morgan MRA// AFRC Inst Food Res, Norwich Res Pk, Norwich NR4 7UA, England
Food Chem 1994 49 (2) 191
Application of biospecific methods to the determination of B-group vitamins in food - A review

Osajima Y, Matsui T// Kyushu Univ, Fac Agr, Dept Food Sci & Technol, Fukuoka 812, Japan
Anal Sci 1993 9 (6) 753
Dynamic approach to the sorption of flavors into a food packaging film (Review)

2 GENERAL

Yamada M, Miyata M, Kato Y, Nakamura M, Nishijima M, Shibata T, Ito Y// San Ei Gen FFI Inc, 1-1-11 Sanwa cho, Toyonaka, Osaka 536, Japan
J Food Hyg Soc Jpn 1993 34 (6) 535
Determination of nine phenolic antioxidants in foods by high-performance liquid chromatography (Japanese, English Abstract)

3 AMINO ACIDS, PROTEINS & ENZYMES

Ayoub M, Fregeau-Reid J, Smith DL// McGill Univ, Dept Plant Sci, MacDonald Campus, 21111 Lakeshore Rd, St Anne Bellevue, Quebec, Canada H9X 3V9
Can J Plant Sci 1993 73 (4) 995
Evaluation of the SDS-sedimentation test for the assessment of eastern Canadian bread wheat quality

Garcia E, Johnston D, Whitaker JR, Shoemaker SP// Univ Calif Davis, Dept Food Sci & Technol, Davis, Ca 95616, USA
J Food Biochem 1993 17 (3) 135
Assessment of endo-1,4- β -D-glucanase activity by a rapid colorimetric assay using disodium 2,2'-bicinchoninate

Genovese MI, Lajolo FM// Univ Sao Paulo, Fac Ciencias Farmaceut, Dept Alimentos & Nutr Exptl, Sao Paulo, Brazil
Arq Biol Tecnol 1993 36 (3) 545
Utilization of the colorimetric method of McCarthy & Sullivan for the determination of bioavailable methionine in bean proteins (*Phaseolus vulgaris* L) (Portuguese, English Abstract)

Hemmen F, Paraf A*, Smith-Gill S// *INRA, Pathol & Immunol Lab, F-37380 Nouzilly, France
J Food Sci 1993 58 (6) 1291

Lysozymes in eggs and plasma from chicken, duck and goose: Choice and use of mAbs to detect adulterants in foie gras

Kuaye AY// UNICAMP, Fac Engn Alimentos, Dept Tecnol Alimentos, Cidade Univ Zeferino Vaz-CP 6121, BR-13081-970 Campinas, SP, Brazil
Food Chem 1994 49 (2) 207
An ultraviolet spectrophotometric method to determine milk protein content in alkaline medium

Seki E, Osajima K, Matsui T, Osajima Y// Senmi Eki Co, Res Labs, 779-2 Noda, Hirano cho, Ozu, Ehime 795, Japan
J Jpn Soc Food Sci Technol 1993 40 (11) 783
Separation and purification of angiotensin I converting enzyme inhibitory peptides from heated sardine meat by treatment with alkaline protease (Japanese, English Abstract)

Young ACM, Tilton RF, Dewan JC// NYU, Dept Chem, New York, NY 10003, USA
J Mol Biol 1994 235 (1) 302
Thermal expansion of hen egg-white lysozyme comparison of the 1.9 Å resolution structures of the tetragonal form of the enzyme at 100 K and 298 K

4 CARBOHYDRATES

Beutler HO, Dresselhaus-Schroebler M// Boehringer Mannheim GmbH, D-82372 Penzberg, FRG
Deut Lebensm-Rundsch 1993 89 (11) 349
Ring tests to determine D-sorbitol in dietetic bakery products (German, English Abstract)

Biswas B, Phillips GO// Newtech Innovat Ctr, Deeside, Clwyd, Wales
Food Hydrocolloid 1993 7 (6) 507
Classification of natural gums. 5. Identification of commercial gum arabic from Africa by euclidean modelling

Manzanares P, Navarro A, Sendra JM*, Carbonell JV// *INVESECEMA, Asociac Invest Cerveza & Malta, Jaime Roig 11, E-46010 Valencia, Spain
J Cereal Sci 1993 18 (3) 211
Determination of the average molecular weight of barley β -glucan within the range 30-100K by the calcofluor FIA method

Sievert D, Wursch P// Nestle Res Ctr, Vers Chez Les Blanc, POB 44, CH-1000 Lausanne 26, Switzerland
J Food Sci 1993 58 (6) 1332
Amylose chain association based on differential scanning calorimetry

Taylor RH, Rotermund J, Christian GD, Ruzicka J// Pacific NW Lab, K2-12, POB 999, Richland, Wa 99352, USA
Talanta 1994 41 (1) 31
Co-determination of sodium metabisulfite and starch in corn syrup by flow injection coulometry

Tenhunen J, Sjöholm K, Pietila K, Home S// VTT, Optoelectr Lab, POB 202, SF-90571 Oulu, Finland
J Inst Brew 1994 100 (1) 11
Determination of fermentable sugars and nitrogenous compounds in wort by near- and mid-infrared spectroscopy

Zhang Q, Abe T, Ando H, Sasahara T// Yamagata Univ, Fac Agr, Plant Breeding Lab, Tsuruoka, Yamagata 997, Japan

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical food chemistry. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Processing Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

Ann Bot 1993 **72** (6) 551

Classification of glutinous rice (*Oryza sativa* L) starches based on X-ray diffraction pattern

5 LIPIDS

Baiocchi C, Saini G, Cocito C, Giacosa D, Roggero MA, Marengo E, Favale M// Univ Torino, Dipt Chim Analit, via P Giuria 5, I-10125 Turin, Italy

Chromatographia 1993 **37** (9-10) 525

Analysis of vegetable and fish oils by capillary supercritical fluid chromatography with flame ionization detection

Borch-Jensen C, Staby A, Mollerup J// DTH, Dept Chem Engr, Bldg 229, DK-2800 Lyngby, Denmark

J High Res Chromatogr 1993 **16** (10) 621

Supercritical fluid chromatographic analysis of a fish oil of the sand eel (*Ammodytes* sp.)

Christie WW, Brechany EY, Sebedio JL, Lequere JL// Scottish Crop Res Inst, Dundee DD2 5DA, Scotland

Chem Phys Lipids 1993 **66** (1-2) 143

Silver ion chromatography and gas chromatography-mass spectrometry in the structural analysis of cyclic monoenoic acids formed in frying oils

Fontana A, Antoniazzi F, Ciavatta ML, Trivellone E, Cimino G// CNR, Ist Chim Molec Interesse Biol, via Toiano 6, I-80072 Arco, Italy

J Food Sci 1993 **58** (6) 1286

¹H-NMR study of cholesterol autoxidation in egg powder and cookies exposed to adverse storage

Grondin I, Smadja J, Farines M, Soulier J// Univ Reunion, Chim Organ Lab, 15 Ave R Cassin, F-97715 St Denis, Reunion, France

Oleagineux 1993 **48** (10) 425

The lipids of litchi and longan seeds. Study of cyclopropanic acids by NMR

Halloin JM, Cooper TG, Potchen EJ, Thompson TE// Michigan State Univ, USDA ARS, Sugarbeet Bean & Cereal Res Unit, East Lansing, MI 48824, USA

J Amer Oil Chem Soc 1993 **70** (12) 1259

Proton magnetic resonance imaging of lipid in pecan embryos

Hopia A// Univ Helsinki, Dept Appl Chem & Microbiol, Div Food Chem, POB 27, SF-00014 Helsinki, Finland

Food Sci Technol-Lebensm Wiss 1993 **26** (6) 563

Analysis of high molecular weight autoxidation products using high performance size exclusion chromatography. 1. Changes during autoxidation

Hopia A// Univ Helsinki, Dept Appl Chem & Microbiol, Div Food Chem, POB 27, SF-00014 Helsinki, Finland

Food Sci Technol-Lebensm Wiss 1993 **26** (6) 568

Analysis of high molecular weight autoxidation products using high performance size exclusion chromatography. 2. Changes during processing

Husain S, Kifayatullah M, Sastry GSR, Raju NP// Indian Inst Chem Technol, Div Analyt Chem, Hyderabad 500007, India

J Amer Oil Chem Soc 1993 **70** (12) 1251

Quantitative determination of castor oil in edible and heat abused oils by ¹³C nuclear magnetic resonance spectroscopy

Itabashi Y, Myher JJ, Kuksis A*// *Univ Toronto, Banting & Best Dept Med Res, 112 Coll St, Toronto, Ontario, Canada M5G 1L6

J Amer Oil Chem Soc 1993 **70** (12) 1177

Determination of positional distribution of short-chain fatty acids in bovine milk fat on chiral columns

Janosch J, Ebel S// Univ Wurzburg, Inst Pharm & Lebensmittelchem, Hubland, D-97074 Wurzburg, FRG

Pharmazie 1993 **48** (11) 824

Determination of characteristic fat index values of fatty oils by NIR spectrometry (German, English Abstract)

Kalo P, Kempainen A// Univ Helsinki, Dept Appl Chem, POB 27, SF-00014 Helsinki, Finland

J Amer Oil Chem Soc 1993 **70** (12) 1209

Mass spectrometric identification of triacylglycerols of enzymatically modified butterfat separated on a polarizable phenylmethylsilicone column

Kempainen A, Kalo P// Univ Helsinki, Dept Food Technol, Div Dairy Sci, POB 27, SF-00014 Helsinki, Finland

J Amer Oil Chem Soc 1993 **70** (12) 1203

Fractionation of the triacylglycerols of lipase modified butter oil

Myher JJ, Kuksis A*, Marai L// *Univ Toronto, Banting & Best Dept Med Res, 112 Coll St, Toronto, Ontario, Canada M5G 1L6

J Amer Oil Chem Soc 1993 **70** (12) 1183

Identification of the less common isologous short-chain triacylglycerols in the most volatile 2.5% molecular distillate of butter oil

Nikolova-Damyanova B, Chobanov D, Dimov S// Bulgarian Acad Sci, Ctr Phytochem, Inst Organ Chem, Lipid Chem Lab, BU-1113 Sofia, Bulgaria

J Liq Chromatogr 1993 **16** (18) 3997

Separation of isomeric triacylglycerols by silver ion thin-layer chromatography

Pepe C, Dagaut J, Scribe P, Salot A// Univ Paris 06, Lab Spect Molec, URA CNRS 508, Boite 49, 4 Pl Jussieu, F-75252 Paris 05, France

Org Mass Spectrom 1993 **28** (11) 1365

Double bond location in monounsaturated wax esters by gas chromatography/mass spectrometry of their dimethyl disulphide derivatives (Letter)

Sarantinos J, O'Dea K, Sinclair AJ*// *Deakin Univ, Sch Nutr & Publ Hlth, Geelong, Vic 3217, Australia

Food Aust 1993 **45** (10) 485

Cholesterol oxides in Australian foods: Identification and quantification

Staby A, Mollerup J*// *DTH, Dept Chem Engr, Bldg 229, DK-2800 Lyngby, Denmark

Fluid Phase Equilibria 1993 **91** (2) 349

Separation of constituents of fish oil using supercritical fluids: A review of experimental solubility, extraction, and chromatographic data

St Angelo AJ, James C// SRCC, 1100 Robert E Lee Blvd, New Orleans, La 70124, USA

J Amer Oil Chem Soc 1993 **70** (12) 1245

Analysis of lipids from cooked beef by thin-layer chromatography with flame-ionization detection

Steiner I, Fischer M, Washuttl J// Vienna Tech Univ, Inst Lebens & Technol, Getreidemarkt 9, A-1060 Vienna, Austria

Fett Wiss Technol 1993 **95** (12) 461

Analysis of edible oils with special consideration of oils containing polyunsaturated fatty acids (German, English Abstract)

6 VITAMINS & CO-FACTORS

Muller H// Bundesforschungsanstalt Ernährung, Inst Ernährungsphysiol, Engesserstr 20, D-76131 Karlsruhe, FRG

Z Lebensmittel-Untersuch Fors 1993 **197** (6) 573

Determination of the folic acid content of grain, cereal products, bakery products and legumes by means of high-performance liquid chromatography (HPLC) (German, English Abstract)

Munoz A, Ortiz R, Murcia MA*// Univ Murcia, Vet Fac, Dept Food Sci, Campus Espinardo, Apartado 4021, E-30080 Murcia, Spain

Food Chem 1994 **49** (2) 203

Determination of HPLC of changes in riboflavin levels in milk and non-dairy imitation milk during refrigerated storage

Shin TS, Godber JS*// *Louisiana State Univ, Ctr Agr, Louisiana Agr Exp Stn, Dept Food Sci, Baton Rouge, La 70803, USA

J Amer Oil Chem Soc 1993 **70** (12) 1289

Improved high-performance liquid chromatography of vitamin E vitamers on normal-phase columns

Tsavalos AJ, Harker M, Young AJ*// *John Moores Univ, Sch Biol & Earth Sci, Liverpool, England

Chromatogr Anal 1993 **(27)** 9

Analysis of carotenoids using HPLC with diode-array detection

Van Hoof HJC, Swinkels LMJW, Van Stevenhagen JJ, Van den Berg H, Ross HA, Benraad TJ// Univ Hosp Nijmegen, Dept Exptl & Chem Endocrinol, POB 9101, 6500 HB Nijmegen, The Netherlands
J Chromatogr-Biomed Appl 1993 **621** (1) 33
 Advantages of paper chromatography as a preparative step in the assay of 1,25-dihydroxyvitamin D

7 TRACE ELEMENTS & MINERALS

Abe Y, Fujiura K, Togawa N, Morita H, Shimomura S// Tokushima Prefectural Inst Pharm, 3-80 Shinkura cho, Tokushima 770, Japan
Jpn J Toxicol Environ Health 1993 **39** (4) 356
 Simultaneous multielement analysis of so-called health foods by inductively-coupled plasma-atomic emission spectroscopy (Japanese, English Abstract)

Fodor P, Molnar E// Univ Hort & Food Ind, Dept Chem & Biochem, Villanyi ut 31, H-1118 Budapest, Hungary
Mikrochim Acta 1993 **112** (1-4) 113
 Honey as an environmental indicator: Effect of sample preparation on trace element determination by ICP-AES

Lan WG, Wong MK*, Sin YM// Natl Univ Singapore, Dept Chem, 10 Kent Ridge Crescent, Singapore 0511, Singapore
Talanta 1994 **41** (1) 53
 Microwave digestion of fish tissue for selenium determination by differential pulse polarography

Patzeltova N// Inst Prevent & Clin Med, CS-83301 Bratislava, Slovak Rep
Chem Pap-Chem Zvesti 1993 **47** (4) 237
 Determination of microquantities of iodine in biological materials

Walz OP, Palauf J// Justus Liebig Univ, Inst Tierernahrung, Senckenbergstr 5, D-35390 Giessen, FRG
Agribiol Res 1993 **46** (3) 208
 Apparent digestibility of feed phosphates and the use of chromic oxide as an indicator for determination of P digestibility (German, English Abstract)

8 DRUG, BIOCIDES & PROCESSING RESIDUES

Bernwieser I, Sontag G*// *Univ Vienna, Inst Analyt Chem, Wahringer Str 38, A-1090 Vienna, Austria
Fresenius J Anal Chem 1993 **347** (12) 499
 HPLC with electrode array detection: Determination of amitrole in drinking and ground water

Cairns T, Luke MA, Chiu KS, Navarro D, Sirgmond EG// US FDA, Dept Hlth & Human Serv, Off Regulatory Affairs, LA Dist Lab, 1521 West Pico Blvd, Los Angeles, Ca 90015, USA
Rapid Commun Mass Spectrom 1993 **7** (12) 1070
 Multiresidue pesticide analysis by ion-trap technology: A clean-up approach for mass spectral analysis

Carvalho FP, Fowler SW// Int Atom Energy Agcy, Marine Environm Lab, POB 800, MC-98012 Monaco, Monaco
Mar Ecol-Progr Ser 1994 **103** (3) 251
 A double-tracer technique to determine the relative importance of water and food as sources of polonium-210 to marine prawns and fish

Chonan T// Hokkaido Inst Publ Hlth, Kita ku, Nishi 12 chome, Kita 19 Zyo, Sapporo, Hokkaido 060, Japan
J Food Hyg Soc Jpn 1993 **34** (6) 532
 Application of the freezing treatment method to determination of ethiofencarb, dieldrin and captan in onion (Japanese, English Abstract)

Doerge DR, Bajic S, Lowes S// Natl Ctr Toxicol Res, Jefferson, Ar 72079, USA
Rapid Commun Mass Spectrom 1993 **7** (12) 1126
 Multiresidue analysis of sulfonamides using liquid chromatography with atmospheric pressure chemical ionization mass spectrometry

Hajslova J, Holadova K, Kocourek V, Poustka J, Cuhra P, Raverdino V// Univ Chem & Technol, Dept Food Chem & Anal, Technicka 3, CS-16628 Prague, Czech Rep
Z Lebensmittel-Untersuch Fors 1993 **197** (6) 562
 Determination of PCBs in fatty tissues by means of several detection techniques

Hubert P, Chiap P, Evard B, Delattre L, Crommen J*// *Univ Liege, Inst Pharm, Drug Anal Lab, rue Fusch 5, B-4000 Liege, Belgium
J Chromatogr-Biomed Appl 1993 **622** (1) 53
 Fully automated determination of sulfamethazine in ovine plasma using solid-phase extraction on disposable cartridges and liquid chromatography

Iijima M, Hoshino Y, Nose N, Tokumaru Y, Miyazaki T, Matsumoto M// Saitama Prefectural Inst Publ Hlth, Urawa, Saitama 338, Japan
Jpn J Toxicol Environ Health 1993 **39** (4) 311
 Determination of diethylstilbestrol glucuronide in beef by gas chromatography

Lott HM, Barker SA// Louisiana State Univ, Sch Vet Med, Dept Vet Physiol Pharmacol & Toxicol, Residue Studies Lab, Baton Rouge, La 70803, USA
Environ Monit Assess 1993 **28** (2) 109
 Comparison of a matrix solid phase dispersion and a classical extraction method for the determination of chlorinated pesticides in fish muscle

McGee EJ, Keatinge MJ, Synnott HJ, Colgan PA// Radiol Protect Inst Ireland, 3 Clonskeagh Sq, Dublin 14, Rep Ireland
J Environ Radioact 1994 **22** (1) 1
 A rapid method of predicting radiocaesium concentrations in sheep from activity levels in faeces

Miyamoto F, Saeki M, Yoshizawa T// Publ Hlth Lab Chiba Prefecture, Chuo ku, Chiba 260, Japan
Jpn J Toxicol Environ Health 1993 **39** (4) 336
 A sensitive qualitative color test for residual hydrogen peroxide in foods

Miyata M, Kamakura K, Hirahara Y, Narita M, Okamoto K, Hasegawa M, Koiguchi S, Yamana T, Tonogai Y, Ito Y// Kobe Quarantine Stn, Ctr Inspect Imported Foods & Infect Diseases, Hyogo ku, Hyogo 652, Japan
J Food Hyg Soc Jpn 1993 **34** (6) 496
 Studies on simultaneous determination of 12 pyrethroid and 29 organophosphorus pesticides in agricultural products (Japanese, English Abstract)

Muino MAF, Lozano JS// Univ Valladolid, Fac Ciencia & Tecnol Alimentos, Area Nutr & Bromatol, E-09071 Burgos, Spain
Analyst 1993 **118** (12) 1519
 Gas chromatographic-mass spectrometric method for the simultaneous determination of amitraz, bromopropylate, coumaphos, cymiazole and fluralinate residues in honey

Nishikawa M, Takahashi Y, Ishihara Y// Minist Agr Forestry & Fisheries, Natl Vet Assay Lab, 1-15-1 Tokura, Tokyo 185, Japan
J Liq Chromatogr 1993 **16** (18) 4031
 High-performance liquid chromatographic determination of sulfisomidine and *N*-4-acetylsulfisomidine in swine tissues

Oka H, Ikai Y, Hayakawa J, Harada K, Masuda K, Suzuki M, Himei R, Horie M, Nakazawa H// Aichi Prefectural Inst Publ Hlth, Kita ku, 7-6 Nagare, Tsuji machi, Nagoya 462, Japan
J Food Hyg Soc Jpn 1993 **34** (6) 517
 Identification of residual tetracyclines in honey by TLC/FABMS (Japanese, English Abstract)

Pulgarin JAM, Molina AA// Univ Castilla La Mancha, Dept Analyt Chem & Food Technol, E-13071 Ciudad Real, Spain
Talanta 1994 **41** (1) 21
 Determination of nafcillin and methicillin by different spectrofluorimetric techniques

Reynolds CMM, Needham D*// *Schering Agrochemicals Ltd, Chesterford Pk, Saffron Walden CB10 1XL, England
Chromatogr Anal 1993 **(29)** 5
 The analysis of residues in animal tissues

Romvary A, Kovacsics LA, Csiko G// Allatorvos Tud Egyetem, Gyogysz-

ertani & Meregtani Tanszek, Istvan ut 2, H-1078 Budapest, Hungary
Magy Allatory Lapja 1993 **48** (11) 673
 Residue investigation of ducks fed with avoparcin (Hungarian, English Abstract)

Sas B// Országos Élelmiszer Vizsgáló Intézet, Mester ut 81, H-1095 Budapest, Hungary
Magy Allatory Lapja 1993 **48** (11) 648
 System of the residue investigation of foodstuffs and animal origin, its results and trends of the development in Hungary: Short account (Hungarian, English Abstract)

Schimmel H, Griepink B, Maier EA*, Kramer GN, Roos AH, Tuinstra LGMT// *Commiss European Communities, Community Bur Reference, 200 rue Loi, B-1049 Brussels, Belgium
Fressenius J Anal Chem 1993 **348** (1-2) 37
 Intercomparison study on milk powder fortified with PCDD and PCDF

Sohar P// Országos Élelmiszer & Táplálkozástud Intézet, Gyali ut 3-A, H-1097 Budapest, Hungary
Magy Allatory Lapja 1993 **48** (11) 653
 Changes of tendencies and results of residue investigations in the past period from the point of view of food hygiene and human health (Hungarian, English Abstract)

Tsai CE, Kondo F*// *Miyazaki Univ, Fac Agr, Dept Vet Publ Hlth, Kibanadai Nishi, Gakuen, Miyazaki 88921, Japan
J Food Protect 1993 **56** (12) 1067
 Simple continuous and simultaneous determination of multiple sulfonamide residues

Vartiainen T, Halikainen A// Natl Publ Hlth Inst, Div Environm Hlth, POB 95, SF-70701 Kuopio, Finland
Fressenius J Anal Chem 1993 **348** (1-2) 150
 Polychlorodibenzo-*p*-dioxin and polychlorodibenzofuran levels in cow milk samples, egg samples and meat in Finland

Weins C, Becker B// Univ Saarland, Fachbereich Pharm & Biol Chem, Saarbrücken, FRG
Deut Lebensm-Rundsch 1993 **89** (11) 346
 Applicability of the immunological determination of metalaxyl in citrus juices (German, English Abstract)

Zimmermann S, Gierschner KH, Vorwohl G// Univ Hohenheim, Landesanstalt Bienenkunde, D-70593 Stuttgart, FRG
Deut Lebensm-Rundsch 1993 **89** (11) 341
 Determination of bromopropylate, 4',4'-dibromo-benzophenone, coumaphos and fluvalinate in beeswax (German, English Abstract)

9 TOXINS

Boland MP, Smillie MA, Chen DZX, Holmes CFB*// *Univ Alberta, MRC, Dept Biochem, Prot Struct & Funct Grp, Edmonton, Alberta, Canada T6G 2H7
Toxicon 1993 **31** (11) 1393
 A unified bioscreen for the detection of diarrhetic shellfish toxins and microcystins in marine and freshwater environments

Dupuy J, Le Bars P, Le Bars J, Boudra H// Inst Natl Rech Agron, Pharmacol Toxicol Lab, F-31931 Toulouse, France
J Planar Chromat-Mod TLC 1993 **6** (6) 476
 Determination of fumonisin B₁ in corn by instrumental thin layer chromatography

Hussain M, Vojir F// Joanneum Res, Steyrergasse 25A, A-8010 Graz, Austria
Deut Lebensm-Rundsch 1993 **89** (12) 379
 A sampling plan for the control of aflatoxin B₁ in imported dried figs (German, English Abstract)

Kathuria PC, Jand SK*, Singh N// *Punjab Agr Univ, Coll Vet Sci, Dept Bacteriol & Virol, Ludhiana 141004, Punjab, India
Indian Vet J 1993 **70** (12) 1093
 Comparison of simple and rapid screening methods for the detection of aflatoxins contamination in poultry feeds

Pugliese L, Malcovati M, Coda A, Bolognesi M*// *Univ Pavia, Dipt Genet & Microbiol, via Abbiategrasso 207, I-27100 Pavia, Italy
J Mol Biol 1994 **235** (1) 42
 Crystal structure of apo-avidin from hen egg-white

Sashidhar RB// Osmania Univ, Dept Biochem, Hyderabad 500007, Andhra Pradesh, India
Environ Health Perspect 1993 **101** (Suppl 3) 43
 Dip-strip method for monitoring environmental contamination of aflatoxin in food and feed: Use of a portable aflatoxin detection kit

Suzuki A, Yamane T, Ashida T, Norioka S, Hara S, Ikenazka T// Nagoya Univ, Fac Engn, Dept Biotechnol, Nagoya 46401, Japan
J Mol Biol 1993 **234** (3) 722
 Crystallographic refinement of Bowman-Birk type protease inhibitor A-II from peanut (*Arachis hypogaea*) at 2.3 Å resolution

10 ADDITIVES

Greenway GM, Kometa N, Macrae R// Univ Hull, Sch Chem, Hull HU6 7RX, England
Chromatogr Anal 1993 (30) 9
 The determination of food colours by HPLC with on-line dialysis for sample preparation

Nevado JJB, Flores JR, Llerena MJV// Univ Castilla La Mancha, Dept Analyt Chem & Foods Technol, La Mancha, E-13071 Ciudad Real, Spain
Analisis 1993 **21** (9) 395
 Simultaneous determination of quinoline yellow and tartrazine by derivative spectrometry and ratio spectra derivative

Ozeki N, Oka H, Ikai Y, Ohno T, Hayakawa J, Sato T, Ito M, Suzuki R// Toyoake Publ Hlth Ctr, 142-20 Ishibatake, Kutsukake cho, Toyoake 47011, Aichi, Japan
J Food Hyg Soc Jpn 1993 **34** (6) 512
 Identification of coal tar dyes by reversed-phase TLC/FABMS with a sample condensation technique (Japanese, English Abstract)

Ozeki N, Oka H, Ikai Y, Ohno T, Hayakawa J, Hayashi T, Aoyama T, Kushibiki Y, Sato T, Ito M *et al*// Toyoake Publ Hlth Ctr, 142-20 Ishibatake, Kutsukake cho, Toyoake 47011, Aichi, Japan
J Food Hyg Soc Jpn 1993 **34** (6) 542
 Applicability of reversed-phase TLC to the analysis of coal tar dyes in food (Japanese, English Abstract)

11 FLAVOURS & AROMAS

Caboni MF, Boschelle O, Conte L, Lercker G// Univ Bologna, Ist Ind Agr, via S Giacomo 7, I-40126 Bologna, Italy
Ind Aliment 1993 **32** (319) 950
 Gas chromatographic analysis of salami at varying stages of ageing (Italian, English Abstract)

Guichard E, Pham TT, Etievant P// Inst Natl Rech Agron, Rech Aromes Lab, 17 rue Sully, F-21034 Dijon, France
Chromatographia 1993 **37** (9-10) 539
 Quantitative determination of sotolon in wines by high-performance liquid chromatography

Ehlers D, Bartholomae S// Tech Fachhsch Berlin, Fachbereich Lebensmittel & Verpackungs, D-10785 Berlin, FRG
Z Lebensmittel-Untersuch Fors 1993 **197** (6) 550
 Analysis of CO₂ vanilla extracts by high-performance liquid chromatography. Comparison with the usual alcoholic vanilla extracts (German, English Abstract)

Full G, Winterhalter P, Schmidt G, Herion P, Schreier P// Univ Wurzburg, Lehrstuhl Lebensmittelchem, D-97074 Wurzburg, FRG
J High Res Chromatogr 1993 **16** (11) 642
 MDGC-MS: A powerful tool for enantioselective flavor analysis

Mariaud M, Levillain P// Fac Sci Pharmaceut Tours, Chim Analyt Lab, 2 Bis Blvd Tonnelle, F-37042 Tours, France
Talanta 1994 **41** (1) 75

New quantitative determination of 2,3-dioxobutane (diacetyl) in alcoholic beverages by an indirect spectrofluorimetric procedure with use of 2,3-diaminonaphthalene as reagent of derivatization

Martinez RG, Mir MV, De la Serrana HLG, Martinez MCL, Herrera MO // Univ Granada, Fac Pharm, Dept Nutr & Bromatol, E-18012 Granada, Spain

J Liq Chromatogr 1993 16 (18) 4079

Simultaneous determination of vanillin and syringaldehyde using high-performance liquid chromatography: Application to static and soleras aged brandies

Piggott JR, Paterson A, Clyne J// Univ Strathclyde, Dept Biosci & Biotechnol, Food Sci Labs, 131 Albion St, Glasgow G1 1SD, Scotland

Int J Food Sci Technol 1993 28 (6) 629

Prediction of flavour intensity of blackcurrant (*Ribes nigrum* L) drinks from compositional data on fruit concentrates by partial least squares regression

Rai AK, Singh AK// GB Pant Univ Agr & Technol, Dept Phys, Pantnagar 263145, India

Spectrochim Acta Pt A-Mol Spec 1994 50 (1) 185

Ultraviolet and visible absorption spectral study of some mint oils

Sefton MA, Francis IL, Williams PJ*// *Australian Wine Res Inst, POB 197, Glen Osmond, SA 5064, Australia

Amer J Enol Viticult 1993 44 (4) 359

The volatile composition of Chardonnay juices: A study by flavor precursor analysis

Sun JB, Severson RF, Kays SJ// Univ Georgia, Dept Hort, Athens, Ga 30602, USA

Hortscience 1993 28 (11) 1110

Quantitative technique for measuring volatile components of baked sweet-potatoes

12 ORGANIC ACIDS

Gergs U, Hagemann K, Zeevaart JAD, Weiler EW*// *Ruhr Univ Bochum, Lehrstuhl Pflanzenphysiol, D-44780 Bochum, FRG

Bot Acta 1993 106 (5) 404

The determination of phaseic acid by monoclonal antibody-based enzyme immunoassay

13 ANIMAL PRODUCTS

Benjamin RW, Koenig R, Becker K// Agr Res Org, Dept Nat Resources, IL-50250 Bet Dagan, Israel

J Agr Sci 1993 121 (3) 399

Body composition of young sheep and goats determined by the tritium dilution technique

Garcia T, Martin R, Morales P, Gonzalez I, Sanz B, Hernandez P// Univ Complutense Madrid, Fac Vet, Dept Nutr & Bromatol 3, E28040 Madrid, Spain

Milchwissenschaft 1993 48 (10) 563

Sandwich ELISA for detection of caprine milk in ovine milk

Gibis M, Fischer A// Address not available.

Deut Lebensm-Rundsch 1993 89 (12) 385

A rapid determination of indole and skatole in adipose tissues of pigs by high-performance liquid chromatography (*Deut Lebensm-Rundsch* 1993, 89 313) (Correction) (German)

Morazzoni F, Monzini F, Scotti R, Canevali C, Leonardi M// Univ Milan, Ctr CNR, Dipt Chim Inorgan Metallorgan & Anal, via Venezian 21, I-20133 Milan, Italy

Ann Chim-Rome 1993 83 (7-8) 303

A critical revision of the European intercomparison on electron paramagnetic resonance identification of irradiated chickens

Svihus B, Katle J// Agr Univ Norway, Dept Anim Sci, POB 5025, N-1432 As, Norway

Acta Agr Scand Sect A-Anim Sci 1993 43 (4) 214

Computerized tomography as a tool to predict composition traits in broilers. Comparisons of results across samples and years

Wang CH, Booren AM, Abouzied MM, Pestka JJ, Smith DM// Michigan State Univ, Dept Food Sci & Human Nutr, East Lansing, Mi 48824, USA

J Food Sci 1993 58 (6) 1258

ELISA determination of turkey roll endpoint temperature: Effects of formulation, storage, and processing

14 PLANT & MICROBIAL PRODUCTS

Coleman WK, Tai GCC, Clayton S, Howie M, Pereira A// Agr Canada, Res Stn, POB 20280, Fredericton, New Brunswick, Canada E3B 4Z7

Amer Potato J 1993 70 (12) 909

A portable monitor for the rapid assessment of processing quality of stored potato tubers

Cserhati T, Forgacs E, Hollo J// Hungarian Acad Sci, Cent Res Inst Chem, H-1525 Budapest, Hungary

J Planar Chromat-Mod TLC 1993 6 (6) 472

Separation of color pigments of *Capsicum annuum* by adsorption and reversed phase thin layer chromatography

Hurst WJ, Martin RA// Hershey Foods Tech Ctr, POB 805, 1025 Reese Ave, Hershey, Pa 17033, USA

Analisis 1993 21 (9) 389

The quantitative determination of caffeine in beverages using capillary electrophoresis

Johjima T// Kagoshima Univ, Fac Agr, Kagoshima 890, Japan

J Jpn Soc Hort Sci 1993 62 (3) 567

Determination of *cis*- and *trans*-carotenes of tangerine and yellowish tangerine tomatoes by micro-thin layer chromatography

Lima I, Singh RP*// *Univ Calif Davis, Dept Biol & Agr Engr, Davis, Ca 95616, USA

J Food Qual 1993 16 (5) 321

Objective measurement of retrogradation in cooked rice during storage

Narziss L, Miedaner H, Dietschmann J// Lehrstuhl Technol Brauerei 1, D-85350 Freising, FRG

Monatsschr Brauwissen 1993 46 (12) 451

A microbrewing process to differentiate brewing barley. 2. Brewing tests and data assessment (German, English Abstract)

Otobe J, Sugiyama J, Kikuchi Y// Minist Agr Forestry & Fisheries, Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan

J Jpn Soc Food Sci Technol 1993 40 (11) 792

Firmness measuring system of fruits and vegetables with a light-contact vibrating probe (Japanese, English Abstract)

Poppr J, Hola Z// Vyzumny Ustav Bramborarsky, Dobrovskeho 2366, CS-58003 Havlickuv Brod, Czechoslovakia

Rostl Vyroba 1993 39 (11) 1057

Identification of potato varieties by means of isoelectric focusing (Czech, English Abstract)

Porretta S// Dept Tomato Prod, Sperimentale Ind Conserve Alimentaire Stn, Viale F Tanara 31-A, I-43100 Parma, Italy

Z Lebensmittel-Untersuch Fors 1993 197 (6) 531

Analysis of sensory and physicochemical data on commercial tomato puree with pattern recognition techniques

Robillard B, Delpuech E, Viaux L, Malvy J, Vignes-Adler M, Duteurtre B*// *Moet & Chandon, Res Lab, 20 Ave Champagne, F-51205 Epernay, France

Amer J Enol Viticult 1993 44 (4) 387

Improvements of methods for sparkling base wine foam measurements and effect of wine filtration on foam behavior

Rusakov IA, Alekhina IE, Denisova SB, Maistrenko VN, Murinov YI// Bashkir State Univ, Ufa, Russia

J Anal Chem-Engl Tr 1993 48 (6 Pt 2) 715

Voltammetry of flavonoids from licorice root using a static dropping mercury and a platinum ultramicroelectrode