

Bibliography of analytical, nutritional and clinical methods

(Five weeks journals - Search completed at 10th May 1995)

1 BOOKS, REVIEWS & SYMPOSIA

Nawaz S, Coker RD, Haswell SJ// Nat Resources Inst, Chatham ME4 4TB, Kent, England
J Planar Chromat-Mod TLC 1995 8 (1) 4
 HPTLC: A valuable chromatographic tool for the analysis of aflatoxins (Review)

2 GENERAL

Boujtita M, El-Murr N// Grp Electrochim, RMN & React Chim Lab, CNRS, URA 472, 2 rue Houssiniere, F-44072 Nantes 03, France
J Food Sci 1995 60 (1) 201
 Biosensors for analysis of ethanol in foods

Brand-Williams W, Cuvelier ME, Berset C// *ENSIA, Dept Sci Aliment, Chim Subst Nat Lab, 1 Ave Olympiades, F-91305 Massy, France
Food Sci Technol-Lebensm Wiss 1995 28 (1) 25
 Use of a free radical method to evaluate antioxidant activity

Cornillon P, Andrieu J, Duplan JC, Laurent M// Univ Lyon 1, Automat & Genie Proc Lab, CNRS, URA D1328, 43 Blvd 11 Novembre 1918, Bat 721, F-69622 Villeurbanne, France
J Food Eng 1995 25 (1) 1
 Use of nuclear magnetic resonance to model thermophysical properties of frozen and unfrozen model food gels

De Boever JL, Cottyn BG, Vanacker JM, Boucque CV// Ctr Agr Res Ghent, Natl Inst Anim Nutr, B-9090 Melle Gontrode, Belgium
Anim Feed Sci Tech 1995 51 (3-4) 243
 The use of NIRS to predict the chemical composition and the energy value of compound feeds for cattle

Demertzis PG, Simal-Gandara J, Franz R// *Fraunhofer Inst Lebensmitteltechnol & Verpackung, Schragenhofstr 35, D-80992 Munich, Germany
Deut Lebensm-Rundsch 1995 91 (2) 35
 A convenient group method for the gas chromatographic determination of aliphatic diamines in the four official EC food simulants (German, English Abstract)

Hefle SL// Univ Wisconsin, Vet Adm Med Ctr, Sch Med, Allergy & Clin Immunol Sect, 2500 Overlook Terrace, Madison, WI 53705, USA
Food Technol 1995 49 (2) 102
 Immunoassay fundamentals

Hrebicik M, Suchanek M, Volka K, Novak P, Scotter CNG// Prague Inst Chem Technol, Dept Analyt Chem, CR-16628 Prague 6, Czech Republic
J Mol Struct 1995 347 485
 The potential of diffuse reflectance FTIR spectroscopy in the examination of small chemical changes in polyethylene and dry foods

Rodriguez LC, Campana AMG, Barrero FA, Linares CJ, Ceba MR// Univ Granada, Fac Sci, Dept Analyt Chem, Avda Fuentenueva s/n, E-18071 Granada, Spain
J AOAC Int 1995 78 (2) 471
 Validation of an analytical instrumental method by standard addition methodology

3 AMINO ACIDS, PROTEINS & ENZYMES

Boehm KA, Ross PF// Antek Instruments Inc, Dept Med & Nutr Res, 300 Bammel Westfield Rd, Houston, TX 77090, USA
J AOAC Int 1995 78 (2) 301
 Determination of total nitrogen in urine by pyrochemiluminescence: Col-

laborative study

Cattaneo TMP, Feroldi A*, Toppino PM, Olieman C// *Sperimentale Lattiero Caseario, Via Lombardo 11, I-20075 Lodi, Italy
Neth Milk Dairy J 1994 48 (4) 225
 Sample preparation for selective and sensitive detection of soya proteins in dairy products with chromatographic and electrophoretic techniques

Chen HM, Muramoto K, Yamauchi F// Tohoku Univ, Fac Agr, Dept Appl Biol Chem, Sendai, Miyagi 981, Japan
J Agr Food Chem 1995 43 (3) 574
 Structural analysis of antioxidative peptides from soybean β -conglycinin

Craig A, Ritchie AH, Mackie IM// Torry Res Stn, 135 Abbey Rd, Aberdeen AB9 8DG, Scotland
Food Chem 1995 52 (4) 451
 Determining the authenticity of raw reformed breaded scampi (*Nephrops norvegicus*) by electrophoretic techniques

Danics DH, Joc FL, Diachenko GW// US FDA, Off Premarket Approval, 200 C St SW, Washington, DC 20204, USA
Food Addit Contam 1995 12 (1) 21
 Determination of free glutamic acid in a variety of foods by high-performance liquid chromatography

Delwiche SR// USDA/ARS, Instrumentat Sensing Lab, Beltsville, Md, USA
Cereal Chem 1995 72 (1) 11
 Single wheat kernel analysis by near-infrared transmittance: Protein content

Dreau D, Larre C, Lalles JP// Carolinces Med Ctr, Dept Gen Surg Res, POB 39861, Charlotte, NC, USA
J Food Sci Technol-Mysore 1994 31 (6) 489
 Semi-quantitative purification and assessment of purity of three soybean proteins - glycinin, β -conglycinin and α -conglycinin - by SDS-PAGE electrophoresis, densitometry and immunoblotting

Elder MT, Montgomery RS// Novo Nordisk Biochem Inc, State Rd 1003, POB 576, Franklinton, NC 27525, USA
J AOAC Int 1995 78 (2) 398
 Glucoamylase activity in industrial enzyme preparations using colorimetric enzymatic method: Collaborative study

Ferreira M, Behringer R, Jost R// Nestle Res Ctr, Vers Chez Les Blanc, POB 44, CH-1000 Lausanne, Switzerland
J Food Sci 1995 60 (1) 90
 Instrumental method for characterizing protein foams

Girotti S, Ferri E*, Ghini S, Budini R, Roda A// *Univ Bologna, Inst Chem Sci, Via S Donato 15, I-40127 Bologna, Italy
Neth Milk Dairy J 1994 48 (4) 213
 Chemiluminescent assay of alkaline phosphatase in milk

Groen AF, Van der Vegt R, Van Boekel MAJS, De Rouw OLAM, Vos H// Wageningen Univ Agr, Wageningen Inst Anim Sci, Dept Anim Breeding, POB 338, 6700 AH Wageningen, The Netherlands
Neth Milk Dairy J 1994 48 (4) 201
 Case study on individual animal variation in milk protein composition as estimated by high-pressure liquid chromatography

Lie S// Address not available.
Monatsschr Brauwissen 1995 48 (1-2) 73
 Determination of soluble nitrogen by spectrophotometry (German, English Abstract)

Lieske B, Konrad G// Fachhsch Anhalt, Aussenstelle Oranienburg, Sachsenhauser Str 7B, D-16515 Oranienburg, Germany
Milchwissenschaft 1995 50 (1) 10
 Determination of surface hydrophobicity of milk proteins: Comparison

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Processing Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

between a new detergent binding method and hydrophobic interaction FPLC

Loneragan SM, Johnson MH, Calkins CR// *Univ Nebraska, Dept Anim Sci, Lincoln, Ne 68583, USA
J Food Sci 1995 **60** (1) 72

Improved calpain assay using fluorescein isothiocyanate-labeled casein

Masci S, Lew EJL, Lafiandra D, Porceddu E, Kasarda DD// Univ Tuscia, Dipt Agrobiol & Agrochim, Via S Camillo Lellis, I-01100 Viterbo, Italy
Cereal Chem 1995 **72** (1) 100

Characterization of low molecular weight glutenin subunits in durum wheat by reversed-phase high-performance liquid chromatography and N-terminal sequencing

Rauch P, Poplstein M, Hochel I, Fukal L, Ferri E, Abagnato CA, Girotti S*, Roda A// *Univ Bologna, Inst Chem Sci, Via San Donato 15, I-40127 Bologna, Italy
J Biolumines Chemilumines 1995 **10** (1) 35

Enhanced chemiluminescent sandwich enzyme immunoassay for hen egg lysozyme

Schlimme E, Meisel H// Bundesanstalt Milchwforsch, Inst Chem & Phys, Harmann Weigmann Str 1, D-24103 Kiel, Germany
Nahrung 1995 **39** (1) 1

Bioactive peptides derived from milk proteins. Structural, physiological and analytical aspects

Shibusawa Y, Mugiyama M, Matsumoto U, Ito Y// Tokyo Coll Pharm, Dept Analyt Chem, 1432-1 Horinouchi, Hachioji, Tokyo 19203, Japan
J Chromatogr B-Biomed Appl 1995 **664** (2) 295

Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum

Siepaio MP, Meunier JCF// INRA, Ctr Grignon, INA Paris Grignon, CBAI, Chim Biol Lab, F-78850 Thiverval Grignon, France
J Agr Food Chem 1995 **43** (3) 568

Polymerization of soybean proteins and spinach RuBisCO by FXIIIa with respect to the labeling of reactive glutamyl residues

Suda I, Hajika M, Nishiba Y, Furuta S, Igita K// Minist Agr Forestry & Fisheries, Kyushu Natl Agr Expt Stn, Nishigoshi, Kumamoto 86111, Japan
J Agr Food Chem 1995 **43** (3) 742

Simple and rapid method for the selective detection of individual lipoxigenase isozymes in soybean seeds

Wolf WJ// USDA ARS, Natl Ctr Agr Utilizat Res, Peoria, Il 61604, USA
Cereal Chem 1995 **72** (1) 115

Gel electrophoresis and amino acid analysis of the nonprotein nitrogen fractions of defatted soybean and almond meals

Wong N, Beeso J, Sherwood RA*, Peters TJ// *Univ London, Kings Coll, Sch Med & Dent, Dept Clin Biochem, Bessemer Rd, London SE5 9PJ, England
Ann Clin Biochem 1995 **32** (2) 175

An improved method for the quantitation of apolipoprotein B and apolipoprotein A-1 in dried blood spots

Zietlow MF, Etzel MR// *Univ Wisconsin, Dept Chem Engr, 1415 Johnson Dr, Madison, Wi 53706, USA
J Liq Chromatogr 1995 **18** (5) 1001

Evaluation of sulfopropyl ion-exchange membrane cartridges for isolation of proteins from bovine whey

4 CARBOHYDRATES

Biancardi E, Colombo M, Olimpieri R// Ist Sperimentale Coltura Ind, Sez Rovigo Viale, Amendola 82, I-45100 Rovigo, Italy
Zuckerindustrie 1995 **120** (1) 59

A rapid freezing system for the technological analysis of sugar beet samples

Brewster JD, Fishman ML// USDA/ARS, Eastern Reg Res Ctr, 600 East Mermaid Lane, Philadelphia, Pa 19118, USA
J Chromatogr A 1995 **693** (2) 382

Capillary electrophoresis of plant starches as the iodine complexes

Burbano C, Muzquiz M, Osagie A, Ayet G, Cuadrado C// CIT-INIA, Area Tecnol Alimentos, Apdo 8111, E-28080 Madrid, Spain
Food Chem 1995 **52** (3) 321

Determination of phytate and lower inositol phosphates in Spanish legumes by HPLC methodology

Faisant N, Planchot V, Kozlowski F, Pacouret MP, Colonna P, Champ M// *INRA, BP 1627, F-44316 Nantes 03, France
Sci Aliment 1995 **15** (1) 83

Resistant starch determination adapted to products containing high level

of resistant starch

Fruhbeck G, Alonso R, Marzo F, Santidrian S// Univ Navarra, Sch Med, Dept Human Physiol, E-31080 Pamplona, Spain
Anal Biochem 1995 **225** (2) 206

A modified method for the indirect quantitative analysis of phytate in foodstuffs

Fulcher RG, Faubion JM, Ruan R, Miller SS// Univ Minnesota, Dept Food Sci & Nutr, 1334 Eckles Ave, St Paul, Mn 55108, USA
Carbohydr Polym 1994 **25** (4) 285

Quantitative microscopy in carbohydrate analysis

Hicks KB, Hotchkiss AT, Sasaki K, Irwin PL, Doner LW, Nagahashi G, Haines RM// USDA/ARS, Eastern Reg Res Ctr, 600 East Mermaid Lane, Philadelphia, Pa 19118, USA
Carbohydr Polym 1994 **25** (4) 305

Analytical and preparative HPLC of carbohydrates: Inositols and oligosaccharides derived from cellulose and pectin

Sims A// Waters Corp, 34 Maple St, Milford, Ma 01757, USA

J Agr Food Chem 1995 **43** (2) 377

HPLC analysis of sugars in foods containing salt

5 LIPIDS

Adhikari C, Proctor A*, Blyholder GD// *Univ Arkansas, Dept Food Sci, 272 Young Ave, Fayetteville, Ar 72704, USA

J Amer Oil Chem Soc 1995 **72** (3) 337

Diffuse reflectance Fourier transform infrared spectroscopy of phospholipid adsorption onto silicic acid

Aparicio R, Alonso V, Morales MT// Inst Grasa, Avda Padre Garcia Tejero 4, E-41012 Seville, Spain

Grasas Aceites 1994 **45** (4) 241

Detailed and exhaustive study of the authentication of European virgin olive oils by SEXIA expert system

Artz WE, Myers MR// Univ Illinois, Dept Food Sci, 382 Agr Eng Sci Bldg, 1304 West Penn Ave, Urbana, Il 61801, USA

J Amer Oil Chem Soc 1995 **72** (2) 219

Supercritical fluid extraction and chromatography of emulsifiers

Aursand M, Jorgensen L, Grasdalen H// SINTEF, Div Appl Chem, Aquaculture Grp, N-7034 Trondheim, Norway

J Amer Oil Chem Soc 1995 **72** (3) 293

Positional distribution of ω 3 fatty acids in marine liquid triacylglycerols by high-resolution 13 C nuclear magnetic resonance spectroscopy

Dadarlat D, Bicanic D*, Visser H, Mercuri F, Frandas A// *Agr Univ Wageningen, Dept Agr Engr & Phys, Laser Photoacoust Lab, Bomenweg 4, 6703 HD Wageningen, The Netherlands

J Amer Oil Chem Soc 1995 **72** (3) 273

Photopyroelectric method for determination of thermophysical parameters and detection of phase transitions in fatty acids and triglycerides. I. Principles, theory, and instrumental concepts

Dadarlat D, Bicanic D*, Visser H, Mercuri F, Frandas A// *Address as above.

J Amer Oil Chem Soc 1995 **72** (3) 281

Photopyroelectric determination of thermophysical parameters and detection of phase transitions in fatty acids and triglycerides. II. Temperature dependence of thermophysical parameters

Ellerbe P, Sniegoski LT, Welch MJ// NIST, Gaithersburg, Md 20899, USA

Clin Chem 1995 **41** (3) 397

Isotope dilution mass spectrometry as a candidate definitive method for determining total glycerides and triglycerides in serum

Fehling E// Bundesanstalt Getreide Kartoffel & Fettforsch, HP Kaufman Inst, Inst Biochem & Technol Fette, D-32756 Detmold, Germany

J Amer Oil Chem Soc 1995 **72** (3) 355

Analysis of estolides in technical hydroxylated fatty acids from plant oils

Feldbrugge R, Renneberg R, Spener F// Inst Chem Biochem Sensor Res, Wilhelm-Klemm-Str 8, D-48149, Munster, Germany

Sensor Actuator B-Chem 1994 **B19** (1-3) 365

Development and practical evaluation of an amperometric triglyceride sensor

Heron S, Tchaplal A// Inst Univ Technol Orsay, LETIAM Plateau Moulon, BP 127, F-91403 Orsay, France

OCL-OI Corps Gras Lipides 1994 **1** (3) 219

Using a molecular interaction model to optimize the separation of fatty triglycerides in CLPI: Fingerprinting the different types of fats (French, English Abstract)

Kersting HJ, Warnecke HJ, Kummel J, Flechtner U// Bundesanstalt Getreide Kartoffel & Fettforsch, Inst Biochem & Analyt Getreides, Post-

- fach 1354, D-32703 Detmold, Germany
Fett Wiss Technol 1995 **97** (2) 60
Characterization of soybean oil/epoxidised soybean oil mixtures by FTIR/H-ATR spectroscopy (German, English Abstract)
- Kim OS, Maekawa K, Kusuda K*// *Osaka City Univ, Dept Environm Food Sci, Sumiyoshi ku, 459 Sugimoto, Osaka 558, Japan
J Amer Oil Chem Soc 1995 **72** (3) 299
Cyclic voltammetry of lipophilic compounds in oil: Direct determination of lipid peroxide with a carbon paste electrode
- Levy JM, Danielson V, Ravey R, Dolata L// Suprex Corp, 125 William Pitt Way, Pittsburgh, Pa 15238, USA
LC GC-Mag Separation Sci 1994 **12** (12) 920
Routine determination of fats in foods using supercritical fluid extraction
- Lynch JM, Barbano DM, Houghton G, Fleming JR// Cornell Univ, NE Dairy Food Res Ctr, Ithaca, NY 14853, USA
J AOAC Int 1995 **78** (2) 463
Babcock bottle certification apparatus performance evaluation
- Molkentin J, Precht D// Bundesanstalt Milchforsch, Inst Chem & Phys, Postfach 6069, D-24121 Kiel, Germany
Fett Wiss Technol 1995 **97** (2) 43
Development of a precise capillary GC method for rapid triglyceride analysis of milk fats (German, English Abstract)
- Norton RA// USDA/ARS, Natl Ctr Agr Utilizat Res, 1815 Nth Univ St, Peoria, Il 61604, USA
Lipids 1995 **30** (3) 269
Quantitation of steryl ferulate and *p*-coumarate esters from corn and rice
- Tarandjiiska R, Marekov I, Nikolova-Damyanova B, Amidzhin B// Bulgarian Acad Sci, Ctr Phytochem, Inst Organ Chem, Lipid Chem Lab, BU-1113 Sofia, Bulgaria
J Liq Chromatogr 1995 **18** (5) 859
Determination of molecular species of triacylglycerols from highly unsaturated plant oils by successive application of silver ion and reversed phase TLC
- Ulberth F, Henninger M// Agr Univ Vienna, Dept Dairy Res & Bacteriol, Gregor Mendel Str 33, A-1180 Vienna, Austria
Fett Wiss Technol 1995 **97** (2) 77
Determination of the fatty acid profile of fish by a one-step extraction methylation method
- Vivas N, Bourgeois G, Glories Y, Vitry C// Univ Bordeaux 2, Tonnelierie Demptos SA, Inst Oenol, Bordeaux, France
Sci Aliment 1995 **15** (1) 49
Identification by mass spectrometry of the linoleic acid autoxidation products in hydroalcoholic solutions (French, English Abstract)
- Wanasundara UN, Shahidi F*, Jablonski CR// Mem Univ Newfoundland*, Dept Biochem, St Johns, Newfoundland, Canada A1B 3X9
Food Chem 1995 **52** (3) 249
Comparison of standard and NMR methodologies for assessment of oxidative stability of canola and soybean oils
- Weber N, Vosmann K, Fehling E, Mukherjee KD, Bergenthal D// Bundesanstalt Getreide Kartoffel & Fettforsch, HP Kaufmann Inst, Inst Biochem & Technol Fette, Piusallee 68, D-48147 Munster, Germany
J Amer Oil Chem Soc 1995 **72** (3) 361
Analysis of hydroxylated fatty acids from plant oils
- Wesley IJ, Barnes RJ, McGill AE// Univ Plymouth, Dept Agr & Food Studies, Seale Hayne, Newton Abbot TQ12 6NQ, Devon, England
J Amer Oil Chem Soc 1995 **72** (3) 289
Measurement of adulteration of olive oils by near-infrared spectroscopy
- Wu ZC, Robinson DS*, Domoney C, Casey R// *Univ Leeds, Dept Food Sci, Leeds LS2 9JT, England
J Agr Food Chem 1995 **43** (2) 337
High-performance liquid chromatographic analysis of the products of linoleic acid oxidation catalyzed by pea (*Pisum sativum*) seed lipoxygenases
- 6 VITAMINS & CO-FACTORS**
- Brinkmann E, Dehne L, Oei HB, Tiebach R, Baltes W*// *Tech Univ Berlin, Inst Lebensmittelchem, Gustav Meyer Allee 25, D-13355 Berlin, Germany
J Chromatogr A 1995 **693** (2) 271
Separation of geometrical retinol isomers in food samples by using narrow-bore high-performance liquid chromatography
- Caimi RJ, Brenna JT*// *Cornell Univ, Div Nutr Sci, 116 Savage Hall, Ithaca, NY 14853, USA
J Mass Spectrometry 1995 **30** (3) 466
High-sensitivity liquid chromatography-combustion isotope ratio mass spectrometry of fat-soluble vitamins
- Coldwell RD, Trafford DJH, Makin HLJ*// *London Hosp Med Coll, Dept Chem Pathol, Turner St, London E1 2AD, England
J Mass Spectrometry 1995 **30** (2) 348
Mass fragmentographic assay for 25-hydroxyvitamin D in plasma without derivatization: Enhanced sensitivity for metabolites of vitamins D₂ and D₃ after pre-column dehydration
- Gao ZH, Ackman RG*// *Tech Univ Nova Scotia, Dept Food Sci & Technol, Halifax, Nova Scotia, Canada B3J 2X4
Food Res Int 1995 **28** (1) 61
Determination of vitamin K₁ in canola oils by high-performance liquid chromatography with menaquinone-4 as an internal standard
- Gehring TA, Cooper WM, Holder CL, Thompson HC// US FDA, Natl Ctr Toxicol Res, Div Chem, HPT-230, Jefferson, Ar 72079, USA
J AOAC Int 1995 **78** (2) 307
Liquid chromatographic determination of thiamine in rodent feed by post-column derivatization and fluorescence detection
- Genestar C, Grases F*// *Univ Balearic Isl, Dept Chem, E-07071 Palma de Mallorca, Spain
Chromatographia 1995 **40** (3-4) 143
Determination of vitamin A in pharmaceutical preparations by high-performance liquid chromatography with diode-array detection
- Kobayashi N, Shimada K*, Taki H, Sakamoto Y, Kamachi S// *Kanazawa Univ, Fac Pharmaceut Sci, 13-1 Takara machi, Kanazawa, Ishikawa 920, Japan
Biol Pharm Bull 1995 **18** (3) 382
Radioimmunoassay method for the determination of 22-oxacalcitriol, a novel analog of 1 α ,25-dihydroxyvitamin D₃ having valuable clinical potency, in rat and human plasma
- Minguez-Mosquera MI, Hornero-Mendez D, Garrido-Fernandez J// CSIC, Inst Grasa & Derivados, Dept Biotechnol Alimentos, E-41012 Seville, Spain
J AOAC Int 1995 **78** (2) 491
Detection of bixin, lycopene, canthaxanthin, and β -apo-8'-carotenal in products derived from red pepper
- Pfalzgraf A, Steinhart H*, Frigg M// *Univ Hamburg, Inst Biochem & Lebensmittelchem, Grindelallee 117, D-20146 Hamburg, Germany
Z Lebensmittel-Untersuch Fors 1995 **200** (3) 190
Rapid determination of α -tocopherol in muscle and adipose tissues of pork
- Shi HL, Ma YF*, Humphrey JH, Craft NE// *Missouri State Univ, Div Sci, Kirksville, Mo 63501, USA
J Chromatogr B-Biomed Appl 1995 **665** (1) 89
Determination of vitamin A in dried human blood spots by high-performance capillary electrophoresis with laser-excited fluorescence detection
- Stein J, Hahn A, Rehner G// Univ Frankfurt, Dept Internal Med, Div Gastroenterol, Theodor Stern Kai 7, D-60590 Frankfurt, Germany
J Chromatogr B-Biomed Appl 1995 **665** (1) 71
High-performance liquid chromatographic determination of nicotinic acid and nicotinamide in biological samples applying post-column derivatization resulting in bathochrome absorption shifts
- Van Breemen RB, Schmitz HH, Schwartz SJ// Univ Illinois, Dept Med Chem & Pharmacognosy, 833 Sth Wood St, Chicago, Il 60612, USA
J Agr Food Chem 1995 **43** (2) 384
Fast atom bombardment tandem mass spectrometry of carotenoids
- Wardas W, Pyka A// L Warynski Silesian Med Acad, Fac Pharm, 4 Jagiellonska St, PL-41200 Sosnowiec, Poland
Chem Anal 1995 **40** (1) 67
New visualizing agents for fatty vitamins in TLC
- 7 TRACE ELEMENTS & MINERALS**
- Anderson DL, Cunningham WC, Lindstrom TR, Olmez I// US/FDA, Ctr Food Safety & Appl Nutr, Elemental Res Branch, Washington, DC 20204, USA
J AOAC Int 1995 **78** (2) 407
Identification of lead and other elements in ceramic glazes and housewares by ¹⁰⁹Cd-induced X-ray fluorescence emission spectrometry
- Bellanger JR// INRA, Human Nutr Res Ctr, Unite Malad Nutr, F-63122 St Genes Champagne, France
J AOAC Int 1995 **78** (2) 477
Adaptation of a dry ashing procedure for determination of selenium by fluorimetry in high-fat foods
- Borjesson J, Barregard L, Sallsten G, Schutz A, Jonson R, Alpsten M, Mattsson S// Gothenburg Univ, Sahlgrens Hosp, Dept Radiat Phys, S-41345 Gothenburg, Sweden

- Phys Med Biol* 1995 **40** (3) 413
In vivo XRF analysis of mercury: The relation between concentrations in the kidney and the urine
- Bozsai G, Melegh M// Natl Inst Hyg, POB 64, H-1966 Budapest, Hungary
Microchem J 1995 **51** (1-2) 39
Application of the transversely heated graphite atomizer to the determination of trace metals in environmental and biomedical samples
- Fernandez JA// Natl Inst Anim Sci, Dept Res Pigs & Horses, POB 39, DK-8830 Tjele, Denmark
Livest Prod Sci 1995 **41** (3) 243
Calcium and phosphorus metabolism in growing pigs. II. Simultaneous radio-calcium and radio-phosphorus kinetics
- Herber RFM// Univ Amsterdam, Coronel Lab Occupat & Environm Hlth, Meibergdreef 15, 1105 AZ Amsterdam, Netherlands
Microchem J 1995 **51** (1-2) 46
Use of solid sampling analysis for the determination of trace elements in tissues
- Hu H, Aro A, Rotnitzky A// Harvard Univ, Brigham & Women's Hosp, Sch Med, Dept Med, Channing Lab, 180 Longwood Ave, Boston, Ma 02115, USA
Environ Health Perspect 1995 **103** (Suppl 1) 105
Bone lead measured by X-ray fluorescence: Epidemiologic methods
- Lima JLFC, Rangel AOSS*, Souto MRS// *Univ Catolica Portuguesa, Escola Super Biotecnol, Rua Dr Antonio Bernardino de Almeida, P-4200 Oporto, Portugal
J Agr Food Chem 1995 **43** (3) 704
Flow injection determination of nitrate in vegetables using a tubular potentiometric detector
- Lyon TDB, Cunningham C, Halls DJ, Gibbons J, Keating A, Fell GS// Univ Glasgow, Royal Infirm, NHS Trust, Inst Biochem, Glasgow G4 0SF, Scotland
Ann Clin Biochem 1995 **32** (2) 160
Determination of aluminium in serum, dialysate fluid and water by inductively coupled plasma optical emission spectrometry
- Mura P, Papet Y, Sanchez A, Piriou A// Hop Jean Bernard, Biochim Lab, BP 577, F-86021 Poitiers, France
J Chromatogr B-Biomed Appl 1995 **664** (2) 440
Rapid and specific high-performance liquid chromatographic method for the determination of iodide in urine
- Pretswell EL, McGaw BA, Morrisson AR// Robert Gordon Univ, Sch Appl Sci, St Andrew St, Aberdeen AB1 1HG, Scotland
Talanta 1995 **42** (2) 283
The comparison of capillary zone electrophoresis and atomic spectroscopy for the determination of the cation content of a standard reference material IAEA-A-11 milk powder
- Ruiz E, Santillana MI, Nieto MT, Sastre I// Inst Salud Carlos 3, Ctr Nacl Alimentac, Componentes & Aditivos Secc 2, Carretera Majadahonda Pozuelo, E-28220 Madrid, Spain
J Liq Chromatogr 1995 **18** (5) 989
Determination of water-soluble inorganic phosphates in fresh vegetables by ion chromatography
- Singh B, Dhawan D, Chand B, Mangal PC, Trehan PN// Punjabi Univ, Dept Biophys, Chandigarh 160014, India
Appl Radiat Isotopes 1995 **46** (1) 59
Trace element distribution in rat brain following lead and lithium supplementation: A study using an EDXRF spectrometer
- Tadjiki S, Erten HN, Erten J// Bilkent Univ, Ctr Hlth, Dept Chem, Bilkent 06533, Turkey
J Radioanal Nucl Chem Lett 1995 **199** (4) 309
Instrumental neutron activation analysis of blood serum
- Takatsu A, Eyama S, Uchiyumi A// Natl Inst Mat & Chem Res, Tsukuba, Ibaraki 305, Japan
Chromatographia 1995 **40** (3-4) 125
Determination of aluminium in serum by capillary zone electrophoresis with laser-induced fluorescence detection
- Van Dael P, Deschuytere A, Robberecht H*, Van Caillie-Bertrand M, Laman M, Deelstra H// *Univ Instelling Antwerp, Dept Pharmaceut Sci, Univ Pl 1, B-2610 Wilrijk, Belgium
J Trace Elem Electr Hlth Dis 1994 **8** (3-4) 225
Capillary whole blood selenium determination in assessing selenium status of children
- Vera A, Murcia MA*, Garcia-Carmona F// *Univ Murcia, Fac Vet, Dept Food Sci, Campus Espinardo, Apartado Correos 4021, E-30080 Murcia, Spain
J Food Qual 1995 **18** (1) 19
Iron levels of fresh and processed spinach using ion chromatography
- Verebey K, Rosen JF, Schonfeld DJ, Carriero D, Eng YM, Deutsch J, Reimer S, Hogan J// Leadtech Corp, North Bergen, NJ, USA
Clin Chem 1995 **41** (3) 469
Blood collection and analytical considerations in blood lead screening in children
- Vollkopf U, Barnes K// Bodenseewerk Perkin Elmer & Co GmbH, Postfach 10 17 61, D-88647 Uberlingen, Germany
Atom Spectrosc 1995 **16** (1) 19
Rapid multielement analysis of urine

8 DRUG, BIOCIDES & PROCESSING RESIDUES

- Akiyama Y, Takeda N, Adachi K// Hyogo Prefectural Inst Publ Hlth, Hyogo ku, 2-1-29 Arata cho, Kobe, Hyogo 652, Japan
J Food Hyg Soc Jpn 1995 **36** (1) 42
Studies on simple clean-up by the precipitation method and GC/MS analysis after benzyl derivatization for carbamate pesticides in agricultural products
- Bushway RJ, Fan TS// Univ Maine, Dept Food Sci & Human Nutr, 5736 Holmes Hall, Orono, Me 04469, USA
Food Technol 1995 **49** (2) 108
Detection of pesticide and drug residues in food by immunoassay
- Calvey EM, Begley TH, Roach JAG// US FDA, Ctr Food Safety & Appl Nutr, Washington, DC 20204, USA
J Chromatogr Sci 1995 **33** (2) 61
SFC-FTIR spectroscopy and SFC-MS of nonvolatile extractants of microwave susceptor packaging
- Chevalier M, Pochard MF, Bel B// Ctr Natl Etud Vet & Alimentaires, Cent Hyg Alimentaire Lab, Minist Agr, 43 rue Dantzig, F-75015 Paris, France
Food Addit Contam 1995 **12** (1) 101
Determination of chloramphenicol residues by reverse phase high-performance liquid chromatography in foie gras
- Cobin JA, Johnson NA// *Merck & Co Inc, Merck Res Labs, POB 450, Three Bridges, NJ 08887, USA
JAOAC Int 1995 **78** (2) 419
Liquid chromatographic method for rapid determination of total avermectin B₁ and 8,9,Z-avermectin B₁ residues in apples
- Defilippi A, Piancone G, Laia RC, Tibaldi GP// *USSL 40, Sanita Pubbl Lab, Reg Piemonte, Via Laudino 3, I-10015 Ivrea, Italy
Chromatographia 1995 **40** (3-4) 170
An HPLC screening method for the detection of isonicotinic acid hydrazide in cattle milk
- Erney DR// USFDA, Pesticide & Ind Chem Res Ctr, 1560 Jefferson Ave, Detroit, Mi 48207, USA
HRC-J High Res Chromatogr 1995 **18** (1) 59
Determination of organophosphorus pesticides in whole chocolate skim-milk and infant formula using solid-phase extraction with capillary gas chromatography flame photometric detection
- Gaugain M, Abjean JP// Ctr Natl Etud Vet & Alimentaires, Medicaments Vet Lab, F-35133 Fougeres, France
J Planar Chromat-Mod TLC 1995 **8** (1) 78
A specific and sensitive fluorescent detection method for the planar chromatographic analysis of nitroimidazoles
- Gillespie AM, Daly SL, Gilvydis DM, Schneider F, Walters SM// USFDA, Pesticides & Ind Chem Res Ctr, 1560 East Jefferson Ave, Detroit, Mi 48207, USA
JAOAC Int 1995 **78** (2) 431
Multicolumn solid-phase extraction cleanup of organophosphorus and organochlorine pesticide residues in vegetable oils and butterfat
- Gutorska A, Helbrecht A// Ind Chem Res Inst, PL-01793 Warsaw, Poland
J Planar Chromat-Mod TLC 1995 **8** (1) 36
TLC determination of tinuvin 622 in extracts derived from polyolefinic foodstuffs-packaging materials
- Henle T, Zehetner G, Klostermeyer H// Tech Univ Munich, Lehrstuhl Milchwissensch, Vottinger Str 45, D-85350 Freising, Germany
Z Lebensmittel-Untersuch Fors 1995 **200** (3) 235
Fast and sensitive determination of furosine
- Holland KP, Henry AC, Wilson RT, Dreas JS, Ashworth RB// US Food Safety & Inspect Serv, Midwestern Lab, St Louis, Mo 63115, USA
JAOAC Int 1995 **78** (2) 483
Four-laboratory validation study of the determination of chloramphenicol in veal calf urine
- Horie M, Saito K, Nose N, Nakazawa H// Saitama Prefectural Inst Publ Hlth, 639-1 Kamiokubo, Urawa, Saitama 338, Japan
J Food Hyg Soc Jpn 1995 **36** (1) 62

- Simultaneous determination of eight quinolone antibacterials in meat and fish by high-performance liquid chromatography
- Kawamura Y, Kojima K, Sugita T, Yamada T, Saito Y// Natl Inst Hyg Sci, Setagaya ku, 1-18-1 Kamiyoga, Tokyo 158, Japan
J Food Hyg Soc Jpn 1995 **36** (1) 55
Comparative study of thermoluminescence detection methods for irradiated spices
- Kennedy DG, Blanchflower WJ, O'Dornan BC// Dept Agr Nthn Ireland, Div Vet Sci, Belfast BT4 3SD, Northern Ireland
Food Addit Contam 1995 **12** (1) 83
Development of an ELISA for lasalocid and depletion kinetics of lasalocid residues in poultry
- Kennedy DG, Blanchflower WJ, O'Dornan BC// Address as above.
Food Addit Contam 1995 **12** (1) 93
Development of an ELISA for salinomycin and depletion kinetics of salinomycin residues in poultry
- Koenen-Dierick K, Okerman L, De Zutter L, Degroot JM, Van Hoof J, Srebrnik S// Inst Hyg & Epidemiol, Minist Publ Hlth, Div Food, Juliette Wijtsmanstr 14, B-1050 Brussels, Belgium
Food Addit Contam 1995 **12** (1) 77
A one-plate microbiological screening test for antibiotic residue testing in kidney tissue and meat: An alternative to the EEC four-plate method?
- Kofer J, Fuchs K// Zimmerplatzgasse 15, A-8010 Graz, Austria
Wien Tierarztl Monatsschr 1995 **82** (1) 3
Monitoring on residues in meat. IV. Drugs, hormones and antihormones (German, English Abstract)
- Lee HB, Peart TE, Niimi AJ, Knipe CR// Environm Canada, Natl Water Res Inst, Res & Applicat Branch, 867 Lakeshore Rd, Burlington, Ontario, Canada L7R 4A6
J AOAC Int 1995 **78** (2) 437
Rapid supercritical carbon dioxide extraction method for determination of polychlorinated biphenyls in fish
- Lehotay SJ, Ibrahim MA// USDA, ARS, Beltsville Agr Res Ctr, Bldg 007, Rm 224, Beltsville, Md 20705, USA
J AOAC Int 1995 **78** (2) 445
Supercritical fluid extraction and gas chromatography ion trap mass spectrometry of pentachloronitrobenzene pesticides in vegetables
- Lentz EL, Chung J// Pfizer Inc, 235 East 42nd St, New York, NY 10017, USA
J AOAC Int 1995 **78** (2) 371
Determination of sulfadimethoxine withdrawal time from milk. II. Statistical assessment
- Majerus P, Putz A// Chem Untersuchungsamt Trier, Maximineracht 11A, D-54295 Trier, Germany
Deut Lebensm-Rundsch 1995 **91** (1) 1
Determining the germination inhibitors prophame and chlorprophame in potatoes by means of HPLC-DAD (German, English Abstract)
- McNeal TP, Hollifield HC, Diachenko GW// USFDA, Ctr Food Safety & Appl Nutr, Washington, DC 20204, USA
J AOAC Int 1995 **78** (2) 391
Survey of trihalomethanes and other volatile chemical contaminants in processed foods by purge-and-trap capillary gas chromatography with mass selective detection
- Munns RK, Turnipseed SB, Pfenning AP, Roybal JE, Holland DC, Long AR, Plakas SM// US FDA, Anim Drugs Res Ctr, Denver Fed Ctr, Denver, Co 80225, USA
J AOAC Int 1995 **78** (2) 343
Determination of residues of flumequine and nalidixic, oxolinic, and pironidic acids in catfish by liquid chromatography with fluorescence and UV detection
- Pfardt J, Von Grabowski HU// Staatliches Lebensmitteluntersuchungsamt Oldenbur, Postfach 2462, D-26014 Oldenburg, Germany
Z Lebensmittel-Untersuch Fors 1995 **200** (3) 198
Bakery products from irradiated and unirradiated eggs: Detection of irradiation in a processed food (German, English Abstract)
- Pico Y, Redondo MJ, Font G, Manes J// Univ Valencia, Fac Farm, Toxicol Lab, Avda Vicent Andres Estelle s/n, E-46100 Burjassot, Spain
J Chromatogr A 1995 **693** (2) 339
Solid-phase extraction on C₁₈ in the trace determination of selected polychlorinated biphenyls in milk
- Prieur C, Larroque M*, Brun S// *Fac Pharm Montpellier, Lab Chim Analyt, Ave Charles Flahaut, F-34060 Montpellier, France
Sci Aliment 1995 **15** (1) 75
Determination of residual methacrylic acid as a food contaminant potentially released by packaging materials
- Roybal JE, Pfenning AP, Munns RK, Holland DC, Hurlbut JA, Long AR// US FDA, Denver Fed Ctr, Anim Drugs Res Ctr, POB 25087, Denver, Co 80225, USA
J AOAC Int 1995 **78** (2) 453
Determination of malachite green and its metabolite, leucomalachite green, in catfish (*Ictalurus punctatus*) tissue by liquid chromatography with visible detection
- Saenz Barrio C, Sanz Asensio J*, Plaza Medina M, Perez-Clavijo M, Galban Bernal J// *Univ La Rioja, Dept Quim (Area Quim Analit) E-26001 Logrono, Spain
Food Chem 1995 **52** (3) 305
Evaluation of the decay of malathion, dichlofluanid and fenitrothion pesticides in apple samples, using gas chromatography
- Schantz MM, Koster BJ, Oakley LM, Schiller SB, Wise SA// Natl Inst Stand & Technol, Div Analyt Chem, Gaithersburg, Md 20899, USA
Anal Chem 1995 **67** (5) 901
Certification of polychlorinated biphenyl congeners and chlorinated pesticides in a whale blubber standard reference material
- Schulzki G, Spiegelberg A, Bogl KW, Schreiber GA// Fed Inst Hlth Protect Consumers & Vet Med, Food Irradiat Lab, Postfach 33 00 13, D-14191 Berlin, Germany
J Agr Food Chem 1995 **43** (2) 372
Detection of radiation-induced hydrocarbons in Camembert irradiated before and after the maturing process: Comparison of florasil column chromatography and on-line coupled liquid chromatography/gas chromatography
- Schwack W, Nyanzi S// Univ Karlsruhe, Inst Food Chem, Kaiserstr 12, D-76128 Karlsruhe, Germany
J AOAC Int 1995 **78** (2) 458
Second-derivative UV spectrometric microdetermination of dithiocarbamate residues as methyl xanthate
- Selisker MY, Herzog DP, Erber RD, Fleeker JR, Itak JA// Ohmicron Corp, 275 Pheasant Run, Newtown, Pa 18940, USA
J Agr Food Chem 1995 **43** (2) 544
Determination of paraquat in fruits and vegetables by a magnetic particle based enzyme-linked immunosorbent assay
- Selvan E, Thomas P**// *Bhabha Atom Res Ctr, Div Food Technol & Enzyme Engr, Bombay 400085, Maharashtra, India
J Sci Food Agr 1995 **67** (3) 293
Application of flow cytometric DNA measurements in the detection of irradiated onions
- Sternesjo A, Mellgren C, Bjorck L// Swedish Univ Agr Sci, Dept Food Sci, POB 7051, S-75007 Uppsala, Sweden
Anal Biochem 1995 **226** (1) 175
Determination of sulfamethazine residues in milk by a surface plasmon resonance-based biosensor assay
- Tsai CE, Kondo F// Miyazaki Univ, Fac Agr, Dept Vet Publ Hlth, Kibanadai Nishi, Miyazaki 88921, Japan
J Liq Chromatogr 1995 **18** (5) 965
A sensitive high-performance liquid chromatographic method for detecting sulfonamide residues in swine serum and tissues after fluorescamine derivatization
- Tsai CE, Kondo F**// *Miyazaki Univ, Fac Agr, Dept Vet Publ Hlth, Kibanadai Nishi, Miyazaki 88921, Japan
Microbios 1994 **80** (325) 251
Liquid chromatographic determination of salbutamol and clenbuterol residues in swine serum and muscle
- Weiss G, Laurecot HJ, MacDonald A, Duke PD, Misra K, Horton GM, Katz SE, Brady MS// Hoffmann La Roche Inc, Anim Sci Res, 340 Kingsland St, Nutley, NJ 07110, USA
J AOAC Int 1995 **78** (2) 358
Determination of sulfadimethoxine withdrawal time from milk. I. Dosing, sampling, and assay
- Wirtanen G, Salo S, Karwoski M, Sjoberg AM// VTT, Biotechnol & Food Res, POB 1504, SF-02044 Espoo, Finland
Z Lebensmittel-Untersuch Fors 1995 **200** (3) 194
A microbiological screening method for the indication of irradiation of frozen poultry meat

9 TOXINS

- Akiyama H, Miyahara M, Toyoda M, Saito Y// Natl Inst Hlth Sci, Setagaya ku, 1-18-1, Tokyo 158, Japan
J Food Hyg Soc Jpn 1995 **36** (1) 77
Liquid chromatographic determination of fumonisins B₁ and B₂ in corn by precolumn derivatization with 4-(N,N-dimethylaminosulfonyl)-7-fluoro-2,1,3-benzoxadiazole (DBD-F)
- Baden DG, Melinek R, Sechet V, Trainer VL, Schultz DR, Rein KS,

- Tomas CR, Delgado J, Hale L// Univ Miami, NIEHS, Ctr Marine & Freshwater Biomed Sci, 4600 Rickenbacker Causeway, Miami, FL 33149, USA
JAOAC Int 1995 78 (2) 499
 Modified immunoassays for polyether toxins: Implications of biological matrixes, metabolic states, and epitope recognition
- Bowman RA, Arrow S, Corese L, Riley TV*// *Hlth Dept Western Australia, Hlth Serv Stat & Epidemiol Branch, 189 Royal St, Perth, WA 6004, Australia
Pathology 1994 26 (4) 480
 Evaluation of an enzyme immunoassay kit for the detection of *Clostridium difficile* enterotoxin
- Chin JD, Quilliam MA, Fremy JM, Mohapatra SK, Sikorska HM*// *Rougier Biotech Ltd, 8480 Blvd St Laurent, Montreal, Quebec, Canada H2P 2M6
JAOAC Int 1995 78 (2) 508
 Screening for okadaic acid by immunoassay
- Chudziak A, Trojanowicz M// Inst Nucl Chem & Technol, Dept Analyt chem, ul Dorodna 16, PL-03195 Warsaw, Poland
Chem Anal 1994 39 (6) 729
 HPLC determination of patulin in apple juice
- Dragacci S, Gleizes E, Fremy JM, Candlish AAG// CNEVA, Lab Cent Hyg Aliment, 43 rue Dantzig, F-75015 Paris, France
Food Addit Contam 1995 12 (1) 59
 Use of immunoaffinity chromatography as a purification step for the determination of aflatoxin M₁ in cheeses
- Fasidi IO, Kadiri M// Univ Ibadan, Dept Bot & Microbiol, Ibadan, Nigeria
Food Chem 1995 52 (4) 419
 Toxicological screening of seven Nigerian mushrooms
- Furlong EB, Soares LMV*// *Univ Estadual Campinas, Fac Engrn Alimentos, CP 6121, BR-13081-970 Campinas, SP, Brazil
JAOAC Int 1995 78 (2) 386
 Gas chromatographic method for quantitation and confirmation of trichothecenes in wheat
- Goyache J, Orden JA, Blanco JL, Domenech A, Suarez G*, Gomez-Lucia E// *Univ Complutense Madrid, Fac Vet, Dept Patol Anim 1, E-28040 Madrid, Spain
J Vet Med B-Zbl Vet B-Infect 1994 41 (10) 639
 Double-sandwich enzyme-linked immunosorbent assay (ELISA) with murine monoclonal antibodies for detection of staphylococcal enterotoxin B
- Hannah DJ, Till DG, Deverall T, Jones PD, Fry JM// Inst Environ Sci & Res, POB 30-547, Lower Hutt, New Zealand
JAOAC Int 1995 78 (2) 480
 Extraction of lipid-soluble marine biotoxins
- Kimball BA, Furcolow CA// US Anim & Plant Hlth Inspect Serv, Denver Wildlife Res Ctr, Denver Fed Ctr, Bldg 16, Denver, Co 80225, USA
J Agr Food Chem 1995 43 (3) 700
 Ion-pair high-performance liquid chromatographic determination of strychnine alkaloid in an animal tissue
- Lawrence JF, Hungerford J// Hlth & Welf Canada, Hlth Protect Branch, Food Directorate, Bur Chem Safety, Div Food Res, Ottawa, Ontario, Canada K1A 0L2
JAOAC Int 1995 78 (2) 497
 AOAC symposium: Analytical methods for seafood toxins
- Lawrence JF, Menard C, Cleroux C// Address as above.
JAOAC Int 1995 78 (2) 514
 Evaluation of prechromatographic oxidation for liquid chromatographic determination of paralytic shellfish poisons in shellfish
- Manger RL, Leja LS, Lee SY, Hungerford JM, Hokama Y, Dickey RW, Granade HR, Lewis R, Yasumoto T, Wekell MM// US FDA, Seafood Prod Res Ctr, 22201 23rd Dr SE, POB 3012, Bothell, Wa 98041, USA
JAOAC Int 1995 78 (2) 521
 Detection of sodium channel toxins: Directed cytotoxicity assays of purified ciguatoxins brevetoxins, saxitoxins, and seafood extracts
- Maragos CM// USDA ARS, Natl Ctr Agr Utilizat Res, Mycotoxin Res Unit, 1815 Nth Univ St, Peoria, IL 61604, USA
J Agr Food Chem 1995 43 (2) 390
 Capillary zone electrophoresis and HPLC for the analysis of fluorescein isothiocyanate-labeled fumonisin B₁
- Murata H, Shoji H, Oshikata M, Harada KI, Suzuki M, Kondo F, Goto H// Meijo Univ, Fac Pharm, Tempa ku, Nagoya, Aichi 468, Japan
J Chromatogr A 1995 693 (2) 263
 High-performance liquid chromatography with chemiluminescence detection of derivatized microcystins
- Noah CW, Poteet SS, Ramos NC, Perez JC, Huang SY// US/FDA, 3032 Bryan St, Dallas, Tx 75204, USA
JAOAC Int 1995 78 (2) 381
 Production of monoclonal antibodies specific to *Clostridium botulinum* type B neurotoxin
- Nordlee JA, Taylor SL*// *Univ Nebraska, Dept Food Sci & Technol, Lincoln, Ne 68583, USA
Food Technol 1995 49 (2) 129
 Immunological analysis of food allergens and other food proteins
- Oh CH, Brownson DM, Mabry TJ// Univ Texas, Dept Bot, Austin, Tx 78713, USA
Planta Med 1995 61 (1) 66
 Screening for non-protein amino acids in seeds of the Guam cycad, *Cycas circinalis*, by an improved GC-MS method
- Oshima Y// Tohoku Univ, Fac Agr, Aoba ku, Tsutsumidori Amamiyama-chi 1-1, Sendai, Miyagi 981, Japan
JAOAC Int 1995 78 (2) 528
 Postcolumn derivatization liquid chromatographic method for paralytic shellfish toxins
- Park DL// Louisiana State Univ, Dept Food Sci, Baton Rouge, La 70803, USA
JAOAC Int 1995 78 (2) 533
 Detection of ciguatera and diarrhetic shellfish toxins and in finfish and shellfish with Ciguatetect kit
- Pestka JJ *et al*// Michigan State Univ, Dept Food Sci & Human Nutr, East Lansing, Mi 48824, USA
Food Technol 1995 49 (2) 120
 Immunological assays for mycotoxin detection
- Poli MA, Rein KS, Baden DG// USA, Med Res Inst, Infect Dis, Frederick, Md 21702, USA
JAOAC Int 1995 78 (2) 538
 Radioimmunoassay for PbTx-2-type brevetoxins: Epitope specificity of two anti-PbTx sera
- Quilliam MA, Xie M, Hardstaff WR// Natl Res Council Canada, Inst Marine Biosci, 1411 Oxford St, Halifax, Nova Scotia, Canada B3H 3Z1
JAOAC Int 1995 78 (2) 543
 Rapid extraction and cleanup for liquid chromatographic determination of domoic acid in unsalted seafood
- Quilliam MA// Address as above.
JAOAC Int 1995 78 (2) 555
 Analysis of diarrhetic shellfish poisoning toxins in shellfish tissue by liquid chromatography with fluorometric and mass spectrometric detection
- Reif K, Metzger W// Phytolab GmbH & Co KG, Dutendorfer Str 5-7, D-91487 Verstenbergsgreut, Germany
J Chromatogr A 1995 692 (1-2) 131
 Determination of aflatoxins in medicinal herbs and plant extracts
- Shephard GS, Thiel PG, Sydenham EW// MRC Progr Mycotox & Exptl Carcinogen, POB 19070, Tygerberg 7505, Rep Sth Africa
J Chromatogr A 1995 692 (1-2) 39
 Liquid chromatographic determination of the mycotoxin fumonisin B₂ in physiological samples
- Smith DS, Kitts DD*// *Univ British Columbia, Dept Food Sci, 6650 NW Marine Dr, Vancouver, Brit Columbia, Canada V6T 1Z4
J Agr Food Chem 1995 43 (2) 367
 Enzyme immunoassay for the determination of domoic acid in mussel extract
- Spitzer V// Univ Fed Rio Grande Sul, Fac Farm, Curso Posgrad, Avda Ipiranga 2752, BR-90610-000 Porto Alegre, RS, Brazil
J Amer Oil Chem Soc 1995 72 (3) 389
 The mass spectra of the 4,4-dimethylloxazoline derivatives of the methoxymethyl olefins of malvalic and sterculic acids
- Taguchi S, Fukushima S, Sumimoto T, Yoshida S, Nishimune T// Osaka Prefectural Inst Publ Hlth, Higashinari ku, 1-3-69 Nakamichi, Osaka 537, Japan
JAOAC Int 1995 78 (2) 325
 Aflatoxins in foods collected in Osaka, Japan, from 1988 to 1992
- Trainer VL, Baden DG, Catterall WA// Univ Washington, Dept Pharmacol, SJ-30, Seattle, Wa 98195, USA
JAOAC Int 1995 78 (2) 570
 Detection of marine toxins using reconstituted sodium channels
- Yasumoto T, Fukui M, Sasaki K, Sugiyama K// Tohoku Univ, Fac Agr, Aoba ku, 1-1 Tsutsumidori Amamiyamachi, Sendai, Miyagi 981, Japan
JAOAC Int 1995 78 (2) 574
 Determinations of marine toxins in foods
- Zhao JP, Cenci G, Di Antonio E, Yasumoto T// Tohoku Univ, Fac Agr, Aoba ku, Sendai, Miyagi 981, Japan
Fisheries Science 1994 60 (6) 687

Analysis of diarrhetic shellfish toxins in mussels from the Adriatic coast of Italy

10 ADDITIVES

Abdel-Kadar H, Kobylkevich MM, Wigman LS, Menon GK// Sterling Winthrop Pharmaceut Res Div, Analyt Sci (UPT-1-4104), 1250 Sth Collegeville Rd, Collegeville, Pa 19426, USA
JAOAC Int 1995 **78** (2) 289

Gradient multiplex liquid chromatographic method for determination of ardacin in bulk chemical and premix formulations

Capitan-Vallvey LF, De Orbe I, Lopez-Rodriguez S, Avidad R// *Univ Granada, Dept Analyt Chem, E-18071 Granada, Spain
Mikrochim Acta 1995 **117** (3-4) 129

Determination of unsulphonated quinoline yellow in soft drinks by solid-phase spectrophotometry

De Luca C, Passi S, Quattrucci E// IFO, Ist S Gallicano, Via S Gallicano 25-A, I-00153 Rome, Italy
Food Addit Contam 1995 **12** (1) 1

Simultaneous determination of sorbic acid, benzoic acid and parabens in foods: A new gas chromatography-mass spectrometry technique adopted in a survey on Italian foods and beverages

Fujimori M, Arata H, Kawamura Y, Ito Y, Horitsu H// Nakano Vinegar Co Ltd, Nakano Res Inst, 2-6 Nakamura cho, Handa, Aichi 475, Japan
J Food Hyg Soc Jpn 1995 **36** (1) 102

Determination of residual sulfur dioxide and sorbic acid in imported fruit vinegars

Hlavay J, Guilbault GG// Univ Veszprem, Dept Analyt Chem, POB 158, H-8201 Veszprem, Hungary
Anal Chim Acta 1994 **299** (1) 91

Determination of sulphite by use of a fiber-optic biosensor based on a chemiluminescent reaction

Lancaster FE, Lawrence JF// Hlth & Welf Canada, Hlth Protect Branch, Bur Chem Safety, Div Food Res, Food Directorate, Ottawa, Ontario, Canada K1A 0L2
Food Addit Contam 1995 **12** (1) 9

Determination of annatto in high-fat dairy products, margarine and hard candy by solvent extraction followed by high-performance liquid chromatography

Mettler E, Seibel W// Boehringer Ingelheim Backmittel GmbH, D-55411 Bingen, Germany
Cereal Chem 1995 **72** (1) 109

Optimizing of rye bread recipes containing mono-diglyceride, guar gum, and carboxymethylcellulose using a maturograph and an ovenrise recorder

Osman ME, Menzies AR, Martin BA, Williams PA*, Phillips GO, Baldwin TC// *NE Wales Inst, Polymer & Colloid Chem Grp, Connahs Quay, Deeside CH5 4BR, Clwyd, Wales
Phytochemistry 1995 **38** (2) 409

Characterization of gum arabic fractions obtained by anion-exchange chromatography

Sagar KA, Smyth MR*, Rodriguez M, Blanco PT// *Dublin City Univ, Sch Chem Sci, Dublin 9, Rep Ireland
Talanta 1995 **42** (2) 235

Determination of gentian violet in human urine and poultry feed by high performance liquid chromatography with electrochemical detection using a carbon fibre microelectrode flow cell

Tsuji S, Shibata T, Okamoto K, Takeda K, Fujiwara Y, Ito Y// Natl Inst Hyg Sci, Osaka Branch, Chuo ku, 1-1-43 Hoenzaka, Osaka 540, Japan
J Food Hyg Soc Jpn 1995 **36** (1) 68

Preparation of sample solution using pronase treatment for determination of food coal-tar dyes in foods

11 FLAVOURS & AROMAS

Aboul-Enein HY, Abou-Basha LI// King Faisal Specialist Hosp & Res Ctr, Dept Biol & Med Res MBC-03, Bioanalyt Drug Dev Lab, POB 3354, Riyadh 11211, Saudi Arabia
J Liq Chromatogr 1995 **18** (5) 895

Simple HPLC method for the determination of thymoquinone in black seed oil (*Nigella sativa* Linn)

Arora G, Cormier F, Lee B// *Agr Canada, Ctr Food Res & Dev, 3600 Casavant Blvd West, St Hyacinthe, Quebec, Canada J2S 8E3
J Agr Food Chem 1995 **43** (3) 748

Analysis of odor-active volatiles in cheddar cheese headspace by multidimensional GC/MS sniffing

Bardseth P, Naes T, Vogt G// Norwegian Food Res Inst, Matforsk Os-

loveien I, N-1430 As, Norway

Food Sci Technol-Lebensm Wiss 1995 **28** (1) 72

Roll-in shortenings effects on Danish pastries sensory properties studied by principal component analysis

Bailey TP, Hammond RV, Persaud KC// BRF Int, Nutfield RH1 4HY, Surrey, England
J Amer Soc Brew Chemist 1995 **53** (1) 39

Applications for an electronic aroma detector in the analysis of beer and raw materials

Cocito C, Gaetano G, Delfini C// *Ist Sperimentale Enol, Microbiol Sect, Via P Micca 35, I-14100 Asti, Italy
Food Chem 1995 **52** (3) 311

Rapid extraction of aroma compounds in must and wine by means of ultrasound

De Maria CAB, Trugo LC*, Moreira RFA, Petracco M// *Fed Univ Rio de Janeiro, Inst Chem, Dept Biochem, CT Bloco A Cidade Univ, BR-21949-900 Rio de Janeiro, Brazil
Food Chem 1995 **52** (4) 447

Simultaneous determination of total chlorogenic acid, trigonelline and caffeine in green coffee samples by high-performance gel filtration chromatography

Dollmann B, Full G, Schreier P, Winterhalter P*, Guntert M, Sommer H// *Univ Wurzburg, Lehrstuhl Lebensmittelchem, Am Hubland, D-97074 Wurzburg, Germany
Phytochem Analysis 1995 **6** (2) 106

Synthesis and enantiodifferentiation of Riesling acetals

Ferreira V, Fernandez P, Pena C, Escudero A, Cacho JF// Univ Zaragoza, Fac Sci, Dept Analyt Chem, E-50009 Zaragoza, Spain
J Sci Food Agr 1995 **67** (3) 381

Investigation on the role played by fermentation esters in the aroma of young Spanish wines by multivariate analysis

Garcia-Jares C, Garcia-Martin S, Cela-Torrijos R// *Univ Santiago de Compostela, Fac Chem, Dept Analyt Chem Nutr & Bromatol, Avda Ciencias, E-15706 Santiago de Compostela, Spain
J Agr Food Chem 1995 **43** (3) 764

Analysis of some highly volatile compounds of wine by means of purge and cold trapping injector capillary gas chromatography. Application to the differentiation of Rias Baixas Spanish white wines

Guillen MD, Manzanos MJ, Zabala L// Univ Pais Vasco, CSIC, Fac Farm, C/ Marques Urquijo s/n, E-01006 Vitoria, Spain
J Agr Food Chem 1995 **43** (2) 463

Study of a commercial liquid smoke flavoring by means of gas chromatography/mass spectrometry and Fourier transform infrared spectroscopy

Howard LR, Braswell D, Heymann H, Lee Y, Pike LM, Aselage J// Texas A&M Univ, Dept Hort Sci, College Stn, Tx 77843, USA
J Food Sci 1995 **60** (1) 145

Sensory attributes and instrumental analysis relationships for strained processed carrot flavor

Kanai Y, Shimizu M, Uchida H, Nakahara H, Zhou CG, Maekawa H, Katsube T// Saitama Univ, Fac Engr, 255 Shimo-Okubo, Urawa 338, Japan
Sensor Actuator B-Chem 1994 **B20** (2-3) 175

Integrated taste sensor using surface photovoltage technique

Lee YC, Huang CY, Wen KC*, Suen TT// *Execut Yuan, Dept Hlth, Natl Labs Foods & Drugs, 161-2 Kuen Yang St, Taipei, Taiwan
J Chromatogr A 1995 **692** (1-2) 137

Determination of liquiritin, glycyrrhizin, hesperidin, cinnamic acid, cinnamaldehyde, honokiol and magnolol in the traditional Chinese medicinal preparation Wu-Ji-San by high-performance liquid chromatography

Milo C, Grosch W// *Deutsch Forsch Anstalt Lebensmittelchem, Lichtenbergstr 4, D-85748 Garching, Germany
J Agr Food Chem 1995 **43** (2) 459

Detection of odor defects in boiled cod and trout by gas chromatography olfactometry of headspace samples

Nakamoto T, Ustumi S, Yamashita N, Moriizumi T, Sonoda Y// Tokyo Inst Technol, Fac Engr, 2-12-1 Ookayama, Meguro ku, Tokyo 152, Japan
Sensor Actuator B-Chem 1994 **B20** (2-3) 131

Active gas/odor sensing system using automatically controlled gas blender and numerical optimization technique

Orsi F, Homoki P, Phong VN// Tech Univ Budapest, Lehrstuhl Biochem & Lebensmitteltechnol, Muegetem RKP 3-4, H-1502 Budapest, Hungary
Nahrung 1995 **39** (1) 90

Determination of methyl glyoxal in caramel samples

Sun A, Cui L, Chen ZK, Xu HY, Zhou QZ// Acad Sinica, Inst Semiconduct, PO Box 912, Beijing 100083, Peoples Rep China
Sensor Actuator B-Chem 1994 **B20** (2-3) 151

Lipid microresistor as mimicking olfactory sensor: The rule of the re-

sponse of lipids to C₁-C₄ alcohols

Ulrich D, Rapp A, Hoberg E// Inst Qual Analyt, Bundesanstalt Zuchtungsfor Kulturpfl, Neuer Weg 22-23, D-06484 Quedlinburg, Germany
Z Lebensmittel-Untersuch Fors 1995 200 (3) 217
Analysis of strawberry flavour: Quantification of the volatile components of varieties of cultivated and wild strawberries

Villen J, Senorans FJ, Reglero G, Herraiz M*// *CSIC, Inst Fermentac Ind, C/ Juan Cierva 3, E-28006 Madrid, Spain
J Agr Food Chem 1995 43 (3) 717
Analysis of wine aroma by direct injection in gas chromatography without previous extraction

Zhi ZL, Rios A, Valcarcel M*// *Univ Cordoba, Fac Sci, Dept Analyt Chem, E-14004 Cordoba, Spain
Anal Chem 1995 67 (5) 871
Direct determination of trimethylamine in fish in the flow reversal injection mode using a gas extraction sampling device

12 ORGANIC ACIDS

Mulchandani A, Bassi AS, Nguyen A// Univ Calif Riverside, Dept Chem Engn, Riverside, Ca 92521, USA
J Food Sci 1995 60 (1) 74
Tetrahydrofulvalene-mediated biosensor for L-lactate in dairy products

13 ANIMAL PRODUCTS

Shalaby AR// Natl Res Ctr, Food Technol & Dairy Sci Dept, Dokki, Cairo, Egypt
Food Chem 1995 52 (4) 367
Multidetector, semiquantitative method for determining biogenic amines in foods

Smith DW// Michigan State Univ, Dept Food Sci & Human Nutr, East Lansing, Mi 48824, USA
Food Technol 1995 49 (2) 116
Immunoassays in process control and speciation of meats

Yano Y, Kataho N, Watanabe M, Nakamura T, Asano Y// Cent Res Inst Itoham Foods Inc, 1-2 Kubogaoka, Moriya-machi, Kitasouma-gun, Ibaraki 302-01, Japan
Food Chem 1995 52 (4) 439
Evaluation of beef aging by determination of hypoxanthine and xanthine contents: Application of a xanthine sensor

14 PLANT & MICROBIAL PRODUCTS

Bergevin M, N'Soukpo-Kossi CN, Charlebois D, Leblanc RM*, Willemot C// *Univ Miami, Dept Chem, Coral Gables, Fl 33124, USA
Appl Spectrosc 1995 49 (3) 397
Assessment of strawberry maturity by photoacoustic spectroscopy

Black J, Durig L// Isolab Inc, Drawer 4350, Akron, Oh, USA
J Amer Soc Brew Chemist 1995 53 (1) 19
Sequential method for the electrophoretic analysis of barley varieties, including computer storage and matching of banding patterns

Calbo AG, Nery AA// CNPH, EMBRAPA, CP 0218, BR-70359-970 Brasilia, DF, Brazil
J Amer Soc Hort Sci 1995 120 (2) 217
Methods for measurement of gas volume of fruits and vegetables

Dubbels R, Reiter RJ*, Klenke E, Goebel A, Schnakenberg E, Ehlers C, Schiwara HW, Schloot W// *Univ Texas, Hlth Sci Ctr, Dept Cellular & Struct Biol, 7703 Floyd Curl Dr, San Antonio, Tx 78284, USA
J Pineal Res 1995 18 (1) 28
Melatonin in edible plants identified by radioimmunoassay and by high performance liquid chromatography-mass spectrometry

Duce SL, Ablett S, Darke AH, Pickles J, Hart C// Univ Cambridge, Sch Clin Med, Herchel Smith Lab Med Chem, Univ Forvie Site, Robinson Way, Cambridge CB2 2PZ, England
Cereal Chem 1995 72 (1) 105
Nuclear magnetic resonance imaging and spectroscopic studies of wheat flake biscuits during baking

Erdogdu N, Czuchajowska Z, Pomeranz Y// Washington State Univ, Dept Food Sci & Human Nutr, Pullman, Wa 99164, USA
Cereal Chem 1995 72 (1) 70
Wheat flour and defatted milk fractions characterized by differential scanning calorimetry. I. DSC of flour and milk fractions

Erdogdu N, Czuchajowska Z, Pomeranz Y// Address as above.
Cereal Chem 1995 72 (1) 76

Wheat flour and defatted milk fractions characterized by differential scanning calorimetry. II. DSC of interaction products

Fiorini M// Univ Bologna, Ist Merceol, Piazza Scaravilli 2, I-40126 Bologna, Italy
J Chromatogr A 1995 692 (1-2) 213

Preparative high-performance liquid chromatography for the purification of natural anthocyanins

Fleurence J, Guyader O// Ifremer Qualite Physicochim Lab, BP 1049, rue Ille Yeu, F-44037 Nantes, France
Sci Aliment 1995 15 (1) 43

Contribution of electrophoresis to the identification of red seaweeds (*Gracilaria* sp) used as food ingredients (French, English Abstract)

Garcimartin M, Vidal-Valverde C*, Martinez-Castro I, Musgrove S// *CSIC, Inst Fermentac Ind, Juan Cierva 3, E-28006 Madrid, Spain
J Food Qual 1995 18 (1) 33

Evaluation of dietary fiber in potato crisps: Influence of the analytical method used

Gomez-Cordoves C, Gonzalez-San Jose ML// CSIC, Inst Fermentac Ind, Juan Cierva 3, E-28006 Madrid, Spain
J Agr Food Chem 1995 43 (3) 557

Interpretation of color variables during the aging of red wines: Relationship with families of phenolic compounds

Huxsoll CC, Bolin HR, Mackey BE// USDA ARS, Western Reg Res Ctr, 800 Buchanan St, Albany, Ca 94710, USA
J Food Sci 1995 60 (1) 176

Near infrared analysis potential for grading raisin quality and moisture

Kermasha S, Goetghebeur M, Dumont J// McGill Univ, Dept Food Sci & Agr Chem, St Anne de Bellevue, Quebec, Canada H9X 3V9
J Agr Food Chem 1995 43 (3) 708

Determination of phenolic compound profiles in maple products by high-performance liquid chromatography

Kruger JE, Hatcher DW// Address not available.

Cereal Chem 1995 72 (1) 33
FY sedimentation test for evaluation of flour quality of Canadian wheats

Lamuela-Raventos RM, Romero-Perez AI, Waterhouse AL, De la Torre Boronat MC// Univ Barcelona, Fac Pharm, Avda Joan XXIII s/n, E-08028 Barcelona, Spain
J Agr Food Chem 1995 43 (2) 281

Direct HPLC analysis of *cis*- and *trans*-resveratrol and piceid isomers in Spanish red *Vitis vinifera* wines

Lookhart G, Bean S// USDA ARS, Nth Cent Reg, US Grain Mkt Res Lab, Manhattan, Ks 66502, USA
Cereal Chem 1995 72 (1) 42

A fast method for wheat cultivar differentiation using capillary zone electrophoresis

Mohan VR, Janardhanan K// VOC Coll, PG Dept Bot, Tuticorin 628008, India
Food Chem 1995 52 (3) 275

Chemical analysis and nutritional assessment of lesser known pulses of the genus, *Mucuna*

Morrison IM, Mulder MM// Scottish Crop Res Inst, Invergowrie, Dundee DD2 5DA, Scotland
Phytochem Analysis 1995 6 (2) 74

Pyrolysis mass spectrometry for the characterisation of straw and chemically treated straw

Sakuma S, Kikuchi C, Kowaka M// Kirin Brewery Co Ltd, Ctr Tech, Dept Technol Dev, Div Beer, Tsurumi ku, 17-1 Namamugi 1-chome, Yokohama, Kanagawa 230, Japan
J Amer Soc Brew Chemist 1995 53 (1) 29

Automated analysis of the total polyphenols content of beer and wort using intelligent autosampler

Shepherd KM, McGhie TK*// *Bur Sugar Expt Stn, David North Plant Res Ctr, POB 86, Indooroopilly, Qld 4068, Australia
J Agr Food Chem 1995 43 (3) 657

Novel capillary electrophoresis technique for the study of plant phenolic enzymic oxidation mechanisms

Shi R, Schwedt G// Cent S Forestry Univ, Dept Econ Forest, Zhuzhou Hunan, Peoples Rep China
Deut Lebensm-Rundsch 1995 91 (1) 14

HPLC- and TLC-analysis of phenolic compounds in wine (German, English Abstract)

Tsoubeli MN, Davis EA, Gordon J// Univ Minnesota, Dept Food Sci & Nutr, 1334 Eckles Ave, St Paul, Mn 55108, USA
Cereal Chem 1995 72 (1) 64

Dielectric properties and water mobility for heated mixtures of starch, milk protein, and water