

Bibliography of analytical, nutritional and clinical methods

(Four weeks journals - Search completed at 24th Apr 1996)

1 BOOKS, REVIEWS & SYMPOSIA

Obana H, Hori S// Osaka Prefectural Inst Publ Hlth, Higashinari ku, 1-3-69 Nakamichi, Osaka 537, Japan
Jpn J Toxicol Environ Health 1996 42 (1) 1
Latest analytical methods for the residual pesticides in foods (Review) (Japanese, English Abstract)

2 GENERAL

Gutin B, Litaker M, Islam S, Manos T, Smith C, Treiber F// Med Coll Georgia, Georgia Prevent Inst, HS1651, Augusta, Ga 30912, USA
Amer J Clin Nutr 1996 63 (3) 287

Body-composition measurement in 9-11-y-old children by dual-energy X-ray absorptiometry, skinfold-thickness measurements, and bioimpedance analysis

Kussmaul B, Doring A, Filipiak B// GSF Forschungszentrum Umwelt & Gesundheit GmbH, Inst Epidemiol Neuherberg, Ingolstadter Landstr 1, D-85764 Oberschleissheim, Germany
Ernahr-Umsch 1996 43 (2) 46

Bioelectrical impedance analysis (BIA) in an epidemiological study (German)

Ling PP, Ruzhitsky VN, Kapanidis AN, Lee TC// Rutgers State Univ, Dept Bioresource Engr, Piscataway, NJ 08855, USA
Chemtech 1996 26 (3) 46

Measuring the color of food

Morris VJ, Kirby AR, Gunning AP// Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NE4 7UA, England
Food Hydrocolloid 1995 9 (4) 273

Probe microscopes: Feeling their way

Tyszkiewicz M// Automated Compliance Syst Inc, 245 Rte 22 West, Bridgewater, NJ 08807, USA
Amer Lab 1996 28 (5) 15

Integration of laboratory and process testing data in the food industry with a LIMS

Van Loey A, Hendrickx M*, Ludikhuyze L, Weemaes C, Haentjens T, De Cordt S, Tobback P// Katholieke Univ Leuven, Dept Food & Microbial Technol, B-3001 Louvain, Belgium
J Food Protect 1996 59 (3) 261

Potential *Bacillus subtilis* α -amylase-based time-temperature integrators to evaluate pasteurization processes

3 AMINO ACIDS, PROTEINS & ENZYMES

Anguita G, Martin R, Garcia T, Morales P, Haza AI, Gonzalez I, Sanz B, Hernandez PE// Univ Complutense Madrid, Dept Nutr & Bromatol 3, Madrid, Spain
Milchwissenschaft 1996 51 (1) 21

Immunological characterization of bovine casein fractionated by fast protein liquid chromatography (FPLC)

Barringer SA, Fleischman AM, Davis EA, Gordon J// Ohio State Univ, Dept Food Sci & Technol, 2121 Fyffe Rd, Columbus, Oh 43210, USA
Food Hydrocolloid 1995 9 (4) 343

The dielectric properties of whey protein as indicators of change in polymer mobility

Billett EE, Bevan R, Scanlon B, Pickering K, Gibbons B// Nottingham Trent Univ, Dept Life Sci, Clifton Lane, Nottingham NG11 8NS, England
J Sci Food Agr 1996 70 (3) 396

The use of a poultry-specific murine monoclonal antibody directed to the insoluble muscle protein desmin in meat speciation

Chirido FG, Anon MC*, Fossati CA// Natl Univ La Plata, CIC, CONICET, Ctr Invest & Desarrollo Crioteconol Alimentos, Calle 47 & 116, RA-1900 La Plata, Argentina

Food Agric Immunol 1995 7 (4) 333

Optimization of a competitive ELISA with polyclonal antibodies for quantification of prolamins in foods

Ekborgott KH, Armstrong DW*// *Univ Missouri, Dept Chem, Rolla, Mo 65401, USA

Chirality 1996 8 (1) 49

Evaluation of the concentration of enantiomeric purity of selected free amino acids in fermented malt beverages (beers)

Ikewaki K, Zech LA, Brewer HB, Rader DJ// Mitsuke City Hosp, 2-13-50 Gakko cho, Mitsuke, Niigata 954, Japan
J Lipid Res 1996 37 (2) 399

ApoA-II kinetics in humans using endogenous labeling with stable isotopes: Slower turnover of apoA-II compared with the exogenous radiotracer method

Kinghorn NM, Paterson GR, Otter DE*// *New Zealand Dairy Res Inst, Food Sci Sect, Private Bag 11-029, Palmerston North, New Zealand
J Chromatogr A 1996 723 (2) 371

Quantification of the major bovine whey proteins using capillary zone electrophoresis

Marchal E, Haissat S, Montagne P, Cuilliere ML, Bene MC, Faure G, Humbert G, Linden G// INRA Fac Sci, Lab Food Biosci, BP 239, F-54506 Vandoeuvre les Nancy, France
Food Agric Immunol 1995 7 (4) 323

Microparticle-enhanced nephelometric immunoassay of plasminogen in bovine milk

Metges CC, Petzke KJ, Hennig U// MIT, Lab Hum Nutr, 40 Ames St, Cambridge, Ma 02142, USA
J Mass Spectrometry 1996 31 (4) 367

Gas chromatography/combustion/isotope ratio mass spectrometric comparison of *N*-acetyl- and *N*-pivaloyl amino acid esters to measure ¹⁵N isotopic abundances in physiological samples: A pilot study on amino acid synthesis in the upper gastro-intestinal tract of minipigs

Muehlenkamp MR, Warthesen JJ// Univ Minnesota, Dept Food Sci & Nutr, 1334 Eckles Ave, St Paul, Mn 55108, USA
J Dairy Sci 1996 79 (1) 20

β -Casomorphins: Analysis in cheese and susceptibility to proteolytic enzymes from *Lactococcus lactis* ssp *cremoris*

Ohtsuka T, Seguro K, Motoki M// Ajinomoto Co Inc, Food Res & Dev Labs, 1-1 Suzuki cho, Kawasaki, Kanagawa 210, Japan
J Food Sci 1996 61 (1) 81

Microbial transglutaminase estimation in enzyme-treated surimi-based products by enzyme immunosorbent assay

Paterson GR, Otter DE, Hill JP// New Zealand Dairy Res Inst, Food Sci Sect, Private Bag 11029, Palmerston North, New Zealand
J Dairy Sci 1995 78 (12) 2637

Application of capillary electrophoresis in the identification of phenotypes containing the β -lactoglobulin C variant

Schmidt HHJ, Genschel JC, Wagner S, Manns MP// Hannover Med Sch, Gastroenterol & Hepatol Abt, D-30623 Hannover, Germany
Eur J Clin Chem Clin Biochem 1996 34 (2) 119

Quantification and lipoprotein(a): Comparison of an automated latex-enhanced nephelometric assay with an immunoenzymometric method

Smith DM, Desrocher LD, Booren AM, Wang CH, Abouzied MM, Pestka JJ, Veeramuthu G// Michigan State Univ, Dept Food Sci & Human Nutr, East Lansing, Mi 48824, USA
J Food Sci 1996 61 (1) 209

Cooking temperature of turkey ham affects lactate dehydrogenase, serum albumin and immunoglobulin G as determined by ELISA

Toland TM, Fugelsang KC, Muller CJ// Calif State Univ Fresno, VERC, Fresno, Ca 93740, USA
Amer J Enol Viticult 1996 47 (1) 111

Methods for estimating protein instability in white wines: A comparison

Turchetta T, Ciaffi M, Proccedu E, Lafiandra D// Univ Tuscia, Dept Agrobiol

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Processing Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

& Agrochem, I-01100 Viterbo, Italy
Plant Breed 1995 114 (5) 406
 Relationship between electrophoretic pattern of storage proteins and gluten strength in durum wheat landraces from Turkey

4 CARBOHYDRATES

Bernal JL, Del Nozal MJ, Toribio L, Del Alamo M// Univ Valladolid, Dept Analyt Chem, E-47005 Valladolid, Spain
J Agr Food Chem 1996 44 (2) 507

HPLC analysis of carbohydrates in wines and instant coffees using anion exchange chromatography coupled to pulsed amperometric detection

Camara MM, Diez C, Torija ME// Univ Complutense Madrid, Dept Bromatol & Tecn Analit Farmaceut, Ciudad Univ s/n, E-28040 Madrid, Spain
Z Lebensmittel-Untersuch Fors 1996 202 (3) 233

Free sugars determination by HPLC in pineapple products

Curzon MEJ, Pollard MA// Univ Leeds, Dept Paediat Dent, Clarendon Way, Leeds LS2 9LU, England
Caries Res 1996 30 (2) 126

Integration of methods for determining the acido/cariogenic potential of foods: A comparison of several different methods

Delcour JA, Eerlingen RC// Katholieke Univ Leuven, Food Chem Lab, B-3001 Heverlee, Belgium
Cereal Food World 1996 41 (2) 85

Analytical implications of the classification of resistant starch as dietary fiber

Hanke A, Eberhardt A, Bilitewski U, Galensa R, Kunnecke W// TU Braunschweig, Inst Lebensmittelchem, Schleinitzstr 26, D-38106 Braunschweig, Germany
Deut Lebensmittel-Rundsch 1996 92 (2) 35

Biosensors in automated analysis systems. II. Fructose determination in juices by fructose dehydrogenase-thick-film-platinum electrodes (German, English Abstract)

Harding SE// Univ Nottingham, Dept Appl Biochem & Food Sci, Sutton Bonnington LE12 5RD, England
Carbohydr Polym 1995 28 (3) 227

Some recent developments in the size and shape analysis of industrial polysaccharides in solution using sedimentation analysis in the analytical ultracentrifuge

Johnson IT, Southgate DAT, Durmijn JVGA// AFRC Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England
Int J Food Sci Nutr 1996 47 (2) 131

Intrinsic and non-milk extrinsic sugars: Does the distinction have analytical or physiological validity?

Lee SC, Vincent R, Prosky L, Sullivan DM// Kellogg Co, Battle Creek, MI, USA
Cereal Food World 1996 41 (2) 64

Evaluating an analytical method for complex carbohydrate determinations

Misener GC, Gerber WA, Tai GCC, Embleton EJ// Agr & Agri-Food Canada, Res Ctr, Fredericton, New Brunswick, Canada E3B 4Z7
Can Agr Eng 1996 38 (1) 59

Measurement of glucose concentrations of potato extract using a blood glucose test strip

Yasui T, Toda C, Nagano H, Ishihara H// Meijo Univ, Fac Pharm, Tempaku ku, 150 Yagotoyama, Nagoya, Aichi 468, Japan
J Food Hyg Soc Jpn 1996 37 (1) 29

Determination of oligosaccharides in foods for specified health use by HPLC (Japanese, English Abstract)

5 LIPIDS

Arai H, Terao J*, Abdalla DSP, Suzuki T, Takama K// *Minist Agr Forestry & Fisheries, Natl Food Res Inst, Tsukuba, Ibaraki 305, Japan
Free Radical Biol Med 1996 20 (3) 365

Coulometric detection by high-performance liquid chromatographic analysis of cholesteryl ester hydroperoxides

Biedermann M, Grob K*, Mariani C, Schmidt JP// *Kantonales Lab, CH-8030 Zurich, Switzerland
Z Lebensmittel-Untersuch Fors 1996 202 (3) 199

Detection of desterolized sunflower oil in olive oil through isomerized Δ^7 -sterols

Dobson G, Christie WW*// *Scottish Res Inst, Dept Chem, Dundee DD2 5DA, Scotland
Trend Anal Chem 1996 15 (3) 130

Structural analysis of fatty acids by mass spectrometry of picolinyl esters and dimethylxazoline derivatives

Duchateau GSMJE, Van Oosten HJ, Vasconcellos MA// Unilever Res Labs Vlaardingen, Olivier van Noortlaan 120, 3133 AT Vlaardingen, The Netherlands
J Amer Oil Chem Soc 1996 73 (3) 275

Analysis of *cis*- and *trans*-fatty acid isomers in hydrogenated and refined vegetable oils by capillary gas-liquid chromatography

Evershed RP// Univ Bristol, Sch Chem, Cantocks Close, Bristol BS8 1TS, England

J Amer Soc Mass Spectrom 1996 7 (4) 350

High-resolution triacylglycerol mixture analysis using high-temperature gas chromatography/mass spectrometry with a polarizable stationary phase, negative ion chemical ionization and mass-resolved chromatography

Favier JP, Bicanic D, Van de Bovenkamp P, Chirtoc M, Helander P// Agr Univ Wageningen, Dept Agr Engr & Phys, Bomenweg 4, 6703 HD Wageningen, The Netherlands

Anal Chem 1996 68 (5) 729

Detection of total *trans* fatty acids content in margarine: An intercomparison study of GLC, GLC-TLC, FT-IR, and optothermal window (open photoacoustic cell)

Hayes DG, Kleiman R// Univ Alabama, Dept Chem Engr, Huntsville, AL 35899, USA

J Amer Oil Chem Soc 1996 73 (2) 267

A detailed triglyceride analysis of *Lesquerella fendleri* oil: Column chromatographic fractionation followed by supercritical fluid chromatography

Kingery PM// Univ Kentucky, 102 Seaton Bldg, Lexington, Ky 40506, USA

Am J Health Behav 1996 20 (1) 24

Reflotron cholesterol testing: Problems and prospects

Lipp M// Commiss European Communities, Joint Res Ctr, Inst Environm, TP 740, I-21020 Ispra, Italy

Food Chem 1996 55 (4) 389

Determination of the adulteration of butter fat by its triglyceride composition obtained by GC. A comparison of the suitability of PLS and neural networks

Lipp M// Address as above.

Z Lebensmittel-Untersuch Fors 1996 202 (3) 193

Comparison of PLS, PCR and MLR for the quantitative determination of foreign oils and fats in butter fats of several European countries by their triglyceride composition

McMahon JM, Short RT, McCandlish CA, Brenna JT, Todd PJ*// *Oak Ridge Natl Lab, Chem & Analyst Sci Div, Oak Ridge, Tn 37831, USA

Rapid Commun Mass Spectrom 1996 10 (3) 335

Identification and mapping of phosphocholine in animal tissue by static secondary ion mass spectrometry and tandem mass spectrometry

Modenese A, Carobene A, Ferrero C, Ceriotti F, Franzini C, De Giorgi E, Franzin M, Giorgio A, Baldo L// Ist Sci HS Raffaele, Lab Anal, Via Olgettina 60, I-20132 Milan, Italy
Clin Chem 1996 42 (3) 475

Reference method for serum total cholesterol measurement: Does substituting enzymatic step for Liebermann-Burchard reaction improve specificity?

Nauck M, Marz W, Haas B, Wieland H// Univ Hosp Freiburg, Dept Med, Hugstetter Str 55, D-79106 Freiburg, Germany

Clin Chem 1996 42 (3) 424

Homogeneous assay for direct determination of high density lipoprotein cholesterol evaluated

Schmarr HG, Gross HB, Shibamoto T// Univ Calif Davis, Dept Environm Toxicol, Meyer Hall, Davis, Ca 95616, USA

J Agr Food Chem 1996 44 (2) 512

Analysis of polar cholesterol oxidation products: Evaluation of a new method involving transesterification solid phase extraction, and gas chromatography

Sorensen G, Jorgensen SS*// *Royal Vet & Agr Univ, Dept Chem, Thorvaldsensvej 40, DK-1871 Frederiksberg C, Demark
Z Lebensmittel-Untersuch Fors 1996 202 (3) 205

A critical examination of some experimental variables in the 2-thiobarbituric acid (TBA) test for lipid oxidation in meat products

Turyan YI, Berezin OY, Kuselman I*, Shenhar A// *Hebrew Univ Jerusalem, Natl Phys Lab, IL-91904 Jerusalem, Israel

J Amer Oil Chem Soc 1996 73 (3) 295

pH-metric determination of acid values in vegetable oils without titration

Walker MD, Hughes PS, Simpson WJ// BRF Int, Redhill RH1 4HY, Surrey, England

J Sci Food Agr 1996 70 (3) 341

Use of chemiluminescence HPLC for measurement of positional isomers of hydroperoxy fatty acids in malting and the protein rest stage of mashing

Wheeler P, Zirrolli JA, Murphy RC*// *Natl Jewish Ctr Immunol & Resp Med, 1400 Jackson St, Rm K929, Denver, Co 80206, USA

J Amer Soc Mass Spectrom 1996 7 (2) 140

Electrospray ionization and low energy tandem mass spectrometry of polyhydroxy unsaturated fatty acids

6 VITAMINS & CO-FACTORS

Deutsch JC, Santhosh-Kumar CR// Univ Colorado, Hlth Sci Ctr, Dept Med, 4200 East 9th Ave, Campus Box B-170, Denver, Co 80262, USA

J Chromatogr A 1996 724 (1-2) 271

Dehydroascorbic acid undergoes hydrolysis on solubilization which can be reversed with mercaptoethanol

Janda P, Weber J, Dunsch L, Lever ABP// Acad Sci Czech Republ, J Heyrovsky Inst Phys Chem, Dolejskova 3, CR-18223 Prague 8, Czech Republic

- Anal Chem* 1996 **68** (6) 960
Detection of ascorbic acid using a carbon fiber microelectrode coated with cobalt tetramethylpyridopyrazine
- Kodentsova VM, Vrzhesinskaya OA, Spirichev VB// *Leninskij pr 93, Korp, Apt 63, Moscow 117313, Russia
Ann Nutr Metab 1995 **39** (6) 355
Fluorometric riboflavin titration in plasma by riboflavin-binding apoprotein as a method for vitamin B₂ status assessment
- Kozik A// Jagiellonian Univ, Jan Zurzycki Inst Mol Biol, Al Mickiewiczza 3, PL-31120 Krakow, Poland
Analyst 1996 **121** (3) 333
Microtitre-plate enzyme-linked ligand-sorbent assay of riboflavin (vitamin B₂) in human plasma and urine
- Lehman PA, Franz TJ// Univ Arkansas Med Sch Hosp, Dept Dermatol, Mail Stop 576, Little Rock, Ar 72205, USA
J Pharm Sci 1996 **85** (3) 287
A sensitive high-pressure liquid chromatography/particle beam mass spectrometry assay for the determination of all-*trans*-retinoic acid and 13-*cis*-retinoic acid in human plasma
- Teissier E, Walters-Laporte E, Suhem C, Luc G, Fruchart JC, Duriez P// *Inst Pasteur, Serlia, 1 rue Prof Calmette, BP 245, F-59019 Lille, France
Clin Chem 1996 **42** (3) 430
Rapid quantification of α -tocopherol in plasma and low and high density lipoproteins
- Vahteristo LT, Ollilainen V, Koivistoinen PE, Varo P// Helsinki Univ, Dept Appl Chem & Microbiol, POB 27, SF-00014 Helsinki, Finland
J Agr Food Chem 1996 **44** (2) 477
Improvements in the analysis of reduced folate monoglutamates and folic acid in food by high-performance liquid chromatography
- Wang RT, Wang CT, Huang KC, Lin TC, Pan TC// Ta Jen Pharmaceut Coll, Pingtung, Taiwan
Jpn J Toxicol Environ Health 1996 **42** (1) 110
Determination of glucuronic and ascorbic acid in oral and pharmaceutical preparations by isotachopheresis
- Wold JP, Jakobsen T, Krane L// Norwegian Inst Fisheries & Aquaculture Ltd, POB 2511, N-9002 Tromso, Norway
J Food Sci 1996 **61** (1) 74
Atlantic salmon average fat content estimated by near-infrared transmittance spectroscopy
- Yamanaka K, Matsuoka M, Banno K// Tanabe Seiyaku Co Ltd, Analyt Res Lab, Yodogawa ku, 16-89 Kashima 3-chome, Osaka 532, Japan
J Chromatogr A 1996 **726** (1-2) 237
Determination of thiamine in dried yeast by high-performance liquid chromatography using a clean-up column of CM-cellulose
- ## 7 TRACE ELEMENTS & MINERALS
- Anderson KA// Univ Idaho, Analyt Sci Lab, Dept Food Sci & Toxicol, Moscow, Id 83844, USA
Atom Spectrosc 1996 **17** (1) 30
Micro-digestion and ICP-AES analysis for the determination of macro and micro elements in plant tissues
- Arruda MAZ, Gallego M, Valcarcel M// *Univ Cordoba, Dept Analyt Chem, E-14004 Cordoba, Spain
J Anal Atom Spectrom 1996 **11** (2) 169
Semi-on-line microwave-assisted digestion of shellfish tissue for the determination of selenium by electrothermal atomic absorption spectrometry
- Baird GS, Fitzgerald RL*, Aggarwal SK, Herold DA// *VA Med Ctr, Lab Serv, 3350 La Jolla Village Dr, San Diego, Ca 92161, USA
Clin Chem 1996 **42** (2) 286
Determination of blood lead by electron capture negative chemical ionization gas chromatography/mass spectrometry
- Baranowska I, Baranowska J, Norska-Borowka I, Pieszko C// Silesian Tech Univ, Dept Gen & Analyt Chem, Gliwice, Poland
J Chromatogr A 1996 **725** (1) 199
Separation and identification of metals in human bones, placenta and milk and in air by adsorption and ion-exchange thin-layer chromatography
- Couttenye MM, Jurgens A, Lamberts LV, Verpooten GA, D'Haese PC, De Broe ME// *Univ Antwerp Hosp, Dept Nephrol Hypertens, Wilrijkstr 10, B-2650 Edegem, Belgium
Clin Chem 1996 **42** (3) 468
Determination of ionized calcium: Evaluation of sampling and storage procedures
- Friel JK, Andrews WL, Simmons BS, Miller LV, Longerich HP// Mem Univ Newfoundland, Dept Biochem, St John, Newfoundland, Canada A1B 3X9
Amer J Clin Nutr 1996 **63** (3) 342
Zinc absorption in premature infants: Comparison of two isotopic methods
- Guo T, Baasner J, Gradi M, Kistner A// Bodenseewerk Perkin Elmer & Co GmbH, Atom Absorpt Prod Dept, Postfach 101761, D-88647 Uberlingen, Germany
Anal Chim Acta 1996 **320** (2-3) 171
Determination of mercury in saliva with a flow-injection system
- Harrison I, Littlejohn D*, Fell GS// *Univ Strathclyde, Dept Pure & Appl Chem, Cathedral St, Glasgow G1 1XL, Scotland
Analyst 1996 **121** (2) 189
Distribution of selenium in human blood plasma and serum
- Hernandez O, Jimenez F, Jimenez AI, Arias JJ// Univ La Laguna, Dept Quim Analit Bromatol & Toxicol, E-38204 La Laguna, Tenerife, Spain
Analyst 1996 **121** (2) 169
Multicomponent analysis by flow injection using a partial least-squares model. Determination of copper and zinc in serum and metal alloys
- Lapa RAS, Lima JLFC*, Santos JLM// *Univ Porto, CEQUP/Dept Quim-Fisica, Rua Anibal Cunha 164, P-4050 Porto, Portugal
Food Chem 1996 **55** (4) 397
Determination of calcium, magnesium, sodium and potassium in wines by FIA using an automatic zone sampling system
- Lim HB, Han MS, Lee KJ// Dankook Univ, Res Inst Basic Sci, Young San Ku, Seoul 140714, South Korea
Anal Chim Acta 1996 **320** (2-3) 185
Determination of trace elements in human serum by inductively coupled plasma atomic emission spectrometry with flow injection
- Nagata Y, Suzue R// Showa Women's Univ, Dept Life Sci, Setagaya ku, Tokyo 154, Japan
J Nutr Sci Vitaminol 1996 **42** (1) 19
Comparison of young women's salt intake between Japan and England: Consideration of different measurement methods in national nutrition surveys
- Outridge PM, Hughes RJ, Evans RD// Geo Survey Canada, Analyt Chem Labs, 601 Booth St, Ottawa, Ontario, Canada K1A 0E8
Atom Spectrosc 1996 **17** (1) 1
Determination of trace metals in teeth and bones by solution nebulization ICP-MS
- Qian QF, Feng WY, Chen JD, Zhang PQ, Chai CF, Pan JX, Wu YY, Zheng SQ, Liu XP, Chao ZY// Inst High Energy Phys, POB 2732, Beijing 100080, Peoples Rep China
J Radioanal Nucl Chem Lett 1996 **212** (1) 51
Study on the effect of supplementation and iron-fortified food to Chinese juvenile athletes by nuclear analysis techniques and blood analysis
- Roberts NB, Walsh HPJ, Klencnerman L, Kelly SA, Helliwell TR// Royal Liverpool Univ Hosp, Dept Clin Chem, Liverpool L7 8XP, England
J Anal Atom Spectrom 1996 **11** (2) 133
Determination of elements in human femoral bone using inductively coupled plasma atomic emission spectrometry and inductively coupled plasma mass spectrometry
- Tang SD, Parsons PJ*, Slavin W// *SUNY Albany, Dept Environm Hlth & Toxicol, Albany, NY 12201, USA
Analyst 1996 **121** (2) 195
Rapid and reliable method for the determination of aluminium in bone by electrothermal atomic absorption spectrometry
- Waldner H, Gunther K// *KFA Julich GmbH, Forschungszentrum, Inst Angew Phys Chem, D-52425 Julich, Germany
Z Lebensmittel-Untersuch Fors 1996 **202** (3) 256
Characterization of low molecular weight zinc species in ordinary vegetable foodstuffs (German, English Abstract)
- ## 8 DRUG, BIOCIDES & PROCESSING RESIDUES
- Abete MC, Gili M, Nachtmann C, Rosso A// Ist Zooprofilatt Sperimentale Piemonte Liguria, Via Bologna 148, I-10154 Turin, Italy
Ind Aliment 1996 **35** (344) 40
Gas chromatographic FID method for *p*-toluenesulfonamide determination in baby foods: Disinfection
- Appelgren LE, Bondesson U, Fredriksson E, Larsson CI, Jansson DS// Swedish Univ Agr Sci, Biomedicum, Dept Vet Med Chem, Dept Pharmacol & Toxicol, Box 573, S-75123 Uppsala, Sweden
Fleischwirtschaft 1996 **76** (3) 314
Analysis of hair samples for clenbuterol in calves (German)
- Atawodi SE, Mende P, Preussmann R, Spiegelhalder B// Int Agcy Res Canc, Unit Environm Carcinogenesis, 150 Cours Albert Thomas, F-69372 Lyon 08, France
Food Chem Toxicol 1996 **34** (2) 147
Detection of methylating activity due to nitrosamide in some nitrosated Nigerian foodstuffs
- Barbieri G, Bergamini C, Ori E, Resca P// Azienda Usi Modena, Viale Fontaneli 21, I-41100 Modena, Italy
Ind Aliment 1995 **34** (343) 1273
Determination of sulfonamides in meat and meat products (Italian, English Abstract)
- Bechmann IE// Tech Univ Denmark, Chem Dept, DK-2800 Lyngby, Denmark
Anal Chim Acta 1996 **320** (2-3) 155
Determination of formaldehyde in frozen fish with dehydrogenase using a flow injection system with an incorporated gel-filtration chromatography column
- Biancotto G, Angeletti R, Piro RDM// Ist Zooprofilatt Sperimentale Venezia,

- Dipt Chim, Via Romea 14119, I-35020 Legnano, Italy
Analyst 1996 121 (2) 229
 Detection of veterinary drugs in foodstuffs using gel permeation
- Bicchi C, D'Amato A, Binello A// Univ Turin, Dipt Sci & Tecno Farnaco, Via P Giuria 9, I-10125 Turin, Italy
J High Res Chromatogr 1996 19 (2) 80
 Identification of pesticide residues in real matrices by combining retention indices and specific multidetection responses
- Bicchi C, Balbo C, Binello A, D'Amato A// Address as above.
J High Res Chromatogr 1996 19 (2) 105
 HPLC-UV determination of pesticide residues at 0.01 ppm in apple and pear pulp used for baby food
- Brinkman JHW, Van Dijk AG, Wagenaar R, Quirijns JK*// *TNO, Nutr & Food Res, Analyt Sci Div, Utrechtseweg 48, POB 360, 3700 AJ Zeist, The Netherlands
J Chromatogr A 1996 723 (2) 355
 Determination of daminozide residues in apples using gas chromatography with nitrogen phosphorus detection
- Hogendoorn EA, Van Zoonen P, Poletini A*, Montagna M// *Univ Pavia, Inst Legal Med, Lab Forens Toxicol, Via Forlanini 12, I-27100 Pavia, Italy
J Mass Spectrometry 1996 31 (4) 418
 Hyphenation of coupled-column liquid chromatography and thermospray tandem mass spectrometry for the rapid determination of β -agonist residues in bovine urine using direct large volume sample injection. Set-up of single residue methods for clenbuterol and salbutamol
- Horie M, Saito K, Nose N, Miyajima T, Nakazawa H// Saitama Prefectural Inst Publ Hlth, 639-1 Kamiokubo, Urawa, Saitama 338, Japan
J Food Hyg Soc Jpn 1996 37 (1) 8
 Determination of carbadox and its metabolite, quinoxaline-2-carboxylic acid, in swine tissues by HPLC (Japanese, English Abstract)
- Izquierdo A, Tena MT, De Castro MDL, Valcarcel M*// *Univ Cordoba, Dept Analyt Chem, E-14004 Cordoba, Spain
Chromatographia 1996 42 (3-4) 206
 Supercritical fluid extraction of carbamate pesticides from soils and cereals
- Jimenez JJ, Bernal JL, Atienza J// Univ Valladolid, Dept Analyt Chem, E-47005 Valladolid, Spain
Chromatographia 1996 42 (3-4) 130
 CGC/AED and CGE/ECD/NPD comparison for the determination of acaricides in honey after hexane acetone extraction
- Kataoka H, Ryu S, Sakiyama N, Makita M// Okayama Univ, Fac Pharmaceut Sci, Tsushima, Okayama 700, Japan
J Chromatogr A 1996 726 (1-2) 253
 Simple and rapid determination of the herbicides glyphosate and glufosinate in river water, soil and carrot samples by gas chromatography with flame photometric detection
- Korsrud GO, Papich MG, Fesser ACE, Salisbury CDC, Macneil JD// Agr Canada, Hlth Anim Lab, 116 Vet Rd, Saskatoon, Saskatchewan, Canada S7N 5E3
J Food Protect 1996 59 (2) 161
 Laboratory testing of the Charm Test II receptor assays and the Charm Farm Test with tissues and fluids from hogs fed sulfamethazine, chlortetracycline, and penicillin G
- Laitinen MPA, Vuento M// Univ Jyvaskyla, Dept Biol & Environm Sci, Vaupaudenkatu 4, SF-40100 Jyvaskyla, Finland
Acta Chem Scand 1996 50 (2) 141
 Immunochromatographic assay for quantitation of milk progesterone
- Lancas FM, Barbirato MA, Galhiane MS// Univ Sao Paulo, Inst Chem, BR-13560-970 Sao Carlos, SP, Brazil
Chromatographia 1996 42 (3-4) 147
 Simultaneous extraction of norflurazon and oxadixyl residues from food crops with supercritical carbon dioxide
- Lancas FM, Barbirato MA, Galhiane MS// Univ Sao Paulo, Inst Quim Sao Carlos, BR-13560-970 Sao Carlos, SP, Brazil
Chromatographia 1996 42 (3-4) 213
 Extraction of atabron residues from cabbage with supercritical carbon dioxide
- Law FCP, Meng J// Simon Fraser Univ, Dept Biol Sci, Environm Toxicol Program, Burnaby, Brit Columbia, Canada V5A 1S6
Food Addit Contam 1996 13 (2) 199
 Binding of ^{14}C -furazolidone metabolites to the muscular and hepatic proteins of trout
- Lawson G, Barkby CT, Lawson C// De Montfort Univ, Dept Chem, Leicester LE1 9BH, England
Fresenius J Anal Chem 1996 354 (4) 483
 Contaminant migration from food packaging laminates used for heat and eat meals
- Mi H, Wesen C, Sundin P, Nilsson E// Lund Univ, Div Technol Anal Chem, Ctr Chem & Chem Engr, POB 124, S-22100 Lund, Sweden
J Mass Spectrom 1996 31 (5) 517
 Gas chromatographic and mass spectrometric identification of tetrachloroalkanoic and dichloroalkenoic acids in eel lipids
- Okishashi M, Obana H, Hori S, Nishimune T, Sasaki Y// Osaka Prefectural Inst Publ Hlth, Higashinari ku, 1-3-69 Nakamichi, Osaka 537, Japan
J Food Hyg Soc Jpn 1996 37 (1) 43
 Determination of pesticide residues in onion, using a microwave oven (Japanese, English Abstract)
- Richling E, Herderich M, Schreier P*// *Univ Wurzburg, Lehrstuhl Lebensmittelchem, Am Hubland, D-97074 Wurzburg, Germany
Chromatographia 1996 42 (1-2) 7
 High-performance liquid chromatography-electrospray-tandem mass spectrometry (HPLC-ESI-MS-MS) for the analysis of heterocyclic aromatic amines (HAA)
- Saitanu K, Kobayashi H, Chalermchaikit T, Kondo F// Chulalongkorn Univ, Dept Vet Publ Hlth, Bangkok 10330, Thailand
J Food Protect 1996 59 (2) 199
 Simple and rapid method for determination of oxolinic acid in tiger shrimp (*Penaeus monodon*) by high-performance liquid chromatography
- Saul SJ, Zomer E, Puopolo D, Charm SE// Charm Sci Inc, 36 Franklin St, Malden, Ma 02148, USA
J Food Protect 1996 59 (3) 306
 Use of a new rapid bioluminescence method for screening organophosphate and N-methylcarbamate insecticides in processed baby foods
- Tolhurst TA, Negrusz A*, Libelt B, Woods EF, Levine BS// *Univ Illinois, Coll Pharm, Dept Pharmaceut & Pharmacodynam, 833 Sth Wood St, Chicago, IL 60612, USA
Chromatographia 1996 42 (3-4) 223
 Determination of ampicillin in New Zealand white rabbit plasma using column switching technique and HPLC
- Torres P, Luque de Castro MD// Univ Cordoba, Dept Analyt Chem, E-14004 Cordoba, Spain
Instrum Sci Technol 1996 24 (1) 57
 Interfacing a robotic station with a gas chromatograph for the full automation of the determination of organochlorine pesticides in vegetables
- Vinas P, Erroz CL, Campillo N, Hernandez-Cordoba M*// *Univ Murcia, Dept Analyt Chem, E-30071 Murcia, Spain
J Chromatogr A 1996 726 (1-2) 125
 Determination of sulphonamide in foods by liquid chromatography with post-column fluorescence derivatization
- Waliszewski SM, Pardio VT, Waliszewski KN, Chantiri JN, Infanzon RM, Rivera J// Univ Veracruz, Inst Forens Med, Framboyanes 30, Boca del Rio 919500, Veracruz, Mexico
Food Addit Contam 1996 13 (2) 231
 Detection of some organochlorine pesticides in cow's milk
- Wester PG, De Boer J, Brinkman UAT// DLO, Netherlands Inst Fisheries Res, POB 68, 1970 AB IJmuiden, The Netherlands
Environ Sci Technol 1996 30 (2) 473
 Determination of polychlorinated terphenyls in aquatic biota and sediment with gas chromatography/mass spectrometry using negative chemical ionization

9 TOXINS

- Akiyama H, Miyahara M, Toyoda M, Saito Y// Natl Inst Hyg Sci, Setgaya ku, 1-18-1 Kamiyoga, Tokyo 158, Japan
J Food Hyg Soc Jpn 1996 37 (1) 54
 Determination of fumonisin B₁ and fumonisin B₂ in grain and corn processed products by HPLC (Japanese, English Abstract)
- Aldao MAJ, Carpinella MC, Corelli M, Herrero GG// Univ Nacl Cordoba, Dept Bioquim Clin, RA-5016 Cordoba, Argentina
Food Agric Immunol 1995 7 (4) 307
 Competitive ELISA for quantifying small amounts of aflatoxin B₁
- Burk C, Usleber E, Dietrich R, Martlbauer E// Univ Munich, Inst Hyg & Technol Food Anim Origin, Schellingstr 10, D-80799 Munich, Germany
Food Agric Immunol 1995 7 (4) 315
 Production and characterization of antibodies against neosaxitoxin utilizing a novel immunogen synthesis procedure
- Koch M, Steinmeyer S, Tiebach R, Weber R, Weyerstahl P// Tech Univ Berlin, Inst Organ Chem, Str 17 Juni 135, D-10623 Berlin, Germany
Deut Lebensmittel-Rundsch 1996 92 (2) 48
 Determination of ochratoxin A in roast coffee (German, English Abstract)
- Kovacs F, Sandor G, Vanyi A*, Domany S, Zomborszky-Kovacs M// *Univ Vet Sci, Dept Anim Hyg, Budapest, Hungary
Acta Vet Hung 1995 43 (4) 393
 Detection of ochratoxin A in human blood and colostrum
- Pfeiffer P// Univ Mainz, Inst Mikrobiol & Weinforsch, JJ Becherweg 15, D-55099 Mainz, Germany
Deut Lebensmittel-Rundsch 1996 92 (2) 39
 Determination of biogenic amines in wine after solid phase extraction and high-performance liquid chromatography (German, English Abstract)
- Prelusky DB, Miller JD, Trenholm HL// Agr & Agri-Food Canada, Ctr Food & Anim Res, Cent Expt Farm, Ottawa, Ontario, Canada K1A 0C6
Food Addit Contam 1996 13 (2) 155
 Disposition of ^{14}C -derived residues in tissues of pigs fed radiolabelled fumonisin B₁
- Su YC, Wong CL*// *Univ Wisconsin, Inst Food Res, Dept Food Microbiol &

Toxicol, 1925 Willow Dr, Madison, WI 53706, USA
J Food Protect 1996 **59** (3) 327
 Detection of staphylococcal enterotoxin H by an enzyme-linked immunosorbent assay

10 ADDITIVES

Dominguez A, Alvarez R, Blanco CG, Diez MA// CSIC, Inst Nacl Carbon, Apdo 73, E-33080 Oviedo, Spain
J Chromatogr A 1996 **719** (1) 181
 Chromatographic evaluation of some selected polycyclic aromatic hydrocarbons of coal tars produced under different coking conditions and pitches derived from them

Goda Y, Nakanishi T, Sakamoto S, Sato K, Maitani T, Yamada T// Natl Inst Hlth Sci, Setagaya ku, 1-18-1 Kamiyoga, Tokyo 158, Japan
J Food Hyg Soc Jpn 1996 **37** (1) 20
 Analyses of coloring constituents in commercial paprika color by HPLC (Japanese, English Abstract)

Ilett DR, Burke S, Simpson WJ// *BRF Int, Redhill RH1 4HY, Surrey, England
J Sci Food Agr 1996 **70** (3) 337
 Measurement and prediction of the rate of loss of sulphur dioxide from beer

Kaneda H, Takashio M, Osawa T, Kawakishi S, Koshino S, Tamaki T// Sapporo Breweries Ltd, Brewing Res Labs, 10 Okatohme, Yaizu, Shizuoka 425, Japan
J Food Sci 1996 **61** (1) 105
 Analysis of aldehyde-bisulfites in beer by HPLC-fluorescence detection with post-column derivatization

Masar M, Kaniansky D*, Madajova V// *Comenius Univ, Dept Analyt Chem, Mlynska Dolina CH-2, Bratislava 84215, Slovakia
J Chromatogr A 1996 **724** (1-2) 327
 Separation of synthetic food colourants by capillary zone electrophoresis in a hydrodynamically closed separation compartment

Ohno T, Ito Y, Mikami E, Ikai Y, Oka H, Hayakawa J, Nakagawa T// Aichi Prefectural Inst Publ Hlth, Kita ku, Nagare 7-6, Nagoya, Aichi 462, Japan
Jpn J Toxicol Environ Health 1996 **42** (1) 53
 Identification of coal tar dyes in cosmetics and foods using reversed phase TLC scanning densitometry (Japanese, English Abstract)

Redl A, Gontard N, Guilbert S// CIRAD, SAR, ENSIA, SIARC, BP 5035-73 rue JF Breton, F-34090 Montpellier 01, France
J Food Sci 1996 **61** (1) 116
 Determination of sorbic acid diffusivity in edible wheat gluten and lipid based films

11 FLAVOURS & AROMAS

Barrefors P, Granelli K, Appelqvist LA, Bjoerck L// Swedish Univ Agr Sci, Dept Food Sci, POB 7051, S-75007 Uppsala, Sweden
J Dairy Sci 1995 **78** (12) 2691
 Chemical characterization of raw milk samples with and without oxidative off-flavor

Benn SM, Peppard TL// *Givaudan Roure Corp, 100 Delawanna Ave, Clifton, NJ 07015, USA
J Agr Food Chem 1996 **44** (2) 557
 Characterization of tequila flavor by instrumental and sensory analysis

Ferri M, Mattei P, Civera T, Gili S// Scuola Specializzaz Ispez Alimenti, Dipt Patol Anim, Via Nizza 52, I-10126 Turin, Italy
Ind Aliment 1995 **34** (343) 1277
 Considerations on the employment of electrical conductivity in freshness assessment of nine Mediterranean fish species (Italian, English Abstract)

Martin MJ, Pablos F, Gonzalez AG// Univ Sevilla, Dept Analyt Chem, E-41012 Seville, Spain
Anal Chim Acta 1996 **320** (2-3) 191
 Application of pattern recognition to the discrimination of roasted coffees

Nilsson U, Bergh M, Shao LP, Karlberg AT// Natl Ist Occupat Hlth, Div Analyt Chem, S-17184 Solna, Sweden
Chromatographia 1996 **42** (3-4) 199
 Analysis of contact allergenic compounds in oxidized *d*-limonene

Sadok S, Uglow RF, Haswell SJ// *Univ Hull, Sch Chem, Hull HU6 7RX, England
Anal Chim Acta 1996 **321** (1) 69
 Determination of trimethylamine in fish by flow injection analysis

Shen LQ, Yang LJ, Peng TZ// Hangzhou Inst Commerce, Dept Food Sci, Hangzhou 310035, Peoples Rep China
J Sci Food Agr 1996 **70** (3) 298
 Amperometric determination of fish freshness by a hypoxanthine biosensor

Toko K, Iyota I, Mizota Y, Matsuno T, Yoshioka T, Doi T, Iiyama S, Kato T, Yamafuji K, Watanabe R// Kyushu Univ 36, Dept Electr, Fukuoka 812, Japan
Jpn J Appl Phys Pt 1 1995 **34** (11) 6287
 Heat effect on the taste of milk studied using a taste sensor

Yano Y, Yokoyama K, Tamiya E, Karube I// Itoham Foods Inc, Cent Res Inst, 1-2 Kubogaoka, Moriya, Ibaraki 30201, Japan
Anal Chim Acta 1996 **320** (2-3) 269
 Direct evaluation of meat spoilage and the progress of aging using biosensors

12 ORGANIC ACIDS

Gilis M, Durliat H, Comtat M// *Univ Toulouse 3, Lab Genie Chim & Electrochim, CNRS, URA 192, 118 Rte Narbonne, F-31062 Toulouse, France
Amer J Enol Viticult 1996 **47** (1) 11
 Electrochemical biosensors for assays of L-malic and D-lactic acids in wines

Jun XA, Lima JLFC, Montenegro MCBSM// *Fac Farm Porto, CEQUP, Dept Quim Fis, Rua Anibal Cunha 164, P-4050 Oporto, Portugal
Anal Chim Acta 1996 **321** (2-3) 263
 Simultaneous determination of inorganic anions and carboxylic acids in wine using isocratic separation on a permanently coated reversed-phase column and UV indirect detection

Matsumoto K, Tsukatani T// Kyushu Univ 4609, Dept Food Sci & Technol, Higashi ku, Fukuoka 812, Japan
Anal Chim Acta 1996 **321** (2-3) 157
 Simultaneous quantitation of citrate and isocitrate in citrus juice by a flow-injection method based on the use of enzyme reactors

Mazzei F, Azzoni A, Cavalieri B, Botre F*, Botre C// *Univ La Sapienza, Ist Merceol, Via del Castro Laurenziao 9, I-00161 Rome, Italy
Food Chem 1996 **55** (4) 413
 A multi-enzyme bioelectrode for the rapid determination of total lactate concentration in tomatoes, tomato juice and tomato paste

13 ANIMAL PRODUCTS

Dairy Ind Int 1996 **61** (2) 27
 Automated enzyme assay

Baumgart J// Fachhsch Lippe, FB Lebensmitteltechnol, Liebigstr 87, D-32657 Lemgo, Germany
Fleischwirtschaft 1996 **76** (3) 272
 Hygiene monitoring by ATP-determination with the Hy-Lite™ system (German)

Bertrand JA// Clemson Univ, Dept Anim Dairy & Vet Sci, Clemson, SC 29634, USA
J Dairy Sci 1996 **79** (1) 145
 Influence of shipping container, preservative, and breed on analysis of milk components of shipped samples

Borgo R, Souty-Grosset C, Bouchon D, Gomot L// Univ Franche Comte, Lab Zool & Embryol, Pl Leclerc, F-25030 Besancon, France
J Food Sci 1996 **61** (1) 1
 PCR-RFLP analysis of mitochondrial DNA for identification of snail meat species

Faldt P, Sjöholm I// Inst Surface Chem, POB 5607, S-11486 Stockholm, Sweden
Milchwissenschaft 1996 **51** (2) 88
 Characterization of spray-dried whole milk

Fontecha J, Swaisgood HE// CSIC, Inst Frio, Ciudad Univ s/n, E-28040 Madrid, Spain
J Dairy Sci 1995 **78** (12) 2660
 Interaction of sucrose ester with casein micelles as characterized by size-exclusion chromatography

Gerrard DE, Gao X, Tan J// Purdue Univ, Dept Anim Sci, West Lafayette, IN 47907, USA
J Food Sci 1996 **61** (1) 145
 Beef marbling and color score determination by image processing

Hassan AN, Frank JF, Farmer MA, Schmidt KA, Shalabi SI// Univ Georgia, Dept Food Sci & Technol, Athens, Ga 30602, USA
J Dairy Sci 1995 **78** (12) 2629
 Formation of yogurt microstructure and three-dimensional visualization as determined by confocal scanning laser microscopy

Humbert G, Guingamp MF, Choukri A, Linden G// Univ Nancy 1, INRA, Lab Biosci Aliment, BP 239, F-54506 Vandoeuvre les Nancy, France
Milchwissenschaft 1996 **51** (2) 63
 Classification of bovine milk samples by using a new *N*-acetyl- β -D-glucosaminidase activity measurement

Kuitche A, Daudin JD*, Letang G// *INRA, Rech Viande Stn, F-63122 St Genes Champane, France
J Food Eng 1996 **28** (1) 55
 Modelling of temperature and weight loss kinetics during meat chilling for time-variable conditions using an analytical-based method. I. The model and its sensitivity to certain parameters

Kuitche A, Letang G, Daudin JD// *Address as above.
J Food Eng 1996 **28** (1) 85
 Modelling of temperature and weight loss kinetics during meat chilling for time-variable conditions using an analytical-based method. II. Calculations ver-

sus measurements on wet plaster cylinders and cast

Levieux D, Levieux A// INRA, Meat Res Ctr, Immunochem Unit, F-63122 St Genes Champane, France
Meat Sci 1996 **42** (3) 239

Antigenic specificity of monoclonal antibodies to beef myoglobin determined by cross-reactivity studies against myoglobins from domestic species

Liu Q, Scheller KK, Arp SC, Schaefer DM, Frigg M// Univ Wisconsin, Dept Meat & Anim Sci, Madison, WI 53706, USA
J Anim Sci 1996 **74** (1) 106

Color coordinates for assessment of dietary vitamin E effects on beef color stability

McCrae CH, Lepoetere A// Hannah Res Inst, Ayr KA6 5HL, Scotland
Int Dairy J 1996 **6** (3) 247

Characterization of dairy emulsions by forward lobe laser scattering: Application to milk and cream

Millar SJ, Moss BW, Stevenson MH// Queens Univ Belfast, Dept Food Sci, Newforge Lane, Belfast BT9 5PX, Northern Ireland
Meat Sci 1996 **42** (3) 277

Some observations on the absorption spectra of various myoglobin derivatives found in meat

Munn P// Address not available.

Bee World 1995 **76** (3) 158

Adulterated honey: New method of detection

Nunez M, Tomillo J, Gaya P, Medina M// INIA, CIT, Dept Tecnol Alimentos, Carretera La Coruna km 7, E-28040 Madrid, Spain
Milchwissenschaft 1996 **51** (1) 7

Bacteriocin quantification by the critical dilution method: A comparison of arbitrary units with diameter and area of the zone of growth inhibition

Pegg RB, Shahidi F*, Cogan NJ, De Silva S// *Mem Univ Newfoundland, Dept Biochem, St Johns, Newfoundland, Canada A1B 3X9
J Agr Food Chem 1996 **44** (2) 416

Elucidation of the chemical structure of preformed cooked cured-meat pigment by electron paramagnetic resonance spectroscopy

Romero C, Perez-Andujar O, Olmedo A, Jimenez S// CSIC, Inst Frio, Unidad Ciencia & Tecnol Prod Lacteos, Avda Ramiro Maeztu s/n, E-28040 Madrid, Spain
Chromatographia 1996 **42** (3-4) 181

Detection of cow's milk in ewe's or goat's milk by HPLC

Spadaro V, Keeton JT// Texas A&M Univ, Dept Anim Sci, College Stn, TX 77843, USA
J Food Sci 1996 **61** (1) 235

Qualitative and quantitative textural assessment of cooked ground beef patties

Whitman A, Forrest JC, Morgan MT, Okos MR// Purdue Univ, Dept Agr & Biol Engn, West Lafayette, IN 47907, USA
J Anim Sci 1996 **74** (1) 80

Electrical measurement for detecting early postmortem changes in porcine muscle

Zhao YY, Wells JH// *Louisiana State Univ, Ctr Agr, Louisiana Agr Expt Stn, Dept Biol & Agr Engrn, Baton Rouge, La 70803, USA
J Food Process Eng 1995 **18** (4) 383

Method for measuring CO₂ absorption in CO₂ and N₂ packaged fresh meat

14 PLANT & MICROBIAL PRODUCTS

Angelino SAGF// Address not available.

J Inst Brew 1996 **102** (2) 73

Determination of the moisture and nitrogen contents of barley and malt by near infrared spectroscopy (NIRS)

Barroso CG, Rodriguez MC, Guillen DA, Perez-Bustamante JA// Univ Cadiz, Dept Analyt Chem, POB 40, E-11510 Puerto Real, Cadiz, Spain
J Chromatogr A 1996 **724** (1-2) 125

Analysis of low molecular mass phenolic compounds, furfural and 5-hydroxymethylfurfural in Brandy de Jerez by high-performance liquid chromatography diode array detection with direct injection

Bru ER, Barroso CG, Cela R, Perez-Bustamante JA// *Univ Cadiz, Dept Analyt Chem, POB 40, E-11510 Puerto Real, Cadiz, Spain
Analyst 1996 **121** (3) 297

Development of a rotatory and continuous liquid-liquid extraction technique for phenolic compounds in wine

Buckee GK// Address not available.

Monatsschr Brauwissen 1996 **49** (1-2) 19

Determination of anions in beer by ion chromatography (German)

Creller MA, Werner DJ// Nth Carolina State Univ, Dept Hort Sci, Raleigh, NC 27695, USA
J Amer Soc Hort Sci 1996 **121** (2) 198

Characterizing the novel fruit surface morphology of 'Marina' peach using scanning electron microscopy

Fung YS, Mo SY// Univ Hong Kong, Dept Chem, Pokfulam Rd, Hong Kong, Hong Kong
Analyst 1996 **121** (3) 369

Determination of ethanol in beer by flow injection dual-pulse staircase voltammetric detection

Guillen DA, Barroso CG*, Perez-Bustamante JA// *Univ Cadiz, Dept Analyt Chem, POB 40, E-11510 Puerto Real, Cadiz, Spain
J Chromatogr A 1996 **724** (1-2) 117

Selection of column and gradient for the separation of polyphenols in sherry wine by high-performance liquid chromatography incorporating internal standards

Iwaasa AD, Beauchemin KA, Buchanan-Smith JG, Acharya SN// Agr & Agri-Food Canada, Res Ctr, Lethbridge, Alberta, Canada T1J 4B1
Anim Feed Sci Tech 1996 **57** (3) 225

A shearing technique measuring resistance properties of plant stems

Jenkins AJ, Llosa T, Montoya I, Cone EJ// *NIH, NIDA, Addict Res Ctr, POB 5180, Baltimore, Md 21224, USA
Forensic Sci Int 1996 **77** (3) 179

Identification and quantitation of alkaloids in coca tea

Johnston TV, Morris JR// Middle Tennessee State Univ, Dept Agribusiness & Agrisci, POB 5, Murfreesboro, TN 37132, USA
J Food Sci 1996 **61** (1) 109

Separation of anthocyanin pigments in wine by low pressure column chromatography

Joubert E// INFRUITEC, Private Bag X5013, Stellenbosch 7599, Rep Sth Africa
Food Chem 1996 **55** (4) 403

HPLC quantification of the dihydrochalcones, aspalathin and nothofagin in rooibos tea (*Aspalathus linearis*) as affected by processing

Kunii Y, Otsuka M, Kashino S, Takeuchi H, Ohmori S// *Okayama Univ, Fac Pharmaceut Sci, Tsushima Naka 1-1-1, Okayama 700, Japan
J Agr Food Chem 1996 **44** (2) 483

4-Hydroxypipercolic acid and pipercolic acid in *Acacia* species: Their determination by high-performance liquid chromatography, its application to leguminous plants, and configuration of 4-hydroxypipercolic acid

Kuntcheva RJ, Obretenov TD// *Higher Inst Food Ind, Dept Organ Chem, 26 Maritsa Blvd, BU-4000 Plovdiv, Bulgaria
Z Lebensmittel-Untersuch Fors 1996 **202** (3) 238

Isolation and characterization of melanoidins from beer

Lee MH, Chen RLC, Matsumoto K// Kyushu Univ, Dept Food Sci & Technol, Higashi ku, Fukuoka 81281, Japan
Biosci Biotechnol Biochem 1996 **60** (2) 362

Novel enzymatic assays for the measurement of gallotannin, amino acids, and glutamate in green tea infusions: Analytical results

Moriyasu T, Saito K, Nakazato M, Ishikawa F, Fujinuma K, Nishima T, Tamura Y// Tokyo Metropolitan Res Lab Publ Hlth, Shinjuku ku, 3-24-1 Hya-kunin cho, Tokyo 169, Japan
J Food Hyg Soc Jpn 1996 **37** (1) 14

Simultaneous determination of caffeine, theobromine and theophylline in foods by HPLC (Japanese, English Abstract)

Mundy AP// Address not available.

J Inst Brew 1996 **102** (2) 69

Collaborative determination of specific gravity by density meter

Ng LK, Hupe M, Harnois J, Moccia D// Revenue Canada, Lab & Sci Serv Directorate, Div Res & Dev, 79 Bentley Ave, Ottawa, Ontario, Canada K1A 0L5
J Sci Food Agr 1996 **70** (3) 380

Characterisation of commercial vodkas by solid-phase microextraction and gas chromatography/mass spectrometry analysis

Noziere P, Michalet-Doreau B// *INRA, Stn Rech Nutr Herbivores, F-63122 St Genes Champane, France
Anim Feed Sci Tech 1996 **57** (3) 203

Validation of *in sacco* method: Influence of sampling site, nylon bag or rumen contents, on fibrolytic activity of solid-associated microorganisms

Srinivasan A, Takeda H, Senboku T// Japan Int Res Ctr Agr Sci, Okinawa Subtrop Stn, Int Collaborat Res Sect, Ishigaki, Okinawa 907, Japan
Euphytica 1996 **88** (1) 35

Heat tolerance in food legumes as evaluated by cell membrane thermostability and chlorophyll fluorescence techniques

Sumner LW, Paiva NL, Dixon RA, Geno PW// Oklahoma State Univ, Dept Chem, Stillwater, Ok 74078, USA
J Mass Spectrom 1996 **31** (5) 472

High-performance liquid chromatography/continuous-flow liquid secondary ion mass spectrometry of flavonoid glycosides in leguminous plant extracts

Villamide MJ// Univ Politecn Madrid, ETSI Agron, Dept Anim Prod, E-28040 Madrid, Spain
Anim Feed Sci Tech 1996 **57** (3) 211

Methods of energy evaluation of feed ingredients for rabbits and their accuracy

Williams BA, Chuzaemi S, Soebarinoto, Van Bruchem J, Boer H, Tamminga S// Agr Univ Wageningen, Dept Anim Nutr, Wageningen Inst Anim Sci, Marijkeweg 40, 6709 PG Wageningen, The Netherlands
Anim Feed Sci Tech 1996 **57** (3) 183

A comparison of ten rice-straw varieties grown at two different altitudes during a wet and a dry season, using the *in vitro* cumulative gas production technique