

Bibliography of analytical, nutritional and clinical methods

(Six weeks journals - Search completed at 5th June 1996)

1 BOOKS, REVIEWS & SYMPOSIA

Boyd D, O'Keeffe M*, Smyth MR// *Teagasc, Natl Food Ctr, Dublin 15, Rep Ireland

Analyst 1996 **121** (1) R1

Methods for the determination of β -agonists in biological matrices: A review

Careri M, Mangia A, Musci M// Univ Parma, Dipt Chim Gen & Inorgan Chim Analit Chim, Viale Sci, I-43100 Parma, Italy

J Chromatogr A 1996 **727** (2) 153

Applications of liquid chromatography/mass spectrometry interfacing systems in food analysis: Pesticide, drug and toxic substance residues (Review)

Horie M, Nakazawa H// Saitama Prefectural Inst Publ Hlth, 639-1, Kamiokubo, Urawa, Saitama 338, Japan

Bunseki Kagaku 1996 **45** (4) 279

Analysis of residual chemicals in food (Review) (Japanese, English Abstract)

Meyer R, Candrian U// Univ Bern, Food Chem Lab, Freiestr 3, CH-3012 Bern, Switzerland

Food Sci Technol-Lebensm Wiss 1996 **29** (1-2) 1

PCR-based DNA analysis for the identification and characterization of food components (Review)

Miyazaki M, Yamamoto A// Kanazawa Univ, Fac Pharmaceut Sci, 13-1 Takaramachi, Kanazawa, Ishikawa 920, Japan

J Food Hyg Soc Jpn 1996 **37** (2) 65

Recent development of ion chromatography to the analysis of anions in food-stuffs (Review) (Japanese, English Abstract)

Suhren G, Heesch W// Fed Dairy Res Ctr, Inst Hyg, Hermann Weigmann Str 1, D-24103 Kiel, Germany

Nahrung 1996 **40** (1) 1

Detection of inhibitors in milk by microbial tests: A review

2 GENERAL

Henry-Bressollette A, Launay B*, Danzart M// *ENSIA, 1 Ave Olympiades, F-91305 Massy, France

Sci Aliment 1996 **16** (1) 3

Methodology for establishing correlations between sensory and instrumental attributes of crisp products with slight texture differences (French, English Abstract)

Martin LJ, Su WF, Jones PJ, Lockwood GA, Tritchler DL, Boyd NF// Ontario Canc Inst, Div Epidemiol & Stat, 610 Univ Ave, Toronto, Ontario, Canada M5G 2M9

Amer J Clin Nutr 1996 **63** (4) 483

Comparison of energy intakes determined by food records and doubly labeled water in women participating in a dietary-intervention trial

Maurer K, Hardy J// Ecole Natl Super Agron & Ind Alimentaires, Inst Natl Polytech Lorraine, F-54500 Vandoeuvre les Nancy, France

J Texture Stud 1996 **27** (1) 41

Rheological and sensory characterization of viscous and pasty food products: Application of fractal concepts and Fourier analysis

Sawaya AL, Tucker K, Tsay R, Willett W, Saltzman E, Dallal GE, Roberts SB*// *Tufts Univ/USDA, Mayer Human Nutr Res Ctr Aging, Energy Metab Lab, 711 Washington St, Boston, Ma 02111, USA

Amer J Clin Nutr 1996 **63** (4) 491

Evaluation of four methods for determining energy intake in young and older women: Comparison with doubly labeled water measurements of total energy expenditure

Zwiggelaar R, Bull CR, Mooney MJ// Silsoe Res Inst, Wrest Pk, Silsoe MK45

4HS, Beds, England

J Agr Eng Res 1996 **63** (2) 161

X-ray simulations for imaging applications in the agricultural and food industries

3 AMINO ACIDS, PROTEINS & ENZYMES

Albery WJ, Hutchins JEC, Uttamlal M// New Chem Lab, Molec Sensors Unit, Sth Parks Rd, Oxford OX1 3QT, England

J Appl Electrochem 1996 **26** (3) 243

An L-amino acid electrode for monitoring beer fermentation

An HJ, Hartley PS, Fan XB, Morrissey MT// Oregon State Univ, Seafood Lab, 250 36th St, Astoria, Or 97103, USA

J Food Sci 1995 **60** (6) 1228

Activity staining of Pacific whiting (*Merluccius productus*) protease

Baer A, Ryba I, Meyer J, Butikofer U// Fed Dairy Res Inst, CH-3097 Liebefeld, Switzerland

Food Sci Technol-Lebensm Wiss 1996 **29** (1-2) 58

Microplate assay of free amino acids in Swiss cheeses

Brierley ER, Wilde PJ*, Onishi A, Hughes PS, Simpson WJ, Clark DC// *Food Res Inst, Food Biophys Dept, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England

J Sci Food Agr 1996 **70** (4) 531

The influence of ethanol on the foaming properties of beer protein fractions: A comparison of Rudin and microconductivity methods of foam assessment

Cochet S, Pesliakas H, Kroviarski Y, Cartron JP, Bertrand O*// *INSERM U76, 6 rue Alexandre Cabanel, F-75739 Paris, France

J Chromatogr A 1996 **725** (2) 237

Chromatography of bovine lactoserum on the immobilized metallized dye Dri-marene Rubine R/K 5BL: Modulation of selectivity by metal exchange and application to purification of milk immunoglobulins

Contois JH, McNamara JR, Lammi-Keefe CJ, Wilson PWF, Massov T, Schaefer EJ*// *Tufts Univ/USDA, Mayer Human Nutr Res Ctr Aging, Lipid Metab Lab, Boston, Ma 02111, USA

Clin Chem 1996 **42** (4) 507

Reference intervals for plasma apolipoprotein A-I determined with a standardized commercial immunoturbidimetric assay: Results from the Framingham offspring study

Contois JH, McNamara JR, Lammi-Keefe CJ, Wilson PWF, Massov T, Schaefer EJ*// *Address as above.

Clin Chem 1996 **42** (4) 515

Reference intervals for plasma apolipoprotein B determined with a standardized commercial immunoturbidimetric assay: Results from the Framingham Offspring Study

De Ferrer PAR, Colaso RAG, Marquez MEI, Carlini AR, Vergani AR, Vergani DF, Daneri GA// Univ Buenos Aires, Dept Nutr & Food Sci, Junin 956, RA-1113 Buenos Aires, DF, Argentina

Polar Biol 1996 **16** (4) 241

Southern elephant seal (*Mirounga leonina*). II. Studies of milk protein fractions by gel electrophoresis

Denery-Papini S, Popineau Y*, Quillien L, Van Regenmortel MHV// *INRA, Lab Biochim & Technol Prot, BP 1627, F-44316 Nantes 03, France

J Cereal Sci 1996 **23** (2) 133

Specificity of antisera raised against synthetic peptide fragments of high M_r glutenin subunits

Gaudichon C, Mahe S*, Luengo C, Laurent C, Meaugeais P, Krempf M, Tome D// *INRA, Fac Sci Pharmaceut & Biol, Unite Nutr Humaine & Physiol Intestinale, 4 Ave Observatoire, F-75270 Paris 06, France

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Books, Reviews & Symposia; 2 General; 3 Amino Acids, Proteins & Enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & Co-factors; 7 Trace Elements & Minerals; 8 Drug, Biocide & Processing Residues; 9 Toxins; 10 Additives; 11 Flavours & Aromas; 12 Organic Acids; 13 Animal Products; 14 Plant & Microbial Products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

- Eur J Clin Nutr* 1996 **50** (4) 261
A ¹⁵N-leucine-dilution method to measure endogenous contribution to luminal nitrogen in the human upper jejunum
- Gehrig PM, Krzyzaniak A, Barciszewski J, Biemann K*// *MIT, Dept Chem, Cambridge, Ma 02139, USA
Proc Nat Acad Sci USA 1996 **93** (8) 3647
Mass spectrometric amino acid sequencing of a mixture of seed storage proteins (napin) from *Brassica napus*, products of a multigene family
- Giovane A, Laratta B, Lojudice R, Quagliuolo L, Castaldo D, Servillo L// Univ Naples 2, Dept Biochem & Biophys, Via Costantinopoli 16, I-80138 Naples, Italy
Biotechnol Appl Biochem 1996 **23** (2) 181
Determination of residual pectin methylesterase activity in food products
- Kee P, Bais R*, Sobiecki SK, Branford S, Rye KA, Barter PJ// *Royal Nth Shore Hosp, Dept Biochem, St Leonards, NSW 2065, Australia
Ann Clin Biochem 1996 **33** (2) 119
Indirect sandwich enzyme-linked immunosorbent assay (ELISA) for plasma apolipoprotein E
- Lippi G, Giampaolo L, Guidi G*// *COC Valeggio Sul Mincio, Lab Chim Clin, I-37067 Valeggio Sul Mincio, Verona, Italy
Eur J Clin Chem Clin Biochem 1996 **34** (3) 251
Effects of anticoagulants on lipoprotein(a) measurements with four commercial assays
- Lobley GE, Connell A, Revell DK, Bequette BJ, Brown DS, Calder AG// Rowett Res Inst, Greenburn Rd, Bucksburn AB2 9SB, Aberdeen, Scotland
Brit J Nutr 1996 **75** (2) 217
Splanchnic-bed transfers of amino acids in sheep blood and plasma, as monitored through use of a multiple U-¹³C-labelled amino acid mixture
- Molina E, Fernandez-Fournier A, De Frutos M, Ramos M*// *CSIC, Inst Quim Organ Gen, C/Juan de la Cierva 3, E-28006 Madrid, Spain
J Dairy Sci 1996 **79** (2) 191
Western blotting of native and denatured bovine β-lactoglobulin to detect addition of bovine milk in cheese
- Peltonen J, Virtanen A, Helenius J, Salopelto J, Kilttila K, Eloranta E// Plant Prod Inspect Ctr, Seed Testing Dept, POB 111, SF-32201 Loimaa, Finland
Agr Sci Finland 1995 **4** (5-6) 495
Determination of barley nitrogen status with chlorophyll meter for high β-amylase in grains
- Raspor B, Pavicic J// Rudjer Boskovic Inst, Ctr Marine Res, Zagreb 10000, Croatia
Fresenius J Anal Chem 1996 **354** (5-6) 529
Electrochemical methods for quantification and characterization of metallothioneins induced in *Mytilus galloprovincialis*
- Sanchez M, El-Khoury AE, Castillo L, Chapman TE, Filho AB, Beaumier L, Young VR*// *MIT, Clin Res Ctr, 40 Ames St, Cambridge, Ma 02142, USA
Amer J Clin Nutr 1996 **63** (4) 532
Twenty-four-hour intravenous and oral tracer studies with L-[1-¹³C]phenylalanine and L-[3,3-²H₂]tyrosine at a tyrosine-free, generous phenylalanine intake in adults
- Sarwar G, Darling P, Ujji M, Botting HG, Pencharz PB// Hlth Canada, Hlth Protect Branch, Bur Nutr Sci, Tunneys Pasture, Ottawa, Ontario, Canada K1A 0L2
J AOAC Int 1996 **79** (2) 498
Use of amino acid profiles of preterm and term human milks in evaluating scoring patterns for routine protein quality assessment of infant formulas
- Stevenson SG, Preston KR// Canadian Grain Commiss, Grain Res Lab, 1404-303 Main St, Winnipeg, Manitoba, Canada R3C 3G8
J Cereal Sci 1996 **23** (2) 121
Flow field-flow fractionation of wheat proteins
- Tremblay GF, Broderick GA*, Abrams SM// *USDA/ARS, US Dairy Forage Res Ctr, Madison, Wi 53706, USA
J Dairy Sci 1996 **79** (2) 276
Estimating ruminal protein degradability of roasted soybeans using near infrared reflectance spectroscopy
- Wahlund KG, Gustavsson M, MacRitchie F, Nylander T, Wannerberger L// Lund Univ, Ctr Chem, Dept Tech Analyt Chem, POB 124, S-22100 Lund, Sweden
J Cereal Sci 1996 **23** (2) 113
Size characterisation of wheat proteins, particularly glutenin, by asymmetrical flow field flow fractionation
- Zhao XC, Sharp PJ// Univ Sydney, Dept Crop Sci, Camden, NSW 2570, Australia
J Cereal Sci 1996 **23** (2) 191
An improved 1-D SDS-PAGE method for the identification of three bread wheat 'waxy' proteins
- Zheng XH, Niskioka M, Kawamura A, Ukeda H, Sawamura M*, Kusunose H// *Kochi Univ, Dept Bioresource Sci, B-200 Monobe, Nankoku, Kochi 783, Japan
Biosci Biotechnol Biochem 1996 **60** (3) 390
Cluster analysis by measurement of peroxidase and esterase from citrus flaved

4 CARBOHYDRATES

- Blonk JCG, Van Eendenburg J, Koning MMG, Weisenborn PCM, Winkel C// Unilever Res Lab, POB 114, 3130 AC Vlaardingen, The Netherlands
Carbohyd Polym 1995 **28** (4) 287
A new CSLM-based method for determination of the phase behaviour of aqueous mixtures of biopolymers
- Chronakis IS, Kasapis S*// *Cranfield Univ, Silsoe Coll, Dept Food Res & Technol, Silsoe, Bedford MK45 4DT, England
Carbohyd Polym 1995 **28** (4) 367
A rheological study on the application of carbohydrate-protein incompatibility to the development of low fat commercial spreads
- De Block J, Merchiers M, Van Renterghem R, Moermans R// Govt Dairy Res Stn, Brusselsesteenweg 370, B-9090 Melle, Belgium
Int Dairy J 1996 **6** (2) 217
Evaluation of two methods for the determination of lactulose in milk
- Durrani CM, Donald AM// Univ Cambridge, Dept Phys, Cavendish Lab, Polym & Colloid Grp, Madingley Rd, Cambridge CB3 0HE, England
Carbohyd Polym 1995 **28** (4) 297
Compositional mapping of mixed gels using FTIR microspectroscopy
- Englyst HN, Veenstra J, Hudson GJ// MRC Dunn Clin Nutr Ctr, Hills Rd, Cambridge CB2 2DH, England
Brit J Nutr 1996 **75** (3) 327
Measurement of rapidly available glucose (RAG) in plant foods: A potential *in vitro* predictor of the glycaemic response
- Goycoolea FM, Morris ER*, Gidley MJ// *Cranfield Univ, Silsoe Coll, Dept Food Res & Technol, Silsoe, Bedford MK45 4DT, England
Carbohyd Polym 1995 **28** (4) 351
Screening for synergistic interactions in dilute polysaccharide solutions
- Hanashiro I, Abe J, Hizukuri S*// *Kagoshima Univ, Dept Biochem Sci & Technol, Kagoshima 890, Japan
Carbohyd Res 1996 **283** 151
A periodic distribution of the chain length of amylopectin as revealed by high-performance anion-exchange chromatography
- Kirby AR, Gunning AP, Morris VJ// AFRC Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England
Biopolymers 1996 **38** (3) 355
Imaging polysaccharides by atomic force microscopy
- Kvasnicka F, Ahmadova-Vavrousova R, Frias J, Price KR, Kadlec P// Inst Chem Technol, Dept Carbohydrate Chem & Technol, CR-16628 Prague 6, Czech Republic
J Liq Chromatogr Relat Technol 1996 **19** (1) 135
A rapid HPLC method for the determination of raffinose family of oligosaccharides in pea seeds
- Schorsch C, Garnier C, Doublier JL// Inst Natl Rech Agron, Lab Phys-Chim Macromolec, rue Geraudiere, BP 1627, F-44316 Nantes 03, France
Carbohyd Polym 1995 **28** (4) 319
Microscopy of xanthan/galactomannan mixtures
- Seifert A, Heinevetter L, Colfen H, Harding SE// German Inst Hum Nutr, Arthur Scheunert Allee 114-116, D-14558 Bergholz-Rehbrücke, Germany
Carbohyd Polym 1995 **28** (4) 325
Characterization of gliadin-galactomannan incubation mixtures by analytical ultracentrifugation: Part I. Sedimentation velocity
- Thurl S, Muller-Werner B, Sawatzki G// Fachhsch Fulda, Dept Food Technol, D-36039 Fulda, Germany
Anal Biochem 1996 **235** (2) 202
Quantification of individual oligosaccharide compounds from human milk using high-pH anion-exchange chromatography

5 LIPIDS

- Abidi SL, Mounts TL, Finn T// USDA/ARS, Natl Ctr Agr Utilizat Res, 1815 Nth Univ St, Peoria, Il 61604, USA
J Amer Oil Chem Soc 1996 **73** (4) 535
A preferred solvent system for high-performance liquid chromatographic analysis of soybean phospholipids with evaporative light-scattering detection
- Ackman RG// Tech Univ Nova Scotia, Canadian Inst Fisheries Technol, POB 1000, Halifax, Nova Scotia, Canada B3J 2X4
J Amer Oil Chem Soc 1996 **73** (4) 537
Fatty acid analysis of freshwater fish lipids (Letter)

- Ala-Korpela M, Hiltunen Y, Bell JD// Hammersmith Hosp, RPMS, Steiner NMR Unit, Du Cane Rd, London W12 0NN, England
NMR Biomed 1995 **8** (6) 235
Quantification of biomedical NMR data using artificial neural network analysis: Lipoprotein lipid profiles from ¹H NMR data of human plasma
- Ando Y, Ota T, Matsuhira Y, Yazawa K// Hokkaido Univ, Dept Marine Biore-sources Chem, Minato cho, Hakodate, Hokkaido 041, Japan
J Amer Oil Chem Soc 1996 **73** (4) 483
Stereospecific analysis of triacyl-*sn*-glycerols in docosahexaenoic acid-rich fish oils
- Arduini A, Pescechera A, Dottori S, Sciarroni F, Serafini F, Calvani M// Univ Anunzio, Dipt Sci, Viale Pindaro 42, I-65127 Pescara, Italy
J Lipid Res 1996 **37** (3) 684
High-performance liquid chromatography of long-chain acylcarnitine and phospholipids in fatty acid turnover studies
- Bayard CC, Wolff RL*// *Univ Bordeaux 1, ISTAB, Lab Lipochim Alimentaire, 1 Allee Fac, F-33405 Talence, France
J Amer Oil Chem Soc 1996 **73** (4) 531
Analysis of *trans*-18:1 isomer content and profile in edible refined beef tallow
- Borch-Jensen C, Mollerup J*// *Tech Univ Denmark, Dept Chem Engn, DK-2800 Lyngby, Denmark
Chromatographia 1996 **42** (5-6) 252
Supercritical fluid chromatography of fish, shark and seal oils
- Careri M, Dieci M, Mangia A, Manini P, Raffaelli A// Univ Degli Studi Parma, Dipt Chim Gen Inorg, Viale Scienze, I-43100 Parma, Italy
Rapid Commun Mass Spectrom 1996 **10** (6) 707
Liquid chromatography/mass spectrometry of phospholipids in soybean products using particle beam and ionspray interfaces
- Choo YM, Ma AN, Yahaya H, Yamauchi Y, Bounoshita M, Saito M// Palm Oil Res Inst Malaysia, POB 10620, Kuala Lumpur 50720, Malaysia
J Amer Oil Chem Soc 1996 **73** (4) 523
Separation of crude palm oil components by semipreparative supercritical fluid chromatography
- Claeys M, Nizigiyimana L, Van den Heuvel H, Derrick PJ// Univ Antwerp (UIA), Dept Pharmaceut Sci, Universiteitsplein 1, B-2610 Antwerp, Belgium
Rapid Commun Mass Spectrom 1996 **10** (7) 770
Mechanistic aspects of charge-remote fragmentation in saturated and mono-unsaturated fatty acid derivatives. Evidence for homolytic cleavage
- Crosset M, Brossard N, Pachiaudi C, Normand S, Lecerf J, Chirouze V, Riou JP, Tayot JL, Lagarde M// INSA, INSERM, U352, Villeurbanne, France
Lipids 1996 **31** (Suppl) S109
In vivo compartmental metabolism of ¹³C docosahexaenoic acid, studied by gas chromatography combustion isotope ratio mass spectrometry
- Cunnane SC, Likhodii SS, Moine G// Univ Toronto, Dept Nutr Sci, Toronto, Ontario, Canada M5S 1A8
Lipids 1996 **31** (Suppl) S127
In vivo ¹³C nuclear magnetic resonance: Applications and current limitations for noninvasive assessment of fatty acid status
- Gonzalez-Castro MJ, Lopez-Hernandez J*, Simal-Lozano J, Oruna-Concha MJ, Vazquez-Blanco ME// *Univ Santiago de Compostela, Dept Quim Analit Nutr & Bromatol, E-15706 Santiago de Compostela, Spain
J Chromatogr Sci 1996 **34** (4) 199
Separation of neutral lipid classes in green beans by high-performance liquid chromatography
- Hellerstein MK// Univ Calif Berkeley, Dept Nutr Sci, Berkeley, Ca 94720, USA
Lipids 1996 **31** (Suppl) S117
Synthesis of fat in response to alterations in diet: Insights from new stable isotope methodologies
- Jorgensen SS, Sorensen G// Royal Vet & Agr Univ, Dept Chem, Thorvaldsensvej 40, DK-1871 Frederiksberg C, Denmark
Anal Chim Acta 1996 **322** (1-2) 69
A combined sampling and delay unit for flow injection analysis. The automated determination of 2-thiobarbituric acid reactive substances in foods
- Kalo P, Kemppinen A, Kilpelainen I// Univ Helsinki, Dept Appl Chem & Microbiol, POB 27, SF-00014 Helsinki, Finland
Lipids 1996 **31** (3) 331
Determination of positional distribution of butyryl groups in milkfat triacylglycerols, triacylglycerol mixtures, and isolated positional isomers of triacylglycerols by gas chromatography and ¹H nuclear magnetic resonance spectroscopy
- Karlsson AA, Michelsen P, Larsen A, Odham G// Lund Univ, Chem Ecol & Ecotoxicol, S-22362 Lund, Sweden
Rapid Commun Mass Spectrom 1996 **10** (7) 775
Normal-phase liquid chromatography class separation and species determination of phospholipids utilizing electrospray mass spectrometry/tandem mass spectrometry
- Laakso P// Univ Turku, Dept Biochem & Food Chem, SF-20500 Turku, Finland
Food Rev Int 1996 **12** (2) 199
Analysis of triacylglycerols: Approaching the molecular composition of natural mixtures
- Lee CM, Trevino B, Chaiyawat M// Univ Rhode Isl, Dept Food Sci & Nutr, 530 Liberty Lane, West Kingston, RI 02892, USA
J AOAC Int 1996 **79** (2) 487
A simple and rapid solvent extraction method for determining total lipids in fish tissue
- Liescheski PB// Isco Inc, 4700 Super, Lincoln, Ne 68504, USA
J Agr Food Chem 1996 **44** (3) 823
Supercritical fluid extraction coupled to infrared spectroscopy for iodine number analysis of edible oils
- Lopes-Pereira CM, Harun M, Schmidtova D, Timane I, Mabasso M, Otto F, Bogin E*// *Tel Aviv Univ, Sch Med, Kimron Vct Inst, POB 12, Bet Dagan, Israel
Eur J Clin Chem Clin Biochem 1996 **34** (3) 231
Use of the dry chemistry "Reflotron" blood analyzer under outdoor-field conditions in veterinary medicine
- Matsuzawa M, Kawai H// Kagawa Nutr Jr Coll, Tushima ku, 3-24-3 Komagome, Tokyo 170, Japan
J Food Hyg Soc Jpn 1996 **37** (2) 72
Determination of choline in spices and beans by HPLC with an electrochemical detector (Japanese, English Abstract)
- Miwa H, Yamamoto M// Fukuoka Univ, Fac Pharmaceut Sci, Jonun ku, 8-19-1 Nanakuma, Fukuoka 81480, Japan
J AOAC Int 1996 **79** (2) 493
Rapid liquid chromatographic determination of fatty acids as 2-nitrophenylhydrazine derivatives
- Nakamura T, Fukuda M, Tanaka R// Kyushu Univ, Lab Fisheries Technol, 6-10-1 Hakozaki, Fukuoka 81281, Japan
Lipids 1996 **31** (4) 427
Estimation of polyunsaturated fatty acid content in lipids of aquatic organisms using thin-layer chromatography on a plain silica gel plate
- Nikolova-Damyanova B, Momchilova S, Christie WW// Bulgarian Acad Sci, Inst Organ Chem, Ctr Phytochem, B-1113 Sofia, Bulgaria
Phytochem Analysis 1996 **7** (3) 136
Determination of petroselinic, *cis*-vaccenic and oleic acids in some seed oils of the Umbelliferae by silver ion thin layer chromatography of their phenacyl esters
- Pfuhl K, Glodek P// Univ Gottingen, Inst Tierzucht & Haustiergenet, Albrecht Thaer Weg 3, D-37075 Gottingen, Germany
Zuchtingkunde 1996 **68** (1) 48
Estimation of the streakfat-content of the belly with the NIR-method and its relations to other fat criteria of pig carcasses (German, English Abstract)
- Ruiz-Gutierrez V, Barron LJR// CSIC, Inst Grasa, Avda Padre Garcia Tejero 4, E-41012 Seville, Spain
Grasas Aceites 1995 **46** (6) 376
Stereospecific analysis of natural fats triacyl-*sn*-glycerols by means of enzymatic methods and high-performance liquid chromatography
- Thienpont LM, Van Landuyt KG, Stockl D, De Leenheer AP*// *State Univ Ghent, Lab Med Biochem & Klin Anal, Harelbekestr 72, B-9000 Ghent, Belgium
Clin Chem 1996 **42** (4) 531
Four frequently used test systems for serum cholesterol: evaluated by isotope dilution gas chromatography/mass spectrometry candidate reference method
- Van de Voort FR, Memon KP, Sedman J, Ismail AA// McGill Univ, Dept Foods Sci & Agr Chem, St Anne de Bellevue, Quebec, Canada H9X 3V9
J Amer Oil Chem Soc 1996 **73** (4) 411
Determination of solid fat index by Fourier transform infrared spectroscopy
- Wesley II, Pacheco F, McGill AEJ// Univ Plymouth, Dept Agr & Food Studies, Newton Abbott TG12 6NQ, Devon, England
J Amer Oil Chem Soc 1996 **73** (4) 515
Identification of adulterants in olive oils

6 VITAMINS & CO-FACTORS

- Abidi SL, Mounts TL// USDA/ARS, NCAUR, 1815 Nth Univ St, Peoria, IL 61604, USA
J Liq Chromatogr Relat Technol 1996 **19** (4) 509
Normal phase high-performance liquid chromatography of tocopherols on polar phases
- Arella F, Lahely S, Bourguignon JB, Hasselmann C*// *LIDGCCRF, Chemin Routoir, F-67400 Illkirch, France
Food Chem 1996 **56** (1) 81

- Liquid chromatographic determination of vitamins B₁ and B₂ in foods. A collaborative study
Benzie IFF// Hong Kong Polytech Univ, Dept Hlth Sci, Hung Hom, Kowloon, Hong Kong
Clin Biochem 1996 **29** (2) 111
An automated, specific, spectrophotometric method for measuring ascorbic acid in plasma (EFTSA)
Casella IG// Univ Basilicata, Dipt Chim, Via N Sauro 85, I-85100 Potenza, Italy
Electroanal 1996 **8** (2) 128
Electrooxidation of ascorbic acid on the dispersed platinum glassy carbon electrode and its amperometric determination in low injection analysis
Compton RG, Matysik FM// Univ Oxford, Phys Chem Lab, Sth Parks Rd, Oxford OX1 3QZ, England
Electroanal 1996 **8** (3) 218
Sonovoltammetric behavior of ascorbic acid and dehydroascorbic acid at glassy carbon electrodes: Analysis using pulsed sonovoltammetry
Crespi F// Glaxo Res Labs, Dept Pharmacol, Via Fleming 4, I-37100 Verona, Italy
Biosens Bioelectron 1996 **11** (8) 743
Carbon fibre micro-electrode and *in vitro* or on brain slices voltammetric measurement of ascorbate, catechol and indole oxidation signals: Influence of temperature and physiological media
Del Nozal MJ, Bernal J, Marinero P// Univ Valladolid, Dept Analyt Chem, E-47005 Valladolid, Spain
J Liq Chromatogr Relat Technol 1996 **19** (7) 1151
Simultaneous HPLC determination of cholesterol, α -tocopherol, retinol, retinal and retinoic acid in silicone oils used as vitreous substitutes in eye surgery
Drew KN, Church TJ, Basu B, Vuorinen T, Serianni AS// *Univ Notre Dame, Dept Chem & Biochem, Notre Dame, In 46556, USA
Carbohydr Res 1996 **284** (1) 135
L-(1-¹³C)- and (2-¹³C)-ascorbic acid. Synthesis and NMR characterization
Fayet B, Fino L, Tisse C, Guereire M// Address not available.
Sci Aliment 1996 **16** (1) 83
Characterization and quantitative determination of tocopherols and gallates in essential oils (French, English Abstract)
Hagen JJ, Washco KA, Monnig CA// *Univ Calif Riverside, Dept Chem, Riverside, Ca 92521, USA
J Chromatogr B-Biomed Appl 1996 **677** (2) 225
Determination of retinoids by reversed-phase capillary liquid chromatography with amperometric electrochemical detection
Hollis BW, Kamerud JQ, Kurkowski A, Beaulieu J, Napoli JL// Med Univ Sth Carolina, Dept Pediat, 171 Ashley Ave, Charleston, SC 29425, USA
Clin Chem 1996 **42** (4) 586
Quantification of circulating 1,25-dihydroxyvitamin D by radioimmunoassay with an ¹²⁵I-labeled tracer
Jakob E, Elmadfa I// *Univ Vienna, Inst Nutr Sci, Althanstr 14, A-1090 Vienna, Austria
Food Chem 1996 **56** (1) 87
Application of a simplified HPLC assay for the determination of phyloquinone (vitamin K₁) in animal and plant food items
Kelleher B, O'Broin S// *St James' Hosp, Dept Haematol, Dublin 8, Rep Ireland
Clin Chem 1996 **42** (4) 652
Choice of materials for long-term quality control of blood folate assays (Letter)
Kim HJ, Kim MJ, Kim JM, Cha GS// *Kwangwoon Univ, Dept Chem, 447-1 Wolgye dong, Nowon ku, Seoul 139701, South Korea
Anal Sci 1996 **12** (2) 337
Biotin-avidin mediated homogeneous enzyme-linked binding assays for riboflavin and riboflavin binding protein using alkaline phosphatase as the label
Koprinjak JF, Lum KR, Sisak MM, Saborowski R// Environm Canada, Ctr St Laurent, 105 McGill St, Montreal, Quebec, Canada H2Y 2E7
Comp Biochem Physiol Pt B 1996 **113** (1) 143
Determination of α , γ (+ β)-, and δ -tocopherols in a variety of liver tissues by reverse-phase high pressure liquid chromatography
Liebler DC, Burr JA, Phillips L, Ham AJL// Univ Arizona, Dept Pharmacol & Toxicol, Tucson, Az 85721, USA
Anal Biochem 1996 **236** (1) 27
Gas chromatography/mass spectrometry analysis of vitamin E and its oxidation products
Madigan D, McMurrough I// Guinness Brewing, Worldwide Res Ctr, St James' Gate, Dublin 8, Rep Ireland
Anal Commun 1996 **33** (1) 9
Improved method for the determination of ascorbic acid in beer by using high-performance liquid chromatography with electrochemical detection
Passkiewicz B, French C// Bio-Rad Labs Inc, ECS Div, 3726 East Miraloma Ave, Anaheim, Ca 92806, USA
Clin Chem 1996 **42** (4) 654
Choice of materials for long-term quality control of blood folate assays (Comment)
Pavlova IS, Lyubavina IA, Lukin YV, Tsibulskaya MI, Korolev PN// Vitaminy Res & Prod Assoc, Nauchnyi proezd 14A, Moscow 117842, Russia
Bioorg Khim 1996 **22** (3) 223
Assay of free *d*-biotin: Comparison of instrumental and noninstrumental methods (Russian, English Abstract)
Pineda T, Lopez-Cozar MI, Sevilla JM, Blazquez M// *Univ Cordoba, Dept Quim Fis & Termodinam Aplicada, E-14004 Cordoba, Spain
J Electroanal Chem 1996 **403** (1-2) 101
Electrochemical reduction of the final product of vitamin B₆ catabolism, a spectroscopic characterization of the reduced products of 6-pyridoxic acid
Shimada K, Saito Y, Hirose M// Kanazawa Univ, Fac Pharmaceut Sci, 13-1 Takara machi, Kanazawa, Ishikawa 920, Japan
J Liq Chromatogr Relat Technol 1996 **19** (5) 837
Retention behavior of vitamin D *N*-acetylglucosaminides during high-performance liquid chromatography
Shimada K, Nakatani I, Saito K, Mitamura K// Kanazawa Univ, Fac Pharmaceut Sci, 13-1 Takara machi, Kanazawa, Ishikawa 920, Japan
Biol Pharm Bull 1996 **19** (4) 491
Separation and characterization of monoglucuronides of vitamin D₃ and 25-hydroxyvitamin D₃ in rat bile by high-performance liquid chromatography
Sokoll LJ, Sadowski JA// *Tufts Univ/USDA, Mayer Human Nutr Res Ctr Aging, 711 Washington St, Boston, Ma 02111, USA
Amer J Clin Nutr 1996 **63** (4) 566
Comparison of biochemical indexes for assessing vitamin K nutritional status in a healthy adult population
Van Vliet T, Van Schaik F, Schreurs WHP, Van den Berg H// TNO, Nutr & Food Res Inst, Dept Physiol & Kinet, POB 360, 3700 AJ Zeist, The Netherlands
Int J Vitam Nutr Res 1996 **66** (1) 77
In vitro measurement of β -carotene cleavage activity: Methodological considerations and the effect of other carotenoids on β -carotene cleavage
Vogel S, Contois JH, Couch SC, Lammi-Keefe CJ// *Univ Connecticut, Dept Nutr Sci, 3624 Horsebarn Rd Ext, Storrs, Ct 06269, USA
Lipids 1996 **31** (4) 421
A rapid method for separation of plasma low and high density lipoproteins for tocopherol and carotenoid analyses
Wei Y, Ota RB, Bowen HT, Omaye ST// *Univ Nevada, Dept Nutr, Mail Stop 142, Reno, Nv 89557, USA
J Nutr Biochem 1996 **7** (3) 179
Determination of human plasma and leukocyte ascorbic acid by microtiter plate assay

7 TRACE ELEMENTS & MINERALS

- Begerow J, Dunemann L// Med Inst Umwelthyg, Dept Analyt Chem, Hennekamp 50, D-40225 Dusseldorf, Germany
J Anal Atom Spectrom 1996 **11** (4) 303
Mass spectral interference in the determination of trace levels of precious metals in human blood using quadrupole magnetic sector field and inductively coupled plasma mass spectrometry
Cao J, Luo XG, Henry PR, Ammerman CB*, Littell RC, Miles RD// *Univ Florida, Dept Anim Sci, Gainesville, Fl 32611, USA
Poultry Sci 1996 **75** (4) 495
Effect of dietary iron concentration, age, and length of iron feeding on feed intake and tissue iron concentration of broiler chicks for use as a bioassay of supplemental iron sources
Chiba M, Shinohara A, Matsushita K, Watanabe H, Inaba Y// Juntendo Univ, Dept Epidemiol & Environm Hlth, Tokyo 113, Japan
Tohoku J Exp Med 1996 **178** (1) 49
Indices of lead-exposure in blood and urine of lead-exposed workers and concentrations of major and trace elements and activities of SOD, GSH-PX and catalase in their blood
Davidsson L, Mackenzie J, Kastennmayer P, Aggett PJ, Hurrell RF// Swiss Fed Inst Technol, Human Nutr Lab, POB 474, CH-8803 Ruschlikon, Switzerland
Brit J Nutr 1996 **75** (2) 291
Zinc and calcium apparent absorption from an infant cereal: A stable isotope study in healthy infants
Ejima A, Watanabe C, Koyama H, Satoh H// Tohoku Univ, Dept Environm Hlth Sci, Aoba ku, 2-1 Seiryomachi, Sendai, Miyagi 90877, Japan
Tohoku J Exp Med 1996 **178** (1) 1
Analysis of trace elements in the central nerve tissues with inductively coupled

plasma-mass spectrometry

Fares C, Troccoli A, Di Fonzo N// Ist Sperimentale Cerealcoltura, I-71100 Foggia, Italy

Cereal Chem 1996 **73** (2) 232

Use of friction debranning to evaluate ash distribution in Italian durum wheat cultivars

Foster LH, Sumar S// South Bank Univ, Food Res Ctr, London SE1 0AA, England

Food Chem 1996 **56** (1) 93

Selenium concentrations in soya based milks and infant formulae available in the United Kingdom

Fujimori E, Tomosue Y, Haraguchi H// *Nagoya Univ, Dept Appl Chem, Chikusa ku, Furo cho, Nagoya, Aichi 464, Japan

Tohoku J Exp Med 1996 **178** (1) 63

Determination of rare earth elements in blood serum reference sampling by chelating resin preconcentration and inductively coupled plasma mass spectrometry

Ga RD, Wu D// Inner Mongolia Normal Univ, Inst Coordinat Chem, Dept Chem, Hohhot 010022, Peoples Rep China

Chem J Chinese Univ-Chinese 1996 **17** (3) 389

Multielements analysis of mare's milk wine by inductively coupled plasma atomic emission spectrometry

Heydom K, Damsgaard E, Horn N, Tonnesen T, Mussalo-Rauhamaa H, Kaitila I// Riso Natl Lab, Isotope Div, DK-4000 Roskilde, Denmark

J Trace Elem Exp Med 1995 **8** (4) 241

Comparison of trace element distribution in occipital horn syndrome and Menke's disease with normal subject by neutron activation analysis

Ilkov A// Univ Natal, Fac Med, POB 17039, Durban 4013, Rep Sth Africa

J Anal Atom Spectrom 1996 **11** (4) 313

Lead-depleted blood for matrix-matched calibration with electrothermal atomic absorption spectrometry

Koyama H, Kasanuma Y, Kim CY, Ejima A, Watanabe C, Nakatsuka H, Satoh H// Tohoku Univ, Dept Environm Hlth Sci, Aoba ku, 2-1 Seiryomachi, Sendai, Miyagi 98077, Japan

Tohoku J Exp Med 1996 **178** (1) 17

Distribution of selenium in human plasma detected by high-performance liquid chromatography plasma ion source mass spectrometry

Lin TH, Cheng SY// Kaohsiung Med Coll, Grad Inst Med, Kaohsiung, Taiwan

Biol Tr Elem Res 1996 **51** (3) 267

Determination of zinc fractions in human blood and seminal plasma by ultrafiltration and atomic absorption spectrophotometry

Liu HY, Montaser A*, Dolan SP, Schwartz RS// *George Washington Univ, Dept Chem, Washington, DC 20052, USA

J Anal Atom Spectrom 1996 **11** (4) 307

Evaluation of a low sample consumption, high-efficiency nebulizer for elemental analysis of biological samples using inductively coupled plasma mass spectrometry

Lopez-Garcia I, Vinas P, Campillo N, Hernandez-Cordoba M// *Univ Murcia, Dept Analyt Chem, E-30071 Murcia, Spain

J Agr Food Chem 1996 **44** (3) 836

Determination of selenium in seafoods using electrothermal atomic absorption spectrometry with slurry sample introduction

Michalke B, Schramel P, Hasse S// GSF Forschungszentrum Umwelt & Gesundheit, D-85758 Oberschleissheim, Germany

Fresenius J Anal Chem 1996 **354** (5-6) 576

Separation of free iodide from other I-species in human serum: Quantification in serum pools and individual samples

Mizushima R, Yonezawa M, Ejima A, Koyama H, Satoh H// Nippon Gen Trading Co, Chuo ku, 6-15 Yaesu 1 chome, Tokyo 103, Japan

Tohoku J Exp Med 1996 **178** (1) 75

Microwave digestion using dual PTFE containers for analysis of trace elements in small amounts of biological samples

Moraes SD, Sinn HR, Habermehl G, Ternes W, De Campos RC// CNPQC, Embrapa, CP 154, Campo Grande 79002-970, MS, Brazil

Pesquisa Agr Brasil 1995 **30** (11) 1347

Selenium determination in bovine liver by hydride generation: Atomic absorption spectrophotometry

Onda N// Perkin Elmer Japan Co, Analyt Instruments Div, Yokohama, Kanagawa 220, Japan

Tohoku J Exp Med 1996 **178** (1) 91

A new approach to extending the dynamic range in inductively coupled plasma-mass spectrometry

Patriarca M, Lyon TDB, McGaw B, Fell GS// Glasgow Royal Infirm, Inst Biochem, Trace Met Unit, Glasgow G4 0SF, Scotland

J Anal Atom Spectrom 1996 **11** (4) 297

Determination of selected nickel isotopes in biological samples by inductively

coupled plasma mass spectrometry with isotope dilution

Pizent A, Telisman S// Univ Zagreb, Inst Med Res & Occupat Hlth, Clin Toxicol Lab 2, Ksaverska cesta, POB 291, Zagreb 10001, Croatia

Atom Spectrosc 1996 **17** (2) 88

Analysis of reference materials for serum copper and zinc by flame AAS

Saito T, Saito K// Hokkaido Univ, Dept Hyg & Prevent Med, Sapporo, Hokkaido 060, Japan

Tohoku J Exp Med 1996 **178** (1) 11

Simultaneous multi-determination of brain trace element concentrations by inductively coupled plasma mass spectrometry

Sato M, Yoshimura H, Obi H, Hatakeyama S, Kaneko E, Hoshino H, Yotsuyanagi T// *Tohoku Univ, Dept Appl Chem, Aoba ku, Sendai, Miyagi 98077, Japan

Chem Lett 1996 (3) 203

Determination of aluminium in human serum by kinetic differentiation mode reversed phase micellar HPLC with fluorometric detection

Shirasaki T, Yoshinada J, Morita M, Okumoto T, Oishi K// Hitachi Instruments Engn Co Ltd, Hitachinaka 312, Japan

Tohoku J Exp Med 1996 **178** (1) 81

An application of nitrogen microwave-induced plasma mass spectrometry to isotope dilution analysis of selenium in marine organisms

Sun HW, Yang LL, Zhang DC// Hebei Univ, Dept Chem, Baoding 071002, Peoples Rep China

J Anal Atom Spectrom 1996 **11** (4) 265

Direct determination of lead in alcoholic drinks and waters by flame atomic absorption spectrometry using an atom-trapping technique

Suzuki KT// Chiba Univ, Fac Pharmaceut Sci, 1-33 Yayoi cho, Chiba 263, Japan

Tohoku J Exp Med 1996 **178** (1) 27

Simultaneous speciation of endogenous and exogenous elements by HPLC/ICP-MS with enriched stable isotopes

Thompson KH, Turnland JR// *USDA/ARS, Western Human Nutr Res Ctr, POB 29997, San Francisco, Ca 94129, USA

J Nutr 1996 **126** (4) 963

Kinetic model of molybdenum metabolism developed from dual stable isotope excretion in men consuming a low molybdenum diet

Tidehag P, Hallmans G, Wing K, Sjoström R, Agren G, Lundin E, Zhang JX// Umea Univ, Dept Nutr Res, Umea, Sweden

Brit J Nutr 1996 **75** (2) 281

A comparison of iron absorption from single meals and daily diets using radio-Fe (⁵⁵Fe, ⁵⁹Fe)

Velez D, Ybanez N, Montoro R// *CSIC, Inst Agroquim & Tecnol Alimentos, Apdo Correos 73, Burjassot, Valencia, Spain

J Anal Atom Spectrom 1996 **11** (4) 271

Optimization of the extraction and determination of monomethylarsonic and dimethylarsinic acids in seafood products by coupling liquid chromatography with hydride generation atomic absorption spectrometry

Yamamoto A, Matsunaga A, Yasui A// Toyama Inst Hlth, 17-1 Nakataikoyama, Kosugi, Toyama 93903, Japan

Bunseki Kagaku 1996 **45** (4) 363

Nitrate analysis using the nitrate ion selective electrode in vegetables and its comparison with ion chromatography (Japanese, English Abstract)

Yoshinaga J// Natl Inst Environm Studies, Div Environm Chem, Tsukuba, Ibaraki 305, Japan

Tohoku J Exp Med 1996 **178** (1) 37

Isotope ratio analysis of lead in biological materials by inductively coupled plasma mass spectrometry

8 DRUG, BIOCIDES & PROCESSING RESIDUES

J AOAC Int 1996 **79** (2) A36

AOAC Research Institute: Charm Sciences, Inc, test kit for tetracyclines in milk

Anderle H, Steffan I, Wild E, Hille P// Univ Vienna, Inst Analyt Chem, Wahringerstr 38, A-1090 Vienna, Austria

Fresenius J Anal Chem 1996 **354** (7-8) 925

Radiolyo-chemiluminescence of bones and seafood shells: A new, promising method for the detection of food irradiation?

Ang CYW, Luo WH, Hansen EB, Freeman JP, Thompson HC// US/FDA, Natl Ctr Toxicol Res, Div Chem, 3900 NCTR Rd, Jefferson, Ar 72079, USA

J AOAC Int 1996 **79** (2) 389

Determination of amoxicillin in catfish and salmon tissues by liquid chromatography with precolumn formaldehyde derivatization

Appelgren LE, Bondesson U, Fredriksson E, Larsson CI, Jansson DS// Swedish Univ Agr Sci, Biomedicum, Dept Pharmacol & Toxicol, Box 573, S-75123

- Uppsala, Sweden
Fleischwirtschaft 1996 76 (4) 398
Analysis of hair samples for clenbuterol in calves (German)
- Arenas RV, Rahman H, Johnson NA// Merck Res Labs, POB 450, Hillsborough Rd, Three Bridges, NJ 08887, USA
J AOAC Int 1996 79 (2) 579
Determination of thiabendazole residue in whole citrus fruits by liquid chromatography with fluorescence detection
- Cheng TMH, Malawer EG// Int Specialty Prod, Analyt Dept, 1361 Alps Rd, Wayne, NJ 07470, USA
J Amer Soc Brew Chemist 1996 54 (2) 85
Confirmation by pyrolysis gas chromatography of the absence of polyvinylpyrrolidone in beer treated with cross-linked polyvinylpyrrolidone
- Cobin JA, Johnson NA// *Merck & Co, Res Labs, POB 450, Three Bridges, NJ 08887, USA
J AOAC Int 1996 79 (2) 503
Liquid chromatographic method for determination of total avermectin B₁ and 8,9-Z-avermectin B₁ residues in hops
- Conte ED, Shen CY, Perschbacher PW, Miller DW// *US/FDA, Natl Ctr Toxicol Res, Jefferson, Ar 72079, USA
J Agr Food Chem 1996 44 (3) 829
Determination of geosmin and methylisoborneol in catfish tissue (*Ictalurus punctatus*) by microwave-assisted distillation-solid phase adsorbent trapping
- Dejonckheere W, Steurbaut W, Drieghe S, Verstraeten R, Braeckman H// State Univ Ghent, Dept Crop Protect Chem, Coupure Links 653, B-9000 Ghent, Belgium
J AOAC Int 1996 79 (2) 520
Pesticide residue concentrations in the Belgian total diet, 1991-1993
- Delepine B, Hurtaud-Pessel D*, Sanders P// *Ctr Natl Etud Vet & Alimentaires, Lab Med, La Haute Marche, F-35133 Fougeres, France
J AOAC Int 1996 79 (2) 397
Multiresidue method for confirmation of macrolide antibiotics in bovine muscle by liquid chromatography/mass spectrometry
- Du WX, Marshall MR, Wheeler WB, Mathews M, Gatlin D, Rawles SD, Xu DH, Rodgers WA, Wei CI// Univ Florida, Dept Food Sci & Human Nutr, Gainesville, FL 32611, USA
J Food Sci 1995 60 (6) 1220
Oxytetracycline, sulfadimethoxine, and ometoprim residues in channel catfish by HPLC
- Fucci G, Ciaravolo S, Mazza G// Grp Cirio, Cirio Ric & Ric Agro-Alimentare, Loc La Fagianeria, I-81015 Pianna Monte Verna Italy
Ind Aliment 1995 34 (342) 1160
Optimization of an analysis method for the *N*-methylcarbamate pesticide residues determination (Italian, English Abstract)
- Galletti GC, Bocchini P*, Antonelli A// *Ctr Studio Conservazione Foraggi, Consiglio Nazionale Ricerche, Via Filippo Re 8, I-40126 Bologna, Italy
Rapid Commun Mass Spectrom 1996 10 (6) 653
Pyrolysis and thermally assisted hydrolysis-methylation/gas chromatography/mass spectrometry of sound and degraded wine bottle cork
- Ge SJ, Lee TC// *Rutgers State Univ, Dept Geog, POB 231, New Brunswick, NJ 08903, USA
J Agr Food Chem 1996 44 (4) 1053
Effective HPLC method for the determination of aromatic Amadori compounds
- Gleixner A, Meyer HHD// Tech Univ Munich, Forschungszentrum Milch & Lebensmittel, Inst Physiol, Vottinger Str 45, D-85350 Munich, Germany
Fleischwirtschaft 1996 76 (4) 407
Hair analysis to track the application of growth promoters in meat production (German)
- Heeschen WH, Suhren G// Fed Dairy Res Ctr, Inst Hyg, Hermann Weigmann Str 1, D-24103 Kiel, Germany
Milchwissenschaft 1996 51 (3) 154
Principles of and practical experiences with an integrated system for the detection of antimicrobials in milk
- Helle N, Uta B, Etzel V, Kruse R// Staatl Vet Untersuchungsamt Fische & Fischwaren, Schleisenstr, D-27472 Cuxhaven, Germany
Arch Lebensmittelhyg 1996 47 (1) 13
Analytical methods for identification of irradiated fish crustaceans
- Huyghues-Despointes A, Yaylayan VA// *McGill Univ, Dept Food Sci & Agr Chem, 21111 Lakeshore, St Anne de Bellevue, Quebec, Canada H9X 3V9
J Agr Food Chem 1996 44 (3) 672
Retro-aldol and redox reactions of Amadori compounds: Mechanistic studies with variously labeled D-[¹³C]glucose
- Hummert K, Vetter W*, Luckas B// *Univ Jena, Inst Ernährung & Umwelt, Dornburger Str 25, D-07743 Jena, Germany
Chromatographia 1996 42 (5-6) 300
Fast and effective sample preparation for determination of organochlorine compounds in fatty tissue of marine mammals using microwave extraction
- Huopalahti RP, Henion JD// Univ Turku, Dept Biochem & Food Chem, Food Chem Lab, SF-20500 Turku, Finland
J Liq Chromatogr Relat Technol 1996 19 (1) 69
Application of supercritical fluid extraction and high-performance liquid chromatography/mass spectrometry for the determination of some anabolic agents directly from bovine tissue samples
- Imanaka M, Kadota M, Kumashiro K, Mori T// Okayama Prefectural Inst Environm Sci & Publ Hlth, 739-1 Uchio, Okayama, Japan
J AOAC Int 1996 79 (2) 538
Identification of phylloquinone (vitamin K₁) as an unknown peak in electron capture detection gas chromatograms of pyrethroid insecticide residues
- Krcmar P, Ruzickova V// Vyzkumny Ustav Vet Lekarstvi, Hudoova 70, CR-62132 Brno, Czech Republic
Vet Med-Czech 1996 41 (3) 93
High-voltage electrophoretic identification of residual antibiotics in milk (Czech, English Abstract)
- Kruse R, Ballin U, Gaumert T// Staatl Vet Fische & Fischwaren, Cuxhaven, Schleusenstr, D-27472 Cuxhaven, Germany
Arch Lebensmittelhyg 1996 47 (1) 4
An intercomparison study for the validation of analytical methods for pollutants in fish from river Elbe (German, English Abstract)
- Kusu F, Matsumoto K, Arai K, Takamura K// Tokyo Univ Pharm & Life Sci, Sch Pharm, 1432-1 Horinouchi, Hashioji, Tokyo 19203, Japan
Anal Biochem 1996 235 (2) 191
Determination of synephrine enantiomers in food and conjugated synephrine in urine by high-performance liquid chromatography with electrochemical detection
- Lovell RA, McChesney DG, Price WD// US/FDA, Div Anim Feeds, 7500 Standish Pl, Rockville, Md 20857, USA
J AOAC Int 1996 79 (2) 544
Organohalogen and organophosphorus pesticides in mixed feed rations: Findings from FDA's domestic surveillance during fiscal years 1989-1994
- MacNeil JD, Martz VK, Korsrud GO, Salisbury CDC, Oka H, Epstein RL, Barnes CJ// Agr & Agri-Food Canada, Hlth Anim Lab, Saskatoon, Saskatchewan, Canada S7N 2R3
J AOAC Int 1996 79 (2) 405
Chlortetracycline, oxytetracycline, and tetracycline in edible animal tissues, liquid chromatographic method: Collaborative study
- McGrath GJ, O'Kane E, Smyth WF*, Tagliaro F// *Univ Ulster, Sch Appl Biol & Chem Sci, Coleraine BT52 1SA, Northern Ireland
Anal Chim Acta 1996 322 (3) 159
Investigation of the electrochemical oxidation of clenbuterol at a porous carbon electrode, and its application to the determination of this β -agonist in bovine hair by liquid chromatography with coulometric detection
- Meyer HHD, Dursch I// Inst Zoo & Wildtierforsch, Alfred Kowalke Str 17, D-10315 Berlin, Germany
Arch Lebensmittelhyg 1996 47 (1) 22
Dexamethasone: An enzyme immunoassay for residue analysis and pharmacokinetics
- Neidert E, Saschenbrecker PW// Agr & Agri-Food Canada, Food Inspect Directorate, Sci & Technol Serv, 59 Camelot Dr, Nepean, Ontario, Canada K1A 0V9
J AOAC Int 1996 79 (2) 549
Occurrence of pesticide residues in selected agricultural food commodities available in Canada
- Okumura T, Imamura K, Nishikawa Y// *Environm Pollut Control Ctr, Higashinari ku, 1-3-62 Nakamachi, Osaka 537, Japan
J Chromatogr Sci 1996 34 (4) 190
Determination of anilines in river water, sediment, and fish samples by gas chromatography/mass spectrometry
- Pomp EJ, Buning-Pfaue H// *Univ Bonn, Inst Lebensmittelchem & Lebensmittelwissenschaft, Eнденicher Allee 11-13, D-53115 Bonn, Germany
Z Lebensmittel-Untersuch Fors 1996 202 (4) 263
Mobilization and analytical availability of drug residues in food
- Primus TM, Johnston JJ, Griffin DL// USDA/APHIS, Denver Wildlife Res Ctr, Denver Fed Ctr, Analyt Chem Project, Bldg 16, Denver, Co 80225, USA
J Liq Chromatogr Relat Technol 1996 19 (3) 393
Solid phase extraction high-performance liquid chromatography method for the determination of methyl anthranilate residues in blueberries
- Shawky S, Emons H, Durbeck HW// KFA Julich GmbH, Res Ctr Juelich, Inst Appl Phys Chem, D-52425 Julich, Germany
Anal Commun 1996 33 (3) 107
Speciation of organotin compounds in fish samples
- Stehr C, Wachendorfer G, Seeger H// *Staatl Med Lebensmittel Veterinaruntersuchungsamt, Deutschordestr 48, D-60528 Frankfurt, Germany

Tierarztl Umsch 1996 51 (4) 249

Gas chromatographic determination of bromopropylate residue in honey, beeswax and propolis after treatment of bee colonies with Folbex VA Neu (German, English Abstract)

Tanaka T, Ikebuchi H, Sawada JI, Okada M, Kido Y// Natl Inst Hlth Sci, Dept Biochem & Immunochem, Setagaya ku, Tokyo 158, Japan

J AOAC Int 1996 79 (2) 426

Easy enzyme-linked immunosorbent assay for spectinomycin in chicken plasma

Tsumura Y, Goto Y, Munakata N, Nakamura Y, Tonogai Y, Shibata T// Natl Inst Hlth Sci, Osaka Branch, Chuo ku, 1-1-43 Hoenzaka, Osaka 540, Japan

J Food Hyg Soc Jpn 1996 37 (2) 119

Determination of fenarimol and lenacil in agricultural products by GC

9 TOXINS

Acheson DWK, Lincicome LL, De Breucker S, Keusch GT// Tufts Univ NE Med Ctr, Div Geog Med & Infect Dis, 750 Washington St, Boston, Ma 02111, USA

J Food Protect 1996 59 (4) 344

Detection of shiga-like toxin-producing *Escherichia coli* in ground beef and milk by commercial enzyme immunoassay

Brause AR, Trucksess MW, Thomas FS, Page SW// Columbia Inc, Analyt Chem Serv, 9151 Rumsey Rd, Columbia, Md 21045, USA

J AOAC Int 1996 79 (2) 451

Determination of patulin in apple juice by liquid chromatography: Collaborative study

Carman AS, Kuan SS, Ware GM, Umrigar PP, Miller KV, Guerrero HG// US/FDA, Nat Toxins Res Ctr, 4298 Elysian Fields Ave, New Orleans, La 70122, USA

J AOAC Int 1996 79 (2) 456

Robotic automated analysis of foods for aflatoxin

Fernandez ML, Miguez A, Cacho E, Martinez A// EC Reference Lab, Estac Maritima, Lab Sanidad Exterior Vigo, E-36271 Vigo, Spain

Toxicon 1996 34 (3) 381

Detection of okadaic acid esters in the hexane extracts of Spanish mussels

Huang X, Hsu KH, Chu FS**/ Univ Wisconsin, Food Res Inst, 1925 Willow Dr, Madison, WI 53706, USA

J Agr Food Chem 1996 44 (4) 1029

Direct competitive enzyme-linked immunosorbent assay for saxitoxin and neosaxitoxin

Jiang ZL, Zhao MX, Liao LX// Guangxi Normal Univ, Comp & Anal Testing Ctr, Guilin 541004, Peoples Rep China

Anal Chim Acta 1996 320 (1) 139

Catalytic spectrophotometric methods for the determination of oxalic acid

Miyahara M, Akiyama H, Toyoda M, Saito Y// Natl Inst Hlth Sci, Setagaya ku, 1-18-1 Kamiyoga, Tokyo 158, Japan

J Agr Food Chem 1996 44 (3) 842

New procedure for fumonisins B₁ and B₂ in corn and corn products by ion pair chromatography with α -phthalaldehyde postcolumn derivatization and fluorometric detection

Nomura F, Ohashi M, Otsuka M, Adachi O, Arakawa N// Ochanomizu Univ, Dept Nutr & Food Sci, Bunkyo ku, 2-1-1 Otsuka, Tokyo 112, Japan

J Food Hyg Soc Jpn 1996 37 (2) 109

An improved histamine assay in fish by using an oxygen sensor and its comparison with the AOAC method

Park CE, Warburton D, Laffey PJ, Akhtar M, Catherwood K, Crawford C, Durzi S, Foster R, Fox C, Gour L et al// Hlth Canada, Bur Microbial Hazards, Microbiol Res Div, Banting Bldg, Ottawa, Ontario, Canada K1A 0L2

J Food Protect 1996 59 (4) 390

A collaborative study on the detection of staphylococcal enterotoxins in foods with an enzyme immunoassay kit (TECRA)

Park JJ, Chu FS// Univ Wisconsin, Food Res Inst, Madison, WI 53706, USA

J AOAC Int 1996 79 (2) 465

Assessment of immunochemical methods for the analysis of trichothecene mycotoxins in naturally occurring moldy corn

Tacke BK, Casper HH// Nth Dakota State Univ, Dept Vet & Microbiol Sci, Fargo, ND 58105, USA

J AOAC Int 1996 79 (2) 472

Determination of deoxynivalenol in wheat, barley, and malt by column cleanup and gas chromatography with electron capture detection

Thakur RA, Smith JS**/ *Kansas State Univ, Dept Anim Sci & Ind, Manhattan, Ks 66506, USA

J Agr Food Chem 1996 44 (4) 1047

Determination of fumonisins B₁ and B₂ and their major hydrolysis products in corn, feed, and meat, using HPLC

Thompson VS, Maragos CM**/ *USDA/ARS, Natl Ctr Agr Utilizat Res, Mycotoxin Res Unit, 1815 Nth Univ St, Peoria, IL 61604, USA

J Agr Food Chem 1996 44 (4) 1041

Fiber-optic immunosensor for the detection of fumonisin B₁

Tiecco G, Ianieri A, Francioso E, Todaro MP, Buonavoglia D// Univ Valenzano, Ist Ispez Alimenti, I-70010 Valenzano, BA, Italy

Ind Aliment 1996 35 (345) 134

Isolation of marine bacteria producing neurotoxin (Italian, English Abstract)

Vazquez BI, Fente C, Franco C, Cepeda A, Prognon P, Mahuzier G// Univ Santiago de Compostela, Dept Quim Analit Nutr & Bromatol, E-27002 Lugo, Spain

J Chromatogr A 1996 727 (2) 185

Simultaneous high-performance liquid chromatographic determination of ochratoxin A and citrinin in cheese by time-resolved luminescence using terbium

Whitaker T, Horwitz W, Albert R, Nesheim S// Nth Carolina State Univ, USDA/ARS, Dept Biol & Agr Engr, Box 7625, Raleigh, NC 27695, USA

J AOAC Int 1996 79 (2) 476

Variability associated with analytical methods used to measure aflatoxin in agricultural commodities

Wolf-Hall CE, Bullerman LB**/ *Univ Nebraska, Dept Food Sci & Technol, Lincoln, Ne 68583, USA

J Food Protect 1996 59 (4) 438

Comparison of thin-layer chromatography and an enzyme-linked immunosorbent assay for detection and quantification of deoxynivalenol in corn and wheat

10 ADDITIVES

Binstok G, Campos CA, Gerschenson LN// Univ Buenos Aires, Ciudad Univ, Dept Ind, RA-1428 Buenos Aires, DF, Argentina

Meat Sci 1996 42 (4) 401

Determination of nitrites in meat systems: An improved procedure

Chou SF// Chia Nan Coll Pharm, Dept Food Hlth, Tainan, Taiwan

Analyst 1996 121 (1) 71

Amperometric biosensor for the determination of the artificial sweetener aspartame with an immobilized bienzyme system

Espinosa-Mansilla A, Salinas F, Del Olmo M, Paya ID// Univ Extremadura, Dept Analyt Chem, E-06071 Badajoz, Spain

Appl Spectrosc 1996 50 (4) 449

Determination of synthetic food antioxidants in multicomponent mixtures using UV-visible spectrophotometry and partial least-squares calibration

Gibbs BF, Alli I, Mulligan CN**/ *Bivan Consultants, Food Biotechnol Div, 6550 Sherbrooke St West, Montreal, Quebec, Canada H4B 1N6

J Chromatogr A 1996 725 (2) 372

Simple and rapid high-performance liquid chromatographic method for the determination of aspartame and its metabolites in foods

Houglum JE, Tasler MK// Sth Dakota State Univ, Dept Chem, Brookings, SD 57007, USA

J AOAC Int 1996 79 (2) 369

Liquid chromatographic assay of tylosin in animal feeds

Lau OW, Poom MMK, Mok SC, Wong FMY, Luk SF// Chinese Univ Hong Kong, Dept Chem, Sha Tin, NT, Hong Kong

Int J Food Sci Technol 1995 30 (6) 793

Spectrophotometric determination of single synthetic food colour in soft drinks using ion-pair formation and extraction

Markakis PK// Univ Thessaloniki, Anim Nutr Lab, GR-54006 Thessaloniki, Greece

J AOAC Int 1996 79 (2) 375

Determination of tetracyclines in animal feeds in the presence of other drugs by thin-layer chromatography and microbiological method

Moriyasu T, Nakazato M, Kobayashi C, Kikuchi Y, Hayano K, Tamura Y// Tokyo Metropolitan Res Lab Publ Hlth, Shinjuku ku, 3-24-1 Hyakunin cho, Tokyo 169, Japan

J Food Hyg Soc Jpn 1996 37 (2) 91

Determination of acesulfame K, saccharin and aspartame in various foods by HPLC

Turberg MP, Rodewald JM, Coleman MR// Lilly Res Labs, Anim Sci Prod Dev, 2001 West Main St, Greenfield, IN 46140, USA

J Chromatogr B-Biomed Appl 1996 675 (2) 279

Determination of ractopamine in monkey plasma and swine serum by high-performance liquid chromatography with electrochemical detection

Williams JR, Morgan ED*, Law B// *Univ Keele, Dept Chem, Keele ST5 5BG, England

Anal Commun 1996 33 (1) 15

Comparison of supercritical, subcritical, hot, pressurized and cold solvent extraction of four drugs from rodent food

11 FLAVOURS & AROMAS

- Ind Aliment* 1995 **34** (342) 1178
Rapid control of food quality with flavor compound sensors (News) (Italian)
- Bartschat D, Maas B, Smetana S, Mosandl A*// *Johann Wolfgang Goethe Univ Frankfurt, Biozentrum, Inst Lebensmittelchem, Marie Curie Str 9, D-60439 Frankfurt/Main, Germany
Phytochem Analysis 1996 **7** (3) 131
Stereoisomeric flavour compounds LXXIII: 3-Butylphthalide: Chiro-specific analysis, structure and properties of the enantiomers
- Champagne ET, Richard OA, Bett KL, Grimm CC, Vinyard BT, Webb BD, McClung AM, Barton FE, Lyon BG, Moldenhauer K *et al*// USDA/JARS, Sth Reg Res Ctr, 100 Robert L Lee Blvd, POB 19687, New Orleans, La 70179, USA
Cereal Chem 1996 **73** (2) 290
Quality evaluation of US medium-grain rice using a Japanese taste analyzer
- Chouchi D, Barth D, Reverchon E*, Della Porta G// *Univ Salerno, Dipt Ingn Chim & Alimentare, Via Ponte Don Melillo, I-84084 Fisciano, SA, Italy
J Agr Food Chem 1996 **44** (4) 1100
Bigarade peel oil fractionation by supercritical carbon dioxide desorption
- Christensen TC, Holmer G// Tech Univ Denmark, Dept Biochem & Nutr, DK-2800 Lyngby, Denmark
Milchwissenschaft 1996 **51** (3) 134
GC/MS analysis of volatile aroma components in butter during storage in different catering packaging
- Couronne T// Tepral Ctr Rech Branche Biere, Grp Danone, 68 Rte Oberhausbergen, F-67037 Strasbourg, France
Sci Aliment 1996 **16** (1) 23
Evaluation of the links between hedonic and descriptive sensory data by multiple factor analysis (French, English Abstract)
- Dollmann B, Wichmann D, Schmitt A, Koehler H, Schreier P*// *Univ Wurzburg, Lehrstuhl Lebensmittelchem, D-97074 Wurzburg, Germany
J AOAC Int 1996 **79** (2) 583
Quantitative analysis of 2-aminoacetophenone in off-flavored wines by stable isotope dilution assay
- Einhoff K, Martin D, Kiesner C, Schlimme E// Bundesanstalt Milchwforsch, Inst Betriebswirtschaft & Marktforsch Lebensmittel, Postfach 6069, D-24121 Kiel, Germany
Kiel Milchwirt Forschungsber 1996 **48** (1) 37
Sensory profile analysis and visual assessment of heat treated milk (German, English Abstract)
- Elfakir C, Dreux M// Univ Orleans, Lab Chim Bioorgan & Analyt, CNRS URA 499, BP 6759, F-45067 Orleans 2, France
J Chromatogr A 1996 **727** (1) 71
Simultaneous analysis of intact and desulfated glucosinolates with a porous graphitized carbon column
- Fronza G, Fuganti C*, Zucchi G, Barbeni M, Cisero M// *Politecn Milan, CNR, Ctr Chim Sostanze Organ Nat, Dipt Chim, Via Mancinelli 7, I-20131 Milan, Italy
J Agr Food Chem 1996 **44** (3) 887
Natural abundance ²H nuclear magnetic resonance study of the origin of *n*-hexanol
- Kim YD, Morr CV// Ohio State Univ, Dept Food Sci & Technol, Columbus, Oh 43210, USA
Int Dairy J 1996 **6** (2) 185
Dynamic headspace analysis of light activated flavor in milk
- Lanza CM, Russo C, Tomaselli F, Pappalardo P// Ist Ind Agr, Via Valdisavoia 5, I-95123 Catania, Italy
Ind Aliment 1996 **35** (345) 143
Use of Peltier effect to extract volatile compounds in foods (Italian, English Abstract)
- Lee KPD, Warthesen JJ*// *Univ Minnesota, Minnesota & Sth Dakota Dairy Foods Res Ctr, Dept Food Sci & Nutr, St Paul, Mn 55108, USA
J Agr Food Chem 1996 **44** (4) 1058
Preparative methods of isolating bitter peptides from cheddar cheese
- Monser LI, Greenway GM*// *Univ Hull, Sch Chem, Hull HU6 7RX, England
Anal Chim Acta 1996 **322** (1-2) 63
Liquid chromatographic determination of methylamines. Determination of trimethylamine in fish samples using a porous graphitic carbon stationary phase
- Peusch M, Muller-Seitz E, Petz M*// *Berg Univ Gesamthsch Wuppertal, Fachbereich Lebensmittelchem 9, Gausstr 20, D-42097 Wuppertal, Germany
Z Lebensmittel-Untersuch Fors 1996 **202** (4) 334
Determination of capsaicinoids in low pungency paprika
- Rankin SA, Bodyfelt FW// Oregon State Univ, Dept Food Sci & Technol, Corvallis, Or 97331, USA

- J Food Sci* 1995 **60** (6) 1205
Solvent desorption dynamic headspace method for diacetyl and acetoin in buttermilk
- Romano P, Suzzi G, Brandolini V, Menziani E, Domizio P*// *Univ Basilicata, Dipt Biol Difesa & Biotecnol Agroforestal, Via Nazario Sauro 85, I-85100 Potenza, Italy
Lett Appl Microbiol 1996 **22** (4) 299
Determination of 2,3-butanediol in high and low acetoin producers of *Saccharomyces cerevisiae* wine yeasts by automated multiple development (AMD)
- Villen J, Senorans FJ, Reglero G, Herraiz M*// *CSIC, Inst Fermentac Ind, Juan Cierva 3, E-28006 Madrid, Spain
Z Lebensmittel-Untersuch Fors 1996 **202** (4) 270
Analysis of volatile components by direct injection of real-life samples by using a programmed-temperature vaporizer
- Zhou YW, Riesen R, Gilpin CS// Ohio State Univ, Ohio Agr Res & Dev Ctr, Wooster, Oh 44691, USA
J Agr Food Chem 1996 **44** (3) 818
Comparison of Amberlite XAD-2/Freon 11 extraction with liquid liquid extraction for the determination of wine flavor components

12 ORGANIC ACIDS

- Lanza CM, Tomaselli F, Barbagallo RN// Ist Ind Agr, Via Valdisavoia 5, I-95123 Catania, Italy
Ind Aliment 1995 **34** (342) 1173
Employment of cyclodextrin in HPLC determination of gluconic acid (Italian, English Abstract)
- Liu DZ, Chen K, Yin AF, Ge K, Nie LH, Yao SZ*// *Hunan Univ, New Mat Res Inst, Changsha 410082, Peoples Rep China
Anal Chim Acta 1996 **320** (2-3) 245
Theory of the surface acoustic wave impedance sensor system and its application to the end-point determination in titrimetry

13 ANIMAL PRODUCTS

- Ak MM, Gunasekaran S*// *Univ Wisconsin, Dept Agr Engr, 460 Henry Mall, Madison, Wi 53706, USA
J Texture Stud 1996 **26** (6) 695
Evaluating rheological properties of Mozzarella cheese by the squeezing flow method
- Anguita G, Martin R, Garcia T*, Morales P, Haza AI, Gonzalez I, Sanz B, Hernandez PE// *Univ Complutense Madrid, Dept Nutr & Bromatol 3, E-28040 Madrid, Spain
J Food Protect 1996 **59** (4) 436
Immunostick ELISA for detection of cow's milk in ewe's milk and cheese using a monoclonal antibody against bovine β -casein
- Blanch GP, Calvo MM, Herraiz M, Reglero G*// *CSIC, Inst Fermentac Ind, Juan Cierva 3, E-28006 Madrid, Spain
Z Lebensmittel-Untersuch Fors 1996 **202** (4) 303
Differentiation of heat treated milks by using steam distillation solvent extraction
- De Jong EAM, Kaper J// NIZO, POB 20, 6710 BA Ede, The Netherlands
Neth Milk Dairy J 1996 **50** (1) 35
Second-derivative FT-IR spectroscopy, an alternative approach in milk and dairy product testing: A model study
- Dybowska BE, Fujio Y// Kyushu Univ, Dept Food Sci & Technol, Higashi ku, Fukuoka 812, Japan
Milchwissenschaft 1996 **51** (3) 130
A new method for measuring acid-induced milk gelation
- Hsieh YHP, Johnson MA, Wetzstein CJ, Green NR// Auburn Univ, Dept Nutr & Food Sci, Auburn, Al 36849, USA
J Food Qual 1996 **19** (1) 1
Detection of species adulteration in pork products using agar-gel immunodiffusion and enzyme-linked immunosorbent assay
- Lagoueyte N, Lagaude A, De la Fuente BT*// *Univ Montpellier 2, Unite Ingn Syst Macromolec, Lab Genie Biol & Sci Aliments, F-34095 Montpellier 5, France
J Food Sci 1995 **60** (6) 1344
Rheological properties of renneted reconstituted milk gels by piezoelectric viscoprocess: Effects of temperature and calcium phosphate
- Muller W, Rudolph W// Achatstr 8, D-09116 Chemnitz, Germany
Tierarztl Umsch 1996 **51** (4) 216
The use of electrical conductivity measurements for the detection of subclinical mastitis in single, normal milk samples (German, English Abstract)
- Piantanida L, Vallone L, Cantoni C// Univ Milan, Ist Specz Alimenti Origine

- Anim, Via Celoria 10, I-20133 Milan, Italy
Ind Aliment 1996 **35** (345) 147
Classification on surface colouring of Taleggio cheese (Italian, English Abstract)
- Rohm H, Tschager E, Jaros D// Agr Univ Vienna, Dept Dairy Sci & Bacteriol, Gregor Mendel Str 33, A-1180 Vienna, Austria
Food Sci Technol-Lebensm Wiss 1996 **29** (1-2) 191
Determination of proteolysis in Swiss cheese: Comparison of the Kjeldahl method and a spectrophotometric OPA assay
- Schlimme E, Lorenzen PC, Martin D, Thormahlen K// Bundesanstalt Milchwissenschaft, Inst Chem & Phys, D-24103 Kiel, Germany
Milchwissenschaft 1996 **51** (3) 139
Analytical differentiation of butter types by specific compositional parameters of the aqueous butter phase
- Vaz-Pries P, Araujo I, Kirby RM// Univ Catolica Portuguesa, Escola Super Biotecnol, Rua Dr Bernardino Almeida, P-4200 Oporto, Portugal
Int J Food Sci Technol 1995 **30** (6) 799
Physical measurement of the quality of fresh scad (*Trachurus trachurus*) and rainbow trout (*Oncorhynchus mykiss*) during ice storage using the RT Freshmeter
- ### 14 PLANT & MICROBIAL PRODUCTS
- Afentous D, Baba OA, Lallement G, Roudot AC*// *Univ Bretagne Occidentale, Ecole Super Microbiol & Securite Alimentaire, F-29280 Plouzane, France
Sci Aliment 1996 **16** (2) 107
On the possible evaluation of the inner inhomogeneity of apples using acoustic vibrations
- Benard M// Address not available.
Monatsschr Brauwissen 1996 **49** (3-4) 119
Determination of repeatability and reproducibility of EBC accepted methods. III. Barley analysis (German, English Abstract)
- Bridle P, Garcia-Viguera C, Tomas-Barberan FA// CSIC, CEBAS, Dept Ciencia & Tecnol Alimentos, Apdo Correos 4195, E-30080 Murcia, Spain
J Liq Chromatogr Relat Technol 1996 **19** (4) 537
Analysis of anthocyanins by capillary zone electrophoresis
- Chanda SV, Singh YD// Saurashtra Univ, Dept Biosci, Rajkot 360005, Gujarat, India
J Agron Crop Sci 1996 **176** (2) 131
Biochemical analysis of developing wheat grains
- Cliff MA, Dever MC, Macdonald RA, Fleming WW// Agr & Agri-Food Canada, Res Ctr, Summerland, Brit Columbia, Canada V0H 1Z0
J Food Qual 1996 **19** (1) 31
Development of a photographic scale for the visual evaluation of apple stripe density
- Coward L, Kirk M, Albin N, Barnes S*// *Univ Alabama, Dept Pharmacol & Toxicol, Ctr Comprehens Canc, Birmingham, Al 35294, USA
Clin Chim Acta 1996 **247** (1-2) 121
Analysis of plasma isoflavones by reversed-phase HPLC-multiple reaction ion monitoring-mass spectrometry
- De Vries HSM, Wasong MAJ, Harren FJM*, Woltering EJ, Van der Valk HCPM, Reuss J// *Univ Nijmegen, Dept Molec & Laser Phys, POB 9010, 6500 GL Nijmegen, The Netherlands
Postharvest Biol Technol 1996 **8** (1) 1
Ethylene and CO₂ emission rates and pathways in harvested fruits investigated, *in situ*, by laser photothermal deflection and photoacoustic techniques
- Delwiche SR, McKenzie KS, Webb BD// USDA/ARS, Beltsville Agr Res Ctr, Beltsville, Md 20705, USA
Cereal Chem 1996 **73** (2) 257
Quality characteristics in rice by near-infrared reflectance analysis of whole-grain milled samples
- Gaines CS, Kassuba A, Finney PL// Ohio State Univ, Ohio Agr Res & Dev Ctr, USDA/ARS, Soft Wheat Qual Lab, Wooster, Oh 44691, USA
Cereal Food World 1996 **41** (3) 155
Using wire-cut and sugar-snap formula cookie test baking methods to evaluate distinctive soft wheat flour sets: Implications for quality testing
- Gaines CS, Finney PF, Fleege LM, Andrews LC// Ohio State Univ, USDA/ARS, Agr Res & Dev Ctr, Soft Wheat Qual Lab, Wooster, Oh 44691, USA
Cereal Chem 1996 **73** (2) 278
Predicting a hardness measurement using the single-kernel characterization system
- Garcia-Parrilla C, Heredia FJ, Troncoso AM// Univ Sevilla, Fac Farm, Area Nutr & Bromatol, C/Prof Garcia Gonzalez s/n, E-41012 Sevilla, Spain
J Liq Chromatogr Relat Technol 1996 **19** (2) 247
Phenols HPLC analysis by direct injection of sherry wine vinegar
- Gomes MT, Duarte AC, Oliveira JP// Univ Aveiro, Dept Chem, P-3800 Aveiro, Portugal
Z Lebensmittel-Untersuch Fors 1996 **202** (4) 337
Study on the methodology for the quantification of carbon dioxide in wine using a quartz crystal microbalance
- Goodman BA, Williamson B, Simpson EJ, Chudek JA, Hunter G, Prior DAM// Scottish Crop Res Inst, Dundee DD2 5DA, Scotland
Magn Reson Imaging 1996 **14** (2) 187
High field NMR microscopic imaging of cultivated strawberry fruit
- Gu JQ, Xu XY, Ding Y, He LY, Fang QC*// *Chinese Acad Med Sci, Inst Mater Med, Beijing 100050, Peoples Rep China
Phytochem Analysis 1996 **7** (3) 152
Determination of ginsenosides Rg1 and Rb1 in ginseng royal jelly oral liquid by densitometry
- Joubert E// INFRUITEC, Private Bag X5013, Stellenbosch 7599, Rep Sth Africa
Int J Food Sci Technol 1995 **30** (6) 783
Tristimulus colour measurement of rooibos tea extracts as an objective quality parameter
- Kiehne A, Engelhardt UH*// *Tech Univ Carolo Wilhelmina Braunschweig, Inst Lebensmittelchem, Scheinitzstr 20, D-38106 Braunschweig, Germany
Z Lebensmittel-Untersuch Fors 1996 **202** (4) 299
Thermospray-LC-MS analysis of various groups of polyphenols in tea. II. Chlorogenic acids, theaflavins and thearubigins
- Lesage P, Destain MF*// *Fac Sci Agron Etat Gembloux, Lab Mecan Agricole, Passage Deportes 2, B-5030 Gembloux, Belgium
Postharvest Biol Technol 1996 **8** (1) 45
Measurement of tomato firmness by using a non-destructive mechanical sensor
- Mohan VR, Janardhanan K*// *Bharathiar Univ, Dept Bot, Coimbatore 641046, Tamil Nadu, India
J Food Sci Technol-Mysore 1995 **32** (6) 465
Chemical determination of nutritional and antinutritional properties in tribal pulses
- Moll M// 1 Allee Chaptal, F-54630 Richardmenil, France
Monatsschr Brauwissen 1996 **49** (3-4) 92
An update of analytical procedures for the determination of malt modification and malt homogeneity (German, English Abstract)
- Ocon A, Anzaldúa-Morales A, Quintero A, Gastelum G// Univ Autonoma Chihuahua, PG Studies Dept, POB 1542-C, Chihuahua, Mexico
J Food Sci 1995 **60** (6) 1333
Texture of pecans measured by sensory and instrumental means
- Perez CM, Bourne MC, Juliano BO// Int Rice Res Inst, POB 933, Manila 1099, Philippines
J Texture Stud 1996 **27** (1) 1
Measuring hardness distribution of cooked rice by single-grain puncture
- Poppi DP// Univ Queensland, Dept Agr, St Lucia, Qld 4072, Australia
Aust J Agr Res 1996 **47** (4) 489
Predictions of food intake in ruminants from analyses of food composition
- Suarez B, Picinelli A, Mangas JJ// Inst Experimentac & Promoc Agr, E-33300 Villaviciosa, Asturias, Spain
J Chromatogr A 1996 **727** (2) 203
Solid-phase extraction and high-performance liquid chromatographic determination of polyphenols in apple musts and ciders
- Thompson TE, Grauke LJ, Young EF// USDA/ARS, Route 2, Box 133, Somerville, Tx 77879, USA
J Amer Soc Hort Sci 1996 **121** (3) 548
Pecan kernel color: Standards using the Munsell Color Notation System
- Trail AC, Fleming HP*, Young CT, McFeeters RF// *Nth Carolina State Univ, USDA/ARS, Food Fermentac Lab, Raleigh, NC 27695, USA
J Food Qual 1996 **19** (1) 15
Chemical and sensory characterization of commercial sauerkraut
- Umegaki K, Esashi T, Tezuka M, Ono A, Sano M, Tomita I// Natl Inst Hlth & Nutr, Shinjuku ku, 1-23-1 Toyama, Tokyo 162, Japan
J Food Hyg Soc Jpn 1996 **37** (2) 77
Determination of tea catechins in food by HPLC with an electrochemical detector (Japanese, English Abstract)
- Vodovotz Y, Hallberg L, Chinachoti P*// *Univ Massachusetts, Dept Food Sci, Amherst, Ma 01003, USA
Cereal Chem 1996 **73** (2) 264
Effect of aging and drying on thermomechanical properties of white bread as characterized by dynamic mechanical analysis (DMA) and differential scanning calorimetry (DSC)
- Wilke J, Parthey B// Hsch Tech Wirtschaft & Gestaltung, FB Lebensmittel & Biotechnol, Abt Kothen, Fachsch Anhalt, D-06366 Kothen, Germany
Monatsschr Brauwissen 1996 **49** (3-4) 115
Process approximative beer mash analysis (German, English Abstract)