

Bibliography of analytical, nutritional and clinical methods

(7 weeks journals - Search completed at 13th May 1998)

1 BOOKS, REVIEWS & SYMPOSIA

- Appl Radiat Isotopes* 1998 **49** (5-6)
 Special issue: International symposium on *in vivo* body composition studies
 Opara EI, Oehlschlager SL, Hanley AB// MAFF, CSL Food Sci Lab, Norwich Res Pk, Norwich NR4 7UQ, England
Biomarkers 1998 **3** (1) 1
 Immunoglobulin E mediated food allergy. Modelling and application of diagnostic and predictive tests for existing and novel foods (Review)

2 GENERAL

- Chase GW, Reid AP, Eitenmiller RR, Long AR// US/FDA, Atlanta Ctr, Nutr Anal, 60 8th St, Atlanta, Ga 30309, USA
J AOAC Int 1998 **81** (2) 453
 Zero control reference materials for infant formula methods development
 Henshall A// Dionex Chem Corp, Sunnyvale, Ca 94088, USA
Cereal Food World 1998 **43** (2) 98
 Liquid chromatography techniques for detecting economic adulteration of foods
 Sharpless KE, Welch MJ, Greenberg RR, Iyengar GV, Colbert JC// Natl Inst Stand & Technol, Gaithersburg, Md 20899, USA
Fresenius J Anal Chem 1998 **360** (3-4) 456
 Recent SRMs for organic and inorganic nutrients in food matrices

3 AMINO ACIDS, PROTEINS & ENZYMES

- Ang SG, Chong PS// Natl Univ Singapore, Dept Chem, Lower Kent Ridge Rd, SG-119260 Singapore, Rep Singapore
Talanta 1998 **45** (4) 693
 Purification of metallothionein proteins from the crab, *Portunus pelagicus*: Selectivity of hydrophobic interaction chromatography
 Bersuder P, Hole M, Smith G// Enviroscan Ltd, 44A Cleethorpes Rd, Grimsby DN31 3LB, England
J Amer Oil Chem Soc 1998 **75** (2) 181
 Antioxidants from a heated histidine-glucose model system. I: Investigation of the antioxidant role of histidine and isolation of antioxidants by high-performance liquid chromatography
 Campargue C, Lafitte C, Esquerre-Tugay MT, Mazau D**// *Univ Toulouse 3, UMR CNRS, UPS 5546, Ctr Biol & Physiol Vegetales, 118 Rte Narbonne, FR-31062 Toulouse 04, France
Anal Biochem 1998 **257** (1) 20
 Analysis of hydroxyproline and hydroxyproline-arabinosides of plant origin by high-performance anion-exchange chromatography pulsed amperometric detection
 Capelli L, Forlani F, Perini F, Guerrieri N, Cerletti P, Righetti PG**// *LITA, Room 316, via Fratelli Cervi 93, IT-20090 Milan, Italy
Electrophoresis 1998 **19** (2) 311
 Wheat cultivar discrimination by capillary electrophoresis of gliadins in isoelectric buffers
 Degener A, Belew M, Velander WH**// *Virginia Polytech Inst & State Univ, Dept Chem Engr, Blacksburg, Va 24061, USA
J Chromatogr A 1998 **799** (1-2) 125
 Zn²⁺-selective purification of recombinant proteins from the milk of transgenic animals
 Dworschak RG, Ens W*, Standing KG, Preston KR, Marchylo BA, Nightingale MJ, Stevenson SC, Hatcher DW**// *Univ Manitoba, Dept Phys, Winnipeg, Manitoba, Canada R3T 2N2
J Mass Spectrometry 1998 **33** (5) 429
 Analysis of wheat gluten proteins by matrix-assisted laser desorption/ionization mass spectrometry
 Heems D, Luck G, Fraudeau C, Verette E**// *Gilson SA, 72 rue Gambetta, BP 45, Villiers le Bel, France

- J Chromatogr A* 1998 **798** (1-2) 9
 Fully automated precolumn derivatization, on-line dialysis and high-performance liquid chromatographic analysis of amino acids in food, beverages and feedstuff
 Hirokado M, Hirata K, Uematsu Y, Sadamasu Y, Ito K, Suzuki S// Tokyo Metropolitan Res Lab Publ Hlth, Shinjuku ku, 3-24-1 Hyakunincho, Tokyo 169, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 341
 Assay for α -amylase of commercial enzyme preparations used in food processing
 Marcone MF, Yada RY// Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1
Food Chem 1998 **61** (3) 319
 Structural analysis of globulins isolated from genetically different *Amaranthus* hybrid lines
 Saito K, Horie M, Tokumaru Y, Nakazawa H// Saitama Inst Publ Hlth, 639-1 Kamiokubo, Urawa, Saitama 338, Japan
J Food Hyg Soc Jpn 1997 **38** (6) 400
 Determination of taurine in foods by HPLC with on-column fluorescence derivatization (Japanese, English Abstract)
 Smyth M, FitzGerald RJ**// *Univ Limrick, Dept Life Sci, Limrick, Rep Ireland
Int Dairy J 1997 **7** (8-9) 571
 Characterisation of a new chromatography matrix for peptide molecular mass determination
 Togashi M, Okuma E, Abe H// Cent Res Inst Elect Power Ind, Abiko Res Lab, 1646 Abiko, Chiba 2701194, Japan
Fisheries Science 1998 **64** (1) 174
 HPLC determination of *N*-acetyl-L-histidine and its related compounds in fish tissues
 Vikso-Nielsen A, Blenow A// Royal Vet & Agr Univ, Plant Biochem Lab, 40 Thorvaldsensvej, DK-1871 Copenhagen C, Denmark
J Chromatogr A 1998 **800** (2) 382
 Isolation of starch branching enzyme 1 from potato using γ -cyclodextrin affinity chromatography
 Wellenberg GJ, Verstraten ERAM, Mars MH, Van Oirschot JT// DLO, ID, Inst Anim Sci & Hlth, POB 65, NL-8200 AB Lelystad, The Netherlands
Vet Rec 1998 **142** (9) 219
 ELISA detection of antibodies to glycoprotein E of bovine herpesvirus 1 in bulk milk samples
 Xu RJ, Vidal-Madjar C*, Sebille B// *Univ Paris Val Marne, CNRS, Lab Physicochim Biopolymeres, 2 rue Henri Dunant, FR-94320 Thiais, France
J Chromatogr B 1998 **706** (1) 3
 Capillary electrophoretic behavior of milk proteins in the presence of non-ionic surfactants
 Yamanaka S, Sakakibara R, Matsuda Y, Soyano K, Iguchi T, Arizono K// Nagasaki Univ, Sch Pharmaceut Sci, 1-14 Bunkyo machi, Nagasaki 852, Japan
Jpn J Toxicol Environ Health 1998 **44** (1) P38
 Development of a convenient analysis method of fish plasma vitellogenin by HPLC
- ## 4 CARBOHYDRATES
- Catoire L, Goldberg R, Pierron M, Morvan C, Du Penhoat CH**// *Ecole Normale Super, Dept Chim, CNRS, URA 1679, 24 rue Lhomond, FR-75231 Paris 05, France
Eur Biophys J Biophys Lett 1998 **27** (2) 127
 An efficient procedure for studying pectin structure which combines limited depolymerization and ¹³C NMR
 Gonzalez-Martin I, Marques-Macias E, Sanchez-Sanchez J, Gonzalez-Rivera B// Univ Salamanca, Dept Quim Analit Nutr & Bromatol, Plaza Merced s/n, ES-37008 Salamanca, Spain
Food Chem 1998 **61** (3) 281
 Detection of honey adulteration with beet sugar using stable isotope methodol-

ogy

- Koch K, Andersson R, Aman P// Swedish Univ Agr Sci, Dept Food Sci, POB 7051, SE-75007 Uppsala, Sweden
J Chromatogr A 1998 **800** (2) 199
 Quantitative analysis of amylopectin unit chains by means of high-performance anion-exchange chromatography with pulsed amperometric detection
- Nakazawa F, Takahashi J, Takada M// Kyoritsu Women's Univ, Fac Home Econ, Phys Lab, 1-710 Motohachioji, Tokyo 193, Japan
Biosci Biotechnol Biochem 1998 **62** (2) 248
 Interaction between potato starch and sucrose-lipid monoesters studied by differential scanning calorimetry
- Sinitnya A, Copikova J, Pavlikova H// Prague Inst Chem Technol, Tech 5, CZ-16628 Prague 6, Czech Republic
J Carbohydr Chem 1998 **17** (2) 279
¹³C CP/MAS NMR spectroscopy in the analysis of pectins

5 LIPIDS

- Adam M, Chew M, Wasserman S, McCollum A, McDonald RE, Mossoba MM*// *US/FDA, Ctr Food Safety & Appl Nutr, HFS-717, Washington, DC 20204, USA
J Amer Oil Chem Soc 1998 **75** (3) 353
 Determination of *trans* fatty acids in hydrogenated vegetable oils by attenuated total reflection infrared spectroscopy: Two limited collaborative studies
- Adlof R, Lamm T// USDA/ARS, Natl Ctr Agr Utilizat Res, 1815 Nth Univ St, Peoria, IL 61604, USA
J Chromatogr A 1998 **799** (1-2) 329
 Fractionation of *cis*- and *trans*-oleic, linoleic, and conjugated linoleic fatty acid methyl esters by silver ion high-performance liquid chromatography
- Arneht W// Bundesanstalt Fleischforsch, Inst Chem & Phys, EC Baumann Str 20, DE-95326 Kulmbach, Germany
Fleischwirtschaft 1998 **78** (3) 218
 The determination of intramuscular fat (German, English Abstract)
- Baltanas MA, Molina H, Silva C// Univ Nacl Litoral, INTEC, Inst Desarrollo Tecnol Ind Quim, Guemes 3450, AR-3000 Santa Fe, Argentina
J Amer Oil Chem Soc 1998 **75** (3) 363
 Rapid methods for predicting the appearance of turbidity in sunflower oil and their comparison with cold tests
- Bandsma RHJ, Stellaard F, Vonk RJ, Nagel GT, Neese RA, Hellerstein MK, Kuipers F// Acad Hosp Groningen, Groningen Inst Drug Studies, Lab Nutr & Metab, Dept Paediat, Hanzeplein 1, NL-9713 GZ Groningen, The Netherlands
Biochem J 1998 **329** (3) 699
 Contribution of newly synthesized cholesterol to rat plasma and bile determined by mass isotopomer distribution analysis: Bile-salt flux promotes secretion of newly synthesized cholesterol into bile
- Blache D, Durand P, Girodon F, Gesquiere L, Loreau N// Univ Bourgogne, Fac Med, INSERM, U498, Lab Biochim Lipoprot, 7 Blvd Jeanne d'Arc, FR-21033 Dijon, France
J Amer Oil Chem Soc 1998 **75** (2) 107
 Determination of sterols, oxysterols, and fatty acids of phospholipids in cells and lipoproteins: A one-sample method
- Blanch GP, Villen J, Herraiz M*// *CSIC, Inst Fermentac Ind, C/ Juan Cierva 3, ES-28006 Madrid, Spain
J Agr Food Chem 1998 **46** (3) 1027
 Rapid analysis of free erythrodiol and uvaol in olive oils by coupled reversed phase liquid chromatography-gas chromatography
- De Greyt W, Kint A, Kellens M, Huyghebaert A// State Univ Ghent, Dept Food Technol & Nutr, Coupure Links 653, BE-9000 Ghent, Belgium
J Amer Oil Chem Soc 1998 **75** (2) 115
 Determination of low *trans* levels in refined oils by Fourier transform infrared spectroscopy
- Dobson G// Scottish Crop Res Inst, Dundee DD2 5DS, Scotland
J Amer Oil Chem Soc 1998 **75** (2) 137
 Identification of conjugated fatty acids by gas chromatography-mass spectrometry of 4-methyl-1,2,4-triazoline-3,5-dione adducts
- Favier JP, Bicanic D*, Cozijnsen J, Van Veldhuizen B, Helander P// *Agr Univ, Dept Agr Engrn & Phys, Laser Photoacoust Lab, Bomenweg 4, NL-6703 HD Wageningen, The Netherlands
J Amer Oil Chem Soc 1998 **75** (3) 359
 CO₂ laser infrared optothermal spectroscopy for quantitative adulteration studies in binary mixtures of extra-virgin olive oil
- Fritsche J, Steinhart H, Mossoba MM*, Yurawecz MP, Sehat N, Ku Y// *US/FDA, Ctr Food Safety & Appl Nutr, 200 C St SW, Washington, DC 20204, USA
J Chromatogr B 1998 **705** (2) 177
 Rapid determination of *trans*-fatty acids in human adipose tissue: Comparison of attenuated total reflection infrared spectroscopy and gas chromatography
- Frost PH, Havel RJ// Univ Calif, Cardiovasc Res Inst, Box 0326, 400 Parnassus Ave, San Francisco, Ca 94143, USA
Amer J Cardiol 1998 **81** (4A) B26
 Rationale for use of non-high-density lipoprotein cholesterol rather than low-density lipoprotein cholesterol as a tool for lipoprotein cholesterol screening and assessment of risk and therapy
- Funada Y, Hirata Y*// *Toyohashi Univ Technol, Sch Mat Sci, Toyohashi, Aichi 441, Japan
J Chromatogr A 1998 **800** (2) 317
 Analysis of plant oils by subcritical fluid chromatography using pattern fitting
- Innis-Whitehouse W, Li XZ, Brown WV, Le NA*// *Emory Univ, Div Arteriosclerosis & Lipid Metab, Atlanta, Ga 30322, USA
J Lipid Res 1998 **39** (3) 679
 An efficient chromatographic system for lipoprotein fractionation using whole plasma
- Jekel AA, Vaessen HAMG, Schothorst RC*// *Natl Inst Publ Hlth & Environm Protect, ARO, Lab Residue Anal, POB 1, NL-3720 BA Bilthoven, The Netherlands
Fresenius J Anal Chem 1998 **360** (5) 595
 Capillary gas chromatographic method for determining non-derivatized sterols: Some results for duplicate 24 h diet sample collected in 1994
- Joy D, Benson I// NDC Syst Infrared Engrn, Irwindale, Ca 91706, USA
Cereal Food World 1998 **43** (2) 66
 Using near-infrared reflectance to measure moisture and oil in snack foods
- Kemppinen A, Kalo P// Univ Helsinki, Dept Food Technol, POB 27, FI-00014 Helsinki, Finland
J Amer Oil Chem Soc 1998 **75** (2) 91
 Analysis of *sn*-1(3)- and *sn*-2-short-chain acyl isomers of triacylglycerols in butteroil by gas-liquid chromatography
- Kowalski B, Ratusz K, Miciula A, Krygier K// Agr Univ, Dept Chem, 26-30 Rakowiecka St, PL-02528 Warsaw, Poland
Thermochim Acta 1997 **307** (2) 117
 Monitoring of rapeseed oil autoxidation with a pressure differential scanning calorimeter
- Lavillonniere F, Martin JC*, Bounoux P, Sebedio JL// *INRA, Unite Nutr Lipid, 17 rue Sully, Blvd 1540, FR-21034 Dijon, France
J Amer Oil Chem Soc 1998 **75** (3) 343
 Analysis of conjugated linoleic acid isomers and content in French cheeses
- Lencioni L, Bertuccioli M, Galgano F// Univ Florence, Sez Ind & Tecnol Alimentari, Dipt Sci & Tecnol Alimentari & Microbiol, IT-50144 Florence, Italy
Ind Aliment 1998 **37** (367) 171
 Extraction method for free fatty acid determination in cheese (Italian, English Abstract)
- Marquez-Ruiz G, Guevel G, Dobarganes MC// CSIC, Inst Grasa, Avda Padre Garcia Tejero 4, ES-41012 Seville, Spain
J Amer Oil Chem Soc 1998 **75** (2) 119
 Applications of chromatographic techniques to evaluate enzymatic hydrolysis of oxidized and polymeric triglycerides by pancreatic lipase *in vitro*
- Medina I, Sacchi R, Giuducianni I, Aubourg S// CSIC, Inst Invest Marines, Eduardo Cabello 6, ES-36208 Vigo, Spain
J Amer Oil Chem Soc 1998 **75** (2) 147
 Oxidation of fish lipids during thermal stress as studied by ¹³C nuclear magnetic resonance spectroscopy
- Pasin G, Smith GM, O'Mahony M// Univ Calif, Dept Food Sci & Technol, Davis, Ca 95616, USA
Food Chem 1998 **61** (1-2) 255
 Rapid determination of total cholesterol in egg yolk using commercial diagnostic cholesterol reagent
- Semon E, Ferary S, Auger J, Le Quere JL// INRA, Rech Aromes Lab, 17 rue Sully BV 1540, FR-21034 Dijon, France
J Amer Oil Chem Soc 1998 **75** (2) 101
 Gas chromatography-Fourier transform infrared spectrometry of fatty acids: New applications with a direct deposition interface
- Senorans FJ, Villen J, Tabera J, Herraiz M*// *Univ Castilla La Mancha, Escuela Tecn Super Ingn Agron, Campus Univ s/n, ES-02071 Albacete, Spain
J Agr Food Chem 1998 **46** (3) 1022
 Simplex optimization of the direct analysis of free sterols in sunflower oil by on-line coupled reversed phase liquid chromatography-gas chromatography
- Undeland I, Harrod M, Lingnert H// Swedish Inst Food & Biotechnol (SIK), Box 54 01, SE-40229 Goteborg, Sweden
Food Chem 1998 **61** (3) 355
 Comparison between methods using low-toxicity solvents for the extraction of lipids from herring (*Clupea harengus*)
- Van Veldhoven PP, Meyhi E, Mannaerts GP// Univ Catholique Louvain, Dept Mol Celbiol, Campus Gasthuisberg, BE-3000 Louvain, Belgium
Anal Biochem 1998 **258** (1) 152
 Enzymatic quantitation of cholesterol esters in lipid extracts
- Wolff RL, Precht D// Univ Bordeaux 1, Lab Lipochem Alimentaire, Avc Fac, FR-33405 Talence, France
J Amer Oil Chem Soc 1998 **75** (3) 421
 Comments on the resolution of individual *trans*-18:1 isomers by gas-liquid chromatography
- Woodbury SE, Evershed RP*, Rossell JB// *Univ Bristol, Sch Chem, Cantocks Close, Bristol, BS8 1TS, England
J Amer Oil Chem Soc 1998 **75** (3) 371
 Purity assessments of major vegetable oils based on $\delta^{13}\text{C}$ values of individual

fatty acids

- Zang R, Charbonnier F, Rolando C, Bas P, Arpino P*// *Ecole Natl Super Chim, Lab Electrochim Analyt & Appl, URA CNRS 216, 11 rue Pierre & Marie Curie, FR-75231 Paris, France
Analisis 1997 **25** (9-10) 346
 Analysis of fatty acids in lamb samples by GC-MS (French, English Abstract)

6 VITAMINS & CO-FACTORS

- Abahusian MA, Wright J, Dickerson JWT, El-Hazmi MA, Enein HYA// King Saud Univ, Coll Med, Dept Family & Community Med, POB 2925, Riyadh 11461, Saudi Arabia
Biomed Chromatogr 1998 **12** (2) 89
 Determination of retinol, α -tocopherol, α - and β -carotene by direct extraction of human serum using high-performance liquid chromatography
- Alwarthan AA, Aly FA// King Saud Univ, Coll Sci, Dept Chem, POB 2455, Riyadh 11451, Saudi Arabia
Talanta 1998 **45** (6) 1131
 Chemiluminescent determination of pyridoxine hydrochloride in pharmaceutical samples using flow injection
- Chassaingne H, Lobinski R*// *CNRS EP 132, Helioparc, 2 Ave Pr Angot, FR-64000 Pau, France
Anal Chim Acta 1998 **359** (3) 227
 Determination of cobalamins and cobinamides by microbore reversed-phase HPLC with spectrophotometric, ion-spray ionization MS and inductively coupled plasma MS detection
- Das JV, Gupta VK, Rai MK*// *Govt Arts Commerce & Sci Coll, Dept Chem, IN-491881 Dist Rajnandgaon, MP, India
Chem Anal 1998 **43** (1) 85
 A sensitive colorimetric method determination of ascorbic acid in food, pharmaceuticals and biological samples
- Davey MW, Persiau G, De Bruyn A, Van Damme S, Bauw G, Van Montagu M*// *State Univ Ghent, Flanders Inst Biotechnol, Dept Genet, Genet Lab, K Ledeganckstr 35, BE-9000 Ghent, Belgium
Anal Biochem 1998 **257** (1) 80
 Purification of the alkaloid lycorine and simultaneous analysis of ascorbic acid and lycorine by micellar electrokinetic capillary chromatography
- Diaz-Pollan C, Vidal-Valverde C*// *CSIC, Inst Fermentac Ind, Juan Cierva III, ES-28006 Madrid, Spain
J High Res Chromatogr 1998 **21** (2) 81
 Niacin determination in legumes by capillary electrophoresis (CE). Comparison with high performance liquid chromatography (HPLC)
- Dueker SR, Mercer RS, Jones AD, Clifford AJ*// *Univ Calif, Dept Nutr, Davis, Ca 95616, USA
Anal Chem 1998 **70** (7) 1369
 Ion trap mass spectrometry for kinetic studies of stable isotope vitamin A at low enrichments
- Dzerk AM, Carlson A, Loewen GR, Shirley MA, Lee JW*// *Harris Labs, 621 Rose St, Lincoln, Ne 68502, USA
J Pharmaceut Biomed Anal 1998 **16** (6) 1013
 An HPLC method for the determination of 9-*cis* retinoic acid (ALRT1057) and its 4-oxo metabolite in human plasma
- Ensafi AA, Rezaei B// Esfahan Univ Technol, Coll Chem, Esfahan, Iran
Anal Lett 1998 **31** (2) 333
 Flow injection analysis determination of ascorbic acid with spectrofluorometric detection
- Esteve MJ, Farre R, Frigola A, Garcia-Cantabella JM// Univ Valencia, Fac Pharm, Avda Vicent Adres Estelles s/n, ES-46100 Burjassot, Spain
J Chromatogr A 1998 **795** (2) 383
 Determination of vitamin B₆ (pyridoxamine, pyridoxal and pyridoxine) in pork meat and pork meat products by liquid chromatography
- Feng SL, Chen XL*, Fan J, Zhang G, Jiang JH, Wei XJ// *Henan Normal Univ, Dept Chem, CN-453002 Xinxiang, Henan, Peoples Rep China
Anal Lett 1998 **31** (3) 463
 Kinetic determination of ultratrace amounts of ascorbic acid with spectrofluorometric detection
- Hewavitharana AK, Van Brakel AS// New Zealand Dairy Res Inst, Private Bag 11029, Palmerston North, New Zealand
Milchwissenschaft 1998 **53** (1) 11
 A rapid saponification procedure for the simultaneous HPLC determination of the natural levels of vitamins A, E and β -carotene in milk
- Hoehler D, Frohlich AA, Marquardt RR, Stelsovsky H// Christian Albrechts Univ Kiel, Inst Anim Nutr Physiol & Metab, Olshausenstr 40, DE-24098 Kiel, Germany
J Agr Food Chem 1998 **46** (3) 973
 Extraction of α -tocopherol from serum prior to reversed-phase liquid chromatography
- Huang HP, Cai RX, Korenaga T, Zhang XX, Yang Y, Du YM, Zeng YE// Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
Anal Sci 1997 **13** (Suppl) 67
 Micelle enhanced spectrofluorimetric determination of L-ascorbic acid based on laccase-linked coupling reaction using flow-injection stopped-flow technique
- Ishigai M, Asoh Y, Kumaki K// Chugai Pharmaceut, Drug Metab & Pharmacokinetic Lab, Toshima ku, 3-41-8 Takada, Tokyo 171, Japan
J Chromatogr B 1998 **706** (2) 261
 Determination of 22-oxacalcitriol, a new analog of 1 α ,25-dihydroxyvitamin D₃, in human serum by liquid chromatography/mass spectrometry
- Liu Y, Xu MJ, Canfield LM*// *Univ Arizona, Dept Biochem, Tucson, Az 85721, USA
J Nutr Biochem 1998 **9** (3) 178
 Enzymatic hydrolysis, extraction, and quantitation of retinol and major carotenoids in mature human milk
- Lu XZ, Seib PA// Kansas State Univ, Dept Grain Sci & Ind, Manhattan, Ks 66506, USA
Cereal Chem 1998 **75** (2) 200
 Assay of dehydroascorbic acid in bread and dough added as a crystalline dimer
- Michel F, Cristol JP, Vernet MH, Feillet C, Carbonneau MA, Leger CL, Castet J, Descomps B*// *Inst Biol, Lab Biol, Lab Biol & Biochim Lipides, Blvd Henri IV, FR-34060 Montpellier, France
J Amer Oil Chem Soc 1998 **75** (2) 131
 Interference of 7-dehydrocholesterol in α -tocopherol determination by high-performance liquid chromatography: A possible screening test for the Smith-Lemli-Opitz syndrome
- Moriyama H, Yamasaki H, Masumoto S, Adachi K, Katsura N, Onimura T// Tosoh Corp, Separat Ctr, Kaisei cho 4560, Yamaguchi 746, Japan
J Chromatogr A 1998 **798** (1-2) 125
 Rapid determination of vitamins A and E in serum with surfactant as a diluent by column-switching high-performance liquid chromatography
- Navado JJB, Pulgarin JAM*, Amador-Hernandez J, Laguna MAG// *Univ Castilla La Mancha, Dept Analyt Chem & Foods Technol, ES-13071 Ciudad Real, Spain
Analyst 1998 **123** (3) 483
 Simultaneous fluorimetric determination of pyridoxal, pyridoxamine and pyridoxic acid by partial least squares using non-linear variable angle synchronous spectra
- Okamura M// Kanagawa Prefectural Coll Nursing & Med Technol, Biochem & Nutr Lab, Yokohama, Kanagawa 241081, Japan
J Nutr Sci Vitaminol 1998 **44** (1) 25
 Separative determination of ascorbic acid analogs contained in mushrooms by high-performance liquid chromatography
- Oruna-Concha MJ, Gonzalez-Castro MJ, Lopez-Hernandez J*, Simal-Lozano J// *Univ Santiago de Compostela, Fac Farm, Dept Quim Anal Nutr & Bromatol, Area Nutr Bromatol, ES-15706 La Coruna, Spain
J Sci Food Agr 1998 **76** (3) 477
 Monitoring of the vitamin C content of frozen green beans and Padron peppers by HPLC
- Prochazkova A, Krivankova L*, Bocek P// *Acad Sci Czech Republ, Inst Analyt Chem, Veveri 97, CZ-61142 Brno, Czech Republic
Electrophoresis 1998 **19** (2) 300
 Quantitative trace analysis of L-ascorbic acid in human body fluids by on-line combination of capillary isotachopheresis and zone electrophoresis
- Salvador A, Jaime MA, De la Guardia M, Becerra G// Univ Valencia, Dept Analyt Chem, Doctor Moliner 50, ES-46100 Valencia, Spain
Anal Commun 1998 **35** (2) 53
 Supercritical fluid extraction and supercritical fluid chromatography of vitamin E in pharmaceutical preparations
- Sato K, Tobita Y, Iwabuchi K, Tanaka S// Iwaki Meisei Univ, Coll Sci & Engn, Dept Fundamental Sci, Fukushima 970, Japan
Anal Sci 1997 **13** (Suppl) 471
 Determination of tranexamic acid and vitamins by high-performance liquid chromatography with peroxyoxalate chemiluminescence detection
- Sultan SM, Desai NI// King Fahd Univ Petr & Minerals, Dept Chem, POB 2026, Dhahran 32161, Saudi Arabia
Talanta 1998 **45** (6) 1061
 Mechanistic study and kinetic determination of vitamin C employing the sequential injection technique
- Talwar D, Ha TKK, Cooney J, Brownlee C, O'Reilly DS// Royal Infirm, Inst Biochem, Glasgow G31 2ER, Scotland
Clin Chim Acta 1998 **270** (2) 85
 A routine method for the simultaneous measurement of retinol, α -tocopherol and five carotenoids in human plasma by reverse phase HPLC
- Volotovskiy V, Kim N*// *Korea Food Res Inst, Kyonggi do 463420, South Korea
Anal Chim Acta 1998 **359** (1-2) 143
 Ascorbic acid determination with an ion-sensitive field effect transistor-based peroxidase biosensor
- Wolf WR, Lacroix DE// USDA/ARS, Food Composit Lab, Beltsville Human Nutr Res Ctr, Beltsville, Md 20705, USA
Fresenius J Anal Chem 1998 **360** (3-4) 459
 Sampling constants for niacin content in standard reference material 1846 Infant Formula

7 TRACE ELEMENTS & MINERALS

- Alegria A, Barbera R, Farre R, Ferrer E, Lagarda MJ, Torres MA// Univ Valencia, Fac Pharm Nutr & Food Chem, Avda Vicente Andres Estelles s/n, ES-46100 Burjassot, Spain
J AOAC Int 1998 **81** (2) 457
Optimization of selenium determination in human milk and whole blood by flow injection hydride atomic absorption spectrometry
- Anderson WAC, Thorpe SA, Owen LM, Anderson SE, Crews HM, Reynolds SL// CSL Food Sci Lab, Norwich Res Pk, Norwich NR4 7UG, England
Food Addit Contam 1998 **15** (3) 288
The analysis of cyhexatin residues in apples, pears and kiwi fruit using inductively coupled plasma mass spectrometry as an initial screen for total tin, with confirmation by gas chromatography-mass spectrometry
- Beckers ALD, De Bruijn WC, Cleton-Soeteman MI, Van Eijk HG, Gelsema ES// Erasmus Univ, Dept Med Informat, POB 1738, NL-3000 DR Rotterdam, The Netherlands
Micron 1997 **28** (5) 349
New developments and applications in quantitative electron spectroscopic imaging of iron in human liver biopsies
- Budai J, Fuko J// Natl Off Measure, Nemetvolgyi u 37-39, HU-1124 Budapest, Hungary
Fresenius J Anal Chem 1998 **360** (3-4) 452
Experience with wheat and wheat flour CRMs
- Feldstein H, Cohen Y, Shenberg C, Klein A, Kojler M, Maenhaut W, Cafmeyer J, Comelis R// SOREQ NRC, IL-81800 Yavne, Israel
Biol Tr Elem Res 1998 **61** (2) 169
Comparison between levels of trace elements in normal and cancer inoculated mice by XRF and PIXE
- Gelinas Y, Krushevska A, Barnes RM// *Univ Massachusetts, Lederle Grad Res Ctr, Dept Chem, Box 34510, Amherst, Ma 01003, USA
Anal Chem 1998 **70** (5) 1021
Determination of total iodine in nutritional and biological samples by ICP-MS following their combustion within an oxygen stream
- Gelinas Y, Lafond J, Schmit JP// Univ Quebec, Dept Chim, CP 8888, Succ Centre-ville, Montreal, Quebec, Canada H3C 3P8
Biol Tr Elem Res 1997 **59** (1-3) 63
Multielemental analysis of human fetal tissues using inductively coupled plasma-mass spectrometry
- Giussani A, Roth P, Werner E, Schramel P, Wendler I, Nusslin F// GSF Forschungszentrum Umwelt & Gesundheit, Inst Strahlenschutz, Ingolstadter Landstr 1, DE-85764 Neuherberg, Germany
Isot Environ Health Stud 1997 **33** (1-2) 207
Thermal ionization and inductively coupled plasma mass spectrometry: Potential for application to studies on the biokinetics of molybdenum in humans
- Haswell SJ, Walmsley AD// *Univ Hull, Sch Chem, Ctr Chemometr & Proc Analyt Sci, Hull HU6 7RX, England
J Anal Atom Spectrom 1998 **13** (2) 131
Multivariate data visualisation methods based on multi-elemental analysis of wines and coffees using total reflection X-ray fluorescence analysis
- Kadrabova J, Madaric A, Ginter E// Inst Prevent & Clin Med, Limbova 14, SK-83301 Bratislava, Slovakia
Biol Tr Elem Res 1998 **61** (3) 277
Determination of the daily selenium intake in Slovakia
- Karadjova I, Zachariadis G, Boskou G, Stratis J// Univ Sofia, Fac Chem, BU-1126 Sofia, Bulgaria
J Anal Atom Spectrom 1998 **13** (3) 201
Electrothermal atomic absorption spectrometric determination of aluminium, cadmium, chromium, copper, iron, manganese, nickel and lead in olive oil
- Koplik R, Curdova E, Suchanek M// Inst Chem Technol Tech 5, CZ-16628 Prague 6, Czech Republic
Fresenius J Anal Chem 1998 **360** (3-4) 449
Trace element analysis in CRM of plant origin by inductively coupled plasma mass spectrometry
- Kozloski GV, Flores EMD, Martins AF// Univ Fed Rio Grande Sul, Curso Pos Grad Zootecn, Avda Bento Goncalves 7712, BR-01500-000 Porto Alegre, RS, Brazil
J Sci Food Agr 1998 **76** (3) 373
Use of chromium oxide in digestibility studies: Variations of the results as a function of the measurement method
- Li YC, Jiang SJ// *Natl Sun Yat Sen Univ, Dept Chem, Kaohsiung 80424, Taiwan
Anal Chim Acta 1998 **359** (1-2) 205
Determination of Cu, Zn, Cd and Pb in fish samples by slurry sampling electrothermal vaporization inductively coupled plasma mass spectrometry
- Matsunaga A, Yamamoto A, Kurokawa H, Sekiguchi Y// Toyama Inst Hlth, 17-1 Nakataikoyama, Kosugi, Toyama 9390363, Japan
J Food Hyg Soc Jpn 1997 **39** (1) 1
Determination of condensed phosphates in food stuffs by ion chromatography (Japanese, English Abstract)
- Morisi G, Menditto A, Chiodo F, Minoprio A, Mosca M, Patriarca M// *Ist Super Sanita, Biochim Clin Lab, Viale Regina Elena 299, IT-00161 Rome, Italy
Fresenius J Anal Chem 1998 **360** (3-4) 489
Control materials for selenium in serum suitable for speciation studies
- Ozdemir Y, Gucer S// Mersin Univ, Fac Engr, Dept Food Engr, Icel, Turkey
Anal Lett 1998 **31** (4) 679
Speciation of manganese in tea leaves and tea infusions
- Park CJ, Suh JK, Lee KW, Lee SH// Korea Res Inst Stand & Sci, POB 102, Taejon 305600, South Korea
Anal Sci 1997 **13** (Suppl) 429
Determination of Cd, Cu, Zn and Pb in rice flour reference materials by isotope dilution inductively coupled plasma mass spectrometry
- Perez-Olmos R, Rios A, Lapa RAS, Lima JLC// Escuela Univ Ingn Tech Ind, Dept Quim Analit, ES-48012 Bilbao, Spain
Fresenius J Anal Chem 1998 **360** (6) 659
Construction and evaluation of ion-selective electrodes for potassium and calcium with a summing operational amplifier. Application to wine analysis
- Schwedt G, Tawali AB, Kock K// Tech Univ Clausthal, Inst Inorgan & Analyt Chem, Paul Ernst Str 4, DE-38678 Clausthal Zellerfeld, Germany
Fresenius J Anal Chem 1998 **360** (5) 589
Strategy of analysis for the estimation of the bioavailability of zinc in food-stuffs
- Silva PRM, Dorea JG*, Boaventura GR// *Univ Brasilia, Dept Chem, BR-70910-970 Brasilia, DF, Brazil
Biol Tr Elem Res 1997 **59** (1-3) 57
Multielement determination of small samples of human milk by inductively coupled plasma atomic emission spectrometry
- Tait D, Haase G, Wiechen A// Fed Dairy Res Ctr, Inst Chem & Phys, Hermann Weigmann Str 1, DE-24103 Kiel, Germany
J Radioanal Nucl Chem 1997 **226** (1-2) 225
Rapid and efficient separation of strontium from liquid milk with a cation exchange resin Dowex 50WX8 treated with Cryptand 222
- Van den Heuvel EGHM, Muys T, Pellegrom H, Bruyntjes JP, Van Dokkum W, Spanhaak S, Schaafsma G// TNO, Nutr & Food Res Inst, POB 360, NL-3700 AJ Zeist, The Netherlands
Clin Chem 1998 **44** (3) 649
A new method to measure iron absorption from the enrichment of ⁵⁷Fe and ⁵⁸Fe in young erythroid cells
- Wang GF, Horita K*, Satake M// *Fukui Univ, Fac Engr, Fukui 910, Japan
Microchem J 1998 **58** (2) 162
Simultaneous spectrophotometric determination of nitrate and nitrite in water and some vegetable samples by column preconcentration
- Yang XR, Qiao ZC, Wei WZ, Yao SZ// Hunan Univ, Coll Chem & Chem Engr, CN-410082 Changsha, Peoples Rep China
Anal Lett 1998 **31** (2) 207
Bulk acoustic wave sensor for non-suppressed ion chromatographic determination of nitrate and other inorganic anions in vegetables
- Zhou H, Liu JH// Natl Ctr Imported Food Inspect PR China, 2E 2nd Lane, Jintai Zhi St, CN-510405 Guangzhou, Peoples Rep China
Atom Spectrosc 1997 **18** (6) 192
The determination of rare earth elements in plant foods by ICP-MS

8 DRUG, BIOCIDES & PROCESSING RESIDUES

- Beier RC, Dutko TJ, Buckley SA, Muldoon MT, Holtzapple CK, Stanker LH// USDA/ARS, Food Anim Protect Res Lab, 2881 F&B Rd, College Stn, TX 77845, USA
J Agr Food Chem 1998 **46** (3) 1049
Detection of halofuginone residues in chicken liver tissue by HPLC and a monoclonal-based immunoassay
- Bouksaim M, Fliss I, Meghrouh J, Simard R, Lacroix C// *Univ Laval, Ctr Rech Sci & Technol Lait STELA, Pavillon Paul Comtois, St Foy, Quebec, Canada G1K 7P4
J Appl Microbiol 1998 **84** (2) 176
Immunodot detection of nisin Z in milk and whey using enhanced chemiluminescence
- Bushway RJ, Larkin K, Perkins B// Univ Maine, Dept Food Sci & Nutr, 5736 Holmes Hall, Orono, Me 04469, USA
Food Agric Immunol 1997 **9** (4) 249
Determination of thiabendazole in potatoes by ELISA
- Carretero AS, Blanco CC*, Fernandez RE, Gutierrez AF// *Univ Granada, Dept Analyt Chem, C/ Fuentenueva s/n, ES-18071 Granada, Spain
Fresenius J Anal Chem 1998 **360** (5) 605
Micellar-stabilized room-temperature phosphorimetric determination of the fungicide thiabendazole in canned pineapple samples
- Cerda H// Swedish Univ Agr Sci, Dept Radioecol, POB 7031, SE-75007 Uppsala, Sweden
J Sci Food Agr 1998 **76** (3) 435
Detection of irradiated frozen food with the DNA comet assay: Interlaboratory test
- Chen QC, Mou SF, Hou XP, Ni ZM// Ecoenvironm Sci Res Ctr, POB 2871, CN-100085 Beijing, Peoples Rep China
J Liq Chromatogr Relat Technol 1998 **21** (5) 705
Determination of benzoyl peroxide in wheat flour by ion chromatography with precolumn derivatization
- De Brabander HF, Batjoens P, Courtheyn D, De Wasch K// State Univ Ghent, Dept Vet Food Inspect, BE-9000 Ghent, Belgium
LC GC-Mag Separation Sci 1998 **16** (3) 252
Using GC-MS to identify residues of illegal growth promoters
- Delahaut P, Taillieu X, Dubois M, De Wasch K, De Brabander HF*, Courtheyn D// *State Univ, Fac Vet Med, Dept Vet Food Inspect, Lab Chem Anal, Salisburylaan 133, BE-9820 Merelbeke, Belgium
Arch Lebensmittelhyg 1998 **49** (1) 3
Detection of stanzolol metabolites in bovine urine after intramuscular injection
- Echarri I, Nerin C, Wells DE, Domeno C, Cacho J// Univ Zaragoza, Ctr Politecn Super, Dept Quim Analit, Maria de Luna 3, ES-50015 Zaragoza, Spain
Analyst 1998 **123** (3) 421
Multivariate analysis applied to the study of the distribution of chlorobiphenyls (CBs), including the non-ortho-CBs, in fish and sea mammals
- Ellerbroek L// Bundesinst Gesundheitlichen Verbraucherschutz, DE-14191 Berlin, Germany
Arch Lebensmittelhyg 1998 **49** (1) 7
Influence of media on sensitivity for the detection of sulphonamides using the three-plate-test according to VwVFHG with *Bacillus subtilis* as test microorganism (German, English Abstract)
- Eng GY, Maxwell RJ*, Cohen E, Piotrowski EG, Fiddler W// *USDA/ARS, Eastern Reg Res Ctr, 600 East Mermaid Lane, Wyndmoor, Pa 19038, USA
J Chromatogr A 1998 **799** (1-2) 349
Determination of flumequine and oxolinic acid in fortified chicken tissue using on-line dialysis and high-performance liquid chromatography with fluorescence detection
- Gmeiner M, Demertzis PG, Franz R// *Fraunhofer Inst Verfahrenstech & Verpackung, Giggenhauser Str 35, DE-85354 Freising Weihenstephan, Germany
Deut Lebensm-Rundsch 1998 **94** (2) 41
Development of an HPLC method for the sensitive determination of carbonyl chloride in polycarbonate for food contact articles
- Gokmen V, Acar J// Hacettepe Univ, Dept Food Engr, TR-6532 Ankara, Turkey
J Chromatogr A 1998 **798** (1-2) 167
Liquid chromatographic determination of β -naphthoxyacetic acid in tomatoes
- Horie M, Saito K, Hoshino Y, Terada H, Nakazawa H// Saitama Prefectural Inst Publ Hlth, 639-1 Kamiokubo, Urawa, Saitama 338, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 329
Simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in meat and fish by HPLC
- Ishii R, Horie M, Hoshino Y, Nakazawa H// Saitama Prefectural Inst Publ Hlth, 639-1 Kamiokubo, Urawa, Saitama 3380824, Japan
J Food Hyg Soc Jpn 1997 **39** (1) 42
Simultaneous determination of residual anthelmintic agents in liver and fat tissues by HPLC with fluorescence detection (Japanese, English Abstract)
- Iwasaki Y, Harasaki T, Tsuru J, Hisano H, Ikeda Y// Saga Prefectural Inst Publ Hlth, 1-20 Hachounawate machi, Saga 849, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 347
Determination of DCIP in vegetables using solid-phase micro extraction and capillary GC/MS
- Kakimoto S, Obana H, Okihashi M, Hori S// Osaka Prefectural Inst Publ Hlth, Higashihinari ku, 1-3-69 Nakamichi, Osaka 537, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 358
Rapid analysis of fungicides in agricultural products and processed foods by applying an accelerated solvent extraction system
- Kawamura Y, Watanabe K, Sayama K, Takeda Y, Yamada T// Natl Inst Hlth Sci, Setagaya ku, 1-18-1, Kamiyoga, Tokyo 158, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 307
Simultaneous determination of polymer additives in polyethylene by GC/MS
- Kobayashi M, Nagayama T, Hashimoto T, Haneishi N, Ito M, Yamura Y, Tomomatsu T// Tokyo Metropolitan Res Lab Publ Hlth, Shinjuku ku, 3-24-1 Hyakunin cho, Tokyo 169, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 351
Determination of methabenzthiazuron in agricultural products by HPLC
- Maruyama N, Matsumoto M, Kido Y// Res Inst Anim Sci Biochem & Toxicol, 3-7-11 Hashimoto dai, Sagamiyama, Kanagawa 229113, Japan
J Food Hyg Soc Jpn 1997 **39** (1) 26
Development of enzyme-linked immunosorbent assay for etiproston and its application to residue analysis in cattle and swine tissues and cows' milk (Japanese, English Abstract)
- Mellgren C, Sternesjo A// Swedish Univ Agr Sci, Dept Food Sci, SE-75007 Uppsala, Sweden
J AOAC Int 1998 **81** (2) 394
Optical immunobiosensor assay for determining enrofloxacin and ciprofloxacin in bovine milk
- Milana MR, Denaro M, Arrivabene L, Maggio A, Gramiccioni L// Ist Super Sanita, Viale Regina Elena 299, IT-00161 Rome, Italy
Food Addit Contam 1998 **15** (3) 355
Gel permeation chromatography (GPC) of repeatedly extruded polyethylene terephthalate (PET)
- Nakamura Y, Yoshii K, Tsumura Y, Tonogai Y, Shibata T// Natl Inst Hlth Sci, Osaka Branch, Chuo ku, 1-1-43 Hoenzaka, Osaka 5400006, Japan
J Food Hyg Soc Jpn 1997 **39** (1) 51
Application and improvement of the bulletin method on the analysis of quinolone, triflurarin, isoporthiolane and butachlor (Japanese, English Abstract)
- Nemoto S, Takatsuki S, Matsuda R, Sasaki K, Toyoda M// Natl Inst Hlth Sci, Setagaya ku, 1-18-1 Kamiyoga, Tokyo 1588501, Japan
J Food Hyg Soc Jpn 1997 **39** (1) 31
Analyses for petroleum-related contaminants in seafoods by GC/MS (SIM) (Japanese, English Abstract)
- Nerin C, Rubio C, Cacho J, Salafranca J// Univ Zaragoza, Ctr Politecn Super, Dept Quim Analit, Maria Luna 3, ES-50015 Zaragoza, Spain
Food Addit Contam 1998 **15** (3) 346
Parts-per-trillion determination of styrene in yoghurt by purge-and-trap gas chromatography with mass spectrometry detection
- Nunes GS, Toscano IA, Barcelo D// *CSIC, CID, Dept Environ Chem, Jordi Girona 18-26, ES-08034 Barcelona, Spain
Trac-Trend Anal Chem 1998 **17** (2) 79
Analysis of pesticides in food and environmental samples by enzyme-linked immunosorbent assays
- Pouliquen H, Armand F, Loussouarn S// Ecole Natl Vet Nantes, Lab Chimiotherapie Aquacole & Environm, BP 40706, FR-44307 Nantes 03, France
J Liq Chromatogr Relat Technol 1998 **21** (4) 591
Simple and rapid method for the determination of oxolinic acid in turbot (*Scophthalmus maximus*) serum by high performance liquid chromatography with fluorescence detection
- Reddy PRK, Sreedhar NY, Reddy SJ// Sri Venkateswara Univ, Dept Chem, IN-517502 Tirupati, Andhra Pradesh, India
Fresen Environ Bull 1998 **7** (3-4) 177
Differential pulse polarographic determination of chlorphoxin in formulations, grains and soils
- Reising KP// USDA, Food Safety & Inspect Serv, Eastern Lab, Richard B Russell Agr Res Ctr, Athens, Ga 30604, USA
J AOAC Int 1998 **81** (2) 477
Ivermectin quantitation with an abamectin internal standard
- Reising KP, Di Benedetto NM// Address as above.
J AOAC Int 1998 **81** (2) 484
Solid-phase extraction clean up for ivermectin in liver tissue
- Schliephake A// Dachauerstr 215, DE-80637 Munich, Germany
Milchwissenschaft 1998 **53** (2) 88
A comparative study of newly developed agar-diffusion test and Brilliant Black reduction tests in conjunction with an ELISA reader to measure antibiotic residues in milk
- Shaikh B, Rummel N// US/FDA, Ctr Vet Med, 8401 Muirkirk Rd, Laurel, Md 20708, USA
J Agr Food Chem 1998 **46** (3) 1039
Liquid chromatographic determination of chlorothiazide and hydrochlorothiazide diuretic drugs in bovine milk
- Shingfield KJ, Offer NW// Agr Res Ctr Finland, Inst Anim Prod, Dept Anim Nutr, FI-31600 Jokioinen, Finland

- J Chromatogr B* 1998 **706** (2) 342
Determination of allantoin in bovine milk by high-performance liquid chromatography
- Smallwood AW, Ranieri TL, Satzger RD// US/FDA, Natl Forens Chem Ctr, 1141 Cent Parkway, Cincinnati, Oh 45202, USA
J AOAC Int 1998 **81** (2) 488
Determination of 4-hexylresorcinol in crab meat
- Stubbings GW, Cooper AD, Shepherd MJ, Croucher JM, Airds D, Farrington WHHH, Shearer G// MAFF, CSL Food Sci Lab, Norwich Res Pk, Norwich NR4 7UQ, England
Food Addit Contam 1998 **15** (3) 293
Determination of 19-nortestosterone and trenbolone in animal tissues by high-performance liquid chromatography with immunoaffinity clean-up
- Tanaka Y, Hosoi S, Shimizu R, Kirigaya T, Sasao T, Mizuno A, Kawamura T, Nakazawa H// Yokohama City Inst Hlth, Isogo ku, 1-2-17 Takigashira, Yokohama, Kanagawa 235, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 323
Detection of tolclofos-methyl and its decomposition product (2,6-dichloro-p-cresol) in phenolic-smelling tomatoes
- Tonogai Y, Tsumura Y, Nakamura Y, Shibata T// Natl Inst Hlth Sci, Osaka Branch, Chuo ku, 1-1-43 Hoenzaka, Osaka 5400006, Japan
J Food Hyg Soc Jpn 1997 **39** (1) 13
Simultaneous determination of pesticides and their metabolites in fresh fruits and vegetables by HPLC
- Vitali M, Guidotti M, Giovinazzo R, Cedrone O// Univ Roma La Sapienza, Ist Igiene G Sanarelli, Cattedra Igiene Ambientale, Piazzale Aldo Moro 5, IT-00185 Rome, Italy
Food Addit Contam 1998 **15** (3) 280
Determination of pesticide residues in wine by SPME and GC/MS for consumer risk assessment
- Vogel A// Technikon, Dept Chem, Private Bag X07, ZA-0116 Pretoria, Rep Sth Africa
Bull Environ Contam Toxicol 1998 **60** (3) 371
Methodology and determination of 2,4-D and triclopyr residues employing the GC-ITD in the analysis of lettuce plants cultivated in the Tala Valley, Republic of South Africa
- Win T, Luther W, Jacob J, Vaessen HAMG, Boenke A// Bundesanstalt Mat Forsch & Prufung, Rudower Chaussee 5, DE-12489 Berlin, Germany
Fresenius J Anal Chem 1998 **360** (6) 640
Reference materials for PAHs in foodstuffs: Results of the certification exercise of two coconut oil reference materials
- ## 9 TOXINS
- Akiyama H, Chen DY, Miyahara M, Goda Y, Toyoda M// Natl Inst Hlth Sci, Setagaya ku, 1-18-1 Kamiyoga, Tokyo 158, Japan
J Food Hyg Soc Jpn 1997 **38** (6) 406
A rapid analysis of ochratoxin A in coffee beans and cereals
- Dawlatana M, Coker RD*, Nagler MJ, Blunden G, Oliver GWO// *Bangladesh Council Sci & Ind Res, Inst Food Sci & Technol, New Elephant Rd, Dhaka 1205, Bangladesh
Chromatographia 1998 **47** (3-4) 215
An HPTLC method for the quantitative determination of zearalenone in maize
- Draisci R, Lucentini L, Giannetti L, Boria P, James KJ, Furey A, Gillman M, Kelly SS// Ist Super Sanita, Lab Med Vet, Viale Regina Elena 299, IT-00161 Rome, Italy
J AOAC Int 1998 **81** (2) 441
Determination of diarrhetic shellfish toxins in mussels by microliquid chromatography-tandem mass spectrometry
- Draisci R, Giannetti L, Boria P, Lucentini L, Palleschi L, Cavalli S// Ist Super Sanita, Lab Med Vet, Viale Regina Elena 299, IT-00161 Rome, Italy
J Chromatogr A 1998 **798** (1-2) 109
Improved ion chromatography-integrated pulsed amperometric detection method for the evaluation of biogenic amines in food of vegetable or animal origin and in fermented foods
- Draisci R, Giannetti L, Lucentini L, Marchiava C, James KJ, Bishop AG, Healy BM, Kelly SS// Ist Super Sanita, Lab Med Vet, Viale Regina Elena 299, IT-00161 Rome, Italy
J Chromatogr A 1998 **798** (1-2) 137
Isolation of a new okadaic acid analogue from phytoplankton implicated in diarrhetic shellfish poisoning
- Hou WC, Lin YH// *Acad Sinica, Inst Bot, Taipei 115, Taiwan
Electrophoresis 1998 **19** (2) 212
Activity staining on polyacrylamide gels of trypsin inhibitors from leaves of sweet potato (*Ipomoea batatas* L. Lam) varieties
- Hutabarat LS, Mulholland M*, Greenfield H// *Univ Technol Sydney, Dept Chem, POB 123, Broadway, NSW 2007, Australia
J Chromatogr A 1998 **795** (2) 377
Development and validation of an isocratic high-performance liquid chromatographic method for quantitative determination of phytoestrogens in soya bean
- Josephs RD, Krska R*, Grasserbauer M, Broekaert JAC// *IFA Tulln, Inst Agrobiotechnol, Ctr Analyt Chem, Konrad Lorenz Str 20, AU-3430 Tulln, Austria
J Chromatogr A 1998 **795** (2) 297
Determination of trichothecene mycotoxins in wheat by use of supercritical fluid extraction and high-performance liquid chromatography with diode array detection or gas chromatography with electron capture detection
- Kondo K, Akiyama H, Goda Y, Toyoda M// Natl Inst Hlth Sci, Setagaya ku, 1-18-1 Kamiyoga, Tokyo 158, Japan
J Food Hyg Soc Jpn 1997 **38** (6) 412
Determination of cardiac glycosides in "Moroheiya" (*Corchorus olitorius*) and its products by HPLC (Japanese, English Abstract)
- Leao JM, Gago A*, Rodriguez-Vazquez JA, Agüete EC, Omil MM, Comezana M// *Univ Vigo, Fac Ciencias, Dept Quim Anal & Alimentaria, Apdo 874, ES-36200 Vigo, Spain
J Chromatogr A 1998 **798** (1-2) 131
Solid-phase extraction and high-performance liquid chromatography procedures for the analysis of paralytic shellfish toxins
- Leung PSC, Chen YC, Mykles DL, Chow WK, Li CP, Chu KH// Univ Calif, Sch Med, Div Rheumatol Allergy & Clin Immunol, Davis, Ca 95616, USA
Molec Mar Biol Biotechnol 1998 **7** (1) 12
Molecular identification of the lobster muscle protein tropomyosin as a sea-food allergen
- Malone BR, Humphrey CW, Romer TR, Richard JL// Romer Labs Inc, 1301 Stylemaster Drive, Union, Mo 63084, USA
J AOAC Int 1998 **81** (2) 448
One-step solid-phase extraction cleanup and fluorometric analysis of deoxyvalenol in grains
- Pan M, Mabry TJ*, Cao P, Moini M// *Univ Texas, Dept Bot, Austin, Tx 78713, USA
J Chromatogr A 1997 **787** (1-2) 288
Identification of nonprotein amino acids from cycad seeds as N-ethoxycarbonyl ethyl ester derivatives by positive chemical-ionization gas chromatography/mass spectrometry
- Saito K, Horie M, Tokumaru Y, Hattori S, Nakazawa H// Saitama Inst Publ Hlth, 639-1 Kamiokubo, Urawa, Saitama 3380824, Japan
J Food Hyg Soc Jpn 1997 **39** (1) 39
Simultaneous determination of gizzerosine and histamine in chicken tissues by HPLC using an on-column fluorescence derivatization and column-switching technique (Japanese, English Abstract)
- Saka JDK, Mhone ARK, Brimer L// Univ Malawi, Chancellor Coll, Dept Chem, POB 280, Zimba, Malawi
J Sci Food Agr 1998 **76** (3) 334
An improved microdiffusion method with solid-phase detection for the determination of total cyanogens in fresh cassava. Comparison to the method of Cooke (1978)
- Torres MR, Sanchis V, Ramos AJ// *Univ Lleida, CERTA, Food Technol Area, UDL, IRTA Ctr R&D, Dept Food Technol, Avda Rovira Roure 177, ES-25198 Lleida, Spain
Int J Food Microbiol 1998 **39** (1-2) 139
Occurrence of fumonisins in Spanish beers analyzed by an enzyme-linked immunosorbent assay method
- Yu WJ, Chu FS// *Univ Wisconsin, Food Res Inst, 1925 Willow Dr, Madison, WI 53706, USA
J Agr Food Chem 1998 **46** (3) 1012
Improved direct competitive enzyme-linked immunosorbent assay for cyclopiazonic acid in corn, peanuts, and mixed feed
- ## 10 ADDITIVES
- Adam LA, Reeves VB// US/FDA, Ctr Vet Med, Res Off, 8401 Muirkirk Rd, Laurel, Md 20708, USA
J AOAC Int 1998 **81** (2) 359
Procedure for detecting and confirming pentobarbital residues in dog food by gas chromatography/mass spectrometry
- Brockmann R// Chen Untersuchungsamt Stadt Bielefeld, Postfach 100111, DE-33501 Bielefeld, Germany
Fleischwirtschaft 1998 **78** (2) 143
Detection of natural colourants in raw sausage: Results of a collaborative test (German, English Abstract)
- Gonzalez M, Ballesteros E, Gallego M, Valcarcel M// *Univ Cordoba, Fac Sci, Dept Analyt Chem, ES-14004 Cordoba, Spain
Anal Chim Acta 1998 **359** (1-2) 47
Continuous-flow determination of natural and synthetic antioxidants in foods by gas chromatography
- Hidaka C, Murai Y, Fujimoto T// Fukuoka City Inst Hyg & Environm, Chuo ku, 2-1-34 Jigyohama, Fukuoka 810, Japan
J Food Hyg Soc Jpn 1997 **38** (5) 319
Analysis of dimethylpolysiloxane in tofu by FTIR
- Kuo KL, Huang HY, Hsieh YZ// *Natl Chiao Tung Univ, Dept Appl Chem, Hsinchu, Taiwan
Chromatographia 1998 **47** (5-6) 249
High-performance capillary electrophoretic analysis of synthetic food color-

ants

- Sabah S, Scriba GKE*// *Univ Munster, Dept Pharmaceut Chem, Hittorfstr 58-62, DE-48149 Munster, Germany
J Pharmaceut Biomed Anal 1998 **16** (6) 1089
 Determination of aspartame and its degradation and epimerization products by capillary electrophoresis
- Sarudi I, Kelemen J// Pannon Agr Univ, Fac Anim Sci, Dept Chem, Kaposvar, Hungary
Talanta 1998 **45** (6) 1281
 Determination of sulphur and total sulphur dioxide in wines by an ICP-AES method
- Sayar S, Ozdemir Y// Univ Mersin, Dept Food Engn, Ciftlik, TR-33160 Mersin, Turkey
Food Chem 1998 **61** (3) 367
 First-derivative spectrophotometric determination of Ponceau 4R, Sunset Yellow and tartrazine in confectionery products
- Scotter MJ, Wilson LA, Appleton GP, Castle LJ// MAFF, Food Sci Lab, Norwich Res Pk, Norwich NR4 7UQ, England
J Agr Food Chem 1998 **46** (3) 1031
 Analysis of annatto (*Bixa orellana*) food coloring formulations. I. Determination of coloring components and colored thermal degradation products by high-performance liquid chromatography with photodiode array detection
- Van Baar BLM, Rozendal J, Van der Goot H// TNO Prins Maurits Lab, Res Grp Anal Toxic & Explosive Subs, PO Box 45, NL-2280 AA Rijswijk (ZH) The Netherlands
J Mass Spectrometry 1998 **33** (4) 319
 Electron ionization mass spectrometry of curcumin analogues: An olefin meta-thesis reaction in the fragmentation of radical cations
- Yamada M, Kato Y, Nakamura M, Yamada T, Goda Y// San Ei Gen FFI Inc, 1-1-11 Sanwa cho, Osaka 5618588, Japan
Chem Pharm Bull Tokyo 1998 **46** (3) 494
 Structural determination of unknown subsidiary colors in commercial Food Res Nos. 2 and 102

11 FLAVOURS & AROMAS

- Andrade PB, Carvalho ARF, Seabra RM, Ferreira MA*// *Univ Oporto, Fac Farm, Lab Bromatol, R Anibal Cunha, PT-4050 Oporto, Portugal
J Agr Food Chem 1998 **46** (3) 968
 A previous study of phenolic profiles of quince, pear, and apple purees by HPLC diode array detection for the evaluation of quince puree genuineness
- Aparicio R, Morales MT// CSIC, Inst Grasa, Avda Padre Garcia Tejero 4, ES-41012 Seville, Spain
J Agr Food Chem 1998 **46** (3) 1116
 Characterization of olive ripeness by green aroma compounds of virgin olive oil
- Chatonnet P, Dubourdieu D// Seguin Moreau Cooperage, FR-1603 Merpins, Cognac, France
J Sci Food Agr 1998 **76** (2) 179
 Identification of substances responsible for the 'sawdust' aroma in oak wood
- Chen SH, Huang TC*, Ho CT, Tsai PJ// *Nat'l Pingting Polytech Inst, Dept Food Sci & Technol, Pingting 912, Taiwan
J Agr Food Chem 1998 **46** (3) 1101
 Extraction, analysis, and study on the volatiles in roselle tea
- Chiang WCK, Pusateri DJ, Leitz REA// Nutrilite, Rehnberg Ctr Nutr & Wellness, 19600 6th St, Lakeview, Ca 92567, USA
J Agr Food Chem 1998 **46** (3) 1018
 Gas chromatography/mass spectrometry method for the determination of sulforaphane and sulforaphane nitrile in broccoli
- Druaux C, Le Thanh M, Seuvre AM, Voilley A*// *Univ Bourgogne 1, Ecole Natl Super Biol Appl Nutr & Alimentat, Lab GPAB, 1 Esplanade Erasme, FR-21000 Dijon, France
J Amer Oil Chem Soc 1998 **75** (2) 127
 Application of headspace analysis to the study of aroma compounds-lipids interactions
- Eerola S, Otegui I, Saari L, Rizzo A// Natl Vet & Food Res Inst, Dept Chem, POB 368 Hameentie 57, FI-00231 Helsinki, Finland
Food Addit Contam 1998 **15** (3) 270
 Application of liquid chromatography-atmospheric pressure chemical ionization mass spectrometry and tandem mass spectrometry to the determination of volatile nitrosamines in dry sausages
- He XG, Bernart MW, Lian LZ, Lin LZ// E Earth Herb Inc, Res Lab Nat Prod Chem, 4091 West 11th Ave, Eugene, Or 97402, USA
J Chromatogr A 1998 **796** (2) 327
 High-performance liquid chromatography/electrospray mass spectrometric analysis of pungent constituents of ginger
- Hofmann T// Deutsch Forsch Anstalt Lebensmittelchem, Lichtenbergstr 4, DE-85748 Garching, Germany
J Agr Food Chem 1998 **46** (3) 941
 Application of site specific ¹³C enrichment and ¹³C NMR spectroscopy for the elucidation of the formation pathway leading to a red 1*H*-pyrrol-3(2*H*)-one during the Maillard reaction of furan-2-carboxaldehyde and L-alanine

- Hrncirik K, Velisek J*, Davidek J// *Inst Chem Technol, Dept Food Chem & Anal, Technicka 1905, CZ-16628 Prague 6, Czech Republic
Z Lebensm Unters Forsch A-Food 1998 **206** (2) 103
 Comparison of HPLC and GLC methodologies for determination of glucosinolates using reference material
- Landaud S, Lieben P, Picque D// INRA, Lab Genie & Microbiol Procèdes Alimentaires, FR-78850 Thiverval Grignon, France
J Inst Brew 1998 **104** (2) 93
 Quantitative analysis of diacetyl, pentanedione and their precursors during beer fermentation by an accurate GC/MS method
- Lindinger W, Hansel A, Jordan A// Innsbruck Univ, Inst Ionenphys, Tech Str 25, AU-6020 Innsbruck, Austria
Int J Mass Spectrom Ion Proc 1998 **173** (3) 191
 On-line monitoring of volatile organic compounds at pptv levels by means of proton-transfer-reaction mass spectrometry (PTR-MS): Medical applications, food control and environmental research
- Mathieu F, Malosse C, Frerot B*// *INRA, Unite Phytopharm & Mediateurs Chim, Rte St Cyr, FR-78026 Versailles, France
J Agr Food Chem 1998 **46** (3) 1106
 Identifications of the volatile components released by fresh coffee berries at different stages of ripeness
- Mondello L, Catalfamo M, Dugo P, Dugo G// Univ Messina, Fac Farm, Dipt Farmacochim, Viale Annuziata, IT-98168 Messina, Italy
J Microcolumn Sep 1998 **10** (2) 203
 Multidimensional capillary GC-CC for the analysis of real complex samples. Part II. Enantiomeric distribution of monoterpene hydrocarbons and monoterpene alcohols of cold-pressed and distilled lime oils
- Olle D, Baumes RL, Bayonove CL, Lozano YF, Sznaper C, Brillouet DM// Ctr Cooperat Int Rech Agron Dev, Dept FLHOR, 2477 Ave Val Montferrand, BP 5035, FR-34032 Montpellier 1, France
J Agr Food Chem 1998 **46** (3) 1094
 Comparison of free and glycosidically linked volatile components from polyembryonic and monoembryonic mango (*Mangifera indica* L.) cultivars
- Tominaga T, Murat ML, Dubourdieu D// Univ Victor Segalen Bordeaux II, Fac Enol, 351 Cours Liberat, FR-33405 Talence, France
J Agr Food Chem 1998 **46** (3) 1044
 Development of a method for analyzing the volatile thiols involved in the characteristic aroma of wines made from *Vitis vinifera* L cv. Sauvignon Blanc
- Tonder D, Petersen MA*, Poll L, Olsen CE// *Royal Vet & Agr Univ, Ctr Adv Food Studies, Dept Dairy & Food Sci, Rolighedsvej 30, DK-1958 Frederiksberg C, Denmark
Food Chem 1998 **61** (1-2) 223
 Discrimination between freshly made and stored reconstituted orange juice using GC odour profiling and aroma values
- Uematsu K, Sadamasu Y, Hirata K, Hirokado M, Yasuda K, Suzuki S// Tokyo Metropolitan Res Lab Publ Hlth, Shinjuku ku, 3-24-1 Hyakunincho, Tokyo 169, Japan
J Food Hyg Soc Jpn 1997 **38** (6) 452
 Determination of carrier solvents in flavor preparations by GC and GC/MS (Japanese, English Abstract)
- Werkhoff P, Guntert M, Krammer G, Sommer H, Kaulen J// Haarmann & Reimer GmbH, Corp Res, DE-37603 Holzminden, Germany
J Agr Food Chem 1998 **46** (3) 1076
 Vacuum headspace method in aroma research: Flavor chemistry of yellow passion fruits
- Withers SJ, Piggott JR// Univ Strathclyde, Dept Biosci & Biotechnol, Ctr Food Quality, 204 George St, Glasgow G1 1XW, Scotland
Spectrosc Eur 1998 **10** (2) 22
 The study of flavour release using gas chromatography/mass spectrometry

12 ORGANIC ACIDS

- Benassi MT, Cecchi HM// UNESP, IBILCE, Dept Quim & Geociencias, CP 136, BR-15054-000 S Jose Rio Pr, SP, Brazil
J Liq Chromatogr Relat Technol 1998 **21** (4) 491
 Method development for the simultaneous determination of carboxylic acids, phenolic compounds, and sorbic acid in white wines

13 ANIMAL PRODUCTS

- Brehmer H// Lebensmitteluntersuchungsamt Braunschweig, Dresdenstr 2 & 6, DE-38124 Braunschweig, Germany
Fleischwirtschaft 1998 **78** (3) 199
 Determination of poultry meat in meat products
- Chen MX, Irudayaraj J*// *Utah State Univ, Dept Nutr & Food Sci, Logan, UT 84322, USA
J Food Sci 1998 **63** (1) 96
 Sampling technique for cheese analysis by FTIR spectroscopy
- Hahn G, Branscheid W, Dobrowolski A, Dunkel R// Ruhr Univ Bochum, Lehrstuhl Allgemeine Bot, DE-44780 Bochum, Germany
Fleischwirtschaft 1998 **78** (3) 181

Determination of carcass value of turkeys: Methods and applicability (German, English Abstract)

Hahn R, Schulz PM, Schaupt C, Jungbauer A*// *Univ Agr Forestry & Biotechnol, Inst Appl Microbiol, Muthgasse 18, AU-1190 Vienna, Austria
J Chromatogr A 1998 **795** (2) 277

Bovine whey fractionation based on cation-exchange chromatography

Nakai S// Univ British Columbia, Fac Agr Sci, 6650 NW Marine Dr, Vancouver, Brit Columbia, Canada V6T 1Z4
J Food Sci 1998 **63** (1) R4

Predicting milk shelf-life based on headspace gas chromatographic data (Reply)

Nielsen BR, Stapelfeldt H, Skibsted LH*// *Royal Vet & Agr Univ, Dept Dairy & Food Sci, Rolighedsvvej 30, DK-1958 Frederiksberg C, Denmark
Int Dairy J 1997 **7** (8-9) 589

Differential between 15 whole milk powders in relation to oxidative stability during accelerated storage: Analysis of variance and canonical variable analysis

Thibault J// Univ Laval, Dept Chem Engr, Quebec Cty, PQ, Canada G1K 7P4
J Food Sci 1998 **63** (1) R4

Predicting milk shelf-life based on headspace gas chromatographic data (Letter)

Thiemig F, Buhr H, Wolf G// Tech Univ Berlin, Fachbereich Lebensmittelwissenschaft & Biotechnol, DE-10115 Berlin, Germany

Fleischwirtschaft 1998 **78** (2) 152

Characterization of shelf-life and spoilage of fresh foods: First results with the Weibull hazard analysis (German, English Abstract)

14 PLANT & MICROBIAL PRODUCTS

Arce L, Tena MT, Rios A, Valcarcel M*// *Univ Cordoba, Fac Sci, Dept Analyt Chem, ES-14004 Cordoba, Spain
Anal Chim Acta 1998 **359** (1-2) 27

Determination of *trans*-resveratrol and other polyphenols in wines by a continuous flow sample clean-up system followed by capillary electrophoresis separation

Belton PS, Colquhoun IJ*, Kemsley EK, Delgado I, Roma P, Dennis MJ, Sharman M, Holmes E, Nicholson JK, Spraul M// *Inst Food Res, Norwich Lab, Norwich Res Park, Colney, Norwich NR4 7UA, England
Food Chem 1998 **61** (1-2) 207

Application of chemometrics to the ¹H NMR spectra of apple juices: Discrimination between apple varieties

Da Costa CT, Nelson BC, Margolis SA, Horton D*// *American Univ, Dept Chem, 4400 Massachusetts Ave, Washington, DC 20016, USA
J Chromatogr A 1998 **799** (1-2) 321

Separation of blackcurrant anthocyanins by capillary zone electrophoresis

Dupire S// Heriot Watt Univ, European Brewery Convention, Anal Committee, Edinburgh EH14 4AX, Scotland
J Inst Brew 1998 **104** (2) 67

Determination of total vicinal diketones in beer by headspace capillary gas chromatography

Dupire S// Address as above.

Monatsschr Brauwissen 1998 **51** (1-2) 22

Determination of total vicinal diketones in beer by headspace capillary gas chromatography (German, English Abstract)

Dyke TM, Sams RA*// *Ohio State Univ, Coll Vet Med, Analyt Toxicol Lab, 601 Vernon L Sharp St, Columbus, Oh 43210, USA
J Anal Toxicol 1998 **22** (2) 112

Detection and determination of theobromine and caffeine in urine after administration of chocolate-coated peanuts to horses

Esti M, Messia MC, Bertocchi P, Sinesio F, Moneta E, Nicotra A, Fantechi P, Paleschi G// Univ Studi Molise, DISTAAM, via Tiberio 21, IT-86100 Campobasso, Italy
Food Chem 1998 **61** (3) 293

Chemical compounds and sensory assessment of kiwifruit (*Actinidia chinensis* (Planch.) var. *chinensis*): Electrochemical and multivariate analyses

Gardner PT, McPhail DB, Duthie CG*// *Rowett Res Inst, Aberdeen AB21 9SB, Scotland
J Sci Food Agr 1998 **76** (2) 257

Electron spin resonance spectroscopic assessment of the antioxidant potential of teas in aqueous and organic media

Gordon FJ, Cooper KM, Park RS, Steen RWJ// Agr Res Inst Nthn Ireland, Hillsborough BT26 6DR, Northern Ireland
Anim Feed Sci Tech 1998 **70** (3) 339

The prediction of intake potential and organic matter digestibility of grass silages by near infrared spectroscopy analysis of undried samples

Holland JK, Kemsley EK, Wilson RH*// *AFRC Inst Food Res, Norwich Lab, Norwich Res Pk, Norwich NR4 7UA, England
J Sci Food Agr 1998 **76** (2) 263

Use of Fourier transform infrared spectroscopy and partial least squares regression for the detection of adulteration of strawberry purees

Hurst PL, Boulton G, Lill RE// New Zealand Inst Crop & Food Res Ltd,

Levin Res Ctr, Priv Bag 4005, Levin, New Zealand

Food Chem 1998 **61** (3) 381

Towards a freshness test for asparagus: Spear tip asparagine content is strongly related to post-harvest accumulated heat-units

Justesen U, Knuthsen P, Leth T// Danish Vet & Food Adm, Morkhoj Bygade 19, DK-2860 Soborg, Denmark
J Chromatogr A 1998 **799** (1-2) 101

Quantitative analysis of flavonols, flavones, and flavanones in fruits, vegetables and beverages by high-performance liquid chromatography with photodiode array and mass spectrometric detection

Kays SE, Windham WR, Barton FE// USDA/ARS, Richard B Russell Agr Res Ctr, POB 5677, Athens, Ga 30604, USA
J Agr Food Chem 1998 **46** (3) 854

Prediction of total dietary fiber by near-infrared reflectance spectroscopy in high-fat and high-sugar-containing cereal products

Kinoshita E, Sugimoto T, Ozawa Y, Aishima T// Kikkoman Foods Inc, Div Res & Dev, 399 Noda, Chiba 278, Japan
J Agr Food Chem 1998 **46** (3) 877

Differentiation of soy sauce produced from whole soybeans and defatted soybeans by pattern recognition analysis of HPLC profiles

Larger PJ, Jones AD*, Dacombe C// *Unilever Res Labs, Colworth House, Sharnbrook MK44 1LQ, England
J Chromatogr A 1998 **799** (1-2) 309

Separation of tea polyphenols using micellar electrokinetic chromatography with diode array detection

Lima JLFC, Delerue-Matos C*, Nouwa HPA, Vaz MCVF// *Univ Oporto, CEQU, Dept Quim Fis, Rua Anibal Cunha 164, PT-4050 Oporto, Portugal
Food Addit Contam 1998 **15** (3) 265

An automatic determination of caffeine in soft drinks using flow injection system with amperometric detection

Lu JF, Cao XM, Yi T, Zhuo HT, Ling SS// Nanjing Univ, Coll Med, Jinling Hosp, Dept Clin Pharmacol, Zhongshan East Rd 305, CN-210002 Nanjing, Peoples Rep China
Anal Lett 1998 **31** (4) 613

Simultaneous determination of five caffeine metabolites in human urine with reverse-phase HPLC method

Mangas JJ, Moreno J, Suarez B, Pincinelli A, Blanco D*// *Ctr Invest Aplicada & Tecnol Agroalimentaria, Villaviciosa, Spain
Chromatographia 1998 **47** (3-4) 197

Liquid chromatographic analysis of non-volatile strawberry compounds

Mouly P, Gaydou EM, Auffray A// Ctr Rech & Valorisation Prod Consomm, Parc Cub Ayalades, Bat A7, 31 Blvd Cptn Geze, FR-13333 Marseille 14, France
J Chromatogr A 1998 **800** (2) 171

Simultaneous separation of flavanone glycosides and polymethoxylated flavones in citrus juices using liquid chromatography

Ooghe W, Kramer GN, Schimmel H, Pauwels J// State Univ Ghent, Lab Bromatol, Harelbekestr 72, BE-9000 Ghent, Belgium
Fresenius J Anal Chem 1998 **360** (3-4) 445

Comparison of some additives used in the preparation of freeze-dried lemon juice candidate reference materials

Ratnavathi CV, Sashidhar RB*// Osmania Univ, Dept Biochem, IN-500007 Hyderabad, India
Food Chem 1998 **61** (3) 373

Microassay for the quantitation of protein precipitable polyphenols: Use of bovine serum albumin-benzidine conjugate as a protein probe

Saucier C, Pianet I, Laguerre M, Glories Y// Univ Victor Degalen, Fac Oenol, CNRS, 351 Cours Libérat, FR-33405 Talence, France
J Chim Phys Phys-Chim Biol 1998 **95** (2) 357

NMR and molecular modeling: Application to wine ageing

Shahzad S, Bitsch I*// *Univ Giessen, Inst Nutr Sci, Wilhelm St 20, DE-35392 Giessen, Germany
J Chromatogr B 1998 **705** (1) 87

Determination of gallic acid and its metabolites in human plasma and urine by high-performance liquid chromatography

Stegen S, Queirolo FP, Ostapczuk P*, Groemping A, Paz M, Restovic M, Carrasco C// *KFA Julich GmbH, Forschungszentrum, Inst Angew Phys Chem, Postfach 1913, DE-52425 Julich, Germany
Fresenius J Anal Chem 1998 **360** (5) 601

Comparison of different methods for the determination of the water content and the dry mass correction factor in various plant samples

Szamos J, Aubrecht E, Gelencser E// Cent Food Res Inst, Dept Biol, Budafoki ut 59, HU-1111 Budapest, Hungary
Acta Aliment 1998 **27** (1) 87

Detection of wheat by adapted polymerase chain reaction (PCR) methodology

Van Lonkhuijsen HJ, Douma AC*, Angelino SAGF// *TNO, Nutr & Food Res Inst, POB 360, NL-3700 AJ Zeist, The Netherlands
J Amer Soc Brew Chemist 1998 **56** (1) 7

Evaluation of a malting barley quality assessment system

Willis RB, Allen PR// USDA, FS, NEFES 51, Mill Pond Rd, Hamden, Ct 06514, USA
Analyst 1998 **123** (3) 435

Improved method for measuring hydrolyzable tannins using potassium iodate