

Food Chemistry

Papers Published in Volume 78

Volume 78 Number 1 July 2002

GENERAL PAPERS

- 1 Lipids and other constituents of *Vigna unguiculata* and *Phaseolus vulgaris* grown in northern Nigeria
V.A. ONWULIRI, J.A. OBU (Nigeria)
- 9 Content of phytic acid and HCl-extractability of calcium, phosphorus and iron as affected by various domestic processing and cooking methods
A. DUHAN, N. KHETARPAUL, S. BISHNOI (India)
- 15 Ecotoxicological Studies. 3. Heavy metals contaminating water and fish from Fayoum Governorate, Egypt
S.A. MANSOUR, M.M. SIDKY (Egypt)
- 23 Carotenoid composition, distribution and degradation to flavour volatiles during black tea manufacture and the effect of carotenoid supplementation on tea quality and aroma
R. RAVICHANDRAN (India)
- 29 Time–intensity studies of astringent taste
H. VALENTOVÁ, S. SKROVÁNKOVÁ, Z. PANOVSÁ, J. POKORNÝ (Czech Republic)
- 39 Investigating sensory characteristics and volatile components in boiled scallop aroma using chemometric techniques
K. MORITA, K. KUBOTA, T. AISHIMA (Japan)
- 47 Quantification of blends of black gram and rice using pentosan as an indicator
M.M. PARADKAR, R.S. SINGHAL, P.R. KULKARNI (India)
- 53 Detection of bovine milk in ovine yoghurt by electrophoresis of para- κ -casein
S.E. KAMINARIDES, P. KOUKIASSA (Greece)
- 57 Higher alcohols and esters production by *Saccharomyces cerevisiae*. Influence of the initial oxygenation of the grape must
E. VALERO, L. MOYANO, M.C. MILLAN, M. MEDINA, J.M. ORTEGA (Spain)
- 63 Chemical composition of common leafy vegetables and functional properties of their leaf protein concentrates
O. ALETOR, A.A. OSHODI, K. IPINMOROTI (Nigeria)
- 69 Nutritional quality of spray dried protein hydrolysate from Black Tilapia (*Oreochromis mossambicus*)
A. ABDUL-HAMID, J. BAKAR, G.H. BEE (Malaysia)
- 75 Effect of natural fermentation on nutritive value and in vitro protein digestibility of pearl millet
S.H.A. ELYAS, A.H. EL TINAY, N.E. YOUSIF, E.A.E. ELSHEIKH (Sudan)
- 81 Electrophoretic and immunochemical characteristics of wheat protein fractions and their relationship to chapati-making quality
P. PRABHASANKAR (India)
- 89 Metal ion uptake by mushrooms from natural and artificially enriched soils
A. DEMIRBAŞ (Turkey)

- 95 Deterioration of cane juice—sources and indicators
G. EGGLESTON (USA)
- ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION**
- 105 Seed protein contents and nitrogen-to-protein conversion factors for some uncultivated tropical plant seeds
I.E. EZEAGU (Nigeria), J.K. PETZKE, C.C. METGES (Germany), A.O. AKINSOYINU, A.D. OLOGHOBO (Nigeria)
- 111 Supercritical fluid extraction of isoflavones from soybean flour
M.A. ROSTAGNO, J.M.A. ARAÚJO, D. SANDI (Brazil)
- 119 Comparative evaluation of *Helichrysi flos* herbal extracts as dietary sources of plant polyphenols, and macro- and microelements
É. LEMBERKOVICS, E. CZINNER, K. SZENTMIHÁLYI, A. BALÁZS, É. SZŐKE (Hungary)
- 129 Enzymatic extraction procedure for the liquid chromatographic determination of niacin in foodstuffs
S. NDAW, M. BERGAENTZLÉ, D. AOUDE-WERNER, C. HASSELMANN (France)
- 135 Bibliography of analytical, nutritional and clinical methods
- 141 Book review
- I Calendar

Volume 78 Number 2 August 2002

GENERAL PAPERS

- 143 In vitro digestibility of globulins from cowpea (*Vigna unguiculata*) and xerophitic algaroba (*Prosopis juliflora*) seeds by mammalian digestive proteinases: a comparative study
A.H. ARAÚJO, P.C.B. CARDOSO, R.A. PEREIRA, L.M. LIMA, A.S. OLIVEIRA, M.R.A. MIRANDA, J. XAVIER-FILHO, M.P. SALES (Brazil)
- 149 The effect of frozen storage on the functional properties of the muscle of volador (*Illex coindetii*)
C. RUIZ-CAPILLAS, A. MORAL, J. MORALES, P. MONTERO (Spain)
- 157 Evolution of fructose and glucose in honey over one year: influence of induced granulation
M.M. CAVIA, M.A. FERNÁNDEZ-MUIÑO, E. GÓMEZ-ALONSO, M.J. MONTES-PÉREZ, J.F. HUIDOBRO, M.T. SANCHO (Spain)
- 163 Identification of 2-acetylpyridine in Xiangjing-8618 rice and in Yahunkaoluo leaves
G. JIANMING (China)
- 167 The effects of pressure treatments with kiwi fruit protease on adult cattle semitendinosus muscle
M. WADA, T. SUZUKI, Y. YAGUTI, T. HASEGAWA (Japan)
- 173 Collagen of the skin of ocellate puffer fish (*Takifugu rubripes*)
T. NAGAI, Y. ARAKI, N. SUZUKI (Japan)
- 179 Characterisation of protein concentrates from pressed cakes of *Guevina avellana* (Chilean hazelnut)
A. MOURE, H. DOMÍNGUEZ (Spain), M.E. ZÚÑIGA, C. SOTO, R. CHAMY (Chile)
- 187 The effect of ionising radiation on antinutritional factors and the nutritional value of plant materials with reference to human and animal food
P. SIDDHURAJU (Germany), H.P.S. MAKKAR (Austria), K. BECKER (Germany)
- 207 The effects of harvest and extraction methods on the antioxidant content (phenolics, α -tocopherol, and β -carotene) in virgin olive oil
E. GIMENO, A.I. CASTELLOTE, R.M. LAMUELA-RAVENTÓS, M.C. DE LA TORRE, M.C. LÓPEZ-SABATER (Spain)
- 213 Protective effects of Turkish propolis on alcohol-induced serum lipid changes and liver injury in male rats
D. KOLANKAYA, G. SELMANOĞLU, K. SORKUN, B. SALIH (Turkey)

- 219 Free-range rearing increases (n-3) polyunsaturated fatty acids of neutral and polar lipids in swine muscles
E. MURIEL, J. RUIZ, J. VENTANAS, T. ANTEQUERA (Spain)
- 227 Antioxidative activity of extracts from Mengkudu (*Morinda citrifolia* L.) root, fruit and leaf
Z.M. ZIN, A. ABDUL-HAMID, A. OSMAN (Malaysia)
- 233 Antioxidant activity of melanins derived from tea: comparison between different oxidative states
Y.-C. HUNG, V.M. SAVA (Taiwan), S.Y. MAKAN (Ukraine), T.-H.J. CHEN, M.-Y. HONG, G.S. HUANG (Taiwan)
- 241 Bioactive amines in chicken breast and thigh after slaughter and during storage at $4\pm 1^{\circ}\text{C}$ and in chicken-based meat products
C.M.G. SILVA, M.B.A. GLÓRIA (Brazil)
- ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION**
- 249 Solid-phase microextraction-high performance liquid chromatography and diode array detection for the determination of mycophenolic acid in cheese
C.G. ZAMBONIN, L. MONACI, A. ARESTA (Italy)
- 255 Determination of *trans*-Resveratrol in wines, herbs and health food by capillary electrophoresis with electrochemical detection
L. GAO, Q. CHU, J. YE (PR China)
- 261 Rapid determination of caffeine content in soft drinks using FTIR-ATR spectroscopy
M.M. PARADKAR, J. IRUDAYARAJ (USA)
- 267 Comparison of steradiene analysis between GC and HPLC
T. VERLEYEN, A. SZULCZEWSKA, R. VERHE, K. DEWETTINCK, A. HUYGHEBAERT, W. DE GREYT (Belgium)
- I Calendar

Volume 78 Number 3 August 2002

GENERAL PAPERS

- 273 Dietary polyamines
K.A. ELIASSEN, R. REISTAD, U. RISØEN, H.F. RØNNING (Norway)
- 281 Influence of animal and vegetable rennet on the physicochemical characteristics of *Los Pedroches* cheese during ripening
E. SANJUÁN, R. MILLÁN, P. SAAVEDRA, M.A. CARMONA, R. GÓMEZ, J. FERNÁNDEZ-SALGUERO (Spain)
- 291 Effect of corn oil and amylose on the thermal properties of native soy protein and commercial soy protein isolate
A.A. MOHAMED (USA)
- 305 Isolation, chemical modification and physicochemical characterisation of Bambarra groundnut (*Voandzeia subterranean*) starch and flour
K.O. ADEBOWALE, T.A. AFOLABI, O.S. LAWAL (Nigeria)
- 313 Influence of harvest date on glycoalkaloid contents of three potato varieties
A. PEKSA, G. GOUBOWSKA, E. RYTEL, G. LISIŃSKA, K. ANIOOWSKI (Poland)
- 319 Changes in nutraceutical composition of lemon juices according to different industrial extraction systems
F.R. MARIÑAN, M. MARTINEZ, T. URIBESALGO, S. CASTILLO, M.J. FRUTOS (Spain)
- 325 A convenient synthesis of some cross-linked amino acids and their diastereoisomeric characterization by nuclear magnetic resonance
G. BOSCHIN, A. D'AGOSTINA, A. ARNOLDI (Italy)
- 333 In vitro digestibility and resistant starch content of some industrialized commercial beans (*Phaseolus vulgaris* L.)
P. OSORIO-DÍAZ, L.A. BELLO-PÉREZ, E. AGAMA-ACEVEDO, A. VARGAS-TORRES (Mexico), J. TOVAR (Venezuela), O. PAREDES-LÓPEZ (Mexico)

- 339 Study of the biochemical changes during the processing of Androlla, a Spanish dry-cured pork sausage
I. FANCO, B. PRIETO, J.M. CRUZ, M. LÓPEZ, J. CARBALLO (Spain)
- 347 Antioxidant activity of sesame coat
L.-W. CHANG, W.-J. YEN, S.C. HUANG, P.-D. DUH (Taiwan)
- 355 Effects of Na₂CO₃ and NaOH on DSC thermal profiles of selected native cereal starches
L.N. LAI, A.A. KARIM, M.H. NORZIAH, C.C. SEOW (Malaysia)
- ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION**
- 363 Spectrophotometric assay using *o*-phtaldialdehyde for the determination of transglutaminase activity on casein
C. DINNELLA, M.T. GARGARO, R. ROSSANO, E. MONTELEONE (Italy)
- 369 Preliminary investigation into development of HPLC with UV and MS-electrospray detection for the analysis of tea catechins
M. PELILLO, B. BIGUZZI, A. BENDINI, T.G. TOSCHI, M. VANZINI, G. LERCKER (Italy)
- 375 Antioxidative potential of melanoidins isolated from a roasted glucose–glycine model
K.-H. WAGNER, S. DERKITS, M. HERR, W. SCHUH, I. ELMADFA (Austria)
- 383 Determination of oxolinic acid in feeds and cultured fish using capillary electrophoresis
B. SAAD, R. MOHAMAD, N. MOHAMED (Malaysia), G.D. LAWRENCE (USA), Md.S. JAB, M.I. SALEH (Malaysia)
- 389 A scheme for obtaining standards and HPLC quantification of leafy vegetable carotenoids
M. KIMURA, D.B. RODRIGUEZ-AMAYA (Brazil)
- I Calendar

Volume 78 Number 4 September 2002

GENERAL PAPERS

- 399 Intermediary and/or advanced Maillard products exhibit prooxidant activity on Trp: In vitro study on α -lactalbumin
C. PUSCASU (Romania), I. BIRLOUEZ-ARAGON (France)
- 407 Activation of remaining key enzymes in dried under-fermented cocoa beans and its effect on aroma precursor formation
S.M. JINAP, S. NAZAMID, B. JAMILAH (Malaysia)
- 419 Thermal inactivation of tepary bean (*Phaseolus acutifolius*), soybean and lima bean protease inhibitors: effect of acidic and basic pH
M.A. OSMAN, P.M. REID, C.W. WEBER (USA)
- 425 Stability of lycopene during heating and illumination in a model system
M.T. LEE, B.H. CHEN (Taiwan)
- 433 Chemical references in sensory analysis of smoke flavourings
M. OJEDA, P. BÁRCENAS, F.J. PÉREZ-ELORTONDO, M. ALBISU, M.D. GUILLÉN (Spain)
- 443 Structural changes induced in bovine serum albumin by covalent attachment of chlorogenic acid
H.M. RAWEL, S. ROHN, H.-P. KRUSE, J. KROLL (Germany)
- 457 Antioxidant properties of hard winter wheat extracts
L. YU, S. HALEY, J. PERRET, M. HARRIS (USA)
- 463 A comparison of the chemical composition and bioactive ingredients of the Chinese medicinal mushroom DongChongXiaCao, its counterfeit and mimic, and fermented mycelium of *Cordyceps sinensis*
T.-H. HSU, L.-H. SHIAO, C. HSIEH, D.-M. CHANG (Taiwan)
- 471 CLA content and fatty acid composition of Greek Feta and hard cheeses
S. ZLATANOS, K. LASKARIDIS (Greece), C. FEIST (Germany), A. SAGREDOS (Greece)

- 479 Moisture sorption studies on onion powder
S. DEBNATH, J. HEMAVATHY, K.K. BHAT (India)
- 483 Antioxidant properties of solvent extracts from *Terminalia catappa* leaves
C.-C. CHYAU, S.-Y. TSAI, P.-T. KO, J.-L. MAU (Taiwan)
- 489 Starch characteristics of black bean, chick pea, lentil, navy bean and pinto bean cultivars grown in Canada
R. HOOVER, W.S. RATNAYAKE (Canada)
- 499 Degradation of anthocyanins in sour cherry and pomegranate juices by hydrogen peroxide in the presence of added ascorbic acid
M. ÖZKAN (Turkey)
- ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION**
- 505 Optimization of heme iron analysis in raw and cooked red meat
G. LOMBARDI-BOCCIA (Italy), B. MARTÍNEZ-DOMÍNGUEZ (Spain), A. AGUZZI (Italy),
F. RINCÓN-LEÓN (Spain)
- 511 Comparison of extraction methods for the determination of soluble and total oxalate in foods by HPLC-enzyme-reactor
R. HÖNOW, A. HESSE (Germany)
- 523 Principal component analysis of the polyphenol content in young red wines
M.-Á. RODRÍGUEZ-DELGADO, G. GONZÁLEZ-HERNÁNDEZ, J.-E. CONDE-GONZÁLEZ,
J.-P. PÉREZ-TRUJILLO (Spain)
- I Contents of Volume 78
- V Calendar