

Bibliography of analytical, nutritional and clinical methods

(3 weeks journals. Search completed at 5th. Mar. 2003)

3. Amino acids, proteins & enzymes

Aboubacar A, Axtell JD, Nduulu L, Hamaker BR*// *Purdue Univ, Dept Food Sci, West Lafayette, In 47907, USA
Cereal Chem 2003 **80** (1) 40
Turbidity assay for rapid and efficient identification of high protein digestibility sorghum lines

Batchvarov V, Kellner V// Address not available
Monatsschr Brauwissen 2002 **55** (11-12) 235
Determination of sensitive proteins in beer by nephelometry: Submitted on behalf of the Analysis Committee of the European Brewery Convention (German)

Procida G, Campisi B, Seraglia R*, Traldi P// *CNR, ISTM Sez Padova, Corso Stati Uniti 4, IT-35100 Padua, Italy
Rapid Commun Mass Spectrom 2003 **17** (2) 140
Classification of green coffee beans by differences in protein composition obtained by matrix-assisted laser desorption/ionization mass spectrometry

Soufleros EH, Bouloumpasi E, Tsarchopoulos C, Biliaderis CG// Aristotle Univ, Fac Agron, Dept Food Sci & Technol, Univ PO Box 235, GR-54006 Thessaloniki, Greece
Food Chem 2003 **80** (2) 261

Primary amino acid profiles of Greek white wines and their use in classification according to variety, origin and vintage

Spagna G, Barbagallo RN*, Ingallinera B// *Univ Catania, DOFATA, Food Biotechnol Grp, via S Sofia 98, IT-95123 Catania, Italy
Enzyme Microb Technol 2003 **32** (1) 174
A specific method for determination of pectin esterase in blood oranges

4. Carbohydrates

Boyaci IH, Seker UOS, Mutlu M// Hacettepe Univ, Dept Food Engn, TR-06532 Ankara, Turkey
Eur Food Res Technol 2002 **215** (6) 538
Determination of β -glucan content of cereals with an amperometric glucose electrode

Roig B, Thomas O// Ecole Mines Ales, Lab Genie Environm Ind, 6 Ave Clavieres, FR-30319 Ales, France
Carbohydr Res 2003 **338** (1) 79
UV monitoring of sugars during wine making

Yao Y, Guiltinan MJ, Shannon JC, Thompson DB*// *Penn State Univ, Dept Food Sci, Borland Lab 115, University Park, Pa 16802, USA
Cereal Chem 2002 **79** (6) 757
Single kernel sampling method for maize starch analysis while maintaining kernel vitality

5. Lipids

Azevedo-Gomes H, Da Silva EN, Do Nascimento MRL, Fukuma HT// Brazilian Nuclear Agency, Pocos de Caldas Lab, PO Box 913, BR-37701-970 Pocos de Caldas, MG, Brazil
Food Chem 2003 **80** (3) 433
Evaluation of the 2-thiobarbituric acid method for the measurement of lipid oxidation in mechanically deboned gamma irradiated chicken meat

Bendini A, Bonoli M, Cerretani L, Biguzzi B, Lercker G, Toschi TG// Univ Bologna, Dept Food Sci, Via Ravennate 1020, IT-47023 Cesena, Italy
J Chromatogr A 2003 **985** (1-2) 425

Liquid-liquid and solid-phase extractions of phenols from virgin olive oil and their separation by chromatographic and electrophoretic methods

Boukhchina S, Gresti J, Kallel H, Bezard J// Fac Sci Tunis, Lab Biochim Lipides, TN-2092 El Manar, Tunisia
J Am Oil Chem Soc 2003 **80** (1) 5
Stereospecific analysis of TAG from sunflower seed oil

Buchgraber M, Ulberth F*// *European Commiss DJ Joint Res Ctr, Inst Reference Mat & Measurements, Retieseweg, BE-2440 Geel, Belgium
Eur J Lipid Sci Technol 2002 **104** (12) 792

Determination of low level *trans* unsaturation in physically refined vegetable oils by capillary GLC: Results of 3 intercomparison studies

Caponio F, Pasqualone A, Gomes T, Catalano P// Univ Bari, Dipt Progettazione & Gestione Sistemi Agro-Zootecn & Forestali, Bari, Italy
Eur Food Res Technol 2002 **215** (6) 534

Use of HPSEC analysis of polar compounds to assess the influence of crushing temperature on virgin olive oil's quality

Cercaci L, Rodriguez-Estrada MT*, Lercker G// *Univ Bologna, Dept Food Sci, Viale Fanin 40, IT-40127 Bologna, Italy
J Chromatogr A 2003 **985** (1-2) 211

Solid-phase extraction-thin-layer chromatography-gas chromatography method for the detection of hazelnut oil in olive oils by determination of esterified sterols

Gaus K, Hall EAH*// *Univ Cambridge, Inst Biotechnol, Tennis Court Rd, Cambridge CB2 1QT, England
Biosens Bioelectron 2003 **18** (2-3) 151
Short peptide receptor mimics for atherosclerosis risk assessment of LDL

Johnson RB, Barnett HJ// Natl Marine Fisheries Serv, NW Fisheries Sci Ctr, 2725 Montlake Blvd East, Seattle, Wa 98112, USA
Aquaculture 2003 **216** (1-4) 263

Determination of fat content in fish feed by supercritical fluid extraction and subsequent lipid classification of extract by thin layer chromatography-flame ionization detection

Mirghani MES, Man YBC*, Jinap S, Baharin BS, Bakar J// *Univ Putra Malaysia, Dept Food Technol, MY-43400 Serdang, Selangor, DE, Malaysia
J Am Oil Chem Soc 2003 **80** (1) 1

Application of FTIR spectroscopy in determining sesamol in sesame seed oil
Perona JS, Ruiz-Gutierrez V*// *CSIC, Inst Grasa, Avda Padre Garcia Tejero 4, ES-41012 Seville, Spain
J Chromatogr B 2003 **785** (1) 89

Simultaneous determination of molecular species of monoacylglycerols, diacylglycerols and triacylglycerols in human very-low-density lipoproteins by reversed-phase liquid chromatography

Rudakov OB, Polyanskii KK, Aleksyuk MP// Voronezh State Technol Acad, pr Revolyutsii 19, RU-394017 Voronezh, Russia
J Anal Chem-Engl Tr 2002 **57** (12) 1081

Qualitative identification of milk fat from chromatographic data
Sathivel S, Prinyawiwatkul W*, King JM, Grimm CC, Lloyd S// *Louisiana State Univ, Dept Food Sci, Ctr Agr, Baton Rouge, La 70803, USA
J Am Oil Chem Soc 2003 **80** (1) 15

Microwave-assisted catfish liver oil extraction and FA analysis
Saynajoki S, Sundberg S, Soupas L, Lampi AM, Piironen V// Univ Helsinki, Dept Appl Chem & Microbiol, Div Food Chem, PO Box 27, FI-00014 Hel-

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Books, reviews & symposia; 2 General; 3 Amino acids, proteins & enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & co-factors; 7 Trace elements & minerals; 8 Drug, biocide & processing residues; 9 Toxins/Allergens; 10 Additives; 11 Flavours & aromas; 12 Organic acids; 13 Animal products; 14 Plant & microbial products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

- sinki, Finland
Food Chem 2003 **80** (3) 415
 Determination of stigmaterol primary oxidation products by high-performance liquid chromatography
- Smith TK// Multitrat Pty Ltd, 1-10 Tapnor Crescent, POB 5536, Brendale, Qld 4500, Australia
J Am Oil Chem Soc 2003 **80** (1) 21
 Analysis of FFA in edible oils by catalyzed end-point thermometric titrimetry (CETT)
- Tan HW, Tuck KL, Stupans I, Hayball PJ// *Univ Sth Australia, Sch Pharmaceut Mol & Biomed Sci, Pharmaceut Res Ctr, Adelaide, SA 5000, Australia
J Chromatogr B 2003 **785** (1) 187
 Simultaneous determination of oleuropein and hydroxytyrosol in rat plasma using liquid chromatography with fluorescence detection
- Tsarbopoulos A, Gikas E, Papadopoulos N, Aligiannis N, Kafatos A// Goulandris Nat Hist Museum, Gaia Res Ctr, Bioanalyt Dept, 13 Levidou St, GR-14562 Kifisia, Greece
J Chromatogr B 2003 **785** (1) 157
 Simultaneous determination of oleuropein and its metabolites in plasma by high-performance liquid chromatography
- Vogt A, Gormley TR, Downey G*, Somers J// *Teagasc, Natl Food Ctr, Dublin 15, Rep Ireland
J Food Compos Anal 2002 **15** (2) 205
 A comparison of selected rapid methods for fat measurement in fresh herring (*Clupea harengus*)
- Wenzl T, Prettnner E, Schweiger K, Wagner FS// Graz Tech Univ, Inst Analyt Chem, Micro & Radiochem, Technikerstr 4, AU-8010 Graz, Austria
J Biochem Biophys Methods 2002 **53** (1-3) 193
 An improved method to discover adulteration of Styrian pumpkin seed oil
- Zhai DM, Reilly PJ// *Iowa State Univ, Dept Chem Engr, 2114 Sweeney Hall, Ames, Ia 50011, USA
J Am Oil Chem Soc 2002 **79** (12) 1187
 Effect of FA chain length on normal- and reversed-phase HPLC of phospholipids

6. Vitamins & co-factors

- Doherty RF, Beecher GR// BARC-E, Room 201, Bldg 161, 10300 Baltimore Ave, Beltsville, Md 20705, USA
J Agric Food Chem 2003 **51** (2) 354
 A method for the analysis of natural and synthetic folate in foods
- Erhardt JG, Biesalski HK, Malaba LC, Craft NE// Univ Hohenheim, Inst Biol Chem & Nutr, Garbenstr 30, DE-70599 Stuttgart, Germany
Clin Chem 2003 **49** (2) 338
 Improved method for measurement of retinol and didehydroretinol in the modified relative dose response test to detect vitamin A deficiency
- Holm PI, Ueland PM*, Kvalheim G, Lien EA// *Univ Bergen, Dept Pharmacol, LOCUS Homocysteine & Related Vitamins, NO-5021 Bergen, Norway
Clin Chem 2003 **49** (2) 286
 Determination of choline, betaine, and dimethylglycine in plasma by a high-throughput method based on normal-phase chromatography-tandem mass spectrometry
- Iwado A, Mifune M, Akizawa H, Motohashi N, Saito Y// *Okayama Univ, Fac Pharmaceut Sci, Okayama 700 8530, Japan
J Pharmaceut Biomed Anal 2003 **30** (6) 1923
 Flow injection analysis of ascorbic acid using carriers modified with metal-porphine as oxidative solid catalyses
- Lorand T, Molnar P, Deli J, Toth G// Univ Pecs, Sch Med, Dept Med Chem, Szigeti ut 12, HU-7624 Pecs, Hungary
J Biochem Biophys Methods 2002 **53** (1-3) 251
 FT-IR study of some seco- and apocarotenoids
- Okamoto H, Nakajima T, Ito Y// Taisho Pharmaceut Co Ltd, Analyt Lab, 403 Yoshino cho 1-chome, Omiya, Saitama 330 8530, Japan
J Chromatogr A 2003 **986** (1) 153
 Simultaneous determination of water-soluble vitamins in a vitamin-enriched drink by an in-capillary enzyme reaction method

7. Trace elements & minerals

- Aguilar MV, Mateos CJ, Para MCM// Univ Alcala de Henares, Fac Farm, Dept Nutr & Bromatol, ES-28871 Madrid, Spain
J Trace Elem Med Biol 2002 **16** (4) 221
 Determination of chromium in cerebrospinal fluid using electrothermal atomisation atomic absorption spectrometry

- Bianchi F, Careri M, Maffini M, Mangia A, Mucchino C// *Univ Parma, Dipt Chim Gen & Inorgan Chim Anal Chim Fis, Parco Area Sci 17/A, IT-43100 Parma, Italy
Rapid Commun Mass Spectrom 2003 **17** (3) 251
 Use of experimental design for optimisation of the cold plasma ICP-MS determination of lithium, aluminum and iron in soft drinks and alcoholic beverages
- Hagen W// Address not available
Monatsschr Brauwissen 2002 **55** (11-12) 233
 Determination of calcium in wort by atomic absorption spectrophotometry: Submitted on behalf of the Analysis Committee of the European Brewery Convention (German)
- Herzig R, Rehnert A, Korhammer S, Kumpulainen J, Schramel P, Muntau H, Linsinger T, Quevauviller P// Arbeitsgemeinschaft Bioindikation, Umweltbeobachtung & Okol Planung, Quartiergasse 12, CH-3013 Bern, Switzerland
Trends Anal Chem 2002 **21** (11) 746
 Certification of a new cabbage reference material for the quality control of trace-element determinations with some considerations on moisture
- Noel L, Leblanc JC, Guerin T// *Agcy Francaise Securite Sanitaire Aliments, Unite Contaminants Environm Météaux Lourds & Elements Minéraux, FR-94704 Maisons Alfort, France
Food Addit Contam 2003 **20** (1) 44
 Determination of several elements in duplicate meals from catering establishments using closed vessel microwave digestion with inductively coupled plasma mass spectrometry detection: Estimation of daily dietary intake

8. Drug, biocide & processing residues

- Cavaliere C, Curini R, Di Corcia A*, Nazzari M, Samperi R// *Univ Roma La Sapienza, Dipt Chim, Piazza Aldo Moro 5, IT-00185 Rome, Italy
J Agric Food Chem 2003 **51** (3) 558
 A simple and sensitive liquid chromatography-mass spectrometry confirmatory method for analyzing sulfonamide antibacterials in milk and egg
- Ezquerro O, Pons B, Tena MT// *Univ La Rioja, Dept Chem, C/ Madre de Dios 51, ES-26006 Logrono, Spain
J Chromatogr A 2003 **985** (1-2) 247
 Direct quantitation of volatile organic compounds in packaging materials by headspace solid-phase microextraction-gas chromatography-mass spectrometry
- Hebert VR, Middleton JR, Tomaszewska E, Fox LK// Washington State Univ, Food & Environm Qual Lab, 2710 Univ Dr, Richland, Wa 99352, USA
J Agric Food Chem 2003 **51** (3) 567
 Methodology for quantifying residues of chlorhexidine in raw dairy milk
- Kislinger T, Humeny A, Peich CC, Zhang XH, Niwa T, Pischetsrieder M*, Becker CM// *Univ Erlangen Nurnberg, Inst Biochem, Emil Fischer Zentrum, Schuhstr 19, DE-91052 Erlangen, Germany
J Agric Food Chem 2003 **51** (1) 51
 Relative quantification of *N*-ε-(carboxymethyl)lysine, imidazolone A, and the Amadori product in glycated lysozyme by MALDI-TOF mass spectrometry
- Loomans EEMG, Van Wiltenburg J, Koets M, Van Amerongen A// *ATO Agrotechnol, Res Inst, POB 17, NL-6700 AA Wageningen, The Netherlands
J Agric Food Chem 2003 **51** (3) 587
 Neamin as an immunogen for the development of a generic ELISA detecting gentamicin, kanamycin, and neomycin in milk
- Pogacnik L, Franko M// Univ Ljubjana, Dept Food Sci & Technol Biotechnol Fac, Jamnikarjeva 101, SI-1000 Ljubjana, Slovenia
Biosens Bioelectron 2003 **18** (1) 1
 Detection of organophosphate and carbamate pesticides in vegetable samples by a photothermal biosensor
- Ramirez A, Gutierrez R, Diaz G, Gonzalez C, Perez N, Vega S, Noa M// Univ Autonoma Metropolitana, Dept Prod Agr & Anim, Unidad Xochimilco, Calzada Hueso 1100, MX-04960 Coyoacan, DF, Mexico
J Chromatogr B 2003 **784** (2) 315
 High-performance thin-layer chromatography-bioautography for multiple antibiotic residues in cow's milk
- Sanches PJ, Rios A, Valcarcel M, Zanin KD, Caramao EB// *Univ Fed Rio Grande do Sul, Inst Quim, Bloco A, Avda Bento Gonçalves 9500, BR-91501-960 Porto Alegre, RS, Brazil
J Chromatogr A 2003 **985** (1-2) 503
 Determination of nitrosamines in preserved sausages by solid-phase extraction-micellar electrokinetic chromatography
- Szczesny S, Nau H, Hamscher G// *Sch Vet Med, Dept Food Toxicol, Bischofsholer Damm 15, DE-30173 Hannover, Germany
J Agric Food Chem 2003 **51** (3) 697
 Residue analysis of tetracyclines and their metabolites in eggs and in the environment by HPLC coupled with a microbiological assay and tandem mass spectrometry

9. Toxins/Allergens

Cooper KM, Tuomola M, Lahdenpera S, Lovgren T, Elliott CT, Kennedy DG*// *Dept Agr & Rural Dev Nthn Ireland, Vet Sci Div, Belfast, Northern Ireland

Food Addit Contam 2002 **19** (12) 1130

Development and validation of dry reagent time-resolved fluoroimmunoassays for zeranol and α -zearalenol to assist in distinguishing zeranol abuse from *Fusarium* spp. toxin contamination in bovine urine

Demyttenaere JCR, Morina RM, Sandra P// State Univ Ghent, Fac Sci, Dept Organ Chem, Krijgslaan 281 S4, BE-9000 Ghent, Belgium

J Chromatogr A 2003 **985** (1-2) 127

Monitoring and fast detection of mycotoxin-producing fungi based on headspace solid-phase microextraction and headspace sorptive extraction of the volatile metabolites

Duffort OA, Polo F*, Lombardero M, Diaz-Perales A, Sanchez-Monge R, Garcia-Casado G, Salcedo G, Barber D// *ALK Abello SA, Dept I&D, ES-28037 Madrid, Spain

J Agric Food Chem 2002 **50** (26) 7738-7741

Immunoassay to quantify the major peach allergen Pru p 3 in foodstuffs. Differential allergen release and stability under physiological conditions

Kandler W, Nadubinska M, Parich A, Krska R*// *Ctr Analyt Chem, Inst Agrobiotechnol, Konrad Lorenz Str 20, AU-3430 Tulln, Austria

Anal Bioanal Chem 2002 **374** (6) 1086

Determination of moniliformin in maize by ion chromatography

Karlsson K, Sipia V, Kankaanpaa H, Meriluoto J*// *Abo Akademi Univ, Dept Biochem & Pharm, POB 66, FI-20521 Turku, Finland

J Chromatogr B 2003 **784** (2) 243

Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders

Lee ST, Panter KE, Gaffield W, Stegelmeier BL// USDA/ARS, Poisonous Plant Res Lab, 1150 East 1400 Nth, Logan, Ut 84341, USA

J Agric Food Chem 2003 **51** (3) 582

Development of an enzyme-linked immunosorbent assay for the *Veratrum* plant teratogens: Cycloamine and jervine

Mackintosh FH, Smith EA*// *Fisheries Res Serv, Marine Lab, POB 101, Victoria Rd, Aberdeen, AB11 9DB, Scotland

J Shellfish Res 2002 **21** (2) 455

Evaluation of Mist Alert™ rapid test kits for the detection of paralytic and amnesic shellfish poisoning toxins in shellfish

Ruan R, Li Y, Lin X, Chen P// Univ Minnesota, Dept Agr & Biosyst Engr, 1390 Eckles, St Paul, Mn 55108, USA

Appl Eng Agric 2002 **18** (5) 549

Non-destructive determination of deoxynivalenol levels in barley using near-infrared spectroscopy

10. Additives

Bocca B, Di Mattia M, Carloni C, Fiori M, Felli M, Neri B, Brambilla G*// *Ist Super Sanita, Lab Med Vet, Viale Regina Elena 299, IT-00161 Rome, Italy

J Chromatogr B 2003 **783** (1) 141

Extraction, clean-up and gas chromatography-mass spectrometry characterization of zilpaterol as feed additive in fattening cattle

11. Flavours & aromas

Alves GL, Franco MRB*// *Univ Estadual Campinas, Fac Engr Alimentos, Dept Ciencias Alimentos, Caixa Postal 6121, BR-13083-970 Campinas, SP, Brazil

J Chromatogr A 2003 **985** (1-2) 297

Headspace gas chromatography-mass spectrometry of volatile compounds in murici (*Byrsonima crassifolia* L. Rich)

Benincasa C, De Nino A, Lombardo N, Perri E, Sindona G*, Tagarelli A// *Univ Calabria, Dipt Chim, Via P Bucci, Cubo 15/C, IT-87030 Arcavata di Rente, CS, Italy

J Agric Food Chem 2003 **51** (3) 733

Assay of aroma active components of virgin olive oils from southern Italian regions by SPME-GC/ion trap mass spectrometry

Biendl M// Address not available

Monatsschr Brauwissen 2002 **55** (11-12) 234

Determination of hop oil content by steam distillation according to IOB Method 6.3: Submitted on behalf of the Analysis Committee of the European Brewery Convention (German)

Da Porto C, Pizzale L, Bravin M, Conte LS// Univ Udine, Dipt Sci Alimenti,

via Marangoni 97, IT-33100 Udine, Italy

Flavour Fragr J 2003 **18** (1) 66

Analyses of orange spirit flavour by direct-injection gas chromatography-mass spectrometry and headspace solid-phase microextraction/GC-MC

Demyttenaere JCR, Martinez JIS, Verhe R, Sandra P, De Kimpe N// State Univ Ghent, Fac Sci, Dept Organ Chem, Krijgslaan 281 S4, BE-9000 Ghent, Belgium

J Chromatogr A 2003 **985** (1-2) 221

Analysis of volatiles of malt whisky by solid-phase microextraction and stir bar sorptive extraction

Demyttenaere JCR, Dagher C, Sandra P, Kallithraka S, Verhe R, De Kimpe N// State Univ Ghent, Fac Agr & Appl Biol Sci, Dept Organ Chem, Coupure Links 653, BE-9000 Ghent, Belgium

J Chromatogr A 2003 **985** (1-2) 233

Flavour analysis of Greek white wine by solid-phase microextraction-capillary gas chromatography-mass spectrometry

Farnworth ER, McKellar RC, Chabot D, Lapointe S, Chicoine M, Knight KP// Agr & Agri-Food Canada, Ctr Food Res & Dev, 3600 Casavant Blvd West, St Hyacinthe, Quebec, Canada J2S 8E3

J Food Qual 2002 **25** (6) 569

Use of an electronic nose to study the contribution of volatiles to orange juice flavor

Hartmann PJ, McNair HM, Zoecklein BW*// *Virginia Tech, Dept Food Sci & Technol, Enol Grape Chem Grp, Blacksburg, Va 24061, USA

Am J Enol Viticult 2002 **53** (4) 285

Measurement of 3-alkyl-2-methoxypyrazine by headspace solid-phase microextraction in spiked model wines

Haugen JE, Undeland I// Norwegian Food Res Inst, Osloveien 1, NO-1430 As, Norway

J Agric Food Chem 2003 **51** (3) 752

Lipid oxidation in herring fillets (*Clupea harengus*) during ice storage measured by a commercial hybrid gas-sensor array system

Kocsis N, Amtmann M, Mednyanszky Z, Korany K*// *Szent Istvan Univ, Fac Food Sci, Dept Food Chem & Nutr Sci, Budapest, Hungary

J Food Compos Anal 2002 **15** (2) 195

GC-MS investigation of the aroma compounds of Hungarian red paprika (*Capsicum annuum*) cultivars

Le Fur Y, Mercurio V, Moio L, Blanquet J, Meunier JM// INRA/ENESAD, UMR Aromes, BP 87999, 26 Blvd Docteur Petitjean, FR-21079 Dijon, France

J Agric Food Chem 2003 **51** (2) 443

A new approach to examine the relationships between sensory and gas chromatography-olfactometry data using generalized procrustes analysis applied to six French Chardonnay wines

Mookdasani J, Tamura H*// *Kagawa Univ, Dept Biochem & Food Sci, Miki cho, Kagawa 761 0795, Japan

Food Sci Technol Res 2002 **8** (4) 367

Comparative enantioseparation of monoterpenes by HPLC on three kinds of chiral stationary phases with an on-line optical rotatory dispersion under reverse phase mode

Nikolelis DP, Theoharis G// Univ Athens, Dept Chem, Panepistimiopolis-Kouponia, GR-15771 Athens, Greece

Electroanalysis 2002 **14** (23) 1661

Rapid detection of vanillin in alcoholic beverages using stabilized polymerized lipid film based biosensors

Ochiai N, Sasamoto K, Daishima S, Heiden AC, Hoffmann A// Yokogawa Analyt Syst Inc, Applicat Dev Dept, 2-11-13 Nakacho, Musashino, Tokyo 180 0006, Japan

J Chromatogr A 2003 **986** (1) 101

Determination of state-flavor carbonyl compounds in beer by stir bar sorptive extraction with *in-situ* derivatization and thermal desorption-gas chromatography-mass spectrometry

Peres C, Begnaud F, Berdague JL// INRA Theix, Lab Flaveur, FR-63122 St Genes Champanelle, Ceyrat, France

Sensor Actuator B-Chem 2002 **87** (3) 491

Fast characterization of Camembert cheeses by static headspace-mass spectrometry

Povolo M, Contarini G*// *Ist Sperimentale Lattiero Caseario, Via A Lombardo 11, IT-26900 Lodi, Italy

J Chromatogr A 2003 **985** (1-2) 117

Comparison of solid-phase microextraction and purge-and-trap methods for the analysis of the volatile fraction of butter

Rabe S, Krings U, Banavara DS, Berger RG*// *Univ Hannover, Inst Lebensmittelchem, Zentrum Angewandte Chem, Wunstorferstr 14, DE-30453 Hannover, Germany

J Agric Food Chem 2002 **50** (22) 6440

Computerized apparatus for measuring dynamic flavor release from liquid food matrices

Santos JR, Carneiro JR, Guido LF, Almeida PJ, Rodrigues JA, Barros AA// *Univ Porto, Fac Ciencias Porto, Dept Quim, Ctr Invest Quim, Rua Camo Alegre 687, PL-4169-007 Oporto, Portugal
J Chromatogr A 2003 **985** (1-2) 395
 Determination of E-2-nonenal by high-performance liquid chromatography with UV detection: Assay for the evaluation of beer ageing

Shao Y, Marriott P*, Shellie R, Hugel H// *RMIT Univ, Ctr Chromatogr & Mol Separat, GPO Box 2476V, Melbourne, Vic 3001, Australia
Flavour Fragr J 2003 **18** (1) 5
 Solid-phase micro-extraction: Comprehensive two-dimensional gas chromatography of ginger (*Zingiber officinale*) volatiles

Weekley AJ, Bruins P, Augustine MP// *Univ Calif Davis, Dept Chem, 1 Shields Ave, Davis, Ca 95616, USA
Am J Enol Viticult 2002 **53** (4) 318
 Nondestructive method for determining acetic acid spoilage in an unopened bottle of wine

13. Animal products

Alomar D, Gallo C, Castaneda M, Fuchslocher R// Univ Austral Chile, Fac Ciencias Vet, Inst Ciencias & Tecnol Carnes, POB 567, Valdivia, Chile
Meat Sci 2003 **63** (4) 441
 Chemical and discriminant analysis of bovine meat by near infrared reflectance spectroscopy (NIRS)

Chen J, Gorton L, Akesson B// *Lund Univ, Ctr Chem & Chem Engr, POB 124, SE-22100 Lund, Sweden
Anal Chim Acta 2002 **474** (1-2) 137
 Electrochemical studies on antioxidants in bovine milk

Frezza D, Favaro M, Vaccari G, Von Holst C, Giambra V, Anklam E, Bove D, Battaglia PA, Agrimi U, Brambilla G, Ajmone-Marsan P, Tartaglia M// Univ Roma Tor Vergata, Dipt Biol, Viale Ricerca Sci, IT-00133 Rome, Italy
J Food Prot 2003 **66** (1) 103
 A competitive polymerase chain reaction-based approach for the identification and semiquantification of mitochondrial DNA in differently heat-treated bovine meat and bone meal

Laube I, Spiegelberg A*, Butschke A, Zagon J, Schauzu M, Kroh L, Broll H// *Bundesinst Gesundheitslicher Verbraucherschutz & Veterinarmed, Thielallee 88-92, DE-14195 Berlin, Germany
Int J Food Sci Technol 2003 **38** (2) 111
 Methods for the detection of beef and pork in foods using real-time polymerase chain reaction

Moore MK, Bemiss JA, Rice SM, Quattro JM, Woodley CM// Natl Ocean & Atmospher Adm, Natl Ocean Serv, Natl Ctr Coastal Ocean Sci, Charleston, SC 29412, USA
Conserv Genet 2003 **4** (1) 95
 Use of restriction fragment length polymorphisms to identify sea turtle eggs and cooked meats to species

14. Plant & microbial products

Aguilar-Cisneros BO, Lopez MG, Richling E, Heckel F, Schreier P// *Univ Wurzburg, Lehrstuhl Lebensmittelchem, Am Hubland, DE-97074 Wurzburg, Germany
J Agric Food Chem 2002 **50** (26) 7520
 Tequila authenticity assessment by headspace SPME-HRGC-IRMS analysis of ¹³C/¹²C and ¹⁸O/¹⁶O ratios of ethanol

Arts MJTJ, Dallinga JS, Voss HP, Haenen GRMM, Bast A// Maastricht Univ, Fac Med, Dept Pharmacol & Toxicol, PO Box 616, NL-6200 MD Maastricht, The Netherlands
Food Chem 2003 **80** (3) 409
 A critical appraisal of the use of the antioxidant capacity (TEAC) assay in defining optimal antioxidant structures

Ayranci E, Tunc S// Akdeniz Univ, Dept Chem, PO Box 510, Antalya, Turkey
Food Chem 2003 **80** (3) 423
 A method for the measurement of the oxygen permeability and the development of edible films to reduce the rate of oxidative reactions in fresh foods

Coldham NG, Horton R, Byford MF, Sauer MJ// Vet Labs Agcy, Dept Risk Res, Addlestone KT15 3NB, England
Food Addit Contam 2002 **19** (12) 1138
 A binary screening assay for pro-oestrogens in food: Metabolic activation using hepatic microsomes and detection with oestrogen sensitive recombinant yeast cells

Herodez SS, Hadolin M, Skerget M, Knez Z// *Univ Maribor, Fac Chem & Chem Engr, Smetanova 17, SI-2000 Maribor, Slovenia
Food Chem 2003 **80** (2) 275
 Solvent extraction study of antioxidants from balm (*Melissa officinalis* L.)

leaves

Jaccoud E, Hohne M, Meyer R// *Nestec Ltd, Nestle Res Ctr, Dept Qual & Safety Assurance, Vers-chez-les-Blanc, CH-1000 Lausanne 26, Switzerland
J Agric Food Chem 2003 **51** (3) 550
 Assessment of screening methods for the identification of genetically modified potatoes in raw materials and finished products

Kilmartin PA, Zou HL, Waterhouse AL// Univ Auckland, Dept Chem, Private Bag 92019, Auckland, New Zealand
Am J Enol Viticult 2002 **53** (4) 294
 Correlation of wine phenolic composition versus cyclic voltammetry response

Kraushofer T, Sontag G// *Univ Vienna, Inst Analyt Chem, Währingerstr 38, AU-1090 Vienna, Austria
Eur Food Res Technol 2002 **215** (6) 529
 Determination of some phenolic compounds in flax seed and nettle roots by HPLC with coulometric electrode array detection

Krueger CG, Vestling MM, Reed JD// *Univ Wisconsin, Dept Anim Sci, Madison, WI 53706, USA
J Agric Food Chem 2003 **51** (3) 538
 Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of heteropolyflavan-3-ols and glucosylated heteropolyflavans in sorghum [*Sorghum bicolor* (L) Moench]

Liang Y, Lu J, Zhang L, Wu S, Wu Y// Zhejiang Univ, Tea Res Inst, 268 Kaixuan Rd, CN-310029 Hangzhou, Peoples Rep China
Food Chem 2003 **80** (2) 283
 Estimation of black tea quality by analysis of chemical composition and colour difference of tea infusions

Mannelli I, Minunni M*, Tombelli S, Mascini M// *Univ Firenze, Dipt Chim, Polo Scientifico, via Lastruccia 3, IT-50019 Sesto Fiorentino, Florence, Italy
Biosens Bioelectron 2003 **18** (2-3) 129
 Quartz crystal microbalance (QCM) affinity biosensor for genetically modified organisms (GMOs) detection

Maubach J, Bracke ME, Heyerick A, Depypere HT, Serreyn RF, Mareel MM, De Keukeleire D// *State Univ Ghent, Fac Pharmaceut Sci, Lab Pharmacognosy & Phytochem, BE-9000 Ghent, Belgium
J Chromatogr B 2003 **784** (1) 137
 Quantitation of soy-derived phytoestrogens in human breast tissue and biological fluids by high-performance liquid chromatography

Miller A, Frenzel T, Schmarr HG, Engel KH// *Tech Univ Munich, Lehrstuhl Allgemeine Lebensmitteltechnol, Forum II, DE-85350 Freising Weihenstephan, Germany
J Chromatogr A 2003 **985** (1-2) 403
 Coupled liquid chromatography-gas chromatography for the rapid analysis of γ -oryzanol in rice lipids

Mitani K, Narimatsu S, Kataoka H// *Okayama Univ, Fac Pharmaceut Sci, Okayama 700 8530, Japan
J Chromatogr A 2003 **986** (2) 169
 Determination of diadzein and genistein in soybean foods by automated on-line in-tube solid-phase microextraction coupled to high-performance liquid chromatography

Nelson BC, Sharpless KE// NIST, Div Analyt Chem, 100 Bureau Dr, Stop 8392, Gaithersburg, Md 20899, USA
J Agric Food Chem 2003 **51** (3) 531
 Quantification of the predominant monomeric catechins in baking chocolate standard reference material by LC/APCI-MS

Phillippy BQ, Bland JM, Evens TJ// USDA/ARS, Sthn Reg Res Ctr, Commodity Utilizat Res Grp, POB 19687, 1100 Robert E Lee Blvd, New Orleans, La 70124, USA
J Agric Food Chem 2003 **51** (2) 350
 Ion chromatography of phytate in roots and tubers

Sakakibara H, Honda Y, Nakagawa S, Ashida H, Kanazawa K// *Kobe Univ, Grad Sch Sci & Technol, Dept Life Sci, Nada ku, Rokkodai, Kobe, Hyogo 657 8501, Japan
J Agric Food Chem 2003 **51** (3) 571
 Simultaneous determination of all polyphenols in vegetables, fruits and teas

Schropp P, Bruder T, Forstner A// Doemens WBA Technikum GmbH, Grafelfing, Germany
Monatsschr Brauwissen 2002 **55** (11-12) 212
 Evaluation of the NIR method for measuring the alcohol content and other connected parameters in beer (Alcolyzer Beer) (German, English Abstract)

Whiton RS, Zoeklein BW// *Virginia Tech, Enol & Grape Chem Grp, Dept Food Sci & Technol, Blacksburg, Va 24061, USA
Am J Enol Viticult 2002 **53** (4) 315
 Evaluation of glycosyl-glucose analytical methods for various glycosides

Yrjonen T, Li PW, Summanen J, Hopia A, Vuorela H// *Univ Helsinki, Dept Pharm, Div Pharmacognosy, POB 56, FI-00014 Helsinki, Finland
J Am Oil Chem Soc 2003 **80** (1) 9
 Free radical-scavenging activity of phenolics by reversed-phase TLC