

Bibliography of analytical, nutritional and clinical methods

(4 weeks journals. Search completed at 2nd. June 2004)

1. Books, reviews & symposia

Olafsdottir G, Nesvadba P, Di Natale C, Careche M, Oehlschager J, Trygvadottir SV, Schubring R, Kroeger M, Heia K, Esaiassen M, Macagnano A, Jorgensen BM// Icelandic Fish Labs, Skulagata 4, IS-101 Reykjavik, Iceland
Trends Food Sci Technol 2004 **15** (2) 86
Multisensor for fish quality determination (Review)

3. Amino acids, proteins & enzymes

Dupont D, Rolet-Repecaud O, Muller-Renaud S// INRA, Unite Rech Technol & Anal Laitieres, Pl Champ Foire, FR-39800 Poligny, France
J Agric Food Chem 2004 **52** (4) 677

Determination of the heat treatment undergone by milk by following the denaturation of α -lactalbumin with a biosensor

Muller-Renaud SP, Dupont D*, Dulieu P// *Address as above
J Agric Food Chem 2004 **52** (4) 659

Quantification of β -casein in milk and cheese using an optical immunosensor

Schares G, Barwald A, Staubach C, Wurm R, Rauser M, Conraths FJ, Schroeder C// Fed Res Ctr Virus Dis Anim, Inst Epidemiol, Seestr 55, DE-16868 Wusterhausen, Germany
Vet Parasitol 2004 **120** (1-2) 55

Adaptation of a commercial ELISA for the detection of antibodies against *Neospora caninum* in bovine milk

Soeryapranata E, Powers JR*, Weller KM, Hill HH, Siems WF// *Washington State Univ, Dept Food Sci & Human Nutr, POB 646376, Pullman, Wa 99164, USA

Lebensm Wiss Technol Food Sci 2004 **37** (1) 17

Differentiation of intracellular peptidases of starter and adjunct cultures using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry

5. Lipids

Chiu SH, Chung TW, Giridhar R, Wu WT*// *Natl Tsing Hua Univ, Dept Chem Engn, Hsinchu 30043, Taiwan
Food Res Int 2004 **37** (3) 217

Immobilization of β -cyclodextrin in chitosan beads for separation of cholesterol from egg yolk

Godin JP, Richelle M, Metairon S, Fay LB// Nestec Ltd, Nestle Res Ctr, PO Box 44, CH-1000 Lausanne 26, Switzerland
Rapid Commun Mass Spectrom 2004 **18** (3) 325

[²H/H] Isotope ratio analyses of [²H₅]cholesterol using high-temperature conversion elemental analyser isotope-ratio mass spectrometry: Determination of cholesterol absorption in normocholesterolemic volunteers

Innawong B, Mallikarjunan P*, Irudayaraj J, Marcy JE// *Virginia Polytech Inst & State Univ, Dept Biol Syst Engn, 312 Seitz Hall, Blacksburg, Va 24061, USA

Lebensm Wiss Technol Food Sci 2004 **37** (1) 23

The determination of frying oil quality using Fourier transform infrared attenuated total reflectance

Knothe G, Kenar JA// USDA/ARS, NCAUR, 1815 Nth Univ St, Peoria, IL 61604, USA

Eur J Lipid Sci Technol 2004 **106** (2) 88

Determination of the fatty acid profile by ¹H-NMR spectroscopy

Pasqualone A, Montemurro C, Caponio F, Blanco A// Univ Bari, Sez Ind Agro Alimentari, Dipt PROGESA, Via Amendola 165/A, IT-70126 Bari, Italy
J Agric Food Chem 2004 **52** (5) 1068

Identification of virgin olive oil from different cultivars by analysis of DNA microsatellites

Russin TA, Van de Voort FR*, Sedman JJ// *McGill Univ, Dept Food Sci & Agr Chem, McGill IR Grp, McDonald Campus, 21 111 Lakeshore Rd, Ste Anne de Bellevue, Quebec, Canada H9X 3V9

J Am Oil Chem Soc 2004 **81** (2) 111

Rapid determination of oxidative stability of edible oils by FTIR spectroscopy using disposable IR cards

Sakaki K, Sudo Y, Kudo S// Natl Inst Adv Ind Sci & Technol - AIST, Tsukuba Central 5, Tsukuba, Ibaraki 305 8565, Japan
J Liq Chromatogr Relat Technol 2004 **27** (3) 387

Influence of carbon content and end-capping of ODS stationary phases on the separation behavior of triacylglycerols in LC and SFC

Sanches-Silva A, De Quiros ARB, Lopez-Hernandez J*, Paseiro-Losada P// *Univ Santiago de Compostela, Fac Pharm, Dept Analyt Chem Nutr & Bromatol, ES-15782 Santiago de Compostela, Spain

J Chromatogr A 2004 **1032** (1-2) 7

Comparison between high-performance liquid chromatography and gas chromatography methods for fatty acid identification and quantification in potato crisps

Segall SD, Artz WE*, Raslan DS, Ferraz VP, Takahashi JA// *Univ Illinois, Dept Food Sci & Human Nutr, Urbana, IL 61801, USA

J Am Oil Chem Soc 2004 **81** (2) 143

Otrurici (*Syagrus coronata*) triacylglycerol analysis using HPLC and positive ion electrospray tandem MS

Soupas L, Juntunen L, Saynajoki S, Lampi AM, Piironen V// Univ Helsinki, Dept Appl Chem & Microbiol, POB 27, Latokartanonkaari 11, FI-00014 Helsinki, Finland

J Am Oil Chem Soc 2004 **81** (2) 135

GC-MS method for characterization and quantification of sitostanol oxidation products

6. Vitamins & co-factors

De Quiros ARB, De Ron CC, Lopez-Hernandez J*, Lage-Yusty MA// *Univ Santiago de Compostela, Fac Pharm, Dept Analyt Chem Nutr & Bromatol, ES-15782 Santiago de Compostela, La Coruna, Spain

J Chromatogr A 2004 **1032** (1-2) 135

Determination of folates in seaweeds by high-performance liquid chromatography

Mittermayr R, Kalman A, Trisconi MJ, Heudi O*// *Nestec Ltd, Nestle Res Ctr, Dept Qual Assurance, Vers-chez-les-Blanc, CH-1000 Lausanne 26, Switzerland

J Chromatogr A 2004 **1032** (1-2) 1

Determination of vitamin B₅ in a range of fortified food products by reversed-phase liquid chromatography-mass spectrometry with electrospray ionisation

Perretti G, Marconi O, Montanari L, Fantozzi P*// *Univ Perugia, Dept Food Sci, Via S Costanzo, IT-06126 Perugia, Italy
Lebensm Wiss Technol Food Sci 2004 **37** (1) 87

Rapid determination of total fats and fat-soluble vitamins in Parmigiano cheese and salami by SFE

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Books, reviews & symposia; 2 General; 3 Amino acids, proteins & enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & co-factors; 7 Trace elements & minerals; 8 Drug, biocide & processing residues; 9 Toxins/Allergens; 10 Additives; 11 Flavours & aromas; 12 Organic acids; 13 Animal products; 14 Plant & microbial products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

7. Trace elements & minerals

- Celik U, Cakli S, Oehlenschlaeger J// Ege Univ, Fac Fisheries, TR-35100 Bornova, Turkey
Eur Food Res Technol 2004 **218** (3) 298
 Determination of the lead and cadmium burden in some northeastern Atlantic and Mediterranean fish species by DPSAV
- Wuilloud RG, Kannamkumarath SS, Caruso JA*// *Univ Cincinnati, Dept Chem, Cincinnati, Oh 45221, USA
J Agric Food Chem 2004 **52** (5) 1315
 Multielemental speciation analysis of fungi porcini (*Boletus edulis*) mushroom by size exclusion liquid chromatography with sequential on-line UV-ICP-MS detection

8. Drug, biocide & processing residues

- Barcelo-Barrachina E, Moyano E, Puignou L, Galceran MT*// *Univ Barcelona, Dept Quim Analit, Marti i Franques 1-11, ES-08028 Barcelona, Spain
J Chromatogr B 2004 **802** (1) 45
 Evaluation of reversed-phase columns for the analysis of heterocyclic aromatic amines by liquid chromatography-electrospray mass spectrometry
- Bermudo E, Busquets R, Barcelo-Barrachina E, Puignou L, Santos FJ, Galceran MT*// *Address as above
J Chromatogr B 2004 **802** (1) 61
 Preparation of a beef-extract as a laboratory reference material for the determination of heterocyclic amines
- Blasco C, Font G, Pico Y*// *Univ Valencia, Fac Farm, Lab Bromatol & Toxicol, Avda Vicent Andres Estelles s/n, ES-46100 Burjassot, Valencia, Spain
J Chromatogr A 2004 **1028** (2) 267
 Determination of dithiocarbamates and metabolites in plants by liquid chromatography-mass spectrometry
- Blasco C, Fernandez M, Pico Y*, Font G// *Address as above
J Chromatogr A 2004 **1030** (1-2) 77
 Comparison of solid-phase microextraction and stir bar sorptive extraction for determining six organophosphorus insecticides in honey by liquid chromatography-mass spectrometry
- Boglialli S, Curini R, Di Corcia A*, Nazzari M, Tamburro D// *Univ Roma La Sapienza, Dipt Chim, P A Moro 5, IT-00185 Rome, Italy
J Agric Food Chem 2004 **52** (4) 665
 A simple and rapid assay for analyzing residues of carbamate insecticides in vegetables and fruits: Hot water extraction followed by liquid chromatography-mass spectrometry
- Cooper J, Delahaut P, Fodey TL, Elliott CT// Dept Agr & Rural Dev, Vet Sci Div, Stoney Rd, Belfast BT4 3SD, Northern Ireland
Analyst 2004 **129** (2) 169
 Development of a rapid screening test for veterinary sedatives and the β -blocker carazolol in porcine kidney by ELISA
- Dayrit FM, Ninonuevo MR// Ateneo Manila Univ, Dept Chem, Loyola Heights, PH-1108 Quezon City, Philippines
Food Addit Contam 2004 **21** (3) 204
 Development of an analytical method for 3-monochloropropane-1,2-diol in soy sauce using 4-heptanone as derivatizing agent
- Gerbl U, Cichna M, Zsivkovits M, Knasmuller S, Sontag G*// *Univ Vienna, Inst Analyt Chem, Waehringer Str 38, AT-1090 Vienna, Austria
J Chromatogr B 2004 **802** (1) 107
 Determination of heterocyclic aromatic amines in beef extract, cooked meat and rat urine by liquid chromatography with coulometric electrode array detection
- Gikas E, Kormali P, Tsipi D, Tserbopoulos A*// *Gouladriss Natural Hist Museum, Bioanalyt Dept, Gaia Res Ctr, 13 Levidou St, GR-14562 Kifisia, Greece
J Agric Food Chem 2004 **52** (5) 1025
 Development of a rapid and sensitive SPE-LC-ESI MS/MS method for the determination of chloramphenicol in seafood
- Hall GL, Engebretson J, Hengel MJ*, Shibamoto T// *Univ Calif Davis, Dept Environm Toxicol, 1 Shields Ave, Davis, Ca 95616, USA
J Agric Food Chem 2004 **52** (4) 672
 Analysis of methoxyfenozide residues in fruits, vegetables, and mint by liquid chromatography-tandem mass spectrometry (LC-MS/MS)
- Jira W// Inst Chem & Phys, Fed Ctr Meat Res, EC Baumann Str 20, DE-95326 Kulmbach, Germany
Eur Food Res Technol 2004 **218** (2) 208
 A GC/MS method for the determination of carcinogenic polycyclic aromatic hydrocarbons (PAH) in smoked meat products and liquid smokes
- Melo LFC, Collins CH, Jardim ICSF*// *State Univ Campinas - UNICAMP, Inst Chem, BR-13084-971 Campinas, SP, Brazil
J Chromatogr A 2004 **1032** (1-2) 51
 New materials for solid-phase extraction and multiclass high-performance liquid chromatographic analysis of pesticides in grapes
- Nielen MWF, Rutgers P, Van Bennekom EO, Lasaroms JJP, Van Rhijn JAH// RIKILT - Inst Food Sci, POB 230, NL-6700 AE Wageningen, The Netherlands
J Chromatogr B 2004 **801** (2) 273
 Confirmatory analysis of 17 β -boldenone, 17 α -boldenone and androsta-1,4-diene-3,17-dione in bovine urine, faeces, feed and skin swab samples by liquid chromatography-electrospray ionisation tandem mass spectrometry
- Noroozian E, Kazemipour M, Tehrani MS, Mahmoudian M*// *Iran Univ Med Sci, Dept Pharmacol, POB 14155, IR-6183 Tehran, Iran
Food Addit Contam 2004 **21** (3) 222
 Solid-phase microextraction (SPME) of permethrin residues from cucumber using a silica-bonded phase-coated stainless steel fibre
- Pecorelli I, Bibi R, Fioroni L, Galarini R// Ist Zooprofilattico Sperimentale Umbria & Marche, Via Salvemini, IT-06126 Perugia, Italy
J Chromatogr A 2004 **1032** (1-2) 23
 Validation of a confirmatory method for the determination of sulphonamides in muscle according to the European Union regulation 2002/657/EC
- Pizzano R, Nicolai MA, Siciliano R, Manzo C, Mazzeo MF, Addeo F// CNR, Dipt Sci Alimentazione, Via Roma 52 A/C, IT-83100 Avellino, Italy
J Agric Food Chem 2004 **52** (4) 649
 Immunochemical detection of formylated γ_2 -casein in cheese
- Ristic A, Cichna A, Sontag G*// *Univ Vienna, Inst Analyt Chem, Waehringer Str 38, AT-1090 Vienna, Austria
J Chromatogr B 2004 **802** (1) 87
 Determination of less polar heterocyclic aromatic amines in standardised beef extracts and cooked meat consumed in Austria by liquid chromatography and fluorescence detection
- Santos FJ, Barcelo-Barrachina E, Toribio E, Puignou L, Galceran MT, Persson E, Skog K, Messner C, Murkovic M, Nabinger U, Ristic A// Univ Barcelona, Dept Quim Analit, Diagonal 647, ES-08028 Barcelona, Spain
J Chromatogr B 2004 **802** (1) 69
 Analysis of heterocyclic amines in food products: Interlaboratory studies
- Stadler RH, Mottier P, Guy P, Gremaud E, Varga N, Lalljie S, Whitaker R, Kintscher J, Dudler V, Read WA, Castle L// Nestec Ltd, Nestle Res Ctr, Vers-chez-les-Blanc, CH-1000 Lausanne 26, Switzerland
Analyst 2004 **129** (3) 276
 Semicarbazide is a minor thermal decomposition product of azodicarbonamide used in the gaskets of certain food jars
- Stead S, Sharman M, Tarbin JA, Gibson E, Richmond S, Stark J, Geijp E// DEFRA, Cent Sci Lab, York YO41 1LZ, England
Food Addit Contam 2004 **21** (3) 216
 Meeting maximum residue limits: An improved screening technique for the rapid detection of antimicrobial residues in animal food products
- Takino M, Yamaguchi K, Nakahara T// Yokogawa Analyt Syst Inc, 3-3-11 Naitaka, Yodogawa ku, Osaka 532 0033, Japan
J Agric Food Chem 2004 **52** (4) 727
 Determination of carbamate pesticide residues in vegetables and fruits by liquid chromatography-atmospheric pressure photoionization-mass spectrometry and atmospheric pressure chemical ionization-mass spectrometry
- Warzecha L, Janoszka B, Blaszczyk U, Strozyk M, Bodzek D, Dobosz C// Med Univ Silesia, Fac Med, Dept Chem, Jordana 19, PL-41808 Zabrze, Poland
J Chromatogr B 2004 **802** (1) 95
 Determination of heterocyclic aromatic amines (HAs) content in samples of household-prepared meat dishes
- Yang TCC, Yang IL, Liao LJ// Natl Kaohsiung Normal Univ, Dept Chem, 116 Ho Ping 1st Rd, Kaohsiung, Taiwan
J Liq Chromatogr Relat Technol 2004 **27** (3) 501
 Determination of sulfonamide residues in milk by on-line microdialysis and HPLC

9. Toxins/Allergens

- Brandon DL, Bates AH, Friedman M// USDA/ARS, Western Reg Res Ctr, Albany, Ca 94710, USA
J Food Sci 2004 **69** (1) 45
 Immunoassays for Bowman-Birk and Kunitz soybean trypsin inhibitors in infant formula
- Cinquina AL, Cali A, Longo F, De Santis L, Severoni A, Abballe F// Ist Zooprofilattico Sperimentale Reg Lazio & Toscana, Via Appia Nuova 1411, IT-00178 Rome, Italy
J Chromatogr A 2004 **1032** (1-2) 73
 Determination of biogenic amines in fish tissues by ion-exchange chromatography with conductivity detection

- Cinquina AL, Longo F, Cali A, De Santis L, Baccelliere R, Cozzani R// Address as above
J Chromatogr A 2004 **1032** (1-2) 79
 Validation and comparison of analytical methods for the determination of histamine in tuna fish samples
- Ensafi AA, Emadi M// Esfahan Univ Technol, Coll Chem, Iman Khomini Blvd, IR-84156 Esfahan, Iran
Anal Lett 2004 **37** (2) 321
 Spectrophotometric reaction rate method for determination of oxalic acid in food based on its enhancing effect on the oxidation of pyrocatechol violet by dichromate
- Ferreira IMPLVO, Mendes E, Oliveira MBPP// Univ Porto, Fac Farm, Serv Bromatol, REQUIMTE, Rua Anibal Cunha 164, PT-4050-047 Oporto, Portugal
J Liq Chromatogr Relat Technol 2004 **27** (2) 325
 Quantification of aflatoxins B₁, B₂, G₁, and G₂ in pepper by HPLC/fluorescence
- Kao SH, Hsu CH, Su SN, Hor WT, Chang WHT, Chow LP*// *Nat'l Taiwan Univ, Coll Med, Inst Biochem & Mol Biol, 1 Sec 1 Jen Ai Rd, Taipei 100, Taiwan
J Allergy Clin Immunol 2004 **113** (1) 161
 Identification and immunologic characterization of an allergen, alliin lyase, from garlic (*Allium sativum*)
- Lehane M, Saez MJF, Magdalena AB, Canas IR, Sierra MD, Hamilton B, Furey A, James KJ*// *Cork Inst Technol, Dept Chem, Mass Spectrometry Ctr Proteom & Biotoxin Res, Cork, Rep Ireland
J Chromatogr A 2004 **1024** (1-2) 63
 Liquid chromatography-multiple tandem mass spectrometry for the determination of ten azaspiracids, including hydroxyl analogues in shellfish
- Meister U// IG V - Inst Getreideverarbeitung GmbH, Arthur Scheunert Allee 40-41, DE-14558 Bergholz/Rehbrücke, Germany
Eur Food Res Technol 2004 **218** (4) 394
 New method of citrinin determination by HPLC after polyamide column clean-up
- Paleologos EK, Kontominas MG// Univ Ioannina, Dept Chem, Food Chem Lab, GR-45110 Ioannina, Greece
Anal Chem 2004 **76** (5) 1289
 On-line solid-phase extraction with surfactant accelerated on-column derivatization and micellar liquid chromatographic separation as a tool for the determination of biogenic amines in various food substrates
- Schocker F, Luttkopf D, Scheurer S, Petersen A, Cistero-Bahima A, Enrique E, San Miguel-Moncin M, Akkerdaas J, Van Ree R, Vieths S, Becker WM// Forschungszentrum Borstel, Div Biochem & Mol Allergol, Parkallee 22, DE-23845 Borstel, Germany
J Allergy Clin Immunol 2004 **113** (1) 141
 Recombinant lipid transfer protein Cor a 8 from hazelnut: A new tool for *in vitro* diagnosis of potentially severe hazelnut allergy
- Singh N, Jand SK, Baxi KK, Oberoi MS// Punjab Agr Univ, Dept Vet Microbiol, IN-141004 Ludhiana, India
Indian J Anim Sci 2003 **73** (3) 283
 Plate ELISA for detection of aflatoxin B₁ in naturally contaminated poultry feed/ingredients
- 10. Additives**
- Hayashi T, Oka H*, Ito Y, Goto T, Ozeki N, Itakura Y, Matsumoto H, Ohno H, Yoshida K, Miyazawa T, Nagase H// *Aichi Prefecture Inst Publ Hlth, Tsuji machi, Kita ku, Nagoya, Aichi 462 8576, Japan
J Liq Chromatogr Relat Technol 2004 **27** (2) 335
 An HPLC method for the analysis of marigold color in food using lutein as an indicator
- Ocana MF, Neubert H, Przyborowska A, Parker R, Bramley P, Halket J, Patel R*// *Univ London Royal Holloway, Ctr Chem & Bioanalyt Sci, Egham TW20 0EX, England
Analyst 2004 **129** (2) 111
 BSE control: Detection of gelatine-derived peptides in animal feed by mass spectrometry
- Tateo F, Bononi M// Univ Milan, Dipt Produzione Vegetale, Lab Ricerca Analisi Alimenti, Via Celoria 2, IT-20133 Milan, Italy
J Agric Food Chem 2004 **52** (4) 655
 Fast determination of Sudan I by HPLC/APCI-MS in hot chilli, spices, and oven-baked foods
- 11. Flavours & aromas**
- Auger J, Yang W, Arnault I, Pannier F, Potin-Gautier M// Univ Tours, IRBI, UMR 6035 CNRS, Parc Grandmont, FR-37200 Tours, France
J Chromatogr A 2004 **1032** (1-2) 103
 High-performance liquid chromatographic-inductively coupled plasma mass spectrometric evidence for Se-"alliins" in garlic and onion growth in Se-rich soil
- Baek HH, Kim HJ// Dankook Univ, Dept Food Engr, Cheonan 330 714, Chungnam, South Korea
Food Sci Biotechnol 2004 **13** (1) 90
 Solid phase microextraction-gas chromatography-olfactometry of soy sauce based on sample dilution analysis
- Duarte IF, Barros A, Almeida C, Spraul M, Gil AM// Univ Aveiro, Dept Chem, Campus Santiago, PT-3810-193 Aveiro, Portugal
J Agric Food Chem 2004 **52** (5) 1031
 Multivariate analysis of NMR and FTIR data as a potential tool for the quality control of beer
- El-Ghorab A H, El-Massry KF*// *Nat'l Res Ctr, Flavour and Aromatic Dept, El-Tahrir St, Dokki, Cairo, Egypt
J Essent Oil-Bearing Plants 2003 **6** (1) 9
 Free radical scavenging and antioxidant activity of volatile oils of local clove and cinnamon isolated by supercritical fluid extraction
- El-Ghorab AH// Nat'l Res Ctr, Flavour & Aromatics Dept, El-Tahreer St, Dokki, Giza, Egypt
J Essent Oil-Bearing Plants 2003 **6** (2) 67
 Supercritical fluid extraction of the Egyptian rosemary (*Rosmarinus officinalis*) leaves and *Nigella sativa* L. seeds volatile oils and their antioxidant activities
- Elamrani A, Zrira S, Benjlali B, Benaissa M// Univ Hassan II Ain Chock, Fac Sci Ain Chock, Dept Chim, BP 5366, Maarif, Casablanca, Morocco
J Essent Oil-Bearing Plants 2003 **6** (1) 1
 Isolation of Moroccan *Rosmarinus eriocaulis* oil: Comparison between hydro-distillation and microwave extraction
- Guido LF, Carneiro JR, Santos JR, Almeida PJ, Rodrigues JA, Barros AA*// *Univ Porto, Fac Ciencias, Dept Quim, Ctr Invest Quim, Rua Campo Alegre 687, PT-4169-007 Oporto, Portugal
J Chromatogr A 2004 **1032** (1-2) 17
 Simultaneous determination of E-2-nonenal and β -damascenone in beer by reversed-phase liquid chromatography with UV detection
- Llaudy MC, Canals R, Canals JM, Rozes N, Arola L, Zamora F*// *Univ Rovira i Virgili, Fac Enol Tarragona, CeRTA, Dept Bioquim & Biotecnol, C/ Ramon y Cajal 70, ES-43005 Tarragona, Spain
J Agric Food Chem 2004 **52** (4) 742
 New method for evaluating astringency in red wine
- Marongiu B, Piras A, Porcedda S// Univ Cagliari, Cittadella Univ Monserrato, Dipt Sci Chim, IT-09042 Cagliari, Italy
J Essent Oil-Bearing Plants 2003 **6** (2) 86
 Extraction of volatile fractions and carotenoids from orange and kumquat peel by supercritical carbon dioxide
- Omidbaigi R, Sefidkon F, Kazemi F// Tarbiat Modarres Univ, Coll Agr, Dept Horticulture, PO Box 16415-381, Tehran, Iran
J Essent Oil-Bearing Plants 2003 **6** (3) 191
 Roman chamomile oil: Comparison between hydro-distillation and supercritical fluid extraction
- Pena-Alvarez A, Diaz I, Medina A, Labastida C, Capella S, Vera LE// Univ Nacl Autonoma Mexico, Fac Quim, Dept Quim Analit, Ciudad Univ, Circuito Interior, MX-04510 Mexico City, DF, Mexico
J Chromatogr A 2004 **1027** (1-2) 131
 Characterization of three *Agave* species by gas chromatography and solid-phase microextraction-gas chromatography-mass spectrometry
- Rabe S, Linforth RST, Krings U, Taylor AJ, Berger RG*// *Univ Hannover, Inst Lebensmittelchem, Zentrum Angewandte Chem, Wunstorfer Str 14, DE-30453 Hannover, Germany
Chem Senses 2004 **29** (2) 153
 Volatile release from liquids: A comparison of *in vivo* APCI-MS, in-mouth headspace trapping and *in vitro* mouth model data
- Rybak ME, Calvey EM, Harnly JM*// *USDA/ARS, Beltsville Human Nutr Res Ctr, Food Compost Lab, Beltsville, Md 20725, USA
J Agric Food Chem 2004 **52** (4) 682
 Quantitative determination of alliin in garlic: Supercritical fluid extraction and standard addition of alliin
- 12. Organic acids**
- Galli V, Barbas C*// *Univ San Pablo Ceu, Fac CC Expt & Salud, Urbanizacion Montepincipe, ES-28668 Boadilla del Monte, Madrid, Spain
J Chromatogr A 2004 **1032** (1-2) 299
 Capillary electrophoresis for the analysis of short-chain organic acids in coffee

13. Animal products

- Chen FC, Hsieh YHP*, Bridgman RC// *Florida State Univ, Dept Nutr Food & Exercise Sci, Tallahassee, FL 32306, USA
J Food Prot 2004 **67** (3) 544
 Monoclonal antibody-based sandwich enzyme-linked immunosorbent assay for sensitive detection of prohibited ruminant proteins in feedstuffs
- Cheng YH, Wen CM, Ding ST, Kao CC, Kuo TY*// *Natl I-Lan Univ, Dept Anim Sci, 1 Sheng Lung Rd, I-Lan 260, Taiwan
J Anim Feed Sci 2003 **12** (4) 849
 Detecting meat-and-bone meal in ruminant's feeds by species-specific PCR
- Gokoglu N, Yerlikaya P// Akdeniz Univ, Fac Agr, Dept Food Engr, Antalya, Turkey
Eur Food Res Technol 2004 **218** (3) 295
 Use of eye fluid refractive index in sardine (*Sardina pilchardus*) as a freshness indicator
- Hsieh HS, Chai T, Cheng CA, Hsieh YW, Hwang DF*// *Natl Taiwan Ocean Univ, Dept Food Sci, Chilung, Taiwan
J Food Sci 2004 **69** (1) 35
 Application of DNA technique for identifying the species of different processed products of swordfish meat
- Marquardt BJ, Wold JP*// *Norwegian Food Res Inst - MATFORSK, Osloveien 1, NO-1430 As, Norway
Lebensm Wiss Technol Food Sci 2004 **37** (1) 1
 Raman analysis of fish: A potential method for rapid quality screening
- Martinez I, Friis TJ// SINTEF Fisheries & Aquaculture Ltd, NO-7465 Trondheim, Norway
Proteomics 2004 **4** (2) 347
 Application of proteome analysis to seafood authentication
- Mendoza-Romero L, Verkaar ELC, Savelkoul PH, Catsburg A, Aarts HJM, Buntjer JB, Lenstra JA*// *Univ Utrecht, Fac Vet Med, Yalelaan 8, NL-3584 CM Utrecht, The Netherlands
J Food Prot 2004 **67** (3) 550
 Real-time PCR detection of ruminant DNA
- Pascoal A, Prado M, Castro J, Cepeda A, Barros-Velazquez J*// *Univ Santiago de Compostela, Sch Vet Sci, Dept Analyt Chem Nutr & Food Sci, Lab Food Technol, ES-27002 Lugo, Spain
Eur Food Res Technol 2004 **218** (3) 306
 Survey of authenticity of meat species in food products subjected to different technological processes, by means of PCR-RFLP analysis
- Ruiz-Cabrera MA, Gou P*, Foucat L, Renou JP, Daudin JD// *Ctr Tecnol Carn, Inst Recerca & Tecnol Agroalimentaries, Unitat Tecnol Proc, Granja Camps i Armet, ES-17121 Monells, Girona, Spain
Meat Sci 2004 **67** (1) 169
 Water transfer analysis in pork meat supported by NMR imaging

14. Plant & microbial products

- Ahn CB, Jeon YJ, Kang DS, Shin TS, Jung BM// Yosun Natl Univ, Dept Food Sci & Nutr, Yosun 550 749, South Korea
Food Res Int 2004 **37** (3) 253
 Free radical scavenging activity of enzymatic extracts from a brown seaweed *Scytosiphon lomentaria* by electron spin resonance spectrometry
- Antolovich M, Bedgood DR, Bishop AG, Jardine D, Prenzler PD, Robards K*// *Charles Sturt Univ, Sch Sci & Technol, Locked Bag 588, Wagga Wagga, NSW 2678, Australia
J Agric Food Chem 2004 **52** (4) 962
 LC-MS investigation of oxidation products of phenolic antioxidants
- Blahova E, Brandsteterova E, Fabulova A// Fac Chem & Food Technol, Dept Analyt Chem, Radlinskeho 9, SK-81237 Bratislava, Slovakia
J Liq Chromatogr Relat Technol 2004 **27** (1) 31
 Isolation and determination of phenolic compounds in fruit-green tea
- Bordoni R, Mezzelani A, Consolandi C, Frosini A, Rizzi E, Castiglioni B, Salati C, Marmiroli N, Marchelli R, Bernardi LR, Battaglia C, De Bellis G*// *Univ Milan, Consiglio Nazl Ric, Ist Tecnol Biomed, Edificio LITA, Via Fratelli Cervi 93, IT-20090 Segrate, MI, Italy
J Agric Food Chem 2004 **52** (5) 1049
 Detection and quantitation of genetically modified maize (Bt-176 transgenic maize) by applying ligation detection reaction and universal array technology
- Cocchi M, Foca G, Lucisano M, Marchetti A, Pagani MA, Tassi L, Ulrici A*// *Univ Modena, Dipt Sci Agrarie, Via Kennedy 17, IT-42100 Reggio Emilia, Italy
J Agric Food Chem 2004 **52** (5) 1062
 Classification of cereal flours by chemometric analysis of MIR spectra
- Crews C, Hasnip S, Potter N, Brereton P// DEFRA, Cent Sci Lab, York YO41 1LZ, England

- Eur Food Res Technol* 2004 **218** (4) 400
 An in-house validated method for the determination of the dry matter content of soy sauce
- Hamoudova R, Urbanek M, Pospisilova M*, Polasek M// *Charles Univ, Fac Pharm, Dept Analyt Chem, Heyrovského 1203, CZ-50005 Hradec Kralove, Czech Republic
J Chromatogr A 2004 **1032** (1-2) 281
 Assay of phenolic compounds in red wine by on-line combination of capillary isotachopheresis with capillary zone electrophoresis
- Hsieh HC, Kao TH, Chen BH*// *Fu Jen Catholic Univ, Dept Nutr & Food Sci, 510 Chung Cheng Rd, Hsin Chuang 242, Taipei County, Taiwan
J Liq Chromatogr Relat Technol 2004 **27** (2) 315
 A fast HPLC method for analysis of isoflavones in soybean
- Hu QH, Xu J, Chen SB, Yang FM// Nanjing Agr Univ, Coll Food Sci & Technol, Key Lab Food Proc & Qual Control, CN-210095 Nanjing, Peoples Rep China
J Agric Food Chem 2004 **52** (4) 943
 Antioxidant activity of extracts of black sesame seed (*Sesamum indicum* L.) by supercritical carbon dioxide extraction
- Le Gall G, Colquhoun IJ, Defernez M// AFRC Inst Food Res, Norwich Res Pk, Norwich NR4 7UA, England
J Agric Food Chem 2004 **52** (4) 692
 Metabolite profiling using ¹H NMR spectroscopy for quality assessment of green tea, *Camellia sinensis* (L.)
- Lee SS, Lee SM, Kim M, Chun J, Cheong YK, Lee J*// *Chungbuk Natl Univ, Coll Agr, Dept Food Sci & Technol, 48 Gaeshin dong, Chungbuk 136 701, South Korea
Food Res Int 2004 **37** (3) 247
 Analysis of *trans*-resveratrol in peanuts and peanut butters consumed in Korea
- Ramirez-Coronel MAN, Marnet N, Kolli VSK, Roussos S, Guyot S, Augur C*// *Inst Rech Dev, Case 925, 163 Ave Luminy, FR-13288 Marseille 09, France
J Agric Food Chem 2004 **52** (5) 1344
 Characterization and estimation of proanthocyanidins and other phenolics in coffee pulp (*Coffea arabica*) by thiolysis-high-performance liquid chromatography
- Roggo Y, Duponchel L, Huvenne JP// Univ Sci & Tech Lille Flandres Artois, Lab Spectrochim Infrarouge & Raman, UMR CNRS 8516, FR-59655 Villeneuve d'Ascq, France
J Agric Food Chem 2004 **52** (5) 1055
 Quality evaluation of sugar beet (*Beta vulgaris*) by near-infrared spectroscopy
- Smith DS, Maxwell PW, De Boer SH// Canadian Food Inspect Agcy, Ctr Anim & Plant Hlth, 93 Mount Edward Rd, Charlottetown, Prince Edward Island, Canada C1A 5T1
J Agric Food Chem 2004 **52** (4) 809
 Method for the detection of synthetic *cry3A* in transgenic potatoes
- Trifa Y, Zhang D*// *GEVES, Domaine Magneraud, Lab BIOGEVES, BP 52, FR-17700 Surgères, France
J Agric Food Chem 2004 **52** (5) 1044
 DNA content in embryo and endosperm of maize kernel (*Zea mays* L.): Impact on GMO quantification
- Vidal S, Hayasaka Y, Meudec E, Cheyneyer W, Skouroumounis G*// *Australian Wine Res Inst, POB 197, Glen Osmond, SA 5064, Australia
J Agric Food Chem 2004 **52** (4) 713
 Fractionation of grape anthocyanin classes using multilayer coil countercurrent chromatography with step gradient elution
- Wang SP, Huang KJ// Providence Univ, Dept Appl Chem, 200 Chunchi Rd, Taichung 433, Hsien, Taiwan
J Chromatogr A 2004 **1032** (1-2) 273
 Determination of flavonoids by high-performance liquid chromatography and capillary electrophoresis
- Watson DJ, Bushway AA, Bushway RJ*// *Univ Maine, Dept Food Sci & Human Nutr, 5736 Holmes Hall, Orono, ME 04469, USA
J Liq Chromatogr Relat Technol 2004 **27** (1) 113
 Separation of peonidin and cyanidin, two anthocyanidins, in cranberries by capillary electrophoresis
- Yuan LM, Chen XX, Ai P, Qi SH, Li BF, Wang D, Miao LX, Liu ZF// Yunnan Normal University, Dept Chem, CN-650092 Kunming, Peoples Rep China
J Liq Chromatogr Relat Technol 2004 **27** (2) 365
 Preparative separation of alkaloids from green tea by pH-zone-refining countercurrent chromatography
- Zhang Z, Kou XL, Fugal K, McLaughlin J// Nat Sunshine Prod Inc, Dept Res & Dev, 1655 Nth Main St, Spanish Fork, UT 84660, USA
J Agric Food Chem 2004 **52** (4) 688
 Comparison of HPLC methods for determination of anthocyanins and anthocyanidins in bilberry extracts