

Food Chemistry

Papers Published in Volumes 89–93

Volume 89 Number 1 2005

- 1 Determination of low molecular weight polyphenolic constituents in grape (*Vitis vinifera* sp.) seed extracts: Correlation with antiradical activity
R. GUENDEZ, S. KALLITHRAKA, D.P. MAKRIS, P. KEFALAS (Greece)
- 11 Separation and purification of lysozyme by Reactive Green 19 immobilised membrane affinity chromatography
M. YILMAZ, G. BAYRAMOĞLU, M.Y. ARICA (Turkey)
- 19 Studies pertaining to coagulant and proteolytic activities of plant proteases from *Cynara cardunculus*
S.V. SILVA, F.X. MALCATA (Portugal)
- 27 Tea and herbal infusions: Their antioxidant activity and phenolic profile
A.K. ATOUI, A. MANSOURI, G. BOSKOU, P. KEFALAS (Greece)
- 37 Variability in the physicochemical, nutritional and antinutritional attributes of six *Mucuna* species
Y.A. ADEBOWALE, A. ADEYEMI, A.A. OSHODI (Nigeria)
- 49 Grain phytic acid content in japonica rice as affected by cultivar and environment and its relation to protein content
Z. LIU, F. CHENG, G. ZHANG (China)
- 53 Biological evaluation of tomato waste seed meals and protein concentrate
D.S. SOGI, R. BHATIA, S.K. GARG, A.S. BAWA (India)
- 57 Mexican lime peel: Comparative study on contents of dietary fibre and associated antioxidant activity
J. UBANDO-RIVERA, A. NAVARRO-OCAÑA, M.A. VALDIVIA-LÓPEZ (Mexico)
- 63 Evaluation of an aroma similar to that of sparkling wine: Sensory and gas chromatography analyses of fermented grape musts
M.E.O. MAMEDE, H.M.A.B. CARDELLO, G.M. PASTORE (Brazil)
- 69 Effect of chill storage and modified atmosphere packaging (MAP) on antioxidant activity, anthocyanins, carotenoids, phenolics and sensory quality of ready-to-eat shredded orange and purple carrots
C. ALASALVAR, M. AL-FARSI, P.C. QUANTICK (UK), F. SHAHIDI (Canada), R. WIKTOROWICZ (UK)
- 77 Polyphenolic and antioxidant changes during storage of normal, mid, and high oleic acid peanuts
S.T. TALCOTT, C.E. DUNCAN, D.D. POZO-INSFRAN, D.W. GORBET (USA)
- 85 Extraction and assay of pectic enzymes from Peruvian carrot (*Arracacia xanthorrhiza* Bancroft.)
T.D.C.R. PIRES, F. FINARDI-FILHO (Brazil)
- 93 Fat content and ascorbic acid infusion influence microbial and physicochemical qualities of electron beam irradiated beef patties
P.Y.Y. WONG, A.N. WIJEWICKREME, D.D. KITTS (Canada)
- 103 Persistence of aroma compounds in human breath after consuming an aqueous model aroma mixture
R.A. BUFFO, J.A. RAPP, T. KRICK, G.A. REINECCIUS (USA)
- 109 Purification and identification of interacting components in a wheat starch-soy protein system
K.J. RYAN, M.S. BREWER (USA)
- 125 Quality of triticale cultivars suitable for growing and bread-making in northern conditions
M. TOHVER, A. KANN, R. TÄHT, A. MIHHALEVSKI, J. HAKMAN (Estonia)
- 133 Effect of storage of surfactant gels on the bread making quality of wheat flour
M.H. AZIZI (Iran), G.V. RAO (India)
- 139 Characterisation of the geographical origin of buffalo milk and mozzarella cheese by means of analytical and spectroscopic determinations
M.A. BRESCIA, M. MONFREDA, A. BUCCOLIERI, C. CARRINO (Italy)

- 149 Ripening of banana fruit monitored by water relaxation and diffusion ^1H -NMR measurements
A. RAFFO, R. GIANFERRI, R. BARBIERI, E. BROSIO (Italy)

- 159 ANCM Bibliography

- I Calendar

Volume 89 Number 2 2005

- 163 Effect of the addition of ammonium and amino acids to musts of Airen variety on aromatic composition and sensory properties of the obtained wine
P. HERNÁNDEZ-ORTE, M.J. IBARZ, J. CACHO, V. FERREIRA (Spain)
- 175 Cells immobilized in a starch–gluten–milk matrix usable for food production
S. PLESSAS, A. BEKATOROU, M. KANELAKI, C. PSARIANOS, A. KOUTINAS (Greece)
- 181 Prevention of enzymatic browning of pear by onion extract
M.-J. KIM, C.Y. KIM, I. PARK (Republic of Korea)
- 185 Analysis of non-coloured phenolics in red wine: Effect of *Dekkera bruxellensis* yeast
L.R. SILVA, P.B. ANDRADE, P. VALENTÃO, R.M. SEABRA (Portugal), M.E. TRUJILLO, E. VELÁZQUEZ (Spain)
- 191 Phenols, proanthocyanidins, flavones and flavonols in some plant materials and their antioxidant activities
M. ŠKERGET, P. KOTNIK, M. HADOLIN, A.R. HRAŠ, M. SIMONIČ, Ž. KNEZ (Slovenia)
- 199 Effects of gamma irradiation on the biogenic amines in pepperoni with different packaging conditions
J.-H. KIM, H.-J. AHN, J.-W. LEE, H.-J. PARK, G.-H. RYU, I.-J. KANG, M.-W. BYUN (Republic of Korea)
- 207 Influence of fruit ripening process on the natural antioxidant content of Hojiblanca virgin olive oils
G. BELTRAN, M.P. AGUILERA, C.D. RIO, S. SANCHEZ, L. MARTINEZ (Spain)
- 217 Classification of edible oils using synchronous scanning fluorescence spectroscopy
E. SIKORSKA, T. GÓRECKI (Poland), I.V. KHMELENSKII (Portugal), M. SIKORSKI, J. KOZIOŁ (Poland)
- 227 Flavour substances of Chinese traditional smoke-cured bacon
Y. AI-NONG, S. BAO-GUO (China)
- 235 Content of nitrates, nitrites, and oxalates in New Zealand spinach
G. JAWORSKA (Poland)
- 243 Physical, chemical and stability properties of buffalo butter oil fractions obtained by multi-step dry fractionation
A.E. FATOUH (Egypt), R.K. SINGH, P.E. KOEHLER (USA), G.A. MAHRAN, A.E. METWALLY (Egypt)
- 253 Physicochemical, cooking and textural properties of milled rice from different Indian rice cultivars
N. SINGH, L. KAUR, N.S. SODHI, K.S. SEKHON (India)
- 261 The quality of boiled cassava roots: instrumental characterization and relationship with physicochemical properties and sensorial properties
W. PADONOU (Benin), C. MESTRES (France), M.C. NAGO (Benin)
- 271 Monitoring the storage stability of RBD palm olein using the electronic nose
H.L. GAN, C.P. TAN, Y.B. CHE MAN, I. NORAINI, S.A.H. NAZIMAH (Malaysia)
- 283 Dietary fibre in fermented oat and barley β -glucan rich concentrates
A.M. LAMBO, R. ÖSTE, M.E.G.-L. NYMAN (Sweden)
- 295 Mercury speciation in the muscle of two commercially important fish, hake (*Merluccius merluccius*) and striped mullet (*Mullus barbatus*) from the Mediterranean sea: estimated weekly intake
M.M. STORELLI, A. STORELLI, R. GIACOMINELLI-STUFFLER, G.O. MARCOTRIGIANO (Italy)
- 301 Effect of some operational extrusion parameters on the constituents of orange pulp
M.A. LARREA (Peru), Y.K. CHANG (Brazil), F.M. BUSTOS (Mexico)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 309 Tryptophan determination in proteins and feedstuffs by ion exchange chromatography
G. RAVINDRAN, W.L. BRYDEN (Australia)
- 315 Application of microemulsion electrokinetic chromatography for the detection of preservatives in foods
H.-Y. HUANG, C.-L. CHUANG, C.-W. CHIU, J.-M. YEH (Taiwan)
- 323 ANCM Bibliography

- I Calendar

Volume 89 Number 3 2005

- 325 Crosslinking of wheat dough proteins by glucose oxidase and the resulting effects on bread and croissants
I.A. RASIAH, K.H. SUTTON, F.L. LOW, H.-M. LIN, J.A. GERRARD (New Zealand)
- 333 Roast effects on coffee amino acid enantiomers
S. CASAL, E. MENDES, M.B.P.P. OLIVEIRA, M.A. FERREIRA (Portugal)
- 341 Some chemical properties of white lupin seeds (*Lupinus albus* L.)
M. ERBAŞ, M. CERTEL, M.K. USLU (Turkey)
- 347 Sensory and biochemical aspects of quality of whole bigeye tuna (*Thunnus obesus*) during bulk storage in controlled atmospheres
C. RUIZ-CAPILLAS, A. MORAL (Spain)
- 355 A survey on free biogenic amine content of fresh and preserved vegetables
S. MORET (Italy), D. SMELA (Czech Republic), T. POPULIN, L.S. CONTE (Italy)
- 363 Characterisation of acid-soluble collagen from skin and bone of bigeye snapper (*Priacanthus tayenus*)
P. KITTIPHATTANABAWON, S. BENJAKUL, W. VISESSANGUAN (Thailand), T. NAGAI, M. TANAKA (Japan)
- 373 Biochemical and immunochemical detection of types I and V collagens in tiger puffer *Takifugu rubripes*
S. MIZUTA, S. FUJISAWA, M. NISHIMOTO, R. YOSHINAKA (Japan)
- 379 Antioxidant properties of lotus seed and its effect on DNA damage in human lymphocytes
G.-C. YEN, P.-D. DUH, H.-J. SU (Taiwan)
- 387 Characterisation of virgin olive oil of Italian olive cultivars: 'Frantoio' and 'Leccino', grown in Andalusia
M.P. AGUILERA, G. BELTRÁN, D. ORTEGA, A. FERNÁNDEZ, A. JIMÉNEZ, M. UCEDA (Spain)
- 393 The production of citric acid by using immobilized *Aspergillus niger* A-9 and investigation of its various effects
G. DEMIREL, K.O. YAYKAŞLI, A. YAŞAR (Turkey)
- 397 Stability studies on the enzyme extracted sweet potato carotenoproteins
İ. ÇINAR (Turkey)
- 403 Mushroom extracts with antioxidant activity against lipid peroxidation
L.M. CHEUNG, P.C.K. CHEUNG (China)
- 411 Phenolic profile and antioxidant activity of the Algerian ripe date palm fruit (*Phoenix dactylifera*)
A. MANSOURI (Greece), G. EMBAREK (Algeria), E. KOKKALOU, P. KEFALAS (Greece)
- 421 Effects of soaking whole cereal and legume seeds on iron, zinc and phytate contents
I. LESTIENNE, C. ICARD-VERNIÈRE, C. MOUQUET, C. PICQ, S. TRECHE (France)
- 427 Colour stability of anthocyanins in aqueous solutions at various pH values
K. TORSKANGERPOLL, Ø.M. ANDERSEN (Norway)
- 441 Availability of essential elements in Indian and US tea brands
A. KUMAR, A.G.C. NAIR, A.V.R. REDDY, A.N. GARG (India)
- 449 Nutritional and medicinal improvement of black tea by yeast fermentation
C. PASHA, G. REDDY (India)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 455 *N*-nitrosodimethylamine analysis in Estonian beer using positive-ion chemical ionization with gas chromatography mass spectrometry
S. YURCHENKO, U. MÖLDER (Estonia)
- 465 Simultaneous spectrophotometric determination of maltol, ethyl maltol, vanillin and ethyl vanillin in foods by multivariate calibration and artificial neural networks
Y. NI, G. ZHANG (China), S. KOKOT (Australia)
- 475 Simultaneous determination of cholesterol oxides, cholesterol and fatty acids in processed turkey meat products
S.R. BAGGIO, A.M.R. MIGUEL, N. BRAGAGNOLO (Brazil)
- 485 ANCM Bibliography

I Calendar

Volume 89 Number 4 2005

- 489 Nutritional composition and antinutritional factors of mung bean seeds (*Phaseolus aureus*) as affected by some home traditional processes
A.E. MUBARAK (Egypt)
- 497 Removal and recovery of antinutritional factors from soybean flour
S. BAJPAI, A. SHARMA, M.N. GUPTA (India)

- 503 Aflatoxins in Nigerian dry-roasted groundnuts
S.A. BANKOLE, B.M. OGUNSANWO, D.A. ESEIGBE (Nigeria)
- 507 Characterisation of vegetable oils by surface acoustic wave sensing electronic nose
H.L. GAN, Y.B.C. MAN, C.P. TAN, I. NORAINI, S.A.H. NAZIMAH (Malaysia)
- 519 Levels of biogenic amines as a measure of the quality of the beer fermentation process: Data from Belgian samples
S. LORET, P. DELOYER, G. DANDRIFOSSE (Belgium)
- 527 Volatile norisoprenoids as markers of botanical origin of Sardinian strawberry-tree (*Arbutus unedo* L.) honey: Characterisation of aroma compounds by dynamic headspace extraction and gas chromatography–mass spectrometry
F. BIANCHI, M. CARERI, M. MUSCI (Italy)
- 533 Antioxidant activity of extracts from the fruiting bodies of *Agrocybe aegerita* var. *alba*
K.M. LO, P.C.K. CHEUNG (China)
- 541 Physicochemical and thermal properties of starches separated from corn produced from crosses of two germ pools
K.S. SANDHU, N. SINGH, N.S. MALHI (India)
- 549 Influence of heating on antioxidant activity and the chemical composition of some spice essential oils
A. TOMAINO, F. CIMINO, V. ZIMBALATTI, V. VENUTI, V. SULFARO, A. DE PASQUALE, A. SAIJA (Italy)
- 555 Maillard reaction during storage of powder enteral formulas
J.L. GARCÍA-BAÑOS, M.D. DEL CASTILLO, M.L. SANZ, A. OLANO, N. CORZO (Spain)
- 561 Phenolic profiles of Portuguese olive fruits (*Olea europaea* L.): Influences of cultivar and geographical origin
A.F. VINHA (Portugal), F. FERRERES (Spain), B.M. SILVA, P. VALENTÃO, A. GONÇALVES, J.A. PEREIRA, M.B. OLIVEIRA, R.M. SEABRA, P.B. ANDRADE (Portugal)
- 569 Preparation and antioxidant properties of extracts of Japanese persimmon leaf tea (kakinoha-cha)
S. SAKANAKA, Y. TACHIBANA, Y. OKADA (Japan)
- 577 A study on degradation kinetics of riboflavin in green gram whole (*Vigna radiata* L.)
P. NISHA, R.S. SINGHAL, A.B. PANDIT (India)
- 583 Studies on the inhibitory effect of *Graptotetalum paraguayense* E. Walther extracts on mushroom tyrosinase
K.-F. HUANG, Y.-W. CHEN, C.-T. CHANG, S.-T. CHOU (Taiwan)
- 589 Combined effects of irradiation and modified atmosphere packaging on minimally processed Chinese cabbage (*Brassica rapa* L.)
H.-J. AHN, J.-H. KIM, J.-K. KIM, D.-H. KIM, H.-S. YOOK, M.-W. BYUN (Republic of Korea)
- 599 Nutritional value of edible wild mushrooms collected from the Khasi hills of Meghalaya
D. AGRAHAR-MURUGKAR, G. SUBBULAKSHMI (India)
- 605 Organic elements and protein in some macrofungi of south east Anatolia in Turkey
A. YILDIZ, Ö.F. YEŞİL, Ö. YAVUZ, M. KARAKAPLAN (Turkey)
- 611 Oxidation of cholesterol in mayonnaise during storage
I.C. MORALES-AIZPURÚA, A. TENUTA-FILHO (Brazil)
- 617 Antioxidant properties of dried 'kayamo-nori', a brown alga *Scytoniphon lomentaria* (*Scytoniphonales, Phaeophyceae*)
T. KUDA, M. TSUNEKAWA, T. HISI, Y. ARAKI (Japan)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 623 Development of a reverse-phase high-performance liquid chromatography method for analyzing *trans*-resveratrol in peanut kernels
J.L. RUDOLF, A.V.A. RESURRECCION, F.K. SAALIA, R.D. PHILLIPS (USA)
- 639 High-performance liquid chromatographic determination of furfural compounds in infant formulas during full shelf-life
E. FERRER, A. ALEGRIÁ, R. FARRÉ, P. ABELLÁN, F. ROMERO (Spain)

I Papers Published in Volume 89

V Calendar

Volume 90 Numbers 1–2 2005

- 1 Rheological, textural, and sensory properties of Asian noodles containing an oat cereal hydrocolloid
G.E. INGLETT, S.C. PETERSON, C.J. CARRIERE (USA), S. MANEEPUN (Thailand)
- 9 Textural change and antioxidant properties of broccoli under different cooking treatments
C.-H. LIN, C.-Y. CHANG (Taiwan)
- 17 Components and antioxidant activity of polysaccharide conjugate from green tea
H. CHEN, M. ZHANG, B. XIE (China)

- 23 Use of gas liquid chromatography in combination with pancreatic lipolysis and multivariate data analysis techniques for identification of lard contamination in some vegetable oils
J.M.N. MARIKKAR, H.M. GHAZALI, Y.B. CHE MAN (Malaysia), T.S.G. PEIRIS (Sri Lanka), O.M. LAI (Malaysia)
- 31 Lithium content of some common edible wild-growing mushrooms
J. VETTER (Hungary)
- 39 Differences in cooking and eating properties between chalky and translucent parts in rice grains
F.M. CHENG, L.J. ZHONG, F. WANG, G.P. ZHANG (China)
- 47 Role of peroxidase in anthocyanin degradation in litchi fruit pericarp
Z. ZHANG, X. PANG, D. XUEWU, Z. JI, Y. JIANG (China)
- 53 A study of marination of deepwater pink shrimp (*Parapenaeus longirostris*, Lucas, 1846) and its shelf life
A. CADUN, S. CAKLI, D. KISLA (Turkey)
- 61 Water properties in wheat flour dough II: classical and knudsen thermogravimetry approach
D. FESSAS, A. SCHIRALDI (Italy)
- 69 Comparative study on volatile analysis of extra virgin olive oil by dynamic headspace and solid phase micro-extraction
A. KANAVOURAS (USA), A. KIRITSAKIS (Greece), R.J. HERNANDEZ (USA)
- 81 Isolation and structural characterization of new anthocyanin-alkyl-catechin pigments
J. PISSARRA, S. LOURENÇO (Portugal), A.M. GONZÁLEZ-PARAMÁS (Spain), N. MATEUS (Portugal), C.S. BUELGA (Spain), A.M.S. SILVA, V. DE FREITAS (Portugal)
- 89 Physical and chemical attributes of defective crude and roasted coffee beans
A.S. FRANCA, L.S. OLIVEIRA, J.C.F. MENDONÇA, X.A. SILVA (Brazil)
- 95 Ergosterol as a new quality parameter together with patulin in raw apple juice produced from decayed apples
Ç. KADAKAL, S. NAS, R. EKİNCİ (Turkey)
- 101 Control of arabinoxylan solubilization and hydrolysis in mashing
Y. LI, J. LU, G. GU (China)
- 109 Comparative study of carotenoid composition in three mexican varieties of *Capsicum annuum* L
O. COLLERA-ZÚÑIGA, F.G. JIMÉNEZ, R.M. GORDILLO (México)
- 115 Comparative production of different melon distillates: Chemical and sensory analyses
L.F. HERNÁNDEZ-GÓMEZ, J. ÚBEDA-IRANZO, E. GARCÍA-ROMERO, A. BRIONES-PÉREZ (Spain)
- 127 The effect of fermentation and drying on the water-soluble vitamin content of tarhana, a traditional Turkish cereal food
R. EKİNCİ (Turkey)
- 133 In vitro antioxidant activity of coffees brewed using different procedures (Italian, espresso and filter)
I. SÁNCHEZ-GONZÁLEZ, A. JIMÉNEZ-ESCRIG, F. SAURA-CALIXTO (Spain)
- 141 Physicochemical and biochemical changes during frozen storage of minced flesh of lizardfish (*Saurida micropectoralis*)
K. LEELAPONGWATTANA, S. BENJAKUL, W. VISESSANGUAN (Thailand), N.K. HOWELL (UK)
- 151 Identification and characterization of molecular species of collagen in ordinary muscle and skin of the Japanese flounder *Paralichthys olivaceus*
M. NISHIMOTO, R. SAKAMOTO, S. MIZUTA, R. YOSHINAKA (Japan)
- 157 Phytochemical and antioxidant characterization of *Hypericum perforatum* alcoholic extracts
B.A. SILVA (Portugal), F. FERRERES (Spain), J.O. MALVA, A.C.P. DIAS (Portugal)
- 169 Effects of heat-treatments of olive fruit on pigment composition of virgin olive oil
P. LUACES, A.G. PÉREZ, J.M. GARCÍA, C. SANZ (Spain)
- 175 Determination of trace metal levels in seven fish species in lakes in Tokat, Turkey
D. MENDİL, Ö.D. ULUÖZLÜ, E. HASDEMİR, M. TÜZEN, H. SARI, M. SUIÇMEZ (Turkey)
- 181 The composition of dietary fibre-rich extrudates from oat affects bile acid binding and fermentation in vitro
B. DRZIKOVA, G. DONGOWSKI, E. GEBHARDT, A. HABEL (Germany)
- 193 The effect of high hydrostatic pressure on the anthocyanins of raspberry (*Rubus idaeus*)
W. SUTHANTHANGJAI, P. KAJDA (UK), I. ZABETAKIS (Greece)
- 199 Effects of processing methods and extraction solvents on concentration and antioxidant activity of peanut skin phenolics
J. YU, M. AHMEDNA, I. GOKTEPE (USA)
- 207 Effect of microwave cooking or broiling on selected nutrient contents, fatty acid patterns and true retention values in separable lean from lamb rib-loins, with emphasis on conjugated linoleic acid
M. MARANESI, D. BOCHICCHIO, L. MONTELLATO, A. ZAGHINI, G. PAGLIUCA, A. BADIANI (Italy)
- 219 A review of dietary polyamines: Formation, implications for growth and health and occurrence in foods
P. KALAČ, P. KRAUSOVÁ (Czech Republic)
- 231 Antioxidative activity of caramelisation products and their preventive effect on lipid oxidation in fish mince
S. BENJAKUL, W. VISESSANGUAN, V. PHONGKANPAI (Thailand), M. TANAKA (Japan)

- 241 In vitro binding of bile acids by kidney bean (*Phaseolus vulgaris*), black gram (*Vigna mungo*), bengal gram (*Cicer arietinum*) and moth bean (*Phaseolus aconitifolius*)
T.S. KAHLON, G.E. SMITH, Q. SHAO (USA)
- 247 A study of changes in wheat protein during bread baking using SE-HPLC
H. SINGH (USA)
- 251 Fatty acid composition of leg meat and perirenal fat of rabbits selected by growth rate
J.A. RAMÍREZ, I. DÍAZ, M. PLA, M. GIL, A. BLASCO, M.Á. OLIVER (Spain)
- 257 A kinetic model for the glucose/glycine Maillard reaction pathways
S.I.F.S. MARTINS, M.A.J.S. VAN BOEKEL (The Netherlands)
- 271 Isolation and structural characterization of the major protein fraction from NorMan flaxseed (*Linum usitatissimum L.*)
M.W.Y. CHUNG, B. LEI, E.C.Y. LI-CHAN (Canada)
- 281 In vitro digestibility and intestinal fermentation of grape seed and peel
I. GONÍ, N. MARTÍN, F. SAURA-CALIXTO (Spain)
- 287 The effect of roasting on the presence of bioactive amines in coffees of different qualities
S.D. OLIVEIRA, A.S. FRANCA, M.B.A. GLÓRIA, M.L.A. BORGES (Brazil)
- 293 Anthocyanins from black sorghum and their antioxidant properties
J.M. AWIKA, L.W. ROONEY, R.D. WANISKA (USA)
- 303 Storage stability of monascal adlay
J.-H. YANG, Y.-H. TSENG, H.-L. CHANG, Y.-L. LEE, J.-L. MAU (Taiwan)
- 311 Antioxidant properties of bran extracts from 'Platte' wheat grown at different locations
L. YU, K. ZHOU (US)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 317 Evaluation of antioxidant activity of some plant extracts and their application in biscuits
V. REDDY, A. UROOJ, A. KUMAR (India)
- 323 Determining α -tocopherol in refined bleached and deodorized palm olein by Fourier transform infrared spectroscopy
Y.B. CHE MAN, W. AMMAWATH, M.E.S. MIRGHANI (Malaysia)
- 329 ANCM Bibliography

I Calendar

Volume 90 Number 3 2005

- 333 Antimicrobial and antioxidant activities of the essential oil and various extracts of *Salvia tomentosa* Miller (Lamiaceae)
B. TEPE (Turkey), D. DAFERERA (Greece), A. SOKMEN, M. SOKMEN (Turkey), M. POLISSIOU (Greece)
- 341 Fatty acid composition of phospholipids in mesocarp of cherimoya fruit during ripening
M. GUTIÉRREZ, M. MAR SOLA, A.M. VARGAS (Spain)
- 347 Alkaloid variation during germination in different lupin species
M. DE CORTES SÁNCHEZ, P. ALTARES, M.M. PEDROSA, C. BURBANO, C. CUADRADO, C. GOYOAGA, M. MUZQUIZ, C. JIMÉNEZ-MARTÍNEZ, G. DÁVILA-ORTIZ (Spain)
- 357 Volatile composition of Mencía wines
A. CALLEJA, E. FALQUÉ (Spain)
- 365 Domestication of *Irvingia gabonensis*: 4. Tree-to-tree variation in food-thickening properties and in fat and protein contents of dika nut
R.R.B. LEAKY, P. GREENWELL, M.N. HALL (UK), A.R. ATANGANA (Cameroon), C. USORO (Nigeria), P.O. ANEGBEH (UK), J-M. FONDOUN, Z. TCHOUNDJEU (Cameroon)
- 379 Polyphenolic content and sensory properties of normal and high oleic acid peanuts
S.T. TALCOTT, S. PASSERETTI, C.E. DUNCAN, D.W. GORBET (USA)
- 389 SSGE and DEE, new peptides isolated from a soy protein hydrolysate that inhibit platelet aggregation
K.-A. LEE, S.-H. KIM (Republic of Korea)
- 395 Binding of heavy metals to pomace fibers
A. NAWIRSKA (Poland)
- 401 Identification of kafirin film casting solvents
J. TAYLOR, J.R.N. TAYLOR, M.F. DUTTON, S. DE KOCK (South Africa)
- 409 Non-volatile flavour components of *Ganoderma tsugae*
Y.-H. TSENG, Y.-L. LEE, R.-C. LI, J.-L. MAU (Taiwan)

- 417 Identification and olfactometry of French fries flavour extracted at mouth conditions
W.A.M. VAN LOON, J.P.H. LINSSEN, A. LEGGER, M.A. POSTHUMUS, A.G.J. VORAGEN (The Netherlands)
- 427 Organoleptic and nutritional evaluation of wheat biscuits supplemented with untreated and treated fenugreek flour
S. HOODA, S. JOOD (India)
- 437 Stereospecific analysis of fresh and dry-cured muscle phospholipids from Iberian pigs
M.E. MURIEL, M.T. ANTEQUERA, M.J. PETRÓN, A.I. ANDRÉS, J. RUIZ (Spain)
- 445 Biochemical changes and quality loss during chilled storage of farmed turbot (*Psetta maxima*)
S.P. AUBOURG, C. PINEIRO, J.M. GALLARDO, J. BARROS-VELAZQUEZ (Spain)
- 453 Influence of procyanidin structures on their ability to complex with oenin
B. BERKÉ (France), V.A.P. DE FREITAS (Portugal)
- 461 Removal of polycyclic aromatic hydrocarbons by low density polyethylene from liquid model and roasted meat
J. CHEN, S. CHEN (Taiwan)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 471 Application of sequential injection analysis (SIA) to food analysis
R. PÉREZ-OLMOS, J.C. SOTO, N. ZARATE (Spain), A.N. ARAÚJO, J.L.F.C. LIMA, M.L.M.F.S. SARAIVA (Portugal)
- 491 ANCM Bibliography
- I Calendar

Volume 90 Number 4 2005

- 495 Characterization and antioxidant activity of nocino liqueur
C. ALAMPRESE, C. POMPEI (Italy), F. SCARAMUZZI (USA)
- 503 Anti-oxidant activity of isolates from acid hydrolysates of *Eucalyptus globulus* wood
J.M. CRUZ, H. DOMÍNGUEZ, J.C. PARAJÓ (Spain)
- 513 Non-protein nitrogen in infant cereals affected by industrial processing
D. PÉREZ-CONEZA, M.J. PERIAGO, G. ROS, G. LÓPEZ (Spain)
- 523 Lipolysis in dry-cured ham: Influence of salt content and processing conditions
A.I. ANDRES, R. CAVA, D. MARTIN, J. VENTANAS, J. RUIZ (Spain)
- 535 Impact of sources and doses of potassium on biochemical and greenleaf parameters of tea
S. VENKATESAN, S. MURUGESAN, V.K. SENTHUR PANDIAN, M.N.K. GANAPATHY (India)
- 541 Effects of high-pressure processing on proteolytic enzymes and proteins in cold-smoked salmon during refrigerated storage
R. LAKSHMANAN, M.F. PATTERSON, J.R. PIGGOTT (UK)
- 549 Effects of polyols and nondigestible oligosaccharides on the quality of sugar-free sponge cakes
F. RONDA, M. GÓMEZ, C.A. BLANCO, P.A. CABALLERO (Spain)
- 557 Influence of diets enriched with flaxseed oil on the α -linolenic, eicosapentaenoic and docosahexaenoic fatty acid in Nile tilapia (*Oreochromis niloticus*)
J.V. VISENTAINER, N.E. DE SOUZA, M. MAKOTO, C. HAYASHI, M.R.B. FRANCO (Brazil)
- 561 Contents of polyamines in selected foods
P. KALAČ, M. KRÍŽEK, T. PELIKÁNOVÁ, M. LANGOVÁ, O. VEŠKRNA (Czech Republic)
- 565 Total phenolic and carotenoid contents in acerola genotypes harvested at three ripening stages
V.L.A.G. LIMA, E.A. MÉLO, M.I.S. MACIEL, F.G. PRAZERES, R.S. MUSSER, D.E.S. LIMA (Brazil)
- 569 Antioxidant activity of South African red and white cultivar wines and selected phenolic compounds: In vitro inhibition of microsomal lipid peroxidation
D. DE BEER, E. JOUBERT, W.C.A. GELDERBLOM, M. MANLEY (South Africa)
- 579 Biological evaluation of mechanically deboned chicken meat protein quality
C.C. NEGRÃO, I.Y. MIZUBUTI, M.C. MORITA, C. COLLI, E.I. IDA, M. SHIMOKOMAKI (Brazil)
- 585 Some aspects of the quantitative/qualitative assessment of commercial anthocyanin-rich extracts
M.P. PRODANOV, J.A. DOMÍNGUEZ, I. BLÁZQUEZ, M.R. SALINAS, G.L. ALONSO (Spain)
- 597 Physicochemical changes occurring during post-harvest hardening of trifoliate yam (*Dioscorea dumetorum*) tubers
G.N. MEDOUA, I.L. MBOME, T. AGBOR-EGBE, C.M.F. MBOFUNG (Cameroon)
- 603 Variety differentiation of virgin olive oil based on *n*-alkane profile
O. KOPRIVNJAK (Croatia), S. MORET, T. POPULIN, C. LAGAZIO, L.S. CONTE (Italy)

- 609 Analysis of the essential oils of two *Thymus* species from Iran
B. NICKAVAR, F. MOJAB, R. DOLAT-ABADI (Iran)
- 613 Microbiological, physicochemical, and sensory characteristics of kefir during storage
A. IRIGOYEN, I. ARANA, M. CASTIELLA, P. TORRE, F.C. IBÁÑEZ (Spain)
- 621 Effect of hydrocolloids on the thermal denaturation of proteins
E. IBANOGLU (Turkey)
- 627 Stabilization of olive oil – lemon juice emulsion with polysaccharides
A. PARASKEVOPOULOU, D. BOSKOU, V. KIOSSEOGLOU (Greece)
- 635 Occurrence of histamine and histamine-forming bacteria in kimchi products in Taiwan
Y.-H. TSAI, H.-F. KUNG, Q.-L. LIN, J.-H. HWANG, S.-H. CHENG (Taiwan), C.-I. WEI (USA), D.-F. HWANG (Taiwan)
- 643 Minimal clean-up and rapid determination of polycyclic aromatic hydrocarbons in instant coffee
M.S. GARCÍA-FALCÓN, B. CANCHO-GRANDE, J. SIMAL-GÁNDARA (Spain)
- 649 Changes in myofibrillar proteins during processing of pastirma (Turkish dry meat product) produced with commercial starter cultures
N. AKTAŞ, M.I. AKSU, M. KAYA (Turkey)
- 655 Some properties of the polygalacturonase from four Zimbabwean wild fruits (*Uapaca kirkiana*, *Zizphus mauritiana*, *Tamarindus indica* and *Berchemia discolor* fruits)
M. MUCHUWETI, E. MOYO, S. MUSHIPE (Zimbabwe)
- 663 Physicochemical changes of sweet cherry fruits related to application of gibberellic acid
V. USENIK, D. KASTELEC, F. ŠTAMPAR (Slovenia)
- 673 The effects of different cations on the physicochemical characteristics of casein micelles
M. PHILIPPE, Y. LE GRAËT, F. GAUCHERON (France)
- 685 In vitro antioxidant activities of the methanol extracts of four *Helichrysum* species from Turkey
B. TEPE, M. SOKMEN, H.A. AKPULAT, A. SOKMEN (Turkey)
- 691 Selenium content in selected Slovenian foodstuffs and estimated daily intakes of selenium
P. SMRKOLJ, L. POGRAJC, C. HLASTAN-RIBIČ, V. STIBILJ (Slovenia)
- 699 Protein interactions in comminuted meat gels containing emulsified corn oil
I. MOURTZINOS, V. KIOSSEOGLOU (Greece)
- 705 Bioactive amines and carbohydrate changes during ripening of 'Prata' banana (*Musa acuminata* × *M. balbisiana*)
R.C. ADÃO, M.B.A. GLÓRIA (Brazil)
- 713 Analysis of volatile fraction, fixed oil and tegumental waxes of the seeds of two different cultivars of *Helianthus annuus*
P.L. CIONI, G. FLAMINI, C. CAPONI, L. CECCARINI, I. MORELLI (Italy)
- 719 Polysaccharides from *Sesamum indicum* meal: Isolation and structural features
P. GHOSH, P. GHOSAL, S. THAKUR (India), P. LEROUUGE, C. LOUTELIER-BOURHIS, A. DRIOUICH (France), B. RAY (India)
- 727 In vitro study of antioxidant activity of *Syzygium cumini* fruit
A. BANERJEE, N. DASGUPTA, B. DE (India)
- 735 Relative antioxidant activity of soybean isoflavones and their glycosides
C.H. LEE, L. YANG, J.Z. XU, S.Y.V. YEUNG, Y. HUANG, Z.-Y. CHEN (China)
- 743 Antioxidant activities of buckwheat extracts
T. SUN, C.-T. HO (USA)
- 751 Transglutaminase activity in pressure-induced gelation assisted by prior setting
P. MONTERO, M.E. LÓPEZ-CABALLERO, M. PÉREZ-MATEOS, M.T. SOLAS, M.C. GÓMEZ-GUILLÉN (Spain)
- 759 Antioxidant activity of feruloylated oligosaccharides from wheat bran
X. YUAN, J. WANG, H. YAO (China)
- 765 The effect of fruit extracts with polyphenol oxidase (PPO) activity on the in vitro accessibility of iron in high-tannin sorghum
E. MATUSCHEK, U. SVANBERG (Sweden)
- 773 β-Glucan and mineral nutrient contents of cereals grown in Turkey
A. DEMIRBAS (Turkey)
- 779 Infant formula iron dialysability related to other nutrients
C. DE SOUZA NOGUEIRA, C. COLLI, O.M.S. AMANCIO (Brazil)
- 785 A comparison of sugar-accumulating patterns and relative compositions in developing fruits of two oriental melon varieties as determined by HPLC
M.F. ZHANG, Z.L. LI (China)
- 791 Changes in contents of phenolic compounds during maturing of barrique red wines
D. MATĚJÍČEK, O. MIKEŠ, B. KLEJDUS, D. ŠTĚRBOVÁ, V. KUBÁŇ (Czech Republic)

- 801 Diphenolases from two cultivars of cherry laurel (*Laurocerasus officinalis* Roem.) fruits at an early stage of maturation
A. COLAK, A. ÖZEN, B. DINCER, S. GÜNER, F.A. AYAZ (Turkey)
- 809 Isolation of angiotensin I converting enzyme (ACE) inhibitor from fermented oyster sauce, *Crassostrea gigas*
J.-Y. JE, J.-Y. PARK, W.-K. JUNG, P.-J. PARK, S.-K. KIM (Republic of Korea)
- 815 Analysis of potential lard adulteration in chocolate and chocolate products using Fourier transform infrared spectroscopy
Y.B. CHE MAN, Z.A. SYAHARIZA, M.E.S. MIRGHANI, S. JINAP, J. BAKAR (Malaysia)
- 821 Iron-binding ability of melanoidins from food and model systems
F.J. MORALES, C. FERNANDEZ-FRAGUAS, S. JIMÉNEZ-PÉREZ (Spain)
- 829 Detection of lard adulteration in RBD palm olein using an electronic nose
Y.B.C. MAN, H.L. GAN, I. NORAINI, S.A.H. NAZIMAH, C.P. TAN (Malaysia)
- 837 Stability of carotenoids in tomato juice during storage
C.H. LIN, B.H. CHEN (Taiwan)
- 847 Changes of polysaccharide content and texture of potato during French fries production
G. GOŁUBOWSKA (Poland)
- 853 Sorghum fermentation followed by spectroscopic techniques
I. CORREIA, A. NUNES, I.F. DUARTE, A. BARROS, I. DELGADILLO (Portugal)
- 861 Volatile aroma components of soy protein isolate and acid-hydrolysed vegetable protein
M. SOLINA, P. BAUMGARTNER, R.L. JOHNSON, F.B. WHITFIELD (Australia)
- 875 Influence of variety and processing conditions on acrylamide levels in fried potato crisps
J.S.E. WILLIAMS (UK)
- 883 Egg shell as catalyst of lactose isomerisation to lactulose
A. MONTILLA, M.D. DEL CASTILLO, M.L. SANZ, A. OLANO (Spain)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 891 Antioxidant activity of the extracts from *Dillenia indica* fruits
MD.H. ABDILLE, R.P. SINGH, G.K. JAYAPRAKASHA, B.S. JENA (India)

I Papers published in Volume 90

VII Calendar

Volume 91 Number 1 2005

- 1 Chemical composition of the essential oil of three Iranian *Satureja* species (*S. mutica*, *S. macrantha* and *S. intermedia*)
F. SEFIDKON, Z. JAMZAD (Iran)
- 5 Distinguishing lard from other animal fats in admixtures of some vegetable oils using liquid chromatographic data coupled with multivariate data analysis
J.M.N. MARIKKAR, H.M. GHAZALI, Y.B. CHE MAN (Malaysia), T.S.G. PEIRIS (Sri Lanka), O.M. LAI (Malaysia)
- 15 Amino acid changes in fermented oyster (*Crassostrea gigas*) sauce with different fermentation periods
J.-Y. JE, P.-J. PARK, W.-K. JUNG, S.-K. KIM (Republic of Korea)
- 19 Changes in vitamin C and flavour components of mandarin juice due to curing of fruits
A.G. PÉREZ, P. LUACES, J. OLIVA, J.J. RÍOS, C. SANZ (Spain)
- 25 Storage stabilities of pork scratchings, peanuts, oatmeal and muesli: Comparison of ESR spectroscopy, headspace-GC and sensory evaluation for detection of oxidation in dry foods
P.N. JENSEN, B. DANIELSEN, G. BERTELSEN, L.H. SKIBSTED, M.L. ANDERSEN (Denmark)
- 39 Sorption of wine volatile phenols by yeast lees
D. CHASSAGNE, M. GUILLOUX-BENATIER, H. ALEXANDRE, A. VOILLEY (France)
- 45 Optimisation of conditions for precipitation of collagen from solution using κ-carrageenan. Studies on collagen from the skin of Baltic cod (*Gadus morhua*)
M. SADOWSKA, I. KOŁODZIEJSKA (Poland)
- 51 Studies of a 2:1 sodium carbonate:sodium bicarbonate mixture as papadkhar substitute for papads
S.J. PATIL, R.S. SINGHAL, P.R. KULKARNI (India)
- 57 Inhibition of potato polyphenol oxidase by Maillard reaction product
M.-K. LEE, I. PARK (Korea)
- 63 Composition of the essential oils and in vivo emission of volatiles of four *Lamium* species from Italy: *L. purpureum*, *L. hybridum*, *L. bifidum* and *L. amplexicaule*
G. FLAMINI, P.L. CIONI, I. MORELLI (Italy)
- 69 Properties of starches from cocoyam (*Xanthosoma sagittifolium*) tubers planted in different seasons
T.-J. LU, J.-C. CHEN, C.-L. LIN, Y.-H. CHANG (Taiwan)

- 79 Antioxidant activity of brown pigment and extracts from black sesame seed (*Sesamum indicum* L.)
J. XU, S. CHEN, Q. HU (China)
- 85 Free radical-scavenging activity of *Aloe vera* (*Aloe barbadensis* Miller) extracts by supercritical carbon dioxide extraction
Q. HU, Y. HU, J. XU (China)
- 91 Chemometric classification of Basque and French ciders based on their total polyphenol contents and CIELab parameters
R.M. ALONSO-SALCES (Spain) S. GUYOT (France), C. HERRERO, L.A. BERRUETA (Spain), J.-F. DRILLEAU (France), B. GALLO, F. VICENTE (Spain)
- 99 Effects of high oxygen concentration on pro- and anti-oxidant enzymes in peach fruits during postharvest periods
Y.-S. WANG, S.-P. TIAN, Y. XU (China)
- 105 Determination of antioxidants in edible grain derivatives from the Canary Islands by capillary electrophoresis
J. HERNÁNDEZ-BORGES, G. GONZÁLEZ-HERNÁNDEZ, T. BORGES-MIQUEL, M.A. RODRÍGUEZ-DELGADO (Spain)
- 113 Effects of temperature on the chemical composition and antioxidant activity of three strawberry cultivars
B.R. CORDENUNSI, M.I. GENOVESE, J.R. OLIVEIRA DO NASCIMENTO, N.M.A. HASSIMOTTO, R.J. DOS SANTOS, F.M. LAJOLO (Brazil)
- 123 Antihypertensive peptides from skimmed milk hydrolysate digested by cell-free extract of *Lactobacillus helveticus* JCM1004
D. PAN, Y. LUO (China), M. TANOKURA (Japan)
- 131 Identification of volatile components in basil (*Ocimum basilicum* L.) and thyme leaves (*Thymus vulgaris* L.) and their antioxidant properties
S.-J. LEE (Republic of Korea), K. UMANO (Japan), T. SHIBAMOTO (USA), K.-G. LEE (Korea)
- 139 The in vivo effects of cytokine modulation for Balb/C mice given *Canavalia ensiformis* (L.) seeds with different heat treatment
S.-J. LIN, J.-H. TSAI, C.-H. TSAI, H.-T. HSU, Y.-C. LIN, F.-L. XU, C.-C. YANG (Taiwan)
- 147 Effects of Welsh onion on oxidation of low-density lipoprotein and nitric oxide production in macrophage cell line RAW 264.7
B.-S. WANG, J.-H. CHEN, Y.-C. LIANG, P.-D. DUH (Taiwan)
- 157 Differentiation of Czech wines using multielement composition – A comparison with vineyard soil
P. KMENT, M. MIHALJEVIĆ, V. ETTLER, O. ŠEBEK, L. STRNAD, L. ROHLOVÁ (Czech Republic)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 167 Heavy metals in three commercially valuable fish species from İskenderun Bay, Northern East Mediterranean Sea, Turkey
A. TÜRKMEN, M. TÜRKMEN, Y. TEPE, İ. AKYURT (Turkey)
- 173 A method for the determination of volatile N-nitrosamines in food by HS-SPME-GC-TEA
R. ANDRADE, F.G.R. REYES, S. RATH (Brazil)
- 181 Multicommutation hydride generation atomic fluorescence determination of inorganic tellurium species in milk
E. RÓDENAS-TORRALBA, A. MORALES-RUBIO, M. DE LA GUARDIA (Spain)
- 191 ANCM Bibliography
- I Calendar

Volume 91 Number 2 2005

- 195 Chemical evaluation of the seeds of *Milletia obanensis*
U.E. UMOREN, A.I. ESSIEN, B.A. UKOREBI, E.B. ESSIEN (Nigeria)
- 203 Pasting, swelling and solubility properties of UV initiated starch-graft-poly(AA)
J.S. LEE, R.N. KUMAR, H.D. ROZMAN, B.M.N. AZEMI (Malaysia)
- 213 Antioxidant activity of sesame cake extract
K.P. SUJA, A. JAYALEKSHMY, C. ARUMUGHAN (India)
- 221 Dietary fibre fractions from fruit and vegetable processing waste
A. NAWIRSKA, M. KWAŚNEWSKA (Poland)
- 227 Identification of coarse (IR-8), fine (PR-106) and superfine (Basmati-386) rice cultivars
G.K. THIND, D.S. SOGI (India)
- 235 Degradation of methamidophos on sultana grapes on the vines and during refrigerated storage
P.E. ATHANASOPOULOS, C. PAPPAS, N.V. KYRIAKIDIS, A. THANOS (Greece)
- 241 Degradation of fenthion and fenthion sulfoxide on grapes on the vines and during refrigerated storage
N.V. KYRIAKIDIS, C. PAPPAS, P. ATHANASOPOULOS (Greece)
- 247 Allergenicity of crustacean extractives and its reduction by protease digestion
K. SHIMAKURA, Y. TONOMURA, Y. HAMADA, Y. NAGASHIMA, K. SHIOMI (Japan)
- 255 Supercritical carbon dioxide extraction of 2-acetyl-1-pyrroline from *Pandanus amaryllifolius* Roxb
P. BHATTACHARJEE, A. KSHIRSAGAR, R.S. SINGHAL (India)

- 261 Preparation and rheological properties of a dairy dessert based on whey protein/potato starch
G.A. EL-GARAWANY, M.H. ABD EL SALAM (Egypt)
- 269 Inhibitory effects on mushroom tyrosinase by *p*-alkoxybenzoic acids
Q.-X. CHEN, K.-K. SONG, L. QIU, X.-D. LIU, H. HUANG, H.-Y. GUO (China)
- 275 Nutritional and antinutritional composition, in vitro amino acid availability, starch digestibility and predicted glycemic index of differentially processed mucuna beans (*Mucuna pruriens* var. *utilis*): an under-utilised legume
P. SIDDHURAJU, K. BECKER (Germany)
- 287 Antioxidants from a Chinese medicinal herb – *Psoralea corylifolia* L.
G. JIANGNING, W. XINCHU, W. HOU, L. QINGHUA, B. KAISHUN (China)
- 293 Comparative study of virgin olive oil sensory defects
M.T. MORALES, G. LUNA, R. APARICIO (Spain)
- 303 Polycyclic aromatic hydrocarbons in smoked fish – a critical review
A. STOŁYHWO, Z.E. SIKORSKI (Poland)
- 313 A contribution to the differentiation between nectar honey and honeydew honey
M.L. SANZ, M. GONZALEZ, C. DE LORENZO, J. SANZ, I. MARTÍNEZ-CASTRO (Spain)
- 319 Quality characteristics of horchata (a Spanish vegetable beverage) treated with pulsed electric fields during shelf-life
C. CORTÉS, M.J. ESTEVE, A. FRÍGOLA, F. TORREGROSA (Spain)
- 327 Thermal heat processing effects on antinutrients, protein and starch digestibility of food legumes
Z.-U. REHMAN, W.H. SHAH (Pakistan)
- 333 Preparation of hoki (*Johnius belengerii*) bone oligophosphopeptide with a high affinity to calcium by carnivorous intestine crude proteinase
W.-K. JUNG, P.-J. PARK, H.-G. BYUN, S.-H. MOON, S.-K. KIM (Republic of Korea)
- 341 Polyphenol oxidase activity of oregano at different stages
S. DOĞAN, O. ARSLAN, F. ÖZEN (Turkey)
- 347 Preliminary contribution to the characterisation of artisanal honey produced on the island of Ireland by palynological and physico-chemical data
G. DOWNEY, K. HUSSEY, J. DANIEL KELLY, T.F. WALSH (Ireland), P.G. MARTIN (UK)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 355 Determination of some inorganic anions and heavy metals in D.O.C. Golden and Amber Marsala wines: statistical study of the influence of ageing period, colour and sugar content
G. DUGO, L. LA PERA, T.M. PELLICANÓ, G. DI BELLA, M. D'IMPERIO (Italy)
- 365 Determination of the fruit content of strawberry fruit preparations by gravimetric quantification of hemicellulose
A. SCHIEBER, R. FÜGEL, M. HENKE, R. CARLE (Germany)
- 373 The study of phenolic profiles of raw apricots and apples and their purees by HPLC for the evaluation of apricot nectars and jams authenticity
V. DRAGOVIC-UZELAC, J. POSPIŠIL, B. LEVAJ, K. DELONGA (Croatia)
- 385 ANCM Bibliography

I Calendar

Volume 91 Number 3 2005

- 389 Antioxidative activities of water extract and ethanol extract from field horsetail (*tsukushi*) *Equisetum arvense* L.
T. NAGAI, T. MYODA, T. NAGASHIMA (Japan)
- 395 Fibre concentrates from apple pomace and citrus peel as potential fibre sources for food enrichment
F. FIGUEROLA, M.L. HURTADO, A.M. ESTÉVEZ, I. CHIFFELLE, F. ASEÑJO (Chile)
- 403 Studies on functional, thermal and pasting properties of flours from different chickpea (*Cicer arietinum* L.) cultivars
M. KAUR, N. SINGH (India)
- 413 Concentration-dependence of prooxidant and antioxidant effects of aloin and aloe-emodin on DNA
B. TIAN, Y. HUA (China)
- 419 Studies on the antioxidative activity of *Graptostetalum paraguayense* E. Walther
Y.-C. CHUNG, S.-J. CHEN, C.-K. HSU, C.-T. CHANG, S.-T. CHOU (Taiwan)
- 425 Kinetic model for studying the conversion and degradation of isoflavones during heating
J.T. CHIEN, H.C. HSIEH, T.H. KAO, B.-H. CHEN (Taiwan)
- 435 Comparison of palladium–magnesium nitrate and ammonium dihydrogenphosphate modifiers for lead determination in honey by electrothermal atomic absorption spectrometry
J.C. RODRÍGUEZ GARCÍA, J. BARCIELA GARCÍA, C. HERRERO LATORRE, S. GARCÍA MARTÍN, R.M. PEÑA CRECENTE (Spain)

- 443 Changes in energy and cholesterol contents of frankfurter-type sausages with fat reduction and fat replacer addition
E. CENGİZ, N. GOKOGLU (Turkey)
- 449 On-line gas chromatography combustion/pyrolysis isotope ratio mass spectrometry (HRGC-C/P-IRMS) of major volatiles from pear fruit (*Pyrus communis*) and pear products
K. KAHLE, C. PRESTON, E. RICHLING, F. HECKEL, P. SCHREIER (Germany)
- 457 Aggregation profile of 11S, 7S and 2S coagulated with GDL
S.L. TAY, G.Q. XU, C.O. PERERA (Singapore)
- 463 Trace metal levels in mushroom samples from Ordu, Turkey
D. MENDİL, Ö.D. ULUÖZLÜ, M. TÜZEN, E. HASDEMİR, H. SARI (Turkey)
- 469 Heating effects on some quality characteristics of date seed oil
S. BESBES (Tunisie), C. BLECKER, C. DEROANNE, G. LOGNAY (Belgique), N.-E. DRIRA, H. ATTIA (Tunisie)
- 477 Chemical and microbial analyses of squid muscle (*Loligo plei*) during storage in ice
J. LAPA-GUIMARÃES, P.E. DE FELÍCIO, E.S.C. GUZMÁN (Brazil)
- 485 Antioxidant activity of dulse (*Palmaria palmata*) extract evaluated in vitro
Y.V. YUAN, D.E. BONE, M.F. CARRINGTON (Canada)
- 495 Effect of high hydrostatic pressure treatment on post processing antioxidant activity of fresh Navel orange juice
A.C. POLYDERA, N.G. STOFOROS, P.S. TAOUKIS (Greece)
- 505 Processing and formulation effects on rheological behavior of barley β-glucan aqueous dispersions
H. VAIKOUSI, C.G. BILIADERIS (Greece)
- 517 Immobilization of inulinase for sucrose hydrolysis
R. CATANA, B.S. FERREIRA, J.M.S. CABRAL, P. FERNANDES (Portugal)
- 521 Milk characterization: effect of the breed
P. RITZ, P. GACHON, J.-P. GAREL, J.-C. BONNEFOY, J.-B. COULON, J.-P. RENOU (France)
- 525 Effect of an acid treatment on the phytochemical and antioxidant characteristics of extracts from selected Lamiaceae species
M. KOŞAR, H.J.D. DORMAN, R. HILTUNEN (Finland)
- 535 Partial purification and characterization of an X-prolyl dipeptidyl aminopeptidase from *Lactobacillus sanfranciscensis* CB1
G. GALLO, M. DE ANGELIS (Italy), P.L.H. McSWEENEY (Ireland), M.R. CORBO, M. GOBBETTI (Italy)
- 545 Inferring the origin and dietary history of beef from C, N and S stable isotope ratio analysis
O. SCHMIDT, J.M. QUILTER, B. BAHAR, A.P. MOLONEY (Ireland), C.M. SCRIMGEOUR, I.S. BEGLEY (UK), F.J. MONAHAN (Ireland)
- 551 Determination of the degree of esterification of alkaline de-esterified pectins by capillary zone electrophoresis
C.-M. JIANG, S.-C. LIU, M.-C. WU, W.-H. CHANG, H.-M. CHANG (Taiwan)
- 557 Determination of total mercury in seafood by cold vapor-atomic absorption spectroscopy (CVAAS) after microwave decomposition
S.C. HIGHT, J. CHENG (USA)
- 571 Determination of the total phenolic, flavonoid and proline contents in Burkina Fasan honey, as well as their radical scavenging activity
A. MEDA, C.E. LAMIEN (Burkina Faso), M. ROMITO (South Africa), J. MILLOGO, O.G. NACOULMA (Burkina Faso)
- 579 ANCM Bibliography
- I Calendar

Volume 91 Number 4 2005

- 583 Enzymatic incorporation of capric acid into a single cell oil rich in docosahexaenoic acid and docosapentaenoic acid and oxidative stability of the resultant structured lipid
F. HAMAM, F. SHAHIDI (Canada)
- 593 Determination of trace and minor elements in Slovenian honey by total reflection X-ray fluorescence spectroscopy
T. GOLOB, U. DOBERŠEK, P. KUMP, M. NEČEMER (Slovenia)
- 601 *Mulberry* extract inhibits the development of atherosclerosis in cholesterol-fed rabbits
C.-C. CHEN, L.-K. LIU, J.-D. HSU, H.-P. HUANG, M.-Y. YANG, C.-J. WANG (Taiwan)
- 609 Physical, chemical, histological and microbiological changes in fresh green asparagus (*Asparagus officinalis*, L.) stored in modified atmosphere packaging
M.J. VILLANUEVA, M.D. TENORIO, M. SAGARDOY, A. REDONDO, M.D. SACO (Spain)
- 621 Comparative evaluation of 11 essential oils of different origin as functional antioxidants, antiradicals and antimicrobials in foods
G. SACCHETTI, S. MAIETTI, M. MUZZOLI, M. SCAGLIANTI, S. MANFREDINI (Italy), M. RADICE (Ecuador), R. BRUNI (Italy)

- 633 Diversity in bean Caffeine content among wild *Coffea* species: Evidence of a discontinuous distribution
C. CAMPA, S. DOULBEAU, S. DUSSERT, S. HAMON, M. NOIROT (France)
- 639 Comparison of essential oils compositions of *Ferula assa-foetida* obtained by supercritical carbon dioxide extraction and hydrodistillation methods
M. KHAJEH, Y. YAMINI, N. BAHRAMIFAR, F. SEFIDKON, M. REZA PIRMORADEI (Iran)
- 645 Raffinose family oligosaccharides and sucrose contents in 13 Spanish lupin cultivars
C. MARTÍNEZ-VILLALUENGA, J. FRÍAS, C. VIDAL-VALVERDE (Spain)
- 651 Effect of soy supplementation and its stage of inclusion on the quality of ogi – a fermented maize meal
M.O. OLUWAMUKOMI, A.F. ELEYINMI, V.N. ENUJIUGHUA (Nigeria)
- 659 Effects of O₂ and CO₂ concentrations on physiology and quality of litchi fruit in storage
S.-P. TIAN, B.-Q. LI, Y. XU (China)
- 665 Anthocyanin profile of mayhaw (*Cretaegus opaca*)
A. TRAPPEY II, H.A. BAWADI, R.R. BANSODE, J.N. LOSSO (USA)
- 673 Improvement of the sensory properties of dry-fermented sausages by the addition of free amino acids
B. HERRANZ, L. DE LA HOZ, E. HIERRO, M. FERNÁNDEZ, J.A. ORDÓÑEZ (Spain)
- 683 Influence of season on the lipid content and fatty acid profiles of three tilapia species (*Oreochromis niloticus*, *O. macrochir* and *Tilapia rendalli*) from Madagascar
J.R.E. RASOARAHONA, G. BARNATHAN, J.-P. BIANCHINI, E.M. GAYDOU (France)
- 695 Use of γ -irradiation to alleviate the poor protein digestibility of sorghum porridge
E.N. FOMBANG (Cameroon), J.R.N. TAYLOR (South Africa), C.M.F. MBOFUNG (Cameroon), A. MINNAAR (South Africa)
- 705 Photoxidation of cholesterol and lipids of turkey meat during storage under commercial retail conditions
E. BOSELLI, M.F. CABONI, M.T. RODRIGUEZ-ESTRADA, T.G. TOSCHI, M. DANIEL, G. LERCKER (Italy)
- 715 Coagulation of soymilk and quality of tofu as affected by freeze treatment of soybeans
E.J. NOH, S.Y. PARK, J.I. PAK, S.T. HONG, S.E. YUN (Republic of Korea)
- 723 Antioxidant properties of cold-pressed black caraway, carrot, cranberry, and hemp seed oils
L.L. YU, K.K. ZHOU, J. PARRY (USA)
- 731 Physicochemical characteristics of palm oil and sunflower oil blends fractionated at different temperatures
H. MAMAT, I.N. AINI, M. SAID, R. JAMALUDIN (Malaysia)
- 737 Contents of macro and microelements in fresh and frozen dill (*Anethum graveolens* L.)
J. SLUPSKI, Z. LISIEWSKA, W. KMIECIK (Poland)
- 745 Inhibitory effects of laminaran and low molecular alginate against the putrefactive compounds produced by intestinal microflora in vitro and in rats
T. KUDA, T. YANO, N. MATSUDA, M. NISHIZAWA (Japan)
- 751 Development of a cactus-mucilage edible coating (*Opuntia ficus indica*) and its application to extend strawberry (*Fragaria ananassa*) shelf-life
V. DEL-VALLE, P. HERNÁNDEZ-MUÑOZ (Spain), A. GUARDA, M.J. GALOTTO (Chile)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 757 Quantitative evaluation of sanguinarine as an index of argemone oil adulteration in edible mustard oil by high performance thin layer chromatography
P. GHOSH, M.M. KRISHNA REDDY, R.B. SASHIDHAR (India)
- 765 Flame photometric determination of salinity in processed foods
M.-J. CHEN, Y.-T. HSIEH, Y.-M. WENG, R.Y.-Y. CHIOU (Taiwan)
- 771 A reliable technique to identify superior quality clones from tea germplasm
S. JOSEPH LOPEZ, J. THOMAS, P.K. PIUS, R. RAJ KUMAR, N. MURALEEDHARAN (India)

I Papers published in Volume 91

VII Calendar

Volume 92 Issue 1 2005

- 1 Effect of fermentation on the functional properties of sorghum flour
A.E.O. ELKHALIFA (Sudan), B. SCHIFFLER, R. BERNHARDT (Germany)
- 7 Effects of some additives on wheat gluten solubility: A structural approach
M. MEJRI (Tunisie), B. ROGÉ (France), A. BENSOUISSI (Tunisie), F. MICHELS, M. MATHLOUTHI (France)
- 17 Soft purification of lampante olive oil by microfiltration
A. HAFIDI (Morocco), D. PIOCH (France), H. AJANA (Morocco)

- 23 Conjugated linoleic acid production by immobilized cells of *Lactobacillus delbrueckii* ssp. *bulgaricus* and *Lactobacillus acidophilus*
T.Y. LIN, T.-H. HUNG, T.-S.J. CHENG (Taiwan)
- 29 Copper content of commonly consumed food in Brazil
K.S. FERREIRA, J.C. GOMES, J.B.P. CHAVES (Brazil)
- 33 Glycation of caseinmacropeptide
E. CASAL, N. CORZO, F.J. MORENO, A. OLANO (Spain)
- 37 Effects of molecular configurations of food colorants on their efficacies as photosensitizers in lipid oxidation
X. PAN, H. USHIO, T. OHSHIMA (Japan)
- 45 Testing of microencapsulated flavours by electronic nose and SPME–GC
R. BARANAUSKIENĖ, P.R. VENSKUTONIS, A. GALDIKAS, D. SENULIENĖ, A. ŠETKUS (Lithuania)
- 55 A natural clouding agent from orange peels obtained using polygalacturonase and cellulase
A. ESPACHS-BARROSO, R.C. SOLIVA-FORTUNY, O. MARTÍN-BELLOSO (Spain)
- 63 Effect of chilling on ethylene production in eggplant fruit
A. CONCELLÓN, M.C. AÑÓN, A.R. CHAVES (Argentina)
- 71 The effect of brine composition and pH on the yield and nature of water-soluble proteins extractable from brined muscle of cod (*Gadus morhua*)
O. MARTÍNEZ-ALVAREZ, M.C. GÓMEZ-GUILLÉN (Spain)
- 79 Evidence for synergy in the denaturation at the air–water interface of ovalbumin, ovotransferrin and lysozyme in ternary mixture
V. LECHEVALIER, T. CROGUENNEC, S. PEZENNEC, C. GUÉRIN-DUBIARD, M. PASCO, F. NAU (France)
- 89 In vitro antioxidant activities of the methanol extracts of five *Allium* species from Turkey
B. TEPE, M. SOKMEN, H.A. AKPULAT, A. SOKMEN (Turkey)
- 93 Molecular characteristics of ovalbumin–dextran conjugates formed through the Maillard reaction
S.J. CHOI, H.J. KIM, K.H. PARK, T.W. MOON (Republic of Korea)
- 101 Suppression of acyl migration in enzymatic production of structured lipids through temperature programming
T. YANG, M.-B. FRUEKILDE, X. XU (Denmark)
- 109 Optimization of continuous phenol extraction from *Vitis vinifera* byproducts
M. PINELO (Spain), P.D. FABBRO, L. MANZOCCO (Italy), M.J. NUÑEZ (Spain), M.C. NICOLI (Italy)
- 119 Antioxidant and antibacterial activities of various seabuckthorn (*Hippophae rhamnoides* L.) seed extracts
P.S. NEGI, A.S. CHAUHAN, G.A. SADIA, Y.S. ROHINISHREE, R.S. RAMTEKE (India)
- 125 Nutritional and antinutritional composition of Kancolla seeds: an interesting and underexploited andine food plant
I. DINI, G.C. TENORE, A. DINI (Italy)
- 133 X-ray diffraction and differential scanning calorimetry studies of $\beta' \rightarrow \beta$ transitions in fat mixtures
A. SZYDŁOWSKA-CZERNIAK, G. KARLOVITS, M. LACH, E. SZŁYK (Poland)
- 143 Extraction of fennel (*Foeniculum vulgare* Mill.) seeds with supercritical CO₂: Comparison with hydrodistillation
B. DAMJANOVIĆ, Ž. LEPOJEVIĆ, V. ŽIVKOVIĆ, A. TOLIĆ (Serbia and Montenegro)
- 151 Enzymatic production of a soluble-fibre hydrolyzate from carrot pomace and its sugar composition
K.Y. YOON (Republic of Korea), M. CHA (USA), S.R. SHIN, K.S. KIM (Republic of Korea)
- 159 Fatty acid profiles of intramuscular fat from pork loin chops fried in different culinary fats following refrigerated storage
M.R. RAMÍREZ, D. MORCUENDE, M. ESTÉVEZ, R.C. LÓPEZ (Spain)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 169 Determination of polyphenols in apple juice and cider by capillary electrophoresis with electrochemical detection
Y. PENG, F. LIU, Y. PENG, J. YE (China)
- 177 ESR spectroscopic study reveals higher free radical quenching potential in kodo millet (*Paspalum scrobiculatum*) compared to other millets
P.S. HEGDE, T.S. CHANDRA (India)
- 183 Fatty acid composition of cider obtained either by traditional or controlled fermentation
P.A. ABRODO, I.M. CABRALES, J.J.M. ALONSO, D. BLANCO-GOMIS (Spain)
- 189 ANCM Bibliography
- I Calendar

Volume 92 Issue 2 2005

- 193 Antioxidative properties and stability of ethanolic extracts of Holy basil and Galangal
T. JUNTACHOTE, E. BERGHOFER (Austria)
- 203 Influence of processing variables on some characteristics of nocino liqueur
C. ALAMPRESE, C. POMPEI (Italy)
- 211 Effect of germination and fermentation on the antioxidant vitamin content and antioxidant capacity of *Lupinus albus* L. var. Multolupa
J. FRIAS, M.L. MIRANDA, R. DOBLADO, C. VIDAL-VALVERDE (Spain)
- 221 Volatile compounds from the fruiting bodies of beefsteak fungus *Fistulina hepatica* (Schaeffer: Fr.) Fr.
S. WU, U. KRINGS, H. ZORN, R.G. BERGER (Germany)
- 227 Peptide generation from casein hydrolysis by immobilised porcine cathepsins
F. TOLDRÁ, L. MOLINA, S. VINUESA, M.-C. ARISTOY (Spain)
- 235 Review of methods to determine chain-breaking antioxidant activity in food
V. ROGINSKY (Russia), E.A. LISSI (Chile)
- 255 Effects of supplementing rice straw growth substrate with cotton seeds on the analytical characteristics of the mushroom, *Pleurotus florida* (Block & Tsao)
M.N. SHASHIREKHA, S. RAJARATHNAM, Z. BANO (India)
- 261 Immobilization of *Candida rugosa* lipase onto spacer-arm attached poly(GMA-HEMA-EGDMA) microspheres
G. BAYRAMOĞLU, B. KAYA, M. YAKUP ARICA (Turkey)
- 269 Phenolic composition and magnitude of copigmentation in young and shortly aged red wines made from the cultivars, Cabernet Sauvignon, Cencibel, and Syrah
I.H. GUTIÉRREZ, E.S.-P. LORENZO, A.V. ESPINOSA (Spain)
- 285 Effect of fermentation on biochemical and sensory characteristics of sorghum flour supplemented with whey protein
F.S. IBRAHIM, E.E. BABIKER, N.E. YOUSIF, A.H. EL TINAY (Sudan)
- 293 Effect of processing and storage on the chemical quality markers of spray-dried whole egg
M.F. CABONI, E. BOSELLI, M.C. MESSIA, V. VELAZCO, A. FRATIANNI, G. PANFILI, E. MARCONI (Italy)
- 305 Contribution to the study of avocado honeys by their mineral contents using inductively coupled plasma optical emission spectrometry
A. TERRAB, A.F. RECAMALES, M.L. GONZÁLEZ-MIRET, F.J. HEREDIA (Spain)
- 311 Partial purification and characterisation of polyphenol oxidase and peroxidase from marula fruit (*Sclerocarya birrea* subsp. Caffra)
K.M. MDLULI (UK)
- 325 Model system analysis of wheat starch-soy protein interaction kinetics using polystyrene microspheres
K.J. RYAN, M.S. BREWER (USA)
- 337 Study of ultrasonic wave treatments for accelerating the aging process in a rice alcoholic beverage
A.C. CHANG (Taiwan)
- 343 Investigation of the retaining effect of a pectin-containing edible film upon the crumb ageing of dietetic sucrose-free sponge cake
M. BAEVA, I. PANCHEV (Bulgaria)
- 349 Structure–antioxidant activity relationships of flavonoids isolated from different plant species
P. MONTORO, A. BRACA, C. PIZZA, N. DE TOMMASI (Italy)
- 357 The effect of γ -irradiation on the non-enzymatic browning reaction in the aqueous model solutions
S.-H. OH, Y.-S. LEE, J.-W. LEE, M.R. KIM, H.-S. YOOK, M.-W. BYUN (Korea)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 365 Detection of lard adulteration in cake formulation by Fourier transform infrared (FTIR) spectroscopy
Z.A. SYAHARIZA, Y.B. CHE MAN, J. SELAMAT, J. BAKAR (Malaysia)
- 373 Determination of niacin in fresh and dry cured pork products by ion chromatography: experimental design approach for the optimisation of nicotinic acid separation
G. SACCANI, E. TANZI, S. MALLOZZI, S. CAVALLI (Italy)
- 381 Determination of levodopa by capillary zone electrophoresis using an acidic phosphate buffer and its application in the analysis of beans
X. CHEN, J. ZHANG, H. ZHAI, X. CHEN, Z. HU (China)
- 387 ANCM Bibliography
- I Calendar

Volume 92 Issue 3 2005

- 391 Analysis of some breakfast cereals on the French market for their contents of ochratoxin A, citrinin and fumonisin B₁: development of a method for simultaneous extraction of ochratoxin A and citrinin
A. MOLINIÉ, V. FAUCET, M. CASTEGNARO, A. PFOHL-LESZKOWICZ (France)
- 401 Solid phase microextraction of volatile oxidation compounds in oil-in-water emulsions
G. BELTRAN (UK), M.P. AGUILERA (Spain), M.H. GORDON (UK)
- 407 Characterization of phospholipase A₂ from the pyloric ceca of two species of starfish, *Coscinasterias acutispina* and *Plazaster borealis*
H. KISHIMURA, K. HAYASHI (Japan)
- 413 Biochemical changes during the ripening of *Chorizo de cebolla*, a Spanish traditional sausage. Effect of the system of manufacture (homemade or industrial)
A. SALGADO, M.C. GARCÍA FONTÁN, I. FRANCO, M. LÓPEZ, J. CARBALLO (Spain)
- 425 Phytic acid content and hydrochloric acid extractability of minerals in pearl millet as affected by germination time and cultivar
M.H. BADAU, I. NKAMA, I.A. JIDEANI (Nigeria)
- 437 Kinetics of the glucose/glycine Maillard reaction pathways: influences of pH and reactant initial concentrations
S.I.F.S. MARTINS, M.A.J.S. VAN BOEKEL (The Netherlands)
- 449 Physicochemical properties and oxidative stability of liver pâté as affected by fat content
M. ESTÉVEZ, S. VENTANAS, R. CAVA (Spain)
- 459 Study on ochratoxin A in cereal-derived products from Spain
C. ARAGUÁS, E. GONZÁLEZ-PENAS, A. LÓPEZ DE CERAIN (Spain)
- 465 Nutritional and antinutritional evaluation of raw and processed seeds of a wild legume, *Canavalia cathartica* of coastal sand dunes of India
S. SEENA, K.R. SRIDHAR (India), K. JUNG (Germany)
- 473 Inactivation and conformational change of horseradish peroxidase induced by pulsed electric field
K. ZHONG, X. HU, G. ZHAO, F. CHEN, X. LIAO (China)
- 481 Bioaccessibility of minerals in school meals: Comparison between dialysis and solubility methods
F. CÁMARA, M.A. AMARO, R. BARBERÁ, G. CLEMENTE (Spain)
- 491 Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand
A. CHANWITHEESUK, A. TEERAWUTGULRAG, N. RAKARIYATHAM (Thailand)
- 499 Macro- and microelement contents in fruiting bodies of wild mushrooms from the Notecka forest in west-central Poland
M. RUDAWSKA, T. LESKI (Poland)
- 507 Determination of CO₂ origin (natural or industrial) in sparkling bottled waters by ¹³C/¹²C isotope ratio analysis
R. REDONDO, J.G. YÉLAMOS (Spain)
- 515 Peroxidase-based biosensor as a tool for a fast evaluation of antioxidant capacity of tea
L.D. MELLO, A.A. ALVES, D. VAZ DE MACEDO, L.T. KUBOTA (Brazil)
- 521 Antioxidant activity and total phenolic compounds of pistachio (*Pistacia vera*) hull extracts
A.H. GOLI, M. BARZEGAR, M. ALI SAHARI (Iran)
- 527 Lipase-catalyzed acidolysis of palm olein and caprylic acid in a continuous bench-scale packed bed bioreactor
O.M. LAI, C.T. LOW (Malaysia), C.C. AKOH (USA)
- 535 Antioxidant activities of cultivated and wild Korean ginseng leaves
C.-H. JUNG, H.-M. SEOGL, I.-W. CHOI, H.-Y. CHO (Republic of Korea)
- 541 Distribution of ergosterol in different tissues of mushrooms and its effect on the conversion of ergosterol to vitamin D₂ by UV irradiation
V.J. JASINGHE, C.O. PERERA (Singapore)
- 547 Activity of grape polyphenols as inhibitors of the oxidation of fish lipids and frozen fish muscle
M. PAZOS, J.M. GALLARDO, J.L. TORRES, I. MEDINA (Spain)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 559 Determination of type B trichothecenes and macrocyclic lactone mycotoxins in field contaminated maize
C. CAVALIERE, G. D'ASCENZO, P. FOGLIA, E. PASTORINI, R. SAMPERI, A. LAGANA (Italy)
- 569 Gas chromatography analysis of blackcurrant oil in relation to its stability
K. STRÁNSKY, M. ZAREVUCKA, Z. WIMMER (Czech Republic)
- 575 Application of a long shelf-life biosensor for the analysis of L-lactate in dairy products and serum samples
M.M.F. CHOI (China)
- 583 ANCM Bibliography

Volume 92 Issue 4 2005

- 587 Stability of 5-methyltetrahydrofolate in frozen fresh fruits and vegetables
K.M. PHILLIPS, K.M. WUNDERLICH, J.M. HOLDEN, J. EXLER, S.E. GEBHARDT, D.B. HAYTOWITZ, G.R. BEECHER,
R.F. DOHERTY (USA)
- 597 Relative reactivities of glucose and galactose in browning and pyruvaldehyde formation in sugar/glycine model systems
S.-L. CHEN, S.-Y. JIN, C.-S. CHEN (Taiwan)
- 607 Effects of a membrane-based soft purification process on olive oil quality
A. HAFIDI (Morocco), D. PIOCH (France), H. AJANA (Morocco)
- 615 Proximate composition, mineral contents, hydrogen cyanide and phytic acid of 5 cassava genotypes
A.L. CHARLES (Taiwan), K. SRIROTH (Thailand), T.-c. HUANG (Taiwan)
- 621 Effect of gamma-irradiation on the physicochemical properties of gluten films
S.L. LEE, M.S. LEE, K.B. SONG (Republic of Korea)
- 627 Aroma enhancement in wines from different grape varieties using exogenous glycosidases
E.S. PALOMO, M.C. DÍAZ-MAROTO HIDALGO, M.Á. GONZÁLEZ-VÍNAS, M.S. PEREZ-COELLO (Spain)
- 637 A comparison of the proximate compositions and fatty acid profiles of zander (*Sander lucioperca*) from two different regions and climatic conditions
M. ÇELIK, A. DILER, A. KÜÇÜKGÜLMEZ (Turkey)
- 643 Residue levels of malathion and its metabolites and fenitrothion in post-harvest treated wheat during storage, milling and baking
U. UYGUN, H. KOKSEL, A. ATLI (Turkey)
- 649 Determination of trace metals in mushroom samples from Kayseri, Turkey
M. SOYLAK, S. SARAÇOĞLU, M. TÜZEN, D. MENDIL (Turkey)
- 653 Effect of polyphenolic compounds from *Coriandrum sativum* on H₂O₂-induced oxidative stress in human lymphocytes
M.S. HASHIM, S. LINCY, V. REMYA, M. TEENA, L. ANILA (India)
- 661 β-Carotene nanodispersions: preparation, characterization and stability evaluation
C.P. TAN, M. NAKAJIMA (Japan)
- 673 A study of the relationships among acidity, sugar and furanic compound concentrations in set of casks for Aceto Balsamico Tradizionale of Reggio Emilia by multivariate techniques
F. MASINO, F. CHINNICI, G.C. FRANCHINI, A. ULRICI, A. ANTONELLI (Italy)
- 681 On the functional properties of globulin and albumin protein fractions and flours of African locust bean (*Parkia biglobossa*)
O.S. LAWAL, K.O. ADEBOWALE, B.M. OGUNSANWO, O.A. SOSANWO, S.A. BANKOLE (Nigeria)
- 693 Effect of temperature and time on the formation of acrylamide in starch-based and cereal model systems, flat breads and bread
E. BRÅTHEN, S.H. KNUTSEN (Norway)
- 701 Application of response surface methodology for extraction optimization of germinant pumpkin seeds protein
L. QUANHONG, F. CAILI (China)
- 707 Inhibitory effects of cinnamic acid and its derivatives on the diphenolase activity of mushroom (*Agaricus bisporus*) tyrosinase
Y. SHI, Q.-X. CHEN, Q. WANG, K.-K. SONG, L. QIU (China)
- 713 Effects of high pressure and microwave on pronase and α-chymotrypsin hydrolysis of β-lactoglobulin
F.J. IZQUIERDO, I. ALLI (Canada), R. GÓMEZ (Spain), H.S. RAMASWAMY, V. YAYLAYAN (Canada)
- 721 Antioxidant activity of natural resins and bioactive triterpenes in oil substrates
A.N. ASSIMOPOULOU, S.N. ZLATANOS, V.P. PAPAGEORGIOU (Greece)
- 729 Preliminary study of resveratrol content in Aragón red and rosé wines
M. ABRIL, A.I. NEGUELA, C. PÉREZ, T. JUAN, G. ESTOPAÑÁN (Spain)
- 737 Random centroid optimization of phosphatidylglycerol stabilized lutein-enriched oil-in-water emulsions at acidic pH
J.N. LOSSO, A. KHACHATRYAN, M. OGAWA, J.S. GODBER, F. SHIH (USA)
- 745 Freshness assessment of European eel (*Anguilla anguilla*) by sensory, chemical and microbiological methods
Y. ÖZOGUL, G. ÖZYURT, F. ÖZOGUL, E. KULEY, A. POLAT (Turkey)
- ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION**
- 753 Application of HPLC coupled with DAD, APcl-MS and NMR to the analysis of lutein and zeaxanthin stereoisomers in thermally processed vegetables
R. AMAN, J. BIEHL, R. CARLE, J. CONRAD, U. BEIFUSS, A. SCHIEBER (Germany)
- 765 Determination of sulphite and acetic acid in foods by gas permeation flow injection analysis
C.S.T. ARAÚJO, J.L. DE CARVALHO, D.R. MOTA, C.L. DE ARAÚJO, N.M.M. COELHO (Brazil)
- 771 Development of a chronopotentiometric stripping method for the determination of selenium in mixed diets
S. ZVONIMIR, Š.-G. JAROSLAVA, M. NIKOLA, K. SNEŽANA (Serbia and Montenegro)

- I Papers published in Volume 92
- VII Calendar

Volume 93 Issue 1 2005

- 1 The effect of radio frequency heating on chemical, physical and sensory aspects of quality in turkey breast rolls
X. TANG, D.A. CRONIN, N.P. BRUNTON (Ireland)
 - 9 Comparison of the starch properties of Japanese wheat varieties with those of popular commercial wheat classes from the USA, Canada and Australia
H.A.M. WICKRAMASINGHE, H. MIURA, H. YAMAUCHI, T. NODA (Japan)
 - 17 Oxidation stability of muscle with quercetin and rosemary during thermal and high-pressure gelation
P. MONTERO, B. GIMÉNEZ, M. PÉREZ-MATEOS, M.C. GÓMEZ-GUILLÉN (Spain)
 - 25 Discriminant analysis of edible oils and fats by FTIR, FT-NIR and FT-Raman spectroscopy
H. YANG, J. IRUDAYARAJ, M.M. PARADKAR (USA)
 - 33 Studies on water-extractable arabinoxylans during malting and brewing
Y. LI, J. LU, G. GU, Z. SHI, Z. MAO (PR China)
 - 39 Antiproliferative action of water extracts of seeds or pulp of five different raspberry cultivars
Z. JURANIC, Z. ZIZAK, S. TASIC, S. PETROVIC, S. NIDZOVIC, A. LEPOSAVIC, T. STANOJKOVIC (Serbia and Montenegro)
 - 47 Optimization of extraction of phenolic compounds from wheat using response surface methodology
C. LIYANA-PATHIRANA, F. SHAHIDI (Canada)
 - 57 Effects of ultra-high pressure on biochemical and physical modification of lychee (*Litchi chinensis* Sonn.)
C. PHUNCH AISRI, A. APICHARTSRANGKOON (Thailand)
 - 65 Identification of rennet-whey solids in "traditional butter" by means of HPLC/ESI-MS of non-glycosylated caseinomacro-peptide A
I. DE NONI, P. RESMINI (Italy)
 - 73 Evolution of lipolysis during the ripening of traditional Feta cheese
A. GEORGALA, E. MOSCHOPOLOU, A. AKTYPIS, T. MASSOURAS, E. ZOIDOU, I. KANDARAKIS, E. ANIFANTAKIS (Greece)
 - 81 New black tea polyphenol having *N*-ethyl-2-pyrrolidinone moiety derived from tea amino acid theanine: isolation, characterization and partial synthesis
T. TANAKA, S. WATARUMI, M. FUJIEDA, I. KOUNO (Japan)
 - 89 Phenolic compounds in pear juice from different cultivars
D. TANRİÖVEN, A. EKŞİ (Turkey)
 - 95 One-step separation of lysozyme by reverse micelles formed by the cationic surfactant, cetyltrimethylammonium bromide
K.-H. NOH, J.-Y. IMM (Republic of Korea)
 - 103 Functional properties of cowpea (*Vigna unguiculata* L. Walp) flours and pastes as affected by γ -irradiation
J.O. ABU (South Africa), K. MULLER (Germany), K.G. DUODU, A. MINNAAR (South Africa)
 - 113 Classification of apple fruits according to their maturity state by the pattern recognition analysis of their polyphenolic compositions
R.M. ALONSO-SALCES, C. HERRERO, A. BARRANCO, L.A. BERRUETA, B. GALLO, F. VICENTE (Spain)
 - 125 Sodium replacement in the cod (*Gadus morhua*) muscle salting process
O. MARTÍNEZ-ALVAREZ, A.J. BORDERÍAS, M.C. GÓMEZ-GUILLEN (Spain)
 - 135 Qualitative relationship between caffeine and chlorogenic acid contents among wild *Coffea* species
C. CAMPA, S. DOULBEAU, S. DUSSERT, S. HAMON, M. NOIROT (France)
 - 141 Extractability of tea catechins as a function of manufacture procedure and temperature of infusion
V. SHARMA, A. GULATI, S.D. RAVINDRANATH (India)
 - 149 Comparative study of catechin compositions in five Japanese persimmons (*Diospyros kaki*)
T. SUZUKI, S. SOMEYA, F. HU, M. TANOKURA (Japan)
 - 153 Emulsification enhances the retention of esters and aldehydes to a greater extent than changes in the droplet size distribution of the emulsion
A. MEYNIER, C. LECOQ, C. GENOT (France)
- ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION**
- 161 Determination of chlordane in foods by gas chromatography
E. JANOUSKOVA, M. KRBUSKOVA, I. REHURKOVA, M. KLIMOVA, L. PROKES, J. RUPRICH (Czech Republic)
 - 171 Comparing antioxidative food additives and secondary plant products – use of different assays
K. KRANL, K. SCHLESIER, R. BITSCH, H. HERMANN, M. ROHE, V. BÖHM (Germany)

- 177 Simultaneous determination of caffeine, theobromine, theophylline, paraxanthine and nicotine in human milk by liquid chromatography with diode array UV detection
A. ARESTA, F. PALMISANO, C.G. ZAMBONIN (Italy)
- 183 ANCM Bibliography
- | Calendar

Volume 93 Issue 2 2005

- 189 Antioxidant activity of Maillard reaction products from a porcine plasma protein–sugar model system
S. BENJAKUL, W. LERTITTIKUL (Thailand), F. BAUER (Austria)
- 197 The use of polyphenolic extract, purified hydroxytyrosol and 3,4-dihydroxyphenyl acetic acid from olive mill wastewater for the stabilization of refined oils: a potential alternative to synthetic antioxidants
I. FKI, N. ALLOUCHE, S. SAYADI (Tunisia)
- 205 Furostanol saponins in *Allium caepa* L. Var. *tropeana* seeds
I. DINI, G.C. TENORE, E. TRIMARCO, A. DINI (Italy)
- 215 Analysis of cyclopiazonic acid in corn and rice by a newly developed method
Y. HAYASHI, T. YOSHIZAWA (Japan)
- 223 Antioxidant activity of fresh and dry herbs of some *Lamiaceae* species
E. CAPECKA, A. MARECZEK, M. LEJA (Poland)
- 227 Changes in antioxidant activity and free radical scavenging potential of rosemary extract and tocopherols in isolated rapeseed oil triacylglycerols during accelerated tests
M. NOGALA-KALUCKA, J. KORCZAK, M. DRATWIA, E. LAMPART-SZCZAPA, A. SIGER (Poland), M. BUCHOWSKI (USA)
- 237 Effect of modified atmosphere packaging, storage period, and storage temperature on the residual nitrate of sliced-pastırma, dry meat product, produced from fresh meat and frozen/thawed meat
M. İRFAN AKSU, M. KAYA (Turkey), H.W. OCKERMAN (USA)
- 243 Tenderization of meat by salt-fermented sauce from shrimp processing by-products
J.-S. KIM (Republic of Korea), F. SHAHIDI (Canada), M.-S. HEU (Republic of Korea)
- 251 Dihydrocinnamic acids in *Pteridium aquilinum*
J. MÉNDEZ (Spain)
- 253 Some physico-chemical properties of *Moringa oleifera* seed oil extracted using solvent and aqueous enzymatic methods
S.M. ABDULKARIM, K. LONG, O.M. LAI, S.K.S. MUHAMMAD, H.M. GHAZALI (Malaysia)
- 265 Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan
S. IQBAL, M.I. BHANGER, F. ANWAR (Pakistan)
- 273 Antioxidant activity of water-soluble Maillard reaction products
Y. YILMAZ (Turkey), R. TOLEDO (USA)
- 279 Rheological behaviour of β-glucan preparations from oat products
G. DONGOWSKI, B. DRZIKOVA, B. SENGE, R. BLOCHWITZ, E. GEBHARDT, A. HABEL (Germany)
- 293 Heavy metals content of canned tuna fish
F.E. KHANSARI, M. GHAZI-KHANSARI, M. ABDOLLAHI (Iran)
- 297 Fatty acid composition of mature breast milk in Brazilian women
M.H.L. SILVA, M.T.C. SILVA, S.C.C. BRANDÃO, J.C. GOMES, L.A. PETERNELLI, S.C.C. FRANCESCHINI (Brasil)
- 305 The effect of trichloroacetic acid on water-soluble fractions from Fynbo cheese
G.A. SIHUE, S.E. ZORRILLA, A.C. RUBIOLO (Argentina)
- 311 The effects of different extraction solvents of varying polarities on polyphenols of *Orthosiphon stamineus* and evaluation of the free radical-scavenging activity
G.A. AKOWUAH, Z. ISMAIL, I. NORHAYATI, A. SADIKUN (Malaysia)
- 319 Chemical changes and antioxidant activity in pomegranate arils during fruit development
A.P. KULKARNI, S.M. ARADHYA (India)
- 325 Antioxidant properties of commercial grape juices and vinegars
A. DÁVALOS, B. BARTOLOMÉ, C. GÓMEZ-CORDOVES (Spain)
- 331 Inositol phosphate content and trypsin inhibitor activity in ready-to-eat cruciferous sprouts
J. FRIAS (Spain), H. ZIELIŃSKI, M.K. PISKUŁA, H. KOZŁOWSKA (Poland), C. VIDAL-VALVERDE (Spain)
- 337 Effect of heat treatment on changes in texture, structure and properties of Thai indigenous chicken muscle
S. WATTANACHANT, S. BENJAKUL (Thailand), D.A. LEDWARD (UK)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 349 Molecularly imprinted solid phase extraction for detection of Sudan I in food matrices
F. PUOCI, C. GARREFFA, F. IEMMA, R. MUZZALUPO, U.G. SPIZZIRRI, N. PICCI (Italia)
- 355 Determination of selenium in nutritionally relevant foods by graphite furnace atomic absorption spectrometry using arsenic as internal standard
A.P. OLIVEIRA, J.A.G. NETO, J.A. NÓBREGA, P.R.M. CORREIA, P.V. OLIVEIRA (Brazil)
- 361 Optimization of wine headspace analysis by solid-phase microextraction capillary gas chromatography with mass spectrometric and flame ionization detection
L. TAT, P. COMUZZO, I. STOLFO, F. BATTISTUTTA (Italy)
- 371 ANCM Bibliography
- I Calendar

Volume 93 Issue 3 2005

- 377 Loss of stability of "veiled" (cloudy) virgin olive oils in storage
M.Z. TSIMIDOU, A. GEORGIOU, A. KOIDIS, D. BOSKOU (Greece)
- 385 Effects of the hydration process on water-soluble proteins of preserved cod products
A. DI LUCCIA, G. ALVITI, C. LAMACCHIA, M. FACCIA, G. GAMBACORTA, V. LIUZZI, S.S. MUSSO (Italy)
- 395 Nitrates, nitrites, and oxalates in products of spinach and New Zealand spinach. Effect of technological measures and storage time on the level of nitrates, nitrites, and oxalates in frozen and canned products of spinach and New Zealand spinach
G. JAWORSKA (Poland)
- 403 Physical properties of water-soluble pectins in hot- and cold-break tomato pastes
H. LIN, K. AIZAWA, T. INAKUMA, R. YAMAUCHI, K. KATO (Japan)
- 409 Chemical properties of water-soluble pectins in hot- and cold-break tomato pastes
H. LIN, X. QIN, K. AIZAWA, T. INAKUMA, R. YAMAUCHI, K. KATO (Japan)
- 417 Optimization of accelerated solvent extraction of antioxidants from *Spirulina platensis* microalgae
M. HERRERO, P.J. MARTÍN-ÁLVAREZ, F.J. SEÑORÁNS, A. CIFUENTES, E. IBÁÑEZ (Spain)
- 425 Modeling antioxidant properties of polyphenols by the TEMPO-initiated reaction of 3,5-di-*tert*-butylcatechol with dioxygen
J. KAIZER, J. PAP, G. SPEIER (Hungary)
- 431 Fatty acid composition and rheological behaviour of prickly pear seed oils
M. ENNOURI (Tunisie), B. EVELYNE, M. LAURENCE (France), A. HAMADI (Tunisie)
- 439 Selected elemental composition of the muscle tissue of three species of fish, *Tilapia nilotica*, *Cirrhina mrigala* and *Clarias batrachus*, from the fresh water Dhanmondi Lake in Bangladesh
A. BEGUM, MD. NURUL AMIN (Bangladesh), S. KANEKO, K. OHTA (Japan)
- 445 *Trans* fatty acid content of Brazilian biscuits
C.A. MARTIN, R. CARAPELLI, J.V. VISANTAINER, M. MATSUSHITA, N.E. DE SOUZA (Brazil)
- 449 Characterization of honey from the Canary Islands: determination of the mineral content by atomic absorption spectrophotometry
O.M. HERNÁNDEZ, J.M.G. FRAGA, A.I. JIMÉNEZ, F. JIMÉNEZ, J.J. ARIAS (Spain)
- 459 Thermal properties of gluten proteins of two soft wheat varieties
M.M. FALCÃO-RODRIGUES, M. MOLDÃO-MARTINS, M.L. BEIRÃO-DA-COSTA (Portugal)
- 467 Biodegradable starch/clay nanocomposite films for food packaging applications
M. AVELLA (Italy), J.J. DE VLIEGER (The Netherlands), M.E. ERRICO (Italy), S. FISCHER (The Netherlands), P. VACCA, M.G. VOLPE (Italy)
- 475 Isolation and characterisation of acid and pepsin-solubilised collagens from the skin of Brownstripe red snapper (*Lutjanus vitta*)
A. JONGJAREONRAK, S. BENJAKUL, W. VISESSANGUAN (Thailand), T. NAGAI, M. TANAKA (Japan)
- 485 Inhibition of the decline of volatile esters and terpenols during oxidative storage of Muscat-white and Xinomavro-red wine by caffeic acid and *N*-acetyl-cysteine
I.G. ROUSSIS, I. LAMBROPOULOS, D. PAPADOPOULOU (Greece)
- 493 A new and fast continuous method for the pre-treatment of dehydrated broth for total creatinine determination
C.C. ACEBAL, M.E. CENTURION, A.G. LISTA, B.S.F. BAND (Argentine)
- 497 Isolation and identification of cytotoxic compounds from Bay leaf (*Laurus nobilis*)
F. FANG, S. SANG, K.Y. CHEN, A. GOSSLAU, C.-T. HO, R.T. ROSEN (USA)
- 503 Proteins, isoleucine, lysine and methionine content of bovine, porcine and poultry blood and their fractions
E. MÁRQUEZ, M. BRACHO, A. ARCHILE, L. RANGEL, B. BENÍTEZ (Venezuela)

- 507 Investigation of different pre-concentration methods for NMR analyses of Brazilian white wine
F.M. AMARAL, M.S.B. CARO (Brazil)
- 511 Effect of salting and smoking-method on the keeping quality of chub mackerel (*Scomber japonicus*): biochemical and sensory attributes
A.E. GOULAS, M.G. KONTOMINAS (Greece)
- 521 Changes of pectic composition of 'Annurca' apple fruit after storage
R. LO SCALZO, E. FORNI, D. LUPI, G. GIUDETTI, A. TESTONI (Italy)
- ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION**
- 531 Food and nutrition labelling in the European Union
J.C. CHEFTEL (France)
- 551 Genotoxicity and antigenotoxicity of Origanum oil and carvacrol evaluated by Ames Salmonella/microsomal test
E. IPEK, H. ZEYTINOGLU, S. OKAY, B.A. TUYLU, M. KURKCUOGLU, K.H.C. BASER (Turkey)
- 557 Short-term stability of soy isoflavones extracts: Sample conservation aspects
M.A. ROSTAGNO, M. PALMA, C.G. BARROSO (Spain)
- 565 ANCM bibliography
- I Calendar

Volume 93 Issue 4 2005

- 571 Effects of reducing agents on premature browning in ground beef
H.A. SEPE, C. FAUSTMAN, S. LEE, J. TANG, S.P. SUMAN, K.S. VENKITANARAYANAN (USA)
- 577 Effectiveness of phosvitin peptides on enhancing bioavailability of calcium and its accumulation in bones
I. CHOI, C. JUNG, H. CHOI, C. KIM, H. HA (Republic of Korea)
- 585 Bread making using kefir grains as baker's yeast
S. PLESSAS (Greece), L. PHERSON (UK), A. BEKATOROU (Greece), P. NIGAM (UK), A.A. KOUTINAS (Greece)
- 591 Fractionation of soybean functional glycosides from soy-waste based on the chemical reaction of soyasaponin β g
Y. YOSHIKI, S. TAKAGI, M. WATANABE, K. OKUBO (Japan)
- 599 Contents and antioxidant capacity of limonin and nomilin in different tissues of citrus fruit of four cultivars during fruit growth and maturation
C. SUN, K. CHEN, Y. CHEN, Q. CHEN (PR China)
- 607 Changes of pigments and color in sardine (*Sardinella gibbosa*) and mackerel (*Rastrelliger kanagurta*) muscle during iced storage
M. CHAIJAN, S. BENJAKUL, W. VISESSANGUAN (Thailand), C. FAUSTMAN (USA)
- 619 Inhibition of chemical changes related to freshness loss during storage of horse mackerel (*Trachurus trachurus*) in slurry ice
V. LOSADA, C. PIÑEIRO, J. BARROS-VELÁZQUEZ, S.P. AUBOURG (Spain)
- 627 Fatty acid composition of a cultured sturgeon hybrid (*Acipenser naccarii* \times *A. baerii*)
A.M. VACCARO, G. BUFFA, C.M. MESSINA, A. SANTULLI, A. MAZZOLA (Italy)
- 633 Antioxidant activity and mechanism of action of butein in linoleic acid
R. FARHOOSH (Iran)
- 641 Antioxidant properties of methanolic extracts from *Ganoderma tsugae*
J.-L. MAU, S.-Y. TSAI, Y.-H. TSENG, S.-J. HUANG (Taiwan)
- 651 Purification and characterization of transglutaminase from Tropical tilapia (*Oreochromis niloticus*)
A. WORRATAO, J. YONGSAWATDIGUL (Thailand)
- 659 Multivariate classification of wines from different Bohemian regions (Czech Republic)
J. ŠPERKOVÁ, M. SUCHÁNEK (Czech Republic)
- 665 Hydrolysis of oligosaccharides in soybean flour by soybean α -galactosidase
S. DE FÁTIMA VIANA, V.M. GUIMARÃES, I.C. JOSÉ, M.G. DE ALMEIDA E OLIVEIRA, N.M. BRUNORO COSTA, E.G. DE BARROS, M.A. MOREIRA, S.T. DE REZENDE (Brazil)
- 671 Effects of germination on the composition and nutritive value of proteins in *Pisum sativum*, L.
G. URBANO, P. ARANDA, A. VÍLCHEZ, C. ARANDA, L. CABRERA, J.M. PORRES, M. LÓPEZ-JURADO (Spain)
- 681 Structural changes of potato tissue during French fries production
G. LISIŃSKA, G. GOŁUBOWSKA (Poland)
- 689 Study on β -lactoglobulin glycosylation with dextran: effect on solubility and heat stability
L. JIMÉNEZ-CASTAÑO, R. LÓPEZ-FANDIÑO, A. OLANO, M. VILLAMIL (Spain)

ANALYTICAL, NUTRITIONAL AND CLINICAL METHODS SECTION

- 697 Virgin olive oil aroma: Characterization of some Tunisian cultivars
W. DHIFI (Tunisie), F. ANGEROSA, A. SERRAIOCO (Italy), I. OUMAR (Tunisie), I. HAMROUNI, B. MARZOUK (Tunisie)
- 703 Effect of boiling and peeling on manganese content of some vegetables determined by derivative anodic stripping chronopotentiometry (dASCP)
G. DUGO, L. LA PERA, V.L. TURCO, R.M. PALMIERI, M. SAITTA (Italy)
- 713 The effect of cooking methods on total phenolics and antioxidant activity of selected green vegetables
N. TURKMEN, F. SARI, Y.S. VELIOGLU (Turkey)

I Papers Published in Volumes 89–93

XXIII Calendar