

Bibliography of analytical, nutritional and clinical methods

(3 weeks journals. Search completed at 15th June. 2005)

1. Books, reviews & symposia

- Cerdeira M, Candal RJ, Herrera ML*// *Natl Univ La Plata, Dept Chem, CIDCA, La Plata, Buenos Aires, Argentina
J Food Sci 2004 **69** (9) R185
Analytical techniques for nucleation studies in lipids: Advantages and disadvantages (Review)
- Prevolnik M, Candek-Potokar M*, Skorjanc D// *Agr Inst Slovenia, Hacquetova 17, SI-1000 Ljubljana, Slovenia
Czech J Anim Sci 2004 **49** (11) 500
Ability of NIR spectroscopy to predict meat chemical composition and quality - A review

3. Amino acids, proteins & enzymes

- Cerquaglia O, Avellini P// Ministero Politiche Agricole & Forestali, Ispettorato Cent Repressione Frodi, Via Omicini 161, IT-06124 Perugia, Italy
Ital J Food Sci 2004 **16** (4) 447
A rapid γ -casein isoelectrofocusing method for detecting and quantifying bovine milk used in cheese making: Application to sheep cheese (French, English Abstract)
- Lemelin E, Aussenac T*, Violleau F, Salvo L, Lein V// *ISAB, rue Pierre Waguet, FR-60026 Beauvais, France
Cereal Chem 2005 **82** (1) 28
Impact of cultivar and environment on size characteristics of wheat proteins using asymmetrical flow field-flow fractionation and multi-angle laser light scattering
- Lindmark-Mansson H, Timgren A, Alden G, Paulsson M// Swedish Dairy Assoc, Scheelevagen 18, SE-22363 Lund, Sweden
Int Dairy J 2005 **15** (2) 111
Two-dimensional gel electrophoresis of proteins and peptides in bovine milk
- Moller CC, Thomas D, Van Dyk D, Rylatt D, Sheehan M*// *Life Therapeutics, 22 Rodborough Rd, Frenchs Forest, NSW 2086, Australia
Electrophoresis 2005 **26** (1) 35
Preparative-scale fractionation by isoelectric trapping under nondenaturing conditions: Separation of egg white protein isoforms on a modified Gradiflow unit
- Vincenzi S, Curioni A*// *Univ Padua, Fac Agr, Dipt Biotechnol Agrarie, Via Univ 16, IT-35020 Padua, Italy
Electrophoresis 2005 **26** (1) 60
Anomalous electrophoretic behavior of a chitinase isoform from grape berries and wine in glycol chitin-containing sodium dodecyl sulfate-polyacrylamide gel electrophoresis gels
- Wongsagnon R, Shobngob S, Oonkhanon B, Varavinita S*// *Mahidol Univ, Fac Sci, Dept Biotechnol, Rama VI Rd, TH-10400 Bangkok, Thailand
Starch 2005 **57** (1) 25
Zeta potential (ζ) analysis for the determination of protein content in rice flour

4. Carbohydrates

- Batsoulis AN, Siatis NG, Kimbaris AC, Alissandrakis EK, Pappas CS, Tarantilis PA, Harizanis PC, Polissiou MG*// *Agr Univ Athens, Dept Sci, Chem Lab, 75 Iera Odos, GR-11855 Athens, Greece

J Agric Food Chem 2005 **53** (2) 207

- FT-Raman spectroscopic simultaneous determination of fructose and glucose in honey
- Chai WG, Piskarev VE, Zhang YB, Lawson AM, Kogelberg H// Imperial Coll Fac Med, MRC Glycosci Lab, Northwick Pk & St Marks Campus, Watford Rd, Harrow HA1 3UJ, England
Arch Biochem Biophys 2005 **434** (1) 116
Structural determination of novel lacto-*N*-decaose and its monofucosylated analogue from human milk by electrospray tandem mass spectrometry and ^1H NMR spectroscopy
- Ramirez SC, Carretero AS*, Blanco CC, De Castro MHB, Gutierrez AF// *Univ Granada, Fac Sci, Dept Analyt Chem, ES-18071 Granada, Spain
J Sci Food Agric 2005 **85** (3) 517
Indirect determination of carbohydrates in wort samples and dietetic products by capillary electrophoresis

5. Lipids

- Anwar M, Iqbal J// Univ Baluchistan, Dept Chem, Quetta, Pakistan
Anal Lett 2004 **37** (15) 3175
Lipoprotein isolation on cellulose acetate membrane for cholesterol estimation from blood samples of cardiac patients
- Cartwright G, McManus BH*, Leffler TP, Moser CR// *CEM Corporation, 3100 Smith Farm Rd, Matthews, NC 28105, USA
J AOAC Int 2005 **88** (1) 107
Rapid determination of moisture/solids and fat in dairy products by microwave and nuclear magnetic resonance analysis
- Diaz TG, Meras ID, Casas JS, Franco MFA// Univ Extremadura, Dept Analyt Chem, ES-06071 Badajoz, Spain
Food Control 2005 **16** (4) 339
Characterization of virgin olive oils according to its triglycerides and sterols composition by chemometric methods
- Flatten A, Bryhni EA, Kohler A, Egelandsdal B, Isaksson T// Agr Univ Norway, Dept Food Sci, POB 5036, NO-1432 As, Norway
Meat Sci 2005 **69** (3) 433
Determination of C22:5 and C22:6 marine fatty acids in pork fat with Fourier transform mid-infrared spectroscopy
- Jham GN, Velikova R, Nikolova-Damyavova B, Rabelo SC, Da Silva JCT, Souza KAD, Valente VMM, Cecon PR// Univ Fed Vicosa, Dept Quim, LPPN, BR-36570-000 Vicosa, MG, Brazil
Food Res Int 2005 **38** (2) 121
Preparative silver ion TLC/RP-HPLC determination of coffee triacylglycerol molecular species
- Lai SM, Hsieh HL, Chang CW// Natl Yunlin Univ Sci & Technol, Dept Chem Engn, Touliu 640, Yunlin, Taiwan
J Liq Chromatogr Relat Technol 2005 **28** (1) 145
Preparative separation of γ -oryzanol from rice bran oil by silica gel column chromatography
- Lembcke J, Ceglarek U, Fiedler GM, Baumann S, Leichtle A, Thiery J*// *Univ Hosp, Inst Lab Med Clin Chem & Mol Diagnost, Leipzig, Germany
J Lipid Res 2005 **46** (1) 21
Rapid quantification of free and esterified phytosterols in human serum using APPI-LC-MS/MS
- Segall SD, Artz WE, Raslan DS, Ferraz VP, Takahashi JA// Univ Fed Minas

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Books, reviews & symposia; 2 General; 3 Amino acids, proteins & enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & co-factors; 7 Trace elements & minerals; 8 Drug, biocide & processing residues; 9 Toxins/Allergens; 10 Additives; 11 Flavours & aromas; 12 Organic acids; 13 Animal products; 14 Plant & microbial products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

Gerais, Dept Quim, Avda Antonio Carlos 6627, BR-31270-901 Belo Horizonte, MG, Brazil

Food Res Int 2005 **38** (2) 167

Analysis of triacylglycerol isomers in Malaysian cocoa butter using HPLC-mass spectrometry

Tan XC, Li MJ, Cai PX, Luo LJ, Zou XY*// *Sun Yat Sen Univ, Sch Chem & Chem Engr, CN-510275 Guangzhou, Peoples Rep China

Anal Biochem 2005 **337** (1) 111

An amperometric cholesterol biosensor based on multiwalled carbon nanotubes and organically modified sol-gel/chitosan hybrid composite film

6. Vitamins & co-factors

DeVries JW, Rader JI, Keagy PM, Hudson CA// General Mills Inc, Medall Labs, 9000 Plymouth Ave Nth, Minneapolis, Mn 55427, USA

J AOAC Int 2005 **88** (1) 5

Microbiological assay-trienzyme procedure for total folates in cereals and cereal foods: Collaborative study

Han NM, May CY*, Ngan MA, Hock CC, Hashim MA// *Malaysian Palm Oil Board, Persiaran Inst 6, Bandar Baru Bangi, MY-43000 Kajang, Selangor, Malaysia

J Chromatogr Sci 2004 **42** (10) 536

Isolation of palm tocopherols using supercritical fluid chromatography

Mann DL, Ware GM, Bonnin E*, Eitenmiller RR// *US/FDA, SE Reg Lab, 60 8th St NE, Atlanta, Ga 30309, USA

J AOAC Int 2005 **88** (1) 30

Liquid chromatographic analysis of vitamin B₆ in reconstituted infant formula: Collaborative study

Suhara Y, Kamao M, Tsugawa N, Okano T*// *Kobe Pharmaceut Univ, Dept Hyg Sci, 4-19-1 Motoyamakita machi, Higashinada ku, Kobe, Hyogo 658 8558, Japan

Anal Chem 2005 **77** (3) 757

Method for the determination of vitamin K homologues in human plasma using high-performance liquid chromatography-tandem mass spectrometry

Terada H, Tamura Y// Nagoya City Publ Hlth Res Inst, 1-11 Hagiya cho, Mizuho ku, Nagoya, Aichi 467 8615, Japan

Shokuhin Eiseigaku Zasshi 2004 **45** (6) 289

Determination of *dl*- α -tocopherol acetate and *dl*- α -tocopherol in foods by HPLC using post-column photochemical reaction (Japanese, English Abstract)

Wasieleczuk A, Icardo MC, Mateo JVG, Calatayud JM*// *Univ Valencia, Dept Analyt Chem, Valencia, Spain

Anal Lett 2004 **37** (15) 3205

Flow-injection chemiluminescent determination of thiamine in pharmaceutical samples by on-line photodegradation

7. Trace elements & minerals

Lara R, Cerutti S, Salonia JA, Olsina RA, Martinez LD*// *Natl Univ San Luis, Fac Chem Biochem & Pharm, Dept Analyt Chem, Chacabuco & Pedernera, POB 375, AR-5700 San Luis, Argentina

Food Chem Toxicol 2005 **43** (2) 293

Trace element determination of Argentine wines using ETAAS and USN-ICP-OES

Lin PKT, Araujo AN, Montenegro MCBSM*, Perez-Olmos R// *Univ Porto, Fac Farm, REQUIMTE/Lab Quim Fis, Rua Anibal Cunha 164, PT-4050-047 Oporto, Portugal

J Agric Food Chem 2005 **53** (2) 211

New PVC nitrate-selective electrode: Application to vegetables and mineral waters

Nixon DE, Neubauer KR, Eckdahl SJ, Butz JA, Burritt MF*// *Mayo Clin, Div Clin Biochem & Immunol, Met Lab, Rochester, Mn 55905, USA

Spectrochim Acta Pt B Atom Spect 2004 **59** (9) 1377

Comparison of tunable bandpass reaction cell inductively coupled plasma mass spectrometry with conventional inductively coupled plasma mass spectrometry for the determination of heavy metals in whole blood and urine

Waseem A, Yaqoob M, Nabi A// Univ Baluchistan, Dept Chem, Quetta, Pakistan

Luminescence 2004 **19** (6) 333

Determination of iron in blood serum using flow injection with luminol chemiluminescence detection

8. Drug, biocide & processing residues

Becalski A, Seaman S// Hlth Canada, Hlth Prod & Food Branch, Bureau Chem Safety, Food Res Div, 2203D, Ottawa, Ontario, Canada K1A 0L2

J AOAC Int 2005 **88** (1) 102

Furan precursors in food: A model study and development of a simple headspace method for determination of furan

Bermudez-Saldana JM, Escuder-Gilabert L, Medina-Hernandez MJ, Villanueva-Camanas RM, Sagrado S*// *Univ Valencia, Dept Quim Analit, C/ Vicente Andres Estelles s/n, ES-46100 Valencia, Spain

J Chromatogr A 2005 **1063** (1-2) 153

Modelling bioconcentration of pesticides in fish using biopartitioning micellar chromatography

Braunrath R, Cichna M*// *Univ Vienna, Inst Analyt Chem, Währingerstr 38, AT-1090 Vienna, Austria

J Chromatogr A 2005 **1062** (2) 189

Sample preparation including sol-gel immunoaffinity chromatography for determination of bisphenol A in canned beverages, fruits and vegetables

Cao LW, Wang H, Li JS, Zhang HS*// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China

J Chromatogr A 2005 **1063** (1-2) 143

6-Oxy-(*N*-succinimidyl acetate)-9-(2'-methoxycarbonyl)fluorescein as a new fluorescent labeling reagent for aliphatic amines in environmental and food samples using high-performance liquid chromatography

Castle L, Eriksson S// Dept Environm Food & Rural Affairs, Cent Sci Lab, Sand Hutton, York YO41 1LZ, England

J AOAC Int 2005 **88** (1) 274

Analytical methods used to measure acrylamide concentrations in foods

Chu XG, Hu XZ*, Yao HY*// *State Key Lab Freshwater Ecol & Biotechnol, CN-430072 Wuhan, Hubei, Peoples Rep China

J Chromatogr A 2005 **1063** (1-2) 201

Determination of 266 pesticide residues in apple juice by matrix solid-phase dispersion and gas chromatography-mass selective detection

Diletti G, Scortichini G*, Scarpone R, Gatti G, Torreti L, Migliorati G// *Ist Zooprofilattico Sperimentale Abruzzo Molise G Caporale, Via Campo Boario, IT-64100 Teramo, Italy

J Chromatogr A 2005 **1062** (2) 247

Isotope dilution determination of polycyclic aromatic hydrocarbons in olive pomace oil by gas chromatography-mass spectrometry

Ding SY, Shen JZ*, Zhang SX, Jiang HY, Sun ZW// *China Agr Univ, Coll Vet Med, Dept Pharmacol & Toxicol, CN-100094 Beijing, Peoples Rep China

J AOAC Int 2005 **88** (1) 57

Determination of chloramphenicol residue in fish and shrimp tissues by gas chromatography with a microcell electron capture detector

Driffield M, Chan D, Macarthur R, MacDonald S, Brereton P, Wood R// Dept Environm Food & Rural Affairs, Cent Sci Lab, Sand Hutton, York YO41 1LZ, England

J AOAC Int 2005 **88** (1) 121

Single laboratory validation of a method for the determination of hydroxymethylfurfural in honey by using solid-phase extraction cleanup and liquid chromatography

Fesser ACE, Dickson LC, MacNeil JD, Patterson JR, Lee S, Gedir R// Canadian Food Inspect Agcy, Ctr Vet Drug Residues, Saskatoon Lab, 116 Vet Rd, Saskatoon, Saskatchewan, Canada S7N 2R3

J AOAC Int 2005 **88** (1) 61

Determination of β -agonists in liver and retina by liquid chromatography-tandem mass spectrometry

Ivona K, Mate D, Hussein K, Katarina R, Marcinak S, Pavlina J// Univ Vet Med, Komenskeho 73, SK-04181 Kosice, Slovakia

Acta Vet-Beograd 2004 **54** (5-6) 427

High-performance liquid chromatographic determination of sulfadimidine residues in eggs

Klaffke H, Faulstich C, Mathar W, Palavinskas R, Wittkowski R, Wenzl T, Anklam E// Fed Inst Risk Assessment, Thielallee 88-92, DE-14195 Berlin, Germany

J AOAC Int 2005 **88** (1) 292

Results from two interlaboratory comparison tests organized in Germany and at the EU level for analysis of acrylamide in food

Kowalski C, Rolinski Z, Slawik T, Glod BK// Acad Agr, Fac Vet Med, Dept Pharmacol, Akademicka 12, PL-20033 Lublin, Poland

J Liq Chromatogr Relat Technol 2005 **28** (1) 121

Determination of norfloxacin in chicken tissues by HPLC with fluorescence detection

Meier S, Klungsoyr J, Boitsov S, Eide T, Svardal A// Inst Marine Res, POB 1870 Nordnes, NO-5817 Bergen, Norway

J Chromatogr A 2005 **1062** (2) 255

Gas chromatography-mass spectrometry analysis of alkylphenols in cod (*Gadus morhua*) tissues as pentafluorobenzoate derivatives

Msagati TAM, Nindi MM*// *Univ Botswana, Dept Chem, Gaborone, Botswana

Talanta 2004 **64** (1) 87

Multiresidue determination of sulfonamides in a variety of biological matrices

by supported liquid membrane with high pressure liquid chromatography-electrospray mass spectrometry detection

Owen LM, Castle L, Kelly J, Wilson L, Lloyd AS// Dept Environm Food & Rural Affairs, Cent Sci Lab, Sand Hutton, York YO41 1LZ, England
J AOAC Int 2005 **88** (1) 285

Acrylamide analysis: Assessment of results from six rounds of Food Analysis Performance Assessment Scheme (FAPAS®) proficiency testing

Rodriguez-Morales S, Zhou X, Salari H, Castillo R, Breen PJ, Compadre CM*// *Univ Arkansas Med Sci, Dept Pharmaceut Sci, 4301 West Markham, Slot 522-3, Little Rock, Ar 72205, USA

J Chromatogr A 2005 **1062** (2) 285

Liquid chromatography determination of residue levels on apples treated with cetylpyridinium chloride

Tateishi Y, Takano I, Kobayashi M, Tamura Y, Tomizawa S, Sakai N, Kamijo K, Nagayama T, Kamata K// Tokyo Metropolitan Inst Publ Hlth, 3-24-1 Hyakunin cho, Shinjuku ku, Tokyo 169 0073, Japan

Shokuhin Eiseigaku Zasshi 2004 **45** (6) 319

Analysis of pesticides including chlorine in Welsh onions and mushrooms using gas chromatograph with an atomic emission detector (GC-AED) (Japanese, English Abstract)

Van Den Hauwe O, Campbell K, Crooks SRH, Van Peteghem CH// State Univ Ghent, Fac Pharmaceut Sci, Lab Food Anal, Harelbekestr 72, BE-9000 Ghent, Belgium

J AOAC Int 2005 **88** (1) 87

Confirmation of synthetic glucocorticoids with liquid chromatography/mass spectrometry: Organization and results of an international interlaboratory comparison test

Ward TLC, Moran JW, Turner JM, Coleman MR// Eli Lilly & Co, Elanco Anim Hlth, 2001 West Main St, Drop Code GL10, Greenfield, In 46140, USA
J AOAC Int 2005 **88** (1) 95

Validation of a method for the determination of narasin in the edible tissues of chickens by liquid chromatography

9. Toxins/Allergens

Akiyama H, Nakamura K, Harikai N, Watanabe H, Iijima K, Yamakawa H, Mizuguchi Y, Yoshikawa R, Yamamoto M, Sato H, Watai M, Arakawa F, Ogasawara T, Nishihara R, Kato H, Yamauchi A, Takahata Y, Morimatsu F, Mamegoshi S, Muraoka S, Honjoh T, Watanabe T, Sakata K, Imamura T, Toyoda M, Matsuda R, Maitani T// Natl Inst Hlth Sci, 1-18-1 Kamiyoga, Setagaya ku, Tokyo 158 8501, Japan

Shokuhin Eiseigaku Zasshi 2004 **45** (6) 313

Inter-laboratory evaluation studies for establishment of notified ELISA methods for allergic substances (buckwheat) (Japanese, English Abstract)

Akiyama H, Nakamura K, Harikai N, Watanabe H, Iijima K, Yamakawa H, Mizuguchi Y, Yoshikawa R, Yamamoto M, Sato H, Watai M, Arakawa F, Ogasawara T, Nishihara R, Kato H, Yamauchi A, Takahata Y, Morimatsu F, Mamegoshi S, Muraoka S, Honjoh T, Watanabe T, Sakata K, Imamura T, Toyoda M, Matsuda R, Maitani T// Address as above

Shokuhin Eiseigaku Zasshi 2004 **45** (6) 325

Inter-laboratory evaluation studies for establishment of notified ELISA methods for allergic substances (peanuts) (Japanese, English Abstract)

Amezqueta S, Gonzalez-Penas E*, Murillo M, De Cerain AL// *Univ Navarra, Fac Pharm, Dept Organ Pharmaceut Chem, ES-31008 Pamplona, Spain
Food Addit Contam 2004 **21** (11) 1096

Validation of a high-performance analytical method for ochratoxin liquid chromatography A quantification in cocoa beans

Berthiller F, Schuhmacher R, Buttinger G, Kraska R*// *Univ Nat Resources & Appl Life Sci, Dept IFA-Tulln, Christian Doppler Lab Mycotoxin Res, AT-3430 Tulln, Austria

J Chromatogr A 2005 **1062** (2) 209

Rapid simultaneous determination of major type A- and B-trichothecenes as well as zearalenone in maize by high performance liquid chromatography-tandem mass spectrometry

Bjorklund AK, Soeria-Atmadja D, Zorzet A, Hammerling U*, Gustafsson MG// *Natl Food Adm, Div Toxicol, POB 622, SE-75126 Uppsala, Sweden

Bioinformatics 2005 **21** (1) 39

Supervised identification of allergen-representative peptides for *in silico* detection of potentially allergenic proteins

Brera C, Grossi S, Miraglia M// Ist Super Sanita, Ctr Nazl Qual Alimenti & Rischii Alimentari OGM & Mycotoxins, Viale Regina Elena 299, IT-00161 Rome, Italy

J Liq Chromatogr Relat Technol 2005 **28** (1) 35

Interlaboratory study for ochratoxin A determination in cocoa powder samples

Buttinger G, Fuchs E, Knapp H, Berthiller F, Schuhmacher R, Binder EM, Kraska R*// *Konrad Lorenz Str 20, AT-3430 Tulln, Austria
Food Addit Contam 2004 **21** (11) 1107

Performance of new clean-up column for the determination of ochratoxin A in cereals and foodstuffs by HPLC-FLD

Landete JM, Ferrer S, Pardo I*// *Univ Valencia, Fac Biol, Dept Microbiol & Ecol, ENOLAB-Lab Microbiol Enol, C/ Dr Moliner 50, ES-46100 Burjassot, Spain

Food Addit Contam 2004 **21** (12) 1149

Improve enzymatic method for the rapid determination of histamine in wine

Lawrence GA, Scott PM*// *Hlth Canada, Hlth Prod & Food Branch, Food Res Div, 2203D, Ottawa, Ontario, Canada K1A 0L2

J AOAC Int 2005 **88** (1) 26

Improved extraction of ginkgotoxin (4'-O-methylpyridoxine) from *Ginkgo biloba* products

Ngundi MM, Shriver-Lake LC, Moore MH, Lassman ME, Ligler FS, Taitt CR*// *US Navy, Res Lab, Ctr Biomol Sci & Engn, Washington, DC 20375, USA

Anal Chem 2005 **77** (1) 148

Array biosensor for detection of ochratoxin A in cereals and beverages

Park DL, Coates S, Brewer VA, Garber EAE, Abouzied M, Johnson K, Ritter B, McKenzie D// US/FDA, Div Nat Prod, Ctr Food Safety & Appl Nutr, 5100 Paint Branch Pkwy, College Park, Md 20740, USA

J AOAC Int 2005 **88** (1) 156

Performance Tested Method™ multiple laboratory validation study of ELISA-based assays for the detection of peanuts in food

Sarter S, Zakhia N// CIRAD, TA40/16, 73 rue JF Breton, FR-34398 Montpellier 5, France

Luminescence 2004 **19** (6) 345

Chemiluminescent and bioluminescent assays as innovative prospects for mycotoxin determination in food and feed

Suga K, Mochizuki N*, Harayama K, Yamashita H// *Asahi Brewery Co Ltd, 1-1-21 Midori, Ibaraki 302 0106, Japan

Shokuhin Eiseigaku Zasshi 2004 **45** (6) 307

Analysis of trichothecenes in barley tea and beer by liquid chromatography/tandem mass spectrometry (Japanese, English Abstract)

Whitaker TB, Williams KM, Trucksess MW, Slate AB// Nth Carolina State Univ, USDA/ARS, Box 7625, Raleigh, NC 27695, USA

J AOAC Int 2005 **88** (1) 161

Immunochemical analytical methods for the determination of peanut proteins in foods

Zywicki B, Catchpole G, Draper J, Fiehn O*// *Max Planck Inst, Mol Plant Physiol, DE-14424 Potsdam, Germany

Anal Biochem 2005 **336** (2) 178

Comparison of rapid liquid chromatography-electrospray ionization-tandem mass spectrometry methods for determination of glycoalkaloids in transgenic field-grown potatoes

10. Additives

Castro-Rubio F, Garcia MC, Rodriguez R, Marina ML*// *Univ Alcalá de Henares, Fac Quim, Dept Quim Analit, ES-28871 Alcalá de Henares, Spain

J Agric Food Chem 2005 **53** (2) 220

Simple and inexpensive method for the reliable determination of additions of soybean proteins in heat-processed meat products: An alternative to the AOAC official method

Oliveira SM, Lopes TIMS, Rangel AOSS*// *Univ Catolica Portuguesa, Escola Super Biotechnol, PT-4200-072 Oporto, Portugal

J Food Sci 2004 **69** (9) C690

Spectrophotometric determination of nitrite and nitrate in cured meat by sequential injection analysis

Pazur JH, Li NQ// Penn State Univ, Dept Biochem & Mol Biol, 108 Althouse Lab, University Park, Pa 16802, USA

Food Addit Contam 2004 **21** (11) 1027

Application of polysaccharide antibodies for the identification of gum additives in processed foods

Shimoi T, Ibe A, Tabata S, Suzuki J, Sadamasu Y, Yasui A, Saito K// Tokyo Metropolitan Inst Publ Hlth, 3-24-1 Hyakunin cho, Shinjuku ku, Tokyo 169 0073, Japan

Shokuhin Eiseigaku Zasshi 2004 **45** (6) 332

The problem and improvement of colorimetric method for determination of sulfite in foods containing sulfur compounds (Japanese, English Abstract)

Watanabe M, Aoyama T, Takasu Y, Inoue K, Terao M, Ito Y, Oka H*, Goto T, Matsumoto H// *Aichi Prefectural Inst Publ Hlth, 7-6 Nagare, Kita ku, Nagoya, Aichi 462 8576, Japan

J Liq Chromatogr Relat Technol 2005 **28** (2) 325

A reversed-phase thin-layer chromatography/scanning densitometric method for the qualitative analysis of carthamus yellow in foods

11. Flavours & aromas

- Choi MMF, Liang MMK, Lee AWM// Hong Kong Baptist Univ, Dept Chem, Kowloon, Hong Kong, Peoples Rep China
Enzyme Microb Technol 2005 **36** (1) 91
A biosensing method with enzyme-immobilized eggshell membranes for determination of total glucosinolates in vegetables
- Font R, Del Rio-Celestino M, Carrea E, De Haro-Bailon A// Inst Sustainable Agr - CSIC, Dept Agron & Plant Breeding, Alameda Obispo s/n, ES-14080 Cordoba, Spain
Phytochemistry 2005 **66** (2) 175
Quantification of glucosinolates in leaves of leaf rape (*Brassica napus* ssp *pubularia*) by near-infrared spectroscopy
- Hedhili L, Romdhane M, Planche H, Abderrabba M*// *URPCM, IPEST, Lab Physicochim Mol, Unite Recherche Physicochim Mol, BP 51, TN-2070 La Marsa, Tunisia
J Chromatogr A 2005 **1064** (1) 129
Towards gas chromatograph-mass spectrometry coupling protocols for both identifying and quantification essential oils of *Thymus capitatus* Hoff et Link
- Sato K, Uematsu Y, Isagawa S, Tateba H, Tomizawa M, Oosaki K, Hasebe A, Shibuya S, Nii H, Higashinaka R, Watanabe I, Yamazaki T, Tanamoto K, Maitani T// Natl Inst Hlth Sci, 1-18-1 Kamiyoga, Setagaya ku, Tokyo 158 8501, Japan
Shokuhin Eiseigaku Zasshi 2004 **45** (6) 302
Analysis of residual solvents in natural flavorings by headspace GC using the standard addition method (Japanese, English Abstract)
- Strehle MA, Rosch P, Baranska M, Schulz H, Popp J*// *Univ Jena, Inst Chem Phys, Helmholtzweg 4, DE-07743 Jena, Germany
Biopolymers 2005 **77** (1) 44
On the way to a quality control of the essential oil of fennel by means of Raman spectroscopy

12. Organic acids

- Cortacero-Ramirez S, Segura-Carretero A*, De Castro MHB, Fernandez-Gutierrez A// *Univ Granada, Fac Sci, Dept Analyt Chem, Avda Fuentenueva s/n, ES-18071 Granada, Spain
J Chromatogr A 2005 **1064** (1) 115
Determination of low-molecular-mass organic acids in any type of beer samples by electroosmotic capillary electrophoresis
- Papadakis EN, Polychroniadou A*// *Aristotle Univ Thessaloniki, Fac Agr, Dept Food Sci & Technol, POB 265, GR-54124 Thessaloniki, Greece
Int Dairy J 2005 **15** (2) 165
Application of a microwave-assisted extraction method for the extraction of organic acids from Greek cheeses and sheep milk yoghurt and subsequent analysis by ion-exclusion liquid chromatography

13. Animal products

- Hird H, Goodier R, Schneede K, Boltz C, Chisholm J, Lloyd J, Popping B// Dept Environm Food & Rural Affairs, Cent Sci Lab, Sand Hutton, York YO14 1LZ, England
Food Addit Contam 2004 **21** (11) 1035
Truncation of oligonucleotide primers confers specificity on real-time polymerase chain reaction assays for food authentication
- Kim SH, Huang TS, Seymour TA, Wei CI, Kempf SC, Bridgman CR, Clemens RA, An H// Oklahoma State Univ, Coll Human Environm Sci, Dept Nutr Sci, Stillwater, Ok 74078, USA
J Food Sci 2004 **69** (9) C739
Identification of a biomarker for the detection of prohibited meat and bone meal residues in animal feed
- Lanzilao I, Buralassi F, Fancelli S, Settimelli M, Fani R*// *Dipt Biol Anim & Genet, Via Romana 19, IT-50125 Florence, Italy
J AOAC Int 2005 **88** (1) 128
Polymerase chain reaction-restriction fragment length polymorphism analysis of mitochondrial *cytb* gene from species of dairy interest
- Tang J, Faustman C*, Hoagland TA// *Univ Connecticut, Dept Anim Sci, 3636 Horsebarn Hill Rd Ext, Storrs, Ct 06269, USA
J Food Sci 2004 **69** (9) C717
Krzywicki revisited: Equations for spectrophotometric determination of myoglobin redox forms in aqueous meat extracts

14. Plant & microbial products

- Beltran NH, Duarte-Mermoud MA*, Salah SA, Bustos MA, Pena-Neira AI,

- Loyola EA, Jalocha JW// *Univ Chile, Dept Elect Engr, Avda Tupper 2007, Casilla 412-3, CL-6513027 Santiago, Chile
J Food Eng 2005 **67** (4) 483
Feature selection algorithms using Chilean wine chromatograms as examples
- Callemien D, Jerkovic V, Rozenberg R, Collin S*// *Univ Catholique Louvain, Unite Brasserie & Ind Alimentaires, Croix Sud, 2 Bte 7, BE-1348 Louvain, Belgium
J Agric Food Chem 2005 **53** (2) 424
Hop as an interesting source of resveratrol for brewers: Optimization of the extraction and quantitative study by liquid chromatography/atmospheric pressure chemical ionization tandem mass spectrometry
- D'Auria M, Mauriello G, Racioppi R// Univ Basilicata, Dipt Chim, Via N Sauro 85, IT-85100 Potenza, Italy
Ital J Food Sci 2004 **16** (4) 487
SPME-GC-MS analysis of horseradish (*Armoracia rusticana*)
- De Beer D, Harbertson JF, Kilmartin PA, Roginsky V, Barsukova T, Adams DO, Waterhouse AL*// *Univ Calif Davis, Dept Viniculture & Enol, Davis, Ca 95616, USA
Am J Enol Viticult 2004 **55** (4) 389
Phenolics: A comparison of diverse analytical methods
- De Paiva JR, Biscegli CI, Lima AC// Embrapa Agroind Trop, Caixa Postal 3761, BR-60511-110 Fortaleza, Ceara, Brazil
Pesquisa Agr Brasil 2004 **39** (11) 1149
Cashew nut analysis by magnetic resonance tomography
- Hu LH, Jhoo JW, Ang CYW*, Dinovi M, Mattia A// *US/FDA, Natl Ctr Toxicol Res, Div Chem, HFT-230, 3900 NCTR Rd, Jefferson, Ar 72079, USA
J AOAC Int 2005 **88** (1) 16
Determination of six kevalactones in dietary supplements and selected functional foods containing *Piper methysticum* by isocratic liquid chromatography with internal standard
- Kevers C, Jacques P, Gaspar T, Thonart P, Dommès J// Univ Liege, Dept Life Sci, Lab Plant Mol Biol & Hormonol, Sart Tilman B22, BE-4000 Liege, Belgium
J Chromatogr Sci 2004 **42** (10) 554
Comparative titration of ginsenosides by different techniques in commercial ginseng products and callus cultures
- Liang YR, Lu JL, Zhang LY, Wu S, Wu Y// Zhejiang Univ, Tea Res Inst, 268 Kaixuan Rd, CN-310029 Hangzhou, Peoples Rep China
J Sci Food Agric 2005 **85** (2) 286
Estimation of tea quality by infusion colour difference analysis
- Lipp M, Shillito R, Giroux R, Spiegelhalter F, Charlton S, Pinero D, Song P// Monsanto Co, 800 Nth Linbergh Blvd, St Louis, Mo 63167, USA
J AOAC Int 2005 **88** (1) 136
Polymerase chain reaction technology as analytical tool in agricultural biotechnology
- Mason DJ, Sykes MD*, Panton SW, Rippon EH// *Dept Environm Food & Rural Affairs, Cent Sci Lab, Sand Hutton, York YO41 1LZ, England
Food Addit Contam 2004 **21** (11) 1071
Determination of naturally-occurring formaldehyde in raw and cooked shiitake mushrooms by spectrophotometry and liquid chromatography-mass spectrometry
- Piljac J, Martinez S, Stipecevic T, Petrovic Z, Metikos-Hukovic M// Rudjer Boskovic Inst, Dept Biol Mol, Buenicka C 54, POB 180, HR-10002 Zagreb, Croatia
Am J Enol Viticult 2004 **55** (4) 417
Cyclic voltammetry investigation of the phenolic content of Croatian wines
- Proestos C, Bakogiannis A, Psarianos C, Koutinas AA, Kanellaki M, Komaitis M*// *Univ Agr, Dept Food Sci & Technol, Food Chem Lab, Iera Odos 75, GR-11855 Athens, Greece
Food Control 2005 **16** (4) 319
High performance liquid chromatography analysis of phenolic substances in Greek wines
- Stewart AJ, Mullen W, Crozier A*// *Univ Glasgow, Inst Biomed & Life Sci, Div Biochem & Mol Biol, Plant Prod & Human Nutr Grp, Glasgow G12 8QQ, Scotland
Mol Nutr Food Res 2005 **49** (1) 52
On-line high-performance liquid chromatography analysis of the antioxidant activity of phenolic compounds in green and black tea
- Tian S, Nakamura K*, Cui T, Kayahara H// *Shinshu Univ, Grad Sch Agr, Div Food Funct Anal, 8304 Minamimowata, Nagano 399 4598, Japan
J Chromatogr A 2005 **1063** (1-2) 121
High-performance liquid chromatographic determination of phenolic compounds in rice
- Xing J, Van Linden V, Vanzeebroeck M, De Baerdemaeker J// Catholic Univ Louvain, Dept Agroengn & Econ, Lab Agr Machinery & Proc, Kasteelpk Arenberg 30, BE-3001 Louvain, Belgium
Food Control 2005 **16** (4) 357
Bruise detection on Jonagold apples by visible and near-infrared spectroscopy