

Bibliography of analytical methods

(6 weeks journals. Search completed at 14th. Nov. 2007)

1. Reviews

Campas M, Prieto-Simon B, Marty JL// Univ Perpignan, BIOMEM Grp, 52 Ave Paul Alduy, FR-66860 Perpignan, France

Talanta 2007 **72** (3) 884

Biosensors to detect marine toxins: Assessing seafood safety

Dais P, Spyros A// Univ Crete, Dept Chem, NMR Lab, GR-71003 Iraklion, Crete, Greece

Magn Reson Chem 2007 **45** (5) 367

³¹P NMR spectroscopy in the quality control and authentication of extra-virgin olive oil: A review of recent progress

Navas MJ, Jimenez AM// Univ Seville, Fac Pharm, Dept Anal Chem, C/ Prof Garcia Gonzalez 2, ES-41012 Seville, Spain

J Am Oil Chem Soc 2007 **84** (5) 405

Chemiluminescent methods in olive oil analysis

Samanidou VF, Nisyrion SA, Papadoyannis IN// Aristotle Univ Thessaloniki, Dept Chem, Anal Chem Lab, GR-54124 Thessaloniki, Greece

J Liq Chromatogr Relat Technol 2007 **30** (9-10) 1145

Residue analysis of penicillins in food products of animal origin by HPLC: A review

Tudorache M, Bala C// *Univ Bucharest, Fac Chem, Lab Qual Control & Process Monitoring, 4-12 Blvd Regina Elisabeta, RO-030018 Bucharest 3, Romania

Anal Bioanal Chem 2007 **388** (3) 565

Biosensors based on screen-printing technology, and their applications in environmental and food analysis

Varlet V, Prost C, Serot T// *ENITIAA, Equipe Rech Qual Aromat Aliments, Lab Biochim Alimentaire Ind, rue de la Geraudiere, FR-44322 Nantes 3, France

Food Chem 2007 **105** (4) 1536

Volatile aldehydes in smoked fish: Analysis methods, occurrence and mechanisms of formation

Wang S, Wang XH// Tianjin Univ Sci & Technol, Fac Food Engn & Biotechnol, Key Lab Food Nutr & Safety, CN-300457 Tianjin, Peoples Rep China

Food Addit Contam 2007 **24** (6) 573

Analytical methods for the determination of zearanol residues in animal products: A review

Yilmaz F, Islimyeli S, Ozgur M*, Canlica M// *Yildiz Tech Univ, Art & Sci Fac, Dept Chem, Inorgan Chem Div, TR-34220 Istanbul, Turkey

Rev Anal Chem 2007 **26** (1) 43

Indirect determination of nitrate ions in vegetables by atomic absorption spectrophotometry

2. General

Forstel H// Agroislab GmbH, Karl-Heinz-Beckurts Str 13, DE-52428 Julich, Germany

Anal Bioanal Chem 2007 **388** (3) 541

The natural fingerprint of stable isotopes - Use of IRMS to test food authenticity

Kim Y, Singh M, Kays SE// *USDA/ARS, POB 5677, Athens, Ga 30604, USA

Food Chem 2007 **105** (3) 1248

Near-infrared spectroscopic analysis of macronutrients and energy in homogenized meals

3. Amino acids, proteins & enzymes

Alvarez PA, Ramaswamy HS, Ismail AA// *McGill University, Department Food Science & Agricultural Chemistry, McGill Infrared Group, MacDonald Campus, 21 111 Lakeshore, Sainte Anne de Bellevue, Quebec, Canada H9X 3V9

Int Dairy J 2007 **17** (8) 881

Effect of high-pressure treatment on the electrospray ionization mass spectrometry (ESI-MS) profiles of whey proteins

Bulukin E, Meucci V, Minunni M, Pretti C, Intorre L, Soldani G, Mascini M// *Univ Florence, Dipt Chim, Polo Sci, Via Lastruccia 3, IT-50019 Sesto Fiorentino, Italy

Talanta 2007 **72** (2) 785

An optical immunosensor for rapid vitellogenin detection in plasma from carp (*Cyprinus carpio*)

Chen J, Lan P, Tarr A, Yan YM, Francki M, Appels R, Ma W// *Murdoch University, Western Australian Department Agriculture & Food, Molecular Plant Breeding CRC, Centre Food & Genomic Med, South St, Perth, WA 6150, Australia

Rapid Commun Mass Spectrom 2007 **21** (17) 2913

Matrix-assisted laser desorption/ionization time-of-flight based wheat gliadin protein peaks are useful molecular markers for wheat genetic study

Cunsolo V, Saletti R, Muccilli V, Foti S// *Univ Catania, Dipt Sci Chim, Viale A Doria 6, IT-95125 Catania, Italy

J Mass Spectrom 2007 **42** (9) 1162

Characterization of the protein profile of donkey's milk whey fraction

Guan X, Yao H// *Sthn Yangtze Univ, Sch Food Sci & Technol, CN-214036 Wuxi, Jiangsu Prov, Peoples Rep China

Food Chem 2008 **106** (1) 345

Optimization of Viscozyme L-assisted extraction of oat bran protein using response surface methodology

Haasnoot W, Du Pre JG// Wageningen UR, Inst Food Safety - RIKILT, POB 230, NL-6700 AE Wageningen, The Netherlands

J Agric Food Chem 2007 **55** (10) 3771

Luminex-based triplex immunoassay for the simultaneous detection of soy, pea, and soluble wheat proteins in milk powder

Hernandez A, Martin A*, Aranda E, Bartolome T, De Guia Cordoba M// *Universidad Extremadura, Escuela Ingenierias Agrarias, Nutricion & Bromatologia, Carretra de Caceres s/n, ES-06071 Badajoz, Extremadura, Spain

Food Chem 2007 **105** (3) 1219

Application of temperature-induced phase partition of proteins for the detection of smoked paprika adulteration by free zone capillary electrophoresis (FZCE)

Karava NB, Shinde RM, Mahoney RR// *Univ Massachusetts, Dept Food Sci, Amherst, Ma 01003, USA

Food Chem 2007 **105** (4) 1630

Formation of dialyzable iron during *in-vitro* digestion and extraction of mycoprotein

Kusmierek K, Bald E// *Univ Lodz, Dept Environm Chem, 163 Pomorska Str, PL-90236 Lodz, Poland

Food Chem 2008 **106** (1) 340

Reduced and total glutathione and cysteine profiles of citrus fruit juices using liquid chromatography

As a service to subscribers of Food Chemistry, this bibliography contains newly published material in the field of analytical, nutritional and clinical methods. The bibliography is divided into fourteen sections: 1 Reviews; 2 General; 3 Amino acids, proteins & enzymes; 4 Carbohydrates; 5 Lipids; 6 Vitamins & co-factors; 7 Trace elements & minerals; 8 Drug, biocide & processing residues; 9 Toxins/Allergens; 10 Additives; 11 Flavours & aromas; 12 Organic acids; 13 Animal products; 14 Plant & microbial products. Within each section, articles are listed in alphabetical order with respect to the author. Where there are no papers to appear under a heading, it will be omitted.

Lopes AS, Garcia JS, Catharino RR, Santos LS, Eberlin MN, Arruda MAZ*// *Univ Estadual Campinas, Inst Chem, Spectrometry Sample Preparation & Mechanization Grp, POB 6154, BR-13084-862 Campinas, SP, Brazil
Anal Chim Acta 2007 **590** (2) 166
Cloud point extraction applied to casein proteins of cow milk and their identification by mass spectrometry

Montilla A, Gomez-Ruiz JA, Olano A, Del Castillo MD*// *Inst Fermentaciones Ind - CSIC, Juan Cierva 3, ES-28006 Madrid, Spain
Mol Nutr Food Res 2007 **51** (4) 415

A GC-FID method for analysis of lysinoalanine

Piergiovanni AR// CNR, Ist Genet Vegetale, Via Amendola 165/A, IT-70126 Bari, Italy

J Agric Food Chem 2007 **55** (10) 3850

Extraction and separation of water-soluble proteins from different wheat species by acidic capillary electrophoresis

Rodríguez-Nogales JM, Cifuentes A, García MC, Marina ML*// *Univ Alcalá de Henares, Fac Quim, Dept Quim Anal, ES-28871 Alcalá de Henares, Madrid, Spain

J Agric Food Chem 2007 **55** (10) 3835

Characterization of protein fractions from Bt-transgenic and non-transgenic maize varieties using perfusion and monolithic RP-HPLC. Maize differentiation by multivariate analysis

Rudrappa T, Lakshmanan V, Kaunain R, Singara NM, Neelwarne B*// *Cent Food Technol Res Inst, Plant Cell Biotechnol Dept, IN-570020 Mysore, India

Food Chem 2007 **105** (3) 1312

Purification and characterization of an intracellular peroxidase from genetically transformed roots of red beet (*Beta vulgaris* L.)

Schweizer M, Chevalot I*, Blanchard F, Fournier F, Harscoat-Schiavo C, Vanderesse R, Marc I// *UPR-CNRS 6811/INPL, Lab Sci Genie Chim, 13 rue Bois de la Champelle, FR-54500 Vandoeuvre-les-Nancy, France

Food Chem 2007 **105** (4) 1606

Prediction of short peptides composition by RP-HPLC coupled to ESI mass spectrometry

Silva BM, Silva LR, Valentao P, Seabra RM, Andrade PB*, Trujillo ME, Velazquez E// *Univ Porto, Fac Farm, Serv Farmacognosia, REQUIMTE, Rua Anibal Cunha, PT-4050-047 Oporto, Portugal

J Liq Chromatogr Relat Technol 2007 **30** (9-10) 1371

HPLC determination of free amino acids profile of Dao red wine: Effect of *Dekkera bruxellensis* contamination

Silva F, Nogueira LC, Goncalves C, Ferreira AA, Ferreira IMPLVO*, Teixeira N// *Univ Porto, Fac Farm, Serv Bromatol, REQUIMTE, Rua Anibal Cunha 164, PT-4050-047 Porto, Portugal

Food Chem 2008 **106** (2) 820

Electrophoretic and HPLC methods for comparative study of the protein fractions of malts, worts and beers produced from Scarlett and Prestige barley (*Hordeum vulgare* L.) varieties

Tirelli A, De Noni I// Univ Milan, Dept Food Sci Technol & Microbiol, Via G Celoria 2, IT-20133 Milan, Italy

Food Chem 2007 **105** (4) 1564

Evaluation of lysozyme stability in young red wine and model systems by a validated HPLC method

Zhu FY, Kale AV, Cheryan M// Univ Illinois, Agric Bioprocess Lab, 1302 West Pennsylvania Ave, Urbana, IL 61801, USA

J Agric Food Chem 2007 **55** (10) 3843

Fractionation of zein by size exclusion chromatography

4. Carbohydrates

Antiochia R, Gorton L// Univ Padua, Dipt Sci Chim, Via Marzolo 1, IT-35131 Padua, Italy

Biosens Bioelectron 2007 **22** (11) 2611

Development of a carbon nanotube paste electrode osmium polymer-mediated biosensor for determination of glucose in alcoholic beverages

Cheng X, Zhang S, Zhang H, Wang Q, He P, Fang Y*// *East China Normal Univ, Dept Chem, CN-200062 Shanghai, Peoples Rep China

Food Chem 2008 **106** (2) 830

Determination of carbohydrates by capillary zone electrophoresis with amperometric detection at a nano-nickel oxide modified carbon paste electrode

Davis F, Terry LA*, Chope GA, Faul CFJ// *Cranfield Univ, Plant Sci Lab, Silsoe MK45 4DT, England

J Agric Food Chem 2007 **55** (11) 4299

Effect of extraction procedure on measured sugar concentrations in onion (*Allium cepa* L.) bulbs

Giannoccaro E, Wang YJ*, Chen P// *Univ Arkansas, Dept Food Sci, Fayetteville, Ar 72704, USA

Food Chem 2008 **106** (1) 324

Comparison of two HPLC systems and an enzymatic method for quantification of soybean sugars

Guler A, Bakan A, Nisbet C, Yavuz O// Ondokuz Mayıs Univ, Agric Fac, Anim Sci Dept, TR-55139 Samsun, Turkey

Food Chem 2007 **105** (3) 1119

Determination of important biochemical properties of honey to discriminate pure and adulterated honey with sucrose (*Saccharum officinarum* L.) syrup

Kizil R, Irudayaraj J// 105 Agric & Biol Engn, University Park, Pa 16802, USA

J Sci Food Agric 2007 **87** (7) 1244

Rapid evaluation and discrimination of γ -irradiated carbohydrates using FT-Raman spectroscopy and canonical discriminant analysis

Kurz C, Carle R, Schieber A*// *Hohenheim Univ, Inst Food Sci & Biotechnol, Sect Plant Foodstuff Technol, August-von-Hartmann Str 3, DE-70599 Stuttgart, Germany

Food Chem 2008 **106** (1) 421

Characterisation of cell wall polysaccharide profiles of apricots (*Prunus armeniaca* L.), peaches (*Prunus persica* L.) and pumpkins (*Cucurbita* sp.) for the evaluation of fruit product authenticity

Wu Y, Cui SW*, Tang J, Gu X// *Sthn Yangtze Univ, Sch Food Sci & Technol, MoE Key Lab Food Sci & Safety, CN-214036 Wuxi, Peoples Rep China

Food Chem 2007 **105** (4) 1599

Optimization of extraction process of crude polysaccharides from boat-fruited sterculia seeds by response surface methodology

5. Lipids

Akkas SB, Severcan M, Yilmaz O, Severcan F*// *Middle East Tech Univ, Dept Biol, TR-06531 Ankara, Turkey

Food Chem 2007 **105** (3) 1281

Effects of lipoic acid supplementation on rat brain tissue: An FTIR spectroscopic and neural network study

Basu AK, Chattopadhyay P, Roychoudhuri U, Chakraborty R*// *Jadavpur Univ, Dept Food Technol & Biochem Engn, IN-700032 Kolkata, India

Bioelectrochemistry 2007 **70** (2) 375

Development of cholesterol biosensor based on immobilized cholesterol esterase and cholesterol oxidase on oxygen electrode for the determination of total cholesterol in food samples

Cheong LZ, Tan CP, Long K, Affandi Yusoff MS, Arifin N, Lo SK, Lai OM*// *Univ Putra Malaysia, Fac Biotechnol & Biomol Sci, Dept Bioprocess Technol, MY-43400 Serdang, Selangor, Malaysia

Food Chem 2007 **105** (4) 1614

Production of a diacylglycerol-enriched palm olein using lipase-catalyzed partial hydrolysis: Optimization using response surface methodology

Craven RJ, Lencki RW*// *Univ Guelph, Dept Food Sci, Guelph, Ontario, Canada N1G 2W1

Lipids 2007 **42** (5) 473

Rapid analysis of acylglycerols in low molecular weight milk fat fractions

D'Imperio M, Mannina L*, Capitani D, Bidet O, Rossi E, Bucarelli FM, Quaglia GB, Segre A// *Univ Molise, Dipt STAAM, Via De Sanctis, IT-86100 Campobasso, Italy

Food Chem 2007 **105** (3) 1256

NMR and statistical study of olive oils from Lazio: A geographical, ecological and agronomic characterization

Dreisewerd K, Draude F, Kruppe S, Rohlfing A, Berkenkamp S, Pohlentz G// University Munster, Institute Med Phys & Biophys, DE-48149 Munster, Germany

Anal Chem 2007 **79** (12) 4514

Molecular analysis of native tissue and whole oils by infrared laser mass spectrometry

Feroli F, Marazzan GL, Caboni MF*// *Univ Bologna, Dipt Sci Ambientali, Pzza Goidanich 60, IT-47023 Cesena, FC, Italy

J Sep Sci 2007 **30** (7) 1061

Determination of (*E*)-10-hydroxy-2-decenoic acid content in pure royal jelly: A comparison between a new CZE method and HPLC

Jung J, Puff B, Eberts T, Hener U, Mosandl A*// *Univ Frankfurt, Inst Lebensmittelchem, Biozentrum, Max von Laue Str 9, DE-60438 Frankfurt am Main, Germany

Eur Food Res Technol 2007 **225** (2) 191

Reductive ester cleavage of acyl glycerides-GC-C/P-IRMS measurements of glycerol and fatty alcohols

Kim Y, Himmelsbach DS, Kays SE*// *USDA/ARS, POB 5677, Athens, Ga 30604, USA

J Agric Food Chem 2007 **55** (11) 4327

ATR-Fourier transform mid-infrared spectroscopy for determination of *trans* fatty acids in ground cereal products without oil extraction

Laffargue A, De Kochko A, Dussert S*// *IRD, UR 188, DIA-PC, 911 Ave Agropolis, BP 64501, FR-34394 Montpellier, France

Plant Physiol Biochem 2007 **45** (3-4) 250

Development of solid-phase extraction and methylation procedures to analyse free fatty acids in lipid-rich seeds

- Lilitchan S, Tangprawat C, Aryasuk K, Krisnangkura S, Chokmoh S, Krisnangkura K// Mahidol Univ, Fac Publ Hlth, Dept Nutr, Rachathewi, TH-10400 Bangkok, Thailand
Food Chem 2008 **106** (2) 752
Partial extraction method for the rapid analysis of total lipids and γ -oryzanol contents in rice bran
- Luzon-Toro B, Zafra-Gomez A*, Ballesteros O// *Univ Granada, Fac Sci, Dept Anal Chem, Res Grp Anal Chem & Life Sci, Avda Fuentenueva s/n, ES-18071 Granada, Spain
J Chromatogr B 2007 **850** (1-2) 177
Gas chromatographic-mass spectrometric determination of brain levels of α -cholesterol-8-en-3 β -ol (lathosterol)
- Manaf MA, Man YBC*, Mahidol NSA, Ismail A, Abidin SZ// *Univ Putra Malaysia, Fac Food Sci & Technol, Dept Food Technol, MY-43400 Serdang, Malaysia
J Food Lipids 2007 **14** (2) 111
Analysis of adulteration of virgin coconut oil by palm kernel olein using Fourier transform infrared spectroscopy
- Mazalli MR, Bragagnolo N*// Univ Estadual Campinas, Fac Food Engn, Dept Food Sci, BR-13083-862 Campinas, SP, Brazil
Lipids 2007 **42** (5) 483
Validation of two methods for fatty acids analysis in eggs
- Olsen EF, Rukke EO, Flatten A, Isaksson T// Norwegian Univ Life Sci, Dept Chem Biotechnol & Food Sci, POB 5036, NO-1432 As, Norway
Meat Sci 2007 **76** (4) 628
Quantitative determination of saturated-, monounsaturated- and polyunsaturated fatty acids in pork adipose tissue with non-destructive Raman spectroscopy
- Puoci F, Curcio M, Cirillo G, Iemma F, Spizzirri UG, Picci N// Univ Calabria, Dipt Sci Farmaceut, Edificio Polifunzionale, IT-87036 Arcavacata di Rende, Italy
Food Chem 2008 **106** (2) 836
Molecularly imprinted solid-phase extraction for cholesterol determination in cheese products
- Saad B, Wai WT, Lim BP, Saleh MI// Univ Sains Malaysia, Sch Chem Sci, MY-11800 Penang, Malaysia
Anal Chim Acta 2007 **591** (2) 248
Flow injection determination of anisidine value in palm oil samples using a triiodide potentiometric detector
- Szydłowska-Czeraniak A// Nicholas Copernicus Univ, Fac Chem, ul Gagarina 7, PL-87100 Torun, Poland
Food Chem 2007 **105** (3) 1179
MIR spectroscopy and partial least-squares regression for determination of phospholipids in rapeseed oils at various stages of technological process
- Thurnhofer S, Hottinger G, Vetter W*// *Univ Hohenheim, Inst Food Chem, Garbenstr 28, DE-70599 Stuttgart, Germany
Anal Chem 2007 **79** (12) 4696
Enantioselective determination of anteiso fatty acids in food samples
- Wolff E, Vergnes MF, Kaloustian J, Abou L, Mikail C, Lairon D, Portugal H, Nicolay A*// *Univ Mediterranee Aix-Marseille 2, IPHM, INRA UMR1260, INSERM U476 Nutr Humaine & Lipids, FR-13385 Marseille, France
Rapid Commun Mass Spectrom 2007 **21** (19) 3175
A new approach to overcome natural cholesterol interference during simultaneous determination of two stable isotope-enriched cholesterol tracers in human plasma
- Yuan JP, Wang JH, Liu X, Kuang HC, Zhao SY// Sun Yat-Sen Univ, Coll Life Science, MoE Food Engn Res Ctr State, CN-510275 Guangzhou, Peoples Rep China
Food Chem 2007 **105** (4) 1755
Simultaneous determination of free ergosterol and ergosterol esters in *Cordyceps sinensis* by HPLC

6. Vitamins & co-factors

- Ahmed S, Kishikawa N, Nakashima K, Kuroda N*// *Nagasaki Univ, Grad Sch Biomed Sci, Course Pharmaceut Sci, 1-14 Bunkyo machi, Nagasaki 852 8521, Japan
Anal Chim Acta 2007 **591** (2) 148
Determination of vitamin K homologues by high-performance liquid chromatography with on-line photoreactor and peroxyoxalate chemiluminescence detection
- Cano M, Palenzuela B, Avila JL, Rodriguez-Amaro R*// *Univ Cordoba, Dept Quim Fis & Termodinam Aplicada, Campus Rabanales, Edificio C-3, ES-14071 Cordoba, Spain
Electroanalysis 2007 **19** (9) 973
Simultaneous determination of ascorbic acid and uric acid by using a PVC/TTF-TCNQ composite electrode as detector in a FIA system
- Chen L, Eitenmiller RR*// *Univ Georgia, Dept Food Sci & Technol, Athens, Ga 30602, USA
J Agric Food Chem 2007 **55** (10) 3884
Optimization of the trienzyme extraction for the microbiological assay of folate in vegetables

- Citova I, Havlikova L, Urbanek L, Solichova D*, Novakova L, Solich P// *Charles Univ Prague, Fac Med, Dept Metab Care & Gerontol, Sokolska 581, CZ-50005 Hradec Kralove, Czech Republic
Anal Bioanal Chem 2007 **388** (3) 675
Comparison of a novel ultra-performance liquid chromatographic method for determination of retinol and α -tocopherol in human serum with conventional HPLC using monolithic and particulate columns
- Dos Santos Fogaca FH, Sant'ana LS// Univ Estadual Paulista, UNESP, Ctr Aquicultura, Botucatu, SP, Brazil
Food Chem 2007 **105** (3) 1214
Tocopherol in the lipid stability of tilapia (*Oreochromis niloticus*) hamburgers
- Furlani RPZ, Godoy HT// ITAL - Inst Food Technol, Food Chem & Appl Nutr Ctr, CP139, BR-13070-178 Campinas, SP, Brazil
Food Chem 2008 **106** (2) 816
Vitamins B₁ and B₂ contents in cultivated mushrooms
- Galeano Diaz T, Rodriguez Caceres MI, Roldan-Murillo B*// *Univ Extremadura, Dept Anal Chem, ES-06071 Badajoz, Spain
Food Chem 2007 **105** (4) 1583
Chemometrics for the resolution of co-eluting peaks of β - and γ -tocopherols in RP-HPLC: Determination in edible oils and dietary supplements
- Gutzeit D, Klaubert B, Rychlik M, Winterhalter P, Jerz G*// *TU Braunschweig, Inst Food Chem, Schleinitzstr 20, DE-38106 Braunschweig, Germany
J Agric Food Chem 2007 **55** (10) 3978
Effects of processing and of storage on the stability of pantothenic acid in sea buckthorn products (*Hippophae rhamnoides* L. ssp. *rhamnoides*) assessed by stable isotope dilution assay
- Janghel EK, Gupta VK, Rai MK, Rai JK// Chhattisgarh Inst Technol, GE Rd, Rajnangaon, Chhattisgarh, India
Talanta 2007 **72** (3) 1013
Micro determination of ascorbic acid using methyl viologen
- Nacapricha D, Sangkarn P, Karuwan C, Mantim T, Waiyawat W, Wilairat P, Cardwell I, McKelvie ID, Ratanawimarnwong N*// *Srinakharinwirot Univ, Fac Sci, Dept Chem, Sukhumvit 23, TH-10110 Bangkok, Thailand
Talanta 2007 **72** (2) 626
Pervaporation-flow injection with chemiluminescence detection for determination of iodide in multivitamin tablets
- Odrizola-Serrano I, Hernandez-Jover T, Martin-Belloso O*// *Univ Lleida, UTPV-CeRTA, Dept Food Technol, Rovira Roure 191, ES-25198 Lleida, Spain
Food Chem 2007 **105** (3) 1151
Comparative evaluation of UV-HPLC methods and reducing agents to determine vitamin C in fruits
- Rychlik M, Englert K, Kapfer S, Kirchhoff E// Tech Univ Munich, Lehrstuhl Lebensmittelchem, Lichtenbergstr 4, DE-85748 Garching, Germany
J Food Compos Anal 2007 **20** (5) 411
Folate contents of legumes determined by optimized enzyme treatment and stable isotope dilution assays
- Sikorska E// Poznan Univ Econ, Fac Commodity Sci, Al Niepodleglosci 10, PL-60967 Poznan, Poland
Eur Food Res Technol 2007 **225** (1) 43
Analysis of vitamin B₂ using front-face intrinsic beer fluorescence
- Vilisel JM, Schager FQ, Buettner GR*// *Univ Iowa, ESR Facility & Free Radical & Radiat Biol, Iowa City, Ia 52242, USA
Anal Biochem 2007 **365** (1) 31
A simple and sensitive assay for ascorbate using a plate reader
- Wang BZ, Noguchi T, Anzai J*// *Tohoku Univ, Grad Sch Pharmaceut Sci, Aoba ku, Sendai, Miyagi 980 8578, Japan
Talanta 2007 **72** (2) 415
Layer-by-layer thin film-coated electrodes for electrocatalytic determination of ascorbic acid
- Zarogiannis S, Liakopoulos V, Hatzoglou C, Vogiatzidis K, Salmas M, Stefanidis I, Gourgoulianis K, Molyvdas PA, Lafis S// Univ Thessaly, Sch Med, Dept Physiol, 22 Papakyriazi St, GR-41222 Larisa, Greece
Anal Sci 2007 **23** (5) 593
Development of an egg-white bioassay for monitoring biotin levels in urine and serum

7. Trace elements & minerals

- Alvarez M, Moreno IM*, Jos AM, Camean AM, Gonzalez AG// *Univ Seville, Dept Biochem Food Sci Toxicol & Legal Med, ES-41012 Seville, Spain
J Food Compos Anal 2007 **20** (5) 391
Study of mineral profile of Montilla-Moriles "fino" wines using inductively coupled plasma atomic emission spectrometry methods
- Alvarez M, Moreno IM*, Pichardo S, Camean AM, Gonzalez AG// *Address as above
Sci Aliment 2007 **27** (1) 83
Metallic profiles of sherry wines using inductively coupled plasma atomic emission spectrometry methods (ICP-AES)

- Bugallo RA, Segade SR*, Gomez EF// *Estacion Viticultura & Enol Galicia, Ponte San Clodio s/n, ES-32427 Leiro, Orense, Spain
Talanta 2007 **72** (1) 60
Comparison of slurry sampling and microwave-assisted digestion for calcium, magnesium, iron, copper and zinc determination in fish tissue samples by flame atomic absorption spectrometry
- Cizdziel JV// Univ Nevada, Harry Reid Ctr Environm Studies, 4505 Maryland Pkwy, Las Vegas, Nv 89154, USA
Anal Bioanal Chem 2007 **388** (3) 603
Determination of lead in blood by laser ablation ICP-TOF-MS analysis of blood spotted and dried on filter paper: A feasibility study
- El-Hadri F, Morales-Rubio A*, De la Guardia M// *Univ Valencia, Dept Anal Chem, Res Bldg, 50th Dr Moliner St, ES-46100 Burjassot, Valencia, Spain
Food Chem 2007 **105** (3) 1195
Determination of total arsenic in soft drinks by hydride generation atomic fluorescence spectrometry
- Farinas MV, Garcia JB, Martin SG, Crecente RP, Latorre CH*// *Univ Santiago de Compostela, Fac Ciencias, Dept Quim Anal Nutr & Bromatol, Campus Lugo, ES-27002 Lugo, Spain
Anal Chim Acta 2007 **591** (2) 231
Direct determination of cadmium in orujo spirit samples by electrothermal atomic absorption spectrometry: Comparative study of different chemical modifiers
- Fernandez-Fernandez AM, Moreda-Pineiro A, Bermejo-Barrera P// Univ Santiago de Compostela, Fac Chem, Dept Anal Chem Nutr & Bromatol, ES-15782 Santiago de Compostela, Spain
J Anal Atom Spectrom 2007 **22** (5) 753
On-line preconcentration cold vapour atomic absorption spectrometry for the determination of trace mercury in edible seaweeds
- Forte G, Bocca B// Inst Super Sanita, Viale Regina Elena 299, IT-00161 Rome, Italy
Food Chem 2007 **105** (4) 1591
Quantification of cadmium and lead in offal by SF-ICP-MS: Method development and uncertainty estimate
- Gosetti F, Frascarolo P, Polati S, Medana C, Gianotti V, Palma P, Aigotti R, Baiocchi C, Gennaro MC*// *Univ Piemonte Orientale Amedeo Avogadro, Dipt Sci Ambiente & Vita, Via Bellini 25/G, IT-15100 Alessandria, Italy
Food Chem 2007 **105** (4) 1738
Speciation of selenium in diet supplements by HPLC-MS/MS methods
- Han SP, Gan WE*, Su QD// *Univ Sci & Technol China, Dept Chem, CN-230026 Hefei, Anhui, Peoples Rep China
Talanta 2007 **72** (4) 1481
On-line sample digestion using an electromagnetic heating column for the determination of zinc and manganese in tea leaf by flame atomic absorption spectrometry
- Karavoltos S, Sakellari A, Dassenakis M, Scoullou M*// *Nat & Kapodistrian Univ Athens, Dept Chem, Sect III, Lab Environm Chem, Panepistimiopolis, GR-15771 Athens, Greece
Food Chem 2008 **106** (2) 843
Cadmium and lead in organically produced foodstuffs from the Greek market
- Kovacs R, Beni A, Karosi R, Sogor C, Posta J*// *Univ Debrecen, Dept Inorgan & Anal Chem, Egyetem ter 1, HU-4032 Debrecen, Hungary
Food Chem 2007 **105** (3) 1209
Investigation of chromium content in foodstuffs and nutrition supplements by GFAAS and determination of changing Cr(III) to Cr(VI) during baking and toasting bread
- Lavilla I, Vilas P, Bendicho C*// *Univ Vigo, Fac Ciencias - Quim, Dept Quim Anal & Alimentaria, Area Quim Anal, As Lagoas-Marcosende s/n, ES-36310 Vigo, Spain
Food Chem 2008 **106** (1) 403
Fast determination of arsenic, selenium, nickel and vanadium in fish and shellfish by electrothermal atomic absorption spectrometry following ultrasound-assisted extraction
- Lavilla I, Gonzalez-Costas JM, Bendicho C*// *Address as above
Anal Chim Acta 2007 **591** (2) 225
Improved microwave-assisted wet digestion procedures for accurate Se determination in fish and shellfish by flow injection-hydride generation-atomic absorption spectrometry
- Lopez A, Garcia P, Garrido A// Inst Grasa - CSIC, Avda Padre Garcia Tejero 4, ES-41012 Seville, Spain
Food Chem 2008 **106** (1) 369
Multivariate characterization of table olives according to their mineral nutrient composition
- Melucci D, Torsi G, Locatelli C*// *Univ Bologna, Dept Chem G Ciamician, Via F Selmi 2, IT-40126 Bologna, Italy
Ann Chim 2007 **97** (3-4) 141
Analytical procedure for the simultaneous voltammetric determination of trace metals in food and environmental matrices. Critical comparison with atomic absorption spectroscopic measurements
- Mihucz VG, Tatar E, Virag I, Zang C, Jao Y, Zaray G*// *Lorand Eotvos Univ, Dept Inorg & Anal Chem, PO Box 32, HU-1518 Budapest, Hungary
Food Chem 2007 **105** (4) 1718
Arsenic removal from rice by washing and cooking with water
- Moreno IM, Gonzalez-Weller D, Gutierrez V, Marino M, Camean AM, Gonzalez AG*, Hardisson A// *Univ Seville, Fac Chem, C/ Prof Garcia 1, ES-41012 Seville, Spain
Talanta 2007 **72** (1) 263
Differentiation of two Canary DO red wines according to their metal content from inductively coupled plasma optical emission spectrometry and graphite furnace atomic absorption spectrometry by using Probabilistic Neural Networks
- Ozcan MM, Akbulut M// Univ Selcuk, Fac Agric, Dept Food Engn, TR-42031 Konya, Turkey
Food Chem 2008 **106** (2) 852
Estimation of minerals, nitrate and nitrite contents of medicinal and aromatic plants used as spices, condiments and herbal tea
- Panigati M, Falciola L, Mussini P, Beretta G, Facino RM// Univ Milan, Fac Pharm, Dept Inorgan Metallorg & Anal Chem, Via Venezian 21, IT-20133 Milan, Italy
Food Chem 2007 **105** (3) 1091
Determination of selenium in Italian rices by differential pulse cathodic stripping voltammetry
- Prasad S, Chetty AA// Univ South Pacific, Fac Sci & Technol, Sch Chem Sci, Suva, Fiji
Food Chem 2008 **106** (2) 772
Nitrate-N determination in leafy vegetables: Study of the effects of cooking and freezing
- Seco-Gesto EM, Moreda-Pineiro A, Bermejo-Barrera A, Bermejo-Barrera P*// *Univ Santiago de Compostela, Fac Chem, Dept Anal Chem Nutr & Bromatol, Ave Ciencias s/n, ES-15782 Santiago de Compostela, Spain
Talanta 2007 **72** (3) 1178
Multi-element determination in raft mussels by fast microwave-assisted acid leaching and inductively coupled plasma-optical emission spectrometry
- Suarez-Luque S, Mato I, Huidobro JF*, Simal-Lozano J// *Univ Santiago de Compostela, Fac Farm, Dept Quim Anal Nutr & Bromatol, Area Nutr & Bromatol, ES-15782 Santiago de Compostela, Spain
Int Dairy J 2007 **17** (8) 896
Determination of major metal cations in milk by capillary zone electrophoresis
- Tanaka S, Fujita H, Hatsukade Y, Nagaishi T, Nishi K, Ota H, Otani T, Suzuki S// Toyohashi Univ Technol, Tempaku cho, Toyohashi, Aichi 441 8580, Japan
Chin J Phys 2007 **45** (2 Pt 2) 190
High sensitive SQUID detection system for metallic contaminant in food or beverage
- Veado MAR, Heeren AO, Severo MI, Grenier-Loustalot MF, Arantes IA, Cabaleiro HL, Almeida MRMG// Univ Fed Minas Gerais, Dept Nucl Engrn, Av Antonio Carlos 6627, Campus UFMG, Belo Horizonte, MG, Brazil
J Radioanal Nucl Chem 2007 **272** (3) 511
INAA and ICP-MSHS: Metal pollutants in fish tissues Nile tilapia (*Oreochromis niloticus*) in Pampulha Lake, Belo Horizonte City, Minas Gerais State, Brazil
- Wang LK, Li L, Li XM, Shi YH, Hu L, Le GW*// *Jiangnan Univ, MoE Key Lab Ind Biotechnol, CN214122- Wuxi, Jiangsu, Peoples Rep China
Food Chem 2008 **106** (1) 315
Microwave assisted solid state reaction synthesis of methionine complexes of iron (II)
- Yebrá-Biurrún MC, Cespon-Romero RM// Univ Santiago de Compostela, Dept Anal Chem Nutr & Bromatol, ES-15782 Santiago de Compostela, Spain
Anal Bioanal Chem 2007 **388** (3) 711
Fast ultrasound-assisted extraction of copper, iron, manganese and zinc from human hair samples prior to flow injection flame atomic absorption spectrometric detection

8. Drug, biocide & processing residues

- Baggiani C, Anfossi L, Giovannoli C// Univ Turin, Dipt Chim Anal, Lab Bioanalit Chem, Via P Giuria 5, IT-10125 Turin, Italy
Anal Chim Acta 2007 **591** (1) 29
Solid phase extraction of food contaminants using molecular imprinted polymers
- Bogialli S, D'Ascenzo G, Di Corcia A, Innocenti G, Lagana A, Pacchiarotta T// Univ La Sapienza, Dipt Chim, Piazza Aldo Moro 5, IT-00185 Rome, Italy
Rapid Commun Mass Spectrom 2007 **21** (17) 2833
Monitoring quinolone antibacterial residues in bovine tissues: Extraction with hot water and liquid chromatography coupled to a single- or triple-quadrupole mass spectrometer
- Bosch L, Alegria A, Farre R*, Clemente G// *Univ Valencia, Fac Pharm, Nutr & Food Chem, Avda Vicente Andres Estelles s/n, ES-46100 Burjassot, Valencia, Spain
Food Chem 2007 **105** (3) 1135
Fluorescence and color as markers for the Maillard reaction in milk-cereal based infant foods during storage

- Braga JWB, Bottoli CBG, Jardim ICSF, Goicoechea HC, Olivieri AC, Poppi RJ*// *Univ Estadual Campinas, Inst Quim, CP 6154, BR-13084-971 Campinas, SP, Brazil
J Chromatogr A 2007 **1148** (2) 200
Determination of pesticides and metabolites in wine by high performance liquid chromatography and second-order calibration methods
- Cheneau E, Henri J, Pirotais Y, Abjean JP, Roudaut B, Sanders P, Laurentie M// AFSSA Fougeres, Lab Res & Invest Vet Drugs & Disinfect, Vet Drug Residues Unit, BP 90203, FR-35133 Javene, France
J Chromatogr B 2007 **850** (1-2) 15
Liquid chromatography-electrospray tandem mass spectrometric method for quantification of monensin in plasma and edible tissues of chicken used in pharmacokinetic studies: Applying a total error approach
- Cui XJ, Fang GZ, Jiang LQ, Wang S*// *Tianjin Univ Sci & Technol, Tianjin Key Lab Food Nutr & Safety, CN-300457 Tianjin, Peoples Rep China
Anal Chim Acta 2007 **590** (2) 253
Kinetic spectrophotometric method for rapid determination of trace formaldehyde in foods
- Cui XY, Gao XW, Chu XG, Yong W, Ling Y, Yang ML, Li XQ, Wang DN*, Fang YY, Zweigenbaum JA// *Chinese Acad Inspection & Quarantine, CN-100025 Beijing, Peoples Rep China
Anal Lett 2007 **40** (6) 1117
Application of liquid chromatography time-of-flight-mass spectrometry for the analysis of urea herbicides residues in soybean
- Durden DA// Canadian Food Inspect Agency, 3650 36 St NW, Calgary, Alberta, Canada T2L 2L1
J Chromatogr B 2007 **850** (1-2) 134
Positive and negative electrospray LC-MS-MS methods for quantitation of the antiparasitic endectocides drugs, abamectin, doramectin, emamectin, eprinomectin, ivermectin, moxidectin and selamectin in milk
- Flores JL, Diaz AM, De Cordova MLF*// *Univ Jaen, Fac Expt Sci, Dept Phys & Anal Chem, Paraje Las Lagunillas s/n, ES-23071 Jaen, Spain
Talanta 2007 **72** (3) 991
Development of a photochemically induced fluorescence-based optosensor for the determination of imidacloprid in peppers and environmental waters
- Fritz JW, Zuo Y*// *Univ Massachusetts Dartmouth, Dept Chem & Biochem, 285 Old Westport Rd, North Dartmouth, MA 02747, USA
Food Chem 2007 **105** (3) 1297
Simultaneous determination of tetracycline, oxytetracycline, and 4-epitetracycline in milk by high-performance liquid chromatography
- He Y, Liu YH// Shenyang Inst Sci & Technol, Sch Environm & Chem Engn, Nanping Middle Rd 6, Hunnan New Dist, CN-110168 Shenyang, Peoples Rep China
Chromatographia 2007 **65** (9-10) 581
Assessment of primary and secondary amine adsorbents and elution solvents with or without graphitized carbon for the SPE clean-up of food extracts in pesticide residue analysis
- Huang JF, Zhang HJ, Lin B, Yu QW, Feng YQ*// *Wuhan Univ, Dept Chem, CN-430072 Wuhan, Peoples Rep China
Rapid Commun Mass Spectrom 2007 **21** (17) 2895
Multiresidue analysis of β -agonists in pork by coupling polymer monolith microextraction to electrospray quadrupole time-of-flight mass spectrometry
- Huang XJ, Yuan DX, Huang BL// Xiamen Univ, State Key Lab Marine Environm Sci, Environm Sci Res Ctr, POB 1009, CN-361005 Xiamen, Peoples Rep China
Talanta 2007 **72** (4) 1298
Simple and rapid determination of sulfonamides in milk using ether-type column liquid chromatography
- Kim YJ, Kim YA, Lee YT, Lee HS*// *Kyungpook Natl Univ, Dept Food Sci & Nutr, Taegu 702 701, South Korea
Anal Chim Acta 2007 **591** (2) 183
Enzyme-linked immunosorbent assays for the insecticide fenitrothion - Influence of hapten conformation and sample matrix on assay performance
- Koesukkiwat U, Jayanta S, Leepipatpiboon N*// *Chulalongkorn Univ, Fac Sci, Dept Chem, Chromatog & Separat Res Grp, TH-10330 Bangkok, Thailand
J Chromatogr A 2007 **1149** (1) 102
Solid-phase extraction for multiresidue determination of sulfonamides, tetracyclines, and pyrimethamine in bovine's milk
- Lee JB, Chung HH, Chung YH, Lee KG*// *Dongguk Univ, Dept Food Sci & Technol, 26, 3-Ga, Pil-dong, Chung-gu, Seoul 100 715, South Korea
Food Chem 2007 **105** (4) 1726
Development of an analytical protocol for detecting antibiotic residues in various foods
- Lee MR, Chiu TC, Dou JP// Natl Chung Hsing Univ, Dept Chem, Taichung 40227, Taiwan
Anal Chim Acta 2007 **591** (2) 167
Determination of 1,3-dichloro-2-propanol and 3-chloro-1,2-propanediol in soy sauce by headspace derivatization solid-phase microextraction combined with gas chromatography-mass spectrometry
- Li BX, He YZ, Xu CL// Shaanxi Normal Univ, Sch Chem & Materials Sci, Dept Chem, CN-710062 Xian, Peoples Rep China
Talanta 2007 **72** (1) 223
Simultaneous determination of three organophosphorus pesticides residues in vegetables using continuous-flow chemiluminescence with artificial neural network calibration
- Li XQ, Hu YM, Hup TM, Chu XG, Xu CL// Huaiyin Inst Technol, Dept Chem & Bioengn, CN-223001 Huaian, Jiangsu, Peoples Rep China
Ann Chim 2007 **97** (3-4) 177
Comparison of time-resolved fluoroimmunoassay for determining hexoestrol residues in chicken muscle tissues based on polyclonal antibodies with liquid chromatography and tandem mass spectrometry
- Lin CH, Lerch RN, Garrett HE, Li YX, George MF// Univ Missouri, Sch Nat Resources, Ctr Agroforestry, Columbia, Mo 65211, USA
J Agric Food Chem 2007 **55** (10) 3805
Improved HPLC-MS/MS method for determination of isoxaflutole (Balance) and its metabolites in soils and forage plants
- Lu KH, Chen CY, Lee MR*// *Natl Chung Hsing Univ, Dept Chem, Taichung 40227, Taiwan
Talanta 2007 **72** (3) 1082
Trace determination of sulfonamides residues in meat with a combination of solid-phase microextraction and liquid chromatography-mass spectrometry
- Malavia J, Abalos M, Santos FJ, Abad E, Rivera J, Galceran MT*// *Univ Barcelona, Dept Anal Chem, Marti i Franques 1-11, ES-08028 Barcelona, Spain
J Chromatogr A 2007 **1149** (2) 321
Analysis of polychlorinated dibenzo-p-dioxins, dibenzofurans and dioxin-like polychlorinated biphenyls in vegetable oil samples by gas chromatography-ion trap tandem mass spectrometry
- Martins-Junior HA, Kusumi TA, Wang AY, Lebre DT*// *Applied Biosystems Brazil Ltda, Av Cafe 277, 1 Andar-Torre A, BR-04311-000 Sao Paulo, Brazil
J Brazil Chem Soc 2007 **18** (2) 397
A rapid method to determine antibiotic residues in milk using liquid chromatography coupled to electrospray tandem mass spectrometry
- Nguyen TD, Lee BS, Lee BR, Lee D, Lee GH*// *Chung-nam Nat Univ, Dept Chem, Daejeon, South Korea
Rapid Commun Mass Spectrom 2007 **21** (18) 3115
A multiresidue method for the determination of 109 pesticides in rice using the Quick Easy Cheap Effective Rugged and Safe (QuEChERS) sample preparation method and gas chromatography/mass spectrometry with temperature control and vacuum concentration
- Presi P, Knopf L, Regula G, Pacciarelli B, Frey J, Stark KDC// Fed Vet Off, Schwarzenburgstr 155, CH-3003 Bern, Switzerland
Food Addit Contam 2007 **24** (6) 590
Evaluation of the chemical residue monitoring in animal-derived products in Switzerland
- Qiang ZY, Shentu FQ, Wang B, Wang JP, Chang JY, Shen JZ*// *China Agric Univ, Coll Vet Med, Dept Pharmacol & Toxicol, CN-100094 Beijing, Peoples Rep China
J Agric Food Chem 2007 **55** (11) 4319
Residue depletion of ractopamine and its metabolites in swine tissues, urine, and serum
- Rose M, White S, Macarthur R, Petch RG, Holland J, Damant AP// Cent Sci Lab, York YO41 1LZ, England
Food Addit Contam 2007 **24** (6) 635
Single-laboratory validation of a GC/MS method for the determination of 27 polycyclic aromatic hydrocarbons (PAHs) in oils and fats
- Rubies A, Vaquerizo R, Centrich F, Compano R*, Granados M, Prat MD// *Univ Barcelona, Dept Quim Anal, Marti i Franques 1-11, ES-08028 Barcelona, Spain
Talanta 2007 **72** (1) 269
Validation of a method for the analysis of quinolones residues in bovine muscle by liquid chromatography with electrospray ionisation tandem mass spectrometry detection
- Saito K, Ohmura A, Takekuma M, Sasano R, Matsuki Y, Nakazawa H// Hoshi Univ, Fac Pharmaceut Sci, Dept Anal Chem, 2-4-41 Ebara, Shinagawa ku, Tokyo 142 8501, Japan
Anal Sci 2007 **23** (6) 661
Application of a novel large-volume injection method using a stomach-shaped inlet liner in capillary gas chromatographic trace analysis of dioxins in human milk and plasma
- Sekeroglu G, Gogus F, Fadiloglu S*// *Univ Gaziantep, Dept Food Engn, TR-27310 Gaziantep, Turkey
J Food Qual 2007 **30** (3) 300
Determination of benzo(a)pyrene in vegetable oils by high performance liquid chromatography
- Shao B, Han H, Li D, Ma Y, Tu X, Wu Y// Beijing Ctr Dis Control & Prevent, Inst Nutr & Food Hyg, CN-100013 Beijing, Peoples Rep China
Food Chem 2007 **105** (3) 1236
Analysis of alkylphenol and bisphenol A in meat by accelerated solvent extraction and liquid chromatography with tandem mass spectrometry

- Shao B, Han H, Tu XM, Huang L// Beijing Ctr Dis Control & Prevent, Inst Nutr & Food Hyg, CN-100013 Beijing, Peoples Rep China
J Chromatogr B 2007 **850** (1-2) 412
Analysis of alkylphenol and bisphenol A in eggs and milk by matrix solid phase dispersion extraction and liquid chromatography with tandem mass spectrometry
- Shi XZ, Wu AB, Zheng SL, Li RX, Zhang DB// *Shanghai Jiao Tong Univ, Coll Life Sci & Biotechnol, 800 Dongchuan Rd, CN-200240 Shanghai, Peoples Rep China
J Chromatogr B 2007 **850** (1-2) 24
Molecularly imprinted polymer microspheres for solid-phase extraction of chloramphenicol residues in foods
- Singh SB, Foster GD, Khan SU// Indian Agric Res Inst, Div Agric Chem, New Delhi 12, India
J Chromatogr A 2007 **1148** (2) 152
Determination of thiophanate methyl and carbendazim residues in vegetable samples using microwave-assisted extraction
- Stead SL, Caldwell M, Sharma A, Ashwin HM, Sharman M, De-Rijk A, Stark J// Cent Sci Lab, York YO41 1LZ, England
Food Addit Contam 2007 **24** (6) 583
New method for the rapid identification of tetracycline residues in foods of animal origin - Using the Premi@Test in combination with a metal ion chelation assay
- Talebpour Z, Bijanzadeh HR// Inst Anorganische & Anal Chem, Schuberstr 60, Haus 16, DE-35392 Giessen, Germany
Food Chem 2007 **105** (4) 1682
A selective ¹⁹F NMR spectroscopic method for determination of insecticide diflufenzuron in different media
- Tehrany EA, Mouawad C, Desobry S// Inst Nat Polytech Lorraine, ENSAIA, Lab Physicochim & Gene Alimentaires, 2 Ave de la Foret de Haye, Boite postale 172, FR-54505 Vandoeuvre les Nancy, France
Food Chem 2007 **105** (4) 1571
Determination of partition coefficient of migrants in food simulants by the PRV method
- Venkateswarlu P, Mohan KR, Kumar CR, Seshaiha K// *Sri Venkateswara University, Department Chemistry, Division Anal Chem, IN-517502 Tirupati, India
Food Chem 2007 **105** (4) 1760
Monitoring of multi-class pesticide residues in fresh grape samples using liquid chromatography with electrospray tandem mass spectrometry
- Veyrand B, Brosseau A, Sarcher L, Varlet V, Monteau F, Marchand P, Andre F, Le Bizec B// *Ecole Natl Vet, LABERCA, Route Gachet, BP50707, FR-44308 Nantes 3, France
J Chromatogr A 2007 **1149** (2) 333
Innovative method for determination of 19 polycyclic aromatic hydrocarbons in food and oil samples using gas chromatography coupled to tandem mass spectrometry based on an isotope dilution approach
- Vinas P, Balsalobre N, Hernandez-Cordoba M// *Univ Murcia, Dept Anal Chem, ES-30071 Murcia, Spain
Talanta 2007 **72** (2) 808
Liquid chromatography on an amide stationary phase with post-column derivatization and fluorimetric detection for the determination of streptomycin and dihydrostreptomycin in foods
- Wang J, Leung D// Canadian Food Inspect Agcy, Calgary Lab, 3650-36th St NW, Calgary, Alberta, Canada T2L 2L1
Rapid Commun Mass Spectrom 2007 **21** (19) 3213
Analyses of macrolide antibiotic residues in eggs, raw milk, and honey using both ultra-performance liquid chromatography/quadrupole time-of-flight mass spectrometry and high-performance liquid chromatography/tandem mass spectrometry
- Wang S, Xu ZX, Fang GZ, Duan ZJ, Zhan Y, Chen S// Tianjin Univ Sci & Technol, Fac Food Engn & Biotechnol, Tianjin Key Lab & Food Nutr & Safety, CN-300457 Tianjin, Peoples Rep China
J Agric Food Chem 2007 **55** (10) 3869
Synthesis and characterization of a molecularly imprinted silica gel sorbent for the on-line determination of trace Sudan I in chilli powder through high-performance liquid chromatography
- Wang ZH, Zhu Y, Ding SY, He FY, Beier RC, Li JC, Jiang HY, Feng CW, Wan YP, Zhang SX, Kai ZP, Yang XL, Shen JZ// *China Agric University, College Vet Med, Dept Vet Pharmacol & Toxicol, CN-100094 Beijing, Peoples Rep China
Anal Chem 2007 **79** (12) 4471
Development of a monoclonal antibody-based broad-specificity ELISA for fluoroquinolone antibiotics in foods and molecular modeling studies of cross-reactive compounds
- Yan SL, Fang YJ, Gao ZX// *Huazhong Agric Univ, Coll Food Sci & Technol, CN-430070 Wuhan, Peoples Rep China
Anal Lett 2007 **40** (6) 1013
Determination of daminozide in apple sample by MIP-coated piezoelectric quartz sensor
- Ye BC, Li SY, Zuo P, Li XH// East China Univ Sci & Technol, Dept Food Sci & Engn, State Key Lab Bioreact Engn, CN-200237 Shanghai, Peoples Rep China
Food Chem 2008 **106** (2) 797
Simultaneous detection of sulfamethazine, streptomycin, and tylosin in milk by microplate-array based SMM-FIA
- Zabaljauregui M, Delgado A, Usobiaga O, Zuloaga O, De Diego A*, Madariaga JM// *Univ Basque Country, Dept Anal Chem, ES-48080 Bilbao, Spain
J Chromatogr A 2007 **1148** (1) 78
Fast method for routine simultaneous analysis of methylmercury and butyltins in seafood
- Zhang Y, Wu HL*, Xia AL, Han QJ, Cui H, Yu RQ// *Hunan Univ, Coll Chem & Chem Engn, State Key Lab Chemo/Biosensing & Chemometrics, CN-410082 Changsha, Hunan, Peoples Rep China
Talanta 2007 **72** (3) 926
Interference-free determination of Sudan dyes in chilli foods using second-order calibration algorithms coupled with HPLC-DAD
- Zhao SJ, Jiang HY, Ding SY, Li XL, Wang GQ, Li C, Shen JZ// *China Agric Univ, Dept Pharmacol & Toxicol, CN-100094 Beijing, Peoples Rep China
Chromatographia 2007 **65** (9-10) 539
A reliable LC method with fluorescence detection for quantification of (fluoro) quinoline residues in chicken muscle
- Zhao SJ, Jiang HY, Li XL, Mi TJ, Shen JZ// *China Agric Univ, Coll Vet Med, Dept Pharmacol & Toxicol, CN-100094 Beijing, Peoples Rep China
J Agric Food Chem 2007 **55** (10) 3829
Simultaneous determination of trace levels of 10 quinolones in swine, chicken, and shrimp muscle tissues using HPLC with programmable fluorescence detection
- Zhu XL, Qi XY*, Wang J, Yue JN, Sun ZD, Lei WJ// *Huazhong Agric Univ, Coll Food Sci & Technol, CN-430070 Wuhan, Peoples Rep China
Chromatographia 2007 **65** (9-10) 625
Determination of procymidone, pentachloroaniline and methyl-pentachlorophenylsulfide residues in wine by MSPD-GC-ECD

9. Toxins/Allergens

- Chassaigne H, Brohee M, Norgaard JV, Van Hengel AJ// Eur Commiss-DG Joint Res Ctr, Inst Ref Materials & Measurements, Food Safety & Qual Unit, Retieseweg 111, BE-2440 Geel, Belgium
Food Chem 2007 **105** (4) 1671
Investigation on sequential extraction of peanut allergens for subsequent analysis by ELISA and 2D gel electrophoresis
- Chassaigne H, Norgaard JV, Van Hengel AJ// Address as above
J Agric Food Chem 2007 **55** (11) 4461
Proteomics-based approach to detect and identify major allergens in processed peanuts by capillary LC-Q-TOF (MS/MS)
- Favaro G, Pastore P*, Sacconi G, Cavalli S// *Univ Padua, Dept Chem Sci, Via Marzolo 1, IT-35131 Padua, Italy
Food Chem 2007 **105** (4) 1652
Determination of biogenic amines in fresh and processed meat by ion chromatography and integrated pulsed amperometric detection on Au electrode
- Fontanini D, Capocchi A, Saviozzi F, Galleschi L// Univ Pisa, Dept Biol, Via L Ghini 5, IT-56126 Pisa, Italy
J Agric Food Chem 2007 **55** (11) 4334
Simplified electrophoretic assay for human salivary α -amylase inhibitor detection in cereal seed flours
- Fujii S, Ono EYS, Ribeiro RMR, Assuncao FGA, Takabayashi CR, De Oliveira TCRM, Itano EN, Ueno Y, Kawamura O, Hirooka EY// *Univ Estadual Londrina, Dept Tecnol Alimentos & Medicamentos, CP 6001, BR-86051-990 Londrina, PR, Brazil
Braz Arch Biol Technol 2007 **50** (2) 349
A comparison between enzyme immunoassay and HPLC for ochratoxin A detection in green, roasted and instant coffee
- Goryacheva IY, De Saeger S, Nesterenko IS, Eremin SA, Van Peteghem C// Saratov State Univ, Chem Fac, Dept Common & Inorgan Chem, Astrakhanskaya 83, RU-410012 Saratov, Russia
Talanta 2007 **72** (3) 1230
Rapid all-in-one three-step immunoassay for non-instrumental detection of ochratoxin A in high-coloured herbs and spices
- Gosetti F, Mazzucco E, Gianotti V, Polati S, Gennaro MC// *Univ Piemonte Orientale Amedeo Avogadro, Dipt Sci Ambiente & Vita, Via Bellini 25/G, IT-15100 Alessandria, Italy
J Chromatogr A 2007 **1149** (2) 151
High performance liquid chromatography/tandem mass spectrometry determination of biogenic amines in typical Piedmont cheeses
- Jestoi M, Rokka M, Peltonen K// Finnish Food Safety Authority - Evira, Dept Anim Dis & Food Safety Res, Chem & Toxicol Unit, FI-00790 Helsinki, Finland
Mol Nutr Food Res 2007 **51** (5) 625
An integrated sample preparation to determine coccidiostats and emerging *Fusarium*-mycotoxins in various poultry tissues with LC-MS/MS

Karlshoj K, Nielsen PV, Larsen TO// Tech Univ Denmark, Ctr Microbial Biotechnol, BioCtr-DTU, Bldg 221, DK-2800 Lyngby, Denmark
J Agric Food Chem 2007 **55** (11) 4289

Prediction of *Penicillium expansum* spoilage and patulin concentration in apples used for apple juice production by electronic nose analysis

Keow CM, Abu Bakar F, Salleh AB, Heng LY*, Wagiran R, Bean LS// *Univ Kebangsaan Malaysia, Fac Sci & Technol, MY-43600 Bangi, Selangor, Malaysia
Food Chem 2007 **105** (4) 1636

An amperometric biosensor for the rapid assessment of histamine level in tiger prawn (*Penaeus monodon*) spoilage

Tsai YH, Kung HF, Chen HC, Chang SC, Hsu HH, Wei CI// Nat Kaohsiung Marine Univ, Dept Seafood Sci, Kaohsiung 811, Taiwan
Food Chem 2007 **105** (3) 1289

Determination of histamine and histamine-forming bacteria in dried milkfish (*Chanos chanos*) implicated in a food-borne poisoning

Varriale A, Rossi M, Staiano M, Terpetschnig E, Barbieri B, Rossi M, D'Auria S**// *CNR, Inst Prot Biochem, Naples, Italy
Anal Chem 2007 **79** (12) 4687

Fluorescence correlation spectroscopy assay for gliadin in food

Wang SH, Du XY, Huang YM, Lin DS, Hart PL, Wang ZH**// *Fujian Agric & Forestry Univ, MoE Key Lab Biopesticide & Chem Biol, CN-350002 Fuzhou, Peoples Rep China
FEMS Microbiol Lett 2007 **272** (2) 214

Detection of deoxynivalenol based on a single-chain fragment variable of the antideoxynivalenol antibody

Xu H, Zhang Z**// *Shaanxi Normal Univ, Sch Chem & Materials Sci, Dept Chem, CN-710062 Xian, Peoples Rep China
Food Chem 2007 **105** (4) 1623

A novel sensitive staphylococcal enterotoxin C₁ fluoroimmunoassay based on functionalized fluorescent core-shell nanoparticle labels

You J, Li D*, Qiao S, Wang Z, He P, Ou D, Dong B// *China Agric Univ, Nat Key Lab Anim Nutr, 2 West Yuanmingyuan Rd, CN-100094 Beijing, Peoples Rep China
Food Chem 2008 **106** (1) 352

Development of a monoclonal antibody-based competitive ELISA for detection of β -conglycinin, an allergen from soybean

10. Additives

Blaszczyk A, Skolimowski J// Univ Lodz, Dept Cytogenet & Plant Mol Biol, Banacha 12/16, PL-90237 Lodz, Poland
Food Chem 2007 **105** (3) 1159

Apoptosis and cytotoxicity caused by ethoxyquin salts in human lymphocytes *in vitro*

Hao PP, Ni JR*, Sun WL, Huang W// *Peking Univ, Dept Environm Engr, MoE Key Lab Water & Sediment Sci, CN-100871 Beijing, Peoples Rep China
Food Chem 2007 **105** (4) 1732

Determination of tertiary butylhydroquinone in edible vegetable oil by liquid chromatography/ion trap mass spectrometry

Mirzaie A, Jamshidi A, Husain SW**// *Islam Azad Univ, Fac Sci, Dept Chem, Sci & Res Branch, POB 14515-775, Tehran, Iran
J Planar Chromatogr Mod TLC 2007 **20** (2) 141

TLC quantification of methylparaben on an inorganic ion-exchanger in the presence of other food additives

Raymundo MD, Paula MMD, Franco C, Fett R// Univ Santa Catarina, Dept Sci Technol Food, Ctr Agric Sci, Rod Admar Gonzaga 1346, BR-88034-001 Florianopolis, SC, Brazil
LWT-Food Sci Technol 2007 **40** (7) 1133

Quantitative determination of the phenolic antioxidants using voltammetric techniques

Turowski M, Deshmukh B, Harfmann R, Conklin J, Lynch S// Dow Chem Co USA, Anal Sci, 1897 Bldg, Midland, Mi 48667, USA
J Food Compos Anal 2007 **20** (5) 420

A method for determination of soluble dietary fiber in methylcellulose and hydroxypropyl methylcellulose food gums

Xiang Q, Gao Y, Xu YH, Wang EK**// *Chinese Acad Sci, Changchun Inst Appl Chem, State Key Lab Electroanal Chem, CN-130021 Changchun, Peoples Rep China
Anal Sci 2007 **23** (6) 713

Capillary electrophoresis-amperometric determination of antioxidant propyl gallate and butylated hydroxyanisole in foods

Zhou YX, Yang WJ, Zhang LY*, Wang ZY**// *China Agric University, Natl Key Lab Anim Nutr, 2 Yuanmingyuan West Rd, CN-100094 Beijing, Peoples Rep China
J Liq Chromatogr Relat Technol 2007 **30** (11) 1603

Determination of kanamycin A in animal feeds by solid phase extraction and high performance liquid chromatography with pre-column derivatization and fluorescence detection

11. Flavours & aromas

Acebal CC, Lista AG, Fernandez Band BS**// *Univ Nac del Sur, Dept Chem, FIA Lab, Av Alem 1253, AR-8000 Bahia Blanca, Argentina
Food Chem 2008 **106** (2) 811

Simultaneous determination of flavor enhancers in stock cube samples by using spectrophotometric data and multivariate calibration

Andres S, Murray I, Navajas EA, Fisher AV, Lambe NR, Bunger L// Univ Leon, Dept Anim Prod, ES-24071 Leon, Spain
Meat Sci 2007 **76** (3) 509

Prediction of sensory characteristics of lamb meat samples by near infrared reflectance spectroscopy

Avila M, Zougagh M, Escarpa A, Rios A**// *Univ Castilla La Mancha, Dept Anal Chem & Food Technol, ES-13004 Ciudad Real, Spain
Talanta 2007 **72** (4) 1362

Supported liquid membrane-modified piezoelectric flow sensor with molecularly imprinted polymer for the determination of vanillin in food samples

Baiano A, Siciliano P, Taurino AM, Presicce DS, Gambacorta G, Lamacchia C, Pati S, La Notte E// Univ Foggia, Dept Food Sci, Via Napoli 25, IT-71100 Foggia, Italy
Cereal Food World 2007 **52** (3) 138

Electronic nose and GC-MS to investigate the volatile component of an Italian traditional pasta

Blanchette M, Van Bergen B, Sheppard JD**// *Nth Carolina State Univ, Dept Food Sci, Raleigh, NC 27695, USA
J Am Soc Brew Chemist 2007 **65** (2) 70

Development of a LC/MS method for analysis of total vicinal diketones in beer

Botelho G, Caldeira I, Mendes-Faia A, Climaco MC**// *INIAP, Estacao Vitivinicola Nac, PT-2565-191 Dois Portos, Portugal
Flavour Fragr J 2007 **22** (5) 414

Evaluation of two quantitative gas chromatography-olfactometry methods for clonal red wines differentiation

Caccamese S, Bianca S, Santo D// Univ Catania, Dipt Sci Chim, Viale A Doria 6, IT-95125 Catania, Italy
J Agric Food Chem 2007 **55** (10) 3816

Racemization at C-2 of naringin in sour oranges with increasing maturity determined by chiral high-performance liquid chromatography

Caglarirmak N// Celal Bayar Univ, Saruhanh Coll, Food Tecnol Dept, Saruhanh Manisa, Turkey
Food Chem 2007 **105** (3) 1188

The nutrients of exotic mushrooms (*Lentinula edodes* and *Pleurotus* species) and an estimated approach to the volatile compounds

Escudero A, Campo E, Farina L, Cacho J, Ferreira V**// *Univ Zaragoza, Fac Sci, Dept Anal Chem, Lab Aroma Anal & Enol, ES-50009 Zaragoza, Spain
J Agric Food Chem 2007 **55** (11) 4501

Analytical characterization of the aroma of five premium red wines. Insights into the role of odor families and the concept of fruitiness of wines

Fan W, Tsai IM, Qian MC**// *Oregon State Univ, Dept Food Sci & Technol, Corvallis, Or 97331, USA
Food Chem 2007 **105** (3) 1144

Analysis of 2-aminoacetophenone by direct-immersion solid-phase micro-extraction and gas chromatography-mass spectrometry and its sensory impact in Chardonnay and Pinot gris wines

Garcia-Mesa JA, Mateos R// IFAPA-CICE, CIFA Venta Llano, Ctra Bailen-Motril km 18.5, ES-23620 Mengibar, Jaen, Spain
J Agric Food Chem 2007 **55** (10) 3863

Direct automatic determination of bitterness and total phenolic compounds in virgin olive oil using a pH-based flow-injection analysis system

Ghiasvand AR, Setkova L, Pawliszyn J// Lorestan Univ, Khorram-Abad, Iran
Flavour Fragr J 2007 **22** (5) 377

Determination of flavour profile in Iranian fragrant rice samples using cold-fibre SPME-GC-TOF-MS

Hebditch KR, Nicolau L, Brimble MA**// *Univ Auckland, Dept Chem, 23 Symonds St, Auckland 1142, New Zealand
J Label Compound Radiopharm 2007 **50** (4) 237

Synthesis of isotopically labelled thiol volatiles and cysteine conjugates for quantification of Sauvignon Blanc wine

Hirata T, Takagi K, Akiya M// Musashi Inst Technol, Dept Elect & Commun, Tokyo 158 8557, Japan
Jpn J Appl Phys Pt 2 2007 **46** (12-16) L314

Development of a taste sensor based on a carbon nanotube-polymer composite material

Jurado JM, Ballesteros O, Alcazar A, Pablos F*, Martin MJ, Vilchez JL, Navalon A// *Univ Seville, Fac Chem, Dept Anal Chem, C/ Prof Garcia Gonzalez 1, ES-41012 Seville, Spain
Talanta 2007 **72** (2) 506

Characterization of aniseed-flavoured spirit drinks by headspace solid-phase microextraction gas chromatography-mass spectrometry and chemometrics

- Khatib A, Wilson EG, Kim HK, Supardi M, Choi YH, Verpoorte R// *Leiden Univ, Inst Biol, PO Box 9502, NL-2300 RA Leiden, The Netherlands
Phytochem Anal 2007 **18** (5) 371
NMR assignment of *iso*- α -acids from isomerised extracts of *Humulus lupulus* L. cones
- Mancha Agresti PDC, Franca AS*, Oliveira LS, Augusti R// *UFMG, Dept Engn Quim, R Espirito Santo 60 andar, BR-30160-030 Horizonte, MG, Brazil
Food Chem 2008 **106** (2) 787
Discrimination between defective and non-defective Brazilian coffee beans by their volatile profile
- Markovic K, Vahcic N, Ganic KK, Banovic M// Univ Zagreb, Dept Food Qual Control & Nutr, Pierottieva 6, HR-10000 Zagreb, Croatia
Flavour Fragr J 2007 **22** (5) 395
Aroma volatiles of tomatoes and tomato products evaluated by solid-phase microextraction
- Martendal E, Budziak D, Carasek E// *Univ Fed Santa Catarina, Dept Quim, BR-88040-900 Florianopolis, SC, Brazil
J Chromatogr A 2007 **1148** (2) 131
Application of fractional factorial experimental and Box-Behnken designs for optimization of single-drop microextraction of 2,4,6-trichloroanisole and 2,4,6-tribromoanisole from wine samples
- Mirhosseini H, Salmah Y*, Nazimah SAH, Tan CP// *Univ Sci Islam Malaysia, Fac Sci & Technol, MY-71800 Nilai, Negeri Sembilan, Malaysia
Food Chem 2007 **105** (4) 1659
Solid-phase microextraction for headspace analysis of key volatile compounds in orange beverage emulsion
- Monforte-Gonzalez M, Medina-Lara F, Gutierrez-Carbajal G, Vazquez-Flota F// *Ctr Invest Cientifica Yucatan, Unidad Bioquim & Biol Mol Plantas, Calle 43, 130 Col Chuburna de Hidalgo, VE-97200 Merida, Venezuela
J Liq Chromatogr Relat Technol 2007 **30** (11) 1697
Capsaicinoid quantitation by *in situ* densitometry of thin layer chromatography plates
- Oyhan SS, Basri M, Hussein MZ, Abdul Rahman MB*, Rahman RNZA, Salleh AB, Jasmani H// *Univ Putra Malaysia, Fac Sci, Dept Chem, MY-43400 Serdang, Malaysia
Food Chem 2008 **106** (2) 437
Production of highly enantioselective (-)-menthyl butyrate using *Candida rugosa* lipase immobilized on epoxy-activated supports
- Park MK, Choi HK, Kwon DY, Kim YS// Ewha Womans Univ, Dept Food Sci & Technol, Seoul 120 750, South Korea
Food Chem 2007 **105** (3) 1276
Study of volatile organic acids in freeze-dried *Cheonggukjang* formed during fermentation using SPME and stable-isotope dilution assay (SIDA)
- Pioggia G, Di Francesco F, Marchetti A, Ferro M, Ahluwalia A// Univ Pisa, Interdept Res Ctr E Piaggio, IT-56100 Pisa, Italy
Biosens Bioelectron 2007 **22** (11) 2618
A composite sensor array impedentiometric electronic tongue Part I. Characterization
- Pioggia G, Di Francesco F, Marchetti A, Ferro A, Leardi R, Ahluwalia A// Address as above
Biosens Bioelectron 2007 **22** (11) 2624
A composite sensor array impedentiometric electronic tongue Part II. Discrimination of basic tastes
- Pizarro C, Perez-del-Notario N, Gonzalez-Saiz JM// Univ La Rioja, Dept Chem, C/ Madre de Dios 51, ES-26006 Logrono, Spain
J Chromatogr A 2007 **1149** (2) 138
Optimisation of a microwave-assisted extraction method for the simultaneous determination of haloanisoles and halophenols in cork stoppers
- Salvadeo P, Boggia R, Evangelisti F, Zunin P// *Univ Genoa, Dipt Chim & Tecnol Farmaceut Alimenti, Via Brigata Salerno 13, IT-16147 Genoa, Italy
Food Chem 2007 **105** (3) 1228
Analysis of the volatile fraction of "Pesto Genovese" by headspace sorptive extraction (HSSE)
- Vagionas K, Ngassapa O, Runyoro D, Graikou K, Gortzi O, Chinou I// *Univ Athens, Sch Pharm, Div Pharmacogn & Chem Nat Prod, Panepistimiopolis, Zografou, GR-15771 Athens, Greece
Food Chem 2007 **105** (4) 1711
Chemical analysis of edible aromatic plants growing in Tanzania
- Valdez-Flores C, Canizares-Macias MP// *Univ Nac Autonoma Mexico, Fac Quim, Dept Quim Anal, Ciudad Univ, MX-04510 Mexico, DF, Mexico
Food Chem 2007 **105** (3) 1201
On-line dilution and detection of vanillin in vanilla extracts obtained by ultrasound
- Verrelli G, Francioso L, Paolesse R, Siciliano P, Di Natale C, D'Amico A, Logrieco A// Univ Roma Tor Vergata, Dept Chem Sci & Technol, Via Ricerca Scientifica 1, IT-00133 Rome, Italy
Sensor Actuator B Chem 2007 **123** (1) 191
Development of silicon-based potentiometric sensors: Towards a miniaturized electronic tongue
- Vichi S, Guadayol JM, Caixach J, Lopez-Tamames E, Buxaderas S// Univ Barcelona, Fac Farm, Dept Nutr & Bromatol, Ctr Referencia Tecnol Aliments, Avda Joan XXIII s/n, ES-08028 Barcelona, Spain
Food Chem 2007 **105** (3) 1171
Comparative study of different extraction techniques for the analysis of virgin olive oil aroma
- Vichi S, Riu-Aumatell M, Mora-Pons M, Guadayol JM, Buxaderas S, Lopez-Tamames E// Address as above
Food Chem 2007 **105** (4) 1748
HS-SPME coupled to GC/MS for quality control of *Juniperus communis* L. berries used for gin aromatization

12. Organic acids

- Berregi I, Del Campo G, Caracena R, Miranda JI// Univ Basque Country, Fac Chem, Dept Appl Chem, Manuel Lardizabal 3, Donostia San Sebastian, Spain
Talanta 2007 **72** (3) 1049
Quantitative determination of formic acid in apple juices by ¹H NMR spectrometry
- Cen HY, Bao YD, He Y*, Sun DW// *Zhejiang Univ, Coll Biosyst Engn & Food Sci, CN-310029 Hangzhou, Peoples Rep China
J Food Eng 2007 **82** (2) 253
Visible and near infrared spectroscopy for rapid detection of citric and tartaric acids in orange juice
- Frighetto RTS, Welendorf RM, Nigro EN, Frighetto N, Siani AC// *Fundacao Oswaldo Cruz, Inst Tecnol Farm, Dept Prod Nat, Far-Manguinhos, Rua Sizenando Nabuco 100, BR-21041-250 Rio de Janeiro, RJ, Brazil
Food Chem 2008 **106** (2) 767
Isolation of ursolic acid from apple peels by high speed counter-current chromatography
- Safavi A, Banazadeh AR// Shiraz Univ, Coll Sci, Dept Chem, IR-71454 Shiraz, Iran
Food Chem 2007 **105** (3) 1106
Catalytic determination of traces of oxalic acid in vegetables and water samples using a novel optode
- Sano A, Satoh T, Oguma T, Nakatoh A, Satoh JI, Ohgawara T// Kikkoman Co, Res & Dev Div, 399 Noda, Noda, Chiba 278 0037, Japan
Food Chem 2007 **105** (3) 1242
Determination of levulinic acid in soy sauce by liquid chromatography with mass spectrometric detection
- Yoshikawa K, Okamura M, Inokuchi M, Sakuragawa A// Nihon Univ, Coll Sci & Technol, Dept Materials & Appl Chem, 1-8-14 Kanda Surugadai, Chiyoda ku, Tokyo 101 8308, Japan
Talanta 2007 **72** (1) 305
Ion chromatographic determination of organic acids in food samples using a permanent coating graphite carbon column

13. Animal products

- Antequera T, Caro A, Rodriguez PG, Perez T// Univ Extremadura, Fac Vet, Av Universidad s/n, ES-10071 Caceres, Spain
Meat Sci 2007 **76** (3) 561
Monitoring the ripening process of Iberian ham by computer vision on magnetic resonance imaging
- Bottero MT, Dalmaso A, Cappelletti M, Secchi C, Civera T// University Turin, Fac Vet Med, Dept Anim Pathol, Via Leonardo da Vinci 44, IT-10095 Turin, Italy
J Biotechnol 2007 **129** (3) 575
Differentiation of five tuna species by a multiplex primer-extension assay
- De la Roza-Delgado B, Soldado A, Martinez-Fernandez A, Vicente F, Garrido-Varo A, Perez-Marin D, De la Haba MJ, Guerrero-Ginel JE// Regional Inst Res & Agro-Food Dev, Dept Anim Nutr Grasslands & Forages, PO Box 13, ES-33300 Villaviciosa, Spain
Food Chem 2007 **105** (3) 1164
Application of near-infrared microscopy (NIRM) for the detection of meat and bone meals in animal feeds: A tool for food and feed safety
- Fajardo V, Gonzalez I*, Lopez-Calleja I, Martin I, Rojas M, Garcia T, Hernandez PE, Martin R// *Univ Complutense Madrid, Fac Vet, Dept Nutr Bromatol & Tecnol Alimentos, ES-28040 Madrid, Spain
Meat Sci 2007 **76** (4) 644
PCR identification of meats from chamois (*Rupicapra rupicapra*), pyrenean ibex (*Capra pyrenaica*), and mouflon (*Ovis ammon*) targeting specific sequences from the mitochondrial D-loop region
- Grundy HH, Reece P, Sykes MD, Clough JA, Audsley N, Stones R// DEFRA, Central Sci Lab, Sand Hutton, York YO41 1LZ, England
Rapid Commun Mass Spectrom 2007 **21** (18) 2919
Screening method for the addition of bovine blood-based binding agents to food using liquid chromatography triple quadrupole mass spectrometry

- Hu F, Furihata K, Kato Y, Tanokura M// *Univ Tokyo, Grad Sch Agr & Life Sci, Dept Appl Biol Chem, 1-1-1 Yayoi, Bunkyo ku, Tokyo 113 8657, Japan
J Agric Food Chem 2007 **55** (11) 4307
Nondestructive quantification of organic compounds in whole milk without pre-treatment by two-dimensional NMR spectroscopy
- Lin WF, Hwang DF// *Nat Taiwan Ocean Univ, Dept Food Sci, 2 Pei-Ning Rd, Keelung 202, Taiwan
Food Chem 2008 **106** (1) 390
Application of species-specific PCR for the identification of dried bonito product (katsuoobushi)
- Maamouri O, Rouissi H, Dridi S, Kammoun M, De Baerdemaeker J, Karoui R// ENITA Clermont Ferrand, UR Typicite Produits Alimentaires, BP 35, FR-63370 Lempdes, France
Food Chem 2008 **106** (1) 361
Mid infrared attenuated total reflection spectroscopy as a rapid tool to assess the quality of Sicilo-Sarde ewe's milk during the lactation period after replacing soy-bean meal with scotch bean in the feed ration
- Martin I, Garcia T*, Fajardo V, Lopez-Calleja I, Rojas M, Hernandez PE, Gonzalez I, Martin R// *Univ Complutense Madrid, Fac Vet, Dept Nutr Bromatol & Tecnol Alimentos, ES-28040 Madrid, Spain
Meat Sci 2007 **76** (4) 721
Mitochondrial markers for the detection of four duck species and the specific identification of Muscovy duck in meat mixtures using the polymerase chain reaction
- Shintu L, Caldarelli S*, Franke BM// *Univ Aix Marseille, TRACES, JE 2421, Site St Jerome, FR-13013 St Jerome, France
Meat Sci 2007 **76** (4) 700
Pre-selection of potential molecular markers for the geographic origin of dried beef by HR-MAS NMR spectroscopy
- Skierka E, Sadowska M// *Gdansk Univ Technol, Chem Fac, Dept Food Chem Technol & Biotechnol, G Narutowicza 11/12, PL-80952 Gdansk, Poland
Food Chem 2007 **105** (3) 1302
The influence of different acids and pepsin on the extractability of collagen from the skin of Baltic cod (*Gadus morhua*)
- Wu ZY, Bertram HC, Bocker U, Ofstad R, Kohler A// Univ Aarhus, Fac Agric Sci, Dept Food Sci, Res Ctr Foulum, Res Ctr POB 50, DK-8830 Tjele, Denmark
J Agric Food Chem 2007 **55** (10) 3990
Myowater dynamics and protein secondary structural changes as affected by heating rate in three pork qualities: A combined FT-IR microspectroscopic and ¹H NMR relaxometry study
- Xing J, Ngadi M*, Gunenc A, Prasher S, Garipey C// *McGill Univ, Dept Resource Engn, MacDonald Campus, 21 111 Lakeshore Rd, Ste Anne de Bellevue, Quebec, Canada H9X 3V9
J Food Eng 2007 **82** (2) 135
Use of visible spectroscopy for quality classification of intact pork meat
- ## 14. Plant & microbial products
- Aaby K, Ekeberg D, Skrede G// Matforsk AS, Norwegian Food Res Inst, Osloveien 1, NO-1430 As, Norway
J Agric Food Chem 2007 **55** (11) 4395
Characterization of phenolic compounds in strawberry (*Fragaria x ananassa*) fruits by different HPLC detectors and contribution of individual compounds to total antioxidant capacity
- Buiarelli F, Caccioli F*, Jasionowska R, Merolle M, Terracciano A// *Univ Rome La Sapienza, Dept Chem, Ple A Moro 5, IT-00185 Rome, Italy
Rapid Commun Mass Spectrom 2007 **21** (18) 2955
Analysis of some stilbenes in Italian wines by liquid chromatography/tandem mass spectrometry
- Cacciola F, Jandera P*, Hajdu Z, Cesla P, Mondello L// *Univ Pardubice, Dept Anal Chem, nam Cs legii 565, CZ-53210 Pardubice, Czech Republic
J Chromatogr A 2007 **1149** (1) 73
Comprehensive two-dimensional liquid chromatography with parallel gradients for separation of phenolic and flavone antioxidants
- Clifford MN, Kirkpatrick J, Kuhnert N, Roozendaal H, Salgado PR// Univ Surrey, Sch Biomed & Mol Sci, Ctr Nutr & Food Saf, Guildford GU2, England
Food Chem 2008 **106** (1) 379
LC-MSⁿ analysis of the *cis* isomers of chlorogenic acids
- Darvin ME, Gersonde I, Albrecht H, Sterry W, Lademann J// Humboldt Univ, Fac Med Charite, Ctr Expt & Appl Cutaneous Physiol, Berlin, Germany
Laser Phys Lett 2007 **4** (6) 452
Resonance Raman spectroscopy for the detection of carotenoids in foodstuffs. Influence of the nutrition on the antioxidative potential of the skin
- De Brito ES, Pessanha de Araujo MC, Lin LZ*, Harnly J// *USDA/ARS, Food Composition Lab, Beltsville Human Nutr Res Ctr, 103000 Baltimore Ave, Beltsville, Md 20705, USA
Food Chem 2007 **105** (3) 1112
Determination of the flavonoid components of cashew apple (*Anacardium occidentale*) by LC-DAD-ESI/MS
- Doona CJ, Baik MY// *Kyung Hee Univ, Inst Life Sci & Resources, Dept Food Sci & Biochem, Yongin 449 701, South Korea
J Cereal Sci 2007 **45** (3) 257
Molecular mobility in model dough systems studied by time-domain nuclear magnetic resonance spectroscopy
- Emslie KR, Whaites L, Griffiths KR, Murby EJ// Natl Measurement Inst, POB 385, Pymble, NSW 2073, Australia
J Agric Food Chem 2007 **55** (11) 4414
Sampling plan and test protocol for the semiquantitative detection of genetically modified canola (*Brassica napus*) seed in bulk canola seed
- Escarpa A, Gonzalez MC, Blasco AJ, Rogerio MD, Hervas M// Univ Alcalá, Dept Quim Anal & Ingn Quim, ES-28871 Alcalá de Henares, Madrid, Spain
Electroanalysis 2007 **19** (9) 952
Evaluation of accuracy of electrochemical isoflavonoid index for the determination of total isoflavones in soy samples
- Fuzfai Z, Molnar-Perl I// *Lorand Eotvos Univ, Inst Chem, Dept Anal Chem, POB 32, HU-118 Budapest, Hungary
J Chromatogr A 2007 **1149** (1) 88
Gas chromatographic-mass spectrometric fragmentation study of flavonoids as their trimethylsilyl derivatives: Analysis of flavonoids, sugars, carboxylic and amino acids in model systems and in citrus fruits
- Hayouni EA, Abedrabba M, Bouix M, Hamdi M// Inst Nat Sci Appl & Technol, Lab Ecol & Technol Microbienne, BP 676, TN-1080 Tunis, Tunisia
Food Chem 2007 **105** (3) 1126
The effects of solvents and extraction method on the phenolic contents and biological activities *in vitro* of Tunisian *Quercus coccifera* L. and *Juniperus phoenicea* L. fruit extracts
- He J, Rodrigues-Saona LE, Giusti MM// *Ohio State Univ, Dept Food Sci, 2015 Fyffe Rd, Columbus, Oh 43210, USA
J Agric Food Chem 2007 **55** (11) 4443
Midinfrared spectroscopy for juice authentication - Rapid differentiation of commercial juices
- He Z, Xia W// *Stn Yangtze Univ, MoE Key Lab Food Sci & Saf, Huihe Rd 170, CN-214036 Wuxi, Jiangsu, Peoples Rep China
Food Chem 2007 **105** (3) 1307
Analysis of phenolic compounds in Chinese olive (*Canarium album* L.) fruit by RPHPLC-DAD-ESI-MS
- Hernandez-Sanchez N, Hills BP, Barreiro P, Marigheto N// Polytech Univ Madrid, ETSI Agronomos, Phys Properties Lab-Adv Technol Agrifood, Avda Complutense s/n, ES-28040 Madrid, Spain
Postharvest Biol Technol 2007 **44** (3) 260
An NMR study on internal browning in pears
- Hsu CK, Chang CT, Lu HY, Chung YC// *Providence Univ, Dept Food & Nutr, 200 Chungchi Rd, Shalu, Taichung 433, Taiwan
Food Chem 2007 **105** (3) 1099
Inhibitory effects of the water extracts of *Lavendula* sp. on mushroom tyrosinase activity
- Huang SJ, Mau JL// *Nat Chung-Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuokuang Rd, Taichung 40227, Taiwan
Food Chem 2007 **105** (4) 1702
Antioxidant properties of methanolic extracts from *Antrodia camphorata* with various doses of γ -irradiation
- Jun WJ, Seong HS, Chun H, Lim EJ, Kim KI, Cho HY// *Korea Univ, Coll Sci & Technol, Dept Food & Biotechnol, Chungnam 339 800, South Korea
Food Chem 2007 **105** (4) 1557
Determination of antioxidative potentials of *Acanthopanax sessiliflorus* (Rupr. & Maxim.) Seem. in differentiated HL-60 cells
- La Paz JL, Esteve T, Pla M// *Univ Girona, Campus Montilivi, ES-17071 Girona, Spain
J Agric Food Chem 2007 **55** (11) 4312
Comparison of real-time PCR detection chemistries and cycling modes using Mon810 event-specific assays as model
- Lin LZ, Mukhopadhyay S, Robbins RJ, Harnly JM// USDA/ARS, Food Composition Lab, Beltsville Human Nutr Res Ctr, Beltsville Agr Res Ctr, Beltsville, Md 20705, USA
J Food Compos Anal 2007 **20** (5) 361
Identification and quantification of flavonoids of Mexican oregano (*Lippia graveolens*) by LC-DAD-ESI/MS analysis
- Liu L, Cozzolino D*, Cynkar WU, Damberg RG, Janik L, O'Neill BK, Colby CB, Gishen M// *Australian Wine Res Inst, Waite Rd, Urrbrae, PO Box 197, Adelaide, SA 5064, Australia
Food Chem 2008 **106** (2) 781
Preliminary study on the application of visible-near infrared spectroscopy and chemometrics to classify Riesling wines from different countries
- Lo Coco F, Lanuzza F, Micali G, Cappellano G// Univ Udine, Dipt Sci Econ, Area Ambientale & Agroalimentare, Via Tomadini 30/A, IT-33100 Udine, Italy
J Chromatogr Sci 2007 **45** (5) 273
Determination of the theobromine, theophylline, and caffeine in by-products of cupuacu and cacao seeds by high-performance liquid chromatography

- Marinova D, Ribarova F*// *National Centre Public Health Protection, Food Composition Department, 15 Acad Iv Ev Geshov Boulevard, BG-1431 Sofia, Bulgaria
J Food Compos Anal 2007 **20** (5) 370
HPLC determination of carotenoids in Bulgarian berries
- McCallum JL, Yang R, Young JC, Strommer JN, Tsao R*// *Agric & Agri-Food Canada, Food Res Program, 93 Stone Rd West, Guelph, Ontario, Canada N1G 5C9
J Chromatogr A 2007 **1148** (1) 38
Improved high performance liquid chromatographic separation of anthocyanin compounds from grapes using a novel mixed-mode ion-exchange reversed-phase column
- Milardovic S, Kerekovic I, Rumenjak V// Univ Zagreb, Fac Chem Engr & Technol, Dept Gen & Inorgan Chem, Marulicev trg 19, HR-10000 Zagreb, Croatia
Food Chem 2007 **105** (4) 1688
A flow injection biampometric method for determination of total antioxidant capacity of alcoholic beverages using bienzymatically produced ABTS⁺
- Miralbes C// Harinera La Meta SA, Pol Ind El Segre, C/ Industria Parc 204-R, ES-25199 Lleida, Spain
Food Chem 2008 **106** (1) 386
Discrimination of European wheat varieties using near infrared reflectance spectroscopy
- Obeidat SM, Glasser T, Landau SY, Anderson DM, Rayson GD*// *New Mexico State University, Dept Chem & Biochem, Box 30001, Las Cruces, NM 88003, USA
Talanta 2007 **72** (2) 682
Application of multi-way data analysis on excitation-emission spectra for plant identification
- Otieno DO, Rose H, Shah NP*// *Victoria Univ, Sch Mol Sci, Werribee Campus, PO Box 14428, Melbourne, Vic 8001, Australia
Food Chem 2007 **105** (4) 1642
Profiling and quantification of isoflavones in soymilk from soy protein isolate using extracted ion chromatography and positive ion fragmentation techniques
- Pang S, Qureshi F, Shanahan D, Harris N// LGC Ltd, Queens Rd, Teddington TW11 0LY, England
Eur Food Res Technol 2007 **225** (1) 59
Investigation of the use of rolling circle amplification for the detection of GM food
- Pasqualone A, Montemurro C, Summo C, Sabetta W, Caponio F, Blanco A// Univ Bari, Dept Management Agrozootech & Forestry Syst, Sect Agrofood Ind, Via Amendola 165/A, IT-70126 Bari, Italy
J Agric Food Chem 2007 **55** (10) 3857
Effectiveness of microsatellite DNA markers in checking the identity of protected designation of origin extra virgin olive oil
- Peng YK, Lu RF// China Agric Univ, 17 Qinghua East Rd, CN-100083 Beijing, Peoples Rep China
J Food Eng 2007 **82** (2) 142
Prediction of apple fruit firmness and soluble solids content using characteristics of multispectral scattering images
- Perrone D, Farah A*, Donangelo CM, De Paulis T, Martin PR// *Universidade Federal Rio de Janeiro, Instituto Quim, Dept Bioquim, Lab Bioquim Nutr & Alimentos, Ilha do Fundao, CT bloco A, BR-21949-900 Rio de Janeiro, RJ, Brazil
Food Chem 2008 **106** (2) 859
Comprehensive analysis of major and minor chlorogenic acids and lactones in economically relevant Brazilian coffee cultivars
- Pinelli P, Agostini F, Comino C, Lanteri S, Portis E, Romani A// Univ Florence, Dept Pharmaceut Sci, Via Ugo Schiff 6, Polo Scientifico, IT-50019 Sesto Fiorentino, Florence, Italy
Food Chem 2007 **105** (4) 1695
Simultaneous quantification of caffeoyl esters and flavonoids in wild and cultivated cardoon leaves
- Ren D, Zhang S// Dalian Fisheries Univ, Food Engr Dept, CN-116023 Dalian, Peoples Rep China
Food Chem 2008 **106** (1) 410
Separation and identification of the yellow carotenoids in *Potamogeton crispus* L.
- Risso EM, Peres RG, Amaya-Farfan J*// *State Univ Campinas, Sch Food Engr, Food & Nutr Dept & NEPA, R Monteiro Lobato 80, BR-13083-862 Campinas, SP, Brazil
Food Chem 2007 **105** (4) 1578
Determination of phenolic acids in coffee by micellar electrokinetic chromatography
- Rocchia M, Rossi AM, Zeppa G// Ist Nazl Ric Metrol - INRIM, Strada delle Cacce 91, Turin, Italy
Sensor Actuator B Chem 2007 **123** (1) 89
Determination of ethanol content in wine through a porous silicon oxide micro-cavity
- Rodrigues CI, Marta L, Maia R, Miranda M, Ribeirinho M, Maguas C// Univ Lisbon, Faculty Science, School & Applied Technol Inst, PT-1699 Lisbon, Portugal
J Food Compos Anal 2007 **20** (5) 440
Application of solid-phase extraction to brewed coffee caffeine and organic acid determination by UV/HPLC
- Saito ST, Froehlich PE, Gosmann G*, Bergold AM// *Univ Fed Rio Grande do Sul, Fac Farm, Programa Posgrad Ciencias Farmaceut, Av Ipiranga 2752, BR-90610-000 Porto Alegre, RS, Brazil
Chromatographia 2007 **65** (9-10) 607
Full validation of a simple method for determination of catechins and caffeine in Brazilian green tea (*Camellia sinensis* var. *assamica*) using HPLC
- Samarth RM, Panwar M, Kumar M, Soni A, Kumar M, Kumar A// Univ Rajasthan, Dept Zool, Radiat & Canc Biol Lab, IN-302004 Jaipur, India
Food Chem 2008 **106** (2) 868
Evaluation of antioxidant and radical-scavenging activities of certain radio-protective plant extracts
- Souza JNS, Silva EM, Loir A, Rees JF, Rogez H*, Larondelle Y// *Univ Fed Para, Faculdade Engr Alimentos, Av Perimetral s/n, BR-66095-780 Belem, PA, Brazil
Food Chem 2008 **106** (1) 331
Antioxidant capacity of four polyphenol-rich Amazonian plant extracts: A correlation study using chemical and biological *in vitro* assays
- Sun Y, Fang N, Chen DDY, Donkor KK*// *Thompson Rivers Univ, Dept Chem, Kamloops, Brit Columbia, Canada
Food Chem 2008 **106** (1) 415
Determination of potentially anti-carcinogenic flavonoids in wines by micellar electrokinetic chromatography
- Tabart J, Kevers C*, Sipel A, Pincemail J, Defraigne JO, Dommes J// *Univ Liege, Plant Mol Biol & Biotechnol Unit, B22, Sart Tilman, BE-4000 Liege, Belgium
Food Chem 2007 **105** (3) 1268
Optimisation of extraction of phenolics and antioxidants from black currant leaves and buds and of stability during storage
- Tian K, Wang YS, Chen YL, Chen YG*, Hu ZD// *Lanzhou Univ, Dept Chem, CN-730000 Lanzhou, Peoples Rep China
Talanta 2007 **72** (2) 587
Application of 1-alkyl-3-methylimidazolium-based ionic liquids as background electrolyte in capillary zone electrophoresis for the simultaneous determination of five anthraquinones in rhubarb
- Tsukagoshi K, Fukumoto K, Nakajima R, Yamashita K, Maeda H// Doshisha University, Fac Engr, Dept Materials Sci & Chem Engr, Kyotanabe 610 0321, Japan
Talanta 2007 **72** (2) 607
Characterization of chemiluminescence from singlet oxygen under laminar flow conditions in a micro-channel and its quenching with beverages
- Versari A, Boulton RB, Parpinello GP// Univ Bologna, Dipt Sci Alimenti, Pzza Goidanich 60, IT-47023 Cesena, FC, Italy
Food Chem 2008 **106** (1) 397
A comparison of analytical methods for measuring the color components of red wines
- Vikram A, Jayaprakasha GK, Patil BS*// *Texas A&M Univ, Dept Hort Sci, Vegetable & Fruit Improvement Ctr, 1500 Res Pkwy, Ste A120, College Station, Tx 77845, USA
Anal Chim Acta 2007 **590** (2) 180
Simultaneous determination of citrus limonoid aglycones and glucosides by high performance liquid chromatography
- Wang J, Sun B, Cao Y, Tian Y, Li X// Beijing Technol & Business Univ, Coll Chem & Environm Engr, 11 Fucheng Rd, CN-100037 Beijing, Peoples Rep China
Food Chem 2008 **106** (2) 804
Optimisation of ultrasound-assisted extraction of phenolic compounds from wheat bran
- Wang YC, Yang YS// Natl Chung Hsing Univ, Dept Food Sci & Biotechnol, 250 Kuokuang Rd, Taichung 402, Taiwan
J Chromatogr B 2007 **850** (1-2) 392
Simultaneous quantification of flavonoids and triterpenoids in licorice using HPLC
- Wu CY, Lai SM*// *Natl Yunlin Univ Sci & Technol, Dept Chem Engr, 123 Sect 3 University Rd, Yunlin 640, Taiwan
J Liq Chromatogr Relat Technol 2007 **30** (11) 1617
Preparative isolation of isoflavones from defatted soy flakes
- Yawadio Nsimba R, Kikuzaki H, Konishi Y*// *Osaka City Univ, Grad Sch Human Life Sci, Lab Food Chem, Sugimoto 3-3-138, Sumiyoshi-ku, Osaka 558 8585, Japan
Food Chem 2008 **106** (2) 760
Antioxidant activity of various extracts and fractions of *Chenopodium quinoa* and *Amaranthus* spp. seeds