



Index to Volume 21

Subject Index

- A**
- Acceptor specificities, 397(O14)
Actin filaments, depolymerization of, 105
Acute myeloblastic leukemia, 452
Adenosine 3',5'-cyclic monophosphate.
 See cAMP
Adhesion. *See also* Anti-adhesion therapy
and differentiation of HL60 cells, 407(P26)
force, 111
glycan-glycan, 117
GSL-dependent, 128–130
species-specific, 117
vesicle, 166–168
- Advanced Industrial Science and Technology (AIST) in Japan. *See Glycosyltransferase, genes in yeast*
Affinity of sialyltransferase inhibitors, 205–218
- AFM. *See Atomic force microscopy*
- Agglutinin
Dolichos biflorus (DBA), 42
Garanthus nivalis, 31
Hemagglutinin
Lotus tetragonolobus (LTA), 41
Maackia amurensis, 451
peanut, 451
Ricinus communis, 409(P31)
Sambucus nigra, 451
soy bean, 451
Vicia villosa, 451
- Aggrecan
deficient mutants, 335
expression in vivo, 337
in developing brain, 332
- Aggregation
assays, 113
PMN, 81, 82
- AIST in Japan. *See Glycosyltransferase, genes in yeast*
- Albumin
bovine serum, 97, 149, 361
human serum, 251
- Alkaline phosphatase, 487
- ALPase. *See Alkaline phosphatase*
- Alpha modified Eagle's medium without riboside and deoxyribose, 479
- Alpha-MEM, 479
- Alzheimer's disease, 25
- 6-aminogalactose, 461
- Aminopeptidase, 25
- AML. *See acute myeloblastic leukemia*
- Amyloid precursor protein, 25
- Analogues of monoglycosylated glycan chain, 257–264
- Analytical methods, for sialyltransferase inhibitors synthesis, 211
- Anti-adhesion therapy
general approach, 475
influenza viruses, 471–472
ligand choice, 471
multimeric PAA conjugates, 472
principle of, 471
self-assembled molecules, 473
virus promoted association, 475
- Antibodies, 100
anti-Le^X, 41
HNK-1, 54
monoclonal, , 115, 451, 394(O6)
monoclonal antibodies specificity against *Schistosoma mansoni* antigen, 402(P10)
- Antibodies and nano-biosensors
antibody-bound gold nanowire arrays, 487
attachment to electrode surface, 491
binding to gold patterns, 490
immobilization, 491
removal from GNW, 491
- Antibody-antigen recognition, 120
- Antibody-bound gold nanowire arrays, 487
- Anticancer drug rViscumin, 409(P32)
- Anti-corrosive polysaccharides, structural analysis of, 416(P51)
- Antigens
carcinoembryonic, 33
carbohydrate (Lewis X), 41
ECMA-2, 42
fucosylated, 394(O6)
GPI-anchored SAG, 400(P3)
Lewis, 395(O8)
Lewis X, 41, 149
Schistosoma mansoni, 402(P10)
stage-specific embryonic antigen (SSEA), 149
 SSEA-1, 41, 42
 SSEA-3, 41, 42
 SSEA-4, 41, 42
 viral, 394(O5)
- Anti-Le^X antibody, 41
- Anti-sense S oligonucleotide. *See ASMMMP-2*
- Apoptosis, 315–325
in *Saccharomyces cerevisiae*, 407(P25)
in GSD, 295, 299
induced by glutamate excitotoxicity, 305–312
KCl induced, 305
U937 cell, 32
- APP mutant, 26
- Arabidopsis, glycoproteome profiling in, 398(O18)
- Arteries, 361
- Articular chondrocyte transplants, 412(p38)
- Artificial glycoprotein, 69, 70, 73
- Artificial seawater, 111
- Arylsulfatase A (ASA), 403(P13)
- ASGPr. *See* Asialoglycoprotein receptor
- Asialo biantennary complex-type oligosaccharide, 377
- Asialoglycoprotein receptor, ligands of
binding studies with biotinylated cluster glycosides, 227
- materials and methods, 235
 flow cytometry analysis, 227, 240
 liquid-phase synthesis, 238
 solid-phase synthesis, 236, 238
synthesis of, 227
 biotin-labelled GalNAc ligands, 228
 solid-phase synthesis, 228, 230
 solution phase chemistry, 230
- ASMMMP-2, 435
- Asn(GlcNAc), 377
- Asparagine (Asn), 3
- Asparagine linked
 α-(2,3)-sialyloligosaccharides, 243
 oligosaccharide, 243
 protein glycosylation, 479
- Aspergillus fumigatus*, UDP-Galactopyranose Mutase in, 414(P45)
- ASTF. *See* Asialo biantennary complex-type oligosaccharide
- Asymmetric cell division, 317–319
- Asymmetric synthesis of sialyltransferase inhibitors, 208–210, 221–225
- Atomic force microscopy, 111, 113, 125, 149, 152
- Autoaggregation, 125
 human teratocarcinoma, 129
 mouse teratocarcinoma, 126, 127
- B**
- B3GALT7 gene
cloning, 267–268
expression in prokaryote, 271
northern blot analysis, 268
plasmid expression, 268
related to β1,3-galactosyltransferase and β1,3-N-acetylglucosaminyltransferase family, 267
- RT-PCR, 268
tissue distribution, 271
- BACE1 (β-secretase), 25. *See also* ST6Gal I (α2,6-sialyltransferase)
- Bacteria, 471
- baculovirus infected insect cells, 413(P41)
- Basigin, 43

- BD. *See* Blue dextran
 Benzyl mannose, 396(O12)
 Biglycan, 361
 Binding
 affinity of sialyltransferase inhibitors, 205–218
 protein, 125
 specificities of *helicobacter pylori* adhesins by glycoconjugate arrays, 397(O15)
 Biocatalytic properties of recombinant Sucrose Synthase 1, 413(P44)
 Bioinformatics pipeline for genome-wide analysis of glycoproteins, 415(P50)
 Biological activity, N-glycosylated eel calcitonin derivatives, 377
Biomphalaria glabrata with Schistosoma mansoni, 395(O7)
 Bioplex, 227
Biosensor. See Nano-biosensor
 Biosynthesis
 endogenous N-glycolylneuraminate, 416(P53)
 N-glycans, 394(O4)
 O-glycans, 394(O4)
 Biotin-labelled galnac ligands, synthesis of, 228
 Biotinylated cluster glycosides, 227
 Bivalent cation, 125, 132
 Blood
 coagulation factor IX carrying xylosyl-glucose, 197–202
 vessels, human umbilical cord, 361
 Blotting, Western. *See* Western blotting
 Blue dextran, 361
 Bone marrow cells, 451. *See also* CD34
 progenitors, from peripheral blood and bone marrow
 Botulinum neurotoxin (BoNT)
 binding, 289, 291
 GSL, 287, 289
 function, 291
 interaction, 290
 Bovine serum
 Albumin (BSA), 97, 149, 361
 fetal (FBS), 305–312
 Brain, 53
 Brain development
 aggrecan
 deficient mutants, 335
 expression in vivo, 337
 in developing brain, 332
 proteoglycans in, 329–331
 of mouse, postnatal, 404(P16)
 BSA (bovine serum albumin), 97, 149, 361
- C
C. elegans. See *Caenorhabditis elegans*
 C4S. *See* Chondroitin 4-sulfate
 C5-epimerase, 47
 C6S. *See* Chondroitin 6-sulfate
 Ca²⁺
 homeostasis, 305–312
 ions effect on GM3-Gg3 interaction, 146
 carbohydrate-carbohydrate interaction strength by increasing, 118
 CAA antigen, 402(P10)
Caenorhabditis elegans, 35, 63
 posttranslational modifications in, 406(P21)
- Calcitonin, 377
 Calcitonin derivatives, artificially N-glycosylated, 377–385
 biodistribution, 380
 chemo-enzymatic synthesis and structure-activity study of, 377
 circular dichroism (CD) measurement, 380
 hypocalcemic activity, 380
 neuraminidase treatment, 379
 receptor binding assay, 380
 transglycosylation of disialo biantennary complex-type oligosaccharide, 378
 with complex type oligosaccharide
 asialo biantennary, 377
 disialo biantennary, 377, 378
 Calcitonin receptor, 380
 Calcium, 89, 295
 calcium-and magnesium-free tris-buffered seawater (CSW), 111
 influx, 407(p26)
 Calcium ions
 glycolipids complex, 170
 Le^X-Le^X recognition with, 170
 CALEB, 53
 Calnexin (CNX), 69, 257–264
 Calorimetry, isothermal titration, 257, 263, 264
 Calreticulin (CRT), 69, 257, 263
 CAM, 125. *See also* Cell adhesion
 cAMP, 479
 dependent protein kinase, 479
 dependent protein phosphorylation, 479
 CaMV. *See* Cauliflower mosaic virus
 Cancer cells. *See also* Carcinoma cells
 breast cancer, 408(P28)
 glycosphingolipid metabolism in, 315–325
 Cancer therapy, 322
 Candida albicans, 3
 Capillary-scale high-performance anion-exchange chromatography with pulsed amperometric detection, 401(P8)
 Capillary nanoelectrospray (nanoESI), 398(O17)
 CAPS, 361
 Carbohydrate, 63, 179–194
 CRD, 79, 503
 dependent cell adhesion, 133
 markers, 41
 mediated self-recognition of marine sponge cells, 402(P11)
 unmasked, 197–202
 Carbohydrate antigens
 expression on early embryonic cells, 42
 expression on stem cells, 41
 function of, 43
 Carbohydrate-binding site, 471
 Carbohydrate-carbohydrate interaction, 125.
 See also Protein-to-protein interaction
 AFM measurements of, 118
 based cell adhesion, features of
 bivalent cation requirement, 132
 clustering proper orientation, 131
 negative interaction, 132
 reaction velocity, 132
 specificity, 131
 synergistic effects of CCI with PPI, 132
 between lactose and GM₃, 89
- binding affinity and specificity of comparable to CPI or PPI, 130
 glycanotechnology-mediated, 149
 anti-adhesive therapy, 158–160
 Gold GNP, 155
 Le^XGPNPs, 156
 Le^X-Le^X interaction, 156
 neoglycoconjugates, 151
 studying and evaluating, 152
 initiating cell-cell recognition, 111
 strength by increasing Ca²⁺, 118
 through glycosynapse as basis of cell recognition, 125
 Carbohydrate-carbohydrate recognition, 111, 165
 Carbohydrate of keyhole limpet hemocyanin (KLH), 405(P20)
 Carbohydrate-protein interactions, 407(P24)
 Carbohydrate recognition domain (CRD), 79, 503
 Carbohydrate recognition of IL-2, 33
 Carcinoembryonic antigen (CEA), 33
 Carcinoma cells. *See also* Cancer cells
 embryonal, 41
 mammary, 416(P53)
 Cardiomyopathy, 412(P39)
 Caspr. *See* Contactin-associated protein
 Cauliflower mosaic virus 275
 CBS. *See* Carbohydrate-binding site
 CBS. *See* Cerebroside sulfate
 CCI. *See* Carbohydrate-carbohydrate interaction
 CD. *See* Circular dichroism
 CD164 (MGC-24v) marker, 41, 43
 CD34 marker, 41, 43
 CD34 progenitors, from peripheral blood and bone marrow
 CD34+ HPC, separation of, 452
 cell lines, 452
 cell surface sialylation, 451
 ecto-sialyltransferase activity, 451
 flow cytometric detection of
 cell surface sialylation, 452
 lectin staining, 453
 immunoprecipitation and Western blotting of, 453
 CD43 cells, 451
 CD45 cells, 451
 CD75s-bearing glycoproteins, 409(P32)
 CD75s-gangliosides and CD75s-bearing glycoproteins, 409(P32)
 CD75s-gangliosides, 409(P32)
 CDG. *See* Congenital defects of glycosylation
 cDNA
 expression, 43
 encoding human, 412(P40)
 NGC, 55
 pipe, 50
 Sd, 50
 transfection experiments, 41
 CEA (carcinoembryonic antigen), 33
 CE-ESI-TOF-MS, 399(O19)
 CelC14, 89
 Cell adhesion, 89, 165
 CCI based, 125
 binding affinity and specificity of comparable to CPI or PPI, 130

- characteristic features and requirements of, 131
 glycoconjugates organization involved in *trans*- and *cis*-CCl, 133
 mediated by *cis*-CCI, 130–131
 mediated by *trans*-CCI, 126–130
 cell-cell adhesion, 112, 117
 molecule (CAM), 125
 specific proteoglycan-mediated, 120
 with concurrent signal, 125, 133
 Cell-cell aggregation, 115, 117
 Cell-cell recognition, CCI for, 111
 materials and method, 112
 AFM, 113
 aggregation assays, 113
 analytical methods, 113
 binding of cells and glycans to glycan-coated plates, 113
 long term EDTA-treatment of sponge proteoglycans, 113
 results
 carbohydrate-carbohydrate interaction, 118
 species-specific adhesion, 117
 species-specific aggregation, 115, 117
 species-specific carbohydrate composition of proteoglycan molecules, 118
 Cell-cycle arrest, 315–325
 Cell division, asymmetric, 317–319
 Cell migration, 429
 Cell migration and ECM invasion
 curcumin role in, 435
 MMP-2 role in, 435
 OPN enhancing, 434
 Cell migration assay, 431
 Cell recognition. *See also* Cell-cell recognition, CCI for
 CCI through glycosynapse as basis of, 125
 cell-glycan recognition, 115
 specific proteoglycan-mediated, 120
 Cell specific glycoproteome profiling in *Arabidopsis*, 398(O18)
 Cell surface glycans, 503
 Cell surface growth factor receptors and ECM receptors, 12. *See also* Integrins
 Cell surface proteoglycan, 111
 Cell surface sialylation, 451, 452
 Cell wall, 75
 Central nervous system, 97
 Ceramide, 315–325, 461
 galactosyl, 89
 galactosylceramide, 97
 galactosyltransferase, 97
 lactosyl
 Cerebellar granule neurons from GM2/GD2 synthase-null mice, susceptibility to apoptosis induced by glutamate excitotoxicity and elevated KCl
 animal and cell culture, 306
 cell survival determination, 307
 rescue by GM1 and LIGA20, 305–312
 Cerebellar granule neurons, 305–312
 Cerebroside sulfate, 89
 Cerebroside sulfotransferase, 59
 in baculovirus infected insect cells, 413(P41)
 Cesium bromide, 361
 Cetyltrimethylammonium bromide, 275
 CGL. *See* Cortical granule lectin
 CGN. *See* Cerebellar granule neurons
 CGT, 393(O2)
 Chaperones, 396(O10)
 Chemo-enzymatic synthesis and structure-activity study of artificially N-glycosylated eel calcitonin. *See* Calcitonin derivatives, artificially N-glycosylated
 Chemoenzymatic synthesis of asparagine-linked α -(2,3)-sialyloligosaccharides, 243–250
 Chicken acidic leucine-rich EGF-like domain containing brain protein (CALEB), 53
 Chinese hamster ovary cell, 479
 Chinese Hamster Ovary cell deficient in UDP-Xylose Synthase (USX), 417(P56)
 chip electrospray mass spectrometry in structural glycobiology, 398(O17)
 ChipESI, 404(P15)
 CHO. *See* Chinese hamster ovary cell
 Cholera B subunit. *See* Ctx B
 Cholesterol, 97
 Chondrocyte transplants, 412(P38)
 Chondroitin 4-sulfate, 361
 Chondroitin 6-sulfate, 361
 Chondroitin sulfate (CS), 53. *See also* Dermatan sulfate
 characterization of human umbilical cord blood vessels, 361, 363
 glycosylation, 54
 proteoglycan (CSPG), 53, 329, 361
 CHPAEC-PAD, 401(P8)
 Chromatography
 flash (FC), 211
 frontal affinity, 35
 HPAEC, 401(P8)
 HPLC, 275, 461
 liquid column (LC), 31
 thin layer, 461
 weak affinity, 149
 Circular dichroism, 197, 199, 202, 377, 380
cis interaction, 125
cis-CCI based cell adhesion, 130–131. *See also* *Trans*-CCI based cell adhesion
 Class I viral antigens, 394(O5)
 Class II viral antigens, 394(O5)
Cliona proteoglycan, 120
 Cloning and tissue distribution of human B3GALT7 gene. *See* B3GALT7 gene
 Clostridium botulinum, 287
 Cluster glycoside, 227
 CMP-5-F-Neu. *See* Cytidine-5'-monophospho-5'-fluorescein-thioureido-N-acetyl-neuraminic acid
 CMP-NeuAc, 343
 generation, 351
 synthesis pathways, 349
 CNS. *See* Central nervous system
 CNS proteoglycans. *See* Brain development, proteoglycans in
 CNX (calnexin), 69
 Complex type, 243
 Complex-type oligosaccharide
 asialo biantennary, 377
 disialo biantennary, 377, 378
 Complexation, 165
 Compositional analysis, PG
 GAG chain disaccharide, 364
 hexosamine, 363
 Concurrent signal transduction, cell adhesion with, 133
 Congenital defects in mucin type O-glycosylation, 405(p19)
 Congenital defects of glycosylation, 394(O4), 405(P19)
 Congenital muscular dystrophy, 3–6. *See also* O-mannosyl glycans
 Fukuyama-type congenital dystrophy (FCMD), 5, 6
 muscle-eye-brain disease (MEB), 5–6
 Walker-Warburg syndrome (WWS), 5–6
 Conjugates synthesis
 DSS, 251, 255
 HSA, 251, 255
 Contactin-associated protein, 97
 Cortical granule lectin, 443
 CPI. *See* Carbohydrate-protein interaction
 CRD. *See* Carbohydrate recognition domain
 CRD. *See* C-type lectin domain
 CRT. *See* Calreticulin
 Crystal structure of FimH lectin domain, 398(O16)
 CS. *See* Chondroitin sulfate
 CsBr, 361
 CSPG. *See under* Chondroitin sulfate
 CST. *See* Cerebroside sulfotransferase
 CSW. *See under* Calcium
 CT. *See* Calcitonin
 CTAB. *See* Cetyltrimethylammonium bromide
 CTLL-2 cell proliferation, 33
 CTn-XXX, 377
 CT-R. *See* Calcitonin receptor
 Ctx B conjugated with
 fluorescein isothiocyanate, 305–312
 horseradish peroxidase, 305–312
 Ctx B-FITC, 305–312
 Ctx B-HRP, 305–312
 CT-XXX, 377
 C-type lectin, 395(O8), 406(P23), 416(P52)
 C-type lectin domain (CRD), 449
 Curcumin
 inducing apoptotic morphology in OPN treated cells, 438
 role in cell migration and ECM invasion, 435
 Curcumin blocking OPN-induced MT1-MMP expression, 433
 NF- κ B activation, 436
 Cutis laxa patients, 394(O4)
 Cyclic voltammetry (CV), 487
 3-(cyclohexylamino)propanesulfonic acid, 361
 Cysteine, 395(O9)
 Cytidine-5'-monophospho-N-acetylneuraminic acid, 343
 Cytidine-5'-monophospho-5'-fluorescein-thioureido-N-acetyl-neuraminic acid, 451
 Cytokine, carbohydrate recognition by, 31
 Cytoskeleton organization, 9. *See also* Integrins
 Cytotoxicity, MBP-dependent cell-mediated, 79

- D**
- d β 4GalTI glycan, 65–68
D. rerio. *See* *Danio rerio*, galectins in
Danio rerio, galectins in, 503–518
 binding properties, 504–505
 biochemical properties, 504
 biological role in development and innate immunity, 503, 507–512
 evolutionary aspects, 505–506
 protein structure and gene organization, 505
 subcellular localization and secretion, 506
Days in vitro, 305–312
DC-SIGN, 405(P18), 406(P23), 410(P33)
DEAE. *See* *Diethylaminoethyl*
Decasaccharide, monosialyl, 248, 249
Decorin and biglycan, 361
Deglycosylation, ERAD, 396(O12)
Dendritic cell expressed C-type lectin MGL specifically interacts with terminal GalNAc residues, 416(P52)
Depolymerization of actin filaments, 105
 compositional analysis, 363
Dermatan sulfate, 330. *See also* chondroitin sulfate
 characterization of human umbilical cord blood vessels, 361
 proteoglycan (DSPG), 361
Detergent-insoluble glycosphingolipid-enriched microdomains, 97
Deutero-reduction, 410(P34)
dGal, 377
D-galactose, 377
dHS6ST. *See* *Drosophila HS6ST*
Diabetic nephropathy and genetic variations in xylosyltransferase genes XT-I and XT-II in type 1 diabetic patients, 414(P46)
Dichroism, circular, 377, 380
Diethylaminoethyl, 361
Diferuloylmethane. *See* *Curcumin*
DIGs. *See* *Detergent-insoluble glycosphingolipid-enriched microdomains*
Dilated cardiomyopathy, 412(P39)
Dimethyl sulfoxide, 479
3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyltetrazolium bromide. *See* *MTT*
Disialo biantennary complex-type oligosaccharide, 377, 378
 α -(2,3)-disialyl oligosaccharide, 248
Disulfide bond pairings, 202
Dithiobissuccinimidylundecanoate. *See* *DSU*
DIV. *See* *Days in vitro*
 β -D-galactosidase digestion of monosialyl decasaccharide, 248, 249
D-mannose, 377
 α -D-mannosidase digestion of monosialyl octasaccharide, 249
DMEM (Dulbecco's modified Eagle medium), 479
DMF, 461
DNA-binding, glycosylation role in, 409(P30)
Dodecasaccharide, synthetic, 74
Dolichyl monophosphate. *See* *Dol-P*
Dolicos biflorus agglutinin (DBA), 42
Dol-P, 479
Dol-P-Man, 479, 480
Dol-P-Man synthase, 480
 activity in wild type and PKA deficient mutants, 483
 functionally altered, 479
Double-stranded RNA (dsRNA), 64
dPAPS transporter, 65–68
DPMS, 479
DPPC (dipalmitoylphosphatidylcholine), 90
Drgal1-L1, 503
Drgal1-L2, 503
Drgal1-L3, 503
Drgal3, 503
Drgal9-L1, 503
Drosophila
 orthologs of a human glycosyltransferase, 64
 RNA interference knockdown system in, 63
 TBLASTN search of, 64, 65
Drosophila HS2ST. *See also* *Zebrafish HS6ST pipe gene*, 50
Sd gene, 50
Drosophila melanogaster homologue of human histo-blood group P^k gene, 411(P36)
DS. *See* *Dermatan sulfate*
DSPG. *See under* *Dermatan sulfate*
dsRNA (double-stranded RNA), 64
DSS-conjugation, 251, 255
DSU, 487
 synthesis for nano-biosensor, 490
DSU-SAM, 491, 493
Dulbecco's modified Eagle medium, 305–312
Dystroglycan, 3
 α -dystroglycan, glycosylation of, 5
 Dystrophy, muscular congenital, 3–6. *See also* O-mannosyl glycans
Fukuyama-type congenital dystrophy (FCMD), 5, 6
 muscle-eye-brain disease (MEB), 5–6
 Walker-Warburg syndrome (WWS), 5–6
- E**
- E. chrysanthemi* proteome, 401(P7)
E. Coli, 267, 398(O16), 413(P44), 487
Early embryonic cells, carbohydrate antigens expression on, 42
EC (embryonal carcinoma) cells, 41. *See also* Carbohydrate antigens
EC 2.4.99.1, 451
EC 3.2.1.18, 451
ECD of glycoconjugate ions, 411(P35)
ECM. *See* *Extracellular matrix*
ECM invasion assay, 432
ECMA-2 antigen, 42
Ecto-sialyltransferase ST6Gal I, 451
Edg-1/SIP1, N-glycosylation in, 497–500
EDTA, 149, 361
 treatment of sponge proteoglycans, 113
Eel calcitonin derivatives. *See* *Calcitonin derivatives*, artificially N-glycosylated
EGF. *See* *Epidermal growth factor*
EGF-like domain. *See* *Epidermal growth factor-like domain*
EGFR. *See* *Epidermal growth factor receptor*
EIS (electrochemical impedance spectroscopy), 487, 491, 494, 495
Electrochemical impedance spectroscopy, 487,
- 491, 494, 495
Electrode surface fabrication, for nano-biosensor, 489
Electrophoretic mobility shift assay, 432
Electrospray ionization (ESI), 31
Electrospray-ionization ion-trap mass spectrometry (CHPAEC-ITMS), 401(P8)
Embigin, 43
Embryoglycan, 41. *See also* *Carbohydrate antigens*
Embryonal carcinoma (EC) cells, 41. *See also* Carbohydrate antigens
Embryonic stem cells, 41, 315–325
EMSA. *See* *Electrophoretic mobility shift assay*
Endogenous N-glycolylneuraminate biosynthesis in human mammary carcinoma cells, 416(P53)
Endo-M, 377
Endoplasmic reticulum, 257–264, 479
Endothelial cells, 443
 TNF α -induced changes in glycosylation of, 404(P17)
 umbilical vein, 405(P18)
Endothelial differentiation gene, , 497–500
Enzymatic defect, 295, 296
Epidermal growth factor (EGF), 125
Epidermal growth factor receptor, 125
Epidermal growth factor-like domain
 CD spectrum, 199
 experimental, 200–202
 solid-phase synthesis, 197–202
 synthesis and conformational characterization, 197–202
ER-associated degradation. *See* *ERAD*
ER high-mannose-type oligosaccharides
 facile synthesis and partial structure of, 70
 synthesis of, 69
ERAD, 69
 deglycosylation in, 396(O12)
Erwinia chrysanthemi proteome, 401(P7)
ES. *See* *Embryonic stem cells*
ESI, 398(O17)
ESI-MS, 400(P4)
ESI QTOF tandem MS and deutero-reduction, 410(P34)
Ethanolamine, 31
Ethylenediaminetetraacetic acid. *See* *EDTA*
EtN. *See* *Ethanolamine*
Excitotoxicity, glutamate, 305–312
Exoplasmic leaflet of neuronal plasma membranes, gangliosides and proteins interactions, 461
Expression and purification, human UDP-Xylose/UDP-GlcNAc transporter, 399(P2)
Expression, NGC
 changes elicited by drug addiction and nerve injury, 55
 tissue specific, 55
Extracellular matrix, 9, 429, 503. *See also* *MMP-2*
Extracellular matrices of human umbilical cord blood vessels, 361
- F**
- Fabry disease**, 299
FAC. *See* *Frontal affinity chromatography*

- FAC/FD, 37
FACS. *See* Flow cytometry analysis
FBS. *See* Fetal bovine serum
FC. *See* Flash chromatography
FD. *See* Fluorescence detection
FDA. *See* Fluorescein diacetate
Fertilization, 503
Fetal bovine serum, 305–312
FGF. *See* Fibroblast growth factor
FGF-10, 49
FGFR-2b isoform, 49
FGFR-2c isoform, 49
Fibroblast growth factor, 31
Fibronectin, 125
Fibrotic degeneration of heart in dilated cardiomyopathy, 412(P39)
FimH lectin domain, 398(O16)
Fine structure, heparan sulfate, 49
Flash chromatography, 211
Flow cytometry analysis, 227, 240
 cell surface sialylation, 452
 lectin staining, 453
Fluorescein diacetate, 305–312
Fluorescence detection, 37 (FD). *See also* Structural glycomics (SG)
Fluorescent NeuAc-labeled surface glycoproteins, 453
2-fluorinated oligosaccharide, 257–264
Fluorine substituted oligosaccharide, synthesis of, 257–264
FN. *See* Fibronectin
Fourier transform infrared spectroscopy, 149
Fractionation, nuclear and cytoplasmic, 431
Frontal affinity chromatography, 35. *See also* Glycan profiling
FT-ICR MS, 400(P4), 404(P15)
FT-IR. *See* Fourier transform infrared spectroscopy
Fucose, 343, 149
Fucosylated antigens, 394(O6)
Fucosylation in insect cells, 348
Fucosyltransferases (FucT), 76, 78
FucT C3 activity in insect cells, 354
Fukuyama-type congenital dystrophy (FCMD), 5, 6
Functional glycomics, 35. *See also* Structural glycomics (SG)
FUT4 cDNA expression, 43
FUT6, 76
FUT-I expression controls binding of DC-SIGN to ICAM-2, 405(P18)
- G**
G protein-coupled receptor, 497–500
GAG. *See* Glycosaminoglycan
GAG chains, 363
 disaccharide compositional analysis, 364
 in proteoglycans, 329
GAL4-UAS system, 64
Galactolipids
 in myelin, importance of, 98
 role in oligodendrocytes and myelin, 98
Galactosamine. *See* GalN
Galactose, 149, 343
conjugated to bovine serum albumin (Gal-BSA), 97
D-galactose, 377
α-galactosyl antigen, 42
Galactosylation, 347
Galactosylceramide. *See* GalC
Galactosylceramide 3'-sulfotransferase, 97
Galactosyltransferase (GalT), 76, 343
 ceramide, 97
Gal-BSA. *See under* Galactose
GalC, 89, 97, 393(O2)
GalC and SGC
 act as ligands, 99
 trans interactions between, 101
GalC/SGC
 in OLs, 100
 transmembrane signal transmission from, 101
 containing liposomes, 102
GalCer, 89. *See also* LacCer
Galectin-1 like lectin 1, 503
Galectin-1 like lectin 2, 503
Galectin-1 like lectin 3, 503
Galectin-3 like lectin from *D. rerio*, 503
Galectin-9 like lectin from *D. rerio*, 503
Galectins in teleost fish, 503–518
 binding properties, 504–505
 biochemical properties, 504
 biological role in development and innate immunity, 503, 507–512
 evolutionary aspects, 505–506
 protein structure and gene organization, 505
 subcellular localization and secretion, 506
GalN, 361, 461
GalNAc (*N*-acetylgalactosamine), 3, 21. *See also* GlcNAc (*N*-acetylglucosamine)
 ligands, 227
 residues, 416(P52)
GalT. *See* Galactosyltransferase
Gangliosides, 287, 288, 315–325, 461
CD75s-gangliosides, 409(P32)
GM1, 305–312
 and proteins interactions, in exoplasmic leaflet of neuronal plasma membranes, 461
Garanthas nivalis agglutinin, 31
Gaucher disease, 296
Gb4, 125
Gb5, 125
GD2-synthase knockout mice, 322–323
GdnHCl, 361
GDP-Fuc, 343
GDP-Man, 343
GEMS. *See under* Glycosphingolipids
Gene expression, human glycosyltransferase, 75
Gene silencing, 275
Genetic and metabolic engineering of insect cell glycosylation pathways, 349
Germ cells, primordial, 41, 42. *See also* Stem cells
GF. *See* Growth factors
GFAP. *See* Glial fibrillary acidic protein
Gg1b family, 287
Gg3, 125, 149
GLAST. *See* Glutamate transporter
GlcN. *See* Glucosamine
GlcNAc (*N*-acetylglucosamine), 3, 21, 31, 149. *See also* GalNAc (*N*-acetylgalactosamine)
GlcNAc2, 377
GlcNAc-1-P
 (*N*-acetylglucosamine-1-phosphate), 343
GlcNAc-6-P
 (*N*-acetylglucosamine-6-phosphate), 343
O-linked, 399(P1)
 residues in tobacco N-glycans, 412(P40) to Man α (1,3)-branch, 349
(GlcNAc-Man)2-Man-GlcNAc2, 377
Glial fibrillary acidic protein, 337
Gln(GlcNAc), 377
Globoid cell leukodystrophy, 299
GluC. *See* Glucosylceramide
Glucans, osmoregulated periplasmic, 401(P7)
Glucosamine, 149, 361, 413(P42)
Glucose, 149, 361
α-glucosidase
 expression in transgenic rabbits, 408(P27)
 α-glucosidase I, 347
 α-glucosidase II, 347
Glucosyl phosphatidyl inositol, 461
Glucosylceramide, 97
Glutamate excitotoxicity, 305–312
Glutamate transporter, 337
Glutamine synthase, 337
Glycan
 cell surface, 111, 503
 chain, monoglycosylated analogues of, 257–264
 embryoglycan, 41
 functional analysis using RNAi, 64
 glycosaminoglycan, 47, 53, 65
 GPI-anchor, 32
 high-mannose type, 31
 mediated recognition, species-specificity of, 121
 neuroglycan C, 53, 54
 N-glycan, 35, 54, 394(O4)
 O-glycan, 54, 394(O4)
 on ICAM-3 recognized by C-type lectin DC-SIGN, 406(P23)
 profiling, 35, 37
 proteoglycan, 361
 chondroitin sulfate, 53
 d β 4GalT1, 65–68
 proteoglycan, 111
 synthesis, 417(P56)
Glycan-glycan
 adhesion, 117
 recognition, 115
Glycobiology, 393(O1)
 chip electrospray mass spectrometry in, 398(O17)
Glyco-catch method, 35
Glycoconjugate
 and drug research, 427–428
 arrays, 397(O15)
 ions, ECD of, 411(P35)
 LacdiNAc-containing, 415(P49)
 models constructed from glycolipid monolayers and artificial glycoconjugate polymers, 139
 neoglycoconjugate, 151, 251
 organization involved in *trans-* and *cis*-CCI, 133

- polymers, 139
 specific antibody-bound gold NanoWire arrays (GNWA), 487
- Glycoforms, 70
- Glycogene
 β 3-glycosyltransferase (β 3GT) motif, 19
 β 4-glycosyltransferase (β 4GT) motif, 18
- Glycogene (GG) Project, 17–22
- polypeptide *N*-acetylgalactosaminyl-transferase, 20
- Glycolipid
 complex calcium ions, 170
 from *Schistosoma mansoni*, 410(P33)
 micelles, 89
 modifying α ,4-*N*-acetylgalactosaminyl-transferase, 411(P36)
 monolayers, 139
- Glycomics
 functional, 35
 structural (SG), 35
- Glyconanoparticles, 149
 gold, 155, 402(P11)
 Le^X GNPs, 156
- Glycanotechnology
 adhesion evaluation, 152
 as tools in anti-adhesive therapy, 158–160
 gold glyconanoparticles, 155
 Le^X - Le^X interaction, 156
 mediated CCI, 149
 neoglycoconjugates, 151
 studying and evaluating, 152
- Glycopeptide
 anti-adhesion therapy and, 471
 fragment ion analysis, 417(P54)
 libraries by *Ricinus communis* agglutinin, 409(P31)
 MUC1, 396(O11)
 screening, 400(P4)
 solid-phase synthesis of, 197–202
- Glycoprotein, 343. *See also* Glycoproteomics
 artificial, 69, 70, 73
 CD75s-bearing glycoproteins, 409(P32)
 characterization by mass spectrometry, 399(O19)
 fluorescent NeuAc-labeled surface, 453
 genome-wide analysis of, 415(P50)
 GPI anchored, 31
 haemolymph, 395(O7)
 integrins, 9–15
 LAMP (lysosomal major glycoprotein), 44
 Le^X -carrying
 basigin, 43
 embigin, 43
 α 6integrin, 43
 myelin-associated, 97
 myelin/oligodendrocyte, 97
 N-glycan from, 279
 N-linked, 479
 O -mannosyl-modified, 3–6
 profiling in *Arabidopsis*, 398(O18)
 sialylation of, 353
 transmembrane, 53
- Glycoprotein quality control, 257–264
N-mannose-type oligosaccharide
 facile synthesis and partial structure of, 70
- synthesis of, 69
 synthetic oligosaccharides and proteins, analysis of interaction between, 74
- Glycoproteomics
 functional glycomics, 35
 structural glycomics (SG)
 databases, 38
 fluorescence detection, 37
 frontal affinity chromatography, 35
 glycan profiling, 35, 37
 hect-by-hect project, 37–38
 of schistosomes, 394(O6)
- Glycosaminoglycan, 47, 53, 65, 329, 361.
See also Sulfotransferases
- Glycoscreening and sequencing, 404(P15)
- Glycosidase, 243, 344, 408(P29)
- Glycoside, cluster, 227
- Glycosphingolipid, 125, 149
 dependent adhesion, 128–130
 enriched microdomains, 97
 enriched signaling domains of, 100
 metabolism and cell-fate decisions in cancer and stem cells, 315–325
- Glycosphingolipid for botulinum neurotoxin, 287–291
 binding of, 289, 291
 function of, 291
 interaction with, 290
 progenitor toxin, binding by, 290
- Glycosphingolipid storage disease. *See also* Lysosomal storage disease
 apoptosis and inflammation, 299
 biochemical pathways involved in neuronal cell dysfunction and death, 300–302
 clinical description of, 295
 Fabry disease, 299
 Gaucher disease, 296
 globoid cell leukodystrophy, 299
 GM1 gangliosidosis, 296
 GM2gangliosidosis, 296
 Krabbe disease (Globoid cell leukodystrophy), 299
 metachromatic leukodystrophy, 299
 Niemann-Pick disease A and B, 299
 sphingolipid storage diseases, clinical features of, 298–299
 enzymatic defect, 296
- Glycosphingolipidoses, 295
- Glycosylation, 165, 251, 343, 347
 asparagines-linked protein, 479
 congenital defects of glycosylation, 394(O4)
 CS (chondroitin sulfate), 54
 in PKA deficient mutants, 479, 481
 in viral antigens, 394(O5)
- NGC
 N -glycosylation, 54
 O -glycosylation, 54
- N-glycosylation
 integrins, 9–13
 NGC, 54
 plant N-glycosylation, 275
- O -GlcNAc, 409(P30)
- O-glycosylation, 396(O11), 401(P6)
 of α -dystroglycan, 5
 pathways, insect cell, 349
- plant N-glycosylation, 275
 role in DNA-binding, 409(P30)
 $\text{TNF}\alpha$ -induced changes in, 404(P17)
- Glycosylphosphatidylinositol. *See* GPI
- Glycosyltransferase, 63, 275, 345. *See also* Glycogene
 β 1, 3-galactosyltransferase, 267
 β 3GT (β 3-glycosyltransferase), 19
 β 4GT (β 4-glycosyltransferase), 18
 based N-glycosylation, 9
 based O-mannosylation, 3
Drosophila orthologs of a human, 64
 expression in microbial hosts, 413(P43)
 functional analysis
 in vitro, 21
 in vivo, 21
- GnT-III, 9
- GnT-IX, 21
- GnT-V, 9
- immobilization of, 76
- secretion, 25–28
- using bioinformatics, 17–18
- Glycosyltransferase genes in yeast, 75
 immobilization, 76
 production of, 76
- Glycosynapse, 125
 carbohydrate-to-carbohydrate interaction through, 125
 GSL signaling between membranes via, 99
 in myelin, 97
 role in OLs/myelin, 105
- Glycotherapeutics, 471. *See also* Anti-adhesion therapy
- GM1
 derivative, tritium-labeled, 461
 ganglioside, 305–312
 gangliosidosis, 296
- GM2 gangliosidosis, 296
- GM2/GD2 synthase-null mice, 305–312
- GM2-synthase knockout mice, 322–323
- GM3, 125, 149
 lactose and, 89
- GM3-Gg3 interaction
 Ca^{2+} ions effect, 146
 driving forces of, 145–146
 SPR study of, 139, 142
 using clustered glycoconjugate models, 139
 π -A isotherm, 142–143
- GM3-synthase knockout mice, 322–323
- GN2. *See* GlcNAc2
- GNA. *See* *Garanthas nivalis* agglutinin
- GNP. *See* Glyconanoparticles
- GnT, 76
 IGNt, 21, 44
- GnT I, 275, 276, 343, 347
- GnT II, 275, 277, 343, 347
- GnT-III, 9, 412(P40)
- GnT-IX (β 1,6-*N*-acetylglucosaminyltransferase), 21
- GnT-V, 9
- GNW. *See* Gold nanowire
- GNWA. *See* Gold nanowire array
- Gold glyconanoparticles, 155
 carbohydrate mediated self-recognition of marine sponge cells, 402(P11)

- Gold nanowire, 487. *See also* Nano-biosensor
 Golgi apparatus, 25
 Gonadotropin, ^{15}N -labeled human chorionic, 400(P5)
 gp28 from *Mucuna pruriens* Seeds, 403(P12)
 GPCR. *See* G protein-coupled receptor
 GPI (glycosylphosphatidylinositol), 76, 97
 anchored glycoprotein, 31
 recognition of TNF- α , 32
 anchored surface antigens, 400(P3)
 of *Plasmodium falciparum*, 413(P42)
 Granulomas, 415(P49)
 Growth factor, 47
 epidermal (EGF), 53, 125
 HBGF (heparin-binding growth factor), 49
 GS. *See* Glutamine synthase
 GSD. *See* Glycosphingolipid storage disease
 GSL signaling between membranes via glycosynapse, 99
 GSL. *See* Glycosphingolipid
 Guanidine hydrochloride, 361
 Guanosine-5'-diphosphofucose, 343
 Guanosine-5'-diphosphomannose, 343
- H**
- H. pylori*, 251
 binding specificities of, 397(O15)
HA. *See* Hemagglutinin
 Haemolymph glycoproteins, 395(O7)
Halichondria proteoglycan, 120
hAP. *See* Human alkaline phosphatase
HAS. *See* Human serum albumin
HBGF. *See under* Heparin-binding growth factor
 hDS2ST, 50
 Heart transplantation effect on xylosyltransferase I activity, 414(P47)
 Hect-by-hect project, 37–38. *See also* Structural glycomics (SG)
Helicobacter pylori. *See* *H. pylori*
Hemagglutinin, 287, 471
Hematopoietic precursor cells, 451
Hematopoietic stem cells, 41, 43
Heparan sulfate, 330, 361
 fine structure of, 49
HS2ST (heparan sulfate 2-*O*-sulfotransferase), 47, 50
HS6ST (heparan sulfate 6-*O*-sulfotransferase), 47
 dHS6ST, 50
 zHS6ST, 49
 signaling, 47
Heparin
 sulfate, 330
 binding growth factor (HBGF), 49
Heparin-like oligosaccharides on polymer supports, synthesis of, 179–194
Hepatic granuloma formation in schistosomiasis, in vivo model for, 415(P49)
HEPES, 149
Hexasaccharide synthesis, Lewis b, 251–255
Hexosamine HexN, 361
 compositional analysis, 363
HFA, 393(O2)
HIC1, 409(P30)
- High-affinity inhibitors of type 1 fimbrial adherence of *E. coli*, 398(O16)
 High-mannose type glycan, 31
 High-mannose-type oligosaccharide synthesis of, 69
 synthetic analogues of, 72
 High-performance anion-exchange chromatography, 401(P8)
 High performance liquid chromatography, 275, 343, 461
Histo-blood group P^k gene, 411(P36)
HL60 cells, adhesion and differentiation of, 407(P26)
HNK-1
 antibody, 54
 CSPG, 332–333
Homeostasis, Ca^{2+} , 305–312
Homology, XL-35
 human homologs of, 445–446
 mouse homologs of, 446, 448
 other organisms, 449
Horseradish peroxidase, 361
HPAEC. *See* High-performance anion-exchange chromatography
HPC. *See* Hematopoietic precursor cells
HPLC. *See* High performance liquid chromatography
HRP. *See* Horseradish peroxidase
HS. *See* Heparan sulfate
HS2ST (heparan sulfate 2-*O*-sulfotransferase)
Drosophila HS2ST, 50
 fine structure of, 49
mHS2ST, 50
 substrate preferences and expression patterns of, 47–48
HS6ST (heparan sulfate 6-*O*-sulfotransferase)
dHS6ST (Drosophila HS6ST), 50
 fine structure of, 49
 substrate preferences and expression patterns of, 47–48
zHS6ST (Zebrafish HS6ST), 49
HSP70, 396(O10)
hST8SiaVI, identification and enzymatic characterisation of, 415(P48)
Human alkaline phosphatase (hAP), 31
Human articular chondrocyte transplants, 412(P38)
Human CD34 progenitors. *See* CD34 progenitors, from peripheral blood and bone marrow
*Human dermatan/chondroitin sulfate hexuronic acid-2-*O*-sulfotransferase (hDS2ST)*, 50
Human endothelial cells, TNF α -induced changes in glycosylation of, 404(P17)
Human glycosyltransferase genes in yeast, 75
Human homologs of XL-35, 445–446
Human serum albumin, 251
Human serum albumin conjugation, 255
Human umbilical cord blood vessels.
See umbilical cord blood vessels, proteoglycan characterization of
Human umbilical vein endothelial cells, 405(P18)
Hyalectins, 329
Hyaluronic acid, 361
4-(2-hydroxyethyl)piperazine-1-ethanesulfonic acid. *See* HEPES
- α -hydroxyphosphonates, synthesis of, 221
Hypomyelination in transgenic mice overexpressing polysialyltransferase STSSialV in oligodendrocytes, 403(P14)
- I**
- ICAM-2*, 405(P18)
ICAM-3, 406(P23)
ICP. *See* Inductively coupled plasma-atomic emission spectrometry
IGnT (β -1, 6-*N*-acetylglucosaminyltransferases), 21, 44
IKK, 430
 activity, 437
 assay, 432
IL. *See* Interleukin
IL-2. *See under* Interleukin
Immobilization, glycosyltransferase genes in yeast, 75
Immunity, 503, 512–513
Immunoblot analysis, 277
Immunofluorescence assay, 431
Immunohistochemistry, 364
Immunoprecipitation, 453
In vitro cell migration and ECM invasion.
See under MMP-2
In vivo
 model for hepatic granuloma formation in schistosomiasis, 415(P49)
O-glycosylation, regulation of, 401(P6)
 tumor growth of MDA-MB-231 breast cancer cells, 408(P28)
Inductively coupled plasma-atomic emission spectrometry, 149
Inflammation, 393(O1)
 in GSD, 295, 299
Influenza. *See also* Anti-adhesion therapy
 influenza A, 471
 influenza B, 471
Inhibitors, sialyltransferase, 205–218, 221–225
Insect cell, 343, 346
 fucosylation in, 348
FucT C3 activity in, 354
Insect cell glycosylation pathways, genetic and metabolic engineering of addition of Gal to Man α (1,3)-branch, 350
CMP-NeuAc generation, 351
 elongation of Man α (1,6)-branch with GlcNAc and Gal, 351
 expression of sialyltransferase and sialylation of glycoproteins, 353
FucT C3 activity in insect cells, 354
GlcNAc to Man α (1,3)-branch, 349
Insect cell processing, 346
CMP-NeuAc synthesis pathways, 349
 fucosylation, 348
 galactosylation, 347
 sialylation, 348
 sugar nucleotides, 349
 α -glucosidase I, 347
 α -glucosidase II, 347
 α -mannosidase I, 347
 α -N-acetylglucosaminidase, 348
Integrins, 9–15
 α 6integrin, 43

- integrin $\alpha 3\beta 1$
integrin $\alpha 5\beta 1$
N-glycosylation effect on cross-talk between growth factor receptors and integrins-mediated signals, 12
N-glycosylation of, 11
structures of N-linked oligosaccharides, 10
sugar modeling modulated function of, 11
Interleukin
 IL-2, 31
 IL-2R (IL-2 receptor), 31
Intracellular Ca²⁺, 305–312
Ionic strength, 89
Ionization ion-trap mass spectrometry, 401(p8)
Isotherm, π -a, 139, 142, 143
Isothermal titration calorimetry, 149, 257, 263, 264
ITC. *See* Isothermal titration calorimetry
ITMS. *See* Ionization ion-trap mass spectrometry
IκB kinase. *See* IKK
- K
K⁺ channels, 59, 60
KCl induced apoptosis, 305
KDN, 343
KDNGM3, 149
Keratan sulfate, 330
2-keto-3-deoxy-D-glycero-D-galactononic acid.
 See KDN
Ketones
 TLCK, 361
 TPCK, 361
Keyhole limpet hemocyanin, 405(P20)
Kidney. *See also* Nano-biosensor
 infection, 487
 L-selectin ligand in, 60
Kinase
 cAMP-dependent, 479
 IκB. *See* IKK
 KK β , 406(P22)
KLH. *See* Keyhole limpet hemocyanin
Knockout, 305–312
Knockout mice, polysialylation in, 393(O3)
KO. *See* Knockout
Krabbe disease (Globoid cell leukodystrophy), 299
KS. *See* Keratan sulfate
- L
LacC14, 89
LacCer, 89. *See also* GalCer
LacdiNAc-containing glycoconjugates, 415(P49)
LacNAc, 415(P49)
Lactosamine, 451
Lactose, 149
Lactose and GM₃, CCI between, 89
Lactosyl ceramide, 89
LAMP (lysosomal major glycoprotein), 44
Langmuir monolayers, 89
LC-ESI-IT-MS, 399(O19)
Le^a, 125
Lead compounds from O-, S- and N-linked glycopeptide libraries by *Ricinus communis* agglutinin, 409(P31)
Lectin, 35
- C-type lectin, 395(O8), 406(P23)
lectin-chaperone calreticulin and calnexin, ligand of, 257–264
mannan-binding (MBL), 79
Psathyrella velutina, 31
staining, flow cytometric analysis of, 453
XL-35. *See* XL-35
X-lectins, 443
Lepidopteran insect cells, sugar nucleotides in, 349
Leukemia, acute myeloblastic, 452
Leukocyte, 393(O1)
 polymorphonuclear, 79
Leukodystrophy
 globoid cell, 299
 metachromatic, 299, 403(P13)
Lewis antigens, 395(O8)
Lewis b hexasaccharide synthesis, 251–255
Lewis X (Le^x), 125
 antigen, 41
 carrying glycoprotein
 basigin, 43
 embigin, 43
 $\alpha 6$ integrin, 43
 determinant, 111
Le^XGNPs TEM, Self-aggregation studies of, 156
Le^X-Le^X
 interaction by means of biosensors with SPR detection, 156
 recognition with calcium ions, Lewis X
 determinant interactions, 170
Lewis^x determinant interactions
 materials and method
 glycosphingolipids, 166
 vesicle adhesion energy measurements, 166–168
 quantified by lipid vesicle micromanipulation, 165
 results
 Le^x-Le^x recognition with calcium ions, 170
 non-specific NaCl, 169
Le^x, 125. *See* Lewis X (Le^x)
Le^y, 125, 130
Ligand
 bound MBP, 79
 of lectin-chaperone calreticulin and calnexin, 257–264
Ligands of asialoglycoprotein receptor for targeted gene delivery
 binding studies with biotinylated cluster glycosides, 227
 materials and methods, 235
 flow cytometry analysis, 227, 240
 liquid-phase synthesis, 238
 solid-phase synthesis, 236, 238
 synthesis of, 227
 biotin-labelled GalNAc ligands, 228
 solid-phase synthesis, 228, 230
 solution phase chemistry, 230
- Lipid
 domains, 461
 galactolipids, 98
 glycolipid micelles, 89
 glycolipid, 139
- glycosphingolipid (GSL), 97, 125, 295, 315–325
for botulinum neurotoxin, 287–291
phospholipids, 295
rafts, 97
seminolipid, 59
sphingolipids, 295, 315–325, 465
sulfoglycolipids, 59
vesicle micromanipulation, 165
Lipid-linked oligosaccharide
 asparagines-linked protein glycosylation, 479
Chinese hamster ovary cells expression, 479
Dol-P-Man synthase, functionally altered, 479
protein glycosylation in PKA deficient mutants, 479–483
Lipopolysaccharide, 487
Liposomes, GalC/SGC-containing, 102
Liquid column chromatography (LC), 31
Liquid-phase synthesis, 238. *See also* solid-phase synthesis
LLO. *See* Lipid-linked oligosaccharide
Lotus tetragonolobus agglutinin (LTA), 41
LPS. *See* Lipopolysaccharide
LSD. *See* Lysosomal storage disease
L-selectin ligand in kidney, 60
Lysosomal major glycoprotein (LAMP), 44
Lysosomal storage disease, 295. *See also* glycosphingolipid storage disease
- M
M1GN2, 377
MAA. *See* Maackia amurensis agglutinin
Maackia amurensis agglutinin, 451
MAb. *See* Monoclonal antibody
MAG. *See* Myelin-associated glycoprotein
MALDI-TOF, 251, 275
MALDI-TOF MS, 377
MALDI-TOF/TOF-MS, 417(P54)
MaltC14, 89
Maltose, 149
Mammary carcinoma cells,
N-glycolylneuraminate biosynthesis in, 416(P53)
Man. *See* Mannose
Man-GlcNAc2, 377
Man3-GlcNAc2, 377
ManNAc, 343
ManNAc-6-P N-acetylmannosamine-6-phosphate, 343
Mannan-binding lectin (MBL), 79
Mannan-binding protein (MBP)
 ligand-bound, 79
 PMN aggregation by, 82
 PMN stimulation by, 81
 quantification of, 81
 superoxide production from human polymorphonuclear leukocytes by, 79
 α -mannosidase I, 347
 α -mannosidase II, 347
Mannoproteins, 417(P55)
Mannosamine, 413(P42)
Mannose, 31, 343. *See also* High-mannose-type oligosaccharide
 benzyl, 396(O12)
 D-mannose, 377
 α -mannosidase I, 347

- α -mannosidase II, 347
 Mannosidase-like proteins (MLP), 69
Mannosylphosphodolichol synthase. *See* DPMS
Mannosylphosphodolichol, 479
MAPK. *See* Mitogen-activated protein kinase
MAPK/ERK kinase (MEK), 100
 Marine sponge cells, 402(P11)
 Markers, carbohydrate, 41
 Mass spectrometry (MS), 31, 364, 410(P34), 417(P54)
 for glycopeptide screening, 400(P4)
 in structural glycobiology, 398(O17)
 glycoproteins characterization by, 399(O19)
ITMS, 401(P8)
 mannoproteins, 417(P55)
Matrix metalloproteinases. *See* MMP
Matrix-assisted laser desorption ionization-time of flight. *See* MALDI-TOF
Matrix-assisted laser desorption ionization time-of-flight mass spectrometry. *See* MALDI-TOF MS
MBL. *See* Mannan-binding lectin
MBP. *See* Myelin basic protein
MBP. *See* Mannan-binding protein
MCT (monocarboxylic acid transporters), 43
MDA-MB-231 breast cancer cells, in vivo tumor growth of, 408(P28)
ME (β -Mercaptoethanol), 487
MEB. *See* Muscle-eye-brain disease
MEK1, 13
Melanoma, 89
Membranes, 89
Membrane-bound sialomucin, 41
Membrane microdomain, 497–500
Membrane organization, CCI through glycosynapse as basis of, 125
 β -Mercaptoethanol, 487
MES, 275
Metabolic engineering, 343
Metabolism, glycosphingolipid, 315–325
Metachromatic leukodystrophy, 299, 403(P13)
Methotrexate (MTX), 71
Methyltrophic yeast, 76
MGDG. *See* Monogalactosyldiglyceride
mHS2ST, 50
Mice
 CST-null, 59
 expression, transgenic, 393(O2)
 GD2-synthase knockout, 322–323
 GM2/GD2 synthase-null mice, 305–312
 GM2-synthase knockout, 322–323
 GM3-synthase knockout, 322–323
 transgenic rescue of UDP-galactose:ceramide galactosyltransferase deficient, 418(P57)
Micelles, glycolipid, 89
Microciona proteoglycan, 115, 120
Mitogen-activated protein kinase, 97
MLD. *See* Metachromatic leukodystrophy
MLP. *See* Mannosidase-like proteins
MMP, 429
MMP-2
 ASMMMP-2, 435
 cell migration assay, 431
 ECM invasion assay, 432
 electrophoretic mobility shift assay, 432
IKK assay, 432
immunofluorescence assay, 431
in vitro cell migration and ECM invasion
 curcumin role in, 435
 MMP-2 role in, 435
 OPN enhancing, 434
I κ B α phosphorylation and IKK activity, 437
mechanism and regulation of NF- κ B-mediated activation, 429
MMP-2 specific sense (SMMP-2), 435
MT1-MMP expression
 by activating NF- κ B, 433
 curcumin blocking OPN-induced, 433
 OPN induced, 433
NF- κ B luciferase reporter gene assay, 432
nuclear and cytoplasmic fractionation and western blot, 431
propidium iodide (PI) staining of cells, 432
role in cell motility and ECM-invasion, 429
SMMP-2, 435
Western blot analysis, 431
zymography for MMP-2 activity detection, 430
MMP-2 specific sense (SMMP-2), 435
MOG. *See* Myelin/oligodendrocyte glycoprotein
Molecular analysis of transgenic plant, 278
Molecular characterization, tissue-engineered human articular chondrocyte transplants, 412(p38)
Monocarboxylic acid transporters, 43
Monoclonal antibodies, 115, 451, 394(O6)
 4C9, 43
 specificity against *Schistosoma mansoni* antigen, 402(P10)
 α -(2,3)-monosialyl oligosaccharide, 248
 Monogalactosyldiglyceride, 97
Monoglycosylated glycan chain, analogues of, 257–264
Monolayers
 glycolipid, 139
 Langmuir, 89
 self-assembled, 487, 491, 493
Monosialyl decasaccharide, β -D-Galactosidase digestion of, 248, 249
Monosialyl nonasaccharide, N-acetyl- β -D-glucosaminidase digestion of, 249
Monosialyl octasaccharide, α -D-mannosidase digestion of, 249
 α -(2,3)-monosialyl oligosaccharide, 248
Morphogen, 47
Mouse. *See also* Mice
 ES and related cells in, 41
 homologs of XL-35, 446, 448
 model, neuronal phenotype of metachromatic leukodystrophy and, 403(P13)
mRNA, 55, 406(P22)
MS. *See* Mass spectrometry
MT1-MMP expression
 by activating NF- κ B, 433
 curcumin blocking OPN-induced, 433
MTT, 305–312
MTX (methotrexate), 71
MUC1 glycopeptide, 396(O11)
Mucin, sialomucin, 41
Mucin type O-glycosylation, 405(P19)
Mucuna pruriens Seeds, 403(P12)
Multimeric glycotherapeutics, 471
Multimeric paa conjugates, 472
Muscle-eye-brain disease, 5–6
Muscular dystrophy, congenital, 3–6. *See also*
 O-mannosyl glycans
 Fukuyama-type congenital dystrophy (FCMD), 5, 6
 muscle-eye-brain disease (MEB), 5–6
 Walker-Warburg syndrome (WWS), 5–6
Mutant enzymes, 395(O9)
Myelin, 59, 393(O2)
 associated glycoprotein, 97
 galactolipids importance in, 98
 glycosynapse in, 97
 MBP (myelin basic protein), 97, 337
 Myelin/oligodendrocyte glycoprotein, 97
Myelin basic protein, 97, 337
N
 15 N-labeled human chorionic gonadotropin, 400(P5)
N. benthamiana. *See* N-glycan profiles in *Nicotiana benthamiana*
N, N-dimethylformamide, 461
Na⁺ channels, 59, 60
Na⁺/Ca²⁺ exchanger, 305–312
N-acetyl- β -D-glucosaminidase digestion of monosialyl nonasaccharide, 249
N-acetyl-calcitonin calcitonin receptor (CT-R), 377
N-acetyl-D-glucosamine, 377
N-acetyl-D-glucosaminyl-L-glutamine, 377
N-acetyl-D-neurameric acid, 377
N-acetylgalactosamine. *See* GalNAc
 (N-acetylgalactosamine)
 α 4-7-N-acetylgalactosaminyl-transferase, glycolipid-modifying, 411(P36)
N-acetylglycosamine. *See* GlcNAc
 (N-acetylglycosamine)
 α -N-acetylglucosaminidase, 348
N-acetylglucosaminyltransferase. *See* GnT
 β 1,3-N-acetylglucosaminyltransferase, 267
 β 1,6-N-acetylglucosaminyltransferase, 21, 44
N-acetylglucosaminyltransferase I. *See* GnT I
N-acetylglucosaminyltransferase II. *See* GnT II
N-acetylglucosaminyltransferase III. *See* GnT-III
N-acetylglucosaminyltransferase V. *See* GnT-V
N-acetylmannosamine, 343
N-acetylneurameric acid, 343
N-acetylneurameric acid-9-phosphate, 343
N-acyl side chain of sialic acid, biochemical engineering of, 407(P26)
N-acyl-sphingosine, 461
Nano-biosensor
 antibodies
 attachment to electrode surface, 491
 binding to gold patterns, 490
 immobilization, 491
 removal from GNW, 491
 antibody-bound gold nanowire arrays, use of, 487
 DSU synthesis, 490
 DSU-SAM binding, 493
 EIS detection, 491, 494, 495
 electrode surface fabrication, 489

- for bacterial detection during human kidney infection, 487
- Nano LC-ion trap mass spectrometry, 417(P54)
- NanoESI, 398(O17)
- Nanomelia, 329
- Nanowire array, 487. *See also* nano-biosensor
- Nanowire, gold, 487. *See also* nano-biosensor
- NBT (nitroblue tetrazolium), 81
- NCAM. *See* Neural cell adhesion molecule
- NCX. *See* $\text{Na}^+/\text{Ca}^{2+}$ exchanger
- NDVN. *See* Newcastle disease virus
- neuraminidase
- NE. *See* Nuclear envelop
- Neisseria meningitidis* α -2,3-sialyltransferase, 248
- NEM. *See* N-ethylmaleimide
- Neoglycoconjugate, 151, 251
- related to CAA antigen, 402(P10)
- N-ethylmaleimide, 361
- NeuAc, 343, 377
- NeuAc-9-P, 343
- Neural cell adhesion molecule, 97, 393(O3)
- polysialylation during postnatal brain development of mouse, 404(P16)
- Neural stem cells, 41, 42
- Neuraminic acid, 343
- Neuraminidase treatment, 379
- Neuritogenesis, 53
- NGC involvement in, 55
- Neurofascin-155 kDa, 97
- Neuroglycan C, 53
- cDNA, 55
- expression
- changes elicited by drug addiction and nerve injury, 55
 - tissue specific, 55
- gene and splice variants
- NGC-I, 54, 56
 - NGC-II, 54
 - NGC-III, 54, 56
- glycosylation
- N*-glycosylation, 54
 - O*-glycosylation, 54
- molecules interaction, 55
- mRNA, 55
- neuritogenesis involvement, 55
- phosphorylation, 54
- Neuronal cells, 461
- Neuronal plasma membranes, 461
- Neurons, cerebellar granule, 305-312
- Neurotoxin
- binding to gangliosides, 288-291
 - botulinum, 287, 289
- Newcastle disease virus neuraminidase, 451
- Nf-155. *See* Neurofascin-155 kDa
- NFA, 393(O2)
- NF- κ B, 429
- luciferase reporter gene assay, 432
- NGC. *See* Neuroglycan C
- N*-glycan, 3, 35, 54, 394(O4), 397(O13). *See also* *O*-glycan
- from glycoprotein, 279
- mediated glycoprotein quality control, 257-264
- of recombinant human acid α -glucosidase expressed in milk of transgenic rabbits, 408(P27)
- present on gp28 from *Mucuna pruriens* Seeds, 403(P12)
- tobacco, 412(P40)
- N-glycan processing in mammalian cell lines
- genetic and metabolic engineering of insect cell glycosylation pathways
- addition of Gal to Man α (1,3)-branch, 350
 - CMP-NeuAc generation, 351
 - elongation of Man α (1,6)-branch with GlcNAc and Gal, 351
 - expression of sialyltransferase and sialylation of glycoproteins, 353
 - FucT C3 activity in insect cells, 354
 - GlcNAc to Man α (1,3)-branch, 349
- insect cell processing, 346
- CMP-NeuAc synthesis pathways, 349
 - fucosylation, 348
 - galactosylation, 347
 - sialylation, 348
 - sugar nucleotides, 349
 - α -glucosidase I, 347
 - α -glucosidase II, 347
 - α -mannosidase I, 347
 - α -N-acetylglucosaminidase, 348
- native and engineered lepidopteran insect cell lines, 343
- processing and maturation
- synthesis of complex-type N-glycans in the later steps by glycosyltransferases, 345
 - trimming of N-glycans in the early steps by processing glycosidases, 344
- N-glycan profiles in *Nicotiana benthamiana*
- immunoblot analysis, 277
 - molecular analysis of, 278
 - transgenic plant generation, 276, 278
 - β 1,2-N-acetylglucosaminyltransferase I activity, 275, 276, 278
 - β 1,2-N-acetylglucosaminyltransferase II activity, 275, 277
- N-glycolylneuraminate biosynthesis in human mammary carcinoma cells, 416(P53)
- N-glycosylation, 9, 54. *See also* *O*-mannosylation
- defects in, 407(P25)
- eel calcitonin derivatives. *See* calcitonin derivatives, artificially N-glycosylated effect on cross-talk between growth factor receptors and integrins-mediated signals, 12
- in Edg-1/S1P1, 497-500
- of integrins, 9-13
- plant, 275
- Nicotiana benthamiana*, N-glycan profiles in. *See* N-glycan profiles in *Nicotiana benthamiana*
- Niemann-Pick disease A and B, 299
- Nitroblue tetrazolium (NBT), 81
- N-linked glycoprotein, 479
- libraries by *Ricinus communis* agglutinin, 409(P31)
- 2-(N-morpholino)ethanesulfonic acid, 275
- NMR. *See* Nuclear magnetic resonance
- Nonasaccharide, monosialyl, 249
- Northern blot analysis, *B3GALT7* gene, 267, 268
- N-propionylglucosamine, 397(O14)
- NST. *See* Nucleotide sugar transporters
- N-tetradecyl-O-cellulosylglycolamide, 89
- N-tetradecyl-O-lactosylglycolamide, 89
- N-tetradecyl-O-maltosylglycolamide, 89
- N-tosyl-L-lysine chloromethyl ketone, 361
- N-tosyl-L-phenylalanine chloromethyl ketone, 361
- NTX. *See* Neurotoxin
- Nuclear and cytoplasmic fractionation and western blot, 431
- Nuclear calcium, 305-312
- Nuclear envelop, 305-312
- Nuclear magnetic resonance, 149, 377
- Nucleotide sugar transporters, 399(P2)
- O
- O-acetylated GalNAc, 228
- Octasaccharide, monosialyl, 249
- Ogatae minuta, 76
- O-GlcNAc, 399(P1)
- glycosylation of tumor suppressor, 409(P30)
- O*-glycans, 3, 54, 394(O4). *See also* *N*-glycans
- analysis, for congenital defects in mucin type
- O*-glycosylation, 405(P19)
- O*-glycosylation, 54, 396(O11)
- mucin type, 405(P19)
 - regulation of in vivo, 401(P6)
- OL. *See* Oligodendrocyte
- Oligodendrocyte, 97
- differentiation, 59
 - galactolipids role in, 98
 - GalC/SGC in, 100
 - OLs/myelin
 - glycosynapse role in, 105
 - GSL-enriched signaling domains of, 100
- Oligomannoside binding by *Pterocarpus angolensis*, 402(P9)
- Oligosaccharides, 471
- asparagine linked, 243
 - CHPAEC-PAD analysis, 401(P8)
 - complex-type
 - asialo biantennary, 377
 - disialo biantennary, 377, 378
 - ER high-mannose-type
 - facile synthesis and partial structure of, 70
 - synthesis of, 69
- fluorine substituted, 257-264
- heparin-like, 179-194
- high-mannose-type, 69
- lipid-linked, 479
- structural analysis of permethylated, 410(P34)
- synthesis of human type, 75
- synthetic, 74
- O-linked glycopeptide libraries by *Ricinus communis* agglutinin, 409(P31)
- O-linked N-acetylglucosamine, 396(O10), 399(P1)
- O*-mannosyl glycans, 3
- biosynthesis, 4
 - pathology
 - Fukuyama-type congenital dystrophy (FCMD), 5-6
 - muscle-eye-brain disease (MEB), 5-6
 - Walker-Warburg syndrome (WWS), 5-6

- structure and occurrence, 3–4
- O*-mannosylation, 3. *See also* N-glycosylation
- O-N-acetylglucosaminylation in protozoan parasite *Toxoplasma gondii*, 411(P37)
- OPN, 429. *See also* MMP-2
- OPN enhancing *in vitro* cell migration and ECM invasion, 434
- OPN induced MT1-MMP expression by activating NF- κ B, 433
- by activating NF- κ B, 433
- curcumin blocking OPN-induced expression, 433
- curcumin blocking OPN-induced expression, 433
- OPN-induced I κ B α phosphorylation and IKK activity, curcumin inhibiting, 437
- OPN-induced NF- κ B activation, 436
- OPN stimulating I κ B α phosphorylation via IKK activity, 437
- OPN treated cells, curcumin inducing apoptotic morphology in, 438
- Osmoregulated periplasmic glucans on *Erwinia chrysanthemi* proteome, 401(P7)
- Osteopontin. *See* OPN
- P
- PA. *See* Pyridylamino
- PAAs. *See* Polyacrylamide
- PAD. *See* Pulsed amperometric detection
- PAF. *See* Platelet activation factor
- PAGE. *See* Polyacrylamide gel electrophoresis
- Paneth cells, 443
- PAPS transporter, 63, 64
- PAR. *See* Prostate apoptosis response
- Pathogens, 443
- PBPC. *See* Peripheral blood precursor cells
- PBS. *See* Phosphate buffered saline
- PC. *See* Phosphatidylcholine
- PCR, 75, 268, 275
- PE. *See* Phosphatidylethanolamine
- Peanut agglutinin, 451
- Peptide-N-acetylgalactosaminyltransferases (ppGalNAcT), 76
- Peripheral blood precursor cells, 451. *See also* CD34 progenitors, from peripheral blood and bone marrow
- PG. *See* Proteoglycans
- Phenylmethylsulfonyl fluoride, 361
- Phosphate buffered saline, 305–312, 361, 479
- Phosphatidylcholine, 97
- Phosphatidylethanolamine, 97
- Phosphatidylinositol specific phospholipase C (PI-PLC), 31
- Phosphatidylinositol-4,5-bisphosphate, 97
- Phosphatidylserine, 97
- Phospholipids, 295
- Phosphonates, 221–225
- Phosphorylation
- of 14-3-3 β complexed with TTP, 406(p22)
 - NGC, 54
 - regulation, Dol-P-Man synthase, 479
- Photoactivable group linked to oligosaccharide chain, tritium-labeled GM1 derivative containing a photoactivable group linked to oligosaccharide chain, 461
- Photolabeling, 461
- Physiological saline solution, 305–312
- PI. *See* Propidium iodide
- Pichia pastoris, expression of, 400(P5)
- Piconewtons, 111
- PIP2. *See* Phosphatidylinositol-4,5-bisphosphate
- Pipe cDNA, 50. *See also* *Drosophila HS2ST*
- PI-PLC (phosphatidylinositol specific phospholipase C), 31
- Pir protein, 75
- PIST, 56
- P k gene, 411(P36)
- PKA, 479. *See also* cAMP-dependent protein kinase
- PKA deficient mutants
- 2-deoxy-D glucose, transport of, 483
 - LLO synthesis, rate of, 481
 - protein glycosylation in, 479, 481
- PKC δ , 406(P22)
- Plant N-glycosylation, 275
- Plasma membrane, 305–312
- neuronal, 461
- Plasmid expression, 268. *See also* B3GALT7 gene
- Plasmodium falciparum*, glycosylphosphatidylinositols of, 413(P42)
- Platelet activation factor, 79
- PLP. *See* Proteolipid protein
- PM. *See* Plasma membrane
- PMN suspension, 81, 82
- PMN. *See* Polymorphonuclear leukocytes
- PMSF. *See* Phenylmethylsulfonyl fluoride
- pN. *See* Piconewtons
- PNA. *See* Peanut agglutinin
- p-nitrophenylphenol-phosphate, 487
- PNP (4-nitrophenyl), 149
- PNPP. *See* p-nitrophenylphenol-phosphate
- Polyacrylamide, 471
- Polyacrylamide gel electrophoresis, 275, 361, 479
- Polymer supports, heparin-like oligosaccharides on, 179–194
- Polymorphonuclear leukocytes, 79
- Poly-*N*-acetyllactosamines, 41
- Polypeptide *N*-acetylgalactosaminyltransferase, 20
- Polysaccharides, anti-corrosive, 416(P51)
- Polsialylation
- in ST8SiaII and ST8SiaIV knockout mice, 393(O3)
 - NCAM, 404(P16)
- Polsialyltransferase ST8SiaV in oligodendrocytes, 403(P14)
- Polystyrene, glycoconjugate, 139
- Polyvinylidene difluoride, 361
- Polyvinylmannose, 79
- POMGnT1, 4, 5
- POMT1, 78
- POMT2, 78
- Post natal brain development
- knockout mice, 393(O3)
 - of mouse, 404(P16)
- pp-GalNAc-T (polypeptide *N*-acetylgalactosaminyltransferase), 20
- PPI. *See* Protein-to-protein interaction
- Precursor cells
- hematopoietic, 451
- peripheral blood, 451
- Primordial germ cells, 41, 42
- Profiling, glycan, 35, 37
- Progenitor toxin, 287, 288, 290
- Propidium iodide, 305–312
- Propidium iodide (PI) staining of cells, 432
- Prostate apoptosis response, 315–325
- Proteases in glycosialyltransferase secretion, 25
- Protein glycosylation in PKA deficient mutants, 479, 481
- Protein *O*-mannose β 1,2-*N*-acetylglucosaminyltransferase. *See* POMGnT1
- Protein quality control system, 69
- Proteins, *O*-Mannosylation of, 3
- Protein-to-protein interaction, 125. *See also* Carbohydrate-to-carbohydrate interaction
- Proteoglycan, 53
- cell surface, 111
 - characterization of human umbilical cord blood vessels. *See* umbilical cord blood vessels, proteoglycan characterization of chondroitin sulfate, 329, 361
 - Cliona*, 120
 - d β 4GalTI, 65–68
 - dermatan sulfate (DSPG), 361
 - Halichondria*, 120
 - in brain development
 - Microciona*, 115, 120
 - sponge, 112, 113
 - synthesis, 417(P56)
- Proteolipid protein, 97, 337, 393(O2)
- protozoan parasite *Toxoplasma gondii*, 411(P37)
- PS. *See* Phosphatidylserine
- Psathyrella velutina lectin, 31
- PSS. *See* Physiological saline solution
- Pterocarpus angolensis*, oligomannoside binding by, 402(P9)
- Pt-pincer, 407(P24)
- Pulsed amperometric detection, 401(P8)
- Purification methods, for sialyltransferase inhibitors synthesis, 211
- Purtussis toxin, 79
- PVDF. *See* Polyvinylidene difluoride
- PVL. *See* Psathyrella velutina lectin
- PV-Man, 80, 81
- Pyridylamino, 344
- Q
- Q38 form of ST6Gal I (α 2,6-sialyltransferase), 26
- QCM. *See* Quartz crystal microbalance
- Quartz crystal microbalance (QCM), 90
- R
- Rabbits, α -glucosidase expression in transgenic, 408(P27)
- Receptor internalization, 497–500
- Recombinant B3GALT7 gene. *See* B3GALT7 gene
- Recombinant DNA biotechnology, 343
- Retinal ganglion cells (RGC), 55
- Reverse transcriptase (RT), 275
- Reverse-transcription and polymerase chain reaction, 268
- Ricinus communis* agglutinin, glycopeptide libraries by, 409(P31)

RISC (RNA-induced silencing complex), 64
 RNA interference, 63
 dsRNA, 64
 knockdown of $\delta\beta 4$ GaITI and dsII, dPAPS transporter, 65–68
 knockdown system in *Drosophila*, 64
 RNA isolation and reverse-transcription and polymerase chain reaction (RT-PCR), 268
 RNAI. *See* RNA interference
 RNA-induced silencing complex (RISC), 64
 RT (reverse transcriptase), 275
 RT-PCR, 268
rViscumin, 409(P32)

S

S. cerevisiae. *See* *Saccharomyces cerevisiae*
 S103L-CSPG gene, 332
 SA. *See* Sialic acid
Saccharomyces cerevisiae, 4, 76, 413(P44)
 apoptosis in, 407(P25)
 skeletal glycan layer in, 417(P55)
Sambucus nigra agglutinin, 451
 SAMs. *See* Self-assembled monolayers
 SBA. *See* Soy bean agglutinin
Schistosoma mansoni, 395(O8), 405(P20)
Biomphalaria glabrata with, 395(O7)
Schistosomiasis, 394(O6), 395(O7)
 hepatic granuloma formation in, 415(P49)
Schizosaccharomyces pombe, 76
Sd cDNA, 50. *See also* *Drosophila HS2ST*
 SDS. *See* Sodium dodecyl sulfate
 SDS-PAGE, 363, 480
 Seawater
 artificial, 111
 calcium-and magnesium-free Tris-buffered, 111
 β -secretase. *See* BACE1
 Secretion, glycosialyltransferase, 25
 Self-aggregation studies of Le^X GNPs by TEM, 156
 Self-assembled molecules, 473
 Self-assembled monolayers, 149, 487, 491, 493
 Self-assembly, 471
 Self-recognition of marine sponge cells, carbohydrate mediated, 402(P11)
 Self-renewal, 315–325
 Seminolipid, 59
 in spermatogenesis, 60
 Serine (Ser), 3
 Serum albumin. *See* Human serum albumin
 SG. *See* Structural glycomics
 SGC (sulfated galactosylceramide), 97
 SGC and GalC
 act as ligands, 99
 trans interactions between, 101
 SGP. *See* Sialyl glyco-hexapeptide derived from hen egg yolk
 Sialic acid, 407(P26), 451, 471
 Sialomucin. *See also* Carbohydrate antigens
 CD164 (MGC-24v), 41, 43
 membrane-bound (CD34), 41, 43
 Sialyl glyco-hexapeptide derived from hen egg yolk, 377
 Sialyl(N-acetyl)lactosamine. *See* SLN
 Sialylation, 348

CD34 cell surface, 451
 glycoproteins, 353
Sialyllactose, 471
 α -(2,3)-sialyloligosaccharides
 asparagine-linked, 243
Neisseria meningitidis, 248
 rat recombinant, 248
Sialyloligosaccharides, asparagine linked
 chemoenzymatic synthesis of, 243
 α -(2,3)-disialyl oligosaccharide, 248
 monosialyl decasaccharide, 249
 monosialyl nonasaccharide, 249
 monosialyl octasaccharide, 249
 α -(2,3)-monosialyl oligosaccharide, 248
Sialyl-Tn expression, breast cancer cells and, 408(P28)
Sialyltransferase, 76, 78, 344
 α 2,6-sialyltransferase, 451
 acceptor activities, 397(O14)
 asparagine-linked
 α -(2,3)-sialyloligosaccharides, 243
 expression of, 353
Neisseria meningitidis α -2,3-sialyltransferase, 248
 rat recombinant α -(2,3)-sialyloligosaccharides, 248
 ST6GalI, 451
Sialyltransferase inhibitors, 205–218, 221–225
 biological activity, 207
 materials and method
 analytical methods, 211
 purification methods, 211
 starting materials and reagents, 210
 synthesis, 206–207
 asymmetric synthesis of, 208–210
 racemic synthesis of, 212
SiaT. *See* Sialyltransferase
 Signal transduction, concurrent, 133
 Signal transmission from GalC/SGC, transmembrane, 101
 Signaling, 97
 GSL, 99
 GSL-enriched signaling domains of, 100
 Signaling systems
 GF (growth factors), 47
 heparan sulfate, 47
 morphogen, 47
 Skeletal glycan layer in *Saccharomyces cerevisiae* cell wall, 417(P55)
SL. *See* Sialyllactose
 S-linked glycopeptide libraries by *Ricinus communis* agglutinin, 409(P31)
 SLN, 471
 SM. *See* Sphingomyelin
 Small intestine, 443
 SMMP-2, 435
 SNA. *See* *Sambucus nigra* agglutinin
 SNAP-25, 287
 Sodium dodecyl sulfate, 275
 Solid-phase synthesis, 179–194. *See also*
 liquid-phase synthesis
 ligands of asialoglycoprotein receptor, 228, 230
 of epidermal growth factor-like domain, 197–202
 Solution phase chemistry, 230. *See also*

Liquid-phase synthesis; Solid-phase synthesis
 Soy bean agglutinin, 451
 Species-specific adhesion, 117
 Species-specific aggregation, 115, 117
 Species-specific carbohydrate composition, proteoglycan molecules, 118
 Species-specificity, 111
 of glycan-mediated recognition, 121
 Specific proteoglycan-mediated cell adhesion, 120
 Specific proteoglycan-mediated cell recognition, 120
Specificity
 feature of CCI, 131
 of monoclonal antibodies against *Schistosoma mansoni* antigen, 402(P10)
 sialyltransferase acceptor, 397(O14)
 Spermatogenesis, 59
 Sphingolipids, 295, 315–325, 465
 Sphingolipid storage diseases, clinical features of, 298–299
 Sphingomyelin, 97
 Sphingosine, 461
 Sphingosine 1-phosphate, 497–500
 SPM. *See* Surface plasmon resonance
 Sponge cells, 402(P11)
 Sponge proteoglycans, EDTA-treatment of, 113
 SPR screening, 407(P24)
 SSEA, 41, 125, 149. *See also* Antigens
 SSEA-1 expression, 41, 42
 SSEA-3 expression, 41, 42
 SSEA-4 expression, 41, 42
 ST3Gal III, 397(O14)
 ST6Gal I (α 2,6-sialyltransferase)
 alanine substitution effect on secretion, 27
 cleavage by BACE1 protease, 25
 Q38 form of, 26
 scretion, 25
 ST6GalI, 451
 ST8SiaII and ST8SiaIV knockout mice, polysialylation in, 393(O3)
 ST8SiaV in oligodendrocytes, 403(P14)
 Stage-specific embryonic antigen. *See* SSEA
 Stem cells, 322. *See also* Carbohydrate antigens
 carbohydrate antigens expression on, 41
 embryonic, 41
 glycosphingolipid metabolism in, 315–325
 hematopoietic, 41, 43
 neural, 41, 42
 tumor, 323
 Stereoselective synthesis, 205–218
 STF. *See* Disialo biantennary complex-type oligosaccharide
 Structural analysis of anti-corrosive polysaccharides, 416(P51)
 Structural characterization of N-glycans present on gp28 from *Mucuna pruriens* Seeds, 403(P12)
 Structural glycobiology, chip electrospray mass spectrometry in, 398(O17)
 Structural glycomics (SG)
 databases, 38
 fluorescence detection, 37
 frontal affinity chromatography, 35
 glycan profiling, 35, 37

- hect-by-hect project, 37–38
 Suberic acid, 251
 Sucrose Synthase 1, biocatalytic properties of recombinant, 413(P44)
 Sugar chain, enzymatic synthesis of, 75
 Sugar nucleotide in lepidopteran insect cells, 349
 Sugar-nucleotide transporter, 17–22, 63
 Sulfated galactosylceramide. *See* SGC
 Sulfatide, 97
 endogenous L-selectin ligand in kidney, 60
 in myelin function and oligodendrocyte differentiation, 59
 storage in neurons of arylsulfatase A deficient mice, 403(P13)
 Sulfation pattern in glycosaminoglycan, 47
 Sulfoglycolipids biosynthesis, 58
 Sulfotransferase, 17–22
 cerebroside sulfotransferase (CST), 59
 galactosylceramide 3'-sulfotransferase, 97
 HS2ST (heparan sulfate 2-*O*-sulfotransferase), 47
 HS6ST (heparan sulfate 6-*O*-sulfotransferase), 47
 Superoxide production from human polymorphonuclear leukocytes by PMN suspension, 81
 materials and method, 79
 Surface plasmon resonance, 90, 125, 139, 142, 149, 156, 287
 Surface sialylation, 451
 Synthesis design, 179–194
 Synthesis, solid-phase, 197–202
 Synthetic oligosaccharides and proteins, analysis of interaction between, 74
- T**
T. gondii. *See* *Toxoplasma gondii*
 TAG-1, 461
 Targeted gene delivery, 227
 TBLASTN search of *Drosophila*, 64, 65
 TCV-309, 79
 TEM. *See* Transmission electron microscopy
 TERA-2 cells, 129
 Teratocarcinoma
 human, 129
 mouse, 126, 127
 Tetraspanin, 125
 TFA. *See* Trifluoroacetic acid
 TFE. *See* Trifluoroethanol
 Thin layer chromatography, 461
 Thin polymer chip coupled to fourier transform ion cyclotron resonance mass spectrometry for glycopeptide screening, 400(P4)
 Threonine (Thr), 3
 TIMP. *See* Tissue inhibitors of matrix metalloproteases, 429
 Tissue distribution, 361
 B3GALT7 gene, 271
 of human umbilical cord blood vessels, 370–371
 Tissue-engineered human articular chondrocyte transplants, 412(P38)
 Tissue inhibitors of matrix metalloproteases, 429.
 See also MMP-2
- Titration calorimetry and conformational modelling of oligomannoside binding by *Pterocarpus angolensis* Seed lectin, 402(P9)
- TLC. *See* Thin layer chromatography
 TLCK, 361
 TNF. *See* Tumor necrosis factor
 TNF α modulates β 1,4-galactosyltransferase I mRNA stability, 406(P22)
 TNF α -induced changes in glycosylation of human endothelial cells, 404(P17)
 TNFR (TNF α receptor), 31
 Tobacco N-glycans, 412(P40)
 Toxin
 botulinum neurotoxin, 287
 progenitor, 287, 288
Toxoplasma gondii, 411(P37)
Toxoplasma gondii glycosylphosphatidylinositol precursors, differential transfer of, 400(P3)
 TPCK, 361
 TRA-1-60 expression, 42
 TRA-1-81 expression, 42
Trans-CCI based cell adhesion, 126–130. *See also* *Cis*-CCI based cell adhesion
 GSL-dependent adhesion, 128–130
 homotypic cell adhesion through, 126
 mouse embryo compaction, 127
Trans interaction, 125
 between GaC and SGC, 101
Trans recognition, 44
 Transcription termination region, 275
 Transgenic mice
 expression, 393(O2)
 hypomyelination in, 403(P14)
 Transgenic plant generation, 275, 278
 Transgenic rabbits, N-glycans of recombinant human acid α -glucosidase expressed in milk of, 408(P27)
 Transgenic rescue of UDP-galactose:ceramide galactosyltransferase deficient mice, 418(P57)
 Transglycosylation of disialo biantennary complex-type oligosaccharide, 378
 Transition-state analogues, 205–218, 221–225
 Transmembrane glycoproteins, 53
 Transmembrane signal transmission from GaC/SGC, 101
 Transmission electron microscopy, 149, 156
 Trifluoroacetic acid, 111, 377
 Trifluoroethanol, 377
 TrkA, 12
 TSP. *See* Tetraspanin
 TTP, 406(P22)
 TTR. *See* Transcription termination region
 Tumor-associated CD75s-gangliosides and CD75s-bearing glycoproteins, 409(P32)
 Tumor cell line, 267
 Tumor growth of MDA-MB-231 breast cancer cells, *in vivo*, 408(P28)
 Tumor necrosis factor
 TNFR (TNF receptor), 31
 TNF- α , 31
 Tumor stem cells, 323
 Tumor suppressor, O-GlcNAc glycosylation, 409(P30)
- U**
 U937 cell apoptosis, 32
 UAS-inverted repeat (UAS-IR), 64
 UDP-Gal, 97, 344
 UDP-Galactopyranose Mutase in *Aspergillus fumigatus*, 414(P45)
 UDP-galactose. *See* UDP-Gal
 UDP-galactose:ceramide galactosyl transferase, 393(O2), 403(P13), 418(P57)
 UDP-GalNAc, 344
 UDP-GlcNAc, 344, 399(P2)
 UDP-glucose:glycoprotein glucosyltransferase (UGGT), 69
 UDP-Xylose synthase, Chinese Hamster Ovary cell deficient in, 417(P56)
 UDP-Xylose, expression and purification of, 399(P2)
 Ultraviolet-visible. *See* UV-vis
 Umbilical cord blood vessels, proteoglycan characterization of chondroitin sulfate, 361
 compositional analysis
 GAG chain disaccharide, 364
 hexosamine, 363
 core proteins
 characterization, 368
 identification by mass spectrometry, 364
 NH₂ terminal sequencing of, 364
 dermatan sulfate, 361
 enzyme-linked immunosorbent assay, 364
 GAG chains
 characterization of, 366
 disaccharide compositional analysis, 364
 release of, 363
 hexosamine compositional analysis, 363
 immunohistochemistry, 364
 PG isolation, 362
 PG purification
 Cesium bromide, 363
 Gel filtration, 363
 SDS-PAGE, 363
 tissue distribution, 370–371
 Western blotting, 363
 Umbilical vein endothelial cells, 405(P18)
 Unilateral ureteral obstruction (UUO), 61
 Unmasked carbohydrate, 197–202
 Uridine-5-diphosphogalactose, 344
 Uridine-5-diphospho-*N*-acetylgalactosamine, 344
 Urinary Tract Infection, 487
 UTI. *See* Urinary Tract Infection
 UV-vis, 149
- V**
 VCN. *See* *Vibrio cholerae* neuraminidase
 Vein and arteries, 361
 Ventricular assist device implantation effect on xylosyltransferase I activity, 414(P47)
 Vesicle adhesion energy measurements, 166–168
Vibrio cholerae neuraminidase, 451
Vicia villosa agglutinin, 451
 Viral antigens, 394(O5)
 Virus

influenza A, 471
 influenza B, 471
 promoted association, 475
 Voltametry, cyclic, 487
 VVA. *See* *Vicia villosa* agglutinin

W
 WAC. *See* Weak affinity chromatography
 Walker-Warburg syndrome, 5–6
 Weak affinity chromatography, 149
 Western blot analysis, 431
 Western blotting, 363
 of fluorescent NeuAc-labeled surface glycoproteins, 453
 Wharton's jelly, 361
 WWS. *See* Walker-Warburg syndrome

X
Xenopus laevis oocyte cortical granule lectin
 XL-35. *See* XL-35
 XL-35, 443, 444
 human homologs of, 445–446
 mouse homologs of, 446, 448
 other organisms, 449
 X-lectins. *See* XL-35
 XT I protein, 395(O9)
 XT-I genes, 414(P46)
 XT-II genes, 414(P46)
 Xylosyl-glucose, 197–202
 Xylosyltransferase I, 395(O9), 412(P39),
 414(P47)

Y
 Yeast

expression system, 78
 glycosyltransferase genes in, 75

Z
 Zebrafish
 galectins in, 503–518
 binding properties, 504–505
 biochemical properties, 504
 biological role in development and innate immunity, 503, 507–512
 evolutionary aspects, 505–506
 protein structure and gene organization, 505
 subcellular localization and secretion, 506
 HS6ST, 49
 Zebrafish HS6ST, 49. *See also* *Drosophila* HS6ST
 zHS6ST. *See* Zebrafish HS6ST
 Zymography for MMP-2 activity detection, 430