

REFERENCES

- [1] *W. Ammann & C. Ganter*, *Helv.* 60, 1924 (1977).
[2] *R. A. Pfund & C. Ganter*, *Helv.* 62, 228 (1979).
[3] *J. Haywood-Farmer, H. Malkus & M. A. Battiste*, *J. Amer. chem. Soc.* 94, 2209 (1972).
[4] *M. N. Paddon-Row, H. K. Patney & R. N. Warrener*, *J. org. Chemistry* 44, 3908 (1979); *idem*, *Chem. Commun.* 1978, 296.
[5] *G. M. Scheldrick*, SHELX 76, Program for Crystal Structure Determination, University of Cambridge, England.
[6] *J. M. Stewart, G. J. Kruger, H. L. Ammann, C. Dickinson & S. R. Hall*, The X-ray system-version of June 1972, Tech. Rep. TR-192. Computer Service Center, University of Maryland, College Park, Maryland.
[7] *J. D. Dunitz & P. Seiler*, *Acta crystallogr. Sect. B* 29, 598 (1973).
[8] *C. K. Johnson*, Oak Ridge National Laboratory Report ORNL-3794 (1965).
[9] Crystallographic Data Center, University Chemical Laboratory, Cambridge, England.
[10] *T. P. Delcay & C. H. L. Kennard*, *J. chem. Soc. Perkin II* 1972, 2153.
[11] *K. N. Trueblood*, Abstracts of Fourth European Crystallographic Meeting, Oxford, 1977: Paper PI 36.

Erratum

Helv. 63, 406 (1980), Abhandlung Nr.40 von *A. Brossi, M. Rösner, J. V. Silverton, M. A. Iorio and Ch. D. Hufford*

S.410, 1. Zeile von unten, sollte wie folgt ergänzt werden:

$C_{22}H_{25}NO_7$ (415.44) Calc. C 63.60 H 6.07 N 3.37% Found C 63.45 H 5.99 N 3.45%