

Author Index

Non-English contributions are characterized by G (German) in parentheses

- Abou-Hadeed, K., Hansen, H.-J., Fattah, M. e. A., El Rayes, S., Soliman, El S. A., Linden, A.*, Reductive Elimination of Phenylsulfonyl Groups in the 3-Position of Benzo[*a*]heptalene-2,4-diols, 1085
- Abrantes, L. M.*, see *Darbre, T.*, 2470
- Accorsi, G.*, see *Armaroli, N., Echegoyen, L., Diederich, F.*, 1839
- Ach, M.*, see *Quast, H., Banert, K.*, 1589
- Aebi, J. D.*, see *Diederich, F.*, 707
- Aebi, J. D.*, see *Diederich, F.*, 731
- Ahmad, V. U., Kousar, F., Khan, A., Zubair, M., Iqbal, S., Tareen, R. B.*, A New Ketone and a Known Anticancer Triterpenoid from the Leaves of *Onosma limitanium*, 309
- Aime, S., Botta, M., Cravotto, G., Frullano, L., Giovenzana, G. B., Crich, S. G., Palmisano, G., Sisti, M.*, Gadolinium(III) Complexes of dota-Derived *N*-Sulfonylacetamides ($H_4(\text{dota-NHSO}_2R) = 10\text{-}[2\text{-}[(R)\text{sulfonylamino}]\text{-2-oxoethyl}]\text{-1,4,7,10-tetraazacyclododecane-1,4,7-triacetic Acid}$): A New Class of Relaxation Agents for Magnetic Resonance Imaging Applications, 588
- Aizenberg, M.*, see *Winter, B.*, 3109
- Akasaka, H.*, see *Shiono, Y.*, 2944
- Alberto, R.*, see *Hegetschweiler, K.*, 426
- Alberto, R., van Staveren, D. R., Benny, P. D., Waibel, R., Kurz, P., Pak, J.-K.*, *S*-Functionalized Cysteine: Powerful Ligands for the Labelling of Bioactive Molecules with Triaquatricarbonyl-technetium-99m(1+) ($[^{99m}\text{Tc}(\text{OH})_3(\text{CO})_3]^+$), 447
- Ali, Z.*, see *Ito, T.*, 23
- Aligiannis, N.*, see *Chinou, I.*, 2654
- Alizadeh, A.*, A New and Efficient Synthesis of Highly Functionalized (Triphenylphosphoranylidene)cyclopentadienes with Zwitterionic Resonance Structures, 304
- Alizadeh, A.*, Synthesis of Some New 1,2,4-Triazole Derivatives by Mitsunobu Chemistry, 2777
- Alkorta, I.*, see *Claramunt, R. M., López, C.*, 1931
- Almeida, P.*, see *Santos, P. F.*, 1135
- Aly, Y. L.*, see *Pedersen, E. B.*, 3137
- André, J. P., Geraldes, C. F. G. C., Brücher, E., Kiraly, R., Carvalho, R. A., Mäcke, H.*, $H_3\text{dota}$ (= (*aRS*)- α -(Carboxymethyl)-1,4,7,10-tetraaza-
- cyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of $H_4\text{dota}$ (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: $^1\text{H-NMR}$ and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633
- Andrianov, V.*, see *Kalvinsh, I.*, 1630
- Andrushko, V.*, see *Bannwarth, W.*, 936
- Anke, H.*, see *Davoli, P.*, 2960
- Araki, N.*, see *Nishio, T.*, 35
- Arigoni, D., Eschenmoser, A.*, Revisited after 50 Years: The ‘Stereochemical Interpretation of the Biogenetic Isoprene Rule for the Triterpenes’, 3011
- Arjmand, F., Chauhan, M.*, Binding Studies of Asymmetric Pentacoordinate Copper(II) Complexes Containing Phenanthroline and Ethane-1,2-diamine Ligands with Calf-Thymus DNA, 2413
- Armaroli, N., Echegoyen, L., Diederich, F., Bonifazi, D., Accorsi, G., Song, F., Palkar, A., Scholl, M., Seiler, P., Jaun, B.*, Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839
- Atkinson, P.*, see *Parker, D.*, 391
- Averin, A. D., Beletskaya, I. P., Ulanovskaya, O. A., Fedotenko, I. A., Borisenko, A. A., Serebryakova, M. V.*, Palladium-Catalyzed Amination of 3,5-Dihalopyridines – a Convenient Route to New Polyazamacrocycles, 1983
- Baggio, R. F.*, see *Moya, S. A.*, 2842
- Balci, M., Daştan, A., Güney, M.*, Chemistry of the Benzotropone Endoperoxides and Their Conversion into Tropolone Derivatives: Unusual Endoperoxide Rearrangements, 830
- Baloch, I. B.*, see *Baloch, M. K.*, 3145
- Baloch, M. K., Baloch, I. B., Najam us Saqib, Q.*, Tumor-Promoting Diterpene Esters from Latex of *Euphorbia cauducifolia* L., 3145
- Balthasar, J.*, see *Quast, H., Banert, K.*, 1589
- Bandara, M.*, see *Kalvinsh, I.*, 1630
- Banerjee, R., Mukhopadhyay, S., Dhar, B. B., Mukherjee, R.*, Mechanistic Studies on the Oxidation

- of Hydrazine by Tris(biguanide)manganese(IV) in Aqueous Acidic Media, 2294
- Banert, K., Quast, H., Ach, M., Balthasar, J., Hergenröther, T., Regnat, D., Lehmann, J., Exploring the Border between Concerted and Two-Step Pathways of 1,3-Dipolar Cycloadditions of Organic Azides to Cyclic Ketene N,X-Acetals. – Synthesis and ^{15}N -NMR Spectra of Zwitterions and Spirocyclic Cycloadducts, 1589
- Bannwarth, W., Beller, C., Noncovalent Attachment of Nucleotides by Fluorous–Fluorous Interactions: Application to a Simple Purification Principle for Synthetic DNA Fragments, 171
- Bannwarth, W., Andrushko, V., Schwim, D., Tzschucke, C. C., Michalek, F., Horn, J., Mössner, C., Tris(perfluoroalkyl)silyl Entities as Unexpectedly Potent Tags for the Noncovalent Immobilization of Catalysts by Fluorous–Fluorous Interactions: Application to the Synthesis of Several Perfluoro-Tagged Ligands, 936
- Bao, S., see Lin, W., 2757
- Baranyai, Z., see Brücher, E., 604
- Barbosa, L. C. de A., see Silva, G. D. de F., 1102
- Bardiot, D., see Herdewijn, P., 3210
- Barsoum, B. N., see Salem, A. A., 861
- Bartsch, A., see Mayser, P., Steglich, W., 1472
- Bashall, A., see Wang, Z.-T., 2617
- Bates, R. B., Hall Jr., H. K., May, E. J., Padias, A. B., Cycloadditions of Bifunctional Vinyl Ethers with Electrophilic Alkenes through Tetramethylene Zwitterion Intermediates, 1397
- Baumgartner, C., see Diederich, F., 2250
- Beletskaya, I. P., Averin, A. D., Ulanovskaya, O. A., Fedotenko, I. A., Borisenko, A. A., Serebryakova, M. V., Palladium-Catalyzed Amination of 3,5-Dihalopyridines – a Convenient Route to New Polyazamacrocycles, 1983
- Beller, C., see Bannwarth, W., 171
- Benincori, T., Sannicolò, F., Bruno, S., Celentano, G., Pilati, T., Ponti, A., Rizzo, S., Sada, M., Process-Scale Total Synthesis of Nature-Identical (–)-(S,S)-7-Hydroxycalamenal in High Enantiomeric Purity through Catalytic Enantioselective Hydrogenation, 1776
- Benny, P. D., see Alberto, R., 447
- Bernard, P., see Peng, L., 2641
- Bernardinelli, G., see Winter, B., 3109
- Bernet, B., see Vasella, A., 1885
- Bernet, B., see Vasella, A., 2918
- Bernet, B., see Vasella, A., 3232
- Berthier, D., see Ouali, L., Herrmann, A., 3089
- Bhattacharyya, J., see Mukhopadhyay, S., 2661
- Bi, K.-S., see Guo, Y.-W., 1004
- Bianchi, E. M., see Sigel, H., 406
- Bieber, T., see Seeberger, P. H., 1
- Bindschädler, P., see Seebach, D., Jaun, B., 1969
- Bjelaković, M. S., see Pavlović, V. D., 2812
- Bleile, M., see Otto, H.-H., 2879
- Bligh, S. W. A., see Wang, Z.-T., 2617
- Blum-Kaelin, D., see Diederich, F., 707
- Blum-Kaelin, D., see Diederich, F., 731
- Boaventura, M. A. D., Pimenta, L. P. S., Nascimento, F. C., Acetogenins from the Leaves of *Rollinia laurifolia*, 3225
- Bobrov, S., see Katritzky, A. R., 1664
- Böhm, H.-J., see Diederich, F., 707
- Böhm, H.-J., see Diederich, F., 731
- Böhme, R., see Jung, G., 2837
- Boido, V., see Sparatore, A., 245
- Bokaldere, R. M., see Kalvinsh, I., 1630
- Bombieri, G., see Daidone, G., 2272
- Bongard, D., see Walder, L., 3200
- Bonifazi, D., see Armaroli, N., Echegoyen, L., Diederich, F., 1839
- Borisenko, A. A., see Averin, A. D., Beletskaya, I. P., 1983
- Botta, M., see Aime, S., 588
- Böttger, E. C., see Vasella, A., 2967
- Bourgeois, J.-M., Stoeckli-Evans, H., Synthesis of New Resorcinarenes Under Alkaline Conditions, 2722
- Brandes, S., see Mohamadou, A., 2397
- Branford-White, C., see Wang, Z.-T., 2617
- Braun, M. P., see Ho, J. Z., 1040
- Breitmaier, E., see Jung, G., 2837
- Bretonnière, Y., see Parker, D., 391
- Brockmann, M., see Reissig, H.-U., 1826
- Brücher, E., Baranyai, Z., Iványi, T., Király, R., Lázár, I., Zékány, L., Complexation Properties of N,N',N'',N''' -[1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrayltetrakis(1-oxoethane-2,1-diyl)]tetrakis[glycine] (H_4dotagl). Equilibrium, Kinetic, and Relaxation Behavior of the Lanthanide(III) Complexes, 604
- Brücher, E., see André, J. P., Geraldes, C. F. G. C., 633
- Brückner, R., Schmidt-Leithoff, J., Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrrhoxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943
- Brun, K. A., see Heimgartner, H., 2951
- Brunner, M., see Maas, G., 1813
- Bruno, S., see Benincori, T., Sannicolò, F., 1776
- Büchi, G. H., see Chapuis, C., 3069
- Bühl, M., Ramalho, T. C., Figueroa-Villar, J. D., de Alencastro, R. B., Computational NMR Spectroscopy of Transition-Metal/Nitroimidazole Complexes: Theoretical Investigation of Potential Radiosensitizers, 2705
- Bünzli, J.-C., Foreword, 375

- Burger, S., see *Süss-Fink, G.*, 478
 Burke, L. A., see *Butler, R. N.*, 1611
 Buser, S., see *Vasella, A.*, 3151
 Butcher, C., see *Kalvinsh, I.*, 1630
 Butler, R. N., *Coyne, A. G., Cunningham, W. J., Moloney, E. M., Burke, L. A.*, Water and the Huisgen Cycloaddition Reaction: A Focus on Polar Contributions to the Transition State in the Reactions of Dicyano(phthalazinium)methanide with Substituted Styrenes and Benzylidene Acetones, 1611
- Cai, X.-H., see *Luo, X.-D.*, 2938
 Campo, J. A., see *Cano, M.*, 2433
 Cannas, R., see *Kündig, E. P.*, 1063
 Cano, M., *Gallego, M. L., Campo, J. A., Heras, J. V., Pinilla, E., Torres, M. R.*, Supramolecular Arrays of Cationic Complexes Containing Pyrazole Ligands and Tetrafluoroborate, Trifluoromethanesulfonate, or Nitrate as Counterions. Crystal Structure of Bis(3,5-dimethyl-4-nitro-1*H*-pyrazole- κ N²)silver(1+) Nitrate ([Ag(Hpz^{NO₂})₂](NO₃)), 2433
 Cao, X., see *Freedman, T. B., Nafie, L. A., Rippert, A. J.*, 2302
 Capodilupo, A.-L., see *Marini Bettolo, R.*, 154
 Carell, T., *Klepper, F., Polborn, K.*, Robust Synthesis and Crystal-Structure Analysis of 7-Cyano-7-deazaguanine (PreQ₀ Base) and 7-(Aminomethyl)-7-deazaguanine (PreQ₁ Base), 2610
 Cartier, A., see *Regnouf-de-Vains, J.-B.*, 1110
 Carvalho, R. A., see *André, J. P., Geraldes, C. F. G. C.*, 633
 Catalán Sierra, J., see *García-Blanco, F.*, 312
 Celeda, M., see *Mlostoń, G.*, 1658
 Celentano, G., see *Benincori, T., Sannicolò, F.*, 1776
 Cesar, L. M. M., *Tormena, C. F., Marques, M. R., Silva, G. V. J., Mendes, M. A., Rittner, R., Palma, M. S.*, Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796
 Chang, F.-R., see *Wu, Y.-C.*, 905
 Chang, F.-R., see *Wu, Y.-C.*, 2731
 Chappellet, S., see *Müller, P.*, 1010
 Chapuis, C., *Jurczak, J., Piętek, A. M., Chojnacka, A.*, Synthesis and [4+2] Cycloaddition of (2*R*,2'*R*)-*N,N'*-Fumaroylbis[*fenchane*-8,2-sultam] (= (2*E*)-1,4-Bis[(3*a*S,6*S*,7*a*R)-1,4,5,6,7,7*a*-hexahydro-7,7-dimethyl-2,2-dioxido-3*H*-3*a*,6-methano-2,1-benzothiazol-1-yl]but-2-ene-1,4-dione) to Cyclopentadiene, 2441
 Chapuis, C., *Büchi, G. H., Wüest, H.*, Synthesis of *cis*-Hedione® and Methyl Jasmonate via Cascade Baylis–Hillman Reaction and Claisen Ortho Ester Rearrangement, 3069
- Chase, P. A., see *van Koten, G.*, 694
 Chauhan, M., see *Arjmand, F.*, 2413
 Chen, C.-K., see *Ho, T.-L.*, 2764
 Chen, C.-y., see *Ho, J. Z.*, 1040
 Chen, D., *Jia, Z., Liao, Z.*, Two New Dibenzocyclooctene Lignans from the Water Extract of *Kadsura* spp., 2288
 Chen, D., *Deng, J., Liao, Z.*, Three New Polyoxypregnane Glycosides from *Marsdenia tenacissima*, 2675
 Chen, F.-E., *Yu, X.-J., Dai, H.-F., Chen, X.-X., Kuang, Y.-Y., Xie, B.*, Synthetic Studies on Coenzyme Q₁₀, 2575
 Chen, J.-C., see *Qiu, M.-H.*, 240
 Chen, J.-J., *Jiang, Z.-Y., Zhang, X.-M., Zhou, J.*, New Triterpenoid Glycosides from *Centella asiatica*, 297
 Chen, J.-R., see *Tan, R.-X.*, 2861
 Chen, L., see *Hou, A.-J.*, 2554
 Chen, W., see *Coop, A.*, 822
 Chen, X., see *Yue, J.-M.*, 854
 Chen, X.-X., see *Chen, F.-E.*, 2575
 Chen, Y., *Yu, L., Huang, R., Han, C., Lv, Y., Zhao, Y.*, New Iridoid Triesters from *Valeriana jatamansi*, 1059
 Chen, Z.-C., see *Zhou, T.*, 290
 Cheng, X.-M., see *Wang, Z.-T.*, 2617
 Cheng, Y.-B., see *Shen, Y.-C.*, 68
 Cheng, Y.-W., see *Wu, S.-H.*, 259
 Chia, Y.-C., see *Wu, Y.-C.*, 905
 Chien, C.-T., see *Shen, Y.-C.*, 68
 Chinou, I., *Graikou, K., Aligiannis, N., Skaltsounis, A.-L., Tillequin, F., Litaudon, M.*, Chemical Constituents from *Croton insularis*, 2654
 Chiranjeevi, P., *Kumar, K. S., Suvardhan, K., Krishnaiah, L.*, Novel Reactions for the Simple and Sensitive Spectrophotometric Determination of Traces of Selenium in Environmental Samples, 343
 Chiranjeevi, P., *Kumar, K. S., Suvardhan, K., Rekha, D., Jayaraj, B.*, Facile and Sensitive Spectrophotometric Determination of Propoxur in Formulations and Environmental Samples, 1022
 Chojnacka, A., see *Chapuis, C., Jurczak, J.*, 2441
 Chou, G.-X., see *Wang, Z.-T.*, 2617
 Christl, M., *Stalke, D., Lesch, S., Deuerlein, S.*, The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-Dewar-Benzene Revisited, 1421
 Cimino, G., see *Guo, Y.-W.*, 87
 Cimino, G., see *Guo, Y.-W.*, 281
 Cimino, G., see *Guo, Y.-W.*, 1028
 Civera Tejuca, C., see *García-Blanco, F.*, 312
 Claramunt, R. M., *López, C., Lott, S., Santa María, M. D., Alkorta, I., Elguero, J.*, Solid-State NMR

- Study of the Tautomerism of Acetylacetone Included in a Host Matrix, 1931
- Clements, P., see *Gream, G. E.*, 2003
- Collier, P. S., see *Morrow, R. J.*, 962
- Comba, P., *Lopez de Laorden, C.*, *Pritzkow, H.*, Tuning the Properties of Copper(II) Complexes with Tetra- and Pentadentate Bispidine (=3,7-Diazabicyclo[3.3.1]nonane) Ligands, 647
- Consiglio, G., *Leone, A.*, Novel C_s-Symmetric 1,4-Diphosphine Ligands in the Copolymerization of Propene and Carbon Monoxide: High Regio- and Stereocontrol in the Catalytic Performance, 210
- Coop, A., *Chen, W.*, *Parrish, D. A.*, *Deschamps, J. R.*, Functionalization of the 6,14-Bridge of the Orvinsols. 1. Preparation and *Diels–Alder* Reaction of 7-Phenylsilylthebaines, 822
- Corr, D., see *Walder, L.*, 3200
- Coyne, A. G., see *Butler, R. N.*, 1611
- Cravotto, G., see *Aime, S.*, 588
- Cremonesi, G., see *La Rosa, C.*, 1580
- Crescenzi, V., see *Marini Bettolo, R.*, 154
- Crich, S. G., see *Aime, S.*, 588
- Csáky, A. G., see *Plumet, J.*, 1387
- Csanadi, J., see *Pavlović, V. D.*, 2812
- Cunningham, W. J., see *Butler, R. N.*, 1611
- Curini, M., *Epifano, F.*, *Marcotullio, M. C.*, *Rosati, O.*, *Guo, M.*, *Guan, Y.*, *Wenkert, E.*, Hydrindanone Synthesis: An Incisterol Model, 330
- Cyranski, M. K., see *Fišera, L.*, 1432
- Dai, H.-F.*, see *Chen, F.-E.*, 2575
- Daidone, G., *Maggio, B.*, *Raffa, D.*, *Plescia, S.*, *Bombieri, G.*, *Meneghetti, F.*, Nonclassical *Pschorr* and *Sandmeyer* Reactions in Pyrazole Series, 2272
- Dale, G. E., see *Diederich, F.*, 731
- Dalla Croce, P., see *La Rosa, C.*, 1580
- Damoense, L., see *Roodt, A.*, 676
- Darbre, T., *Freitas, J. M.*, *Abrantes, L. M.*, Synthesis of Long-Chain 3-Alkylpyrroles Bearing Terminal Carboxy or Amino Groups, 2470
- Darnaedi, D., see *Ito, T.*, 23
- Das, A., see *Mukhopadhyay, S.*, 2561
- Daştan, A., *Balci, M.*, *Güney, M.*, Chemistry of the Benzotropone Endoperoxides and Their Conversion into Tropolone Derivatives: Unusual Endoperoxide Rearrangements, 830
- Davoli, P., *Weber, R. W. S.*, *Madhour, A.*, *Anke, H.*, *Mucci, A.*, 2-Hydroxytorularhodin, a New Xanthophyll from the Red Yeast *Sporobolomyces coprosmae*, 2960
- de Alencastro, R. B., see *Bühl, M.*, 2705
- De Luca, G., see *Marini Bettolo, R.*, 154
- Dean, D. C., see *Ho, J. Z.*, 1040
- Del Piero, S., see *Tiné, M. R.*, *Tolazzi, M.*, 839
- Delaude, C., see *Lacaille-Dubois, M.-A.*, 2986
- Deng, J.*, see *Chen, D.*, 2675
- Deng, Z.*, see *Lin, W.*, 2757
- Deschamps, J. R.*, see *Coop, A.*, 822
- Deuerlein, S.*, see *Christl, M.*, *Stalke, D.*, 1421
- Dhar, B. B.*, see *Mukhopadhyay, S.*, *Banerjee, R.*, 2294
- Di, Y.-T.*, see *Hao, X.-J.*, 2508
- Díaz Oliva, C.*, see *García-Blanco, F.*, 312
- Diederich, F.*, *Felber, B.*, Synthesis of Dendritic Metalloporphyrins with *Distal* H-Bond Donors as Model Systems for Hemoglobin, 120
- Diederich, F.*, *Sahli, S.*, *Stump, B.*, *Welti, T.*, *Schweizer, W. B.*, *Blum-Kaelin, D.*, *Aebi, J. D.*, *Böhm, H.-J.*, A New Class of Inhibitors for the Metalloprotease Neprilysin Based on a Central Imidazole Scaffold, 707
- Diederich, F.*, *Sahli, S.*, *Frank, B.*, *Schweizer, W. B.*, *Blum-Kaelin, D.*, *Aebi, J. D.*, *Böhm, H.-J.*, *Oefner, C.*, *Dale, G. E.*, Second-Generation Inhibitors for the Metalloprotease Neprilysin Based on Bicyclic Heteroaromatic Scaffolds: Synthesis, Biological Activity, and X-Ray Crystal-Structure Analysis, 731
- Diederich, F.*, *Armaroli, N.*, *Echegoyen, L.*, *Bonifazi, D.*, *Accorsi, G.*, *Song, F.*, *Palkar, A.*, *Scholl, M.*, *Seiler, P.*, *Jaun, B.*, Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839
- Diederich, F.*, *Siegrist, R.*, *Baumgartner, C.*, *Seiler, P.*, Facile Synthesis of Diastereoisomerically and Optically Pure 2-Substituted Hexahydro-1*H*-pyrrolizin-3-ones, 2250
- Diederich, F.*, *Hof, F.*, *Schär, M.*, *Scofield, D. M.*, *Fischer, F.*, *Sergeyev, S.*, Preparation of Tröger Base Derivatives by Cross-Coupling Methodologies, 2333
- Dikovska, K.*, see *Kalvinsh, I.*, 1630
- Ding, L.*, *Zhang, Z.-J.*, *Liu, G.-A.*, *Yang, D.-J.*, *Guo, G.-C.*, *Wang, H.*, *Sun, K.*, Three New Cytotoxic *ent*-Kaurane Diterpenoids from *Isodon weisiensis* C. Y. Wu, 2502
- Ding, P.-Y.*, see *Ghosez, L.*, 2022
- Dong, X.*, see *Luo, S.*, 339
- Dörnyei, G.*, see *Szántay, C.*, 1344
- Drahoňovský, D.*, see *von Zelewsky, A.*, 496
- Druta, I. D.*, see *Müller, T. J. J.*, 1798
- Du, Z.-Z.*, see *Shen, Y.-M.*, 2424
- Duarte, I.*, see *Santos, P. F.*, 1135
- Duarte, L. P.*, see *Silva, G. D. de F.*, 1102
- Dugović, B.*, see *Fišera, L.*, 1432
- Dulich, F.*, see *Mayr, H.*, 1754
- Dyson, P. J.*, *Zhao, D.*, *Fei, Z.*, *Geldbach, T. J.*, *Scopelliti, R.*, *Laurenczy, G.*, Allyl-Functionalised Ionic Liquids: Synthesis, Characterisation, and Reactivity, 665

- Echegoyen, L., Armaroli, N., Diederich, F., Bonifazi, D., Accorsi, G., Song, F., Palkar, A., Scholl, M., Seiler, P., Jaun, B., Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839
- Echevarría Gorostidi, G., see García-Blanco, F., 312
- Eckl, E., see Stachel, H.-D., Weigand, W., 1208
- Egli, A., see Hegetschweiler, K., 426
- Ehrfeld, W., see Seeberger, P. H., 1
- El Rayes, S., see Abou-Hadeed, K., Hansen, H.-J., 1085
- El Said, D. M., see Salem, A. A., 861
- Elguero, J., see Pardo, C., 1199
- Elguero, J., see Claramunt, R. M., López, C., 1931
- Elmore, C. S., see Ho, J. Z., 1040
- Epifano, F., see Curini, M., 330
- Erlebach, D., see Seger, C., Strasser, H., 802
- Ermer, O., Concerning the Structure of [18]Annulene, 2262
- Ernd, M., see Heuschmann, M., Zipse, H., 1491
- Errington, W., see Moore, P., 782
- Eschenmoser, A., Wagner, T., Han, B., Koch, G., Krishnamurthy, R., Tautomerism in 5,8-Diaza-7,9-dicarbaguanine ('Alloguanine'), 1960
- Eschenmoser, A., Arigoni, D., Revisited after 50 Years: The 'Stereochemical Interpretation of the Biogenetic Isoprene Rule for the Triterpenes', 3011
- Ess, D. H., see Houk, K. N., 1702
- Etezady-Esfarjani, T., see Seebach, D., Jaun, B., 1969
- Fan, C.-Q., see Yue, J.-M., 160
- Fan, P.-H., see Lou, H.-X., 2637
- Fasoli, H. J., see Frau, J., 774
- Fattah, M. e. A., see Abou-Hadeed, K., Hansen, H.-J., 1085
- Fedotenko, I. A., see Averin, A. D., Beletskaya, I. P., 1983
- Fehr, C., see Ouali, L., Herrmann, A., 3089
- Fehr, C., Galindo, J., Aldols by Michael Addition: Application of the *retro-Michael* Addition to the Slow Release of Enones, 3128
- Fei, Z., see Dyson, P. J., 665
- Feigel, M., Kyas, A., Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375
- Felber, B., see Diederich, F., 120
- Féliz, M. R., see Moya, S. A., 2842
- Fellermeier, M., see Zenk, M. H., 1444
- Fenet, B., see Regnouf-de-Vains, J.-B., 1110
- Ferreira, L. F. V., see Santos, P. F., 1135
- Figueroa-Villar, J. D., see Bühl, M., 2705
- Filipczak, A. D., see Mikołajczyk, M., 1769
- Finn, A., see Kalvinsh, I., 1630
- Finn, P. W., see Kalvinsh, I., 1630
- Fischer, F., see Diederich, F., 2333
- Fišera, L., Dugović, B., Cyranški, M. K., Hametner, C., Prónayová, N., Obranec, M., Reversal of Regioselectivity of Nitrene Cycloadditions by Lewis Acids, 1432
- Fleischhauer, J., Kraft, P., Voloshina, E., Conformational Analysis and CD Calculations of Methyl-Substituted 13-Tridecano-13-lactones, 194
- Flögel, O., see Seebach, D., 2235
- Francescangeli, A., see Marini Bettolo, R., 154
- Frank, B., see Diederich, F., 731
- Frau, J., Fasoli, H. J., Theoretical Study of the Alkaline Hydrolysis of Tricyclic Carbapenem, 774
- Freedman, T. B., Nafie, L. A., Rippert, A. J., Cao, X., Kalbermatter, M., Linden, A., Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302
- Freitas, J. M., see Darbre, T., 2470
- Frullano, L., see Aime, S., 588
- Fu, C., see Heimgartner, H., 3253
- Fu, H., see Lin, W., 2757
- Funahashi, S., Inada, Y., Mohammed, A. M., Loeffler, H. H., Water-Exchange Mechanism for Zinc(II), Cadmium(II), and Mercury(II) Ions in Water as Studied by Umbrella-Sampling Molecular-Dynamics Simulations, 461
- Funaki, T., see Nishimura, J., 1226
- Furusawa, M., see Ito, T., 23
- Furusawa, M., see Tanaka, T., 1048
- Gagliardo, M., see van Koten, G., 694
- Gailite, V., see Kalvinsh, I., 1630
- Galindo, J., see Fehr, C., 3128
- Gallego, M. L., see Cano, M., 2433
- Gallo-Flückiger, S., see Winter, B., 3118
- Gao, D.-Z., see Jiang, Z.-H., 3000
- García-Blanco, F., Sevilla Sierra, P., Civera Tejuca, C., Díaz Oliva, C., Catalán Sierra, J., Echevarría-Gorostidi, G., Properties of 2,2,2-Trifluoroethanol/Water Mixtures: Acidity, Basicity, and Dipolarity, 312
- Garland, M. T., see Moya, S. A., 2842
- Gauthier, S., see Severin, K., 435
- Gavagnin, M., see Guo, Y.-W., 87
- Geldbach, T. J., see Dyson, P. J., 665
- George, M. V., Thomas, K. G., Kamat, P. V., Photo-induced Electron-Transfer Processes in Fullerene-Based Donor-Acceptor Systems, 1291
- Geraldes, C. F. G. C., see Peters, J. A., 618
- Geraldes, C. F. G. C., André, J. P., Brücher, E., Kiraly, R., Carvalho, R. A., Mäcke, H., H₂dotasa (= (αRS)-α-(Carboxymethyl)-1,4,7,10-tetraaza-

- cyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of H₄dota (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: ¹H-NMR and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633
- Gérard, C., see Mohamadou, A., 2397
- Gessier, F., see Seebach, D., Jaun, B., 266
- Gessier, F., see Seebach, D., 2235
- Ghanem, A., Lacrampe, F., Schurig, V., Rhodium-(II)-Catalyzed Inter- and Intramolecular Cyclopropanations with Diazo Compounds and Phenylodonium Ylides: Synthesis and Chiral Analysis, 216
- Ghezzi, L., see Tiné, M. R., Tolazzi, M., 839
- Ghosez, L., Mahuteau-Betzer, F., Ding, P.-Y., First [4+2] Cycloadditions Involving the Olefinic Bond of an 'Aldoketeniminium Salt' (= N-Alk-1-enylideneaminium Salt), 2022
- Giester, G., see Mulzer, J., 1560
- Gilbert, M., see Mulzer, J., 1560
- Gindin, V. A., see Ostrovskii, V. A., 1790
- Giovenzana, G. B., see Aime, S., 588
- Gladiali, S., see van Koten, G., 694
- Glock, R., see Schank, K., 3174
- Glück-Walther, S., see Szeimies, G., 1540
- Goeldner, M., see Peng, L., 2641
- Gold, J., see Langhals, H., 2832
- Graikou, K., see Chinou, I., 2654
- Gramlich, V., see Hegetschweiler, K., 426
- Greem, G. E., Clements, P., Kirkbride, P. K., Pyke, S. M., Cycloaddition Reactions of 7-Benzylidene-necycloocta-1,3,5-triene with Ethenetetracarbonitrile and 4-Phenyl-3H-1,2,4-triazole-3,5(4H)-dione, 2003
- Gremaud, L., see Williams, A. F., 487
- Griesser, R., see Sigel, H., 406
- Griesser, U. J., see Seger, C., Strasser, H., 802
- Grothe, M., see Korber, N., 950
- Guan, Y., see Curini, M., 330
- Guerrero, J., see Moya, S. A., 2842
- Gülaçar, F. O., see Kavran Belin, G., 2322
- Gulea, M., see Mlostoi, G., Heimgartner, H., 2582
- Güney, M., see Daştan, A., Balci, M., 830
- Guo, F., see Li, Y., 2364
- Guo, G.-C., see Ding, L., 2502
- Guo, M., see Curini, M., 330
- Guo, Y.-W., Zhang, W., Gavagnin, M., Mollo, E., Cimino, G., Suberoretosteroids A–E, Five New Uncommon Polyoxygenated Steroid 24-Ketals from the Hainan Gorgonian *Suberogorgia reticulata*, 87
- Guo, Y.-W., Huang, X.-C., Mollo, E., Cimino, G., Dysideasterols A–E, Five New Uncommon Polyhydroxylated Steroids from the South China Sea Sponge *Dysidea* sp., 281
- Guo, Y.-W., Zhao, Y., Zhang, W., Rotundifolides A and B, Two New Enol-Derived Butenolactones from the Bark of *Litsea rotundifolia* var. *oblongifolia*, 349
- Guo, Y.-W., Wang, J.-D., Li, Z.-Y., Secoatisane- and Isopimarane-Type Diterpenoids from the Chinese Mangrove *Excoecaria agallocha* L., 979
- Guo, Y.-W., Yu, Z.-G., Bi, K.-S., Hyrtiosins A–E, Five New Scalarane Sesterterpenes from the South China Sea Sponge *Hyrtios erecta*, 1004
- Guo, Y.-W., Jia, R., Mollo, E., Cimino, G., Sarcophytonolides A–D, Four New Cembranolides from the Hainan Soft Coral *Sarcophyton* sp., 1028
- Guo, Y.-W., Mao, S.-C., Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034
- Hall Jr., H. K., Bates, R. B., May, E. J., Padias, A. B., Cycloadditions of Bifunctional Vinyl Ethers with Electrophilic Alkenes through Tetramethylene Zwitterion Intermediates, 1397
- Hall Jr., H. K., Padias, A. B., The Relationship of Cycloaddition Reactions to Spontaneous Vinyl Polymerizations, 1553
- Hamana, H., see Matsumoto, K., Kotsuki, H., Jenner, G., 1734
- Hamana, H., see Matsumoto, K., Iida, H., 2033
- Hamano, Y.-i., see Nishio, T., 2603
- Hametner, C., see Fišera, L., 1432
- Han, B., see Wagner, T., Eschenmoser, A., 1960
- Han, C., see Chen, Y., 1059
- Han, Q.-B., see Sun, H.-D., 252
- Han, Q.-B., see Sun, H.-D., 817
- Hanauer, T., see Korber, N., 950
- Hansen, H.-J., Jin, X., Linden, A., Formation of 6,10-Diphenyl-Substituted Heptalene-4,5-dicarboxylates, 873
- Hansen, H.-J., Abou-Hadeed, K., Fattah, M. e. A., El Rayes, S., Soliman, El S. A., Linden, A., Reductive Elimination of Phenylsulfonyl Groups in the 3-Position of Benzo[a]heptalene-2,4-diols, 1085
- Hansen, H.-J., Uebelhart, P., Weymuth, C., Benzo[a]heptalenes from Heptaleno[1,2-c]furans. Part I. Cycloaddition Reaction of Heptaleno[1,2-c]furans with Different Dienophiles, 1250
- Hao, X.-J., Wang, Y.-S., He, H.-P., Yang, J.-H., Shen, Y.-M., Zhou, J., A New Cyclopeptide from *Clausena anisum-olens*, 2345
- Hao, X.-J., see Shen, Y.-M., 2424
- Hao, X.-J., Zhou, H., He, H.-P., Luo, X.-D., Wang, Y.-H., Yang, X.-W., Di, Y.-T., Three New Indole Alkaloids from the Leaves of *Alstonia scholaris*, 2508
- Hao, X.-J., see Luo, X.-D., 2938

- Harrowfield, J., The Enigma of Lead(II) Coordination – Some Comments, 2430
- Hasegawa, T., see Yamabe, S., Machiguchi, T., 1519
- Haumann, M., see Roodt, A., 676
- He, H.-P., see Hao, X.-J., 2345
- He, H.-P., see Shen, Y.-M., 2424
- He, H.-P., see Hao, X.-J., 2508
- He, H.-P., see Shen, Y.-M., 2781
- He, Z.-D., see Sun, H.-D., 817
- Hegetschweiler, K., Egli, A., Herdtweck, E., Herrmann, W. A., Alberto, R., Gramlich, V., 1,3,5-Triamino-1,3,5-trideoxy-*cis*-inositol, a Ligand with a Remarkable Versatility for Metal Ions. Part XIII. Complex Formation with Rhenium(I) and Rhenium(VII), 426
- Heimgartner, H., Sommen, G. L., Linden, A., Selenium-Containing Heterocycles from Isoselenocyanates: Cycloaddition of Carbodiimides to Selenazetidines, 766
- Heimgartner, H., Philipova, I., Linden, A., Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711
- Heimgartner, H., Mlostoń, G., Urbaniak, K., Gulea, M., Masson, S., Linden, A., [2 + 3]-Cycloadditions of Phosphonodithioformate *S*-Methanides with C=S, N=N, and C=C Dipolarophiles, 2582
- Heimgartner, H., Mlostoń, G., Majchrzak, A., Rutkowska, M., Woznicka, M., Linden, A., Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624
- Heimgartner, H., Brun, K. A., A New 2*H*-Azirin-3-amine as a Synthon for 2-Methylaspartate, 2951
- Heimgartner, H., Malaschichin, S., Fu, C., Linden, A., Ring Enlargement and Sulfur-Transfer Processes in SiO₂-Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes, 3253
- Helmchen, G., Stang, A. Q., Enantioselective Syntheses and Fragrance Properties of the Four Stereoisomers of Magnolione® (Magnolia Ketone), 2738
- Heras, J. V., see Cano, M., 2433
- Herdewijn, P., Bardiot, D., Rosemeyer, H., Lescrier, E., Rozenski, J., Van Aerschot, A., Synthesis and Properties of Oligonucleotides Containing 2,4-Dihydroxycyclohexyl Nucleosides, 3210
- Herdweck, E., see Hegetschweiler, K., 426
- Heremans, K., Meersman, F., Smeller, L., Extending the Pressure–Temperature State Diagram of Myoglobin, 546
- Hergenröther, T., see Quast, H., Banert, K., 1589
- Herrmann, A., Ouali, L., Berthier, D., Trachsel, A., Fehr, C., Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089
- Herrmann, W. A., see Hegetschweiler, K., 426
- Heuschmann, M., Zipse, H., Ernd, M., Cycloadditions of Aryl-Substituted 1,2,4-Triazines with 2-Cyclopropylidene-1,3-dimethylimidazolidine – Zwitterions as Discrete Intermediates, 1491
- Hilty, C., see Seebach, D., Jaun, B., 1969
- Ho, J. Z., Elmore, C. S., Wallace, M. A., Yao, D., Braun, M. P., Dean, D. C., Melillo, D. G., Chen, C.-y., Use of Dibutyl[¹⁴C]formamide as a Formylating Reagent in the Vilsmeier–Haack Reaction and Synthesis of a ¹⁴C-Labeled Novel Phosphodiesterase-4 (PDE-4) Inhibitor, 1040
- Ho, T.-L., Chen, C.-K., Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine via a Spirocyclic Intermediate, 2764
- Hof, F., see Diederich, F., 2333
- Hoffmann, B., see Vasella, A., 1885
- Hollinshead, R., see Kalvinsh, I., 1630
- Hopf, H., see Hussain, Z., 3263
- Horn, J., see Bannwarth, W., 936
- Horváth, H., see Joó, F., 566
- Hou, A.-J., Chen, L., Three New Isoprenylated 2-Arylbenzofurans from *Artocarpus petelotii*, 2554
- Houk, K. N., Jones, G. O., Ess, D. H., Activation Energies and Reaction Energetics for 1,3-Dipolar Cycloadditions of Hydrazoic Acid with C–C and C–N Multiple Bonds from High-Accuracy and Density Functional Quantum Mechanical Calculations, 1702
- Hu, C., Wang, S., Ma, D., Three New Compounds from the Aerial Parts of *Caragana sinica*, 2315
- Hu, L.-H., Yin, F., Six New Triterpene Saponins with a 21,23-Lactone Skeleton from *Gynostemma pentaphyllum*, 1126
- Huang, R., see Li, L., 968
- Huang, R., see Chen, Y., 1059
- Huang, R., see Wang, Y.-B., Li, L., 1081
- Huang, S.-X., see Zhao, Q.-S., 2550
- Huang, W.-Y., see Tan, R.-X., 2861
- Huang, X.-C., see Guo, Y.-W., 281
- Hugi-Cleary, D., Slatli, A., Stoeckli, F., On the Adsorption, by Activated Carbons, of Some Sparingly Soluble Organics from Aqueous Solutions, 470
- Hussain, Z., Koley, D., Hopf, H., Synthesis and Stereochemical Aspects of Ethyl 1,1a,2,3,4,5,6,6a-Octahydro-4-octylcyclopropa[*f*]indene-1-carboxylate, 3263
- Hwang, T.-L., see Wu, Y.-C., 905
- Iba, K., see Nishio, T., 2603
- Ibrahim, I., see Tanaka, T., 1048
- Ido, Y., see Tanaka, T., 1048
- Iida, H., see Matsumoto, K., Kotsuki, H., Jenner, G., 1734

- Iida, H., Matsumoto, K., Hamana, H.*, Compendium of Cycloaddition Reactions under High Pressure, 2033
- Iinuma, M.*, see *Ito, T.*, 23
- Iinuma, M.*, see *Tanaka, T.*, 1048
- Iliya, I.*, see *Ito, T.*, 23
- Inada, Y., Funahashi, S., Mohammed, A. M., Loeffler, H. H.*, Water-Exchange Mechanism for Zinc(II), Cadmium(II), and Mercury(II) Ions in Water as Studied by Umbrella-Sampling Molecular-Dynamics Simulations, 461
- Incze, M.*, see *Szántay, C.*, 1344
- Ingold, K. U.*, see *Mulder, P.*, 370
- Inokuma, S.*, see *Nishimura, J.*, 1226
- Iqbal, S.*, see *Ahmad, V. U.*, 309
- Irlinger, B.*, see *Mayser, P., Steglich, W.*, 1472
- Iseki, K.*, see *Nishio, T.*, 35
- Ito, T., Ali, Z., Iliya, I., Furusawa, M., Tanaka, T., Nakaya, K.-i., Takahashi, Y., Sawa, R., Murata, J., Darnaedi, D., Iinuma, M.*, Occurrence of Stilbene Glucosides in *Upuna borneensis*, 23
- Ito, T.*, see *Tanaka, T.*, 1048
- Iványi, T.*, see *Brücher, E.*, 604
- Jaun, B., Seebach, D., Mathad, R. I., Gessier, F.*, The Effect of Backbone-Heteroatom Substitution on the Folding of Peptides – A Single Fluorine Substituent Prevents a β -Heptapeptide from Folding into a 3_{14} -Helix (NMR Analysis), 266
- Jaun, B.*, see *Armaroli, N., Echegoyen, L., Dieckerich, F.*, 1839
- Jaun, B., Seebach, D., Mathad, R. I., Kimmerlin, T., Mahajan, Y. R., Bindschädler, P., Rueping, M., Hilty, C., Etezady-Esfarjani, T.*, NMR-Solution Structures in Methanol of an α -Heptapeptide, of a $\beta^1\beta^2$ -Nonapeptide, and of an all- β^3 -Icosapeptide Carrying the 20 Proteinogenic Side Chains, 1969
- Jawalekar, A. M.*, see *Seela, F.*, 751
- Jayaraj, B.*, see *Chiranjeevi, P.*, 1022
- Jenner, G., Matsumoto, K., Kotsuki, H., Kim, J. C., Iida, H., Hamana, H., Kumamoto, K.*, Multi-component *Strecker* Reaction under High Pressure, 1734
- Ji, M.*, see *Lou, H.-X.*, 2637
- Jia, R.*, see *Guo, Y.-W.*, 1028
- Jia, Z.*, see *Chen, D.*, 2288
- Jiang, X.*, see *Sherry, A. D.*, 923
- Jiang, Z.-H., Wang, S.-P., Song, Y., Gao, D.-Z., Li, L.-C., Wang, Q.-M., Liao, D.-Z., Yan, S.-P.*, Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms $[M_2Au_4]$ ($M = Ni, Zn$) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000
- Jiang, Z.-Y.*, see *Chen, J.-J.*, 297
- Jin, X.*, see *Hansen, H.-J.*, 873
- Jolly, C.*, see *Lacaille-Dubois, M.-A.*, 2986
- Jones, G. O.*, see *Houk, K. N.*, 1702
- Joó, F., Papp, G., Horváth, H., Kathó, Á.*, Aqueous Organometallic Chemistry. Synthesis and Solution Equilibria of Trisodium Carbonylchlorotris[3-(diphenylphosphino- κP)benzenesulfonato]hydridoruthenate(3-) ($[RuH(Cl)(CO)\{m-(Ph_2P)-C_6H_4-SO_3Na\}_3]$) and Trisodium Aquacarbonyltris[3-(diphenylphosphino- κP)benzenesulfonato]hydridoruthenate(2-) Tetrafluoroborate(1-) ($[RuH(CO)(H_2O)\{m-(Ph_2P)-C_6H_4-SO_3Na\}_3][BF_4]$), 566
- Joudioux, R.*, see *Marini Bettolo, R.*, 154
- Ju, P.*, see *Luo, S.*, 339
- Judka, M.*, see *Makosza, M.*, 1676
- Jung, G., Böhme, R., Breitmaier, E.*, Synthesis of the Antibiotic (*R*)-Reutericyclin via *Dieckmann* Condensation, 2837
- Jurczak, J., Chapuis, C., Piątek, A. M., Chojnacka, A.*, Synthesis and [4+2] Cycloaddition of (2*R*,2'*R*)-*N,N'*-Fumaroylbis[*fenchane*-8,2-sultam] (= (2*E*)-1,4-Bis[(3*aS*,6*S*,7*aR*)-1,4,5,6,7,7*a*-hexahydro-7,7-dimethyl-2,2-dioxido-3*H*-3*a*,6-methano-2,1-benzothiazol-1-yl]but-2-ene-1,4-dione) to Cyclopentadiene, 2441
- Kaden, S.*, see *Reissig, H.-U.*, 1826
- Kaden, T. A., Siegfried, L.*, Kinetics and Mechanism of the Demetallation of Macrocyclic Nickel(II) Complexes by Cyanide, 380
- Kalbermatter, M.*, see *Freedman, T. B., Nafie, L. A., Rippert, A. J.*, 2302
- Kalvinsh, I., Finn, P. W., Bandara, M., Butcher, C., Finn, A., Hollinshead, R., Khan, N., Law, N., Murthy, S., Romero, R., Watkins, C., Andrianov, V., Bokaldere, R. M., Dikovska, K., Gailite, V., Loza, E., Piskunova, I., Starchenkov, I., Vorona, M.*, Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630
- Kalvoda, J.*, see *Pavlović, V. D.*, 2812
- Kamat, P. V., Thomas, K. G., George, M. V.*, Photo-induced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291
- Kang, Q.-J.*, see *Shen, Y.-M.*, 2781
- Kang, W.-Y.*, see *Xu, X.-J.*, 2771
- Kathó, Á.*, see *Joó, F.*, 566
- Katritzky, A. R., Khashab, N. M., Bobrov, S.*, The Preparation of 1,2,3-Trisubstituted Guanidines, 1664
- Kavran Belin, G., Gülaçar, F. O.*, Metal Analyses in Environmental and Pharmaceutical Samples by Capillary Electrophoresis with Methyl 3-Amino-3-(pyridin-3-yl)propanoate Dihydrochloride as a New Ion-Pairing Reagent, 2322
- Kazak, C.*, see *Morsali, A., Yilmaz, V. T.*, 2513

- Kempe, R., see Morsali, A., 2267
 Khalil, A. T., see Shen, Y.-C., 68
 Khan, A., see Ahmad, V. U., 309
 Khan, N., see Kalvinsh, I., 1630
 Khashab, N. M., see Katritzky, A. R., 1664
 Kim, J. C., see Matsumoto, K., Kotsuki, H., Jenner, G., 1734
 Kimmerlin, T., see Seebach, D., Jaun, B., 1969
 Kimmerlin, T., see Seebach, D., 2235
 Király, R., see Brücher, E., 604
 Kiraly, R., see André, J. P., Geraldès, C. F. G. C., 633
 Kirkbride, P. K., see Gream, G. E., 2003
 Klärner, F.-G., see Maas, G., 1813
 Klepper, F., see Carell, T., 2610
 Klingl, A., see Pfaendler, H. R., 1486
 Koch, G., see Wagner, T., Eschenmoser, A., 1960
 Kóczán, K., see Noszál, B., 2355
 Kodama, Y., see Nishio, T., 187
 Kökösi, J., see Noszál, B., 2355
 Koley, D., see Hussain, Z., 3263
 Kopf, J., see Margaretha, P., 1922
 Koppenol, W. H., Paneth, IUPAC, and the Naming of Elements, 95
 Korber, N., Hanauer, T., Grothe, M., Reil, M., Syntheses and Crystal Structures of Four New Ammoniates with Heptaarsenide (As_7^{3-}) Anions, 950
 Koren, A. O., see Ostrovskii, V. A., 1790
 Korth, H.-G., see Mulder, P., 370
 Kotsuki, H., Matsumoto, K., Jenner, G., Kim, J. C., Iida, H., Hamana, H., Kumamoto, K., Multi-component Strecker Reaction under High Pressure, 1734
 Kousar, F., see Ahmad, V. U., 309
 Koyama, H., see Nishio, T., 78
 Koyama, H., see Nishio, T., 996
 Kraft, P., Fleischhauer, J., Voloshina, E., Conformational Analysis and CD Calculations of Methyl-Substituted 13-Tridecano-13-lactones, 194
 Krämer, H.-J., see Mayser, P., Steglich, W., 1472
 Krishnaiah, L., see Chiranjeevi, P., 343
 Krishnamurthy, R., see Wagner, T., Eschenmoser, A., 1960
 Krstić, N. M., see Pavlović, V. D., 2812
 Kuang, Y.-Y., see Chen, F.-E., 2575
 Kumamoto, K., see Matsumoto, K., Kotsuki, H., Jenner, G., 1734
 Kumar, K. S., see Chiranjeevi, P., 343
 Kumar, K. S., see Chiranjeevi, P., 1022
 Kündig, E. P., Laxmisha, M. S., Cannas, R., Tchertchian, S., Ronggang, L., Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063
 Kuo, Y.-H., see Shen, Y.-C., 68
 Kurz, P., see Alberto, R., 447
 Kyas, A., see Feigel, M., 2375
 La Bella, A., see Marini Bettolo, R., 154
 La Rosa, C., Cremonesi, G., Dalla Croce, P., [2 + 2] Cycloaddition Reactions of Imines with Cyclic Ketenes: Synthesis of 1,3-Thiazolidine Derived Spiro- β -lactams and Their Transformations, 1580
 Lacaille-Dubois, M.-A., Mitaine-Offer, A.-C., Miyamoto, T., Jolly, C., Delaude, C., Triterpene Saponins from Four Species of the Polygalaceae Family, 2986
 Lacrampe, F., see Ghanem, A., 216
 Ladinig, M., see Leupin, W., Meuwly, M., Wirz, J., 53
 Lan, Y.-H., see Wu, Y.-C., 905
 Langhals, H., Control of the Interactions in Multichromophores: Novel Concepts. Perylene Bisimides as Components for Larger Functional Units, 1309
 Langhals, H., Gold, J., An Unusual β -Oxidation of N-Functionalized Alkyl Chains by 1H-Imidazole, 2832
 Laurenczy, G., Loy, M., Synthesis and Characterization of New Water-Soluble Hydrides of Ru^{II} : A Step towards Dinitrogen Activation?, 557
 Laurenczy, G., see Dyson, P. J., 665
 Laurent, S., see Müller, R. N., 574
 Laurent, S., see Peters, J. A., 618
 Law, N., see Kalvinsh, I., 1630
 Laxmisha, M. S., see Kündig, E. P., 1063
 Lázár, I., see Brücher, E., 604
 Lee, C. L., see Shen, Y.-C., 68
 Lehmann, J., see Quast, H., Banert, K., 1589
 Leone, A., see Consiglio, G., 210
 Leonelli, F., see Marini Bettolo, R., 154
 Leroux, F., Masson, E., The Effect of Ring Size on Reactivity: The Diagnostic Value of 'Rate Profiles', 1375
 Lesch, S., see Christl, M., Stalke, D., 1421
 Lescrinier, E., see Herdewijn, P., 3210
 Leupin, W., Meuwly, M., Wirz, J., Ladinig, M., Respondek, M., Zoete, V., Protonation Equilibria of Hoechst 33258 in Aqueous Solution, 53
 Li, C.-S., see Zhou, J., 325
 Li, J.-T., see Sun, H.-D., 252
 Li, L., Yang, J.-H., Luo, S.-D., Zhao, J.-F., Wang, Y.-s., Huang, R., Zhang, H.-B., Three New Highly Oxygenated Diterpenoids from *Excoecaria cochinchinensis* LOUR., 968
 Li, L., Wang, Y.-B., Huang, R., Zhang, H.-B., Diterpenoid Alkaloids from *Aconitum tanguticum*, 1081
 Li, L., see Luo, S.-D., 2523
 Li, L., Zhao, J.-F., Yuan, Q.-M., Yang, X.-D., Zhang, H.-B., Two New Iridoid Glycosides from *Hedyotis tenelliflora* BLUME, 2532

- Li, L.-C., see Jiang, Z.-H., 3000
 Li, Q.-X., see Qi, S.-H., 2349
 Li, R.-T., see Sun, H.-D., 252
 Li, T.-C., see Zhou, T., 290
 Li, T.-Z., see Zhang, W.-D., 2892
 Li, X.-L., see Zhao, Q.-S., 2370
 Li, Y., Guo, F., New Sesquiterpenoids from *Lycianthes marlipensis*, 2364
 Li, Y., Yang, Z.-S., Wu, W.-M., Wu, Y.-L., Design and Synthesis of Novel Artemisinin-Like Ozonides with Antischistosomal Activity, 2865
 Li, Z.-J., see Lou, H.-X., 2637
 Li, Z.-Q., see Xu, X.-J., 2771
 Li, Z.-R., see Qiu, M.-H., 240
 Li, Z.-Y., see Guo, Y.-W., 979
 Liao, D.-Z., see Jiang, Z.-H., 3000
 Liao, S.-G., see Yue, J.-M., 2873
 Liao, Z., see Chen, D., 2288
 Liao, Z., see Chen, D., 2675
 Liaw, C.-C., see Wu, Y.-C., 905
 Lick, C., see Schank, K., 3174
 Lin, S.-S., see Xu, J., 180
 Lin, W., Bao, S., Deng, Z., Fu, H., Proksch, P., Diterpenes and Disulfides from the Marine Mangrove Plant *Bruguiera sexangula* var. *rhyngochopetala*, 2757
 Linares-Palomino, P. J., see Prakash, G. K. S., Olah, G. A., 1221
 Lincoln, S. F., Mechanistic Studies of Metal Aqua Ions: A Semi-Historical Perspective, 523
 Linden, A., see Heimgartner, H., 766
 Linden, A., see Hansen, H.-J., 873
 Linden, A., see Abou-Hadeed, K., Hansen, H.-J., 1085
 Linden, A., see Heimgartner, H., 1711
 Linden, A., see Freedman, T. B., Nafie, L. A., Rippert, A. J., 2302
 Linden, A., see Mlostóń, G., Heimgartner, H., 2582
 Linden, A., see Mlostóń, G., Heimgartner, H., 2624
 Linden, A., see Heimgartner, H., 3253
 Linder, S., see Snowden, R. L., 3055
 Litaudon, M., see Chinou, I., 2654
 Liu, G.-A., see Ding, L., 2502
 Liu, J. Y., see Tan, R. X., 2910
 Liu, R.-H., see Zhang, W.-D., 2892
 Loeffler, H. H., see Inada, Y., Funahashi, S., 461
 López, C., Claramunt, R. M., Lott, S., Santa María, M. D., Alkorta, I., Elguero, J., Solid-State NMR Study of the Tautomerism of Acetylacetone Included in a Host Matrix, 1931
 Lopez de Laorden, C., see Comba, P., 647
 Lott, S., see Claramunt, R. M., López, C., 1931
 Lou, H.-X., Li, Z.-J., Yu, W.-T., Fan, P.-H., Ren, D.-M., Ma, B., Ji, M., Structures and Absolute Configurations of Three 7,8-Secolabdane Diterpenes from the Chinese Liverwort *Pallavicinia ambigua*, 2637
 Loy, M., see Laurenczy, G., 557
 Loza, E., see Kalvinsh, I., 1630
 Lu, Y., see Zhao, Q.-S., 2370
 Luo, S., Zhu, X., Dong, X., Wang, Y., Ju, P., Phenolic Compounds from *Viburnum cylindricum*, 339
 Luo, S.-D., see Li, L., 968
 Luo, S.-D., Yang, J.-H., Li, L., Wang, Y.-S., Zhao, J.-F., Zhang, H.-B., Two New Aporphine Alkaloids from *Litsea glutinosa*, 2523
 Luo, X.-D., see Zhou, J., 325
 Luo, X.-D., see Hao, X.-J., 2508
 Luo, X.-D., Cai, X.-H., Zhou, J., Hao, X.-J., Dolabellane Diterpenoids from the Higher Plant *Aglaiia odorata*, 2938
 Lutz, M., see van Koten, G., 694
 Lv, Y., see Chen, Y., 1059
 Łysek, R., see Vogel, P., 2788
 Ma, B., see Lou, H.-X., 2637
 Ma, D., see Hu, C., 2315
 Ma, X.-Q., see Zeng, L.-M., 885
 Maas, G., Brunner, M., Klärner, F.-G., 1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α -Ethylnyl-enamine, 1813
 Machiguchi, T., Yamabe, S., Okamoto, J., Minato, T., Hasegawa, T., Tropone Is a Mere Ketone for Cycloadditions to Ketenes, 1519
 Mücke, H., see André, J. P., Geraldès, C. F. G. C., 633
 Madhour, A., see Davoli, P., 2960
 Magdolen, P., see Vasella, A., 2454
 Maggio, B., see Daidone, G., 2272
 Mahajan, Y. R., see Seebach, D., Jaun, B., 1969
 Mahuteau-Betzer, F., see Ghosez, L., 2022
 Majchrzak, A., see Mlostóń, G., Heimgartner, H., 2624
 Mąkosza, M., Judka, M., New Synthesis of Pyrrolidines via Reaction of γ -Halocarbanions with Imines, 1676
 Malaschichin, S., see Heimgartner, H., 3253
 Mangalagu, I. I., Moldoveanu, C. C., 4-Methyl- and 4-(Halophenyl)pyrimidinium (4-Halobenzoyl)-methylides. Correlation of Structure, Stability, Reactivity, and Biological Activity, 2747
 Mao, L., see Zhao, Q.-S., 2370
 Mao, S.-C., see Guo, Y.-W., 1034
 Marcotullio, M. C., see Curini, M., 330
 Margaretha, P., Schmidt, K., Kopf, J., Light-Induced Cycloaddition of 2,3-Dihydro-2,2-dimethyl-4H-thiopyran-4-one (a 4-Thiacyclohex-2-enone) to Alkenes and Dienes, 1922

- Marini Bettolo, R., Leonelli, F., La Bella, A., Franciscangeli, A., Joudioux, R., Capodilupo, A.-L., Quagliarillo, M., Migneco, L. M., Crescenzi, V., De Luca, G., Renier, D., A New and Simply Available Class of Hydrosoluble Bioconjugates by Coupling Paclitaxel to Hyaluronic Acid through a 4-Hydroxybutanoic Acid Derived Linker, 154
- Marques, M. R., Cesar, L. M. M., Tormena, C. F., Silva, G. V. J., Mendes, M. A., Rittner, R., Palma, M. S., Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistrata*, 796
- Marrot, J., see Mohamadou, A., 2397
- Mas, T., see Pardo, C., 1199
- Masson, E., see Leroux, F., 1375
- Masson, S., see Mlostoń, G., Heimgartner, H., 2582
- Mathad, R. I., see Seebach, D., Jaun, B., 266
- Mathad, R. I., see Seebach, D., Jaun, B., 1969
- Matsumoto, K., Kotsuki, H., Jenner, G., Kim, J. C., Iida, H., Hamana, H., Kumamoto, K., Multi-component Strecker Reaction under High Pressure, 1734
- Matsumoto, K., Iida, H., Hamana, H., Compendium of Cycloaddition Reactions under High Pressure, 2033
- May, E. J., see Bates, R. B., Hall Jr., H. K., 1397
- Mayer, P., see Stachel, H.-D., Weigand, W., 1208
- Mayr, H., Dulich, F., Müller, K.-H., Ofial, A. R., Quantification of the β -Stabilizing Effect of the Dicarbonyl(η^5 -cyclopentadienyl)iron Group, 1754
- Mayser, P., Steglich, W., Irlinger, B., Bartsch, A., Krämer, H.-J., New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472
- Mazák, K., see Noszál, B., 2355
- Medel, R., see Plumet, J., 1387
- Medici, S., see van Koten, G., 694
- Meersman, F., see Heremans, K., 546
- Meijboom, R., see Roodt, A., 676
- Melchior, A., see Tiné, M. R., Tolazzi, M., 839
- Melillo, D. G., see Ho, J. Z., 1040
- Mendes, M. A., Cesar, L. M. M., Tormena, C. F., Marques, M. R., Silva, G. V. J., Rittner, R., Palma, M. S., Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistrata*, 796
- Meneghetti, F., see Daidone, G., 2272
- Meuwly, M., Leupin, W., Wirz, J., Ladinig, M., Respondek, M., Zoete, V., Protonation Equilibria of Hoechst 33258 in Aqueous Solution, 53
- Meyyappan, M., see Pitsch, S., 2897
- Miao, Z., see Vasella, A., 1885
- Miao, Z., see Vasella, A., 2918
- Michailovski, A., see Patzke, G. R., 2479
- Michalek, F., see Bannwarth, W., 936
- Michedkina, E., see Mikołajczyk, M., 1769
- Midura, W. H., see Mikołajczyk, M., 1769
- Migneco, L. M., see Marini Bettolo, R., 154
- Mikołajczyk, M., Midura, W. H., Michedkina, E., Filipczak, A. D., Wieczorek, M. W., Stereoselective Cyclopropanation of 2-[(S)-(4-Methylphenyl)sulfinyl]cyclopent-2-en-1-one with Sulfur Ylides and α -Halo Carbanions. Preliminary Communication, 1769
- Millership, J. S., see Morrow, R. J., 962
- Minato, T., see Yamabe, S., Machiguchi, T., 1519
- Mitaine-Offer, A.-C., see Lacaille-Dubois, M.-A., 2986
- Miyamoto, T., see Lacaille-Dubois, M.-A., 2986
- Miyazaki, T., see Nishio, T., 35
- Mlostoń, G., Celeda, M., Ring Opening of 1-Azabicyclo[1.1.0]butanes with Hydrazoic Acid – a Facile Access to *N*-Unsubstituted Azetidin-3-Amines, 1658
- Mlostoń, G., Heimgartner, H., Urbaniak, K., Gulea, M., Masson, S., Linden, A., [2 + 3]-Cycloadditions of Phosphonodithioformate *S*-Methanides with C=S, N=N, and C=C Dipolarophiles, 2582
- Mlostoń, G., Heimgartner, H., Majchrzak, A., Rutkowska, M., Woznicka, M., Linden, A., Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624
- Mohal, N., see Vasella, A., 100
- Mohal, N., see Vasella, A., 3232
- Mohamadou, A., Gérard, C., Marrot, J., Brandes, S., Tabard, A., Synthesis and Characterization of Copper Complexes Containing the Tripodal *N*₇ Ligand Tris[2-[(pyridin-2-ylmethyl)amino]ethyl]amine (= *N'*-(Pyridin-2-ylmethyl)-*N,N*-bis[2-[(pyridin-2-ylmethyl)amino]ethyl]ethane-1,2-diamine): Equilibrium, Spectroscopic Data, and Crystal Structures of Mono- and Trinuclear Copper(II) Complexes, 2397
- Mohammed, A. M., see Inada, Y., Funahashi, S., 461
- Moldoveanu, C. C., see Mangalagu, I. I., 2747
- Moldvai, I., see Szántay, C., 1344
- Möller, M., see Walder, L., 3200
- Mollo, E., see Guo, Y.-W., 87
- Mollo, E., see Guo, Y.-W., 281
- Mollo, E., see Guo, Y.-W., 1028
- Moloney, E. M., see Butler, R. N., 1611
- Moore, P., Errington, W., Sangha, S. P., Formation and Dissociation of Tetrahedral Nickel(II) and Cobalt(II) Complexes of 'Dithioimidodiphosphato' Ligands, Measurement of Kinetically Determined Stability Constants, and Kinetic Investigations of the Rapid Formation of Tetrahedral Bis(ligand)copper(II) Complexes and

- Their Rates of Reduction to Trinuclear Copper(I) Species, 782
- Morán, J. R., Simón, L., Muñiz, F. M., Sáez, S., Raposo, C., Sanz, F., Xanthone Receptors as Oxyanion-Hole Mimics in Artificial Enzymes, 1682
- Morrow, R. J., Millership, J. S., Collier, P. S., Facile Syntheses of the Three Major Metabolites of Thioridazine, 962
- Morsali, A., Kempe, R., A Novel One-Dimensional Coordination Polymer Involving Weak Hg–Hg Interactions, 2267
- Morsali, A., Yilmaz, V. T., Kazak, C., Zhu, L.-G., Two-Dimensional Holo- and Hemidirected Lead(II) Coordination Polymers: Synthetic, Spectroscopic, Thermal, and Structural Studies of $[\text{Pb}(\mu\text{-SCN})_2(\mu\text{-cbp})_{1.5}]_n$ and $[\{\text{Pb}(\mu\text{-OAc})(\mu\text{-cbp})\}(\text{ClO}_4)]_n$ (cbp = 4,4'-(1E)-Ethane-1,2-diyl]bis[pyridine]; OAc = Acetato), 2513
- Morsali, A., Xiao, H.-P., A Novel Three-Dimensional Coordination Polymer Involving Pb–Pb Interactions and Three Different Hemidirected Lead(II) Coordination Spheres: X-Ray Crystal Structure of $\text{Tris}(1,10\text{-phenanthroline-}\kappa\text{N}^1, \kappa\text{N}^{10})\text{bis}[\{\mu_3\text{-}[5\text{-}(\text{sulfo-}\kappa\text{O})\text{benzene-1,3-dicarboxylate}(3-)-\kappa\text{O}^1, \kappa\text{O}^1: \kappa\text{O}^2, \kappa\text{O}^2: \kappa\text{O}^2]\}\text{trilead}(\text{Pb}–\text{Pb})\text{Trihydrate}([\text{Pb}_3(\text{phen})_3(\text{H}_2\text{O})_2(\text{sip})_2]_n \cdot 3\text{H}_2\text{O})$, 2543
- Mössner, C., see Bannwarth, W., 936
- Moya, S. A., Guerrero, J., Rodríguez-Nieto, F. J., Wolcan, E., Féliz, M. R., Baggio, R. F., Garland, M. T., Influence of the 4-Substituted Pyridine Ligand L' on both the Conformation and Spectroscopic Properties of the (2,2'-Biquinoline- $\kappa\text{N}^1, \kappa\text{N}^{10}$)tricarbonyl(pyridine- κN^1)rhenium(1+) Complex ($[\text{Re}(\text{CO})_3\text{-}(\text{bqui})(\text{py})]^+$) and Its Derivatives $[\text{Re}(\text{CO})_3(\text{L})(\text{L}')]^+$ (L = 2,2'-Biquinoline and 3,3'-(Ethane-1,2-diyl)-2,2'-biquinoline), 2842
- Mucci, A., see Davoli, P., 2960
- Mukherjee, R., see Mukhopadhyay, S., Banerjee, R., 2294
- Mukhopadhyay, S., Banerjee, R., Dhar, B. B., Mukherjee, R., Mechanistic Studies on the Oxidation of Hydrazine by Tris(biguanide)manganese(IV) in Aqueous Acidic Media, 2294
- Mukhopadhyay, S., Das, A., Kinetic and Mechanistic Studies on the Oxidation of Nitrogen(III) ($\text{HNO}_2/\text{NO}_2^-$) by the Tris(biguanide)manganese(IV) Ion in Aqueous Acidic Media, 2561
- Mukhopadhyay, S., Bhattacharyya, J., Mechanistic Studies on the Oxidation of Nitrite by a μ -Oxodiiron(III,III) Complex in Aqueous Acidic Media, 2661
- Mulder, P., Korth, H.-G., Ingold, K. U., Why Quantum-Thermochemical Calculations Must Be Used with Caution to Indicate 'a Promising Lead Antioxidant', 370
- Muller, G., see Parker, D., 391
- Müller, K.-H., see Mayr, H., 1754
- Müller, P., Chappellet, S., Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010
- Muller, R. N., Vander Elst, L., Sessoye, A., Laurent, S., Can the Theoretical Fitting of the Proton-Nuclear-Magnetic-Relaxation-Dispersion (Proton NMRD) Curves of Paramagnetic Complexes Be Improved by Independent Measurement of Their Self-Diffusion Coefficients?, 574
- Muller, R. N., see Peters, J. A., 618
- Müller, T. J. J., Rotaru, A. V., Druta, I. D., Oeser, T., A Novel Coupling 1,3-Dipolar Cycloaddition Sequence as a Three-Component Approach to Highly Fluorescent Indolizines, 1798
- Mulzer, J., Giester, G., Gilbert, M., Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560
- Muñiz, F. M., see Morán, J. R., 1682
- Münster, I., see Seela, F., 751
- Murata, J., see Ito, T., 23
- Murcia, M. C., see Plumet, J., 1387
- Murthy, S., see Kalvinsh, I., 1630
- Nafie, L. A., Freedman, T. B., Rippert, A. J., Cao, X., Kalbermatter, M., Linden, A., Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302
- Najam us Saqib, Q., see Baloch, M. K., 3145
- Nakamura, Y., see Nishimura, J., 1226
- Nakaya, K.-i., see Ito, T., 23
- Nakaya, K.-i., see Tanaka, T., 1048
- Nakayama, J., Yoshida (nee Tanaka), S., Sugihara, Y., Sakamoto, A., The Chemistry of the Thio-sulfinyl Group: Preparation, Structure, and Spectroscopic and Chemical Properties of Cyclic Thionosulfites, 1451
- Nascimento, F. C., see Boaventura, M. A. D., 3225
- Nikolaev, V. A., see Schulze, B., 1913
- Nishimura, J., Funaki, T., Saito, N., Inokuma, S., Nakamura, Y., Tajima, S., Yoshihara, T., Tobita, S., The *exo*-Outstretching Effect Governing the Exclusive Stereoselectivity of the Intramolecular [2+2] Photocycloaddition of Vinylarenes, 1226
- Nishio, T., Iseki, K., Araki, N., Miyazaki, T., Synthesis of Indolones via Radical Cyclization of *N*-(2-Halogenoalkanoyl)-Substituted Anilines, 35
- Nishio, T., Tabata, M., Koyama, H., Sakamoto, M., Photochemistry of *N*-(2-Acylphenyl)-2-methylprop-2-enamides: Competition between Photo-

- cyclization and Long-Range Hydrogen Abstraction, 78
- Nishio, T., Kodama, Y., Ori, M., Thionation of *N*-(ω -Halogenoalkyl)-Substituted Amides with Lawesson's Reagent: Facile Synthesis of 4,5-Dihydro-1,3-thiazoles and 5,6-Dihydro-4*H*-1,3-thiazines, 187
- Nishio, T., Koyama, H., Sasaki, D., Sakamoto, M., A Novel Intramolecular Photocyclization of *N*-(2-Bromoalkanoyl) Derivatives of 2-Acylanilines via 1,8-Hydrogen Abstraction, 996
- Nishio, T., Sakurai, N., Iba, K., Hamano, Y.-i., Sakamoto, M., Intramolecular Photocyclization of 2-Acylphenyl Methacrylates: a Convenient Access to 4,5-Dihydro-1,4-epoxy-2-benzoxepin-3(1*H*)-ones (= Benzo[*c*]-6,8-dioxabicyclo[3.2.1]-octan-7-ones, 2603
- Nokami, T., see Seeberger, P. H., 2823
- Noszál, B., Kóczián, K., Kőkösi, J., Mazák, K., Novel Chemical Transformations of Tenoxicam, 2355
- Noti, C., see Seeberger, P. H., 1
- Obranec, M., see Fišera, L., 1432
- Oefner, C., see Diederich, F., 731
- Oeser, T., see Müller, T. J. J., 1798
- Ofial, A. R., see Mayr, H., 1754
- Ohyama, M., see Tanaka, T., 1048
- Okamoto, J., see Yamabe, S., Machiguchi, T., 1519
- Olah, G. A., Prakash, G. K. S., Linares-Palomino, P. J., Trifluoromethanesulfonic Acid Catalyzed Alkylation of Arenes with Methyl (2*R*)-Glycidate, 1221
- Oliveira, A. S., see Santos, P. F., 1135
- Ori, M., see Nishio, T., 187
- Ostrovskii, V. A., Trifonov, R. E., Volovodenko, A. P., Vergizov, S. N., Shirinbekov, N. I., Gindin, V. A., Koren, A. O., Basicity of Phenyl- and Methyl-Substituted 1,2,4-Oxadiazoles, 1790
- Ostrowski, S., Raczko, A. M., Selective Double Functionalization of *meso*-Tetraphenylporphyrin Complexes on the Same Pyrrole Unit by Tandem Electrophilic/Nucleophilic Aromatic Substitution, 974
- Otto, H.-H., Bleile, M., Wagner, T., Synthesis of Substituted Pyrrolo[3,4-*a*]carbazoles, 2879
- Ouali, L., Herrmann, A., Berthier, D., Trachsel, A., Fehr, C., Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascenes, 3089
- Padias, A. B., see Bates, R. B., Hall Jr., H. K., 1397
- Padias, A. B., see Hall Jr., H. K., 1553
- Padwa, A., Catalytic Decomposition of Diazo Compounds as a Method for Generating Carbonyl-Ylide Dipoles, 1357
- Pak, J.-K., see Alberto, R., 447
- Palkar, A., see Armaroli, N., Echegoyen, L., Diederich, F., 1839
- Palma, M. S., Cesar, L. M. M., Tormena, C. F., Marques, M. R., Silva, G. V. J., Mendes, M. A., Rittner, R., Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796
- Palmisano, G., see Aime, S., 588
- Pan, Y.-j., Wang, K.-w., Sun, H.-x., Wu, B., Two Novel Olean Triterpenoids from *Celastrus hypoleucus*, 990
- Papp, G., see Joó, F., 566
- Paquette, L. A., Tian, Z., Seekamp, C. K., Wang, T., Synthesis of the Cyclopentyl Nucleoside (–)–Neplanocin A from D-Glucose via Zirconocene-Mediated Ring Contraction, 1185
- Pardo, C., Mas, T., Elguero, J., Use of Tröger's Base as a Scaffold for New Chiral Molecular Tweezers: Synthesis of Trimeric, Fused Tröger's Bases, 1199
- Parker, D., Atkinson, P., Bretonnière, Y., Muller, G., NMR and Luminescence Binding Studies of Ytterbium, Thulium, and Europium Macrocyclic Complexes with Phosphorus(V) Oxy Anions, 391
- Parrish, D. A., see Coop, A., 822
- Pathak, R., see Vasella, A., 2967
- Pathania, V., see Sinha, A. K., 811
- Patzke, G. R., Michailovski, A., Willems, J. B., Stock, N., Solvothermal Synthesis and Crystal Structures of Alkali Molybdates, 2479
- Pavlović, V. D., Bjelaković, M. S., Krstić, N. M., Tinant, B., Kalvoda, J., Csanadi, J., Conformations of the Nine-Membered Ring in the *B*-Nor-5,10-secosteroids. X-Ray and NMR Analysis, 2812
- Pedersen, E. B., Aly, Y. L., Wamberg, M., Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137
- Pellet-Rostaing, S., see Regnouf-de-Vains, J.-B., 1110
- Peng, L., Specht, A., Ziarelli, F., Bernard, P., Goeldner, M., *para*-Sulfonated Calixarenes Used as Synthetic Receptors for Complexing Photolabile Cholinergic Ligand, 2641
- Peng, L.-Y., see Zhao, Q.-S., 2370
- Peng, Q., see Wu, S.-H., 259
- Peters, J. A., Zitha-Bovens, E., Muller, R. N., Laurent, S., Vander Elst, L., Geraldes, C. F. G. C., van Bekkum, H., Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine-*N,N,N',N'',N''',N''''*-hexaacetic Acid (H_6ttha) and of Diamides $H_6ttha(NHR)$ Derived from H_6ttha as Studied by NMR, NMRD, and EPR, 618
- Pfaendler, H. R., Klingl, A., Vicinal Diamination of Terminal Olefins, 1486

- Pfleiderer, W., see Steiner, U. E., 891
Philipova, I., see Heimgartner, H., 1711
Piątek, A. M., see Chapuis, C., Jurczak, J., 2441
Pilati, T., see Benincori, T., Sannicolò, F., 1776
Pimenta, L. P. S., see Boaventura, M. A. D., 3225
Pinilla, E., see Cano, M., 2433
Piskunova, I., see Kalvinsh, I., 1630
Pitsch, S., Porcher, S., Synthesis of 2'-O-[(Triisopropylsilyl)oxy]methyl (= tom)-Protected Ribonucleoside Phosphoramidites Containing Various Nucleobase Analogues, 2683
Pitsch, S., Porcher, S., Meyyappan, M., Spontaneous Aminoacylation of a RNA Sequence Containing a 3'-Terminal 2'-Thioadenosine, 2897
Plescia, S., see Daidone, G., 2272
Plumet, J., Csáky, A. G., Medel, R., Murcia, M. C., Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387
Plutino, M. R., see Romeo, R., 507
Polborn, K., see Carell, T., 2610
Ponti, A., see Benincori, T., Sannicolò, F., 1776
Porcher, S., see Pitsch, S., 2683
Porcher, S., see Pitsch, S., 2897
Prakash, G. K. S., Olah, G. A., Linares-Palomino, P. J., Trifluoromethanesulfonic Acid Catalyzed Alkylation of Arenes with Methyl (2R)-Glycidate, 1221
Pritzkow, H., see Comba, P., 647
Proksch, P., see Lin, W., 2757
Prónayová, N., see Fišera, L., 1432
Puchta, R., see van Eldik, R., 911
Pyke, S. M., see Gream, G. E., 2003
Qi, S.-H., Zhang, S., Wen, Y.-M., Xiao, Z.-H., Li, Q.-X., New Briaranes from the South China Sea Gorgonian *Junceella fragilis*, 2349
Qiao, C.-F., see Sun, H.-D., 817
Qiu, M.-H., Yan, J., Zhang, X.-M., Li, Z.-R., Zhou, L., Chen, J.-C., Sun, L.-R., Three New Triterpenoids from *Lycopodium japonicum* THUNB, 240
Quast, H., Banert, K., Ach, M., Balthasar, J., Hergenröther, T., Regnat, D., Lehmann, J., Exploring the Border between Concerted and Two-Step Pathways of 1,3-Dipolar Cycloadditions of Organic Azides to Cyclic Ketene N,X-Acetals. – Synthesis and ^{15}N -NMR Spectra of Zwitterions and Spirocyclic Cycloadducts, 1589
Raczko, A. M., see Ostrowski, S., 974
Raffa, D., see Daidone, G., 2272
Raju, T. V., see Venkateswarlu, Y., 2527
Ramakrishna, S., see Venkateswarlu, Y., 2527
Ramalho, T. C., see Bühl, M., 2705
Rao, S. N., see Walder, L., 3200
Raposo, C., see Morán, J. R., 1682
Raschke, M., see Zenk, M. H., 1444
Rausis, T., see Schlosser, M., 1240
Ravikanth, V., see Venkateswarlu, Y., 2527
Reddy, K. B., see Sabitha, G., 2996
Reddy, S. M., see Venkateswarlu, Y., 2527
Reddy, V. L. N., see Venkateswarlu, Y., 2527
Regnat, D., see Quast, H., Banert, K., 1589
Regnouf-de-Vains, J.-B., Cartier, A., Fenet, B., Pellet-Rostaing, S., A Macrocyclic Calix[6]arene Phosphocine: Conformational Studies Involving High-Resolution NMR Analysis and Molecular Modeling, 1110
Reil, M., see Korber, N., 950
Reis, L. V., see Santos, P. F., 1135
Reissig, H.-U., Kaden, S., Brockmann, M., Syntheses of Enantiomerically Pure 2-Substituted Pyrrolidin-3-ones via Lithiated Alkoxyallenes – An Auxiliary-Based Synthesis of both Enantiomers of the Antibiotic Anisomycin, 1826
Rekha, D., see Chiranjeevi, P., 1022
Ren, D.-M., see Lou, H.-X., 2637
Renier, D., see Marini Bettolo, R., 154
Respondek, M., see Leupin, W., Meuwly, M., Wirz, J., 53
Rimmel, G., see Seeberger, P. H., 1
Rippert, A. J., Freedman, T. B., Nafie, L. A., Cao, X., Kalbermatter, M., Linden, A., Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302
Rittner, R., Cesar, L. M. M., Tormena, C. F., Marques, M. R., Silva, G. V. J., Mendes, M. A., Palma, M. S., Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796
Rizzo, S., see Benincori, T., Sannicolò, F., 1776
Rodina, L. L., see Schulze, B., 1913
Rodriguez-Nieto, F. J., see Moya, S. A., 2842
Romeo, A., see Romeo, R., 507
Romeo, R., Plutino, M. R., Romeo, A., A Dissociative Route to C–H Bond Activation: Ligand Cyclometalation in *cis*-Dimethyl[(sulfinyl- κ S)-bis[methane]]tris(2-methylphenyl)phosphine]platinum(2+), 507
Romero, R., see Kalvinsh, I., 1630
Ronggang, L., see Kündig, E. P., 1063
Roodt, A., Meijboom, R., Haumann, M., Damoense, L., Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676
Rosati, O., see Curini, M., 330
Rosemeyer, H., see Herdewijn, P., 3210
Rotaru, A. V., see Müller, T. J. J., 1798

- Rozenski, J., see *Herdewijn, P.*, 3210
 Rüchardt, C., *Sauer, J., Sustmann, R., Rolf Huisgen:*
 Some Highlights of His Contributions to Organic
 Chemistry, 1154
 Rueping, M., see *Seebach, D., Jaun, B.*, 1969
 Rutkowska, M., see *Młostoni, G., Heimgartner, H.*,
 2624
- Sabitha, G., *Reddy, K. B., Srinivas, R., Yadav, J. S.*,
 Iodotrimethylsilane-Accelerated One-Pot Syn-
 thesis of 5-Unsubstituted 3,4-Dihydropyrimidin-
 2(1H)-ones: A Novel Procedure for the *Biginelli*-
 Like Cyclocondensation Reaction at Room Tem-
 perature, 2996
 Sada, M., see *Benincori, T., Sannicolò, F.*, 1776
 Sáez, S., see *Morán, J. R.*, 1682
 Sahli, S., see *Diederich, F.*, 707
 Sahli, S., see *Diederich, F.*, 731
 Saito, N., see *Nishimura, J.*, 1226
 Sakamoto, A., see *Nakayama, J.*, 1451
 Sakamoto, M., see *Nishio, T.*, 78
 Sakamoto, M., see *Nishio, T.*, 996
 Sakamoto, M., see *Nishio, T.*, 2603
 Sakurai, N., see *Nishio, T.*, 2603
 Salem, A. A., *Barsoum, B. N., El Said, D. M.*, Rapid
 Determination of Gallamine Triethiodide (*Flax-
 edil®*) and Pancuronium Bromide (*Pavulon®*) in
 Pharmaceutical and Urine Matrices by Means of
 Modified-Carbon-Paste Ion-Selective Electrodes,
 861
- Sangha, S. P., see *Moore, P.*, 782
 Sannicolò, F., *Benincori, T., Bruno, S., Celentano,
 G., Pilati, T., Ponti, A., Rizzo, S., Sada, M.*,
 Process-Scale Total Synthesis of Nature-Identical
 (–)-(S,S)-7-Hydroxycalamenal in High Enantio-
 meric Purity through Catalytic Enantioselective
 Hydrogenation, 1776
 Santa María, M. D., see *Claramunt, R. M., López,
 C.*, 1931
 Santos, P. F., *Reis, L. V., Duarte, I., Serrano, J. P.,
 Almeida, P., Oliveira, A. S., Ferreira, L. F. V.*,
 Synthesis and Photochemical Evaluation of Iodi-
 nated Squarylium Cyanine Dyes, 1135
 Sanz, F., see *Morán, J. R.*, 1682
 Sarvari, M. H., see *Sharghi, H.*, 2282
 Sasaki, D., see *Nishio, T.*, 996
 Sauer, J., *Rüchardt, C., Sustmann, R., Rolf Huisgen:*
 Some Highlights of His Contributions to Organic
 Chemistry, 1154
 Sawa, R., see *Ito, T.*, 23
 Schaeffer, L., see *Seebach, D.*, 2235
 Schael, F., see *Seeberger, P. H.*, 1
 Shank, K., *Glock, R., Lick, C.*, Aminoreductones –
 Investigations on Species Containing the Carbon
 Arrangement of Dimedone and Secondary
 Amines as Building Blocks (G), 3174
- Schär, M., see *Diederich, F.*, 2333
 Schlangen, M., see *Schwarz, H.*, 1405
 Schlosser, M., *Rausis, T.*, The Reactivity of 2-
 Fluoro- and 2-Chloropyridines toward Sodium
 Ethoxide: Factors Governing the Rates of Nu-
 cleophilic (Het)Aromatic Substitutions, 1240
 Schmidt, K., see *Margaretha, P.*, 1922
 Schmidt-Leithoff, J., see *Brückner, R.*, 1943
 Schneider, P., see *Winter, B.*, 3109
 Scholl, M., see *Armaroli, N., Echegoyen, L., Die-
 derich, F.*, 1839
 Schröder, D., see *Schwarz, H.*, 1405
 Schulze, B., *Zakharova, V. M., Rodina, L. L., Steler,
 J., Nikolaev, V. A.*, Fluorinated Diazo Diketones
 in Rhodium(II)-Catalyzed Reactions with Sul-
 tams: Chemoselective *O*-Functionalization of
 Amide Carbonyl Groups, 1913
 Schurig, V., see *Ghanem, A.*, 216
 Schütz, C., see *Vogel, P.*, 2788
 Schwarz, H., *Schlangen, M., Schröder, D.*, Gas-
 Phase Reactions of Homo- and Heteronuclear
 Clusters MM^+ ($M, M' = Fe, Co, Ni$) with Linear
 Alkanenitriles, 1405
 Schweizer, W. B., see *Diederich, F.*, 707
 Schweizer, W. B., see *Diederich, F.*, 731
 Schwinn, D., see *Bannwarth, W.*, 936
 Scofield, D. M., see *Diederich, F.*, 2333
 Scopelliti, R., see *Severin, K.*, 435
 Scopelliti, R., see *Dyson, P. J.*, 665
 Seebach, D., *Jaun, B., Mathad, R. I., Gessier, F.*, The
 Effect of Backbone-Heteroatom Substitution on
 the Folding of Peptides – A Single Fluorine
 Substituent Prevents a β -Heptapeptide from
 Folding into a 3_{14} -Helix (NMR Analysis), 266
 Seebach, D., *Jaun, B., Mathad, R. I., Kimmerlin, T.,
 Mahajan, Y. R., Bindschädler, P., Rueping, M.,
 Hilty, C., Etezady-Esfarjani, T.*, NMR-Solution
 Structures in Methanol of an α -Heptapeptide, of
 a β^3/β^2 -Nonapeptide, and of an all- β^3 -Icosapep-
 tide Carrying the 20 Proteinogenic Side Chains,
 1969
 Seebach, D., *Gessier, F., Schaeffer, L., Kimmerlin,
 T., Flögel, O.*, Preparation of β^2 -Amino Acid
 Derivatives (β^2 hThr, β^2 hTrp, β^2 hMet, β^2 hPro,
 β^2 hLys, Pyrrolidine-3-carboxylic Acid) by Using
 DIOZ as Chiral Auxiliary, 2235
 Seeberger, P. H., *Snyder, D. A., Noti, C., Schael, F.,
 Bieber, T., Rimmel, G., Ehrfeld, W.*, Modular
 Microreaction Systems for Homogeneously and
 Heterogeneously Catalyzed Chemical Synthesis,
 1
 Seeberger, P. H., *Nokami, T., Werz, D. B.*, Synthesis
 and Reactions of 1,4-Anhydrogalactopyranose
 and 1,4-Anhydroarabinose – Steric and Electron-
 ic Limitations, 2823
 Seekamp, C. K., see *Paquette, L. A.*, 1185

- Seela, F., Jawalekar, A. M., Münster, I., Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazolo[4,5-d]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751
- Seeman, J. I., *Rolf Huisgen: A Gentleman Scholar with Energy and Passion*, 1145
- Seger, C., Strasser, H., Erlebach, D., Stuppner, H., Griesser, U. J., Physicochemical Properties of Oosporein, the Major Secreted Metabolite of the Entomopathogenic Fungus *Beauveria brongniartii*, 802
- Seiler, P., see Armaroli, N., Echegoyen, L., Diederich, F., 1839
- Seiler, P., see Diederich, F., 2250
- Semmlinger, K., see Stachel, H.-D., Weigand, W., 1208
- Serebryakova, M. V., see Averin, A. D., Beletskaya, I. P., 1983
- Sergeyev, S., see Diederich, F., 2333
- Serrano, J. P., see Santos, P. F., 1135
- Sessoye, A., see Muller, R. N., 574
- Severin, K., Gauthier, S., Scopelliti, R., Syntheses and Structures of Homo- and Heterobimetallic Complexes Containing a (Cyclopentadienone)-rhodium(I) Fragment, 435
- Sevilla Sierra, P., see García-Blanco, F., 312
- Shahsavari-Fard, Z., see Sharghi, H., 42
- Shanmugasundaram, B., see Vasella, A., 2593
- Sharghi, H., Shahsavari-Fard, Z., Graphite/Methanesulfonic Acid (GMA) as a New Reagent for Sulfonation of Phenols and Thia-Fries Rearrangement of Aryl Sulfonates to Sulfonylphenols, 42
- Sharghi, H., Sarvari, M. H., Solvent-Free Catalytic Friedel–Crafts Acylation of Aromatic Compounds with Carboxylic Acids by Using a Novel Heterogeneous Catalyst System: *p*-Toluenesulfonic Acid/Graphite, 2282
- Sharma, A., see Sinha, A. K., 811
- Shechter, H., Woltermann, C. J., The Behaviors of Metal Acetylides with Dinitrogen Tetroxide, 354
- Shen, Y.-C., Lee, C. L., Khalil, A. T., Cheng, Y.-B., Chien, C.-T., Kuo, Y.-H., New Clerodane Diterpenoids from *Casearia membranacea*, 68
- Shen, Y.-M., see Hao, X.-J., 2345
- Shen, Y.-M., Du, Z.-Z., Zhao, P.-J., He, H.-P., Zhu, N., Hao, X.-J., The Chemical Constituents from the Callus Culture of *Trewia nudiflora*, 2424
- Shen, Y.-M., Kang, Q.-J., Zhao, P.-J., He, H.-P., Cardenolides and Cardiac Aglycone from the Stem Bark of *Trewia nudiflora*, 2781
- Sherry, A. D., Zhang, S., Jiang, X., Modulation of the Lifetime of Water Bound to Lanthanide Metal Ions in Complexes with Ligands Derived from 1,4,7,10-Tetraazacyclododecane Tetraacetate (DOTA), 923
- Shi, D. H., see Tan, R. X., 2910
- Shiono, Y., Akasaka, H., Fascicularones H–K, Four New Sesquiterpenoids from the Cultured Mycelia of the Fungus *Hypholoma fasciculare*, 2944
- Shirataka, Y., see Tanaka, T., 1048
- Shirinbekov, N. I., see Ostrovskii, V. A., 1790
- Siegfried, L., see Kaden, T. A., 380
- Siegrist, R., see Diederich, F., 2250
- Sieler, J., see Schulze, B., 1913
- Sigel, H., Bianchi, E. M., Griesser, R., Influence of Decreasing Solvent Polarity (1,4-Dioxane/Water Mixtures) on the Acid–Base and Copper(II)-Binding Properties of Guanosine 5'-Diphosphate, 406
- Silva, G. D. de F., Silva, S. R. S., Barbosa, L. C. de A., Duarte, L. P., Vieira Filho, S. A., Lupane Pentacyclic Triterpenes Isolated from Stems and Branches of *Maytenus imbricata* (Celastraceae), 1102
- Silva, G. V. J., Cesar, L. M. M., Tormena, C. F., Marques, M. R., Mendes, M. A., Rittner, R., Palma, M. S., Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796
- Silva, S. R. S., see Silva, G. D. de F., 1102
- Simón, L., see Morán, J. R., 1682
- Sinha, A. K., Pathania, V., Sharma, A., A Microwave-Accelerated Esterification of α,β -Unsaturated Acids with Alkyl or Aryl Carbonochloridate and Triethylamine in Acetonitrile as a Novel Esterifying Reagent Mixture, 811
- Sisti, M., see Aime, S., 588
- Skaltsounis, A.-L., see Chinou, I., 2654
- Slasli, A., see Hugli-Cleary, D., 470
- Smeller, L., see Heremans, K., 546
- Smirnova, J., see Steiner, U. E., 891
- Snowden, R., On the Occasion of the 65th Birthday of Dr. Ferdinand Näf, 3051
- Snowden, R. L., Linder, S., Internal Nucleophilic Termination in Acid-Mediated Polyene Cyclizations. Part 4. Synthetic Access to Tetracyclic Didehydro and Tetradehydro Analogues of (\pm)-Ambrox®, 3055
- Snyder, D. A., see Seeberger, P. H., 1
- Soliman, El S. A., see Abou-Hadeed, K., Hansen, H.-J., 1085
- Sommen, G. L., see Heimgartner, H., 766
- Song, F., see Armaroli, N., Echegoyen, L., Diederich, F., 1839
- Song, Y., see Jiang, Z.-H., 3000
- Song, Y.-C., see Tan, R.-X., 2861
- Sparatore, A., Tasso, B., Boido, V., Sparatore, F., Epimerization of Lupinine to Epilupinine and

- vice versa*. Reexamination of the Structures of Lupinal and Epilupinal, 245
- Sparatore, F.*, see *Sparatore, A.*, 245
- Specht, A.*, see *Peng, L.*, 2641
- Spek, A. L.*, see *van Koten, G.*, 694
- Srinivas, R.*, see *Sabitha, G.*, 2996
- Srinivasulu, M.*, see *Venkateswarlu, Y.*, 2527
- Stachel, H.-D.*, *Weigand, W.*, *Zimmer, B.*, *Eckl, E.*, *Semmlinger, K.*, *Wünsch, R.*, *Mayer, P.*, Fused 1,2-Dithioles. Part VII. Synthesis and Reactions of 4*H*-1,2-Dithiolo[4,3-*c*]isothiazoles, 1208
- Stalke, D.*, *Christl, M.*, *Lesch, S.*, *Deuerlein, S.*, The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-Dewar-Benzene Revisited, 1421
- Stang, A. Q.*, see *Helmchen, G.*, 2738
- Starchenkov, I.*, see *Kalvinsh, I.*, 1630
- Steglich, W.*, *Mayser, P.*, *Irlinger, B.*, *Bartsch, A.*, *Krämer, H.-J.*, New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472
- Steiner, U. E.*, *Smirnova, J.*, *Wöll, D.*, *Pfleiderer, W.*, Synthesis of Caged Nucleosides with Photoremovable Protecting Groups Linked to Intramolecular Antennae, 891
- Stock, N.*, see *Patzke, G. R.*, 2479
- Stoekli, F.*, see *Hugi-Cleary, D.*, 470
- Stoekli-Evans, H.*, see *Bourgeois, J.-M.*, 2722
- Strasser, H.*, *Seger, C.*, *Erlebach, D.*, *Stuppner, H.*, *Griesser, U. J.*, Physicochemical Properties of Oosporein, the Major Secreted Metabolite of the Entomopathogenic Fungus *Beauveria brongniartii*, 802
- Stump, B.*, see *Diederich, F.*, 707
- Stupka, G.*, see *Williams, A. F.*, 487
- Stuppner, H.*, see *Seger, C.*, *Strasser, H.*, 802
- Su, J.*, see *Zhang, W.-D.*, 2892
- Su, J.-Y.*, see *Zeng, L.-M.*, 885
- Sugihara, Y.*, see *Nakayama, J.*, 1451
- Sun, H.-D.*, *Li, R.-T.*, *Li, J.-T.*, *Wang, J.-K.*, *Han, Q.-B.*, *Zhu, Z.-Y.*, Two New E-Secoursane Glycosides: Bodiniosides A and B, Isolated from *Elsholtzia bodinieri*, 252
- Sun, H.-D.*, *Han, Q.-B.*, *He, Z.-D.*, *Qiao, C.-F.*, *Xu, H.-X.*, A Novel Asymmetric *ent*-Kaurane Dimer from *Isodon rubescens* var. *rubescens*, 817
- Sun, H.-D.*, see *Zhao, Q.-S.*, 2370
- Sun, H.-D.*, see *Zhao, Q.-S.*, 2550
- Sun, H.-x.*, see *Pan, Y.-j.*, 990
- Sun, K.*, see *Ding, L.*, 2502
- Sun, L.-R.*, see *Qiu, M.-H.*, 240
- Süss-Fink, G.*, *Burger, S.*, *Therrien, B.*, Square-Planar Carbonylchlororhodium(I) Complexes Containing *trans*-Spanning Diphosphine Ligands as Catalysts for the Carbonylation of Methanol, 478
- Sustmann, R.*, *Rüchardt, C.*, *Sauer, J.*, *Rolf Huisgen*: Some Highlights of His Contributions to Organic Chemistry, 1154
- Suvaradhan, K.*, see *Chiranjeevi, P.*, 343
- Suvaradhan, K.*, see *Chiranjeevi, P.*, 1022
- Szántay, C.*, *Moldvai, I.*, *Temesvári-Major, E.*, *Incze, M.*, *Dörnyei, G.*, *Szentirmay, É.*, Synthetic Route to Ergot Alkaloids, 1344
- Szeimies, G.*, *Glück-Walther, S.*, Thermal Isomerization of 12-Oxa-1,9-dimethylhexacyclo-[7.2.1.0^{2,4}.0^{2,8}.0^{3,7}.0^{6,8}]dodec-10-ene: A Computational Mechanistic Investigation, 1540
- Szentirmay, É.*, see *Szántay, C.*, 1344
- Tabard, A.*, see *Mohamadou, A.*, 2397
- Tabata, M.*, see *Nishio, T.*, 78
- Tajima, S.*, see *Nishimura, J.*, 1226
- Takahashi, Y.*, see *Ito, T.*, 23
- Takahashi, Y.*, see *Tanaka, T.*, 1048
- Tan, C.-H.*, see *Zhang, W.-D.*, 2892
- Tan, R.-X.*, *Zhang, H.-W.*, *Huang, W.-Y.*, *Song, Y.-C.*, *Chen, J.-R.*, Four 6*H*-Dibenzo[*b,d*]pyran-6-one Derivatives Produced by the Endophyte *Cephalosporium acremonium* IFB-E007, 2861
- Tan, R. X.*, *Liu, J. Y.*, *Ye, Y. H.*, *Wang, L.*, *Shi, D. H.*, New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910
- Tanaka, T.*, see *Ito, T.*, 23
- Tanaka, T.*, *Furusawa, M.*, *Ido, Y.*, *Ito, T.*, *Nakaya, K.-i.*, *Ibrahim, I.*, *Ohyama, M.*, *Inuma, M.*, *Shirataka, Y.*, *Takahashi, Y.*, Novel, Complex Flavonoids from *Mallotus philippensis* (Kamala Tree), 1048
- Tareen, R. B.*, see *Ahmad, V. U.*, 309
- Tasso, B.*, see *Sparatore, A.*, 245
- Tchertchian, S.*, see *Kündig, E. P.*, 1063
- Temesvári-Major, E.*, see *Szántay, C.*, 1344
- Terinek, M.*, see *Vasella, A.*, 10
- Therrien, B.*, see *Süss-Fink, G.*, 478
- Thomas, K. G.*, *George, M. V.*, *Kamat, P. V.*, Photo-induced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291
- Tian, Z.*, see *Paquette, L. A.*, 1185
- Tillequin, F.*, see *Chinou, I.*, 2654
- Tinant, B.*, see *Pavlović, V. D.*, 2812
- Tiné, M. R.*, *Tolazzi, M.*, *Del Piero, S.*, *Ghezzi, L.*, *Melchior, A.*, Solvent Role on Cobalt(II) Dioxxygen Carriers Based on Simple Polyamine Ligands, 839
- Tobita, S.*, see *Nishimura, J.*, 1226
- Tolazzi, M.*, *Tiné, M. R.*, *Del Piero, S.*, *Ghezzi, L.*, *Melchior, A.*, Solvent Role on Cobalt(II) Dioxxygen Carriers Based on Simple Polyamine Ligands, 839
- Tormena, C. F.*, *Cesar, L. M. M.*, *Marques, M. R.*, *Silva, G. V. J.*, *Mendes, M. A.*, *Rittner, R.*, *Palma,*

- M. S.*, Structure Determination of Hydroxytryptamine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796
- Torres, M. R.*, see *Cano, M.*, 2433
- Trachsel, A.*, see *Ouali, L.*, *Herrmann, A.*, 3089
- Trifonov, R. E.*, see *Ostrovskii, V. A.*, 1790
- Tu, L.*, see *Zhao, Q.-S.*, 2370
- Tzschucke, C. C.*, see *Bannwarth, W.*, 936
- Uebelhart, P.*, see *Hansen, H.-J.*, 1250
- Ulanovskaya, O. A.*, see *Averin, A. D.*, *Beletskaya, I. P.*, 1983
- Urbaniak, K.*, see *Mlostóń, G.*, *Heimgartner, H.*, 2582
- Van Aerschot, A.*, see *Herdewijn, P.*, 3210
- van Bekkum, H.*, see *Peters, J. A.*, 618
- van Eikema Hommes, N.*, see *van Eldik, R.*, 911
- van Eldik, R.*, *Puchta, R.*, *van Eikema Hommes, N.*, Evidence for Interchange Ligand-Exchange Processes on Solvated Beryllium Cations, 911
- van Klink, G. P. M.*, see *van Koten, G.*, 694
- van Koten, G.*, *Medici, S.*, *Gagliardo, M.*, *Williams, S. B.*, *Chase, P. A.*, *Gladiali, S.*, *Lutz, M.*, *Spek, A. L.*, *van Klink, G. P. M.*, Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone, 694
- van Staveren, D. R.*, see *Alberto, R.*, 447
- Vander Elst, L.*, see *Muller, R. N.*, 574
- Vander Elst, L.*, see *Peters, J. A.*, 618
- Vasella, A.*, *Terinek, M.*, Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10
- Vasella, A.*, *Mohal, N.*, Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100
- Vasella, A.*, *Miao, Z.*, *Xu, M.*, *Hoffmann, B.*, *Bernet, B.*, Functionalised Bicyclic *exo*-Glycals by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885
- Vasella, A.*, *Magdolen, P.*, Monocyclic, Substituted Imidazoles as Glycosidase Inhibitors, 2454
- Vasella, A.*, *Shanmugasundaram, B.*, Synthesis of New *C(2)*-Substituted *gluco*-Configured Tetrahydroimidazopyridines and Their Evaluation as Glycosidase Inhibitors, 2593
- Vasella, A.*, *Xu, M.*, *Miao, Z.*, *Bernet, B.*, Functionalised Monocyclic Five- to Seven-Membered *exo*-Glycals by Alkynol Cycloisomerisation of Hydroxy Buta-1,3-diynes and 1-Haloalkynols, 2918
- Vasella, A.*, *Pathak, R.*, *Böttger, E. C.*, Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967
- Vasella, A.*, *Buser, S.*, 7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151
- Vasella, A.*, *Mohal, N.*, *Bernet, B.*, Synthesis of a Fusion-Isomeric Cellobionoimidazole and Its Evaluation against the *syn*-Protonating Glycosidase Cel7A, 3232
- Venkateswarlu, Y.*, *Srinivasulu, M.*, *Reddy, V. L. N.*, *Reddy, S. M.*, *Ravikanth, V.*, *Raju, T. V.*, *Ramakrishna, S.*, Lewis Acid Catalyzed, Selective Cyclopropane-Ring Opening in Ingot Diterpene Derivatives, 2527
- Vergizov, S. N.*, see *Ostrovskii, V. A.*, 1790
- Vial, C.*, see *Winter, B.*, 3109
- Vieira Filho, S. A.*, see *Silva, G. D. de F.*, 1102
- Vogel, P.*, *Lysek, R.*, *Schütz, C.*, (1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (-)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzoylation, 2788
- Voloshina, E.*, see *Fleischhauer, J.*, *Kraft, P.*, 194
- Volvodenko, A. P.*, see *Ostrovskii, V. A.*, 1790
- von Zelewsky, A.*, *Drahoňovský, D.*, Asymmetric Synthesis of Coordination Compounds: Back to the Roots. Diastereoselective Synthesis of Simple Platinum(IV) Complexes, 496
- Vorona, M.*, see *Kalvinsh, I.*, 1630
- Wagner, T.*, *Eschenmoser, A.*, *Han, B.*, *Koch, G.*, *Krishnamurthy, R.*, Tautomerism in 5,8-Diazatetra-7,9-dicarboguanine ('Alloguanine'), 1960
- Wagner, T.*, see *Otto, H.-H.*, 2879
- Waibel, R.*, see *Alberto, R.*, 447
- Walder, L.*, *Bongard, D.*, *Möller, M.*, *Rao, S. N.*, *Corr, D.*, Synthesis of Nonsymmetrically *N,N'*-Diaryl-Substituted 4,4'-Bipyridinium Salts with Redox-Tunable and Titanium Dioxide (TiO₂)-Anchoring Properties, 3200
- Wallace, M. A.*, see *Ho, J. Z.*, 1040
- Wamberg, M.*, see *Pedersen, E. B.*, 3137
- Wang, H.*, see *Ding, L.*, 2502
- Wang, J.-D.*, see *Guo, Y.-W.*, 979
- Wang, J.-K.*, see *Sun, H.-D.*, 252
- Wang, K.-w.*, see *Pan, Y.-j.*, 990
- Wang, L.*, see *Tan, R. X.*, 2910
- Wang, Q.-M.*, see *Jiang, Z.-H.*, 3000
- Wang, S.*, see *Hu, C.*, 2315
- Wang, S.-C.*, see *Wang, Z.-T.*, 986
- Wang, S.-P.*, see *Jiang, Z.-H.*, 3000
- Wang, T.*, see *Paquette, L. A.*, 1185
- Wang, Y.*, see *Luo, S.*, 339

- Wang, Y.-B., Li, L., Huang, R., Zhang, H.-B., Diterpenoid Alkaloids from *Aconitum tanguticum*, 1081
- Wang, Y.-H., see Hao, X.-J., 2508
- Wang, Y.-s., see Li, L., 968
- Wang, Y.-S., see Hao, X.-J., 2345
- Wang, Y.-S., see Luo, S.-D., 2523
- Wang, Z.-M., see Xu, X.-J., 2771
- Wang, Z.-T., Wang, S.-C., Xu, L.-W., Polymer-Supported Ionic-Liquid-Catalyzed Synthesis of 1,2,3,4-Tetrahydro-2-oxopyrimidine-5-carboxylates via Biginelli Reaction, 986
- Wang, Z.-T., Wu, T., Cheng, X.-M., Bligh, S. W. A., Chou, G.-X., Bashall, A., Branford-White, C., Multiflorane Triterpene Esters from the Seeds of *Trichosanthes kirilowii*, 2617
- Watkins, C., see Kalvinsh, I., 1630
- Weber, R. W. S., see Davoli, P., 2960
- Wei, T., see Xu, J., 180
- Weigand, W., Stachel, H.-D., Zimmer, B., Eckl, E., Semmlinger, K., Wünsch, R., Mayer, P., Fused 1,2-Dithioles. Part VII. Synthesis and Reactions of 4H-1,2-Dithiol[4,3-c]isothiazoles, 1208
- Welti, T., see Diederich, F., 707
- Wen, Y.-M., see Qi, S.-H., 2349
- Wenkert, E., see Curini, M., 330
- Wertz, D. B., see Seeberger, P. H., 2823
- Weymuth, C., see Hansen, H.-J., 1250
- Wieczorek, M. W., see Mikołajczyk, M., 1769
- Willems, J. B., see Patzke, G. R., 2479
- Williams, A. F., Stupka, G., Gremaud, L., Control of Redox Potential by Deprotonation of Coordinated 1H-Imidazole in Complexes of 2-(1H-Imidazol-2-yl)pyridine, 487
- Williams, S. B., see van Koten, G., 694
- Winter, B., Vial, C., Bernardinelli, G., Schneider, P., Aizenberg, M., Synthesis and Optical Resolution of the Floral Odorant (\pm)-2,3-Dihydro-2,5-dimethyl-1H-indene-2-methanol, and Preparation of Analogues, 3109
- Winter, B., Gallo-Flückiger, S., Synthesis and Odor Properties of Substituted Indane-2-carboxaldehydes. Discovery of a New Floral (Muguet) Fragrance Alcohol, 3118
- Wirz, J., Leupin, W., Meuwly, M., Ladinig, M., Respondek, M., Zoete, V., Protonation Equilibria of Hoechst 33258 in Aqueous Solution, 53
- Wolcan, E., see Moya, S. A., 2842
- Wöll, D., see Steiner, U. E., 891
- Woltermann, C. J., see Shechter, H., 354
- Woznicka, M., see Mlostosiński, G., Heimgartner, H., 2624
- Wu, B., see Pan, Y.-j., 990
- Wu, D.-G., see Wu, S.-H., 259
- Wu, S.-H., Yang, S.-M., Wu, D.-G., Cheng, Y.-W., Peng, Q., Three Novel 24,30-Dinortriterpenoids, Paconenoides A–C, from *Paeonia veitchii*, 259
- Wu, T., see Wang, Z.-T., 2617
- Wu, W.-M., see Li, Y., 2865
- Wu, Y., see Yue, J.-M., 2873
- Wu, Y.-C., Lan, Y.-H., Chia, Y.-C., Chang, F.-R., Hwang, T.-L., Liaw, C.-C., Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905
- Wu, Y.-C., Yang, Y.-L., Chang, F.-R., Squadinorlignoside: A Novel 7,9-Dinorlignan from the Stems of *Annona squamosa*, 2731
- Wu, Y.-L., see Li, Y., 2865
- Wüest, H., see Chapuis, C., 3069
- Wünsch, R., see Stachel, H.-D., Weigand, W., 1208
- Xiang, Y., see Yue, J.-M., 160
- Xiao, H.-P., see Morsali, A., 2543
- Xiao, Z.-H., see Qi, S.-H., 2349
- Xie, B., see Chen, F.-E., 2575
- Xu, G., see Zhao, Q.-S., 2370
- Xu, H.-X., see Sun, H.-D., 817
- Xu, J., Wei, T., Lin, S.-S., Zhang, Q., Rationale on the Abnormal Effect of Temperature on the Enantioselectivity in the Asymmetric Borane Reduction of Ketones Catalyzed by L-Prolinol, 180
- Xu, L.-W., see Wang, Z.-T., 986
- Xu, M., see Vasella, A., 1885
- Xu, M., see Vasella, A., 2918
- Xu, X.-J., Kang, W.-Y., Wang, Z.-M., Li, Z.-Q., Three New Compounds from *Securidaca inapendiculata*, 2771
- Xu, X.-K., see Zhang, W.-D., 2892
- Yadav, J. S., see Sabitha, G., 2996
- Yamabe, S., Machiguchi, T., Okamoto, J., Minato, T., Hasegawa, T., Tropone Is a Mere Ketone for Cycloadditions to Ketenes, 1519
- Yan, J., see Qiu, M.-H., 240
- Yan, S.-P., see Jiang, Z.-H., 3000
- Yang, B.-H., see Zhang, W.-D., 2892
- Yang, D.-J., see Ding, L., 2502
- Yang, J.-H., see Li, L., 968
- Yang, J.-H., see Hao, X.-J., 2345
- Yang, J.-H., see Luo, S.-D., 2523
- Yang, S.-M., see Wu, S.-H., 259
- Yang, X.-D., see Li, L., 2532
- Yang, X.-W., see Hao, X.-J., 2508
- Yang, Y., see Zhao, Q.-S., 2550
- Yang, Y.-L., see Wu, Y.-C., 2731
- Yang, Z.-S., see Li, Y., 2865
- Yao, D., see Ho, J. Z., 1040
- Yao, X.-S., see Zeng, L.-M., 885

- Ye, W.-C., see Zeng, L.-M., 885
 Ye, Y. H., see Tan, R. X., 2910
 Yi, T.-M., see Zhou, J., 325
 Yilmaz, V. T., Morsali, A., Kazak, C., Zhu, L.-G.,
 Two-Dimensional Holo- and Hemidirected Lead-
 (II) Coordination Polymers: Synthetic, Spectro-
 scopic, Thermal, and Structural Studies of [Pb(μ -
 SCN)₂(μ -ebp)_{1.5}]_n and [[Pb(μ -OAc)(μ -ebp)]-
 (ClO₄)_n (ebp = 4,4'-(1E)-Ethane-1,2-diyl]bis-
 [pyridine]; OAc = Acetato), 2513
 Yin, F., see Hu, L.-H., 1126
 Yoshida (nee Tanaka), S., see Nakayama, J., 1451
 Yoshihara, T., see Nishimura, J., 1226
 Yu, L., see Chen, Y., 1059
 Yu, W.-T., see Lou, H.-X., 2637
 Yu, X.-J., see Chen, F.-E., 2575
 Yu, Z.-G., see Guo, Y.-W., 1004
 Yuan, Q.-M., see Li, L., 2532
 Yue, J.-M., Xiang, Y., Fan, C.-Q., Novel Sesquiter-
 penoids from *Siegesbeckia orientalis*, 160
 Yue, J.-M., Chen, X., Zhan, Z.-J., Longistylumphyl-
 lines A–C, Three New Alkaloids from *Daphni-
 phyllum longistylum*, 854
 Yue, J.-M., Zhang, H., Indole Alkaloids from the
 Whole Plants of *Ervatamia officinalis*, 2537
 Yue, J.-M., Liao, S.-G., Zhang, B.-L., Wu, Y., New
 Phenolic Components from *Daphne giraldii*, 2873
 Zakharova, V. M., see Schulze, B., 1913
 Zekány, L., see Brücher, E., 604
 Zeng, L.-M., Zhang, G.-W., Ma, X.-Q., Zhang, C.-
 X., Su, J.-Y., Ye, W.-C., Zhang, X.-Q., Yao, X.-S.,
 Two New Ceramides from the Marine Sponge
Ircinia fasciculata, 885
 Zenk, M. H., Raschke, M., Fellermeier, M., A Facile
 Cell Free Synthesis of Isotopically Labeled (E)-
 4-Hydroxy-3-methylbut-2-enyl Diphosphate, a
 Precursor of the Plant Hormone Zeatin, 1444
 Zhan, Z.-J., see Yue, J.-M., 854
 Zhang, B.-L., see Yue, J.-M., 2873
 Zhang, C., see Zhang, W.-D., 2892
 Zhang, C.-X., see Zeng, L.-M., 885
 Zhang, G.-W., see Zeng, L.-M., 885
 Zhang, H., see Yue, J.-M., 2537
 Zhang, H.-B., see Li, L., 968
 Zhang, H.-B., see Wang, Y.-B., Li, L., 1081
 Zhang, H.-B., see Luo, S.-D., 2523
 Zhang, H.-B., see Li, L., 2532
 Zhang, H.-W., see Tan, R.-X., 2861
 Zhang, Q., see Xu, J., 180
 Zhang, S., see Sherry, A. D., 923
 Zhang, S., see Qi, S.-H., 2349
 Zhang, W., see Guo, Y.-W., 87
 Zhang, W., see Guo, Y.-W., 349
 Zhang, W.-D., Yang, B.-H., Liu, R.-H., Tan, C.-H.,
 Li, T.-Z., Zhang, C., Xu, X.-K., Su, J., Spiro-
 biflavonoids from *Larix olgensis* HENRY var.
koreana NAKAI, 2892
 Zhang, X.-M., see Qiu, M.-H., 240
 Zhang, X.-M., see Chen, J.-J., 297
 Zhang, X.-Q., see Zeng, L.-M., 885
 Zhang, Z.-J., see Ding, L., 2502
 Zhao, D., see Dyson, P. J., 665
 Zhao, J.-F., see Li, L., 968
 Zhao, J.-F., see Luo, S.-D., 2523
 Zhao, J.-F., see Li, L., 2532
 Zhao, P.-J., see Shen, Y.-M., 2424
 Zhao, P.-J., see Shen, Y.-M., 2781
 Zhao, Q.-S., Xu, G., Peng, L.-Y., Li, X.-L., Zhao, Y.,
 Tu, L., Sun, H.-D., Lu, Y., Mao, L., Zheng, Q.-T.,
 New Sesquiterpenoids from *Salvia castanea*
 DIELS f. *tomentosa*, 2370
 Zhao, Q.-S., Yang, Y., Huang, S.-X., Zhao, Y.-M.,
 Sun, H.-D., Alkaloids from the Bulbs of *Lycoris
 aurea*, 2550
 Zhao, Y., see Guo, Y.-W., 349
 Zhao, Y., see Chen, Y., 1059
 Zhao, Y., see Zhao, Q.-S., 2370
 Zhao, Y.-M., see Zhao, Q.-S., 2550
 Zhao, Y.-X., see Zhou, J., 325
 Zheng, Q.-T., see Zhao, Q.-S., 2370
 Zhou, H., see Hao, X.-J., 2508
 Zhou, J., see Chen, J.-J., 297
 Zhou, J., Zhao, Y.-X., Li, C.-S., Luo, X.-D., Yi, T.-
 M., Three New Urea Derivatives from Pliocene-
 Fossil *Pinus armandii*, 325
 Zhou, J., see Hao, X.-J., 2345
 Zhou, J., see Luo, X.-D., 2938
 Zhou, L., see Qiu, M.-H., 240
 Zhou, T., Li, T.-C., Chen, Z.-C., Hypervalent Iodine
 in Synthesis. Part 86. Selective Copper-Catalyzed
N-Monoarylation and *N*¹,*N*³-Diarylation of Ura-
 cil and Its Derivatives with Diaryliodonium Salts,
 290
 Zhu, L.-G., see Morsali, A., Yilmaz, V. T., 2513
 Zhu, N., see Shen, Y.-M., 2424
 Zhu, X., see Luo, S., 339
 Zhu, Z.-Y., see Sun, H.-D., 252
 Ziarelli, F., see Peng, L., 2641
 Zimmer, B., see Stachel, H.-D., Weigand, W., 1208
 Zipse, H., Heuschmann, M., Ernd, M., Cycloaddi-
 tions of Aryl-Substituted 1,2,4-Triazines with
 2-Cyclopropylidene-1,3-dimethylimidazolidine –
 Zwitterions as Discrete Intermediates, 1491
 Zitha-Bovens, E., see Peters, J. A., 618
 Zoete, V., see Leupin, W., Meuwly, M., Wirz, J., 53
 Zubair, M., see Ahmad, V. U., 309