

Subject Index

Non-English contributions are characterized by G (German) in parentheses

Ab initio calculations

- The Effect of Ring Size on Reactivity: The Diagnostic Value of 'Rate Profiles', 1375
- Basicity of Phenyl- and Methyl-Substituted 1,2,4-Oxadiazoles, 1790

Acetamides, N-sulfonyl-

- Gadolinium(III) Complexes of dota-Derived *N*-Sulfonylacetamides ($H_L(\text{dota-NHSO}_2R) = 10\text{-}\{2\text{-}[(R)\text{sulfonylamino}]\text{-2-oxoethyl}\}\text{-1,4,7,10-tetraazacyclododecane-1,4,7-triacetic Acid}$): A New Class of Relaxation Agents for Magnetic Resonance Imaging Applications, 588

Acetogenins

- Acetogenins from the Leaves of *Rollinia laurifolia*, 3225

Acetone, acetyl-

- Solid-State NMR Study of the Tautomerism of Acetylacetone Included in a Host Matrix, 1931

Acetonide derivatives

- Three Novel 24,30-Dinortriterpenoids, Paeonoides A–C, from *Paeonia veitchii*, 259

Acetophenone

- Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone, 694

Acetylcholinesterase

- Three New Triterpenoids from *Lycopodium japonicum* THUNB, 240
- New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910

Acetylenedicarboxylates

- A New and Efficient Synthesis of Highly Functionalized (Triphenylphosphoranylidene)cyclopentadienes with Zwitterionic Resonance Structures, 304
- Formation of 6,10-Diphenyl-Substituted Heptalene-4,5-dicarboxylates, 873

β -N-Acetylglucosaminidase

- Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10

Acidity

- Properties of 2,2,2-Trifluoroethanol/Water Mixtures: Acidity, Basicity, and Dipolarity, 312

Acidity constants

- Protonation Equilibria of *Hoechst 33258* in Aqueous Solution, 53
- Influence of Decreasing Solvent Polarity (1,4-Dioxane/Water Mixtures) on the Acid–Base and Copper(II)-Binding Properties of Guanosine 5'-Diphosphate, 406

Acidity function

- Basicity of Phenyl- and Methyl-Substituted 1,2,4-Oxadiazoles, 1790

Acids, α,β -unsaturated

- A Microwave-Accelerated Esterification of α,β -Unsaturated Acids with Alkyl or Aryl Carbonochloridate and Triethylamine in Acetonitrile as a Novel Esterifying Reagent Mixture, 811

Aconitum tanguticum

- Diterpenoid Alkaloids from *Aconitum tanguticum*, 1081

Activated carbons

- On the Adsorption, by Activated Carbons, of Some Sparingly Soluble Organics from Aqueous Solutions, 470

Adsorption

- On the Adsorption, by Activated Carbons, of Some Sparingly Soluble Organics from Aqueous Solutions, 470

Afzelechin, 5-O-methyl-

- New Phenolic Components from *Daphne giraldii*, 2873

Agallochaols A and B

Secoatisane- and Isopimarane-Type Diterpenoids from the Chinese Mangrove *Excoecaria agallocha* L., 979

Aglaia odorata

Dolabellane Diterpenoids from the Higher Plant *Aglaia odorata*, 2938

Aglycone

Cardenolides and Cardiac Aglycone from the Stem Bark of *Trewia nudiflora*, 2781

Agricultural soil

Facile and Sensitive Spectrophotometric Determination of Propoxur in Formulations and Environmental Samples, 1022

Akuamillan

Three New Indole Alkaloids from the Leaves of *Alstonia scholaris*, 2508

Alcohols, amino

1,3,5-Triamino-1,3,5-trideoxy-*cis*-inositol, a Ligand with a Remarkable Versatility for Metal Ions. Part XIII. Complex Formation with Rhenium(I) and Rhenium(VII), 426

'Aldoketeniminium salt'

First [4+2] Cycloadditions Involving the Olefinic Bond of an 'Aldoketeniminium Salt' (= *N*-Alk-1-enylideneaminium Salt), 2022

Aldol reactions

Synthetic Route to Ergot Alkaloids, 1344

Preparation of β^2 -Amino Acid Derivatives (β^2 hThr, β^2 hTrp, β^2 hMet, β^2 hPro, β^2 hLys, Pyrrolidine-3-carboxylic Acid) by Using DIOZ as Chiral Auxiliary, 2235

Algae

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamura* YAMADA, 1034

Alkali molybdates

Solvothermal Synthesis and Crystal Structures of Alkali Molybdates, 2479

Alkaloids

Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistrata*, 796

Longistylumphyllines A–C, Three New Alkaloids from *Daphniophyllum longistylum*, 854

Diterpenoid Alkaloids from *Aconitum tanguticum*, 1081

Synthetic Route to Ergot Alkaloids, 1344

New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Three New Indole Alkaloids from the Leaves of *Alstonia scholaris*, 2508

Two New Aporphine Alkaloids from *Litsea glutinosa*, 2523

Indole Alkaloids from the Whole Plants of *Ervatamia officinalis*, 2537

Alkaloids from the Bulbs of *Lycoris aurea*, 2550

Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine via a Spirocyclic Intermediate, 2764

Alkanenitriles

Gas-Phase Reactions of Homo- and Heteronuclear Clusters MM'^+ ($M, M' = Fe, Co, Ni$) with Linear Alkanenitriles, 1405

Alkanoic acids, ω -(1*H*-pyrrol-3-yl)-

Synthesis of Long-Chain 3-Alkylpyrroles Bearing Terminal Carboxy or Amino Groups, 2470

Alkenes

Allyl-Functionalised Ionic Liquids: Synthesis, Characterisation, and Reactivity, 665

Vicinal Diamination of Terminal Olefins, 1486

Alkylation

Trifluoromethanesulfonic Acid Catalyzed Alkylation of Arenes with Methyl (2*R*)-Glycidate, 1221

Enantioselective Syntheses and Fragrance Properties of the Four Stereoisomers of *Magnolione*® (Magnolia Ketone), 2738

Alkynes

A Novel Coupling 1,3-Dipolar Cycloaddition Sequence as a Three-Component Approach to Highly Fluorescent Indolizines, 1798

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

Alkynol cycloisomerization

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

Alkynols, 1-halo-

Functionalised Monocyclic Five- to Seven-Membered *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy Buta-1,3-diynes and 1-Haloalkynols, 2918

Allenes

Syntheses of Enantiomerically Pure 2-Substituted Pyrrolidin-3-ones *via* Lithiated Alkoxyallenes – An Auxiliary-Based Synthesis of both Enantiomers of the Antibiotic Anisomycin, 1826

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

Alloguanine

Tautomerism in 5,8-Diaza-7,9-dicarboguanine ('Alloguanine'), 1960

Allylic substitution

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

Alstonia scholaris

Three New Indole Alkaloids from the Leaves of *Alstonia scholaris*, 2508

Ambrox®

Internal Nucleophilic Termination in Acid-Mediated Polyene Cyclizations. Part 4. Synthetic Access to Tetracyclic Didehydro and Tetradehydro Analogues of (\pm)-Ambrox®, 3055

Amides, *N*-(ω -halogenoalkyl)

Thionation of *N*-(ω -Halogenoalkyl)-Substituted Amides with Lawesson's Reagent: Facile Synthesis of 4,5-Dihydro-1,3-thiazoles and 5,6-Dihydro-4*H*-1,3-thiazines, 187

Amides, *N*-hydroxy

Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Amidines

Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100

Amination

Palladium-Catalyzed Amination of 3,5-Dihalopyridines – a Convenient Route to New Polyazamacrocycles, 1983

An Unusual β -Oxidation of *N*-Functionalized Alkyl Chains by 1*H*-Imidazole, 2832

Amines, [bis(1*H*-benzotriazol-1-yl)methylidene]-

The Preparation of 1,2,3-Trisubstituted Guanidines, 1664

Aminium salt, *N*-alk-1-enylidene-

First [4+2] Cycloadditions Involving the Olefinic Bond of an 'Aldoketeniminium Salt' (= *N*-Alk-1-enylideneaminium Salt), 2022

Amino acids

Preparation of β^2 -Amino Acid Derivatives (β^2 hThr, β^2 hTrp, β^2 hMet, β^2 hPro, β^2 hLys, Pyrrolidine-3-carboxylic Acid) by Using DIOZ as Chiral Auxiliary, 2235

Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375

A New 2*H*-Azirin-3-amine as a Synthon for 2-Methylaspartate, 2951

Aminoacylation

Spontaneous Aminoacylation of a RNA Sequence Containing a 3'-Terminal 2'-Thioadenosine, 2897

4-Aminoantipyrene (4-AAP)

Novel Reactions for the Simple and Sensitive Spectrophotometric Determination of Traces of Selenium in Environmental Samples, 343

Aminoglycoside antibiotics

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

Aminoreductones

Aminoreductones – Investigations on Species Containing the Carbon Arrangement of Dimedone and Secondary Amines as Building Blocks (G), 3174

Ammoniates

Syntheses and Crystal Structures of Four New Ammoniates with Heptaarsenide (As_7^{3-}) Anions, 950

Analgesics

Functionalization of the 6,14-Bridge of the Orvinols. 1. Preparation and *Diels–Alder* Reaction of 7-Phenylsilylthebaines, 822

Anhydro carbohydrates

Synthesis and Reactions of 1,4-Anhydrogalactopyranose and 1,4-Anhydroarabinose – Steric and Electronic Limitations, 2823

3,6-Anhydropyranoside

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

Aniline derivatives

Synthesis of Indolones *via* Radical Cyclization of *N*-(2-Halogenoalkanoyl)-Substituted Anilines, 35

Anilines, 2-acyl-

A Novel Intramolecular Photocyclization of *N*-(2-Bromoalkanoyl) Derivatives of 2-Acylanilines *via* 1,8-Hydrogen Abstraction, 996

Anisomycin

Syntheses of Enantiomerically Pure 2-Substituted Pyrrolidin-3-ones *via* Lithiated Alkoxyallenes – An Auxiliary-Based Synthesis of both Enantiomers of the Antibiotic Anisomycin, 1826

Annona squamosa

Squadinorlignoside: A Novel 7,9'-Dinorlignan from the Stems of *Annona squamosa*, 2731

Annulenes

Concerning the Structure of [18]Annulene, 2262

Anthranilic acid

Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711

Antibiotics

Syntheses of Enantiomerically Pure 2-Substituted Pyrrolidin-3-ones *via* Lithiated Alkoxyallenes – An Auxiliary-Based Synthesis of both Enantiomers of the Antibiotic Anisomycin, 1826

Synthesis of the Antibiotic (*R*)-Reutericyclin *via* *Dieckmann* Condensation, 2837

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

Anticancer activity

A New Ketone and a Known Anticancer Triterpenoid from the Leaves of *Onosma limitaneum*, 309

Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Anti-inflammatory activity

Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905

Novel Chemical Transformations of Tenoxicam, 2355

Antineoplastic agents

Vicinal Diamination of Terminal Olefins, 1486

Antioxidant activity

Why Quantum-Thermochemical Calculations Must Be Used with Caution to Indicate 'a Promising Lead Antioxidant', 370

Antiproliferation activity

Nonclassical *Pschorr* and *Sandmeyer* Reactions in Pyrazole Series, 2272

Antischistosomal activity

Design and Synthesis of Novel Artemisinin-Like Ozonides with Antischistosomal Activity, 2865

Antitumor activity

Three New Triterpenoids from *Lycopodium japonicum* THUNB, 240

Acetogenins from the Leaves of *Rollinia laurifolia*, 3225

Aporphine alkaloids

Two New Aporphine Alkaloids from *Litsea glutinosa*, 2523

Arenes

Trifluoromethanesulfonic Acid Catalyzed Alkylation of Arenes with Methyl (2*R*)-Glycidate, 1221

Arsenide

Syntheses and Crystal Structures of Four New Ammoniates with Heptaarsenide (As_7^{3-}) Anions, 950

Artemisininine

Design and Synthesis of Novel Artemisinin-Like Ozonides with Antischistosomal Activity, 2865

Artocarpus petelotii

Three New Isoprenylated 2-Arylbenzofurans from *Artocarpus petelotii*, 2554

Artopetelins A – C

Three New Isoprenylated 2-Arylbenzofurans from *Artocarpus petelotii*, 2554

N-Arylation

Hypervalent Iodine in Synthesis. Part 86. Selective Copper-Catalyzed *N*-Monoarylation and N^1, N^3 -Diarylation of Uracil and Its Derivatives with Diaryliodonium Salts, 290

Asiaticosides C – F

New Triterpenoid Glycosides from *Centella asiatica*, 297

Aspartate, 2-methyl-

A New 2*H*-Azirin-3-amine as a Synthone for 2-Methylaspartate, 2951

Asymmetric catalysis

Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone, 694

Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010

Asymmetric dearomatization

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

Asymmetric reduction

Rationale on the Abnormal Effect of Temperature on the Enantioselectivity in the Asymmetric Borane Reduction of Ketones Catalyzed by L-Prolinol, 180

Asymmetric synthesis

Asymmetric Synthesis of Coordination Compounds: Back to the Roots. Diastereoselective Synthesis of Simple Platinum(IV) Complexes, 496

Atropisomerism

Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302

Autoxidation

Aminoreductones – Investigations on Species Containing the Carbon Arrangement of Dimedone and Secondary Amines as Building Blocks (G), 3174

1-Azabicyclo[1.1.0]butanes

Ring Opening of 1-Azabicyclo[1.1.0]butanes with Hydrazoic Acid – a Facile Access to *N*-Unsubstituted Azetidin-3-Amines, 1658

Azapurine

Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazolo[4,5-*d*]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751

Azetidin-3-amines

Ring Opening of 1-Azabicyclo[1.1.0]butanes with Hydrazoic Acid – a Facile Access to *N*-Unsubstituted Azetidin-3-Amines, 1658

Azide cycloadditions

Activation Energies and Reaction Energetics for 1,3-Dipolar Cycloadditions of Hydrazoic Acid with C–C and C–N Multiple Bonds from High-Accuracy and Density Functional Quantum Mechanical Calculations, 1702

Azides

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421
Exploring the Border between Concerted and Two-Step Pathways of 1,3-Dipolar Cycloadditions of Organic Azides to Cyclic Ketene N,X-Acetals. – Synthesis and ^{15}N -NMR Spectra of Zwitterions and Spirocyclic Cycloadducts, 1589

1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α -Ethylnyl-enamine, 1813

2*H*-Azirin-3-amines

Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711
 A New 2*H*-Azirin-3-amine as a Synthone for 2-Methylaspartate, 2951

Azirine/oxazolone method

Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711

Azodicarboxylate, dialkyl

Synthesis of Some New 1,2,4-Triazole Derivatives by *Mitsunobu* Chemistry, 2777

Azulenes

Formation of 6,10-Diphenyl-Substituted Heptalene-4,5-dicarboxylates, 873

Base pairing

Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazol[4,5-*d*]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751

Basicity

Properties of 2,2,2-Trifluoroethanol/Water Mixtures: Acidity, Basicity, and Dipolarity, 312
 Basicity of Phenyl- and Methyl-Substituted 1,2,4-Oxadiazoles, 1790

Baylis–Hillman reaction

Synthesis of *cis*-*Hedione*[®] and Methyl Jasmonate via Cascade *Baylis–Hillman* Reaction and *Claisen* Ortho Ester Rearrangement, 3069

Beauveria brongniartii

Physicochemical Properties of Oosporein, the Major Secreted Metabolite of the Entomopathogenic Fungus *Beauveria brongniartii*, 802

2-Benzazepin-3(3*H*)-ones

A Novel Intramolecular Photocyclization of *N*-(2-Bromoalkanyl) Derivatives of 2-Acylanilines via 1,8-Hydrogen Abstraction, 996

Benzene-1,3-dicarboxylate, 5-sulfo-

A Novel Three-Dimensional Coordination Polymer Involving Pb–Pb Interactions and Three Different Hemidirected Lead(II) Coordination Spheres: X-Ray Crystal Structure of Tris(1,10-phenanthroline- $\kappa N^1, \kappa N^{10}$)bis[μ_3 -[5-(sulfo- κO)benzene-1,3-dicarboxylate(3-)- $\kappa O^1, \kappa O^1 : \kappa O^2, \kappa O^2 : \kappa O^2$]]trilead (*Pb–Pb*) Trihydrate ($[Pb_3(phen)_3(H_2O)_2(sip)_2]_n \cdot 3 H_2O$), 2543

Benzo[*c*]-6,8-dioxabicyclo[3.2.1]octan-7-ones

Intramolecular Photocyclization of 2-Acylphenyl Methacrylates: a Convenient Access to 4,5-Dihydro-1,4-epoxy-2-benzoxepin-3(1*H*)-ones (= Benzo[*c*]-6,8-dioxabicyclo[3.2.1]octan-7-ones, 2603

Benzofurans, 2-aryl-

Three New Isoprenylated 2-Arylbenzofurans from *Artocarpus petelotii*, 2554

Benzo[*a*]heptalene-2,4-diols

Reductive Elimination of Phenylsulfonyl Groups in the 3-Position of Benzo[*a*]heptalene-2,4-diols, 1085

Benzo[*a*]heptalenes

Benzo[*a*]heptalenes from Heptaleno[1,2-*c*]furans. Part I. Cycloaddition Reaction of Heptaleno[1,2-*c*]furans with Different Dienophiles, 1250

Benzophenones

Three New Compounds from *Securidaca inappendiculata*, 2771

1,3-Benzothiazoles

Synthesis and Photochemical Evaluation of Iodinated Squarylium Cyanine Dyes, 1135

Benzotriazole

Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazol[4,5-*d*]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751

Benzotriazole-1-carboxamidines

The Preparation of 1,2,3-Trisubstituted Guanidines, 1664

Benzotropone endoperoxides

Chemistry of the Benzotropone Endoperoxides and Their Conversion into Tropone Derivatives: Unusual Endoperoxide Rearrangements, 830

Benzylamines

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (–)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzoylation, 2788

'Benzylidene acetones'

Water and the *Huisgen* Cycloaddition Reaction: A Focus on Polar Contributions to the Transition State in the Reactions of Dicyano(phthalazinium)methanide with Substituted Styrenes and Benzylidene Acetones, 1611

Benzyne

Rolf Huisgen: Some Highlights of His Contributions to Organic Chemistry, 1154

Bernet – Vasella fragmentation

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

Beryllium cations

Evidence for Interchange Ligand-Exchange Processes on Solvated Beryllium Cations, 911

Biaryl derivatives

Preparation of *Tröger* Base Derivatives by Cross-Coupling Methodologies, 2333

Bicyclo[4.2.0]octan-2-ones

Light-Induced Cycloaddition of 2,3-Dihydro-2,2-dimethyl-4*H*-thiopyran-4-one (a 4-Thiacyclohex-2-enone) to Alkenes and Dienes, 1922

Bicyclo[2.2.2]octenones

First [4+2] Cycloadditions Involving the Olefinic Bond of an 'Aldoketeniminium Salt' (= *N*-Alk-1-enylideneaminium Salt), 2022

Biginelli reaction

Polymer-Supported Ionic-Liquid-Catalyzed Synthesis of 1,2,3,4-Tetrahydro-2-oxopyrimidine-5-carboxylates via *Biginelli* Reaction, 986

Iodotrimethylsilane-Accelerated One-Pot Synthesis of 5-Unsubstituted 3,4-Dihydropyrimidin-2(1*H*)-ones: A Novel Procedure for the *Biginelli*-Like Cyclocondensation Reaction at Room Temperature, 2996

Biguanide

Kinetic and Mechanistic Studies on the Oxidation of Nitrogen(III) ($\text{HNO}_2/\text{NO}_2^-$) by the Tris(biguanide)-manganese(IV) Ion in Aqueous Acidic Media, 2561

Bimetallic complexes

Syntheses and Structures of Homo- and Heterobimetallic Complexes Containing a (Cyclopentadienone)-rhodium(I) Fragment, 435

[1,1'-Binaphthalene]-2,2'-diols

Synthesis of *cis-Hedione*[®] and Methyl Jasmonate via Cascade *Baylis–Hillman* Reaction and *Claisen* Ortho Ester Rearrangement, 3069

Bioconjugates

A New and Simply Available Class of Hydrosoluble Bioconjugates by Coupling Paclitaxel to Hyaluronic Acid through a 4-Hydroxybutanoic Acid Derived Linker, 154

Biogenetic isoprene rule

Revisited after 50 Years: The 'Stereochemical Interpretation of the Biogenetic Isoprene Rule for the Triterpenes', 3011

Biosynthesis

A Facile Cell Free Synthesis of Isotopically Labeled (*E*)-4-Hydroxy-3-methylbut-2-enyl Diphosphate, a Precursor of the Plant Hormone Zeatin, 1444

New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Three New Compounds from *Securidaca inappendiculata*, 2771

1,1'-Biphenyls

Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302

4,4'-Bipyridinium salts

Synthesis of Nonsymmetrically *N,N'*-Diaryl-Substituted 4,4'-Bipyridinium Salts with Redox-Tunable and Titanium Dioxide (TiO₂)-Anchoring Properties, 3200

2,2'-Biquinoline

Influence of the 4-Substituted Pyridine Ligand L' on both the Conformation and Spectroscopic Properties of the (2,2'-Biquinoline- $\kappa\text{N}^1, \kappa\text{N}^{1'}$)tricarboxyl(pyridine- κN^1)rhenium(1+) Complex ([Re(CO)₃(bqui)(py)]⁺) and Its Derivatives [Re(CO)₃(L)(L')]⁺ (L = 2,2'-Biquinoline and 3,3'-(Ethane-1,2-diyl)-2,2'-biquinoline), 2842

Biradical intermediates

Thermal Isomerization of 12-Oxa-1,9-dimethylhexacyclo[7.2.1.0^{2,4}.0^{2,8}.0^{3,7}.0^{6,8}]dodec-10-ene: A Computational Mechanistic Investigation, 1540

Bis-coumarins

New Phenolic Components from *Daphne giraldii*, 2873

Bispidine

Tuning the Properties of Copper(II) Complexes with Tetra- and Pentadentate Bispidine (= 3,7-Diazabicyclo[3.3.1]nonane) Ligands, 647

Bodinosides A and B

Two New E-Secoursane Glycosides: Bodinosides A and B, Isolated from *Elsholtzia bodinieri*, 252

Bond activation

Gas-Phase Reactions of Homo- and Heteronuclear Clusters MM'⁺ (M, M' = Fe, Co, Ni) with Linear Alkanenitriles, 1405

Bond alternation

Concerning the Structure of [18]Annulene, 2262

Borane

Rationale on the Abnormal Effect of Temperature on the Enantioselectivity in the Asymmetric Borane Reduction of Ketones Catalyzed by L-Prolinol, 180

Bractelactone

Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905

Briaranes

New Briaranes from the South China Sea Gorgonian *Junceella fragilis*, 2349

Bruguiera sexangula var. rhynchopetala

Diterpenes and Disulfides from the Marine Mangrove Plant *Bruguiera sexangula* var. *rhynchopetala*, 2757

Buta-1,3-dienes, morpholino-

1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α -Ethynyl-enamine, 1813

Buta-1,3-diyne

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diyne and Hydroxy Haloalkynes, 1885

Functionalised Monocyclic Five- to Seven-Membered *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy Buta-1,3-diyne and 1-Haloalkynols, 2918

Butane-1,2-diol

Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137

Butanoic acid, 4-hydroxy-

A New and Simply Available Class of Hydrosoluble Bioconjugates by Coupling Paclitaxel to Hyaluronic Acid through a 4-Hydroxybutanoic Acid Derived Linker, 154

But-2-eno-4-lactone, 2-alkenyl-4-alkylidene-

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrroloxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

Butenolactones

Rotundifolides A and B, Two New Enol-Derived Butenolactones from the Bark of *Litsea rotundifolia* var. *oblongifolia*, 349

Caesium molybdates

Solvothermal Synthesis and Crystal Structures of Alkali Molybdates, 2479

Calamenal, (-)-(S,S)-7-hydroxy-

Process-Scale Total Synthesis of Nature-Identical (-)-(S,S)-7-Hydroxycalamenal in High Enantiomeric Purity through Catalytic Enantioselective Hydrogenation, 1776

Caldoellum saccharolyticum

Monocyclic, Substituted Imidazoles as Glycosidase Inhibitors, 2454

Calf-thymus DNA

Binding Studies of Asymmetric Pentacoordinate Copper(II) Complexes Containing Phenanthroline and Ethane-1,2-diamine Ligands with Calf-Thymus DNA, 2413

Calixarenes

A Macrocyclic Calix[6]arene Phosphocine: Conformational Studies Involving High-Resolution NMR Analysis and Molecular Modeling, 1110

para-Sulfonated Calixarenes Used as Synthetic Receptors for Complexing Photolabile Cholinergic Ligand, 2641

Capillary electrophoresis

Metal Analyses in Environmental and Pharmaceutical Samples by Capillary Electrophoresis with Methyl 3-Amino-3-(pyridin-3-yl)propanoate Dihydrochloride as a New Ion-Pairing Reagent, 2322

Caragana sinica

Three New Compounds from the Aerial Parts of *Caragana sinica*, 2315

Carasinaurone

Three New Compounds from the Aerial Parts of *Caragana sinica*, 2315

Carasiphenols C and D

Three New Compounds from the Aerial Parts of *Caragana sinica*, 2315

Carbamate, 2-isopropoxyphenyl *N*-methyl-

Facile and Sensitive Spectrophotometric Determination of Propoxur in Formulations and Environmental Samples, 1022

Carbanions

Selective Double Functionalization of *meso*-Tetraphenylporphyrin Complexes on the Same Pyrrole Unit by Tandem Electrophilic/Nucleophilic Aromatic Substitution, 974

New Synthesis of Pyrrolidines *via* Reaction of γ -Halocarbanions with Imines, 1676

Stereoselective Cyclopropanation of 2-[(*S*)-(4-Methylphenyl)sulfinyl]cyclopent-2-en-1-one with Sulfur Ylides and α -Halo Carbanions. Preliminary Communication, 1769

Carbapenem

Theoretical Study of the Alkaline Hydrolysis of Tricyclic Carbapenem, 774

Carbene adducts

Synthesis and Stereochemical Aspects of Ethyl 1,1a,2,3,4,5,6,6a-Octahydro-4-octylcyclopropa[*f*]indene-1-carboxylate, 3263

Carbenes

Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010

Carbenoids

Fluorinated Diazo Diketones in Rhodium(II)-Catalyzed Reactions with Sultams: Chemoselective *O*-Functionalization of Amide Carbonyl Groups, 1913

Carbodiimides

Selenium-Containing Heterocycles from Isoselenocyanates: Cycloaddition of Carbodiimides to Selenazetidines, 766

Carbohydrate mimics

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

 β -Carboline, tetrahydro-

Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796

Carbon monoxide

Novel C_s -Symmetric 1,4-Diphosphine Ligands in the Copolymerization of Propene and Carbon Monoxide: High Regio- and Stereocontrol in the Catalytic Performance, 210

Carbonochloridate

A Microwave-Accelerated Esterification of α,β -Unsaturated Acids with Alkyl or Aryl Carbonochloridate and Triethylamine in Acetonitrile as a Novel Esterifying Reagent Mixture, 811

Carbonylation

Square-Planar Carbonylchlororhodium(I) Complexes Containing *trans*-Spanning Diphosphine Ligands as Catalysts for the Carbonylation of Methanol, 478

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrroloxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

Carbonyl complexes

Synthesis and Characterization of New Water-Soluble Hydrides of Ru^{II}: A Step towards Dinitrogen Activation?, 557

Carbonyl ylides

Catalytic Decomposition of Diazo Compounds as a Method for Generating Carbonyl-Ylide Dipoles, 1357

Thermal Isomerization of 12-Oxa-1,9-dimethylhexacyclo[7.2.1.0^{2,4}.0^{2,8}.0^{3,7}.0^{6,8}]dodec-10-ene: A Computational Mechanistic Investigation, 1540

Cardenolides

Cardenolides and Cardiac Aglycone from the Stem Bark of *Trewia nudiflora*, 2781

Cardiac aglycone

Cardenolides and Cardiac Aglycone from the Stem Bark of *Trewia nudiflora*, 2781

Carotenoids

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrroloxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

2-Hydroxytorularhodin, a New Xanthophyll from the Red Yeast *Sporobolomyces coprosmae*, 2960

Carpotobia

Triterpene Saponins from Four Species of the Polygalaceae Family, 2986

Caseamembrins G–L

New Clerodane Diterpenoids from *Casearia membranacea*, 68

Casearia membranacea

New Clerodane Diterpenoids from *Casearia membranacea*, 68

Castanin A and B

New Sesquiterpenoids from *Salvia castanea* DIELS f. *tomentosa*, 2370

Catalysis

Modular Microreaction Systems for Homogeneously and Heterogeneously Catalyzed Chemical Synthesis, 1

Square-Planar Carbonylchlororhodium(I) Complexes Containing *trans*-Spanning Diphosphine Ligands as Catalysts for the Carbonylation of Methanol, 478

Aqueous Organometallic Chemistry. Synthesis and Solution Equilibria of Trisodium Carbonylchlorotris[3-(diphenylphosphino- κ P)benzenesulfonato]hydridoruthenate(3-) ([RuH(Cl)(CO){*m*-(Ph₂P)-C₆H₄-SO₃Na₃}]₃) and Trisodium Aquacarbonyltris[3-(diphenylphosphino- κ P)benzenesulfonato]hydridoruthenate(2-) Tetrafluoroborate(1-) ([RuH(CO)(H₂O){*m*-(Ph₂P)-C₆H₄-SO₃Na₃}]₃ [BF₄]), 566

Allyl-Functionalised Ionic Liquids: Synthesis, Characterisation, and Reactivity, 665

Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676

Tris(perfluoroalkyl)silyl Entities as Unexpectedly Potent Tags for the Noncovalent Immobilization of Catalysts by Fluorous–Fluorous Interactions: Application to the Synthesis of Several Perfluoro-Tagged Ligands, 936

Polymer-Supported Ionic-Liquid-Catalyzed Synthesis of 1,2,3,4-Tetrahydro-2-oxopyrimidine-5-carboxylates *via* Biginelli Reaction, 986

Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010

Process-Scale Total Synthesis of Nature-Identical (–)-(S,S)-7-Hydroxycalamenal in High Enantiomeric Purity through Catalytic Enantioselective Hydrogenation, 1776

Palladium-Catalyzed Amination of 3,5-Dihalopyridines – a Convenient Route to New Polyazamacrocycles, 1983

Solvent-Free Catalytic *Friedel–Crafts* Acylation of Aromatic Compounds with Carboxylic Acids by Using a Novel Heterogeneous Catalyst System: *p*-Toluenesulfonic Acid/Graphite, 2282

Cel7A

Synthesis of a Fusion-Isomeric Cellobionoimidazole and Its Evaluation against the *syn*-Protonating Glycosidase Cel7A, 3232

Celastrus hypoleucus

Two Novel Olean Triterpenoids from *Celastrus hypoleucus*, 990

Cellobionoimidazole

Synthesis of a Fusion-Isomeric Cellobionoimidazole and Its Evaluation against the *syn*-Protonating Glycosidase Cel7A, 3232

Cembranolides

Sarcophytonolides A–D, Four New Cembranolides from the Hainan Soft Coral *Sarcophyton* sp., 1028

Centella asiatica

New Triterpenoid Glycosides from *Centella asiatica*, 297

Cephalosporins

Theoretical Study of the Alkaline Hydrolysis of Tricyclic Carbapenem, 774

***Cephalosporium acremonium* IFB-E007**

Four 6*H*-Dibenzo[*b,d*]pyran-6-one Derivatives Produced by the Endophyte *Cephalosporium acremonium* IFB-E007, 2861

Ceramides

Two New Ceramides from the Marine Sponge *Ircinia fasciculata*, 885

Chalcone

Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905

Charge separation

Photoinduced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291

Charge stabilization

Photoinduced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291

Chiral auxiliaries

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

Preparation of β^2 -Amino Acid Derivatives (β^2 hThr, β^2 hTrp, β^2 hMet, β^2 hPro, β^2 hLys, Pyrrolidine-3-carboxylic Acid) by Using DIOZ as Chiral Auxiliary, 2235

Chlorogenic acid methyl esters

Phenolic Compounds from *Viburnum cylindricum*, 339

Cholinergic ligands

para-Sulfonated Calixarenes Used as Synthetic Receptors for Complexing Photolabile Cholinergic Ligand, 2641

Chromatography

Tris(perfluoroalkyl)silyl Entities as Unexpectedly Potent Tags for the Noncovalent Immobilization of Catalysts by Fluorous–Fluorous Interactions: Application to the Synthesis of Several Perfluoro-Tagged Ligands, 936

Synthesis and Stereochemical Aspects of Ethyl 1,1a,2,3,4,5,6,6a-Octahydro-4-octylcyclopropa[*f*]indene-1-carboxylate, 3263

Cinnamic acid

Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905

Circular dichroism (CD)

Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375

Binding Studies of Asymmetric Pentacoordinate Copper(II) Complexes Containing Phenanthroline and Ethane-1,2-diamine Ligands with Calf-Thymus DNA, 2413

Claisen rearrangement

Synthesis of *cis-Hedione*[®] and Methyl Jasmonate *via* Cascade *Baylis–Hillman* Reaction and *Claisen* Ortho Ester Rearrangement, 3069

Clausena anisum-olens

A New Cyclopeptide from *Clausena anisum-olens*, 2345

Clausenain I

A New Cyclopeptide from *Clausena anisum-olens*, 2345

Clerodane diterpenoids

New Clerodane Diterpenoids from *Casearia membranacea*, 68

Clerodanes

Chemical Constituents from *Croton insularis*, 2654

Cluster chemistry

Gas-Phase Reactions of Homo- and Heteronuclear Clusters MM'^+ ($M, M' = Fe, Co, Ni$) with Linear Alkanenitriles, 1405

Cobalt complexes

Control of Redox Potential by Deprotonation of Coordinated 1*H*-Imidazole in Complexes of 2-(1*H*-Imidazol-2-yl)pyridine, 487

Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676

Formation and Dissociation of Tetrahedral Nickel(II) and Cobalt(II) Complexes of 'Dithioimidodiphosphato' Ligands, Measurement of Kinetically Determined Stability Constants, and Kinetic Investigations of the Rapid Formation of Tetrahedral Bis(ligand)copper(II) Complexes and Their Rates of Reduction to Trinuclear Copper(I) Species, 782

Solvent Role on Cobalt(II) Dioxide Carriers Based on Simple Polyamine Ligands, 839

Coenzyme Q₁₀

Synthetic Studies on Coenzyme Q₁₀, 2575

(–)-Conduramine B-1

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (–)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzoylation, 2788

Conformational analysis

Conformational Analysis and CD Calculations of Methyl-Substituted 13-Tridecano-13-lactones, 194

H₅dotasa (= (α *RS*)- α -(Carboxymethyl)-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of H₄dota (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: ¹H-NMR and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633

A Macrocyclic Calix[6]arene Phosphocine: Conformational Studies Involving High-Resolution NMR Analysis and Molecular Modeling, 1110

Conformations of the Nine-Membered Ring in the *B*-Nor-5,10-secosteroids. X-Ray and NMR Analysis, 2812

Controlled release

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089

Coordination polymers

A Novel One-Dimensional Coordination Polymer Involving Weak Hg–Hg Interactions, 2267

Two-Dimensional Holo- and Hemidirected Lead(II) Coordination Polymers: Synthetic, Spectroscopic, Thermal, and Structural Studies of [Pb(μ -SCN)₂(μ -ebp)_{1.5}]_n and {[Pb(μ -OAc)(μ -ebp)](ClO₄)_n} (μ -ebp = 4,4'-(1*E*)-Ethane-1,2-diyl]bis[pyridine]; OAc = Acetato), 2513

A Novel Three-Dimensional Coordination Polymer Involving Pb–Pb Interactions and Three Different Hemidirected Lead(II) Coordination Spheres: X-Ray Crystal Structure of Tris(1,10-phenanthroline- κ ^{N1}, κ ^{N10})bis[μ_3 -[5-(sulfo- κ O)benzene-1,3-dicarboxylate(3–)- κ O¹, κ O^{1'}: κ O², κ O^{2'}: κ O²]]trilead (*Pb–Pb*) Trihydrate ([Pb₃(phen)₃(H₂O)₂(sip)₂]_n · 3 H₂O), 2543

Copolymerization

Novel C_s-Symmetric 1,4-Diphosphine Ligands in the Copolymerization of Propene and Carbon Monoxide: High Regio- and Stereocontrol in the Catalytic Performance, 210

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089

Copper catalysts

Hypervalent Iodine in Synthesis. Part 86. Selective Copper-Catalyzed *N*-Monoarylation and *N*¹,*N*³-Diarylation of Uracil and Its Derivatives with Diaryliodonium Salts, 290

Copper complexes

Influence of Decreasing Solvent Polarity (1,4-Dioxane/Water Mixtures) on the Acid–Base and Copper(II)-Binding Properties of Guanosine 5'-Diphosphate, 406

Synthesis and Characterization of Copper Complexes Containing the Tripodal N₇ Ligand Tris[2-[(pyridin-2-ylmethyl)amino]ethyl]amine (= *N'*-(Pyridin-2-ylmethyl)-*N,N*-bis[2-[(pyridin-2-ylmethyl)amino]ethyl]-

ethane-1,2-diamine): Equilibrium, Spectroscopic Data, and Crystal Structures of Mono- and Trinuclear Copper(II) Complexes, 2397

Binding Studies of Asymmetric Pentacoordinate Copper(II) Complexes Containing Phenanthroline and Ethane-1,2-diamine Ligands with Calf-Thymus DNA, 2413

Coral

Sarcophytonolides A–D, Four New Cembranolides from the Hainan Soft Coral *Sarcophyton* sp., 1028

Cotton effect

Conformational Analysis and CD Calculations of Methyl-Substituted 13-Tridecano-13-lactones, 194

Coupling reactions

Synthetic Studies on Coenzyme Q₁₀, 2575

COX-2 Inhibitors

Novel Chemical Transformations of Tenoxicam, 2355

Criegee ozonolysis

Design and Synthesis of Novel Artemisinin-Like Ozonides with Antischistosomal Activity, 2865

Cross-coupling reactions

A Novel Coupling 1,3-Dipolar Cycloaddition Sequence as a Three-Component Approach to Highly Fluorescent Indolizines, 1798

Preparation of Tröger Base Derivatives by Cross-Coupling Methodologies, 2333

Crofinsulactone

Chemical Constituents from *Croton insularis*, 2654

Croton insularis

Chemical Constituents from *Croton insularis*, 2654

Cuparene

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

Cyanide

Kinetics and Mechanism of the Demetallation of Macrocyclic Nickel(II) Complexes by Cyanide, 380

Cyanine dyes

Synthesis and Photochemical Evaluation of Iodinated Squarylium Cyanine Dyes, 1135

Cyclic voltametry (CV)

Synthesis of Nonsymmetrically *N,N'*-Diaryl-Substituted 4,4'-Bipyridinium Salts with Redox-Tunable and Titanium Dioxide (TiO₂)-Anchoring Properties, 3200

Cyclitols

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (–)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzoylation, 2788

Cyclization reactions

Synthesis of Indolones *via* Radical Cyclization of *N*-(2-Halogenoalkanoyl)-Substituted Anilines, 35

A Novel Intramolecular Photocyclization of *N*-(2-Bromoalkanoyl) Derivatives of 2-Acyylanilines *via* 1,8-Hydrogen Abstraction, 996

Catalytic Decomposition of Diazo Compounds as a Method for Generating Carbonyl-Ylide Dipoles, 1357

New Synthesis of Pyrrolidines *via* Reaction of γ -Halocarbanions with Imines, 1676

Internal Nucleophilic Termination in Acid-Mediated Polyene Cyclizations. Part 4. Synthetic Access to Tetracyclic Didehydro and Tetradehydro Analogues of (\pm)-*Ambrox*[®], 3055

Cycloadditions

Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010

Rolf Huisgen: Some Highlights of His Contributions to Organic Chemistry, 1154

Benzo[*a*]heptalenes from Heptalenof[1,2-*c*]furans. Part I. Cycloaddition Reaction of Heptalenof[1,2-*c*]furans with Different Dienophiles, 1250

Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387

Cycloadditions of Bifunctional Vinyl Ethers with Electrophilic Alkenes through Tetramethylene Zwitterion Intermediates, 1397

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421

Reversal of Regioselectivity of Nitrone Cycloadditions by *Lewis* Acids, 1432

Cycloadditions of Aryl-Substituted 1,2,4-Triazines with 2-Cyclopropylidene-1,3-dimethylimidazolidine – Zwitterions as Discrete Intermediates, 1491

- Troponone Is a Mere Ketone for Cycloadditions to Ketenes, 1519
- The Relationship of Cycloaddition Reactions to Spontaneous Vinyl Polymerizations, 1553
- [2 + 2] Cycloaddition Reactions of Imines with Cyclic Ketenes: Synthesis of 1,3-Thiazolidine Derived Spiro- β -lactams and Their Transformations, 1580
- Exploring the Border between Concerted and Two-Step Pathways of 1,3-Dipolar Cycloadditions of Organic Azides to Cyclic Ketene N,X-Acetals. – Synthesis and ^{15}N -NMR Spectra of Zwitterions and Spirocyclic Cycloadducts, 1589
- Water and the *Huisgen* Cycloaddition Reaction: A Focus on Polar Contributions to the Transition State in the Reactions of Dicyano(phthalazinium)methanide with Substituted Styrenes and Benzylidene Acetones, 1611
- Activation Energies and Reaction Energetics for 1,3-Dipolar Cycloadditions of Hydrazoic Acid with C–C and C–N Multiple Bonds from High-Accuracy and Density Functional Quantum Mechanical Calculations, 1702
- A Novel Coupling 1,3-Dipolar Cycloaddition Sequence as a Three-Component Approach to Highly Fluorescent Indolizines, 1798
- 1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α -Ethynyl-enamine, 1813
- Light-Induced Cycloaddition of 2,3-Dihydro-2,2-dimethyl-4*H*-thiopyran-4-one (a 4-Thiacyclohex-2-enone) to Alkenes and Dienes, 1922
- Cycloaddition Reactions of 7-Benzylidenecycloocta-1,3,5-triene with Ethenetetracarbonitrile and 4-Phenyl-3*H*-1,2,4-triazole-3,5(4*H*)-dione, 2003
- First [4 + 2] Cycloadditions Involving the Olefinic Bond of an 'Aldoketeniminium Salt' (= *N*-Alk-1-enylideneaminium Salt), 2022
- Compendium of Cycloaddition Reactions under High Pressure, 2033
- Synthesis and [4 + 2] Cycloaddition of (2*R*,2'*R*)-*N,N'*-Fumaroylbis[fenchane-8,2-sultam] (= (2*E*)-1,4-Bis-[(3*aS*,6*S*,7*aR*)-1,4,5,6,7,7*a*-hexahydro-7,7-dimethyl-2,2-dioxido-3*H*-3*a*,6-methano-2,1-benzothiazol-1-yl]-but-2-ene-1,4-dione) to Cyclopentadiene, 2441
- [2 + 3]-Cycloadditions of Phosphonodithioformate *S*-Methanides with C=S, N=N, and C=C Dipolarophiles, 2582
- Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624
- 4-Methyl- and 4-(Halophenyl)pyrimidinium (4-Halobenzoyl)methylides. Correlation of Structure, Stability, Reactivity, and Biological Activity, 2747
- Synthesis of Substituted Pyrrolo[3,4-*a*]carbazoles, 2879
- Aminoreductones – Investigations on Species Containing the Carbon Arrangement of Dimedone and Secondary Amines as Building Blocks (G), 3174
- Cycloalkanes, bromo-**
- The Effect of Ring Size on Reactivity: The Diagnostic Value of 'Rate Profiles', 1375
- Cyclobutanes**
- Cycloadditions of Bifunctional Vinyl Ethers with Electrophilic Alkenes through Tetramethylene Zwitterion Intermediates, 1397
- Cyclobutanethione derivative**
- Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624
- Cyclocarbonylation**
- Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrroxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943
- Cyclocondensation**
- Iodotrimethylsilane-Accelerated One-Pot Synthesis of 5-Unsubstituted 3,4-Dihydropyrimidin-2(1*H*)-ones: A Novel Procedure for the *Biginelli*-Like Cyclocondensation Reaction at Room Temperature, 2996
- Cyclohexane nucleosides**
- Synthesis and Properties of Oligonucleotides Containing 2,4-Dihydroxycyclohexyl Nucleosides, 3210
- Cycloiminium ylides**
- 4-Methyl- and 4-(Halophenyl)pyrimidinium (4-Halobenzoyl)methylides. Correlation of Structure, Stability, Reactivity, and Biological Activity, 2747

Cycloisomerization

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

Functionalised Monocyclic Five- to Seven-Membered *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy Buta-1,3-diynes and 1-Haloalkynols, 2918

Cyclometalation

A Dissociative Route to C–H Bond Activation: Ligand Cyclometalation in *cis*-Dimethyl[(sulfinyl- κ S)bis(methane)][tris(2-methylphenyl)phosphine]platinum(2+), 507

Cyclooctatetraene

Rolf Huisgen: Some Highlights of His Contributions to Organic Chemistry, 1154

Cycloocta-1,3,5-triene, 7-benzylidene-

Cycloaddition Reactions of 7-Benzylidenecycloocta-1,3,5-triene with Ethenetetracarbonitrile and 4-Phenyl-3*H*-1,2,4-triazole-3,5(4*H*)-dione, 2003

Cyclopentadienes, (triphenylphosphoranylidene)-

A New and Efficient Synthesis of Highly Functionalized (Triphenylphosphoranylidene)cyclopentadienes with Zwitterionic Resonance Structures, 304

Cyclopent-2-en-1-one, 2-[(*S*)-(4-methylphenyl)sulfinyl]-

Stereoselective Cyclopropanation of 2-[(*S*)-(4-Methylphenyl)sulfinyl]cyclopent-2-en-1-one with Sulfur Ylides and α -Halo Carbanions. Preliminary Communication, 1769

Cyclopeptides

Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711
A New Cyclopeptide from *Clausena anisum-olens*, 2345

Cyclopropanation

Stereoselective Cyclopropanation of 2-[(*S*)-(4-Methylphenyl)sulfinyl]cyclopent-2-en-1-one with Sulfur Ylides and α -Halo Carbanions. Preliminary Communication, 1769

Cyclopropanations

Rhodium(II)-Catalyzed Inter- and Intramolecular Cyclopropanations with Diazo Compounds and Phenyl-iodonium Ylides: Synthesis and Chiral Analysis, 216

Cyclopropane-ring opening

Lewis Acid Catalyzed, Selective Cyclopropane-Ring Opening in Ingot Diterpene Derivatives, 2527

Cyclopropyl[*f*]indene-1-carboxylate, 1,1a,2,3,4,5,6,6a-octahydro-4-octyl-

Synthesis and Stereochemical Aspects of Ethyl 1,1a,2,3,4,5,6,6a-Octahydro-4-octylcyclopropa[*f*]indene-1-carboxylate, 3263

Cysteine

S-Functionalized Cysteine: Powerful Ligands for the Labelling of Bioactive Molecules with Triaquaticarbonyltechnetium-99m(1+) ($[^{99m}\text{Tc}(\text{OH})_3(\text{CO})_3]^+$), 447

Cytokinin

A Facile Cell Free Synthesis of Isotopically Labeled (*E*)-4-Hydroxy-3-methylbut-2-enyl Diphosphate, a Precursor of the Plant Hormone Zeatin, 1444

Cytotoxic activity

New Clerodane Diterpenoids from *Casearia membranacea*, 68

Two Novel Olean Triterpenoids from *Celastrus hypoleucus*, 990

New Briaranes from the South China Sea Gorgonian *Juncella fragilis*, 2349

Three New Cytotoxic *ent*-Kaurane Diterpenoids from *Isodon weisiensis* C. Y. Wu, 2502

Acetogenins from the Leaves of *Rollinia laurifolia*, 3225

Damascones

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089

Daphne giraldii

New Phenolic Components from *Daphne giraldii*, 2873

Daphniphyllum longistylum

Longistylumphyllines A–C, Three New Alkaloids from *Daphniphyllum longistylum*, 854

Daphnogitin

New Phenolic Components from *Daphne giraldii*, 2873

Dearomatization

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

7-Deazaguanine

Robust Synthesis and Crystal-Structure Analysis of 7-Cyano-7-deazaguanine (PreQ₀ Base) and 7-(Amino-methyl)-7-deazaguanine (PreQ₁ Base), 2610

Dehydrohalogenation

Synthesis of Indolones *via* Radical Cyclization of *N*-(2-Halogenoalkanoyl)-Substituted Anilines, 35

Demetallation

Kinetics and Mechanism of the Demetallation of Macrocyclic Nickel(II) Complexes by Cyanide, 380

Dendrimers

Synthesis of Dendritic Metalloporphyrins with *Distal* H-Bond Donors as Model Systems for Hemoglobin, 120

Density-functional theory (DFT)

The Effect of Backbone-Heteroatom Substitution on the Folding of Peptides – A Single Fluorine Substituent Prevents a β -Heptapeptide from Folding into a $3_{1,4}$ -Helix (NMR Analysis), 266

Why Quantum-Thermochemical Calculations Must Be Used with Caution to Indicate ‘a Promising Lead Antioxidant’, 370

Evidence for Interchange Ligand-Exchange Processes on Solvated Beryllium Cations, 911

The Chemistry of the Thiosulfinyl Group: Preparation, Structure, and Spectroscopic and Chemical Properties of Cyclic Thionosulfites, 1451

Cycloadditions of Aryl-Substituted 1,2,4-Triazines with 2-Cyclopropylidene-1,3-dimethylimidazolidine – Zwitterions as Discrete Intermediates, 1491

Activation Energies and Reaction Energetics for 1,3-Dipolar Cycloadditions of Hydrazoic Acid with C–C and C–N Multiple Bonds from High-Accuracy and Density Functional Quantum Mechanical Calculations, 1702

Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302

Computational NMR Spectroscopy of Transition-Metal/Nitroimidazole Complexes: Theoretical Investigation of Potential Radiosensitizers, 2705

Synthesis and Reactions of 1,4-Anhydrogalactopyranose and 1,4-Anhydroarabinose – Steric and Electronic Limitations, 2823

Deoxyxylose phosphate pathway

A Facile Cell Free Synthesis of Isotopically Labeled (*E*)-4-Hydroxy-3-methylbut-2-enyl Diphosphate, a Precursor of the Plant Hormone Zeatin, 1444

Desulfurization

Synthetic Studies on Coenzyme Q₁₀, 2575

Dewar benzene

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421

Diamagnetic anisotropy

The Chemistry of the Thiosulfinyl Group: Preparation, Structure, and Spectroscopic and Chemical Properties of Cyclic Thionosulfites, 1451

1,2-Diamination

Vicinal Diamination of Terminal Olefins, 1486

Diaryliodonium salts

Hypervalent Iodine in Synthesis. Part 86. Selective Copper-Catalyzed *N*-Monoarylation and *N*¹,*N*³-Diarylation of Uracil and Its Derivatives with Diaryliodonium Salts, 290

Diazabicyclo[3.3.1]nonane

Tuning the Properties of Copper(II) Complexes with Tetra- and Pentadentate Bispidine (= 3,7-Diazabicyclo[3.3.1]nonane) Ligands, 647

5,8-Diaza-7,9-dicarboguanine

Tautomerism in 5,8-Diaza-7,9-dicarboguanine (‘Alloguanine’), 1960

3*H*-1,2-Diazepines

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421

Diazo compounds

Rhodium(II)-Catalyzed Inter- and Intramolecular Cyclopropanations with Diazo Compounds and Phenyl-iodonium Ylides: Synthesis and Chiral Analysis, 216

Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010
Catalytic Decomposition of Diazo Compounds as a Method for Generating Carbonyl-Ylide Dipoles, 1357

Diazo diketones

Fluorinated Diazo Diketones in Rhodium(II)-Catalyzed Reactions with Sultams: Chemoselective *O*-Functionalization of Amide Carbonyl Groups, 1913

Diazo ketones

Hydrindanone Synthesis: An Incisterol Model, 330

Dibenzocyclooctene lignans

Two New Dibenzocyclooctene Lignans from the Water Extract of *Kadsura* spp., 2288

6*H*-Dibenzo[*b,d*]pyran-6-one derivatives

Four 6*H*-Dibenzo[*b,d*]pyran-6-one Derivatives Produced by the Endophyte *Cephalosporium acremonium* IFB-E007, 2861

Dibutyl[¹⁴C]formamide

Use of Dibutyl[¹⁴C]formamide as a Formylating Reagent in the *Vilsmeier–Haack* Reaction and Synthesis of a ¹⁴C-Labeled Novel Phosphodiesterase-4 (PDE-4) Inhibitor, 1040

Dieckmann condensation

Synthesis of the Antibiotic (*R*)-Reutericyclin *via* Dieckmann Condensation, 2837

Diels–Alder reactions

Functionalization of the 6,14-Bridge of the Orvinols. 1. Preparation and *Diels–Alder* Reaction of 7-Phenylsilylthebaines, 822

Cycloadditions of Aryl-Substituted 1,2,4-Triazines with 2-Cyclopropylidene-1,3-dimethylimidazolidine – Zwitterions as Discrete Intermediates, 1491

Light-Induced Cycloaddition of 2,3-Dihydro-2,2-dimethyl-4*H*-thiopyran-4-one (a 4-Thiacyclohex-2-enone) to Alkenes and Dienes, 1922

First [4 + 2] Cycloadditions Involving the Olefinic Bond of an ‘Aldoketeniminium Salt’ (= *N*-Alk-1-enylideneaminium Salt), 2022

Compendium of Cycloaddition Reactions under High Pressure, 2033

Synthesis and [4 + 2] Cycloaddition of (2*R*,2'*R*)-*N,N'*-Fumaroylbis[fenchane-8,2-sultam] (= (2*E*)-1,4-Bis-[(3*aS*,6*S*,7*aR*)-1,4,5,6,7,7*a*-hexahydro-7,7-dimethyl-2,2-dioxido-3*H*-3*a*,6-methano-2,1-benzothiazol-1-yl]-but-2-ene-1,4-dione) to Cyclopentadiene, 2441

7-Oxanorbornane and Norbornane Mimics of a Distorted β-*D*-Mannopyranoside: Synthesis and Evaluation as β-Mannosidase Inhibitors, 3151

Dienes, amino

1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α-Ethynyl-enamine, 1813

Dihydroxylation

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α-Alkenyl-γ-alkylidenebutenolide) Core Structure of the Carotenoid Pyrroxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

1,3-Diketones

Aldols by *Michael* Addition: Application of the *retro-Michael* Addition to the Slow Release of Enones, 3128

Diketones, diazo

Fluorinated Diazo Diketones in Rhodium(II)-Catalyzed Reactions with Sultams: Chemoselective *O*-Functionalization of Amide Carbonyl Groups, 1913

Dimedone

Aminoreductones – Investigations on Species Containing the Carbon Arrangement of Dimedone and Secondary Amines as Building Blocks (G), 3174

Dimetridazole

Computational NMR Spectroscopy of Transition-Metal/Nitroimidazole Complexes: Theoretical Investigation of Potential Radiosensitizers, 2705

Dinitrogen activation

Synthesis and Characterization of New Water-Soluble Hydrides of Ru^{II}: A Step towards Dinitrogen Activation?, 557

Dinitrogen tetroxide

The Behaviors of Metal Acetylides with Dinitrogen Tetroxide, 354

7,9'-Dinorlignan

Squadinorlignoside: A Novel 7,9'-Dinorlignan from the Stems of *Annona squamosa*, 2731

26,27-Dinoroceran

Three New Triterpenoids from *Lycopodium japonicum* THUNB, 240

24,30-Dinortriterpenoids

Three Novel 24,30-Dinortriterpenoids, Paeonenoides A–C, from *Paeonia veitchii*, 259

Dinuclear complexes

Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676

Dioxabicyclo[2.2.2]octane

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

Dioxygen carriers

Solvent Role on Cobalt(II) Dioxygen Carriers Based on Simple Polyamine Ligands, 839

Diphosphine ligands

Novel C_s-Symmetric 1,4-Diphosphine Ligands in the Copolymerization of Propene and Carbon Monoxide: High Regio- and Stereocontrol in the Catalytic Performance, 210

Square-Planar Carbonylchlororhodium(I) Complexes Containing *trans*-Spanning Diphosphine Ligands as Catalysts for the Carbonylation of Methanol, 478

Dipolarity

Properties of 2,2,2-Trifluoroethanol/Water Mixtures: Acidity, Basicity, and Dipolarity, 312

1,7-Diradical

Photochemistry of *N*-(2-Acylphenyl)-2-methylprop-2-enamides: Competition between Photocyclization and Long-Range Hydrogen Abstraction, 78

'Direct amide cyclization'

Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711

Disaccharides

Chemical Constituents from *Croton insularis*, 2654

Synthesis of a Fusion-Isomeric Cellobionoimidazole and Its Evaluation against the *syn*-Protonating Glycosidase Cel7A, 3232

Disulfides

Diterpenes and Disulfides from the Marine Mangrove Plant *Bruguiera sexangula* var. *rhynchopetala*, 2757

Diterpenes

Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

Diterpenes and Disulfides from the Marine Mangrove Plant *Bruguiera sexangula* var. *rhynchopetala*, 2757

Tumor-Promoting Diterpene Esters from Latex of *Euphorbia cauducifolia* L., 3145

Diterpenoids

New Clerodane Diterpenoids from *Casearia membranacea*, 68

Three New Highly Oxygenated Diterpenoids from *Excoecaria cochinchinensis* LOUR., 968

Secoatisane- and Isopimarane-Type Diterpenoids from the Chinese Mangrove *Excoecaria agallocha* L., 979

Diterpenoid Alkaloids from *Aconitum tanguticum*, 1081

The Chemical Constituents from the Callus Culture of *Trewia nudiflora*, 2424

Three New Cytotoxic *ent*-Kaurane Diterpenoids from *Isodon weisiensis* C. Y. WU, 2502

Lewis Acid Catalyzed, Selective Cyclopropane-Ring Opening in Ingot Diterpene Derivatives, 2527

Structures and Absolute Configurations of Three 7,8-Secolabdane Diterpenes from the Chinese Liverwort *Pallavicinia ambigua*, 2637

Dolabellane Diterpenoids from the Higher Plant *Aglaiia odorata*, 2938

'Dithioimidodiphosphato' ligands

Formation and Dissociation of Tetrahedral Nickel(II) and Cobalt(II) Complexes of 'Dithioimidodiphosphato' Ligands, Measurement of Kinetically Determined Stability Constants, and Kinetic Investigations of the Rapid Formation of Tetrahedral Bis(ligand)copper(II) Complexes and Their Rates of Reduction to Trinuclear Copper(I) Species, 782

4*H*-1,2-Dithiolo[4,3-*c*]isothiazoles

Fused 1,2-Dithioles. Part VII. Synthesis and Reactions of 4*H*-1,2-Dithiolo[4,3-*c*]isothiazoles, 1208

1,3-Diynes, hydroxy

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

DNA

Noncovalent Attachment of Nucleotides by Fluorous–Fluorous Interactions: Application to a Simple Purification Principle for Synthetic DNA Fragments, 171

Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazolo[4,5-*d*]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751

Binding Studies of Asymmetric Pentacoordinate Copper(II) Complexes Containing Phenanthroline and Ethane-1,2-diamine Ligands with Calf-Thymus DNA, 2413

Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137

Dolabellane diterpenoids

Dolabellane Diterpenoids from the Higher Plant *Aglaia odorata*, 2938

Donor–acceptor systems

Photoinduced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291

Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Dopamine hydrochloride (DPH)

Novel Reactions for the Simple and Sensitive Spectrophotometric Determination of Traces of Selenium in Environmental Samples, 343

Double functionalization

Selective Double Functionalization of *meso*-Tetraphenylporphyrin Complexes on the Same Pyrrole Unit by Tandem Electrophilic/Nucleophilic Aromatic Substitution, 974

Drug discovery

Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Dyes

Control of the Interactions in Multichromophores: Novel Concepts. Perylene Bis-imides as Components for Larger Functional Units, 1309

***Dysidea* sp.**

Dysideasterols A–E, Five New Uncommon Polyhydroxylated Steroids from the South China Sea Sponge *Dysidea* sp., 281

Dysideasterols A – E

Dysideasterols A–E, Five New Uncommon Polyhydroxylated Steroids from the South China Sea Sponge *Dysidea* sp., 281

Eburnamine

Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine *via* a Spirocyclic Intermediate, 2764

Eburnamonine

Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine *via* a Spirocyclic Intermediate, 2764

***Eglinton* coupling**

Functionalised Bicyclic *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

Electrochemistry

Tuning the Properties of Copper(II) Complexes with Tetra- and Pentadentate Bispidine (= 3,7-Diazabicyclo[3.3.1]nonane) Ligands, 647

Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Electron transfer

- The Behaviors of Metal Acetylides with Dinitrogen Tetroxide, 354
Photoinduced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291
Kinetic and Mechanistic Studies on the Oxidation of Nitrogen(III) ($\text{HNO}_2/\text{NO}_2^-$) by the Tris(biguanide)-manganese(IV) Ion in Aqueous Acidic Media, 2561

Electrophilicity

- Quantification of the β -Stabilizing Effect of the Dicarboxyl(η^5 -cyclopentadienyl)iron Group, 1754

Electrophilic/nucleophilic aromatic substitution

- Selective Double Functionalization of *meso*-Tetraphenylporphyrin Complexes on the Same Pyrrole Unit by Tandem Electrophilic/Nucleophilic Aromatic Substitution, 974

Elsholtzia bodinieri

- Two New E-Secoursane Glycosides: Bodinosides A and B, Isolated from *Elsholtzia bodinieri*, 252

Enamides

- Photochemistry of *N*-(2-Acylphenyl)-2-methylprop-2-enamides: Competition between Photocyclization and Long-Range Hydrogen Abstraction, 78

Enamine, α -ethynyl-

- 1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α -Ethynyl-enamine, 1813

Enantioselective hydrogenation

- Process-Scale Total Synthesis of Nature-Identical (–)-(*S,S*)-7-Hydroxycalamenal in High Enantiomeric Purity through Catalytic Enantioselective Hydrogenation, 1776

Endopeptidase

- A New Class of Inhibitors for the Metalloprotease Neprilysin Based on a Central Imidazole Scaffold, 707

Endoperoxide rearrangements

- Chemistry of the Benzotropone Endoperoxides and Their Conversion into Tropolone Derivatives: Unusual Endoperoxide Rearrangements, 830

Endophytic fungus

- Four 6*H*-Dibenzo[*b,d*]pyran-6-one Derivatives Produced by the Endophyte *Cephalosporium acremonium* IFB-E007, 2861

Ene reactions

- Compendium of Cycloaddition Reactions under High Pressure, 2033

Energy transfer

- Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Enol ethers

- Functionalised Monocyclic Five- to Seven-Membered *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy Buta-1,3-diyne and 1-Haloalkynols, 2918

Enol triflate

- Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

Environmental protection

- Novel Reactions for the Simple and Sensitive Spectrophotometric Determination of Traces of Selenium in Environmental Samples, 343

Enzymes

- Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Epilupinal

- Epimerization of Lupinine to Epilupinine and *vice versa*. Reexamination of the Structures of Lupinal and Epilupinal, 245

Epilupinine

- Epimerization of Lupinine to Epilupinine and *vice versa*. Reexamination of the Structures of Lupinal and Epilupinal, 245

Epimerization

- Epimerization of Lupinine to Epilupinine and *vice versa*. Reexamination of the Structures of Lupinal and Epilupinal, 245

Episilicine

Indole Alkaloids from the Whole Plants of *Ervatamia officinalis*, 2537

Epoxidation

Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

Epoxide opening

Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100

EPR Spectroscopy

Tuning the Properties of Copper(II) Complexes with Tetra- and Pentadentate Bispidine (= 3,7-Diazabicyclo[3.3.1]nonane) Ligands, 647

 α -Ergocryptine

Synthetic Route to Ergot Alkaloids, 1344

Ergot alkaloids

Synthetic Route to Ergot Alkaloids, 1344

Ervatamia officinalis

Indole Alkaloids from the Whole Plants of *Ervatamia officinalis*, 2537

Eschenmoser–Claisen rearrangement

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

Esterification

A Microwave-Accelerated Esterification of α,β -Unsaturated Acids with Alkyl or Aryl Carbonochloridate and Triethylamine in Acetonitrile as a Novel Esterifying Reagent Mixture, 811

Ethane-1,2-diamine ligands

Binding Studies of Asymmetric Pentacoordinate Copper(II) Complexes Containing Phenanthroline and Ethane-1,2-diamine Ligands with Calf-Thymus DNA, 2413

Ethanol, 2,2,2-trifluoro-

Properties of 2,2,2-Trifluoroethanol/Water Mixtures: Acidity, Basicity, and Dipolarity, 312

4,4'-(1E)-Ethene-1,2-diyl]bis[pyridine]

Two-Dimensional Holo- and Hemidirected Lead(II) Coordination Polymers: Synthetic, Spectroscopic, Thermal, and Structural Studies of $[\text{Pb}(\mu\text{-SCN})_2(\mu\text{-ebp})_{1.5}]_n$ and $\{[\text{Pb}(\mu\text{-OAc})(\mu\text{-ebp})](\text{ClO}_4)_n\}$ ($\text{ebp} = 4,4'$ -[(1E)-Ethene-1,2-diyl]bis[pyridine]; OAc = Acetato), 2513

Ethenetetracarbonitrile

Cycloaddition Reactions of 7-Benzylidenecycloocta-1,3,5-triene with Ethenetetracarbonitrile and 4-Phenyl-3H-1,2,4-triazole-3,5(4H)-dione, 2003

Euphorbia cauducifolia

Tumor-Promoting Diterpene Esters from Latex of *Euphorbia cauducifolia* L., 3145

Euphosalicin A

Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

Europium complexes

NMR and Luminescence Binding Studies of Ytterbium, Thulium, and Europium Macrocyclic Complexes with Phosphorus(V) Oxy Anions, 391

Exciton interactions

Control of the Interactions in Multichromophores: Novel Concepts. Perylene Bis-imides as Components for Larger Functional Units, 1309

Excoecaria agallocha

Secoatisane- and Isopimarane-Type Diterpenoids from the Chinese Mangrove *Excoecaria agallocha* L., 979

Excoecaria cochinchinensis

Three New Highly Oxygenated Diterpenoids from *Excoecaria cochinchinensis* LOUR., 968

Excolabdones A – C

Three New Highly Oxygenated Diterpenoids from *Excoecaria cochinchinensis* LOUR., 968

Fascicularones H – K

Fascicularones H–K, Four New Sesquiterpenoids from the Cultured Mycelia of the Fungus *Hypholoma fasciculare*, 2944

Favorskii-like rearrangement

Aminoreductones – Investigations on Species Containing the Carbon Arrangement of Dimedone and Secondary Amines as Building Blocks (G), 3174

Ferromagnetic interaction

Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M₂Au₄] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000

Firmenich

On the Occasion of the 65th Birthday of Dr. *Ferdinand Näf*, 3051

Fissistigma bracteolatum

Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905

Flavan-3-ol

New Phenolic Components from *Daphne giraldii*, 2873

Flavonoids

Novel, Complex Flavonoids from *Mallotus philippensis* (Kamala Tree), 1048

Flaxedit[®]

Rapid Determination of Gallamine Triethiodide (*Flaxedit[®]*) and Pancuronium Bromide (*Pavulon[®]*) in Pharmaceutical and Urine Matrices by Means of Modified-Carbon-Paste Ion-Selective Electrodes, 861

Floral odorants

Synthesis and Optical Resolution of the Floral Odorant (±)-2,3-Dihydro-2,5-dimethyl-1*H*-indene-2-methanol, and Preparation of Analogues, 3109

Synthesis and Odor Properties of Substituted Indane-2-carboxaldehydes. Discovery of a New Floral (Muguet) Fragrance Alcohol, 3118

Flow-through reactors

Modular Microreaction Systems for Homogeneously and Heterogeneously Catalyzed Chemical Synthesis, 1

Fluorescence

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089
Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137

Fluorescence spectroscopy

Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazolo[4,5-*d*]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751

Control of the Interactions in Multichromophores: Novel Concepts. Perylene Bis-imides as Components for Larger Functional Units, 1309

A Novel Coupling 1,3-Dipolar Cycloaddition Sequence as a Three-Component Approach to Highly Fluorescent Indolizines, 1798

An Unusual β -Oxidation of *N*-Functionalized Alkyl Chains by 1*H*-Imidazole, 2832

 α -Fluoro peptides

The Effect of Backbone-Heteroatom Substitution on the Folding of Peptides – A Single Fluorine Substituent Prevents a β -Heptapeptide from Folding into a 3₁₄-Helix (NMR Analysis), 266

Fluoro-tagged compounds

Tris(perfluoroalkyl)silyl Entities as Unexpectedly Potent Tags for the Noncovalent Immobilization of Catalysts by Fluorous–Fluorous Interactions: Application to the Synthesis of Several Perfluoro-Tagged Ligands, 936

Fluorous biphasic systems (FBS)

Noncovalent Attachment of Nucleotides by Fluorous–Fluorous Interactions: Application to a Simple Purification Principle for Synthetic DNA Fragments, 171

Folding of peptides

NMR-Solution Structures in Methanol of an α -Heptapeptide, of a β^3/β^2 -Nonapeptide, and of an all- β^3 -Icosapeptide Carrying the 20 Proteinogenic Side Chains, 1969

Formimines, C-(alkyloxycarbonyl)-

Erratum of 'Diastereoselective Spirocyclization of C-(Alkyloxycarbonyl)formimines of 2-Substituted 1H-Indole-3-ethanamines (= Tryptamines): Basic Studies', 3274

Formylation

Use of Dibutyl[¹⁴C]formamide as a Formylating Reagent in the *Vilsmeier–Haack* Reaction and Synthesis of a ¹⁴C-Labeled Novel Phosphodiesterase-4 (PDE-4) Inhibitor, 1040

Fragrance description

Enantioselective Syntheses and Fragrance Properties of the Four Stereoisomers of *Magnolione*® (Magnolia Ketone), 2738

Fragrances

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089

Free energy

Protonation Equilibria of *Hoechst 33258* in Aqueous Solution, 53

Friedel–Crafts acylation

Solvent-Free Catalytic *Friedel–Crafts* Acylation of Aromatic Compounds with Carboxylic Acids by Using a Novel Heterogeneous Catalyst System: *p*-Toluenesulfonic Acid/Graphite, 2282

Synthesis of Long-Chain 3-Alkylpyrroles Bearing Terminal Carboxy or Amino Groups, 2470

Fries rearrangement

Graphite/Methanesulfonic Acid (GMA) as a New Reagent for Sulfonylation of Phenols and Thia-*Fries* Rearrangement of Aryl Sulfonates to Sulfonylphenols, 42

Fullerenes

Photoinduced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291

Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Fungal pigments

2-Hydroxytorularhodin, a New Xanthophyll from the Red Yeast *Sporobolomyces coprosmae*, 2960

Fungi

Physicochemical Properties of Oosporein, the Major Secreted Metabolite of the Entomopathogenic Fungus *Beauveria brongniartii*, 802

Furocrotinsulolide A and B

Chemical Constituents from *Croton insularis*, 2654

Gadolinium complexes

Can the Theoretical Fitting of the Proton-Nuclear-Magnetic-Relaxation-Dispersion (Proton NMRD) Curves of Paramagnetic Complexes Be Improved by Independent Measurement of Their Self-Diffusion Coefficients?, 574

Gadolinium(III) Complexes of dota-Derived *N*-Sulfonylacetamides ($H_L(\text{dota-NHSO}_2R) = 10\text{-}\{2\text{-}[(R)\text{sulfonylamino}]\text{-}2\text{-oxoethyl}\}\text{-}1,4,7,10\text{-tetraazacyclododecane-}1,4,7\text{-triacetic Acid}$): A New Class of Relaxation Agents for Magnetic Resonance Imaging Applications, 588

Galactosidase inhibitors

Monocyclic, Substituted Imidazoles as Glycosidase Inhibitors, 2454

Gallamine triethiodide

Rapid Determination of Gallamine Triethiodide (*Flaxedil*®) and Pancuronium Bromide (*Pavulon*®) in Pharmaceutical and Urine Matrices by Means of Modified-Carbon-Paste Ion-Selective Electrodes, 861

Gaucher's disease

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (–)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzoylation, 2788

Glucopyranoside, 6-deoxy-6-fluoro-

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

D-Glucopyranosiduronic acid

Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375

D-Glucose

Synthesis of the Cyclopentyl Nucleoside (–)-Neplanocin A from D-Glucose *via* Zirconocene-Mediated Ring Contraction, 1185

Glucosidase inhibitors

Synthesis of New *C*(2)-Substituted *gluco*-Configured Tetrahydroimidazopyridines and Their Evaluation as Glucosidase Inhibitors, 2593

exo-Glycals

Functionalised Bicyclic *exo*-Glycals by Alkynol Cycloisomerisation of Hydroxy 1,3-Diynes and Hydroxy Haloalkynes, 1885

Functionalised Monocyclic Five- to Seven-Membered *exo*-Glycals by Alkynol Cycloisomerisation of Hydroxy Buta-1,3-diynes and 1-Haloalkynols, 2918

(2*R*)-Glycidate, methyl

Trifluoromethanesulfonic Acid Catalyzed Alkylation of Arenes with Methyl (2*R*)-Glycidate, 1221

Glycophosphingolipid

Two New Ceramides from the Marine Sponge *Ircinia fasciculata*, 885

Glycosidase inhibitors

Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10

Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100

Monocyclic, Substituted Imidazoles as Glycosidase Inhibitors, 2454

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (–)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzylation, 2788

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

Synthesis of a Fusion-Isomeric Cellobionimidazole and Its Evaluation against the *syn*-Protonating Glycosidase Cel7A, 3232

Glycosides

Two New E-Secoursane Glycosides: Bodinosides A and B, Isolated from *Elsholtzia bodinieri*, 252

New Triterpenoid Glycosides from *Centella asiatica*, 297

Two New Iridoid Glycosides from *Hedyotis tenelliflora* BLUME, 2532

Three New Polyoxypregnane Glycosides from *Marsdenia tenacissima*, 2675

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

Gold complexes

Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M₂Au₄] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000

Gorgonian

Suberoretosteroids A–E, Five New Uncommon Polyoxygenated Steroid 24-Ketals from the Hainan Gorgonian *Suberogorgia reticulata*, 87

Graphisactone G and H

Four 6*H*-Dibenzo[*b,d*]pyran-6-one Derivatives Produced by the Endophyte *Cephalosporium acremonium* IFB-E007, 2861

Graphite

Solvent-Free Catalytic *Friedel–Crafts* Acylation of Aromatic Compounds with Carboxylic Acids by Using a Novel Heterogeneous Catalyst System: *p*-Toluenesulfonic Acid/Graphite, 2282

Graphite/methanesulfonic acid (GMA)

Graphite/Methanesulfonic Acid (GMA) as a New Reagent for Sulfonylation of Phenols and Thia-*Fries* Rearrangement of Aryl Sulfonates to Sulfonylphenols, 42

Guanidines, 1,2,3-trisubstituted

The Preparation of 1,2,3-Trisubstituted Guanidines, 1664

Guanosine 5'-diphosphate

Influence of Decreasing Solvent Polarity (1,4-Dioxane/Water Mixtures) on the Acid–Base and Copper(II)-Binding Properties of Guanosine 5'-Diphosphate, 406

Gynostemma pentaphyllum

Six New Triterpene Saponins with a 21,23-Lactone Skeleton from *Gynostemma pentaphyllum*, 1126

cis-Hedione[®]

Synthesis of *cis-Hedione*[®] and Methyl Jasmonate *via* Cascade *Baylis–Hillman* Reaction and *Claisen* Ortho Ester Rearrangement, 3069

Hedyotis tenelliflora

Two New Iridoid Glycosides from *Hedyotis tenelliflora* BLUME, 2532

Helix structures

NMR-Solution Structures in Methanol of an α -Heptapeptide, of a β^3/β^2 -Nonapeptide, and of an all- β^3 -Icosapeptide Carrying the 20 Proteinogenic Side Chains, 1969

Hemoglobin

Synthesis of Dendritic Metalloporphyrins with *Distal* H-Bond Donors as Model Systems for Hemoglobin, 120

Henry reaction

Modular Microreaction Systems for Homogeneously and Heterogeneously Catalyzed Chemical Synthesis, 1

Heptaarsenide anions

Syntheses and Crystal Structures of Four New Ammoniates with Heptaarsenide (As_7^{3-}) Anions, 950

Hepta-2,4-dien-5-ynoate

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrroloxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

Heptalene-4,5-dicarboxylates

Formation of 6,10-Diphenyl-Substituted Heptalene-4,5-dicarboxylates, 873

Heptaleno[1,2-*c*]furans

Benzo[*a*]heptalenes from Heptaleno[1,2-*c*]furans. Part I. Cycloaddition Reaction of Heptaleno[1,2-*c*]furans with Different Dienophiles, 1250

Heteroatom effect

The Effect of Backbone-Heteroatom Substitution on the Folding of Peptides – A Single Fluorine Substituent Prevents a β -Heptapeptide from Folding into a 3_{14} -Helix (NMR Analysis), 266

Heterobimetallic complexes

Syntheses and Structures of Homo- and Heterobimetallic Complexes Containing a (Cyclopentadienone)-rhodium(I) Fragment, 435

High-pressure reactions

1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α -Ethynyl-enamine, 1813

Compendium of Cycloaddition Reactions under High Pressure, 2033

Histone deacetylase (HDAC)

Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Hopea hainanensis

New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910

Hopeahainanphenol

New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910

Host – guest chemistry

Solid-State NMR Study of the Tautomerism of Acetylacetone Included in a Host Matrix, 1931

Host – guest complexes

para-Sulfonated Calixarenes Used as Synthetic Receptors for Complexing Photolabile Cholinergic Ligand, 2641

Hoveyda metathesis ligand

Tris(perfluoroalkyl)silyl Entities as Unexpectedly Potent Tags for the Noncovalent Immobilization of Catalysts by Fluorous – Fluorous Interactions: Application to the Synthesis of Several Perfluoro-Tagged Ligands, 936

Huisgen, Rolf

Rolf Huisgen: A Gentleman Scholar with Energy and Passion, 1145

Rolf Huisgen: Some Highlights of His Contributions to Organic Chemistry, 1154

Hyaluronic acid

A New and Simply Available Class of Hydrosoluble Bioconjugates by Coupling Paclitaxel to Hyaluronic Acid through a 4-Hydroxybutanoic Acid Derived Linker, 154

Hydantoin

Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137

Hydrazine

Mechanistic Studies on the Oxidation of Hydrazine by Tris(biguanide)manganese(IV) in Aqueous Acidic Media, 2294

Hydrazoic acid

Ring Opening of 1-Azabicyclo[1.1.0]butanes with Hydrazoic Acid – a Facile Access to *N*-Unsubstituted Azetidin-3-Amines, 1658

Activation Energies and Reaction Energetics for 1,3-Dipolar Cycloadditions of Hydrazoic Acid with C–C and C–N Multiple Bonds from High-Accuracy and Density Functional Quantum Mechanical Calculations, 1702

Hydrindanone

Hydrindanone Synthesis: An Incisterol Model, 330

Hydroboration

Syntheses of Enantiomerically Pure 2-Substituted Pyrrolidin-3-ones *via* Lithiated Alkoxyallenes – An Auxiliary-Based Synthesis of both Enantiomers of the Antibiotic Anisomycin, 1826

Hydroformylation

Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676

Hydrogen bonds

Synthesis of Dendritic Metalloporphyrins with *Distal* H-Bond Donors as Model Systems for Hemoglobin, 120
Properties of 2,2,2-Trifluoroethanol/Water Mixtures: Acidity, Basicity, and Dipolarity, 312

Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302

Supramolecular Arrays of Cationic Complexes Containing Pyrazole Ligands and Tetrafluoroborate, Trifluoromethanesulfonate, or Nitrate as Counterions. Crystal Structure of Bis(3,5-dimethyl-4-nitro-1*H*-pyrazole- κ -N²)silver(1+) Nitrate ([Ag(Hpz^NO₂)₂](NO₃)), 2433

Hydrogen transfer

Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone, 694

Hydrolysis

Theoretical Study of the Alkaline Hydrolysis of Tricyclic Carbapenem, 774

Hydroxylactonization

Toward a Total Synthesis of Macrocyclic Jatrophone Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

(*E*)-4-Hydroxy-3-methylbut-2-enyl diphosphate (HMBPP)

A Facile Cell Free Synthesis of Isotopically Labeled (*E*)-4-Hydroxy-3-methylbut-2-enyl Diphosphate, a Precursor of the Plant Hormone Zeatin, 1444

Hydroxytryptargine

Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796

Hyperconjugation

Quantification of the β -Stabilizing Effect of the Dicarbonyl(η^5 -cyclopentadienyl)iron Group, 1754

Hypholoma fasciculare

Fascicularones H–K, Four New Sesquiterpenoids from the Cultured Mycelia of the Fungus *Hypholoma fasciculare*, 2944

Hyrtilos erecta

Hyrtilosins A–E, Five New Scalarane Sesterterpenes from the South China Sea Sponge *Hyrtilos erecta*, 1004

Hyrtilosins A – E

Hyrtilosins A–E, Five New Scalarane Sesterterpenes from the South China Sea Sponge *Hyrtilos erecta*, 1004

Imidates, O-alkyl

Fluorinated Diazo Diketones in Rhodium(II)-Catalyzed Reactions with Sultams: Chemoselective *O*-Functionalization of Amide Carbonyl Groups, 1913

Imidazoles

Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100

Control of Redox Potential by Deprotonation of Coordinated 1*H*-Imidazole in Complexes of 2-(1*H*-Imidazol-2-yl)pyridine, 487

A New Class of Inhibitors for the Metalloprotease Neprilysin Based on a Central Imidazole Scaffold, 707
Second-Generation Inhibitors for the Metalloprotease Neprilysin Based on Bicyclic Heteroaromatic Scaffolds: Synthesis, Biological Activity, and X-Ray Crystal-Structure Analysis, 731

Monocyclic, Substituted Imidazoles as Glycosidase Inhibitors, 2454

Computational NMR Spectroscopy of Transition-Metal/Nitroimidazole Complexes: Theoretical Investigation of Potential Radiosensitizers, 2705

An Unusual β -Oxidation of *N*-Functionalized Alkyl Chains by 1*H*-Imidazole, 2832

Synthesis of a Fusion-Isomeric Cellobionoimidazole and Its Evaluation against the *syn*-Protonating Glycosidase Cel7A, 3232

Imidazolidine, 2-cyclopropylidene-1,3-dimethyl-

Cycloadditions of Aryl-Substituted 1,2,4-Triazines with 2-Cyclopropylidene-1,3-dimethylimidazolidine – Zwitterions as Discrete Intermediates, 1491

1*H*-Imidazol-3-ium bromides

Allyl-Functionalised Ionic Liquids: Synthesis, Characterisation, and Reactivity, 665

Imidazo[4,5-*c*]pyridine

Second-Generation Inhibitors for the Metalloprotease Neprilysin Based on Bicyclic Heteroaromatic Scaffolds: Synthesis, Biological Activity, and X-Ray Crystal-Structure Analysis, 731

Imidazopyridines

Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10

Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100

Synthesis of New *C*(2)-Substituted *gluco*-Configured Tetrahydroimidazopyridines and Their Evaluation as Glucosidase Inhibitors, 2593

Imine cycloadditions

Activation Energies and Reaction Energetics for 1,3-Dipolar Cycloadditions of Hydrazoic Acid with C–C and C–N Multiple Bonds from High-Accuracy and Density Functional Quantum Mechanical Calculations, 1702

Imines

[2+2] Cycloaddition Reactions of Imines with Cyclic Ketenes: Synthesis of 1,3-Thiazolidine Derived Spiro- β -lactams and Their Transformations, 1580

New Synthesis of Pyrrolidines *via* Reaction of γ -Halocarbanions with Imines, 1676

Imino nitroxide

Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M₂Au₄] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000

Incisterol

Hydrindanone Synthesis: An Incisterol Model, 330

Indane-2-carboxaldehydes

Synthesis and Odor Properties of Substituted Indane-2-carboxaldehydes. Discovery of a New Floral (Muguet) Fragrance Alcohol, 3118

1*H*-Indene-2-methanol, (\pm)-2,3-dihydro-2,5-dimethyl-

Synthesis and Optical Resolution of the Floral Odorant (\pm)-2,3-Dihydro-2,5-dimethyl-1*H*-indene-2-methanol, and Preparation of Analogues, 3109

Indole alkaloids

New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Three New Indole Alkaloids from the Leaves of *Alstonia scholaris*, 2508

Indole Alkaloids from the Whole Plants of *Ervatamia officinalis*, 2537
Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine *via* a Spirocyclic Intermediate, 2764

1H-Indole-3-ethanamines

Erratum of 'Diastereoselective Spirocyclization of *C*-(Alkyloxycarbonyl)formimines of 2-Substituted 1*H*-Indole-3-ethanamines (= Tryptamines): Basic Studies', 3274

1H-Indoles, 3-[1-(trimethylsilyloxy)ethenyl]-

Synthesis of Substituted Pyrrolo[3,4-*a*]carbazoles, 2879

Indolizines

A Novel Coupling 1,3-Dipolar Cycloaddition Sequence as a Three-Component Approach to Highly Fluorescent Indolizines, 1798

Indolones

Synthesis of Indolones *via* Radical Cyclization of *N*-(2-Halogenoalkanoyl)-Substituted Anilines, 35

Ingenol esters

Tumor-Promoting Diterpene Esters from Latex of *Euphorbia cauducifolia* L., 3145

Ingol diterpenoids

Lewis Acid Catalyzed, Selective Cyclopropane-Ring Opening in Ingol Diterpene Derivatives, 2527

Inhibitors

Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10

Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100

A New Class of Inhibitors for the Metalloprotease Neprilysin Based on a Central Imidazole Scaffold, 707
Second-Generation Inhibitors for the Metalloprotease Neprilysin Based on Bicyclic Heteroaromatic Scaffolds: Synthesis, Biological Activity, and X-Ray Crystal-Structure Analysis, 731

Use of Dibutyl[¹⁴C]formamide as a Formylating Reagent in the *Vilsmeier–Haack* Reaction and Synthesis of a ¹⁴C-Labeled Novel Phosphodiesterase-4 (PDE-4) Inhibitor, 1040

Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Novel Chemical Transformations of Tenoxicam, 2355

Monocyclic, Substituted Imidazoles as Glycosidase Inhibitors, 2454

Synthesis of New *C*(2)-Substituted *gluco*-Configured Tetrahydroimidazopyridines and Their Evaluation as Glucosidase Inhibitors, 2593

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (–)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzoylation, 2788

New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

Synthesis of a Fusion-Isomeric Cellobionoimidazole and Its Evaluation against the *syn*-Protonating Glycosidase Cel7A, 3232

cis-Inositol, 1,3,5-triamino-1,3,5-trideoxy-

1,3,5-Triamino-1,3,5-trideoxy-*cis*-inositol, a Ligand with a Remarkable Versatility for Metal Ions. Part XIII. Complex Formation with Rhenium(I) and Rhenium(VII), 426

Iodine

Hypervalent Iodine in Synthesis. Part 86. Selective Copper-Catalyzed *N*-Monoarylation and *N*¹,*N*³-Diarylation of Uracil and Its Derivatives with Diaryliodonium Salts, 290

Ion pairing

Metal Analyses in Environmental and Pharmaceutical Samples by Capillary Electrophoresis with Methyl 3-Amino-3-(pyridin-3-yl)propanoate Dihydrochloride as a New Ion-Pairing Reagent, 2322

Ionic liquids

Allyl-Functionalised Ionic Liquids: Synthesis, Characterisation, and Reactivity, 665

Polymer-Supported Ionic-Liquid-Catalyzed Synthesis of 1,2,3,4-Tetrahydro-2-oxopyrimidine-5-carboxylates *via* *Biginelli* Reaction, 986

Ion-selective electrodes

Rapid Determination of Gallamine Triethiodide (*Flaxedit*[®]) and Pancuronium Bromide (*Pavulon*[®]) in Pharmaceutical and Urine Matrices by Means of Modified-Carbon-Paste Ion-Selective Electrodes, 861

Ircinia fasciculata

Two New Ceramides from the Marine Sponge *Ircinia fasciculata*, 885

Iridoid glycosides

Two New Iridoid Glycosides from *Hedyotis tenelliflora* BLUME, 2532

Iridoid triesters

New Iridoid Triesters from *Valeriana jatamansi*, 1059

Iron complexes

Control of Redox Potential by Deprotonation of Coordinated 1*H*-Imidazole in Complexes of 2-(1*H*-Imidazol-2-yl)pyridine, 487

Quantification of the β -Stabilizing Effect of the Dicarboxyl(η^5 -cyclopentadienyl)iron Group, 1754

Mechanistic Studies on the Oxidation of Nitrite by a μ -Oxodiiron(III,III) Complex in Aqueous Acidic Media, 2661

IR Spectroscopy

Extending the Pressure–Temperature State Diagram of Myoglobin, 546

Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676

Isoaplysin, 10-bromo-

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

Isocyanates

Synthesis of Some New 1,2,4-Triazole Derivatives by *Mitsunobu* Chemistry, 2777

Isodebromolaurinterol

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

Isodon rubescens* var. *rubescens

A Novel Asymmetric *ent*-Kaurane Dimer from *Isodon rubescens* var. *rubescens*, 817

Isodon weisiensis

Three New Cytotoxic *ent*-Kaurane Diterpenoids from *Isodon weisiensis* C. Y. WU, 2502

Isoeburnamine

Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine via a Spirocyclic Intermediate, 2764

Isolaurene, 10-hydroxy-

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

Isopimarane

Secoatisane- and Isopimarane-Type Diterpenoids from the Chinese Mangrove *Excoecaria agallocha* L., 979

Isoprene rule

Revisited after 50 Years: The ‘Stereochemical Interpretation of the Biogenetic Isoprene Rule for the Triterpenes’, 3011

Isorottlerin, 4'-hydroxy-

Novel, Complex Flavonoids from *Mallotus philippensis* (Kamala Tree), 1048

Isoselenocyanates

Selenium-Containing Heterocycles from Isoselenocyanates: Cycloaddition of Carbodiimides to Selenazetidines, 766

Isothiazol-3(2*H*)-one 1,1-dioxides

Fluorinated Diazo Diketones in Rhodium(II)-Catalyzed Reactions with Sultams: Chemoselective *O*-Functionalization of Amide Carbonyl Groups, 1913

Isoxazolidines

Reversal of Regioselectivity of Nitrene Cycloadditions by *Lewis* Acids, 1432

IUPAC

Paneth, *IUPAC*, and the Naming of Elements, 95

***Jahn–Teller* distortion**

Tuning the Properties of Copper(II) Complexes with Tetra- and Pentadentate Bispidine (= 3,7-Diazabicyclo[3.3.1]nonane) Ligands, 647

Jasmonate, methyl

Synthesis of *cis*-*Hedione*[®] and Methyl Jasmonate via Cascade *Baylis–Hillman* Reaction and *Claisen* Ortho Ester Rearrangement, 3069

Jatrophane diterpenes

Toward a Total Synthesis of Macrocyclic Jatrophane Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

Jeger, Oskar

Revisited after 50 Years: The ‘Stereochemical Interpretation of the Biogenetic Isoprene Rule for the Triterpenes’, 3011

Junceella fragilis

New Briaranes from the South China Sea Gorgonian *Junceella fragilis*, 2349

Kadsura sp.

Two New Dibenzocyclooctene Lignans from the Water Extract of *Kadsura* spp., 2288

Kamalachalcones C and D

Novel, Complex Flavonoids from *Mallotus philippensis* (Kamala Tree), 1048

Kamala tree

Novel, Complex Flavonoids from *Mallotus philippensis* (Kamala Tree), 1048

ent-Kaurane

A Novel Asymmetric *ent*-Kaurane Dimer from *Isodon rubescens* var. *rubescens*, 817

Three New Cytotoxic *ent*-Kaurane Diterpenoids from *Isodon weisiensis* C. Y. Wu, 2502

Ketenes

Tropone Is a Mere Ketone for Cycloadditions to Ketenes, 1519

[2 + 2] Cycloaddition Reactions of Imines with Cyclic Ketenes: Synthesis of 1,3-Thiazolidine Derived Spiro- β -lactams and Their Transformations, 1580

Exploring the Border between Concerted and Two-Step Pathways of 1,3-Dipolar Cycloadditions of Organic Azides to Cyclic Ketene N,X-Acetals. – Synthesis and ^{15}N -NMR Spectra of Zwitterions and Spirocyclic Cycloadducts, 1589

Keteniminium salts

First [4 + 2] Cycloadditions Involving the Olefinic Bond of an ‘Aldoketeniminium Salt’ (= *N*-Alk-1-enylideneaminium Salt), 2022

Ketones, 3-hydroxy

Aldols by *Michael* Addition: Application of the *retro-Michael* Addition to the Slow Release of Enones, 3128

Kinetics

Kinetics and Mechanism of the Demetallation of Macrocyclic Nickel(II) Complexes by Cyanide, 380

The Reactivity of 2-Fluoro- and 2-Chloropyridines toward Sodium Ethoxide: Factors Governing the Rates of Nucleophilic (Het)Aromatic Substitutions, 1240

The Effect of Ring Size on Reactivity: The Diagnostic Value of ‘Rate Profiles’, 1375

Water and the *Huisgen* Cycloaddition Reaction: A Focus on Polar Contributions to the Transition State in the Reactions of Dicyano(phthalazinium)methanide with Substituted Styrenes and Benzylidene Acetones, 1611

Quantification of the β -Stabilizing Effect of the Dicarbonyl(η^5 -cyclopentadienyl)iron Group, 1754

Mechanistic Studies on the Oxidation of Hydrazine by Tris(biguanide)manganese(IV) in Aqueous Acidic Media, 2294

Kinetic and Mechanistic Studies on the Oxidation of Nitrogen(III) ($\text{HNO}_2/\text{NO}_2^-$) by the Tris(biguanide)-manganese(IV) Ion in Aqueous Acidic Media, 2561

Mechanistic Studies on the Oxidation of Nitrite by a μ -Oxodiiron(III,III) Complex in Aqueous Acidic Media, 2661

Labdane

Structures and Absolute Configurations of Three 7,8-Secolabdone Diterpenes from the Chinese Liverwort *Pallavicinia ambigua*, 2637

Internal Nucleophilic Termination in Acid-Mediated Polyene Cyclizations. Part 4. Synthetic Access to Tetracyclic Didehydro and Tetradehydro Analogues of (\pm)-*Ambrox*[®], 3055

 β -Lactams

Theoretical Study of the Alkaline Hydrolysis of Tricyclic Carbapenem, 774

Lactobacillus seuteri

Synthesis of the Antibiotic (*R*)-Reutericyclin via *Dieckmann* Condensation, 2837

β -Lactones

Tropone Is a Mere Ketone for Cycloadditions to Ketenes, 1519

Lanthanide complexes

Complexation Properties of *N,N',N'',N'''*-[1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrayltetrakis(1-oxoethane-2,1-diyl)]tetrakis[glycine] ($H_4\text{dotagl}$). Equilibrium, Kinetic, and Relaxation Behavior of the Lanthanide(III) Complexes, 604

Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine-*N,N,N',N'',N''',N''''*-hexaacetic Acid ($H_6\text{ttha}$) and of Diamides $H_4\text{ttha}(\text{NHR})$ Derived from $H_6\text{ttha}$ as Studied by NMR, NMRD, and EPR, 618

$H_3\text{dotasa}$ (= (*αRS*)-*α*-(Carboxymethyl)-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of $H_4\text{dota}$ (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: $^1\text{H-NMR}$ and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633

Modulation of the Lifetime of Water Bound to Lanthanide Metal Ions in Complexes with Ligands Derived from 1,4,7,10-Tetraazacyclododecane Tetraacetate (DOTA), 923

Lanthanum complexes

Can the Theoretical Fitting of the Proton-Nuclear-Magnetic-Relaxation-Dispersion (Proton NMRD) Curves of Paramagnetic Complexes Be Improved by Independent Measurement of Their Self-Diffusion Coefficients?, 574

Larix olgensis* var. *koreana

Spiro-biflavonoids from *Larix olgensis* HENRY var. *koreana* NAKAI, 2892

Latex

Tumor-Promoting Diterpene Esters from Latex of *Euphorbia cauducifolia* L., 3145

Laurencia okamurai

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

Laureperoxide

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

Lawesson's reagent

Thionation of *N*-(*ω*-Halogenoalkyl)-Substituted Amides with Lawesson's Reagent: Facile Synthesis of 4,5-Dihydro-1,3-thiazoles and 5,6-Dihydro-4*H*-1,3-thiazines, 187

Lead complexes

The Enigma of Lead(II) Coordination – Some Comments, 2430

Two-Dimensional Holo- and Hemidirected Lead(II) Coordination Polymers: Synthetic, Spectroscopic, Thermal, and Structural Studies of $[\text{Pb}(\mu\text{-SCN})_2(\mu\text{-ebp})_{1.5}]_n$ and $\{[\text{Pb}(\mu\text{-OAc})(\mu\text{-ebp})](\text{ClO}_4)\}_n$ ($\text{ebp} = 4,4'-(1E)\text{-Ethane-1,2-diyl}\}$ bis[pyridine]; OAc = Acetato), 2513

A Novel Three-Dimensional Coordination Polymer Involving Pb–Pb Interactions and Three Different Hemidirected Lead(II) Coordination Spheres: X-Ray Crystal Structure of Tris(1,10-phenanthroline- $\kappa N^1, \kappa N^{10}$)bis[$\{\mu_3\text{-}[5\text{-}(\text{sulfo-}\kappa O)\text{benzene-1,3-dicarboxylate}(3-)-\kappa O^1, \kappa O^1 : \kappa O^2, \kappa O^2 : \kappa O^2]\}$ trilead (*Pb–Pb*) Trihydrate ($[\text{Pb}_3(\text{phen})_3(\text{H}_2\text{O})_2(\text{sip})_2]_n \cdot 3 \text{H}_2\text{O}$), 2543

Lettuce seedling assay

Fascicularones H–K, Four New Sesquiterpenoids from the Cultured Mycelia of the Fungus *Hypholoma fasciculare*, 2944

Lewis acids

Reversal of Regioselectivity of Nitrene Cycloadditions by Lewis Acids, 1432

Lewis Acid Catalyzed, Selective Cyclopropane-Ring Opening in Ingot Diterpene Derivatives, 2527

Ligand cyclometalation

A Dissociative Route to C–H Bond Activation: Ligand Cyclometalation in *cis*-Dimethyl[(sulfinyl- κS)bis[methane]][tris(2-methylphenyl)phosphine]platinum(2+), 507

Ligand effects

Control of Redox Potential by Deprotonation of Coordinated 1*H*-Imidazole in Complexes of 2-(1*H*-Imidazol-2-yl)pyridine, 487

Ligand exchange

Evidence for Interchange Ligand-Exchange Processes on Solvated Beryllium Cations, 911

Ligand substitution

Mechanistic Studies of Metal Aqua Ions: A Semi-Historical Perspective, 523

Lignans

Two New Dibenzocyclooctene Lignans from the Water Extract of *Kadsura* spp., 2288
Squadinorlignoside: A Novel 7,9'-Dinorlignan from the Stems of *Annona squamosa*, 2731

Linear dichroism (LD)

Nonclassical *Pschorr* and *Sandmeyer* Reactions in Pyrazole Series, 2272

Lipopolysaccharides

Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905

Liquid crystals

Synthesis and Stereochemical Aspects of Ethyl 1,1a,2,3,4,5,6,6a-Octahydro-4-octylcyclopropa[*f*]indene-1-carboxylate, 3263

Litsea glutinosa

Two New Aporphine Alkaloids from *Litsea glutinosa*, 2523

Litsea rotundifolia* var. *oblongifolia

Rotundifolides A and B, Two New Enol-Derived Butenolactones from the Bark of *Litsea rotundifolia* var. *oblongifolia*, 349

Litseglutine A and B

Two New Aporphine Alkaloids from *Litsea glutinosa*, 2523

Longistylumphyllines A – C

Longistylumphyllines A – C, Three New Alkaloids from *Daphniphyllum longistylum*, 854

Long-range hydrogen abstraction

Photochemistry of *N*-(2-Acylphenyl)-2-methylprop-2-enamides: Competition between Photocyclization and Long-Range Hydrogen Abstraction, 78

Intramolecular Photocyclization of 2-Acylphenyl Methacrylates: a Convenient Access to 4,5-Dihydro-1,4-epoxy-2-benzoxepin-3(1*H*)-ones (= Benzo[*c*]-6,8-dioxabicyclo[3.2.1]octan-7-ones, 2603

Luminescence

NMR and Luminescence Binding Studies of Ytterbium, Thulium, and Europium Macrocyclic Complexes with Phosphorus(V) Oxy Anions, 391

Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M₂Au₄] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000

Lupane triterpenes

Lupane Pentacyclic Triterpenes Isolated from Stems and Branches of *Maytenus imbricata* (Celastraceae), 1102

Lupinal

Epimerization of Lupinine to Epilupinine and *vice versa*. Reexamination of the Structures of Lupinal and Epilupinal, 245

Lupinine

Epimerization of Lupinine to Epilupinine and *vice versa*. Reexamination of the Structures of Lupinal and Epilupinal, 245

Lycianthes marlipoensis

New Sesquiterpenoids from *Lycianthes marlipoensis*, 2364

Lycifuranones A – C

New Sesquiterpenoids from *Lycianthes marlipoensis*, 2364

Lycopodin A

Three New Triterpenoids from *Lycopodium japonicum* THUNB, 240

Lycopodium japonicum

Three New Triterpenoids from *Lycopodium japonicum* THUNB, 240

Lycoris aurea

Alkaloids from the Bulbs of *Lycoris aurea*, 2550

Lycosinine A and B

Alkaloids from the Bulbs of *Lycoris aurea*, 2550

(+)-Lysergic acid

Synthetic Route to Ergot Alkaloids, 1344

Lyxopyranosides

Synthesis of Fusion-Isomeric Imidazopyridines and Their Evaluation as Inhibitors of *syn*- and *anti*-Protonating Glycosidases, 100

Macrocyclic ligands

H₅dotasa (= α RS)- α -(Carboxymethyl)-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of H₄dota (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: ¹H-NMR and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633

Macrolides

Conformational Analysis and CD Calculations of Methyl-Substituted 13-Tridecano-13-lactones, 194

Magnolione®

Enantioselective Syntheses and Fragrance Properties of the Four Stereoisomers of *Magnolione*® (Magnolia Ketone), 2738

Malassezia furfur

New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Maleimides

Synthesis of Substituted Pyrrolo[3,4-*a*]carbazoles, 2879

Mallotus philippensis

Novel, Complex Flavonoids from *Mallotus philippensis* (Kamala Tree), 1048

Manganese complexes

Mechanistic Studies on the Oxidation of Hydrazine by Tris(biguanide)manganese(IV) in Aqueous Acidic Media, 2294

Kinetic and Mechanistic Studies on the Oxidation of Nitrogen(III) (HNO₂/NO₂⁻) by the Tris(biguanide)-manganese(IV) Ion in Aqueous Acidic Media, 2561

Mangrove

Secoatisane- and Isopimarane-Type Diterpenoids from the Chinese Mangrove *Excoecaria agallocha* L., 979

Mannich reactions

Preparation of β^2 -Amino Acid Derivatives (β^2 hThr, β^2 hTrp, β^2 hMet, β^2 hPro, β^2 hLys, Pyrrolidine-3-carboxylic Acid) by Using DIOZ as Chiral Auxiliary, 2235

Mannosidase inhibitors

Synthesis of New *C*(2)-Substituted *gluco*-Configured Tetrahydroimidazopyridines and Their Evaluation as Glucosidase Inhibitors, 2593

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (-)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzylation, 2788

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

Marine natural products

Two New Ceramides from the Marine Sponge *Ircinia fasciculata*, 885

Hyrtilosins A – E, Five New Scalarane Sesterterpenes from the South China Sea Sponge *Hyrtilos erecta*, 1004

Sarcophytonolides A – D, Four New Cembranolides from the Hainan Soft Coral *Sarcophyton* sp., 1028

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

New Briaranes from the South China Sea Gorgonian *Junceella fragilis*, 2349

Diterpenes and Disulfides from the Marine Mangrove Plant *Bruguiera sexangula* var. *rhyngopetala*, 2757

Marsdenia tenacissima

Three New Polyoxypregnane Glycosides from *Marsdenia tenacissima*, 2675

Marsdenoside I – K

Three New Polyoxypregnane Glycosides from *Marsdenia tenacissima*, 2675

Mass spectrometry

Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistrata*, 796

Gas-Phase Reactions of Homo- and Heteronuclear Clusters MM⁺ (M, M' = Fe, Co, Ni) with Linear Alkanenitriles, 1405

Synthesis and Properties of Oligonucleotides Containing 2,4-Dihydroxycyclohexyl Nucleosides, 3210

Maytenus imbricata

Lupane Pentacyclic Triterpenes Isolated from Stems and Branches of *Maytenus imbricata* (Celastraceae), 1102

Merbach, André

Foreword, 375

Mercury(II)

A Novel One-Dimensional Coordination Polymer Involving Weak Hg–Hg Interactions, 2267

Mesoridazine

Facile Syntheses of the Three Major Metabolites of Thioridazine, 962

meso-Tetraphenylporphyrin complexes

Selective Double Functionalization of *meso*-Tetraphenylporphyrin Complexes on the Same Pyrrole Unit by Tandem Electrophilic/Nucleophilic Aromatic Substitution, 974

Metabolites

Physicochemical Properties of Oosporein, the Major Secreted Metabolite of the Entomopathogenic Fungus *Beauveria brongniartii*, 802

Facile Syntheses of the Three Major Metabolites of Thioridazine, 962

New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Diterpenes and Disulfides from the Marine Mangrove Plant *Bruguiera sexangula* var. *rhynchopetala*, 2757

Metal acetylides

The Behaviors of Metal Acetylides with Dinitrogen Tetroxide, 354

Metal analysis

Metal Analyses in Environmental and Pharmaceutical Samples by Capillary Electrophoresis with Methyl 3-Amino-3-(pyridin-3-yl)propanoate Dihydrochloride as a New Ion-Pairing Reagent, 2322

Metal aqua ions

Mechanistic Studies of Metal Aqua Ions: A Semi-Historical Perspective, 523

Metalloporphyrins

Synthesis of Dendritic Metalloporphyrins with *Distal* H-Bond Donors as Model Systems for Hemoglobin, 120

Metathesis

Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387

Methacrylates, 2-acylphenyl

Intramolecular Photocyclization of 2-Acylphenyl Methacrylates: a Convenient Access to 4,5-Dihydro-1,4-epoxy-2-benzoxepin-3(1*H*)-ones (= Benzo[*c*]-6,8-dioxabicyclo[3.2.1]octan-7-ones, 2603

Michael additions

Xanthone Receptors as Oxyanion-Hole Mimics in Artificial Enzymes, 1682

Aldols by *Michael* Addition: Application of the *retro-Michael* Addition to the Slow Release of Enones, 3128

Microreaction systems

Modular Microreaction Systems for Homogeneously and Heterogeneously Catalyzed Chemical Synthesis, 1

Microwave-accelerated esterification

A Microwave-Accelerated Esterification of α,β -Unsaturated Acids with Alkyl or Aryl Carbonochloridate and Triethylamine in Acetonitrile as a Novel Esterifying Reagent Mixture, 811

Microwave irradiation

4-Methyl- and 4-(Halophenyl)pyrimidinium (4-Halobenzoyl)methylides. Correlation of Structure, Stability, Reactivity, and Biological Activity, 2747

Mitsunobu reaction

Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Porphyrinanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

Facile Synthesis of Diastereoisomerically and Optically Pure 2-Substituted Hexahydro-1*H*-pyrrolizin-3-ones, 2250

Synthesis of Some New 1,2,4-Triazole Derivatives by *Mitsunobu* Chemistry, 2777

Molecular-dynamics (MD) calculations

Water-Exchange Mechanism for Zinc(II), Cadmium(II), and Mercury(II) Ions in Water as Studied by Umbrella-Sampling Molecular-Dynamics Simulations, 461

Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375

Molecular modeling

A Macrocyclic Calix[6]arene Phosphocine: Conformational Studies Involving High-Resolution NMR Analysis and Molecular Modeling, 1110

Molecular recognition

Xanthone Receptors as Oxyanion-Hole Mimics in Artificial Enzymes, 1682

Molecular tweezers

Use of Tröger's Base as a Scaffold for New Chiral Molecular Tweezers: Synthesis of Trimeric, Fused Tröger's Bases, 1199

Molybdates

Solvothermal Synthesis and Crystal Structures of Alkali Molybdates, 2479

Mosher ester

Facile Synthesis of Diastereoisomerically and Optically Pure 2-Substituted Hexahydro-1*H*-pyrrolizin-3-ones, 2250

MRI Contrast agents

Can the Theoretical Fitting of the Proton-Nuclear-Magnetic-Relaxation-Dispersion (Proton NMRD) Curves of Paramagnetic Complexes Be Improved by Independent Measurement of Their Self-Diffusion Coefficients?, 574

Gadolinium(III) Complexes of dota-Derived *N*-Sulfonylacetamides ($H_4(\text{dota-NHSO}_2R) = 10\text{-}[2\text{-}[(R)\text{sulfonylamino}]\text{-2-oxoethyl}]\text{-1,4,7,10-tetraazacyclododecane-1,4,7-triacetic Acid}$): A New Class of Relaxation Agents for Magnetic Resonance Imaging Applications, 588

Complexation Properties of *N,N',N'',N'''*-[1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrayltetrakis(1-oxoethane-2,1-diyl)]tetrakis[glycine] ($H_4\text{dotagl}$). Equilibrium, Kinetic, and Relaxation Behavior of the Lanthanide(III) Complexes, 604

Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine-*N,N,N',N'',N''',N''''*-hexaacetic Acid ($H_6\text{ttha}$) and of Diamides $H_4\text{ttha(NHR)}$ Derived from $H_6\text{ttha}$ as Studied by NMR, NMRD, and EPR, 618

$H_3\text{dotasa}$ (= αRS)- α -(Carboxymethyl)-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of $H_4\text{dota}$ (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: $^1\text{H-NMR}$ and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633

Multichromophores

Control of the Interactions in Multichromophores: Novel Concepts. Perylene Bis-imides as Components for Larger Functional Units, 1309

Multicomponent reaction

Multicomponent *Strecker* Reaction under High Pressure, 1734

Multiflorane triterpene esters

Multiflorane Triterpene Esters from the Seeds of *Trichosanthes kirilowii*, 2617

Musk odorants

Conformational Analysis and CD Calculations of Methyl-Substituted 13-Tridecano-13-lactones, 194

Mycobacterium smegmatis

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

Myoglobin

Extending the Pressure – Temperature State Diagram of Myoglobin, 546

Näf, Ferdinand

On the Occasion of the 65th Birthday of Dr. *Ferdinand Näf*, 3051

Nagstatin

Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10

'Naked sugars'

(1*S*,2*S*,3*R*,6*R*)-6-Aminocyclohex-4-ene-1,2,3-triol (= (-)-Conduramine B-1) Is a Selective Inhibitor of α -Mannosidases. Its Inhibitory Activity Is Enhanced by *N*-Benzoylation, 2788

Naming of elements

Paneth, *IUPAC*, and the Naming of Elements, 95

Naphogirin

New Phenolic Components from *Daphne giraldii*, 2873

***N*-(Naphthalen-1-yl)ethane-1,2-diamine dihydrochloride (NEDA)**

Novel Reactions for the Simple and Sensitive Spectrophotometric Determination of Traces of Selenium in Environmental Samples, 343

NEER Principle

The *exo*-Outstretching Effect Governing the Exclusive Stereoselectivity of the Intramolecular [2+2] Photocycloaddition of Vinylarenes, 1226

Neohopeaphenol A

New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910

Neoisohopeaphenol A

New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910

(-)-Neplanocin A

Synthesis of the Cyclopentyl Nucleoside (-)-Neplanocin A from D-Glucose *via* Zirconocene-Mediated Ring Contraction, 1185

Nepriylsin

A New Class of Inhibitors for the Metalloprotease Nepriylsin Based on a Central Imidazole Scaffold, 707
Second-Generation Inhibitors for the Metalloprotease Nepriylsin Based on Bicyclic Heteroaromatic Scaffolds: Synthesis, Biological Activity, and X-Ray Crystal-Structure Analysis, 731

Nickel complexes

Kinetics and Mechanism of the Demetallation of Macrocyclic Nickel(II) Complexes by Cyanide, 380
Formation and Dissociation of Tetrahedral Nickel(II) and Cobalt(II) Complexes of 'Dithioimidodiphosphato' Ligands, Measurement of Kinetically Determined Stability Constants, and Kinetic Investigations of the Rapid Formation of Tetrahedral Bis(ligand)copper(II) Complexes and Their Rates of Reduction to Trinuclear Copper(I) Species, 782
Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M₂Au₄] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000

Nitriles, α -amino

Multicomponent *Strecker* Reaction under High Pressure, 1734

Nitrites

Kinetic and Mechanistic Studies on the Oxidation of Nitrogen(III) (HNO₂/NO₂⁻) by the Tris(biguanide)-manganese(IV) Ion in Aqueous Acidic Media, 2561
Mechanistic Studies on the Oxidation of Nitrite by a μ -Oxodiiron(III,III) Complex in Aqueous Acidic Media, 2661

Nitrones

Reversal of Regioselectivity of Nitrono Cycloadditions by *Lewis* Acids, 1432

Nitroso amides

Rolf Huisgen: Some Highlights of His Contributions to Organic Chemistry, 1154

NMR Spectroscopy

The Effect of Backbone-Heteroatom Substitution on the Folding of Peptides – A Single Fluorine Substituent Prevents a β -Heptapeptide from Folding into a 3₁₄-Helix (NMR Analysis), 266
NMR and Luminescence Binding Studies of Ytterbium, Thulium, and Europium Macrocyclic Complexes with Phosphorus(V) Oxy Anions, 391
Can the Theoretical Fitting of the Proton-Nuclear-Magnetic-Relaxation-Dispersion (Proton NMRD) Curves of Paramagnetic Complexes Be Improved by Independent Measurement of Their Self-Diffusion Coefficients?, 574
Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine-*N,N,N',N'',N''',N''''*-hexaacetic Acid (H₆ttha) and of Diamides H₄ttha(NHR) Derived from H₆ttha as Studied by NMR, NMRD, and EPR, 618

- H₅dotasa (= (α RS)- α -(Carboxymethyl)-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of H₄dota (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: ¹H-NMR and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633
- Allyl-Functionalised Ionic Liquids: Synthesis, Characterisation, and Reactivity, 665
- Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676
- Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796
- Modulation of the Lifetime of Water Bound to Lanthanide Metal Ions in Complexes with Ligands Derived from 1,4,7,10-Tetraazacyclododecane Tetraacetate (DOTA), 923
- A Macrobicyclic Calix[6]arene Phosphocine: Conformational Studies Involving High-Resolution NMR Analysis and Molecular Modeling, 1110
- Use of Tröger's Base as a Scaffold for New Chiral Molecular Tweezers: Synthesis of Trimeric, Fused Tröger's Bases, 1199
- Exploring the Border between Concerted and Two-Step Pathways of 1,3-Dipolar Cycloadditions of Organic Azides to Cyclic Ketene N,X-Acetals. – Synthesis and ¹⁵N-NMR Spectra of Zwitterions and Spirocyclic Cycloadducts, 1589
- Solid-State NMR Study of the Tautomerism of Acetylacetone Included in a Host Matrix, 1931
- NMR-Solution Structures in Methanol of an α -Heptapeptide, of a β^3/β^2 -Nonapeptide, and of an all- β^3 -Icosapeptide Carrying the 20 Proteinogenic Side Chains, 1969
- Facile Synthesis of Diastereoisomerically and Optically Pure 2-Substituted Hexahydro-1*H*-pyrrolizin-3-ones, 2250
- Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375
- Computational NMR Spectroscopy of Transition-Metal/Nitroimidazole Complexes: Theoretical Investigation of Potential Radiosensitizers, 2705
- Conformations of the Nine-Membered Ring in the *B*-Nor-5,10-secosteroids. X-Ray and NMR Analysis, 2812
- Tumor-Promoting Diterpene Esters from Latex of *Euphorbia cauducifolia* L., 3145

Nomenclature

Paneth, IUPAC, and the Naming of Elements, 95

'None equilibration of excited rotamers' (NEER)

The *exo*-Outstretching Effect Governing the Exclusive Stereoselectivity of the Intramolecular [2+2] Photocycloaddition of Vinylarenes, 1226

Norbornanes

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

Norbornenone

First [4+2] Cycloadditions Involving the Olefinic Bond of an 'Aldoketeniminium Salt' (= *N*-Alk-1-enylideneaminium Salt), 2022

Norcaradiene

Tropone Is a Mere Ketone for Cycloadditions to Ketenes, 1519

Nucleic acids

Synthesis of 2'-*O*-[(Triisopropylsilyl)oxy]methyl (= tom)-Protected Ribonucleoside Phosphoramidites Containing Various Nucleobase Analogues, 2683

Spontaneous Aminoacylation of a RNA Sequence Containing a 3'-Terminal 2'-Thioadenosine, 2897

Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137

Nucleophilic substitutions

The Reactivity of 2-Fluoro- and 2-Chloropyridines toward Sodium Ethoxide: Factors Governing the Rates of Nucleophilic (Het)Aromatic Substitutions, 1240

The Effect of Ring Size on Reactivity: The Diagnostic Value of 'Rate Profiles', 1375

Nucleophilicity

Quantification of the β -Stabilizing Effect of the Dicarboxyl(η^5 -cyclopentadienyl)iron Group, 1754

Nucleosides

- Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazolo[4,5-*d*]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751
- Synthesis of Caged Nucleosides with Photoremovable Protecting Groups Linked to Intramolecular Antennae, 891
- Synthesis of the Cyclopentyl Nucleoside (–)-Neplanocin A from D-Glucose *via* Zirconocene-Mediated Ring Contraction, 1185
- Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137
- Synthesis and Properties of Oligonucleotides Containing 2,4-Dihydroxycyclohexyl Nucleosides, 3210

Nucleotides

- Noncovalent Attachment of Nucleotides by Fluorous–Fluorous Interactions: Application to a Simple Purification Principle for Synthetic DNA Fragments, 171
- Synthesis of Caged Nucleosides with Photoremovable Protecting Groups Linked to Intramolecular Antennae, 891
- Synthesis of 2'-*O*-[(Triisopropylsilyl)oxy]methyl (= tom)-Protected Ribonucleoside Phosphoramidites Containing Various Nucleobase Analogues, 2683

Odorants

- Synthesis and Optical Resolution of the Floral Odorant (\pm)-2,3-Dihydro-2,5-dimethyl-1*H*-indene-2-methanol, and Preparation of Analogues, 3109
- Synthesis and Odor Properties of Substituted Indane-2-carboxaldehydes. Discovery of a New Floral (Muguet) Fragrance Alcohol, 3118

Odoriferous compounds

- Aldols by *Michael* Addition: Application of the *retro-Michael* Addition to the Slow Release of Enones, 3128

Odor threshold

- Enantioselective Syntheses and Fragrance Properties of the Four Stereoisomers of *Magnolione*[®] (Magnolia Ketone), 2738

Oleanane triterpenoids

- Two Novel Olean Triterpenoids from *Celastrus hypoleucus*, 990

Olgensisinols A – D

- Spiro-biflavonoids from *Larix olgensis* HENRY var. *koreana* NAKAI, 2892

Oligonucleotides

- Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazolo[4,5-*d*]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751
- Synthesis and Properties of Oligonucleotides Containing 2,4-Dihydroxycyclohexyl Nucleosides, 3210

Oligoporphyrin arrays

- Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Oligosulfides

- Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624

Onosma limitaneum

- A New Ketone and a Known Anticancer Triterpenoid from the Leaves of *Onosma limitaneum*, 309

Onosmone

- A New Ketone and a Known Anticancer Triterpenoid from the Leaves of *Onosma limitaneum*, 309

Oosporein

- Physicochemical Properties of Oosporein, the Major Secreted Metabolite of the Entomopathogenic Fungus *Beauveria brongniartii*, 802

Optical resolution

- Synthesis and Optical Resolution of the Floral Odorant (\pm)-2,3-Dihydro-2,5-dimethyl-1*H*-indene-2-methanol, and Preparation of Analogues, 3109

Organoiron compounds

- Quantification of the β -Stabilizing Effect of the Dicarbonyl(η^5 -cyclopentadienyl)iron Group, 1754

Organoleptic properties

Synthesis and Odor Properties of Substituted Indane-2-carboxaldehydes. Discovery of a New Floral (Muguet) Fragrance Alcohol, 3118

Orvinols

Functionalization of the 6,14-Bridge of the Orvinols. 1. Preparation and *Diels–Alder* Reaction of 7-Phenylsilylthebaines, 822

Otisane

The Chemical Constituents from the Callus Culture of *Trewia nudiflora*, 2424

7-Oxabicyclo[2.2.1]heptenes

Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387

1,2,4-Oxadiazoles

Basicity of Phenyl- and Methyl-Substituted 1,2,4-Oxadiazoles, 1790

7-Oxanorbornanes

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

Oxanorbornene derivatives

Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387

1,3-Oxathiolanes

Ring Enlargement and Sulfur-Transfer Processes in SiO₂-Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes, 3253

Oxazaborole

Rationale on the Abnormal Effect of Temperature on the Enantioselectivity in the Asymmetric Borane Reduction of Ketones Catalyzed by L-Prolinol, 180

1,3-Oxazolidin-2-one, (DIOZ) 4-isopropyl-5,5-diphenyl-

Preparation of β -Amino Acid Derivatives (β^2 hThr, β^2 hTrp, β^2 hMet, β^2 hPro, β^2 hLys, Pyrrolidine-3-carboxylic Acid) by Using DIOZ as Chiral Auxiliary, 2235

Oxepans

Functionalised Monocyclic Five- to Seven-Membered *exo*-Glycols by Alkynol Cycloisomerisation of Hydroxy Buta-1,3-diynes and 1-Haloalkynols, 2918

Oxiranes

Ring Enlargement and Sulfur-Transfer Processes in SiO₂-Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes, 3253

Oxyanion hole

Xanthone Receptors as Oxyanion-Hole Mimics in Artificial Enzymes, 1682

Oxygen extrusion

Synthesis of the Cyclopentyl Nucleoside (–)-Neplanocin A from D-Glucose *via* Zirconocene-Mediated Ring Contraction, 1185

Ozonation

Aminoreductones – Investigations on Species Containing the Carbon Arrangement of Dimedone and Secondary Amines as Building Blocks (G), 3174

Ozonides

Design and Synthesis of Novel Artemisinin-Like Ozonides with Antischistosomal Activity, 2865

Paclitaxel

A New and Simply Available Class of Hydrosoluble Bioconjugates by Coupling Paclitaxel to Hyaluronic Acid through a 4-Hydroxybutanoic Acid Derived Linker, 154

Paenonoids A – C

Three Novel 24,30-Dinortriterpenoids, Paenonoides A–C, from *Paeonia veitchii*, 259

Paeonia veitchii

Three Novel 24,30-Dinortriterpenoids, Paenonoides A–C, from *Paeonia veitchii*, 259

Palladium catalysis

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

Palladium-Catalyzed Amination of 3,5-Dihalopyridines – a Convenient Route to New Polyazamacrocycles, 1983

Enantioselective Syntheses and Fragrance Properties of the Four Stereoisomers of *Magnolione*[®] (Magnolia Ketone), 2738

Palladium complexes

Novel C_s -Symmetric 1,4-Diphosphine Ligands in the Copolymerization of Propene and Carbon Monoxide: High Regio- and Stereocontrol in the Catalytic Performance, 210

Supramolecular Arrays of Cationic Complexes Containing Pyrazole Ligands and Tetrafluoroborate, Trifluoromethanesulfonate, or Nitrate as Counterions. Crystal Structure of Bis(3,5-dimethyl-4-nitro-1*H*-pyrazole- κN^2)silver(1+) Nitrate ($[Ag(Hpz^{NO_2})_2](NO_3)$), 2433

Pallavicinia ambigua

Structures and Absolute Configurations of Three 7,8-Secolabdane Diterpenes from the Chinese Liverwort *Pallavicinia ambigua*, 2637

Pancuronium bromide

Rapid Determination of Gallamine Triethiodide (*Flaxedil*[®]) and Pancuronium Bromide (*Pavulon*[®]) in Pharmaceutical and Urine Matrices by Means of Modified-Carbon-Paste Ion-Selective Electrodes, 861

Paneth, Friedrich A.

Paneth, IUPAC, and the Naming of Elements, 95

PARACEST imaging agents

Modulation of the Lifetime of Water Bound to Lanthanide Metal Ions in Complexes with Ligands Derived from 1,4,7,10-Tetraazacyclododecane Tetraacetate (DOTA), 923

Paramagnetic complexes

Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine- N,N,N',N'',N''',N'''' -hexaacetic Acid (H_6ttha) and of Diamides $H_4ttha(NHR)$ Derived from H_6ttha as Studied by NMR, NMRD, and EPR, 618

Parawixia bistrata

Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistrata*, 796

Paromomycin

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

***Pavulon*[®]**

Rapid Determination of Gallamine Triethiodide (*Flaxedil*[®]) and Pancuronium Bromide (*Pavulon*[®]) in Pharmaceutical and Urine Matrices by Means of Modified-Carbon-Paste Ion-Selective Electrodes, 861

PCP Pincer ligands

Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone, 694

Pentane-2,4-dione

Solid-State NMR Study of the Tautomerism of Acetylacetone Included in a Host Matrix, 1931

Pentazole

Rolf Huisgen: Some Highlights of His Contributions to Organic Chemistry, 1154

Peplanin A

Toward a Total Synthesis of Macrocyclic Jatrophane Diterpenes – Concise Route to a Highly Functionalized Cyclopentane Key Intermediate, 1560

Peptides

The Effect of Backbone-Heteroatom Substitution on the Folding of Peptides – A Single Fluorine Substituent Prevents a β -Heptapeptide from Folding into a 3_{14} -Helix (NMR Analysis), 266

Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711
NMR-Solution Structures in Methanol of an α -Heptapeptide, of a β^3/β^2 -Nonapeptide, and of an all- β^3 -Icosapeptide Carrying the 20 Proteinogenic Side Chains, 1969

Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375

A New 2*H*-Azirin-3-amine as a Synthon for 2-Methylaspartate, 2951

Perfluoro-tagged ligands

Tris(perfluoroalkyl)silyl Entities as Unexpectedly Potent Tags for the Noncovalent Immobilization of Catalysts by Fluorous–Fluorous Interactions: Application to the Synthesis of Several Perfluoro-Tagged Ligands, 936

Pericyclic reactions

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421
Compendium of Cycloaddition Reactions under High Pressure, 2033

Peridinin

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrrhoxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

Perylenes

Control of the Interactions in Multichromophores: Novel Concepts. Perylene Bis-imides as Components for Larger Functional Units, 1309
An Unusual β -Oxidation of *N*-Functionalized Alkyl Chains by 1*H*-Imidazole, 2832

1,10-Phenanthroline

Binding Studies of Asymmetric Pentacoordinate Copper(II) Complexes Containing Phenanthroline and Ethane-1,2-diamine Ligands with Calf-Thymus DNA, 2413
A Novel Three-Dimensional Coordination Polymer Involving Pb–Pb Interactions and Three Different Hemidirected Lead(II) Coordination Spheres: X-Ray Crystal Structure of Tris(1,10-phenanthroline- $\kappa N^1, \kappa N^{10}$)bis[$\{\mu_3$ -[5-(sulfo- κO)benzene-1,3-dicarboxylate(3-)- $\kappa O^1, \kappa O^1$: $\kappa O^2, \kappa O^2$: κO^2]]trilead (*Pb–Pb*) Trihydrate ($[\text{Pb}_3(\text{phen})_3(\text{H}_2\text{O})_2(\text{sip})_2]_n \cdot 3 \text{H}_2\text{O}$), 2543

Phenols, sulfonyl-

Graphite/Methanesulfonic Acid (GMA) as a New Reagent for Sulfonylation of Phenols and Thia-*Fries* Rearrangement of Aryl Sulfonates to Sulfonylphenols, 42

Phenyliodonium ylide

Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010

Phenylsulfonyl elimination

Reductive Elimination of Phenylsulfonyl Groups in the 3-Position of Benzo[*a*]heptalene-2,4-diols, 1085

Phosphines

Aqueous Organometallic Chemistry. Synthesis and Solution Equilibria of Trisodium Carbonylchlorotris[3-(diphenylphosphino- κP)benzenesulfonato]hydridoruthenate(3-) ($[\text{RuH}(\text{Cl})(\text{CO})\{m-(\text{Ph}_2\text{P})-\text{C}_6\text{H}_4-\text{SO}_3\text{Na}\}_3]$) and Trisodium Aquacarbonyltris[3-(diphenylphosphino- κP)benzenesulfonato]hydridoruthenate(2-) Tetrafluoroborate(1-) ($[\text{RuH}(\text{CO})(\text{H}_2\text{O})\{m-(\text{Ph}_2\text{P})-\text{C}_6\text{H}_4-\text{SO}_3\text{Na}\}_3] [\text{BF}_4]$), 566
Synthesis of Some New 1,2,4-Triazole Derivatives by *Mitsunobu* Chemistry, 2777

Phosphocine

A Macrocyclic Calix[6]arene Phosphocine: Conformational Studies Involving High-Resolution NMR Analysis and Molecular Modeling, 1110

Phosphodiesterase-4 (PDE-4) inhibitor

Use of Dibutyl[^{14}C]formamide as a Formylating Reagent in the *Vilsmeier–Haack* Reaction and Synthesis of a ^{14}C -Labeled Novel Phosphodiesterase-4 (PDE-4) Inhibitor, 1040

Phosphonodithioformates

[2 + 3]-Cycloadditions of Phosphonodithioformate *S*-Methanides with C=S, N=N, and C=C Dipolarophiles, 2582

Phosphoramidites

Synthesis of 2'-*O*-[(Triisopropylsilyl)oxy]methyl (= tom)-Protected Ribonucleoside Phosphoramidites Containing Various Nucleobase Analogues, 2683

Photocyclization

Photochemistry of *N*-(2-Acylphenyl)-2-methylprop-2-enamides: Competition between Photocyclization and Long-Range Hydrogen Abstraction, 78

A Novel Intramolecular Photocyclization of *N*-(2-Bromoalkanoyl) Derivatives of 2-Acylanilines *via* 1,8-Hydrogen Abstraction, 996

Intramolecular Photocyclization of 2-Acylphenyl Methacrylates: a Convenient Access to 4,5-Dihydro-1,4-epoxy-2-benzoxepin-3(1*H*)-ones (= Benzo[*c*]-6,8-dioxabicyclo[3.2.1]octan-7-ones, 2603

Photocycloaddition

The *exo*-Outstretching Effect Governing the Exclusive Stereoselectivity of the Intramolecular [2+2] Photocycloaddition of Vinylarenes, 1226

Light-Induced Cycloaddition of 2,3-Dihydro-2,2-dimethyl-4*H*-thiopyran-4-one (a 4-Thiacyclohex-2-enone) to Alkenes and Dienes, 1922

Photodynamic therapy

Synthesis and Photochemical Evaluation of Iodinated Squarylium Cyanine Dyes, 1135

Photoinduced electron transfer

Photoinduced Electron-Transfer Processes in Fullerene-Based Donor–Acceptor Systems, 1291

Photolabile protecting groups

Synthesis of Caged Nucleosides with Photoremovable Protecting Groups Linked to Intramolecular Antennae, 891

Photophysical properties

Influence of the 4-Substituted Pyridine Ligand L' on both the Conformation and Spectroscopic Properties of the (2,2'-Biquinoline- $\kappa N^1, \kappa N^1'$)tricarbonyl(pyridine- κN^1)rhenium(1+) Complex ([Re(CO)₃(bqui)(py)]⁺) and Its Derivatives [Re(CO)₃(L)(L')]⁺ (L = 2,2'-Biquinoline and 3,3'-(Ethane-1,2-diyl)-2,2'-biquinoline), 2842

Phthalazinium dicyanomethanide

Water and the *Huisgen* Cycloaddition Reaction: A Focus on Polar Contributions to the Transition State in the Reactions of Dicyano(phthalazinium)methanide with Substituted Styrenes and Benzylidene Acetones, 1611

Pictet–Spengler reaction

Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine *via* a Spirocyclic Intermediate, 2764

Pigments

2-Hydroxytorularhodin, a New Xanthophyll from the Red Yeast *Sporobolomyces coprosmae*, 2960

Pinus armandii

Three New Urea Derivatives from Pliocene-Fossil *Pinus armandii*, 325

Plant hormones

A Facile Cell Free Synthesis of Isotopically Labeled (*E*)-4-Hydroxy-3-methylbut-2-enyl Diphosphate, a Precursor of the Plant Hormone Zeatin, 1444

Platinum complexes

Asymmetric Synthesis of Coordination Compounds: Back to the Roots. Diastereoselective Synthesis of Simple Platinum(IV) Complexes, 496

A Dissociative Route to C–H Bond Activation: Ligand Cyclometalation in *cis*-Dimethyl[(sulfinyl- κS)bis(methane)][tris(2-methylphenyl)phosphine]platinum(2+), 507

Fused 1,2-Dithioles. Part VII. Synthesis and Reactions of 4*H*-1,2-Dithiolo[4,3-*c*]isothiazoles, 1208

Vicinal Diamination of Terminal Olefins, 1486

Pliocene-fossil

Three New Urea Derivatives from Pliocene-Fossil *Pinus armandii*, 325

Polyamines

Solvent Role on Cobalt(II) Dioxygen Carriers Based on Simple Polyamine Ligands, 839

Polyazamacrocycles

Palladium-Catalyzed Amination of 3,5-Dihalopyridines – a Convenient Route to New Polyazamacrocycles, 1983

Polycarbonates, polyamino-

Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine-*N,N,N',N'',N''',N''''*-hexaacetic Acid (H₆ttha) and of Diamides H₄ttha(NHR) Derived from H₆ttha as Studied by NMR, NMRD, and EPR, 618

Polyene cyclizations

Internal Nucleophilic Termination in Acid-Mediated Polyene Cyclizations. Part 4. Synthetic Access to Tetracyclic Didehydro and Tetrahydro Analogues of (±)-*Ambrox*[®], 3055

Polygala

Triterpene Saponins from Four Species of the Polygalaceae Family, 2986

Polymer conjugates

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089

Polymerizations

The Relationship of Cycloaddition Reactions to Spontaneous Vinyl Polymerizations, 1553

Polymer-supported ionic liquids

Polymer-Supported Ionic-Liquid-Catalyzed Synthesis of 1,2,3,4-Tetrahydro-2-oxypyrimidine-5-carboxylates via *Biginelli* Reaction, 986

Polymethacrylate

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089

Polyoxypregnane glycosides

Three New Polyoxypregnane Glycosides from *Marsdenia tenacissima*, 2675

Polystyrene

Amphiphilic Polymethacrylate- and Polystyrene-Based Chemical Delivery Systems for Damascones, 3089

Porphyrin complexes, meso-tetraphenyl-

Selective Double Functionalization of *meso*-Tetraphenylporphyrin Complexes on the Same Pyrrole Unit by Tandem Electrophilic/Nucleophilic Aromatic Substitution, 974

Porphyrins

Synthesis of Dendritic Metalloporphyrins with *Distal* H-Bond Donors as Model Systems for Hemoglobin, 120
Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Potentiometry

H₃dotasa (= (*αRS*)-*α*-(Carboxymethyl)-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of H₄dota (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: ¹H-NMR and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633

Rapid Determination of Gallamine Triethiodide (*Flaxedit*[®]) and Pancuronium Bromide (*Pavulon*[®]) in Pharmaceutical and Urine Matrices by Means of Modified-Carbon-Paste Ion-Selective Electrodes, 861

Pregnane

Three New Polyoxypregnane Glycosides from *Marsdenia tenacissima*, 2675

Presenegenin

Triterpene Saponins from Four Species of the Polygalaceae Family, 2986

Pressure – temperature diagram

Extending the Pressure – Temperature State Diagram of Myoglobin, 546

Process chemistry

Modular Microreaction Systems for Homogeneously and Heterogeneously Catalyzed Chemical Synthesis, 1

Profragrance

Aldols by *Michael* Addition: Application of the *retro-Michael* Addition to the Slow Release of Enones, 3128

L-Prolinol

Rationale on the Abnormal Effect of Temperature on the Enantioselectivity in the Asymmetric Borane Reduction of Ketones Catalyzed by L-Prolinol, 180

Propanamides, N-(2-acylphenyl)-2-bromo-

A Novel Intramolecular Photocyclization of *N*-(2-Bromoalkanoyl) Derivatives of 2-Acylanilines via 1,8-Hydrogen Abstraction, 996

Propanoate dihydrochloride, 3-amino-3-(pyridin-3-yl)-

Metal Analyses in Environmental and Pharmaceutical Samples by Capillary Electrophoresis with Methyl 3-Amino-3-(pyridin-3-yl)propanoate Dihydrochloride as a New Ion-Pairing Reagent, 2322

Prop-2-enamides, N-(2-acylphenyl)-2-methyl-

Photochemistry of *N*-(2-Acylphenyl)-2-methylprop-2-enamides: Competition between Photocyclization and Long-Range Hydrogen Abstraction, 78

Propene

Novel C₂-Symmetric 1,4-Diphosphine Ligands in the Copolymerization of Propene and Carbon Monoxide: High Regio- and Stereocontrol in the Catalytic Performance, 210

Prop-2-enoates, 2-acylphenyl 2-methyl-

Intramolecular Photocyclization of 2-Acylphenyl Methacrylates: a Convenient Access to 4,5-Dihydro-1,4-epoxy-2-benzoxepin-3(1*H*)-ones (= Benzo[*c*]-6,8-dioxabicyclo[3.2.1]octan-7-ones, 2603

Propoxur

Facile and Sensitive Spectrophotometric Determination of Propoxur in Formulations and Environmental Samples, 1022

Protein aggregation

Extending the Pressure–Temperature State Diagram of Myoglobin, 546

Protonation equilibria

Protonation Equilibria of *Hoechst* 33258 in Aqueous Solution, 53

Pschorr reactions

Nonclassical *Pschorr* and *Sandmeyer* Reactions in Pyrazole Series, 2272

1H-Pyrazole

Supramolecular Arrays of Cationic Complexes Containing Pyrazole Ligands and Tetrafluoroborate, Trifluoromethanesulfonate, or Nitrate as Counterions. Crystal Structure of Bis(3,5-dimethyl-4-nitro-1*H*-pyrazole- κ N²)silver(1+) Nitrate ([Ag(Hpz^{NO2})₂](NO₃)₂), 2433

Pyrazole derivatives

Nonclassical *Pschorr* and *Sandmeyer* Reactions in Pyrazole Series, 2272

Novel Chemical Transformations of Tenoxicam, 2355

Pyrene

Intercalating Nucleic Acids with Insertion of 5-[(Pyren-1-yl)methylidene]hydantoin-Substituted Butane-1,2-diol, 3137

Pyridine, 4-(dimethylamino)-

A Novel One-Dimensional Coordination Polymer Involving Weak Hg–Hg Interactions, 2267

Pyridine, 2-(1*H*-imidazol-2-yl)-

Control of Redox Potential by Deprotonation of Coordinated 1*H*-Imidazole in Complexes of 2-(1*H*-imidazol-2-yl)pyridine, 487

Pyridines, 3,5-dihalogeno-

Palladium-Catalyzed Amination of 3,5-Dihalopyridines – a Convenient Route to New Polyazamacrocycles, 1983

Pyridines, 2-halogeno-

The Reactivity of 2-Fluoro- and 2-Chloropyridines toward Sodium Ethoxide: Factors Governing the Rates of Nucleophilic (Het)Aromatic Substitutions, 1240

Pyridines, 4-substituted

Influence of the 4-Substituted Pyridine Ligand *L'* on both the Conformation and Spectroscopic Properties of the (2,2'-Biquinoline- κ N¹, κ N^{1'})tricarbonyl(pyridine- κ N¹)rhenium(1+) Complex ([Re(CO)₃(bqui)(py)]⁺) and Its Derivatives [Re(CO)₃(L)(L')]⁺ (L = 2,2'-Biquinoline and 3,3'-(Ethane-1,2-diyl)-2,2'-biquinoline), 2842

Pyridinophanes

The *exo*-Outstretching Effect Governing the Exclusive Stereoselectivity of the Intramolecular [2+2] Photocycloaddition of Vinylarenes, 1226

(Pyridin-2-yl)methyl ligand

Synthesis and Characterization of Copper Complexes Containing the Tripodal N₇ Ligand Tris[2-[(pyridin-2-ylmethyl)amino]ethyl]amine (= *N'*-(Pyridin-2-ylmethyl)-*N,N*-bis[2-[(pyridin-2-ylmethyl)amino]ethyl]ethane-1,2-diamine): Equilibrium, Spectroscopic Data, and Crystal Structures of Mono- and Trinuclear Copper(II) Complexes, 2397

Pyrimidine-5-carboxylates, 1,2,3,4-tetrahydro-2-oxo-

Polymer-Supported Ionic-Liquid-Catalyzed Synthesis of 1,2,3,4-Tetrahydro-2-oxopyrimidine-5-carboxylates via *Biginelli* Reaction, 986

Pyrimidinium methylides

4-Methyl- and 4-(Halophenyl)pyrimidinium (4-Halobenzoyl)methylides. Correlation of Structure, Stability, Reactivity, and Biological Activity, 2747

Pyrimidin-2(1*H*)-ones, 3,4-dihydro-

Iodotrimethylsilane-Accelerated One-Pot Synthesis of 5-Unsubstituted 3,4-Dihydropyrimidin-2(1*H*)-ones: A Novel Procedure for the *Biginelli*-Like Cyclocondensation Reaction at Room Temperature, 2996

1*H*-Pyrroles

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421
Synthesis of Long-Chain 3-Alkylpyrroles Bearing Terminal Carboxy or Amino Groups, 2470

Pyrrolidine-3-carboxylic acid

Preparation of β^2 -Amino Acid Derivatives (β^2 hThr, β^2 hTrp, β^2 hMet, β^2 hPro, β^2 hLys, Pyrrolidine-3-carboxylic Acid) by Using DIOZ as Chiral Auxiliary, 2235

Pyrrolidines

New Synthesis of Pyrrolidines *via* Reaction of γ -Halocarbanions with Imines, 1676

Pyrrolidin-3-ones

Syntheses of Enantiomerically Pure 2-Substituted Pyrrolidin-3-ones *via* Lithiated Alkoxyallenes – An Auxiliary-Based Synthesis of both Enantiomers of the Antibiotic Anisomycin, 1826

1H-Pyrrolizin-3-ones, hexahydro-

Facile Synthesis of Diastereoisomerically and Optically Pure 2-Substituted Hexahydro-1H-pyrrolizin-3-ones, 2250

Pyrrolo[3,4-*a*]carbazoles

Synthesis of Substituted Pyrrolo[3,4-*a*]carbazoles, 2879

Pyrrolo[2,1-*a*]phthalazine-3,3-dicarbonitriles

Water and the *Huisgen* Cycloaddition Reaction: A Focus on Polar Contributions to the Transition State in the Reactions of Dicyano(phthalazinium)methanide with Substituted Styrenes and Benzylidene Acetones, 1611

Quadricyclane isomerization

Thermal Isomerization of 12-Oxa-1,9-dimethylhexacyclo[7.2.1.0^{2,4}.0^{3,8}.0^{3,7}.0^{6,8}]dodec-10-ene: A Computational Mechanistic Investigation, 1540

Quantum-thermochemical calculations

Why Quantum-Thermochemical Calculations Must Be Used with Caution to Indicate ‘a Promising Lead Antioxidant’, 370

Quenosine

Robust Synthesis and Crystal-Structure Analysis of 7-Cyano-7-deazaguanine (PreQ₀ Base) and 7-(Amino-methyl)-7-deazaguanine (PreQ₁ Base), 2610

Quinic acid esters

Phenolic Compounds from *Viburnum cylindricum*, 339

Radical cations

The Behaviors of Metal Acetylides with Dinitrogen Tetroxide, 354

Radical cyclization

Synthesis of Indolones *via* Radical Cyclization of *N*-(2-Halogenoalkanyl)-Substituted Anilines, 35

Radicals

The Relationship of Cycloaddition Reactions to Spontaneous Vinyl Polymerizations, 1553

Radicle elongation

Fascicularones H–K, Four New Sesquiterpenoids from the Cultured Mycelia of the Fungus *Hypholoma fasciculare*, 2944

Radiopharmaceuticals

S-Functionalized Cysteine: Powerful Ligands for the Labelling of Bioactive Molecules with Triaquaticarbonyltechnetium-99m(1+) ($[^{99m}\text{Tc}(\text{OH})_2(\text{CO})_3]^+$), 447

Radiosensitizers

Computational NMR Spectroscopy of Transition-Metal/Nitroimidazole Complexes: Theoretical Investigation of Potential Radiosensitizers, 2705

Rate profiles

The Effect of Ring Size on Reactivity: The Diagnostic Value of ‘Rate Profiles’, 1375

Redox potential

Control of Redox Potential by Deprotonation of Coordinated 1H-Imidazole in Complexes of 2-(1H-Imidazol-2-yl)pyridine, 487

Relaxivity

Gadolinium(III) Complexes of dota-Derived *N*-Sulfonylacetamides ($\text{H}_3(\text{dota-NHSO}_2\text{R}) = 10\text{-}\{2\text{-}[(\text{R})\text{sulfonylamino}]\text{-2-oxoethyl}\}\text{-1,4,7,10-tetraazacyclododecane-1,4,7-triacetic Acid}$): A New Class of Relaxation Agents for Magnetic Resonance Imaging Applications, 588

Complexation Properties of N,N',N'',N''' -[1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetrayltetrakis(1-oxoethane-2,1-diyl)]tetrakis[glycine] ($H_4\text{dotag}$). Equilibrium, Kinetic, and Relaxation Behavior of the Lanthanide(III) Complexes, 604

Structure and Dynamics of Lanthanide Complexes of Triethylenetetramine- N,N,N',N'',N''',N'''' -hexaacetic Acid ($H_6\text{ttha}$) and of Diamides $H_4\text{ttha}(\text{NHR})$ Derived from $H_6\text{ttha}$ as Studied by NMR, NMRD, and EPR, 618

Remote functionalization

Gas-Phase Reactions of Homo- and Heteronuclear Clusters MM'^+ ($M, M' = \text{Fe, Co, Ni}$) with Linear Alkanenitriles, 1405

Resorcinarenes

Synthesis of New Resorcinarenes Under Alkaline Conditions, 2722

Resveratrol oligomers

New Resveratrol Oligomers from the Stem Bark of *Hopea hainanensis*, 2910

Resveratrols

Occurrence of Stilbene Glucosides in *Upuna borneensis*, 23

(R)-Reutericyclin

Synthesis of the Antibiotic (R)-Reutericyclin via Dieckmann Condensation, 2837

Rhenium complexes

1,3,5-Triamino-1,3,5-trideoxy-*cis*-inositol, a Ligand with a Remarkable Versatility for Metal Ions. Part XIII. Complex Formation with Rhenium(I) and Rhenium(VII), 426

Influence of the 4-Substituted Pyridine Ligand L' on both the Conformation and Spectroscopic Properties of the (2,2'-Biquinoline- $\kappa N^1, \kappa N^1'$)tricarbonyl(pyridine- κN^1)rhenium(1+) Complex ($[\text{Re}(\text{CO})_3(\text{bqui})-\text{(py)}]^+$) and Its Derivatives $[\text{Re}(\text{CO})_3(\text{L})(\text{L}')]^+$ ($\text{L} = 2,2'$ -Biquinoline and 3,3'-(Ethane-1,2-diyl)-2,2'-biquinoline), 2842

Rhodium carbenoids

Catalytic Decomposition of Diazo Compounds as a Method for Generating Carbonyl-Ylide Dipoles, 1357

Rhodium catalysis

Rhodium(II)-Catalyzed Inter- and Intramolecular Cyclopropanations with Diazo Compounds and Phenyl-iodonium Ylides: Synthesis and Chiral Analysis, 216

Hydrindanone Synthesis: An Incisterol Model, 330

Fluorinated Diazo Diketones in Rhodium(II)-Catalyzed Reactions with Sultams: Chemoselective *O*-Functionalization of Amide Carbonyl Groups, 1913

Rhodium complexes

Syntheses and Structures of Homo- and Heterobimetallic Complexes Containing a (Cyclopentadienone)-rhodium(I) Fragment, 435

Square-Planar Carbonylchlororhodium(I) Complexes Containing *trans*-Spanning Diphosphine Ligands as Catalysts for the Carbonylation of Methanol, 478

Ribonucleosides

Synthesis of 2'-*O*-[(Triisopropylsilyl)oxy]methyl (= tom)-Protected Ribonucleoside Phosphoramidites Containing Various Nucleobase Analogues, 2683

Ring contraction

Synthesis of the Cyclopentyl Nucleoside (–)-Neplanocin A from D-Glucose via Zirconocene-Mediated Ring Contraction, 1185

Application of the 'Direct Amide Cyclization' to Peptides Containing an Anthranilic Acid Residue, 1711

Ring-enlargement reactions

Ring Enlargement and Sulfur-Transfer Processes in SiO_2 -Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes, 3253

Ring-opening reactions

Ring Opening of 1-Azabicyclo[1.1.0]butanes with Hydrazoic Acid – a Facile Access to *N*-Unsubstituted Azetidino-3-Amines, 1658

Lewis Acid Catalyzed, Selective Cyclopropane-Ring Opening in Ingot Diterpene Derivatives, 2527

Synthesis and Reactions of 1,4-Anhydrogalactopyranose and 1,4-Anhydroarabinose – Steric and Electronic Limitations, 2823

RNA

Robust Synthesis and Crystal-Structure Analysis of 7-Cyano-7-deazaguanine (PreQ₀ Base) and 7-(Amino-methyl)-7-deazaguanine (PreQ₁ Base), 2610

Spontaneous Aminoacylation of a RNA Sequence Containing a 3'-Terminal 2'-Thioadenosine, 2897

Design and Synthesis of Aminoglycoside Antibiotics to Selectively Target 16S Ribosomal RNA Position 1408, 2967

Rollinia laurifolia

Acetogenins from the Leaves of *Rollinia laurifolia*, 3225

Rotundifolides A and B

Rotundifolides A and B, Two New Enol-Derived Butenolactones from the Bark of *Litsea rotundifolia* var. *oblongifolia*, 349

Rubidium molybdates

Solvothermal Synthesis and Crystal Structures of Alkali Molybdates, 2479

Ruthenium catalysis

Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387

Ruthenium complexes

Syntheses and Structures of Homo- and Heterobimetallic Complexes Containing a (Cyclopentadienone)-rhodium(I) Fragment, 435

Control of Redox Potential by Deprotonation of Coordinated 1*H*-Imidazole in Complexes of 2-(1*H*-Imidazol-2-yl)pyridine, 487

Synthesis and Characterization of New Water-Soluble Hydrides of Ru^{II}: A Step towards Dinitrogen Activation?, 557

Aqueous Organometallic Chemistry. Synthesis and Solution Equilibria of Trisodium Carbonylchlorotris[3-(diphenylphosphino- κ P)benzenesulfonato]hydridoruthenate(3-) ([RuH(Cl)(CO){*m*-(Ph₂P)-C₆H₄-SO₃Na₃}] and Trisodium Aquacarbonyltris[3-(diphenylphosphino- κ P)benzenesulfonato]hydridoruthenate(2-) Tetrafluoroborate(1-) ([RuH(CO)(H₂O){*m*-(Ph₂P)-C₆H₄-SO₃Na₃] [BF₄]), 566

Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone, 694

Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010

Process-Scale Total Synthesis of Nature-Identical (-)-(S,S)-7-Hydroxycalamenal in High Enantiomeric Purity through Catalytic Enantioselective Hydrogenation, 1776

Ruzicka, Leopold

Revisited after 50 Years: The 'Stereochemical Interpretation of the Biogenetic Isoprene Rule for the Triterpenes', 3011

Salt-bridge stabilization

NMR-Solution Structures in Methanol of an α -Heptapeptide, of a β^3/β^2 -Nonapeptide, and of an all- β^3 -Icosapeptide Carrying the 20 Proteinogenic Side Chains, 1969

Salvia castanea

New Sesquiterpenoids from *Salvia castanea* DIELS f. *tomentosa*, 2370

Sandmeyer reactions

Nonclassical *Pschorr* and *Sandmeyer* Reactions in Pyrazole Series, 2272

Sanfetrinem

Theoretical Study of the Alkaline Hydrolysis of Tricyclic Carbapenem, 774

Saponins

Six New Triterpene Saponins with a 21,23-Lactone Skeleton from *Gynostemma pentaphyllum*, 1126

Triterpene Saponins from Four Species of the Polygalaceae Family, 2986

Sarcophytonolides A – D

Sarcophytonolides A–D, Four New Cembranolides from the Hainan Soft Coral *Sarcophyton* sp., 1028

***Sarcophyton* sp.**

Sarcophytonolides A–D, Four New Cembranolides from the Hainan Soft Coral *Sarcophyton* sp., 1028

Scalarane

Hyrtsiosins A–E, Five New Scalarane Sesterterpenes from the South China Sea Sponge *Hyrtsios erecta*, 1004

Secoatisane

Secoatisane- and Isopimarane-Type Diterpenoids from the Chinese Mangrove *Excoecaria agallocha* L., 979

7,8-Secolabdane diterpenes

Structures and Absolute Configurations of Three 7,8-Secolabdane Diterpenes from the Chinese Liverwort *Pallavicinia ambigua*, 2637

Securidaca inappendiculata

Three New Compounds from *Securidaca inappendiculata*, 2771

Selenaheterocycles

Selenium-Containing Heterocycles from Isoselenocyanates: Cycloaddition of Carbodiimides to Selenazetidines, 766

1,3-Selenazetidines

Selenium-Containing Heterocycles from Isoselenocyanates: Cycloaddition of Carbodiimides to Selenazetidines, 766

Selenium

Novel Reactions for the Simple and Sensitive Spectrophotometric Determination of Traces of Selenium in Environmental Samples, 343

Self-diffusion coefficients

Can the Theoretical Fitting of the Proton-Nuclear-Magnetic-Relaxation-Dispersion (Proton NMRD) Curves of Paramagnetic Complexes Be Improved by Independent Measurement of Their Self-Diffusion Coefficients?, 574

Sesquiterpenes

Cuparene-Derived Sesquiterpenes from the Chinese Red Alga *Laurencia okamurai* YAMADA, 1034

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

Sesquiterpenoids

Novel Sesquiterpenoids from *Siegesbeckia orientalis*, 160

New Sesquiterpenoids from *Lycianthes marlipoensis*, 2364

New Sesquiterpenoids from *Salvia castanea* DIELS f. *tomentosa*, 2370

Fascicularones H–K, Four New Sesquiterpenoids from the Cultured Mycelia of the Fungus *Hypholoma fasciculare*, 2944

Sesterterpenes

Hyrtilosins A–E, Five New Scalarane Sesterterpenes from the South China Sea Sponge *Hyrtilos erecta*, 1004

Siegesbeckia orientalis

Novel Sesquiterpenoids from *Siegesbeckia orientalis*, 160

Silane, (iodo)(trimethyl)-

Iodotrimethylsilane-Accelerated One-Pot Synthesis of 5-Unsubstituted 3,4-Dihydropyrimidin-2(1H)-ones: A Novel Procedure for the *Biginelli*-Like Cyclocondensation Reaction at Room Temperature, 2996

Silver complexes

Supramolecular Arrays of Cationic Complexes Containing Pyrazole Ligands and Tetrafluoroborate, Trifluoromethanesulfonate, or Nitrate as Counterions. Crystal Structure of Bis(3,5-dimethyl-4-nitro-1H-pyrazole- κ -N²)silver(1+) Nitrate ([Ag(Hpz^{NO2})₂](NO₃)), 2433

Singlet oxygen

Synthesis and Photochemical Evaluation of Iodinated Squarylium Cyanine Dyes, 1135

Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Skin diseases

New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Sodium ethoxide

The Reactivity of 2-Fluoro- and 2-Chloropyridines toward Sodium Ethoxide: Factors Governing the Rates of Nucleophilic (Het)Aromatic Substitutions, 1240

Solvent effects

Influence of Decreasing Solvent Polarity (1,4-Dioxane/Water Mixtures) on the Acid–Base and Copper(II)-Binding Properties of Guanosine 5'-Diphosphate, 406

Solvent Role on Cobalt(II) Dioxygen Carriers Based on Simple Polyamine Ligands, 839

Solvent exchange

Water-Exchange Mechanism for Zinc(II), Cadmium(II), and Mercury(II) Ions in Water as Studied by Umbrella-Sampling Molecular-Dynamics Simulations, 461

Evidence for Interchange Ligand-Exchange Processes on Solvated Beryllium Cations, 911

Sonogashira coupling

Synthesis of New *C*(2)-Substituted *gluco*-Configured Tetrahydroimidazopyridines and Their Evaluation as Glucosidase Inhibitors, 2593

Spectrophotometric titration

Protonation Equilibria of *Hoechst 33258* in Aqueous Solution, 53

Spectrophotometry

Facile and Sensitive Spectrophotometric Determination of Propoxur in Formulations and Environmental Samples, 1022

Spider venom

Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796

Spiro-biflavonoids

Spiro-biflavonoids from *Larix olgensis* HENRY var. *koreana* NAKAI, 2892

Spirocyclization

Erratum of 'Diastereoselective Spirocyclization of *C*-(Alkyloxycarbonyl)formimines of 2-Substituted 1*H*-Indole-3-ethanamines (= Tryptamines): Basic Studies', 3274

Spiro- β -lactams

Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387

[2 + 2] Cycloaddition Reactions of Imines with Cyclic Ketenes: Synthesis of 1,3-Thiazolidine Derived Spiro- β -lactams and Their Transformations, 1580

Sponges

Dysideasterols A–E, Five New Uncommon Polyhydroxylated Steroids from the South China Sea Sponge *Dysidea* sp., 281

Hyrliosins A–E, Five New Scalarane Sesterterpenes from the South China Sea Sponge *Hyrlios erecta*, 1004

Sporobolomyces coprosmae

2-Hydroxytorularhodin, a New Xanthophyll from the Red Yeast *Sporobolomyces coprosmae*, 2960

Squadinorlignoside

Squadinorlignoside: A Novel 7,9'-Dinorlignan from the Stems of *Annona squamosa*, 2731

Squarylium cyanine dyes

Synthesis and Photochemical Evaluation of Iodinated Squarylium Cyanine Dyes, 1135

Stability constants

Influence of Decreasing Solvent Polarity (1,4-Dioxane/Water Mixtures) on the Acid–Base and Copper(II)-Binding Properties of Guanosine 5'-Diphosphate, 406

Synthesis and Characterization of Copper Complexes Containing the Tripodal N_7 Ligand Tris[2-[(pyridin-2-ylmethyl)amino]ethyl]amine (= *N'*-(Pyridin-2-ylmethyl)-*N,N*-bis[2-[(pyridin-2-ylmethyl)amino]ethyl]ethane-1,2-diamine): Equilibrium, Spectroscopic Data, and Crystal Structures of Mono- and Trinuclear Copper(II) Complexes, 2397

Staudinger reaction

Stereoselective Synthesis of Tetrahydrofuran Spiro- β -Lactams by Ru-Catalyzed Metathesis of 7-Oxabicyclo[2.2.1]heptenes, 1387

Stereoelectronic effects

Synthesis and Reactions of 1,4-Anhydrogalactopyranose and 1,4-Anhydroarabinose – Steric and Electronic Limitations, 2823

Stereogenic ligands

Novel P-Stereogenic PCP Pincer-Aryl Ruthenium(II) Complexes and Their Use in the Asymmetric Hydrogen Transfer Reaction of Acetophenone, 694

Steroids

Suberoretosteroids A–E, Five New Uncommon Polyoxygenated Steroid 24-Ketals from the Hainan Gorgonian *Suberogorgia reticulata*, 87

Dysideasterols A–E, Five New Uncommon Polyhydroxylated Steroids from the South China Sea Sponge *Dysidea* sp., 281

Conformations of the Nine-Membered Ring in the *B*-Nor-5,10-secosteroids. X-Ray and NMR Analysis, 2812

Stilbene glucosides

Occurrence of Stilbene Glucosides in *Upuna borneensis*, 23

Stilbenoids

Three New Compounds from the Aerial Parts of *Caragana sinica*, 2315

Strecker reaction

Multicomponent *Strecker* Reaction under High Pressure, 1734

Structure–activity relationships

Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Structure-based design (SAR)

A New Class of Inhibitors for the Metalloprotease Neprilysin Based on a Central Imidazole Scaffold, 707

Second-Generation Inhibitors for the Metalloprotease Neprilysin Based on Bicyclic Heteroaromatic Scaffolds: Synthesis, Biological Activity, and X-Ray Crystal-Structure Analysis, 731

Styrenes

Water and the *Huisgen* Cycloaddition Reaction: A Focus on Polar Contributions to the Transition State in the Reactions of Dicyano(phthalazinium)methanide with Substituted Styrenes and Benzylidene Acetones, 1611

Subergorgia reticulata

Suberoretisteroids A–E, Five New Uncommon Polyoxygenated Steroid 24-Ketals from the Hainan Gorgonian *Subergorgia reticulata*, 87

Suberretisteroids A – E

Suberoretisteroids A–E, Five New Uncommon Polyoxygenated Steroid 24-Ketals from the Hainan Gorgonian *Subergorgia reticulata*, 87

Sugar amino acids (SAA)

Differently Glycosidated 2-Amino-2-deoxy-D-glucopyranosiduronic Acids as Building Blocks in Peptide Synthesis, 2375

Sulfenyl chlorides

Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624

Sulfonamide derivatives

Novel Sulfonamide Derivatives as Inhibitors of Histone Deacetylase, 1630

Sulfones

Reductive Elimination of Phenylsulfonyl Groups in the 3-Position of Benzo[*a*]heptalene-2,4-diols, 1085

Sulfonylation

Graphite/Methanesulfonic Acid (GMA) as a New Reagent for Sulfonylation of Phenols and Thia-*Fries* Rearrangement of Aryl Sulfonates to Sulfonylphenols, 42

Sulforidazine

Facile Syntheses of the Three Major Metabolites of Thioridazine, 962

Sulfur-transfer reactions

Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624

Ring Enlargement and Sulfur-Transfer Processes in SiO₂-Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes, 3253

Sulfur ylides

Stereoselective Cyclopropanation of 2-[(*S*)-(4-Methylphenyl)sulfinyl]cyclopent-2-en-1-one with Sulfur Ylides and α -Halo Carbanions. Preliminary Communication, 1769

Sultams

Fused 1,2-Dithioles. Part VII. Synthesis and Reactions of 4*H*-1,2-Dithiolo[4,3-*c*]isothiazoles, 1208

Fluorinated Diazo Diketones in Rhodium(II)-Catalyzed Reactions with Sultams: Chemoselective *O*-Functionalization of Amide Carbonyl Groups, 1913

Synthesis and [4 + 2] Cycloaddition of (2*R*,2'*R*)-*N,N'*-Fumaroylbis[fenchane-8,2-sultam] (= (2*E*)-1,4-Bis-[(3*aS*,6*S*,7*aR*)-1,4,5,6,7,7*a*-hexahydro-7,7-dimethyl-2,2-dioxido-3*H*-3*a*,6-methano-2,1-benzothiazol-1-yl]-but-2-ene-1,4-dione) to Cyclopentadiene, 2441

Superelectrophilic activation

Trifluoromethanesulfonic Acid Catalyzed Alkylation of Arenes with Methyl (2*R*)-Glycidate, 1221

Superoxide anion

Potential Anti-Inflammatory Activities of Bractelactone and other Compounds Isolated from *Fissistigma bracteolatum*, 905

Supramolecular chemistry

Oligoporphyrin Arrays Conjugated to [60]Fullerene: Preparation, NMR Analysis, and Photophysical and Electrochemical Properties, 1839

Preparation of *Tröger* Base Derivatives by Cross-Coupling Methodologies, 2333

Supramolecular Arrays of Cationic Complexes Containing Pyrazole Ligands and Tetrafluoroborate, Trifluoromethanesulfonate, or Nitrate as Counterions. Crystal Structure of Bis(3,5-dimethyl-4-nitro-1*H*-pyrazole- κ N²)silver(1+) Nitrate ([Ag(Hpz^{NO2})₂](NO₃)₂), 2433

para-Sulfonated Calixarenes Used as Synthetic Receptors for Complexing Photolabile Cholinergic Ligand, 2641

Swern oxidation

Synthetic Studies on Coenzyme Q₁₀, 2575

Tangutisine B

Diterpenoid Alkaloids from *Aconitum tanguticum*, 1081

Tautomerism

Basicity of Phenyl- and Methyl-Substituted 1,2,4-Oxadiazoles, 1790

Solid-State NMR Study of the Tautomerism of Acetylacetone Included in a Host Matrix, 1931

Tautomerism in 5,8-Diaza-7,9-dicarboguanine ('Alloguanine'), 1960

Synthesis of the Antibiotic (*R*)-Reutericyclin via *Dieckmann* Condensation, 2837

Technetium complexes

S-Functionalized Cysteine: Powerful Ligands for the Labelling of Bioactive Molecules with Triaquaticarbonyltechnetium-99m(1+) ([^{99m}Tc(OH₂)₃(CO)₃]⁺), 447

Temperature effects

Rationale on the Abnormal Effect of Temperature on the Enantioselectivity in the Asymmetric Borane Reduction of Ketones Catalyzed by L-Prolinol, 180

Tenacigenin A

Three New Polyoxypregnane Glycosides from *Marsdenia tenacissima*, 2675

Teneosid A and B

Two New Iridoid Glycosides from *Hedyotis tenelliflora* BLUME, 2532

Tenoxicam

Novel Chemical Transformations of Tenoxicam, 2355

Terpenoids

Chemical Constituents from *Croton insularis*, 2654

1,4,7,10-Tetraazacyclododecane tetraacetate (DOTA)

Modulation of the Lifetime of Water Bound to Lanthanide Metal Ions in Complexes with Ligands Derived from 1,4,7,10-Tetraazacyclododecane Tetraacetate (DOTA), 923

1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic acid

H₃dotasa (= (α RS)- α -(Carboxymethyl)-1,4,7,10-tetraazacyclododecane-1,4,7,10-tetraacetic Acid), an Asymmetrical Derivative of H₄dota (= 1,4,7,10-Tetraazacyclododecane-1,4,7,10-tetraacetic Acid) Substituted at One Acetate Pendant Arm: ¹H-NMR and Potentiometric Studies of the Ligand and Its Lanthanide(III) Complexes, 633

1,4,7,10-Tetraazacyclododecane-1,4,7-triacetic acid

Gadolinium(III) Complexes of dota-Derived *N*-Sulfonylacetamides (H₄(dota-NHSO₂R) = 10-[2-[(R)sulfonylamino]-2-oxoethyl]-1,4,7,10-tetraazacyclododecane-1,4,7-triacetic Acid): A New Class of Relaxation Agents for Magnetic Resonance Imaging Applications, 588

Tetramethylene intermediate

The Relationship of Cycloaddition Reactions to Spontaneous Vinyl Polymerizations, 1553

Tetramic acid

Synthesis of the Antibiotic (*R*)-Reutericyclin via *Dieckmann* Condensation, 2837

Thebaine

Functionalization of the 6,14-Bridge of the Orvinols. 1. Preparation and *Diels–Alder* Reaction of 7-Phenylsilylthebaines, 822

Thermolysis

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421
The Chemistry of the Thiosulfinyl Group: Preparation, Structure, and Spectroscopic and Chemical Properties of Cyclic Thionosulfites, 1451

Thermostabilization

Extending the Pressure–Temperature State Diagram of Myoglobin, 546

Thevinone

Functionalization of the 6,14-Bridge of the Orvinols. 1. Preparation and *Diels–Alder* Reaction of 7-Phenylsilylthebaines, 822

1,3-Thiazines

Thionation of *N*-(ω -Halogenoalkyl)-Substituted Amides with *Lawesson's* Reagent: Facile Synthesis of 4,5-Dihydro-1,3-thiazoles and 5,6-Dihydro-4*H*-1,3-thiazines, 187

1,3-Thiazolidine-2-carboxylic acid

[2 + 2] Cycloaddition Reactions of Imines with Cyclic Ketenes: Synthesis of 1,3-Thiazolidine Derived Spiro- β -lactams and Their Transformations, 1580

Thiele's acid

7-Oxanorbornane and Norbornane Mimics of a Distorted β -D-Mannopyranoside: Synthesis and Evaluation as β -Mannosidase Inhibitors, 3151

Thiiranes

Ring Enlargement and Sulfur-Transfer Processes in SiO₂-Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes, 3253

2'-Thioadenosine

Spontaneous Aminoacylation of a RNA Sequence Containing a 3'-Terminal 2'-Thioadenosine, 2897

Thiocarbonyl compounds

Ring Enlargement and Sulfur-Transfer Processes in SiO₂-Catalyzed Reactions of Thiocarbonyl Compounds with Optically Active Oxiranes, 3253

Thiocarbonyl ylides

[2 + 3]-Cycloadditions of Phosphonodithioformate *S*-Methanides with C=S, N=N, and C=C Dipolarophiles, 2582

Thiocyanato complexes

Two-Dimensional Holo- and Hemidirected Lead(II) Coordination Polymers: Synthetic, Spectroscopic, Thermal, and Structural Studies of [Pb(μ -SCN)₂(μ -ebp)_{1,3}]_n and [[Pb(μ -OAc)(μ -ebp)](ClO₄)_n (ebp = 4,4'-(1*E*)-Ethane-1,2-diyl]bis[pyridine]; OAc = Acetato), 2513

Thioketones

[2 + 3]-Cycloadditions of Phosphonodithioformate *S*-Methanides with C=S, N=N, and C=C Dipolarophiles, 2582

Synthesis and Reactions of a New Cyclobutanethione Derivative, 2624

Thiolutins

Fused 1,2-Dithioles. Part VII. Synthesis and Reactions of 4*H*-1,2-Dithiolo[4,3-*c*]isothiazoles, 1208

Thionation

Thionation of *N*-(ω -Halogenoalkyl)-Substituted Amides with *Lawesson's* Reagent: Facile Synthesis of 4,5-Dihydro-1,3-thiazoles and 5,6-Dihydro-4*H*-1,3-thiazines, 187

Thionolactams

Synthesis of *N*-Acetylglucosamine-Derived Nagstatin Analogues and Their Evaluation as Glycosidase Inhibitors, 10

Thionosulfites

The Chemistry of the Thiosulfinyl Group: Preparation, Structure, and Spectroscopic and Chemical Properties of Cyclic Thionosulfites, 1451

4*H*-Thiopyran-4-one, 2,3-dihydro-2,2-dimethyl-

Light-Induced Cycloaddition of 2,3-Dihydro-2,2-dimethyl-4*H*-thiopyran-4-one (a 4-Thiacyclohex-2-enone) to Alkenes and Dienes, 1922

Thioridazine

Facile Syntheses of the Three Major Metabolites of Thioridazine, 962

Thiosulfinyl group

The Chemistry of the Thiosulfinyl Group: Preparation, Structure, and Spectroscopic and Chemical Properties of Cyclic Thionosulfites, 1451

9H-Thioxanthen-9-one

Synthesis of Caged Nucleosides with Photoremovable Protecting Groups Linked to Intramolecular Antennae, 891

Three-component reaction

A New and Efficient Synthesis of Highly Functionalized (Triphenylphosphoranylidene)cyclopentadienes with Zwitterionic Resonance Structures, 304

Thulium complexes

NMR and Luminescence Binding Studies of Ytterbium, Thulium, and Europium Macrocyclic Complexes with Phosphorus(V) Oxy Anions, 391

Titanium dioxide

Synthesis of Nonsymmetrically *N,N'*-Diaryl-Substituted 4,4'-Bipyridinium Salts with Redox-Tunable and Titanium Dioxide (TiO₂)-Anchoring Properties, 3200

***p*-Toluenesulfonic acid**

Solvent-Free Catalytic *Friedel–Crafts* Acylation of Aromatic Compounds with Carboxylic Acids by Using a Novel Heterogeneous Catalyst System: *p*-Toluenesulfonic Acid/Graphite, 2282

Torularhodin, 2-hydroxy-

2-Hydroxytorularhodin, a New Xanthophyll from the Red Yeast *Sporobolomyces coprosmae*, 2960

Toxins

Structure Determination of Hydroxytryptargine: A New Tetrahydro- β -Carboline Toxin from the Venom of the Spider *Parawixia bistriata*, 796

Transition-metal complexes

Computational NMR Spectroscopy of Transition-Metal/Nitroimidazole Complexes: Theoretical Investigation of Potential Radiosensitizers, 2705

Transition-metal ions

Gas-Phase Reactions of Homo- and Heteronuclear Clusters MM'^+ ($M, M' = Fe, Co, Ni$) with Linear Alkanenitriles, 1405

Trewia nudiflora

The Chemical Constituents from the Callus Culture of *Trewia nudiflora*, 2424

Cardenolides and Cardiac Aglycone from the Stem Bark of *Trewia nudiflora*, 2781

1,2,4-Triazines

Cycloadditions of Aryl-Substituted 1,2,4-Triazines with 2-Cyclopropylidene-1,3-dimethylimidazolidine – Zwitterions as Discrete Intermediates, 1491

1,2,4-Triazole derivatives

Synthesis of Some New 1,2,4-Triazole Derivatives by *Mitsunobu* Chemistry, 2777

3H-1,2,4-Triazole-3,5(4H)-dione

Cycloaddition Reactions of 7-Benzylidenecycloocta-1,3,5-triene with Ethenetetracarbonitrile and 4-Phenyl-3H-1,2,4-triazole-3,5(4H)-dione, 2003

1H-1,2,3-Triazoles

1,3-Dipolar Cycloaddition Reactions of Organic Azides with Morpholinobuta-1,3-dienes and with an α -Ethylnyl-enamine, 1813

1,2,3-Triazolo[4,5-d]pyrimidine

Replacement of Canonical DNA Nucleobases by Benzotriazole and 1,2,3-Triazolo[4,5-d]pyrimidine: Synthesis, Fluorescence, and Ambiguous Base Pairing, 751

Trichosanthes kirilowii

Multiflorane Triterpene Esters from the Seeds of *Trichosanthes kirilowii*, 2617

Tridecano-13-lactones

Conformational Analysis and CD Calculations of Methyl-Substituted 13-Tridecano-13-lactones, 194

Trifluoroethyl effect

Synthesis of the 2-Alkenyl-4-alkylidenebut-2-eno-4-lactone (= α -Alkenyl- γ -alkylidenebutenolide) Core Structure of the Carotenoid Pyrroloxanthin *via* the Regioselective Dihydroxylation of Hepta-2,4-diene-5-ynoic Acid Esters, 1943

Trifluoromethanesulfonic acid

Trifluoromethanesulfonic Acid Catalyzed Alkylation of Arenes with Methyl (2*R*)-Glycidate, 1221

2'-*O*-[(Triisopropylsilyl)oxy]methyl (= tom) group

Synthesis of 2'-*O*-[(Triisopropylsilyl)oxy]methyl (= tom)-Protected Ribonucleoside Phosphoramidites Containing Various Nucleobase Analogues, 2683

Trinuclear complexes

Formation and Dissociation of Tetrahedral Nickel(II) and Cobalt(II) Complexes of 'Dithioimidodiphosphato' Ligands, Measurement of Kinetically Determined Stability Constants, and Kinetic Investigations of the Rapid Formation of Tetrahedral Bis(ligand)copper(II) Complexes and Their Rates of Reduction to Trinuclear Copper(I) Species, 782

Synthesis and Characterization of Copper Complexes Containing the Tripodal N₇ Ligand Tris{2-[(pyridin-2-ylmethyl)amino]ethyl}amine (= *N*'-(Pyridin-2-ylmethyl)-*N,N*-bis[2-[(pyridin-2-ylmethyl)amino]ethyl]-ethane-1,2-diamine): Equilibrium, Spectroscopic Data, and Crystal Structures of Mono- and Trinuclear Copper(II) Complexes, 2397

1,2,4-Trioxolanes

Design and Synthesis of Novel Artemisinin-Like Ozonides with Antischistosomal Activity, 2865

Triplet sensitization

Synthesis of Caged Nucleosides with Photoremovable Protecting Groups Linked to Intramolecular Antennae, 891

Trisodium salt of 3,3',3''-phosphinetriylbenzenesulfonic acid (TPPTS)

Synthesis and Characterization of New Water-Soluble Hydrides of Ru^{II}: A Step towards Dinitrogen Activation?, 557

Tris(perfluoroalkyl)silyl

Tris(perfluoroalkyl)silyl Entities as Unexpectedly Potent Tags for the Noncovalent Immobilization of Catalysts by Fluorous–Fluorous Interactions: Application to the Synthesis of Several Perfluoro-Tagged Ligands, 936

Triterpenes

Lupane Pentacyclic Triterpenes Isolated from Stems and Branches of *Maytenus imbricata* (Celastraceae), 1102

Six New Triterpene Saponins with a 21,23-Lactone Skeleton from *Gynostemma pentaphyllum*, 1126

Multiflorane Triterpene Esters from the Seeds of *Trichosanthes kirilowii*, 2617

Revisited after 50 Years: The 'Stereochemical Interpretation of the Biogenetic Isoprene Rule for the Triterpenes', 3011

Triterpene saponins

Triterpene Saponins from Four Species of the Polygalaceae Family, 2986

Triterpenoids

Three New Triterpenoids from *Lycopodium japonicum* THUNB, 240

Two New E-Secoursane Glycosides: Bodinosides A and B, Isolated from *Elsholtzia bodinieri*, 252

New Triterpenoid Glycosides from *Centella asiatica*, 297

A New Ketone and a Known Anticancer Triterpenoid from the Leaves of *Onosma limitaneum*, 309

Two Novel Olean Triterpenoids from *Celastrus hypoleucus*, 990

Tröger's bases

Use of Tröger's Base as a Scaffold for New Chiral Molecular Tweezers: Synthesis of Trimeric, Fused Tröger's Bases, 1199

Preparation of Tröger Base Derivatives by Cross-Coupling Methodologies, 2333

Tropolone

Chemistry of the Benzotropone Endoperoxides and Their Conversion into Tropolone Derivatives: Unusual Endoperoxide Rearrangements, 830

Troponone

Chemistry of the Benzotropone Endoperoxides and Their Conversion into Tropolone Derivatives: Unusual Endoperoxide Rearrangements, 830

Troponone Is a Mere Ketone for Cycloadditions to Ketenes, 1519

Tryptamines

Erratum of 'Diastereoselective Spirocyclization of *C*-(Alkyloxycarbonyl)formimines of 2-Substituted 1*H*-Indole-3-ethanamines (= Tryptamines): Basic Studies', 3274

Tryptophan

New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Tubipofuran, 15-acetoxy-

Chromium-Mediated Dearomatization: Application to the Synthesis of Racemic 15-Acetoxytubipofuran and Asymmetric Synthesis of Both Enantiomers, 1063

Tumor promoters

Tumor-Promoting Diterpene Esters from Latex of *Euphorbia cauducifolia* L., 3145

Uhle's ketone

Synthetic Route to Ergot Alkaloids, 1344

Umbrella-sampling method

Water-Exchange Mechanism for Zinc(II), Cadmium(II), and Mercury(II) Ions in Water as Studied by Umbrella-Sampling Molecular-Dynamics Simulations, 461

Upuna borneensis

Occurrence of Stilbene Glucosides in *Upuna borneensis*, 23

Upunosides A – D

Occurrence of Stilbene Glucosides in *Upuna borneensis*, 23

Uracil

Hypervalent Iodine in Synthesis. Part 86. Selective Copper-Catalyzed *N*-Monoarylation and *N*¹,*N*³-Diarylation of Uracil and Its Derivatives with Diaryliodonium Salts, 290

Urea derivatives

Three New Urea Derivatives from Pliocene-Fossil *Pinus armandii*, 325

Urine

Rapid Determination of Gallamine Triethiodide (*Flaxedit*[®]) and Pancuronium Bromide (*Pavulon*[®]) in Pharmaceutical and Urine Matrices by Means of Modified-Carbon-Paste Ion-Selective Electrodes, 861

Ursane

New Triterpenoid Glycosides from *Centella asiatica*, 297

Ursane triterpenoids

Two New E-Secoursane Glycosides: Bodinosides A and B, Isolated from *Elsholtzia bodinieri*, 252

Valeriana jatamansi

New Iridoid Triesters from *Valeriana jatamansi*, 1059

Valeriotrates A and B

New Iridoid Triesters from *Valeriana jatamansi*, 1059

Vibrational circular dichroism (VCD)

Determination of the Atropisomeric Stability and Solution Conformation of Asymmetrically Substituted Biphenyls by Means of Vibrational Circular Dichroism (VCD), 2302

Viburnum cylindricum

Phenolic Compounds from *Viburnum cylindricum*, 339

Vilsmeier–Haack reaction

Use of Dibutyl[¹⁴C]formamide as a Formylating Reagent in the *Vilsmeier–Haack* Reaction and Synthesis of a ¹⁴C-Labeled Novel Phosphodiesterase-4 (PDE-4) Inhibitor, 1040

Vinylarenes

The *exo*-Outstretching Effect Governing the Exclusive Stereoselectivity of the Intramolecular [2+2] Photocycloaddition of Vinylarenes, 1226

Vinyl ethers

Cycloadditions of Bifunctional Vinyl Ethers with Electrophilic Alkenes through Tetramethylene Zwitterion Intermediates, 1397

Viologens, aryl-

Synthesis of Nonsymmetrically *N,N'*-Diaryl-Substituted 4,4'-Bipyridinium Salts with Redox-Tunable and Titanium Dioxide (TiO₂)-Anchoring Properties, 3200

Vitamin B₁₂

S-Functionalized Cysteine: Powerful Ligands for the Labelling of Bioactive Molecules with Triaquaticarbonyltechnetium-99m(1+) ([^{99m}Tc(OH₂)₃(CO)₃]⁺), 447

Vitamins

Metal Analyses in Environmental and Pharmaceutical Samples by Capillary Electrophoresis with Methyl 3-Amino-3-(pyridin-3-yl)propanoate Dihydrochloride as a New Ion-Pairing Reagent, 2322

Water exchange

Water-Exchange Mechanism for Zinc(II), Cadmium(II), and Mercury(II) Ions in Water as Studied by Umbrella-Sampling Molecular-Dynamics Simulations, 461

Mechanistic Studies of Metal Aqua Ions: A Semi-Historical Perspective, 523

Wittig olefination

Synthetic Studies on Coenzyme Q₁₀, 2575

Wolff–Kishner reduction

Synthesis of Eburnamine, Isoeburnamine, and Eburnamonine *via* a Spirocyclic Intermediate, 2764

9H-Xanthen-9-ones

Three New Compounds from *Securidaca inappendiculata*, 2771

Xanthone receptors

Xanthone Receptors as Oxyanion-Hole Mimics in Artificial Enzymes, 1682

Xanthophylls

2-Hydroxytorularhodin, a New Xanthophyll from the Red Yeast *Sporobolomyces coprosmae*, 2960

Xindongnin P

A Novel Asymmetric *ent*-Kaurane Dimer from *Isodon rubescens* var. *rubescens*, 817

X-Ray crystallography

Allyl-Functionalised Ionic Liquids: Synthesis, Characterisation, and Reactivity, 665

Synthesis, Spectroscopy, and Hydroformylation Activity of Sterically Demanding, Phosphite-Modified Cobalt Catalysts, 676

Second-Generation Inhibitors for the Metalloprotease Neprilysin Based on Bicyclic Heteroaromatic Scaffolds: Synthesis, Biological Activity, and X-Ray Crystal-Structure Analysis, 731

Formation of 6,10-Diphenyl-Substituted Heptalene-4,5-dicarboxylates, 873

Syntheses and Crystal Structures of Four New Ammoniates with Heptaarsenide (As₇³⁻) Anions, 950

The Thermolysis of the Cycloadducts between Aryl Azides and Hexamethyl-*Dewar*-Benzene Revisited, 1421

The Chemistry of the Thiosulfinyl Group: Preparation, Structure, and Spectroscopic and Chemical Properties of Cyclic Thionosulfites, 1451

Xanthone Receptors as Oxyanion-Hole Mimics in Artificial Enzymes, 1682

Tautomerism in 5,8-Diaza-7,9-dicarboguanine ('Alloguanine'), 1960

Facile Synthesis of Diastereoisomerically and Optically Pure 2-Substituted Hexahydro-1*H*-pyrrolizin-3-ones, 2250

Concerning the Structure of [18]Annulene, 2262

A Novel One-Dimensional Coordination Polymer Involving Weak Hg–Hg Interactions, 2267

Synthesis and Characterization of Copper Complexes Containing the Tripodal N₇ Ligand Tris[2-[(pyridin-2-ylmethyl)amino]ethyl]amine (= *N'*-(Pyridin-2-ylmethyl)-*N,N*-bis[2-[(pyridin-2-ylmethyl)amino]ethyl]ethane-1,2-diamine): Equilibrium, Spectroscopic Data, and Crystal Structures of Mono- and Trinuclear Copper(II) Complexes, 2397

Supramolecular Arrays of Cationic Complexes Containing Pyrazole Ligands and Tetrafluoroborate, Trifluoromethanesulfonate, or Nitrate as Counterions. Crystal Structure of Bis(3,5-dimethyl-4-nitro-1*H*-pyrazole- κ N²)silver(1+) Nitrate ([Ag(Hpz^{NO2})₂](NO₃)), 2433

Synthesis and [4 + 2] Cycloaddition of (2*R*,2'*R*)-*N,N'*-Fumaroylbis[fenchane-8,2-sultam] (= (2*E*)-1,4-Bis-[(3*aS*,6*S*,7*aR*)-1,4,5,6,7,7*a*-hexahydro-7,7-dimethyl-2,2-dioxido-3*H*-3*a*,6-methano-2,1-benzothiazol-1-yl]-but-2-ene-1,4-dione) to Cyclopentadiene, 2441

Solvothermal Synthesis and Crystal Structures of Alkali Molybdates, 2479

Three New Cytotoxic *ent*-Kaurane Diterpenoids from *Isodon weisiensis* C. Y. Wu, 2502

A Novel Three-Dimensional Coordination Polymer Involving Pb–Pb Interactions and Three Different Hemidirected Lead(II) Coordination Spheres: X-Ray Crystal Structure of Tris(1,10-phenanthroline- κ N¹, κ N¹⁰)bis[$\{\mu_3$ -[5-(sulfo- κ O)benzene-1,3-dicarboxylate(3-)- κ O¹, κ O^{1'}: κ O², κ O^{2'}: κ O²]}trilead (*Pb–Pb*) Trihydrate ([Pb₃(phen)₃(H₂O)₂(sip)₂]_n · 3 H₂O), 2543

- Robust Synthesis and Crystal-Structure Analysis of 7-Cyano-7-deazaguanine (PreQ₀ Base) and 7-(Amino-methyl)-7-deazaguanine (PreQ₁ Base), 2610
- Synthesis of New Resorcinarenes Under Alkaline Conditions, 2722
- Conformations of the Nine-Membered Ring in the *B*-Nor-5,10-secosteroids. X-Ray and NMR Analysis, 2812
- Influence of the 4-Substituted Pyridine Ligand *L'* on both the Conformation and Spectroscopic Properties of the (2,2'-Biquinoline- $\kappa N^1, \kappa N^1$)tricarbonyl(pyridine- κN^1)rhenium(1+) Complex ([Re(CO)₃(bqui)(py)]⁺) and Its Derivatives [Re(CO)₃(L)(L')]⁺ (L = 2,2'-Biquinoline and 3,3'-(Ethane-1,2-diyl)-2,2'-biquinoline), 2842
- Synthesis of Substituted Pyrrolo[3,4-*a*]carbazoles, 2879
- Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M₂Au₄] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000
- Synthesis and Optical Resolution of the Floral Odorant (±)-2,3-Dihydro-2,5-dimethyl-1*H*-indene-2-methanol, and Preparation of Analogues, 3109

Yeast

- New Tryptophan Metabolites from Cultures of the Lipophilic Yeast *Malassezia furfur*, 1472

Ylides

- Rhodium(II)-Catalyzed Inter- and Intramolecular Cyclopropanations with Diazo Compounds and Phenyl-iodonium Ylides: Synthesis and Chiral Analysis, 216
- Asymmetric 1,3-Dipolar Cycloadditions of 2-Diazocyclohexane-1,3-diones and Alkyl Diazopyruvates, 1010
- Catalytic Decomposition of Diazo Compounds as a Method for Generating Carbonyl-Ylide Dipoles, 1357
- Thermal Isomerization of 12-Oxa-1,9-dimethylhexacyclo[7.2.1.0^{2,4}.0^{2,8}.0^{3,7}.0^{6,8}]dodec-10-ene: A Computational Mechanistic Investigation, 1540
- Stereoselective Cyclopropanation of 2-[(*S*)-(4-Methylphenyl)sulfinyl]cyclopent-2-en-1-one with Sulfur Ylides and α -Halo Carbanions. Preliminary Communication, 1769
- [2 + 3]-Cycloadditions of Phosphonodithioformate *S*-Methanides with C=S, N=N, and C=C Dipolarophiles, 2582
- 4-Methyl- and 4-(Halophenyl)pyrimidinium (4-Halobenzoyl)methylides. Correlation of Structure, Stability, Reactivity, and Biological Activity, 2747

Ytterbium complexes

- NMR and Luminescence Binding Studies of Ytterbium, Thulium, and Europium Macrocyclic Complexes with Phosphorus(V) Oxy Anions, 391

Yunnankadsrins A and B

- Two New Dibenzocyclooctene Lignans from the Water Extract of *Kadsura* spp., 2288

Zeatin

- A Facile Cell Free Synthesis of Isotopically Labeled (*E*)-4-Hydroxy-3-methylbut-2-enyl Diphosphate, a Precursor of the Plant Hormone Zeatin, 1444

Zinc complexes

- Novel 1-D Chains Constructed of Rings Which Include Six Metal Atoms [M₂Au₄] (M = Ni, Zn) with Auophilic Interactions: Structure, Magnetic, and Spectral Studies, 3000

Zincke reaction

- Synthesis of Nonsymmetrically *N,N'*-Diaryl-Substituted 4,4'-Bipyridinium Salts with Redox-Tunable and Titanium Dioxide (TiO₂)-Anchoring Properties, 3200

Zirconocene

- Synthesis of the Cyclopentyl Nucleoside (–)-Neplanocin A from D-Glucose *via* Zirconocene-Mediated Ring Contraction, 1185

Zwitterions

- A New and Efficient Synthesis of Highly Functionalized (Triphenylphosphoranylidene)cyclopentadienes with Zwitterionic Resonance Structures, 304
- Cycloadditions of Bifunctional Vinyl Ethers with Electrophilic Alkenes through Tetramethylene Zwitterion Intermediates, 1397
- Cycloadditions of Aryl-Substituted 1,2,4-Triazines with 2-Cyclopropylidene-1,3-dimethylimidazolidine – Zwitterions as Discrete Intermediates, 1491
- The Relationship of Cycloaddition Reactions to Spontaneous Vinyl Polymerizations, 1553

- Exploring the Border between Concerted and Two-Step Pathways of 1,3-Dipolar Cycloadditions of Organic Azides to Cyclic Ketene N,X-Acetals. – Synthesis and ¹⁵N-NMR Spectra of Zwitterions and Spirocyclic Cycloadducts, 1589
- Cycloaddition Reactions of 7-Benzylidenecycloocta-1,3,5-triene with Ethenetetracarbonitrile and 4-Phenyl-3*H*-1,2,4-triazole-3,5(4*H*)-dione, 2003