


Contents

Reactions of Methyl Diazoacetate with (*E*)- and (*Z*)-1,2-Bis(trifluoromethyl)ethene-1,2-dicarbonitrile: Novel and Unanticipated Pathways

R. Huisgen*, G. Mlostoří, P. Pöchlauer, L. Fišera, H. Giera


1



Total Synthesis of (2*Z*)-[(4*R*,5*R*,6*S*)-6-(β -D-Glucopyranosyloxy)-4,5-dihydroxycyclohex-2-en-1-ylidene]ethanenitrile, a Cyanoglucoside from *Ilex warburgii*

D. Josien-Lefebvre, C. Le Drian*


19



Secoleuconoxine and Oxopericine Derivatives from *Kopsia*

K.-H. Lim, T.-S. Kam*


31



Synthesis, Characterization, and DNA-Binding Properties of the Chiral Ruthenium(II) Complexes Δ - and Λ -[Ru(bpy)₂(dmppd)] (dmppd=10,12-Dimethylpteridino[6,7-*f*]-[1,10]phenanthroline-11,13(10*H*,12*H*)-dione; bpy=2,2'-Bipyridine)

F. Gao, H. Chao*, F. Zhou, L.-C. Xu, K.-C. Zheng, L.-N. Ji*


36



Rearranged Calamenene and Eudesmane Sesquiterpenoids from two Chinese Liverworts

B. Ma, Z.-Q. Lu, H.-F. Guo, H.-X. Lou*


52



A New Lignan and two Eudesmanes from *Lepidozia vitrea*

B. Ma, H.-F. Guo, H.-X. Lou*


58



Five New Steroidal Glycosides from *Caralluma dalzielii*

M. Oyama*, I. Iliya, T. Tanaka, M. Iinuma


63



Triterpenoid Saponins from the Spikes of *Prunella vulgaris*

X.-J. Gu, Y.-B. Li*, P. Li*, S.-H. Qian, J.-F. Zhang


72



New Glycosides from *Cistanche salsa*

L. Lei, Y. Jiang, X.-M. Liu, P.-F. Tu*, L.-J. Wu, F.-K. Chen


79



1,5-Dipolar Electrocyclizations of Thiocarbonyl Ylides Bearing C=N Groups:
Reactions of *N*-[(Dimethylamino)methylene]thiobenzamide and 2-(Dimethylhydrazono)-1-phenylethane-1-thione with Diazo Compounds

D. H. Egli, A. Linden, H. Heimgartner*


86



Two New Sesquiterpenes from *Ligularia lankongensis*

A.-M. Tan*, H.-P. He, M. Zhang, Z.-T. Wang*, X.-J. Hao


101



Zirconyl Chloride (=Dichlorooxozirconium) as an Efficient Catalyst for One-Pot Multicomponent Synthesis of Homoallylic Amines

B. Das*, B. Ravikanth, K. R. Reddy, B. V. Rao



105



Efficient Regio- and Stereoselective Conversions of Oxiranes and Aziridines into
β-(Nitrooxy)-Substituted Alcohols and Amines by Using Bismuth Nitrate

B. Das*, M. Krishnaiah, K. Venkateswarlu, V. S. Reddy


110



Stereoselective Aldol Reactions Catalyzed by Acyclic Amino Acids in Aqueous Micelles

D.-S. Deng, J. Cai*


114



Triterpenoids from the Leaves of *Ilex hainanensis*

S.-X. Zhou, J.-S. Yang*, F.-C. Liu, P.-F. Tu*


121



Ring-Opening Reactions of 3-Aryl-1-benzylaziridine-2-carboxylates and Application to the Asymmetric Synthesis of an Amphetamine-Type Compound

T. Manaka, S.-I. Nagayama, W. Desadee, N. Yajima, T. Kumamoto, T. Watanabe,
T. Ishikawa*, M. Kawahata, K. Yamaguchi


128



Iridoid Glycosides from *Lamiophlomis rotata*

J.-J. Tan, C.-H. Tan, M. Li, S.-H. Jiang, D.-Y. Zhu*


143



Synthesis of β -Chlorohydrins in Water

B. Das*, K. Venkateswarlu, M. Krishnaiah


149



Lycopodium Alkaloids from *Huperzia serrata*

H.-B. Wang, C.-H. Tan, J.-J. Tan, M.-Y. Gao, Y.-M. Li, S.-H. Jiang, D.-Y. Zhu*


153



Chemical Constituents of *Ligusticum sinensis* OLIV.

J.-P. Ma, C.-H. Tan, D.-Y. Zhu*

158




R¹ = Ap(i(1→6)Glc
R¹ = Ap(i(1→2)Glc

(7R,8R), R¹ = R² = Glc
7,8-threo, R¹ = H, R² = Ap(i(1→6)Glc

Bisabolane-Type Sesquiterpenoids from the Rhizomes of *Glochidion coccineum*

H.-T. Xiao, X.-Y. Hao, X.-W. Yang, Y.-H. Wang, Y. Lu, Y. Zhang, S. Gao, H.-P. He*,
X.-J. Hao


164



Sesquiterpene Lactones from *Anthemis melanolepis*

V. Saroglou, A. Karioti, J. Heilmann, Z. Kypriotakis, H. Skaltsa*


171



Benzofuran Derivatives from *Gerbera saxatilis*

Y.-J. Chen, Y. Li, J.-J. Chen, K. Gao*


176



New Eremophilane Sesquiterpenes from a Rhizome Extract of *Petasites hybridus*

A. Bodensieck, O. Kunert, E. Haslinger, R. Bauer*


183



Odoriferous Cyclic Ethers via Co-Halogenation Reaction: Facile Preparation of Nerol Oxide, *Florol*, *Florol* Methyl Ether, and *Pityol* Methyl Ether

P. Gupta, V. K. Sethi, S. C. Taneja*, B. A. Shah, S. S. Andotra, S. Koul, S. S. Chimni,
G. N. Qazi


196



Synthesis, DNA Binding, and DNA Photocleavage of the Ruthenium(II) Complexes
[Ru(bpy)(btip)] and [Ru(dmb)(btip)] (bpy = 2,2'-Bipyridine; btip = 2-Benzo[b]thien-2-
yl-1*H*-imidazo[4,5-*f*][1,10]phenanthroline; dmb = 4,4'-Dimethyl-2,2'-bipyridine)

L.-F. Tan*, F. Wang, H. Chao

205



* Author to whom correspondence should be addressed
Korrespondenzautor