


Contents


Selenium-Containing Heterocycles from Isoselenocyanates: Synthesis of 5-Amino-2,4-dihydro-3*H*-1,2,4-triazole-3-selones

G. L. Sommen, A. Linden, H. Heimgartner* 641



Triterpene Esters Isolated from Leaves of *Maytenus salicifolia* REISSEK


R. R. S. Miranda, G. D. F. Silva*, L. P. Duarte, S. A. Vieira Filho 652



Benzo[*a*]heptalenes from Heptaleno[1,2-*c*]furans
Part 2. Formation of Benzo[*a*]heptalenes with Methoxy Groups at the Benzo Part

P. Uebelhart, C. Weymuth, A. Linden, H.-J. Hansen*


659



Ursane-Type Triterpene Saponins from *Zygophyllum geslinii*

D. Smati, A.-C. Mitaine-Offer, T. Miyamoto, V. Hammiche, M.-A. Lacaille-Dubois*


712



Two Novel Alkaloids from *Zanthoxylum nitidum*

J. Hu, W.-D. Zhang*, Y.-H. Shen, C. Zhang, R.-H. Liu, X.-K. Xu, B. Wang


720



Three New Compounds from *Kadsura longipedunculata*

J.-X. Pu, W.-L. Xiao, H.-M. Li, S.-X. Huang, S.-H. Li, H.-D. Sun*


723



Synthesis of Acyclic Nucleosides with *N*-[(Benzyoxy)(aryl)methyl] Substituents as Potential HEPT, EBPU, and TNK-651 Analogues

A. Khalafi-Nezhad*, M. N. Soltani Rad*, A. A. Moosavi-Movahedi, M. Kosari


730



New Lignans from the Roots of *Taiwania cryptomerioides* HAYATA

C.-F. Chyu, Y.-H. Kuo*


738



Three New Bibenzyl Derivatives from the Chinese Liverwort *Marchantia polymorpha* L.

L. Fang, H.-F. Guo, H.-X. Lou*


748



Access to Paullone Analogues by Intramolecular Heck Reaction

L. Joucla, F. Popowycz, O. Lozach, L. Meijer, B. Joseph*


753



Two New Tetranortriterpenoids from *Cipadessa cinerascens*

Y.-L. Ren, Q.-R. Tang, Y.-T. Di, H.-P. He, Z. Zhang, S.-L. Li, X.-J. Hao*


764



Four New Germine Esters from *Veratrum dahuricum*

J. Tang, H.-L. Li, Y.-H. Shen, H.-Z. Jin, S.-K. Yan, R.-H. Liu, W.-D. Zhang*


769



Chemical Constituents from *Cynoglossum gansuense*

Y.-P. Jin, X.-N. Wei, Y.-P. Shi*


776



Chemical Constituents of *Polyalthia nemoralis*

X.-F. He, X.-N. Wang, C.-Q. Fan, L.-S. Gan, S. Yin, J.-M. Yue*

783




Oligonucleotide Analogues with Integrated Bases and Backbone
Part 14. Synthesis and Association of Ethynylene-Linked Self-Complementary Tetramers

X. Zhang, B. Bernet, A. Vasella*

792


Formation of cyclic duplexes by base pairing in $\text{CDCl}_3/(\text{D}_6)\text{DMSO}$ 10:1



A Synthesis Detour to Planar-Diastereoisomeric Ferrocene Derivatives around an Unexpected Rearrangement of *ortho*-Lithiated Kagan's Template [*S*(*S*)]-(*p*-Tolylsulfinyl)ferrocene

I. Weber*, F. W. Heinemann, U. Zenneck


820



Stille Cross-Coupling of a Racemic Planar-Chiral Ferrocene and Crystallographic Trace Analysis of Catalysis Intermediates and By-products

I. Weber*, F. W. Heinemann, P. Bakatselos, U. Zenneck

834



* Author to whom correspondence should be addressed
Korrespondenzautor