


Contents

Photocleavage of Peptides and Oligodeoxynucleotides Carrying 2-Nitrobenzyl Groups

*R. Ramos, B. Manning, A. Aviñó, R. Gargallo, R. Eritja**


613



Selectivity Enhancement for the *Jacobsen–Katsuki* Epoxidation in Fluorinated Solvents

*N. Havare, D. A. Plattner**


623



Diterpenoid and Norditerpenoid Alkaloids from the Roots of *Aconitum yesoense* var. *macroyesoense*

K. Wada*, N. Kawahara


629



Triterpenoids and Saponins from the Leaves of *Uncaria hirsuta*

W.-B. Xin, G.-X. Chou*, Z.-T. Wang*


638



A Triterpenoid and Sesquiterpenoids from the Resinous Exudates of *Commiphora myrrha*

T. Shen, W.-Z. Wan, X.-N. Wang, H.-Q. Yuan, M. Ji, H.-X. Lou*


645



Alkaloids from the Leaves of *Daphniphyllum longracemosum* ROSENTH.

C.-S. Li, Y.-T. Di, Q. Zhang, Y. Zhang, C.-J. Tan, X.-J. Hao*


653



Two New Triterpenes from the Surface Layer of *Poria cocos*

C.-H. Yang, S.-F. Zhang, W.-Y. Liu, Z.-J. Zhang, J.-H. Liu*


660



Synthesis of 5,7-Dihydrodibenzo[*b,f*][1,7]naphthyridine-6,12-dione, an Unexpected Isolate from *Isatis tintoria*


H. M. Riepl*, M. Kellermann

668




'N-Stereogenic Quaternary Ammonium Salts' from L-Amino Acids: Synthesis, Separation, and Absolute Configuration

H.-F. Wu, W.-B. Lin, L.-Z. Xia, Y.-G. Luo, X.-Z. Chen, G.-Y. Li, G.-L. Zhang*, X.-F. Pan* 677




Molecular Rearrangement of 9b-Hydroxy-1*H*-imidazo[4,5-*c*]quinoline-2,4-diones – A Convenient Pathway to Spiro-Linked Imidazolidine – Oxindole Derivatives

A. Klásek*, A. Lyčka, I. Mikšík, A. Růžička 689



Lignans and Triterpenoids from the Stems of *Kadsura induta*


W. Ma, X. Ma, Y. Lu, D. Chen* 709



The First Postsynthetic 5'-5' Intercalators in Triplex DNA – Solid-Phase Postsynthetic *Sonogashira* Reaction and Homocouplings on Arylacetylenes

N. Bomholt, V. V. Filichev, E. B. Pedersen*


716



Two New Acylated Flavonol Glycosides from the Roots of *Otostegia limbata*

A. Khan, V. U. Ahmad*, U. Farooq


731



New Bisbibenzyls from *Dendrobium falconeri*

B. Sritularak, K. Likhitwitayawuid*


740



New C₂₀-Diterpenoid Alkaloids from *Delphinium anthriscifolium* var. *savatieri*

X.-Y. Liu, Q.-H. Chen, F.-P. Wang*


745



Ecdysteroids from *Silene viridiflora*

A. Simon, N. Tóth, G. Tóth, Z. Kele, J. Groska, M. Báthori*


753



Scalarane Sesterterpenes from the Chinese Sponge *Phyllospongia foliascens*

H.-J. Zhang, H.-F. Tang, Y.-H. Yi*, H.-W. Lin*


762



Three New Compounds from *Incarvillea delavayi*

T. Lu, Y.-H. Shen, M. Lu, J. Tang, L. Shan, R.-H. Liu, H.-L. Li, W.-D. Zhang*


768



Hastatusides A and B: Two New Phenolic Glucosides from *Rumex hastatus*

L.-S. Zhang, Z. Li, R.-Q. Mei, G.-M. Liu*, C.-L. Long, Y.-H. Wang, Y.-X. Cheng*


774



Fused Isothiazole *S*-Oxide Systems from Cycloaddition Reactions of *N*-Benzyliothiazol-3-amine 1-Oxide

*F. Clerici**, *A. Casoni*, *A. Contini*, *M. L. Gelmi*, *S. Pellegrino*


779



New Diterpenoids from *Tinospora capillipes*

Z.-J. Zhan, *X.-Y. Zhang*, *X.-R. Hou*, *C.-P. Li*, *W.-G. Shan**

790



* Author to whom correspondence should be addressed
Korrespondenzautor