


## Contents

---


Substrate Range of the Titanium TADDOLate Catalyzed Asymmetric Fluorination of Activated Carbonyl Compounds

A. Bertogg, L. Hintermann, D. P. Huber, M. Perseghini, M. Sanna, A. Togni\* 353



Synthesis of Bis-Heterocyclic 1*H*-Imidazole 3-Oxides from 3-Oxido-1*H*-imidazole-4-carbohydrazides

A. M. Pieczonka, G. Młostoni\*, H. Heimgartner\* 404




---

Abieseconordines A and B, Two Novel Norditerpenoids with a 18-Nor-5,10:9,10-discoabietane Skeleton from *Abies forrestii*

P. Yu, S.-D. Zhang, Y.-L. Li, X.-W. Yang\*, H.-W. Zeng, H.-L. Li, W.-D. Zhang\*

415




---

Photocyclodimers of ‘Made-to-Measure’ Seven- and Six-Membered Cyclic Enones

K. Schmidt, P. Margaretha\*

423




---

*Exaltone*<sup>®</sup> (= Cyclopentadecanone) from *Isomuscone*<sup>®</sup> (= Cyclohexadecanone), a One-C-Atom Ring-Contraction Methodology *via* a Stereospecific *Favorskii* Rearrangement: Regioselective Application to (–)-(R)-Muscone

C. Chapuis\*, F. Robvieux, C. Cantatore, C. Saint-Léger, L. Maggi

428




---

Facile One-Pot Synthesis of Monosubstituted 1-Aryl-1*H*-1,2,3-triazoles from Arylboronic Acids and Prop-2-ynoic Acid (=Propiolic Acid) or Calcium Acetylide (=Calcium Carbide) as Acetylene Source

Q. Yang\*, Y. Jiang, C. Kuang

448




---

Rapid Synthesis of Novel and Known Coumarin-3-carboxylic Acids Using Stannous Chloride Dihydrate under Solvent-Free Conditions

B. Karami\*, M. Farahi, S. Khodabakhshi

455




---

Preparation of Pseudo-Peptide Building Blocks with *retro*-Thioamide Bond Mediated via Thiocarbamoyl Meldrum's Acid

K. Janikowska, S. Makowiec\*, J. Rachon

461




---

Regioselective Arylation and Alkynylation of 2,3-Dibromo-1*H*-inden-1-one by Suzuki–Miyaura and Sonogashira Cross-Coupling Reactions

R. A. Khera, M. Hussain, N. T. Hung, N. Eleya, H. Feist, A. Villinger, P. Langer\*

469




---

Isocyanide-Based Five-Component Synthesis of 2-Aryl-2-(2,3,4,5-tetrahydro-2,4-dioxo-1*H*-1,5-benzodiazepin-3-yl)acetamides (=*α*-Aryl-2,3,4,5-tetrahydro-2,4-dioxo-1*H*-1,5-benzodiazepine-3-acetamides)

R. Akbarzadeh, T. Amanpour, A. A. Soorki, A. Bazgir\*

483




---

‘Click Synthesis’ of Some Novel *O*-Substituted Oximes Containing 1,2,3-Triazole-1,4-diyl Residues as New Analogs of  $\beta$ -Adrenoceptor Antagonists

M. N. Soltani Rad\*, S. Behrouz\*, F. Karimitabar, A. Khalafi-Nezhad

491




R = aryloxy, alkoxy, alkyl

---

An Efficient One-Pot Synthesis of Substituted 1*H*-Naphtho[2,1-*b*]pyrans and 4*H*-1-Benzopyrans (=Chromenes) under Solvent-Free Microwave-Irradiation Conditions

A. Chandra Shekhar, A. Ravi Kumar, G. Sathaiah, K. Raju, P. Shanthan Rao\*, M. Sridhar,  
B. Narsaiah, P. V. S. S. Srinivas, B. Sridhar

502




---

Three New C<sub>19</sub>-Diterpenoid Alkaloids from *Aconitum transsectum*

Y. Shen, H.-L. Ai, T.-W. Cao, J.-J. Wang, S.-H. Zi, X.-M. Zhang, J.-J. Chen\*

509




---

Synthesis of Some New 2-Oxo-*N*-[(10*H*-phenothiazin-10-yl)alkyl] Derivatives of Azetidine-1-carboxamides

R. Sharma\*, P. Samadhiya, S. D. Srivastava, S. K. Srivastava

514




---

Polyhydroxylated Steroids from the South China Sea Gorgonian *Anthogorgia* sp.

P. Sun, Y. Xu, T. Liu, H. Tang, Y. Yi, K. Krohn, L. Li\*, W. Zhang\*

522




---

Efficient Synthesis of Novel Coumarin-3-carboxamides (=2-Oxo-2H-1-benzopyran-3-carboxamides) Containing Lipophilic Spacers

S. Balalaie\*, M. A. Bigdeli\*, E. Sheikhhosseini, A. Habibi, H. P. Moghadam, M. Naderi

528




---

Two 1,3-Diazabicyclo[3.1.0]hex-3-enes with a ‘Tripod’ Core

N. O. Mahmoodi\*, K. Tabatabaeian, H. Kiyani

536



---

\* Author to whom correspondence should be addressed  
Korrespondenzautor