


Contents

Verification and Biophysical Characterization of a New Three-Color Förster Resonance-Energy-Transfer (FRET) System in DNA

A. Altevogt née Kienzler, R. Flehr, S. Gehne, M. U. Kumke, W. Bannwarth*


543



Synthesis of 4-Aryl-1,7-naphthyridine-2(1H)-thiones by the Electrocyclic Reaction of 4-(1-Arylalk-1-enyl)-3-isothiocyanatopyridines Generated *in situ* from the Corresponding Isocyanides

K. Kobayashi*, T. Kozuki, T. Suzuki


556



On-Line Radical Scavenging Detection and Characterization of Antioxidants from *Artemisia herba-alba*

N. Dahmani-Hamzaoui, S. Salido, P. J. Linares-Palomino, A. Baaliouamer, J. Altarejos*


564



Unexpected Course of the Reaction of 2-Unsubstituted 1*H*-Imidazole 3-Oxides with Ethyl Acrylate

G. Młostoni*, K. Urbaniak, A. Wojciechowska, A. Linden, H. Heimgartner*


577



Eremosides A – C, New Iridoid Glucosides from *Eremostachys losifolia*

B. Ali, R. Mehmood, U. R. Mughal, A. Malik*, M. Safder, R. Hussain, M. Imran,
R. B. Tareen


586



Synthesis of 1,5-Disubstituted 1*H*-Tetrazole Derivatives *via* a Three-Component Reaction of Carbodiimides, Isocyanides, and Trimethylsilyl Azide


A. R. Kazemizadeh*, N. Hajaliakbari, R. Hajian, N. Shajari, A. Ramazani

594




A New Prenylated Isoflavone and a New Flavonol Glycoside from *Flemingia philippinensis*

M. Fu, S. Feng, N. Zhang, X. Zhou, R. Huang, H. Huang, Z. Xu, X.-e Li, S. X. Qiu* 598




Norlignans and Phenylpropanoids from *Metasequoia glyptostroboides* HU et CHENG

Q. Zeng, X.-R. Cheng, J.-J. Qin, B. Guan, R.-J. Chang, S.-K. Yan, H.-Z. Jin*, W.-D. Zhang* 606



Nicotinium Dichromate (= 3-Carboxypyridinium Dichromate; NDC) as an Efficient Reagent for the Oxidative Deamination of Amines and Aminophosphonates


S. Sobhani*, S. Aryanejad, M. Faal Maleki 613



New Labdane-Type Diterpenoids from *Leonurus heterophyllus*

H.-Q. Gong, R. Wang, Y.-P. Shi*

618




R¹ = AcO, OH

R² = β-EtO, α-EtO, α-MeO

A Convergent Approach to Dibenzodioxocinones: Synthesis of Racemic Penicillide

C.-L. Deng, Q. Zhang, L. Fang, X. Lei*, G. Lin*


626



Sesquiterpenoids and 2-(2-Phenylethyl)-4H-chromen-4-one (=2-(2-Phenylethyl)-4H-1-benzopyran-4-one) Derivatives from *Aquilaria malaccensis* Agarwood

B. Wu, J. G. Lee, C. J. Lim, S. D. Jia, S. W. Kwon, G. S. Hwang, J. H. Park*

636




© 2010 Wiley Periodicals, Inc.

A New Abietane Diterpenoid from *Plectranthus bishopianus* BENTH.

K. V. Syamasundar*, G. Vinodh, K. V. N. S. Srinivas, B. Srinivasulu


643



Cyano-Bridged 'Oximato' Complexes: Synthesis, Structure, and Catalase-Like Activities

F. Karipcin*, B. Culu, S. K. Sharma, K. Qanungo


647



Highly *cis*-Diastereoselective Synthesis of Coumarin-Based 2,3-Disubstituted Dihydrobenzothiazines by Organocatalysis

M. Khoobi, A. Ramazani*, A. Foroumadi, S. Emami, F. Jafarpour, A. Mahyari, K. Šlepokura, T. Lis, A. Shafiee*

660



* Author to whom correspondence should be addressed
Korrespondenzautor