

Contents

A One-Pot Organometallic Route from a 4-Alkenylpyridine to a 4,4-Spiro-Linked Ethyl 1,4-Dihydropyridine-1-carboxylate

*G. Fraenkel**, *A. Chow*, *Y. Liang*, *J. Song*, *J. Gallucci*


2063



Perfluorinated Bis(dihydrooxazole) Complexes Immobilized on Fluorous Reversed-Phase Silica Gel as Recyclable Catalysts for Enantioselective *Diels–Alder* Reactions

E. M. Hensle, *W. Bannwarth**


2072



Enantioselective Solid-Phase Peptide Synthesis Using Traceless Chiral Coupling Reagents and Racemic Amino Acids

B. Kolesinska*, K. Kasperowicz-Frankowska, J. Fraczyk, Z. J. Kaminski*


2084



Toward the Synthesis of Modified Carbohydrates by Conjugate Addition of Propane-1,3-dithiol to α,β -Unsaturated Ketones

S. Valdersnes, I. Apeland, G. Flemmen, L. K. Sydnes*


2099



Syntheses of Racemic and Scalemic *cis*-Chrysanthemic Acid from β,γ -Unsaturated Cyclohexanol

A. Krief, S. Jeanmart, H. Y. Gondal, A. Kremer*


2123



{1,1'-(Dimethylsilylene)bis[methanochalcogenolato]}diiron Complexes [2Fe2E(Si)]
(E = S, Se, Te) – [FeFe] Hydrogenase Models

U.-P. Apfel, H. Görls, G. A. N. Felton, D. H. Evans*, R. S. Glass*, D. L. Lichtenberger*,
W. Weigand*


2168



Chiral Proline-Based P,O and P,N Ligands for Iridium-Catalyzed Asymmetric Hydrogenation

D. Rageot, A. Pfaltz*


2176



Synthesis and Structure Revision of Goupiolone A: A Benzotropolone Natural Product

*N. Fukui, K. Ohmori, K. Suzuki**


2194



Microwave-Assisted Synthesis of β -Lactams and Cyclo- β -dipeptides

*L. G. Hernández-Vázquez, M. A. Leyva, A. J. Metta-Magaña, J. Escalante**

2218




CuI-Mediated Trifluoromethylations with Stannanes

Preliminary Communication

*I. A. Sanhueza, M. C. Nielsen, M. Ottiger, F. Schoenebeck**


2231



Synthesis of Functionalized Glutamine- and Asparagine-Type Peptoids – Scope and Limitations

C. Cardenal, S. B. L. Vollrath, U. Schepers, S. Bräse*


2237



Synthesis and Reactions of 2-[1-Methyl-1-(pyrrolidin-2-yl)ethyl]-1*H*-pyrrole and Some Derivatives with Aldehydes: Chiral Structures Combining a Secondary-Amine Group with an 1*H*-Pyrrole Moiety as Excellent H-Bond Donor

A. Pordea, H. Stoeckli-Evans, C. Dalvit, R. Neier*


2249




Fluorine as a Regiocontrol Element in the Ring Opening of Bicyclic Aziridiniums


Y.-h. Lam, K. N. Houk*, J. Cossy, D. Gomez Pardo, A. Cochi

2265






Catalytic Enantioselective Synthesis of a 3-Aryl-3-benzyloxindole (= 3-Aryl-3-benzyl-1,3-dihydro-2H-indol-2-one) Exhibiting Antitumor Activity



Asymmetric Proline-Catalyzed Addition of Aldehydes to 3H-Indol-3-ones: Enantioselective Synthesis of 2,3-Dihydro-1H-indol-3-ones with Quaternary Stereogenic Centers



‘Eine fast fünf Jahrzehnte dauernde gemeinsame ‘Fahrt ins Blaue’

A. K. Beck

2304



Professor Dr. *Dieter Seebach* and Slovakia

Š. Toma

2314

* Author to whom correspondence should be addressed
Korrespondenzautor