


2013
Vol. 96
No. 10
1815–1996

Contents

Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts –
a Puzzling ‘Fluorine Effect’
Preliminary Communication

*U. Grošelj**, Č. Podlipnik, J. Bezenšek, J. Svetec, B. Stanovnik, D. Seebach

1815



HISTORY

Ming-Long Huang (1898–1979), A Chinese Chemist in Europe

*S. Ma, G. W. Craig**


1822



Selective Transformations of a Diprotected 2-Oxobutanediol

M. K. Leiren, S. Valdersnes, L. K. Sydnes*


1841



From Blue Azulenes to Blue Heptalenes – New Strongly Polarized π -Convertible Heptalenes

T. Landmesser, A. Linden, H.-J. Hansen*


1851



Synthesis of 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-ones by Hydrolysis of *N*-Substituted 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-imines Derived from 1-Bromo-2-(dialkoxymethyl)benzenes and Isothiocyanates

K. Kobayashi*, M. Kuroda, Y. Kanbe


1894



Pinacol Rearrangement of 3,4-Dihydro-3,4-dihydroxyquinolin-2(1*H*)-ones: An Alternative Pathway to Viridicatin Alkaloids and Their Analogs

O. Rudolf, M. Rouchal, A. Lyčka, A. Klásek*


1905



Formation of 2-(Phenylsulfonyl)resorcinols (=2-(Phenylsulfonyl)benzene-1,3-diols) from Symmetrically Substituted Maleic Anhydrides (=Furan-2,5-diones)

K. Abou-Hadeed, H.-J. Hansen*


1918



Three New Hasubanan Alkaloids from *Stephania hernandifolia* (WILLD.) WALP.

L.-J. Tang, L.-L. Deng, L. He, S.-H. Song, J.-X. Zhang, X.-J. Hao, Y.-H. Zhang*


1930



First Total Synthesis of (*-*)-Ligustiphenol

H. Luo, Y. Liu, D. Liang, Z. Hao, Y. Wang, C. Zhang, Q. Zhang, D. Yu*


1936



Efficient One-Pot Synthesis of β -Acetamido Carbonyl Compounds Using Fe_3O_4 Nanoparticles

B. Movassagh*, F. Talebsareshki


1943



Enantioselective Synthesis of the Natural Product (*S*)-Rugulactone

B. Nagaiah, A. V. Narsaiah*


1948



Regioselective Synthesis of Trichloromethyl-Substituted Salicylates and Cyclohexenones by One-Pot Cyclizations of 1,3-Bis(trimethylsilyloxy)buta-1,3-dienes

S. Reimann, A. Bunescu, A. Petrosyan, M. Sharif, S. Erfle, C. Mamat, T. V. Ghochikyan, A. S. Saghyan, A. Spannenberg, A. Villinger, P. Langer*


1955



Divergent Enantioselective Total Synthesis of Siphonarienal, Siphonarienone, and Pectinatone

J. S. Yadav*, D. N. Chary, N. N. Yadav, S. Sengupta, B. V. S. Reddy


1968



An Efficient Isocyanide-Based Three-Component Diastereoselective Synthesis of Chromane-3,4-dicarboxamides

H. Imanieh, M. Sarlak, T. Amanpour, A. Bazgir*


1978



A Concise and Convergent Total Synthesis of Two Novel Cytotoxic Hydroquinones, Lanneaquinol and (*R*)-2'-Hydroxylannequinol

B. V. S. Reddy*, B. Anusha, U. V. S. Reddy, J. S. Yadav, C. S. Reddy


1983



Synthesis of 2-Aryl-5-oxo-4-[2-(phenylmethylidene)hydrazino]-2,5-dihydro-1*H*-pyrrole-3-carboxylates by the Reaction between Hydrazones, Acetylenedicarboxylates, and 1-Aryl-*N,N'*-bis(aryl)methylidene)methanediamines

A. Alizadeh*, V. Saberi, J. Mokhtari

1991



* Author to whom correspondence should be addressed
Korrespondenzautor