

## Author Index

- Abilov, Z. A.*, see *Michalik, D.*, *Langer, P.*, 308  
*Adib, M.*, *Janatian Ghazvini, H.*, *Soheilzad, M.*, *Saeedi, S.*, *Tajbakhsh, M.*, *Amanlou, M.*, One-Pot Four-Component Synthesis of Thieno[2,3-*d*]pyrimidin-4-amines via Sequential *Gewald*/Cyclocondensation Reactions, 1079  
*Adib, M.*, *Sayahi, M. H.*, *Hamooleh, Z.*, *Zhu, L.-G.*, *Amanlou, M.*, Reaction between Furan- or Thiophene-2-carbonyl Chloride, Isocyanides, and Dialkyl Acetylenedicarboxylates: Multicomponent Synthesis of 2,2'-Bifurans and 2-(Thiophen-2-yl)furans, 1231  
*Aga, M. A.*, see *Rouf, A.*, *Taneja, S. C.*, 823  
*Ahmad, M. S.*, see *Al-Rehaily, A. J.*, 561  
*Ahmad, R.*, see *Hussain, J.*, 1240  
*Ahmad, S.*, see *Mahmun Hossain, M.*, 1273  
*Ahmad, V. U.*, see *Khan, A.*, *Farooq, U.*, 668  
*Aktaş, D.*, see *Seçen, H.*, *Kara, Y.*, 260  
*Aktaş, D.*, see *Altundaş, R.*, *Kara, Y.*, 1127  
*Al-Harrasi, A.*, *Hussain, J.*, *Khan, H.*, *Ali, L.*, *Khan, A. L.*, *Rehman, N. U.*, *Jahangir, S.*, A New Indole Alkaloid from *Cleome droserifolia*, 719  
*Al-Harrasi, A.*, see *Hussain, J.*, 1240  
*Al-Harrasi, A.*, *Hussain, J.*, *Ali, L.*, *Hussain, I.*, *Rizvi, T. S.*, *Khan, A. L.*, *Shujah, S.*, *Al-Sahi, J. M. S.*, A New Irregular Trihydroxy Sesquiterpene from *Teucrium mascatense*, 1462  
*Al-Rehaily, A. J.*, *Xu, W.-H.*, *Yousaf, M.*, *Ahmad, M. S.*, *Khan, S. I.*, *Khan, I. A.*, Two New Flavonoids from *Retama raetam*, 561  
*Al-Sahi, J. M. S.*, see *Al-Harrasi, A.*, *Hussain, J.*, 1462  
*Alakhras, F.*, *In situ* UV/VIS Spectroscopy of Electrochemically Synthesized Selenophene–Thiophene Copolymers, 851  
*Ali, L.*, see *Hussain, J.*, *Al-Harrasi, A.*, 719  
*Ali, L.*, see *Hussain, J.*, 1240  
*Ali, L.*, see *Al-Harrasi, A.*, *Hussain, J.*, 1462  
*Alikarami, M.*, *Farhadi, M.*, Benzyl(triphenyl)phosphonium Dichloroiodate: A New Reagent for Coidination of Alkenes, 1302  
*Alivertis, D.*, see *Skobridis, K.*, 593  
*Alizadeh, A.*, see *Habibi, A.*, 67  
*Alizadeh, A.*, *Moafi, L.*, An Efficient Synthesis of Spiro-oxindole Derivatives by Three-Component Reactions in Water, 546  
*Alizadeh, A.*, *Sedighian, H.*, *Hosseini, S. Y.*, *Zhu, L.-G.*, Synthesis of Polysubstituted Benzenes via the Vinylogous *Michael* Addition of Alkylidenemalononitriles to 2-(1,3-Dioxo-1*H*-inden-2(3*H*)-ylidene)malononitrile, 569  
*Alizadeh, A.*, *Ghanbaripour, R.*, *Ng, S. W.*, An Efficient Synthesis of Chromeno[2,3-*d*]pyrimidine-2,4-diones with a Nitroketene-Aminal Moiety at C(5) by a One-Pot Four-Component Reaction, 663  
*Alizadeh, A.*, *Hosseini, S. Y.*, *Sedighian, H.*, *Bayat, F.*, Synthesis of Phenanthrene Derivatives through the Reaction of an  $\alpha,\alpha$ -Dicyanoolefin with  $\alpha,\beta$ -Unsaturated Carbonyl Compounds, 1426  
*Allameh, S.*, see *Shafiee, A.*, 1028  
*Altundaş, R.*, see *Seçen, H.*, *Kara, Y.*, 260  
*Altundaş, R.*, *Kara, Y.*, *Aktaş, D.*, *Fistkçı, M.*, *Gündoğdu, Ö.*, *Seçen, H.*, *Şahin, M. F.*, Novel and Stereospecific Synthesis of (2*S*)-3-(2,4,5-Trifluorophenyl)propane-1,2-diol from *D*-Mannitol, 1127  
*Amanlou, M.*, see *Adib, M.*, 1079  
*Amanlou, M.*, see *Sayahi, M. H.*, *Adib, M.*, 1231  
*Ameri, M.*, see *Amoozadeh, A.*, *Asghari, A.*, 210  
*Aminake, M. N.*, see *Lenta, B. N.*, 945  
*Amoozadeh, A.*, *Asghari, A.*, *Ameri, M.*, *Nematollahi, D.*, *Bakherad, M.*, A Facile and Efficient One-Pot Electrochemical Synthesis of Thiazole Derivatives in Aqueous Solution, 210  
*Anac, O.*, *Kubilay, H. N.*, *Gungor, F. S.*, Reactions of (1*E*)-Buta-1,3-dien-1-yl Acetate with Diazo-carbonyl Compounds, 1245  
*Anokhin, M. V.*, see *Averin, A. D.*, *Beletskaya, I. P.*, 47  
*Ansari, S.*, see *Shafiee, A.*, 1028  
*Aravind, S.*, *Reddy, N.*, Copper-Exchanged Tungstophosphoric Acid: An Efficient and Reusable Heteropoly Acid for the Synthesis of 2,3,4,5-Tetrahydro-4-methylidene-furan Derivatives, 557  
*Aravind, S.*, see *Babu, K. S.*, 650  
*Ardashov, O. V.*, see *Volcho, K. P.*, 1442  
*Arnhold, F. S.*, see *Heimgartner, H.*, 155  
*Arnhold, F. S.*, see *Heimgartner, H.*, 232  
*Asghari, A.*, *Amoozadeh, A.*, *Ameri, M.*, *Nematollahi, D.*, *Bakherad, M.*, A Facile and Efficient

- One-Pot Electrochemical Synthesis of Thiazole Derivatives in Aqueous Solution, 210
- Ateba, J. T., see Lenta, B. N., 945
- Attu, M. R., see Mahmud Hossain, M., 1273
- Audran, G., see Siri, D., Santelli, M., 1018
- Averin, A. D., Beletskaya, I. P., Anokhin, M. V., Panchenko, S. P., Maloshitskaya, O. A., Buryak, A. K., Copper(I)-Catalyzed Amination of Halogenopyridines with Polyamines, 47
- Babu, K. S., see Rao, J. M., 143
- Babu, K. S., Rajaram, S., Ramulu, U., Aravind, S., Stereoselective Total Synthesis of Stagonolide E, 650
- Babu, K. S., Venkatesham, K., Purushotham Reddy, S., Chinnababu, B., Stereoselective Total Synthesis of (3*S*,5*S*)-1,7-Bis(4-hydroxyphenyl)heptane-3,5-diol, (3*S*,5*S*)-Alpinikatin, and Its Diastereoisomers, 1307
- Babu, K. V., see Reddy, B. V. S., 1395
- Bai, J., see Liu, X.-Q., Hua, H.-M., 1332
- Bakherad, M., see Amoozadeh, A., Asghari, A., 210
- Bannwarth, W., Sterk, M., Modulation of Reactivities of Dienophiles for *Diels–Alder* Reactions via Complexation of  $\alpha,\beta$ -Unsaturated Chelating Amides, 287
- Bao, J.-M., see Yin, S., 1387
- Bayat, F., see Alizadeh, A., 1426
- Behrouz, S., Soltani Rad, M. N., Jafar Hoseini, S., Nasrabi, H., Zare, M. S., Copper/Graphene/Clay Nanohybrid: A Highly Efficient Heterogeneous Nanocatalyst for the Synthesis of Novel 1,2,3-Triazolyl Carboacyclic Nucleosides via ‘Click’ Huisgen 1,3-Dipolar Cycloaddition, 1210
- Beletskaya, I. P., Averin, A. D., Anokhin, M. V., Panchenko, S. P., Maloshitskaya, O. A., Buryak, A. K., Copper(I)-Catalyzed Amination of Halogenopyridines with Polyamines, 47
- Bertele, E., see Eschenmoser, A., 1601
- Bertele, E., see Eschenmoser, A., 1755
- Bianco, É. M., Francisco, T. M., Pinheiro, C. B., de Vasconcellos Azeredo, R. B., Teixeira, V. L., Pereira, R. C., 10 $\beta$ -Acetoxy-8 $\alpha$ ,9 $\alpha$ -epoxy-14 $\beta$ -hydroxy-7-oxodolastane – A New Diterpene Isolated from the Brazilian Brown Macroalga *Cantocarpus cervicornis*, 785
- Blaser, H.-U., see Eschenmoser, A., 1845
- Bobrovsky, S. I., see Elinson, M. N., 1104
- Böhler, B., see Günther, H., 427
- Bolzan, A., see Fabris, F., 1067
- Boos, H., see Eschenmoser, A., 1683
- Bormann, D., see Eschenmoser, A., 1845
- Borsato, G., see Fabris, F., 1067
- Bortoluzzi, M., see Fabris, F., 1067
- Braun, M., Lithium Enolates: ‘Capricious’ Structures – Reliable Reagents for Synthesis, 1
- Braz-Filho, R., see Vieira, I. J. C., 1381
- Brémond, P., see Siri, D., Santelli, M., 1018
- Bühler, N., see Neier, R., Eschenmoser, A., 1921
- Bureš, F., Tydlitát, J., Růžičková, Z., Phenylalanine-Derived Imidazolines Bearing Heteroaromatic Pendants: Synthesis, Characterization, and Application in the Asymmetric *Henry* Reaction, 1351
- Buryak, A. K., see Averin, A. D., Beletskaya, I. P., 47
- Bushmarinov, I. S., see Elinson, M. N., 1104
- Cao, M.-M., see Luo, D.-Q., 642
- Carmo, H. M. d., see Vieira, I. J. C., 1381
- Carr, J. M., Tschumper, G. S., Paige Lathem, A., Boyd Group Electronegativity Influence on the Parr Global Electrophilicity of *Vilsmeier* Reagent-Derived Imidates: New Insights toward Improving *Mitsunobu* Chemistry, 582
- Cervantes, J., Serrano, O., Corona-Armenta, A. T., Ordoñez, M., López, J. A., Synthesis and Characterization of *m*-Terphenyl (1,3-Diphenylbenzene) Compounds Containing Trifluoromethyl Groups, 359
- Ceylan, M., Gezezen, H., Synthesis of 3,5-Diarylcyclohex-2-enones by NH<sub>4</sub>Cl/HCl-Catalyzed Cyclization and Deacetylation of 4-Acetylhexane-1,5-diones, 253
- Chan, H.-Y., see Cheng, M.-J., Chang, H.-S., Chen, I.-S., 1167
- Chang, C.-I., see Kuo, Y.-H., 123
- Chang, C.-W., see Cheng, M.-J., Chen, I.-S., 347
- Chang, C.-W., see Cheng, M.-J., Chang, H.-S., Chen, I.-S., 1167
- Chang, H.-S., see Kuo, Y.-H., 123
- Chang, H.-S., see Cheng, M.-J., Chen, I.-S., 347
- Chang, H.-S., Cheng, M.-J., Chen, I.-S., Chen, Y.-S., Hsiao, Y., Chan, H.-Y., Hsieh, S.-Y., Chang, C.-W., Liu, T.-W., Chemical Constituents of the Endophytic Fungus *Hypoxyton* sp. 12F0687 Isolated from Taiwanese *Ilex formosana*, 1167
- Chang, J., Song, C., Ding, Q., Zhang, Y., Shen, Z., Synthesis of a Regioisomer of  $\beta$ -Lapachone and Analogs as Potent Antitumor Agents, 128
- Chao, C.-Y., see Kuo, Y.-H., 123
- Chen, C., see Kong, D.-Y., 60
- Chen, C., see Luo, D.-Q., 642
- Chen, C.-H., see Li, R.-T., Lee, K.-H., 1177
- Chen, C.-J., see Tan, R.-X., Jiao, R.-H., 1435
- Chen, D.-Z., see Hao, X.-J., Li, S.-L., 1403
- Chen, G.-Y., Wang, C.-Y., Zheng, C.-J., Wu, L.-Y., Li, X.-B., Song, X.-M., Niu, Z.-G., Song, X.-P., Structure and Absolute Configuration of *Aspergilumamide* A, a Novel Lumazine Peptide from the Mangrove-Derived Fungus *Aspergillus* sp., 368

- Chen, G.-Y., Song, X.-P., Chen, W.-H., Han, C.-R., Hui, Y., Zhang, D.-S., Song, X.-M., Terpenoids from the Stems of *Drypetes congestiflora*, 724
- Chen, I.-S., Cheng, M.-J., Chang, C.-W., Chang, H.-S., Peng, C.-F., Identification of Five New Minor Constituents from the Whole Plant of *Amischo- tolype hispida*, 347
- Chen, I.-S., Cheng, M.-J., Chang, H.-S., Chen, Y.-S., Hsiao, Y., Chan, H.-Y., Hsieh, S.-Y., Chang, C.-W., Liu, T.-W., Chemical Constituents of the Endo- phytic Fungus *Hypoxylon* sp. 12F0687 Isolated from Taiwanese *Ilex formosana*, 1167
- Chen, J.-C., see Qiu, M.-H., 1456
- Chen, S.-M., see Zhan, Z.-J., 552
- Chen, W.-H., see Chen, G.-Y., Song, X.-P., 724
- Chen, X.-Q., see Wang, M.-Y., Gong, M.-X., 245
- Chen, Y., see Gao, C., Huang, R., 710
- Chen, Y., Lehto, E., Uebelhart, P., Linden, A., Hansen $\ddot{a}$ , H.-J., Excursion to the World of Heptacyclic Compounds Made of Azulenes and Acetylenedicarboxylates, 913
- Chen, Y., see Yang, G.-Z., 1160
- Chen, Y.-S., see Cheng, M.-J., Chang, H.-S., Chen, I.- S., 1167
- Cheng, L., see Kong, D.-Y., 60
- Cheng, L., see Kong, D.-Y., 683
- Cheng, M.-J., Chen, I.-S., Chang, C.-W., Chang, H.- S., Peng, C.-F., Identification of Five New Minor Constituents from the Whole Plant of *Amischo- tolype hispida*, 347
- Cheng, M.-J., Chang, H.-S., Chen, I.-S., Chen, Y.-S., Hsiao, Y., Chan, H.-Y., Hsieh, S.-Y., Chang, C.-W., Liu, T.-W., Chemical Constituents of the Endo- phytic Fungus *Hypoxylon* sp. 12F0687 Isolated from Taiwanese *Ilex formosana*, 1167
- Cheng, W., Lin, W., Huang, Q., Long, H., Liu, H., van Ofwegen, L., Subergane-Type Sesquiter- penes from Gorgonian Coral *Subergorgia suber- osa* with Antibacterial Activities, 1202
- Cheng, Y.-X., He, J.-B., Lu, Q., Two New Sesqui- terpenes from the Resin of *Toxicodendron verni- cifluum*, 1004
- Chikazawa, Y., see Kobayashi, K., 604
- Chinnababu, B., see Babu, K. S., 1307
- Cho, Y. J., see Jang, D. S., 1372
- Choi, J.-H., see Jang, D. S., 1372
- Choi, S. U., see Lee, K. R., 1087
- Chou, G.-X., Wu, L.-H., Yao, H.-Q., Liu, Q., Wang, Z.-T., Two Rare  $\alpha$ -Pyrone (=2H-Pyran-2-one) Derivatives from *Gentiana rhodantha* FRANCHET, 657
- Chouna, J. R., see Lenta, B. N., 945
- Clima, L., see Rotaru, A., 1141
- Cong, Y., Li, J., Zhang, Q.-C., Guo, J.-G., Li, S.-S., Steroidal Alkaloids from *Veratrum dahuricum* (TURCZ.) LOES. f. with Genotoxicity on Brain Cell DNA in Mice, 85
- Cong, Y., Guo, J.-G., Zhu, H.-L., Zhang, Q.-C., Li, L., Li, H.-Y., Wang, X.-Y., Steroidal Alkaloids from *Veratrum maackii* REGEL with Genotoxicity on Brain-Cell DNA in Mice, 539
- Corona-Armenta, A. T., see Cervantes, J., Serrano, O., 359
- Cravero, R. M., Luna, L. E., Tontarelli, W., Foras- tieri, P., Novel Cyclic Enaminone Esters and N- Heterocycles by Divergent Chemical Behavior through Amine-Mediated Reactions, 994
- Dabiri, M., Salehi, P., Fakharian, M., Kazemi Movahed, S., MaGee, D. I., New Convenient Five-Component One-Pot Synthesis of 3-Alkyl- 6-amino-1,4-dihydro-4-[[ (1,2,3-triazol-4-yl)me- thoxy]phenyl]pyrano[2,3-c]pyrazole-5-carboni- trile Derivatives, 633
- Dai, W., see Wang, Q., 410
- Das, B., Salva Reddy, N., Stereoselective Total Synthesis of the Natural Oxylipin (6R,7E,9R,10S)-6,9,10-Trihydroxyoctadec-7-eno- ic Acid, 78
- Das, B., Srilatha, M., Stereoselective Total Synthesis of Decytopolides A and B Starting from D-Mannitol, 267
- Das, B., Reddy, P. R., Stereoselective Total Syn- thesis of Crassalactone A, a Natural Cytotoxic Styryl Lactone, 509
- Das, B., Nagendra, S., Reddy, V. K., Stereoselective Synthesis of the Non-Lactonic Portion of (Z)- Cryptofolione and Approaches towards Its Con- version to (Z)-Cryptofolione, 520
- Das, B., Maram, L., A Stereoselective Total Syn- thesis of Xyolide, a Natural Bioactive Noneno- lide, 674
- Daştan, A., see Fabris, F., 1067
- De Lucchi, O., see Fabris, F., 1067
- De Napoli, L., see Di Fabio, G., 399
- de Vasconcellos Azeredo, R. B., see Bianco, É. M., 785
- Demidova, Y. S., see Volcho, K. P., 1442
- Deng, Y.-Y., see Qiu, M.-H., 1456
- Devkota, H. P., Yahara, S., Joshi, K. R., Watanabe, T., Biflavonoids, Lignans, and Related Com- pounds from the Roots of *Diplomorpha canes- cens*, 704
- Di, Y.-T., Hao, X.-J., Tan, C.-J., Zhang, Y., Kong, N.- C., Further Alkaloids from the Leaves of *Trig- nostemon lili*, 72
- Di Fabio, G., Zarrelli, A., Romanucci, V., De Napoli, L., Previtera, L., Synthesis of New Silybin Derivatives and Evaluation of Their Antioxidant Properties, 399
- Dilshad, I., see Siddiqui, B. S., 135

- Ding, C.-X., see Wang, H.-L., 1287  
Ding, J.-Y., see Hao, X.-J., Li, S.-L., 1403  
Ding, Q., see Song, C., Chang, J., 128  
Dong, M., Shi, Q.-W., Wu, Y.-B., Liu, D., Liu, P.-Y., Yang, X.-M., Liao, M., Lu, N.-N., Sauriol, F., Gu, Y.-C., Kiyota, H., New Limonoids from the Seeds of *Xylocarpus granatum*, 691  
Dong, X., see Jiang, B., 527  
Drabowicz, J., see Wzorek, A., Klika, K. D., 1147
- Egorov, M. P., see Elinson, M. N., 1104  
El Abed, D., see Siri, D., Santelli, M., 1018  
Elinson, M. N., Vereshchagin, A. N., Nasybullin, R. F., Ryzhkov, F. V., Bobrovsky, S. I., Bushmarinov, I. S., Egorov, M. P., One-Pot 'On-solvent' Multi-component Protocol for the Synthesis of Medicinally Relevant 4*H*-Pyrano[3,2-*c*]quinoline Scaffold, 1104  
Ellis, L., see Neier, R., Eschenmoser, A., 1921  
Elsinger, F., see Eschenmoser, A., 1683  
Eschenmoser, A., Introductory Remarks on the Publication Series 'Corrin Syntheses—Parts I–VI', 1475  
Eschenmoser, A., Corrin Syntheses. Part I. Introduction and Overview, 1483  
Eschenmoser, A., Scheffold, R., Bertele, E., Gschwend, H., Häusermann, W., Wehrli, P., Huber, W., Corrin Syntheses. Part II. Synthesis of Corrin Complexes via *A* → *B* Ring Closure. Preparation of Hemicorrinoid *B/C*-Components, and Model Studies on Enamides and Imido Ester C,C Condensations, 1601  
Eschenmoser, A., Pesaro, M., Elsinger, F., Boos, H., Felner-Cabogy, I., Gribi, H., Wick, A., Gschwend, H., Corrin Syntheses. Part III. Synthesis of Corrin Complexes via *A* → *B* Ring Closure. Preparation of *A/D* Components, 1683  
Eschenmoser, A., Bertele, E., Scheffold, R., Gschwend, H., Pesaro, M., Fischli, A., Roth, M., Schossig, J., Corrin Syntheses. Part IV. Synthesis of Corrin Complexes via *A* → *B* Ring Closure. Coupling of Hemicorrinoid *A/D* und *B/C* Components to Corrin by Imido-ester–Enamine Condensations, 1755  
Eschenmoser, A., Blaser, H.-U., Winnacker, E.-L., Fischli, A., Hardegger, B., Bormann, D., Hashimoto, N., Schossig, J., Keese, R., Corrin Syntheses. Part V. Preparation of Metal-Free Corrin Derivatives via *A* → *B* Ring Closure. Complexation of the Corrin Chromophore with Metal Ions, and Some Properties of the Ligands in Corrin Complexes, 1845  
Eschenmoser, A., Neier, R., Yamada, Y., Wehrli, P., Miljkovic, D., Wild, H.-J., Bühler, N., Götschi, E., Golding, B., Löliger, P., Gleason, J., Pace, B., Ellis, L., Hunkeler, W., Schneider, P., Fuhrer, W., Nordmann, R., Srinivasachar, K., Keese, R., Müller, K., Corrin Syntheses. Part VI. Corrin Synthesis via *A* → *D* Ring Closure. The Construction of *A/D*-Secocorrin Chromophore Systems by the 'Sulfide Contraction' Method and the Photochemical *A/B*-Secocorrin → Corrin Cycloisomerization, 1921  
Eshghi, H., see Rahimizadeh, M., 474  
Esmaeili, R., see Mohammadizadeh, M. R., 1411  
Ezaki, K., see Kobayashi, K., 179  
Ezaki, K., see Kobayashi, K., 604
- Fabbro, C., see Fabris, F., 1067  
Fabris, F., Bolzan, A., Bortoluzzi, M., Borsato, G., Fabbro, C., Daştan, A., De Lucchi, O., Synthesis of a Novel Benzocyclootrimer with One Rigid and One Flexible Electron-Rich Cavity, 1067  
Faizi, S., see Siddiqui, B. S., 135  
Fakharian, M., see Dabiri, M., Salehi, P., 633  
Fan, Z., see Zhao, Z., 108  
Farhadi, M., see Alikarami, M., 1302  
Farooq, U., Khan, A., Hashmi, M. A., Hameed, R., Ahmad, V. U., Perveen, S., A New Dimeric Secoiridoid Glycoside from the Leaves of *Olea ferruginea* ROYLE, 668  
Feist, H., see Michalik, D., Langer, P., 308  
Felner-Cabogy, I., see Eschenmoser, A., 1683  
Feng, P., Li, Z., Wang, C., Facile Synthesis of 5-Hexyl-4-methyl- $\gamma$ -butyrolactone via *Nef* Reaction as a Key Step, 795  
Feng, Z.-L., see Li, W.-H., Liu, Q.-C., 1254  
Fernandes, R. A., Kattanguru, P., Tandem Benzylic Oxidation/Dihydroxylation of  $\alpha$ -Vinyl- and  $\alpha$ -Alkenylbenzyl Alcohols, 92  
Fischli, A., see Eschenmoser, A., 1755  
Fischli, A., see Eschenmoser, A., 1845  
Fistikçi, M., see Seçen, H., Kara, Y., 260  
Fistikçi, M., see Altundaş, R., Kara, Y., 1127  
Foerstering, F. H., see Mahmum Hossain, M., 1273  
Forastieri, P., see Cravero, R. M., 994  
Foroumadi, A., see Shafiee, A., 1028  
Francisco, T. M., see Bianco, É. M., 785  
Fu, S.-N., see Zhou, G.-X., 1267  
Fuhrer, W., see Neier, R., Eschenmoser, A., 1921
- Ganzera, M., see Kemertelidze, E., 224  
Gao, C., Huang, R., Yu, L., Lin, L., Long, B., Chen, Y., Lei, F., Wen, L., Sun, H., Menverins H-L, New Highly Oxygenated Guaiane Lactones from the Gorgonian Coral *Menella kanisa*, 710  
Gao, L.-H., see Li, R.-T., 1132  
Gao, W., see Kong, D.-Y., 60  
Gao, W., see Kong, D.-Y., 683  
Gao, Y., see Yang, S., Wang, F., 1325  
Ge, H.-M., see Tan, R.-X., Jiao, R.-H., 1435  
Gezegen, H., see Ceylan, M., 253

- Ghanbaripour, R., see Alizadeh, A., 663  
 Ghogare, R. S., see Venkat Narsaiah, A., 575  
 Gholizadeh, M., see Rahimizadeh, M., 474  
 Gleason, J., see Neier, R., Eschenmoser, A., 1921  
 Gök, H. Z., see Gök, Y., 490  
 Gök, Y., Gök, H. Z., Enantioselective Allylic Alkylation Catalyzed by Novel C<sub>2</sub>-Symmetric Bisphosphinites, 490  
 Golding, B., see Neier, R., Eschenmoser, A., 1921  
 Gong, M.-X., Wang, M.-Y., Lu, X.-R., Wang, X.-M., Wang, Z.-M., Chen, X.-Q., Two New Triterpenoid Saponins from *Stauntonia obovatifoliola* HAYATA ssp. *intermedia*, 245  
 Götschi, E., see Neier, R., Eschenmoser, A., 1921  
 Gribi, H., see Eschenmoser, A., 1683  
 Gschwend, H., see Eschenmoser, A., 1601  
 Gschwend, H., see Eschenmoser, A., 1683  
 Gschwend, H., see Eschenmoser, A., 1755  
 Gu, M.-C., see Zhao, H.-J., Xiong, Y.-K., 1225  
 Gu, Y.-C., see Shi, Q.-W., Dong, M., 691  
 Gu, Y.-C., see Ni, Z.-Y., Wu, Y.-B., 973  
 Gündoğdu, Ö., see Seçen, H., Kara, Y., 260  
 Gündoğdu, Ö., see Altundaş, R., Kara, Y., 1127  
 Gungor, F. S., see Anac, O., 1245  
 Günther, H., Böhrler, B., The Aggregation Behavior of Butyllithium in Diethyl Ether in the Presence of LiBr, LiClO<sub>4</sub>, and Phenyllithium: A Deuterium-Induced Secondary <sup>6</sup>Li-NMR Isotope-Effect Study, 427  
 Guo, J.-G., see Cong, Y., 85  
 Guo, J.-G., Cong, Y., Zhu, H.-L., Zhang, Q.-C., Li, L., Li, H.-Y., Wang, X.-Y., Steroidal Alkaloids from *Veratrum maackii* REGEL with Genotoxicity on Brain-Cell DNA in Mice, 539  
 Guo, L., see Xu, Y., 116  
 Guo, T.-T., see Li, W.-H., Liu, Q.-C., 1254  
 Guo, Y.-Q., see Yin, S., 1387  
 Gütlein, J.-P., see Michalik, D., Langer, P., 308
- Habibi, A., Valizadeh, Y., Alizadeh, A., New Route for the Synthesis of Four-Membered Cyclic Ketene Dithioacetals, 67  
 Hameed, R., see Khan, A., Farooq, U., 668  
 Hamooleh, Z., see Sayahi, M. H., Adib, M., 1231  
 Han, C.-R., see Chen, G.-Y., Song, X.-P., 724  
 Han, L.-P., see Luo, D.-Q., 642  
 Han, X. H., see Hwang, B. Y., 381  
 Hanioka, D., see Kobayashi, K., 179  
 Hansen†, H.-J., Chen, Y., Lehto, E., Uebelhart, P., Linden, A., Excursion to the World of Heptacyclic Compounds Made of Azulenes and Acetylmedicarboxylates, 913  
 Hao, X.-J., Di, Y.-T., Tan, C.-J., Zhang, Y., Kong, N.-C., Further Alkaloids from the Leaves of *Trigonostemon lii*, 72
- Hao, X.-J., Li, S.-L., Liu, W.-X., Chen, D.-Z., Ding, J.-Y., New Phragmalin-Type Limonoid Orthoesters from the Bark of *Chukrasia tabularis* var. *velutina*, 1403  
 Hardegger, B., see Eschenmoser, A., 1845  
 Hashimoto, N., see Eschenmoser, A., 1845  
 Hashmi, M. A., see Khan, A., Farooq, U., 668  
 Hassan, Z., see Hussain, J., 1240  
 Häusermann, W., see Eschenmoser, A., 1601  
 He, J.-B., see Cheng, Y.-X., 1004  
 He, P., see Zhu, H.-J., 819  
 He, Y., see Zhang, Z.-T., 953  
 Heimgartner, H., Arnhold, F. S., Linden, A., Synthesis of Aib- and Phe(2Me)-Containing Cyclopentapeptides, 155  
 Heimgartner, H., Mlostoń, G., Pipiak, P., Linden, A., 1,3-Dipolar Cycloadditions of  $\alpha$ -Diazo Ketones Derived from *N*-Protected (*S*)-Proline with Aromatic and Cycloaliphatic Thioketones, 190  
 Heimgartner, H., Arnhold, F. S., Linden, A., Synthesis of Cyclopentapeptides with Three to Five Aib Units, 232  
 Heimgartner, H., Mlostoń, G., Urbaniak, K., Linden, A., Selenophen-2-yl-Substituted Thiocarbonyl Ylides – at the Borderline of Dipolar and Biradical Reactivity, 453  
 Heimgartner, H., Mlostoń, G., Pipiak, P., Linden, A., Studies on the Reactions of Thiocarbonyl *S*-Methanides with Hetaryl Thioketones, 462  
 Hejese, C., see Rotaru, A., 1141  
 Hillmann, S., see Meier, H., 1061  
 Hirai, M., see Kuroda, C., 1035  
 Hirota, H., see Kuroda, C., 1035  
 Hong, J. T., see Hwang, B. Y., 381  
 Hong, J. T., see Hwang, B. Y., 1419  
 Hoshino, R., see Ito, T., 32  
 Hosseini, S. Y., see Alizadeh, A., 569  
 Hosseini, S. Y., see Alizadeh, A., 1426  
 Hosseini-Sarvari, M., Razmi, Z., Palladium Supported on Zinc Oxide Nanoparticles as Efficient Heterogeneous Catalyst for *Suzuki–Miyaura* and *Hiyama* Reactions under Normal Laboratory Conditions, 805  
 Hosseinpour, R., see Yavari, I., 374  
 Hsiao, Y., see Cheng, M.-J., Chang, H.-S., Chen, I.-S., 1167  
 Hsieh, S.-Y., see Cheng, M.-J., Chang, H.-S., Chen, I.-S., 1167  
 Hu, H.-B., Liang, H.-P., Zheng, X.-D., Wu, Y., Zhang, X.-W., Stilbenoids and Phenols in *Acanthopanax brachypus*, 1466  
 Hu, H.-G., see Zhao, Q.-J., Wu, Q.-Y., 618  
 Hu, J., Li, H., Yang, B.-S., Mao, X., Shi, X.-D., Nordammarane Triterpenoids from *Sanguisorba officinalis*, 273  
 Hu, J., see Liu, Z., 986

- Hu, X., see Yang, G.-Z., 1160  
 Hua, H.-M., Liu, X.-Q., Zhao, N., Yang, G.-C., Li, D.-H., Li, X.-Y., Li, Z.-L., Bai, J., Two New Sesquiterpenes from Myrrh, 1332  
 Huang, B., see Jiang, B., 527  
 Huang, C.-J., see Kuo, Y.-H., 123  
 Huang, J., see Liu, Y., 834  
 Huang, Q., see Cheng, W., Lin, W., 1202  
 Huang, R., Gao, C., Yu, L., Lin, L., Long, B., Chen, Y., Lei, F., Wen, L., Sun, H., Menverins H-L, New Highly Oxygenated Guaiane Lactones from the Gorgonian Coral *Menella kanisa*, 710  
 Huang, S.-J., see Zhao, Q.-J., Wu, Q.-Y., 618  
 Huang, W.-H., see Yuan, C.-S., Li, S.-P., 201  
 Huang, X.-J., see Zhou, G.-X., 1267  
 Huang, Z.-Y., see Jiang, B., 527  
 Huber, W., see Eschenmoser, A., 1601  
 Hui, Y., see Chen, G.-Y., Song, X.-P., 724  
 Hunkeler, W., see Neier, R., Eschenmoser, A., 1921  
 Hussain, I., see Al-Harrasi, A., Hussain, J., 1462  
 Hussain, J., Al-Harrasi, A., Khan, H., Ali, L., Khan, A. L., Rehman, N. U., Jahangir, S., A New Indole Alkaloid from *Cleome droserifolia*, 719  
 Hussain, J., Ali, L., Ahmad, R., Rehman, N. U., Khan, A. L., Hassan, Z., Rizvi, T. S., Al-Harrasi, A., Shinwari, Z. K., A New Cyclopropyl-Triterpenoid from *Ochradenus arabicus*, 1240  
 Hussain, J., Al-Harrasi, A., Ali, L., Hussain, I., Rizvi, T. S., Khan, A. L., Shujah, S., Al-Sahi, J. M. S., A New Irregular Trihydroxy Sesquiterpene from *Teucrium mascatense*, 1462  
 Hwang, B. Y., Han, X. H., Lee, C., Lee, J. W., Jin, Q., Jang, H., Lee, H. J., Lee, D., Lee, S.-J., Hong, J. T., Lee, M. K., Two New Iridoids from the Stem of *Catalpa ovata*, 381  
 Hwang, B. Y., Jang, H., Lee, J. W., Jin, Q., Kim, S.-Y., Lee, D., Hong, J. T., Kim, Y., Lee, M. K., Biflavones and Furanone Glucosides from *Zabellia tyaihyonii*, 1419  
 Iinuma, M., see Ito, T., 32  
 Inouchi, H., see Kobayashi, K., 184  
 Ito, T., Hoshino, R., Iinuma, M., Absolute Configuration of Resveratrol Oligomers Isolated from *Hopea utilis*, 32  
 Jafar Hoseini, S., see Soltani Rad, M. N., Behrouz, S., 1210  
 Jagadeesh Babu, N., see Nagaiah, K., 417  
 Jahangir, S., see Hussain, J., Al-Harrasi, A., 719  
 Janatian Ghazvini, H., see Adib, M., 1079  
 Jang, D. S., Ryu, B., Kim, H. M., Lee, J.-S., Cho, Y. J., Oh, M. S., Choi, J.-H., Sesquiterpenes from Rhizomes of *Cyperus rotundus* with Cytotoxic Activities on Human Cancer Cells *in vitro*, 1372  
 Jang, H., see Hwang, B. Y., 381  
 Jang, H., see Hwang, B. Y., 1419  
 Ji, Y.-N., see Zhu, H.-J., 819  
 Jiang, B., Huang, B., Huang, Z.-Y., Xiao, C.-J., Dong, X., New Phenolic Tricyclic Diterpenoids from Rhizomes of *Isodon hispida* (BENTH.) HARA, 527  
 Jiang, M.-H., see Yin, S., 1387  
 Jiao, R.-H., Tan, R.-X., Ren, R., Chen, C.-J., Liu, X.-X., Ge, H.-M., Bioactive Trichothecenes Produced by the *Myrothecium* sp. QB-1, 1435  
 Jiao, Z.-Z., see Xiang, L., 961  
 Jin, J., see Zhao, Z., 108  
 Jin, Q., see Hwang, B. Y., 381  
 Jin, Q., see Hwang, B. Y., 1419  
 Jin, T.-Y., see Xiang, L., 961  
 Joshi, K. R., see Devkota, H. P., Yahara, S., 704  
 Kamikawa, S., see Ohta, S., 336  
 Kara, Y., Seçen, H., Köse, A., Gündoğdu, Ö., Aktaş, D., Fıstıkçı, M., Altundaş, R., Enantiospecific Synthesis of (*R*)-3-Amino-4-(2,4,5-trifluorophenyl)butanoic Acid Using (*S*)-Serine as a Chiral Pool, 260  
 Kara, Y., Altundaş, R., Aktaş, D., Fıstıkçı, M., Gündoğdu, Ö., Seçen, H., Şahin, M. F., Novel and Stereospecific Synthesis of (2*S*)-3-(2,4,5-Trifluorophenyl)propane-1,2-diol from D-Mannitol, 1127  
 Kattanguru, P., see Fernandes, R. A., 92  
 Kazemi Movahed, S., see Dabiri, M., Salehi, P., 633  
 Keese, R., see Eschenmoser, A., 1845  
 Keese, R., see Neier, R., Eschenmoser, A., 1921  
 Kelzhanova, N. K., see Michalik, D., Langer, P., 308  
 Kemertelidze, E., Skhirtladze, A., Ganzera, M., New Furostanol Glycosides from the Roots of *Digitalis ciliata* TRAUTV., 224  
 Khan, A., Farooq, U., Hashmi, M. A., Hameed, R., Ahmad, V. U., Perveen, S., A New Dimeric Secoiridoid Glycoside from the Leaves of *Olea ferruginea* ROYLE, 668  
 Khan, A. L., see Hussain, J., Al-Harrasi, A., 719  
 Khan, A. L., see Hussain, J., 1240  
 Khan, A. L., see Al-Harrasi, A., Hussain, J., 1462  
 Khan, H., see Hussain, J., Al-Harrasi, A., 719  
 Khan, I. A., see Xu, Q., 496  
 Khan, I. A., see Al-Rehaily, A. J., 561  
 Khan, S. I., see Al-Rehaily, A. J., 561  
 Kim, H. K., see Lee, K. R., 1087  
 Kim, H. M., see Jang, D. S., 1372  
 Kim, K. H., see Lee, K. R., 1087  
 Kim, S.-Y., see Hwang, B. Y., 1419  
 Kim, Y., see Hwang, B. Y., 1419  
 Kinzl, F. R., see Riepl, H. M., 447  
 Kiuchi, K., see Kuroda, C., 1035  
 Kiyota, H., see Shi, Q.-W., Dong, M., 691

- Klásek, A., Rudolf, O., Rouchal, M., Lyčka, A., Reaction of 3-Hydroxyquinoline-2,4-diones with Inorganic Thiocyanates in the Presence of Ammonium or Alkylammonium Ions: the Unexpected Replacement of a Hydroxy Group by an Amino Group, 318
- Klika, K. D., Wzorek, A., Sato, A., Drabowicz, J., Soloshonok, V. A., Enantiomeric Enrichments via the Self-Disproportionation of Enantiomers (SDE) by Achiral, Gravity-Driven Column Chromatography: a Case Study Using *N*-(1-Phenylethyl)acetamide for Optimizing the Enantiomerically Pure Yield and Magnitude of the SDE, 1147
- Kobayashi, K., Ezaki, K., Hanioka, D., Nozawa, I., Synthesis of 6-Aminoindolo[2,1-*a*]isoquinoline-5-carbonitriles by the Cu-Catalyzed Reaction of 2-(2-Bromophenyl)-1*H*-indoles with CH<sub>2</sub>(CN)<sub>2</sub>, 179
- Kobayashi, K., Matsumoto, N., Nagashima, M., Inouchi, H., One-Pot Synthesis of 3-Acetyl-2-aryl-3,4-dihydroquinazolines from *N*-[2-(Azidomethyl)phenyl]benzamides Utilizing Intramolecular Aza-Wittig Reaction, 184
- Kobayashi, K., Kuroda, M., A Facile Synthesis of 1-Substituted 3-Alkoxy-1*H*-isoindoles Based on the Reaction of 2-(Dialkoxymethyl)phenyllithiums with Nitriles, Followed by Acid-Catalyzed Cyclization, 279
- Kobayashi, K., Chikazawa, Y., Ezaki, K., One-Pot Synthesis of 3-Alkoxy-2,3-dihydro-1*H*-isoindol-1-ones by the Reactions of 2-(Azidomethyl)benzoates with NaH, 604
- Kobayashi, K., Kuroda, M., Shigemura, Y., Synthesis of 1,3-Dihydro-3-oxo-2-benzofuran-1-carboxylates via Intramolecular Cyclization of 2-[2-(Dimethoxymethyl)phenyl]-2-hydroxyalkanoates Followed by Oxidation, 1364
- Kong, D.-Y., Gao, W., Chen, C., Zhang, J., Cheng, L., Two New Triterpene Saponins from the Seed Residue of *Hippophae rhamnoides* L., 60
- Kong, D.-Y., Shao, Y., Ou-Yang, D.-W., Cheng, L., Gao, W., Weng, X.-X., New Pentacyclic Triterpenoids from *Centella asiatica*, 683
- Kong, N.-C., see Di, Y.-T., Hao, X.-J., 72
- Korchagina, D. V., see Volcho, K. P., 1442
- Köse, A., see Seçen, H., Kara, Y., 260
- Kostyleva, S. A., see Savchenko, R. G., 1292
- Kubilay, H. N., see Anac, O., 1245
- Kumar, B., see Rouf, A., Taneja, S. C., 823
- Kumar, B. N., see Nagaiah, K., 386
- Kumar, B. N., see Nagaiah, K., 417
- Kumar, B. S., see Nagaiah, K., 386
- Kumar, N. S., see Meshram, H. M., 978
- Kumar, P. V. A., see Radha Krishna, P., 1115
- Kuo, C.-C., see Kuo, Y.-H., 123
- Kuo, Y.-H., Chang, C.-I., Li, Y.-C., Yang, C.-S., Chao, C.-Y., Li, Y.-J., Chang, H.-S., Huang, C.-J., Kuo, C.-C., Two New Labdane-Type Diterpene Acids from the Wood of *Cunninghamia konishii*, 123
- Kuroda, C., Hirai, M., Miyazaki, R., Mitsui, K., Kiuchi, K., Onuki, H., Hirota, H., Synthesis and NMR Spectroscopic Elucidation of Four Diastereoisomers of Oxygenated Bisabolane Side Chain, 1035
- Kuroda, M., see Kobayashi, K., 279
- Kuroda, M., see Kobayashi, K., 1364
- Lacaille-Dubois, M.-A., Pertuit, D., Lotfabad, T. B., Mitaine-Offer, A.-C., Miyamoto, T., Tanaka, C., Two New Triterpene Saponins from *Acanthophyllum laxiusculum*, 611
- Lang, H.-Y., see Zhan, Z.-J., 552
- Langer, P., Michalik, D., Rotzoll, S., Feist, H., Gütlein, J.-P., Kelzhanova, N. K., Abilov, Z. A., Villinger, A., Synthesis of 2,3,3a,9a-Tetrahydro-1*H*-cyclopenta[*b*]quinoxaline-1,3,4,9-tetracarboxylate by Cyclization of 1,5-Bis[(trimethylsilyloxy)penta-1,4-dienes with Quinoxalines, 308
- Latino, D. A. R. S., Pereira, F., Exploration of Quantitative Structure–Reactivity Relationships for the Estimation of *Mayr* Nucleophilicity, 863
- Lee, C., see Hwang, B. Y., 381
- Lee, D., see Hwang, B. Y., 381
- Lee, D., see Hwang, B. Y., 1419
- Lee, H. J., see Hwang, B. Y., 381
- Lee, J.-S., see Jang, D. S., 1372
- Lee, J. W., see Hwang, B. Y., 381
- Lee, J. W., see Hwang, B. Y., 1419
- Lee, K.-H., Li, R.-T., Li, H.-M., Zhou, C., Chen, C.-H., Flavonoids Isolated from Heat-Processed *Epimedium koreanum* and Their Anti-HIV-1 Activities, 1177
- Lee, K. R., Suh, W. S., Kim, K. H., Kim, H. K., Choi, S. U., Three New Lignan Derivatives from *Lindera glauca* (SIEBOLD et ZUCC.) BLUME, 1087
- Lee, M. K., see Hwang, B. Y., 381
- Lee, M. K., see Hwang, B. Y., 1419
- Lee, S.-J., see Hwang, B. Y., 381
- Lehto, E., Chen, Y., Uebelhart, P., Linden, A., Hansen†, H.-J., Excursion to the World of Heptacyclic Compounds Made of Azulenes and Acetylenedicarboxylates, 913
- Lei, F., see Gao, C., Huang, R., 710
- Lenta, B. N., Ateba, J. T., Chouina, J. R., Aminake, M. N., Nardella, F., Pradel, G., Neumann, B., Stammler, H. G., Vonthron-Sénécheau, C., Ngouela, S., Sewald, N., Two 2,6-Dioxabicyclo[3.3.1]nonan-3-ones from *Phragmanthera capitata* (SPRENG.) BALLE (Loranthaceae), 945
- Li, D.-H., see Liu, X.-Q., Hua, H.-M., 1332
- Li, G., see Wang, H.-L., 1287

- Li, H., see Hu, J., 273  
 Li, H., see Liu, Z., 986  
 Li, H.-M., see Li, R.-T., 1132  
 Li, H.-M., see Li, R.-T., Lee, K.-H., 1177  
 Li, H.-Y., see Cong, Y., Guo, J.-G., 539  
 Li, J., see Cong, Y., 85  
 Li, J., see Yang, G.-Z., 1160  
 Li, J.-H., see Zhu, H.-J., 819  
 Li, L., see Cong, Y., Guo, J.-G., 539  
 Li, M., see Wang, Q., 410  
 Li, P., see Zhang, Y.-H., 627  
 Li, R.-Q., see Liu, W.-H., 515  
 Li, R.-T., Zhu, Y.-Z., Li, Y.-H., Liu, D., Gao, L.-H., Li, H.-M., Isolation and Characterization of Secondary Metabolites from *Rhododendron microphyton*, 1132  
 Li, R.-T., Lee, K.-H., Li, H.-M., Zhou, C., Chen, C.-H., Flavonoids Isolated from Heat-Processed *Epimedium koreanum* and Their Anti-HIV-1 Activities, 1177  
 Li, S.-L., Hao, X.-J., Liu, W.-X., Chen, D.-Z., Ding, J.-Y., New Phragmalin-Type Limonoid Orthoesters from the Bark of *Chukrasia tabularis* var. *velutina*, 1403  
 Li, S.-P., Yuan, C.-S., Huang, W.-H., Zhang, Q.-W., Wang, C.-Z., Phenolic Derivatives from the Root Bark of *Oplopanax horridus*, 201  
 Li, S.-S., see Cong, Y., 85  
 Li, W.-H., Liu, Q.-C., Feng, Z.-L., Wu, S.-P., Guo, T.-T., Concise Synthesis and Antidiabetic Effect of Three Natural Triterpenoid Saponins Isolated from *Fadogia ancylantha* (Makoni tea), 1254  
 Li, X., see Xu, Q., 496  
 Li, X.-B., see Chen, G.-Y., Wang, C.-Y., 368  
 Li, X.-M., see Wang, B.-G., 800  
 Li, X.-Y., see Liu, X.-Q., Hua, H.-M., 1332  
 Li, Y.-C., see Kuo, Y.-H., 123  
 Li, Y.-H., see Li, R.-T., 1132  
 Li, Y.-J., see Kuo, Y.-H., 123  
 Li, Z., see Feng, P., 795  
 Li, Z.-J., see Qiu, M.-H., 1456  
 Li, Z.-L., see Liu, X.-Q., Hua, H.-M., 1332  
 Liang, H.-P., see Hu, H.-B., 1466  
 Liang, Y., see Zhang, Z.-T., 953  
 Liao, J., see Zhao, Q.-J., Wu, Q.-Y., 618  
 Liao, M., see Shi, Q.-W., Dong, M., 691  
 Liao, S., see Liu, Y., 834  
 Lin, C., see Zhao, Z., 108  
 Lin, L., see Gao, C., Huang, R., 710  
 Lin, S.-L., see Yin, S., 1387  
 Lin, W., Cheng, W., Huang, Q., Long, H., Liu, H., van Ofwegen, L., Subergane-Type Sesquiterpenes from Gorgonian Coral *Subergorgia suberosa* with Antibacterial Activities, 1202  
 Lin, X., see Liu, Y., 834  
 Linden, A., see Heimgartner, H., 155  
 Linden, A., see Mlostoń, G., Heimgartner, H., 190  
 Linden, A., see Heimgartner, H., 232  
 Linden, A., see Mlostoń, G., Heimgartner, H., 453  
 Linden, A., see Mlostoń, G., Heimgartner, H., 462  
 Linden, A., Chen, Y., Lehto, E., Uebelhart, P., Hansen†, H.-J., Excursion to the World of Heptacyclic Compounds Made of Azulenes and Acetylenedicarboxylates, 913  
 Liu, D., see Shi, Q.-W., Dong, M., 691  
 Liu, D., see Li, R.-T., 1132  
 Liu, H., see Cheng, W., Lin, W., 1202  
 Liu, J., see Liu, Y., 834  
 Liu, P.-Y., see Shi, Q.-W., Dong, M., 691  
 Liu, Q., see Wu, L.-H., Chou, G.-X., 657  
 Liu, Q.-C., Li, W.-H., Feng, Z.-L., Wu, S.-P., Guo, T.-T., Concise Synthesis and Antidiabetic Effect of Three Natural Triterpenoid Saponins Isolated from *Fadogia ancylantha* (Makoni tea), 1254  
 Liu, Q.-Y., see Zhang, Y.-H., 627  
 Liu, R., Pan, Q., Wang, Y.-N., Xie, B.-J., A New *p*-Terphenyl Derivative from the Mushroom *Thelephora vialis*, 1075  
 Liu, T., Zhuang, Y.-B., Yin, H., Zhang, X.-W., Zhou, W., Three New Xanthones from the Fungus *Penicillium* sp. NH-7-1, 699  
 Liu, T.-W., see Cheng, M.-J., Chang, H.-S., Chen, I.-S., 1167  
 Liu, W., see Xu, Y., 116  
 Liu, W.-H., see Zhan, Z.-J., 148  
 Liu, W.-H., Zhao, H., Li, R.-Q., Zheng, H.-B., Yu, Q., Polyketides and Meroterpenoids from *Neosartorya glabra*, 515  
 Liu, W.-X., see Hao, X.-J., Li, S.-L., 1403  
 Liu, X.-Q., Hua, H.-M., Zhao, N., Yang, G.-C., Li, D.-H., Li, X.-Y., Li, Z.-L., Bai, J., Two New Sesquiterpenes from Myrrh, 1332  
 Liu, X.-X., see Tan, R.-X., Jiao, R.-H., 1435  
 Liu, Y., see Xu, Q., 496  
 Liu, Y., Yang, B., Huang, J., Lin, X., Liao, S., Zhou, X., Liu, J., Wang, J., Wang, L., New Casbane Diterpenoids from the Hainan Soft Coral *Sinu-laria* Species, 834  
 Liu, Z., Hu, J., Song, Y., Li, H., Mao, X., Shi, X., Diterpene Glycosides from the Dry Fronds of *Cyniza japonica*, 986  
 Löliger, P., see Neier, R., Eschenmoser, A., 1921  
 Long, B., see Gao, C., Huang, R., 710  
 Long, H., see Cheng, W., Lin, W., 1202  
 López, J. A., see Cervantes, J., Serrano, O., 359  
 Lotfabad, T. B., see Lacaille-Dubois, M.-A., 611  
 Lu, D., see Xu, Y., 116  
 Lu, N.-N., see Shi, Q.-W., Dong, M., 691  
 Lu, Q., see Cheng, Y.-X., 1004  
 Lu, X.-R., see Wang, M.-Y., Gong, M.-X., 245  
 Luna, L. E., see Cravero, R. M., 994



- Luo, D.-Q., Zhou, K., Zhao, X.-L., Han, L.-P., Cao, M.-M., Chen, C., Shi, B.-Z., Paecilomycines A and B, Novel Diterpenoids, Isolated from Insect-Pathogenic Fungi *Paecilomyces* sp. ACCC 37762, 642
- Lyčka, A., see Klásek, A., 318
- Ma, L.-F., see Zhan, Z.-J., 148
- Ma, T.-T., see Zhan, Z.-J., 148
- MaGee, D. I., see Dabiri, M., Salehi, P., 633
- Mahdavi, M., see Shafiee, A., 1028
- Mahmun Hossain, M., Shahid Islam, M., Ahmad, S., Attu, M. R., Foerstering, F. H., Concise Synthesis of 2-Arylpropanoic Acids and Study of Unprecedented Reduction of 3-Hydroxy-2-arylpropanoic Acid Ethyl Ester to 2-Arylpropanoic Acid Ethyl Ester by  $\text{BH}_3 \cdot \text{THF}$ , 1273
- Mallula, V. S., see Radha Krishna, P., 1115
- Maloshitskaya, O. A., see Averin, A. D., Beletskaya, I. P., 47
- Mao, X., see Hu, J., 273
- Mao, X., see Liu, Z., 986
- Maram, L., see Das, B., 674
- Marque, S. R. A., see Siri, D., Santelli, M., 1018
- Matsumoto, N., see Kobayashi, K., 184
- Mayer, A., see Meier, H., 1061
- Meier, H., Mayer, A., Rumpf, N., Hillmann, S., Synthesis of Benzobis[1,3]oxathiins, 1061
- Merey, G., Sezen, G., Atom-Economical Synthesis of Complex Heterocycles with N–O Moiety, 1315
- Meshram, H. M., Rao, L. C., Kumar, N. S., An Efficient and Chemoselective Knoevenagel/Hemiketalization Process for the Synthesis of New 2H-Chromenes in a One-Pot Three-Component Reaction, 978
- Miao, J.-H., see Yao, X.-S., 482
- Michalik, D., Langer, P., Rotzoll, S., Feist, H., Gütlein, J.-P., Kelzhanova, N. K., Atilov, Z. A., Villinger, A., Synthesis of 2,3,3a,9a-Tetrahydro-1H-cyclopenta[b]quinoxaline-1,3,4,9-tetracarbonylate by Cyclization of 1,5-Bis[(trimethylsilyl)oxy]penta-1,4-dienes with Quinoxalines, 308
- Miljkovic, D., see Neier, R., Eschenmoser, A., 1921
- Mitaine-Offier, A.-C., see Lacaille-Dubois, M.-A., 611
- Mitsui, K., see Kuroda, C., 1035
- Miyamoto, T., see Lacaille-Dubois, M.-A., 611
- Miyazaki, R., see Kuroda, C., 1035
- Mlostoń, G., Heimgartner, H., Pipiak, P., Linden, A., 1,3-Dipolar Cycloadditions of  $\alpha$ -Diazo Ketones Derived from N-Protected (S)-Proline with Aromatic and Cycloaliphatic Thioketones, 190
- Mlostoń, G., Heimgartner, H., Urbaniak, K., Linden, A., Selenophen-2-yl-Substituted Thiocarbonyl Ylides – at the Borderline of Dipolar and Biradical Reactivity, 453
- Mlostoń, G., Heimgartner, H., Pipiak, P., Linden, A., Studies on the Reactions of Thiocarbonyl S-Methanides with Hetaryl Thioketones, 462
- Moafi, L., see Alizadeh, A., 546
- Mohadeszadeh, M., see Rahimizadeh, M., 474
- Mohammadizadeh, M. R., Saberi, D., Esmaeili, R., Diastereoselective and Efficient Synthesis of Indeno[2'',1'':4',5']furo[3',2':5,6]pyrido[2,3-d]pyrimidine-2,4,6(1H,3H)-trione and 6-(2,3-Dihydro-2-hydroxy-1,3-dioxo-1H-inden-2-yl)-5,8-dihydro-pyrido[2,3-d]pyrimidine-2,4,7(1H,3H,6H)-trione Derivatives, 1411
- Müller, K., see Neier, R., Eschenmoser, A., 1921
- Nagaiah, K., Raju, K. B., Kumar, B. N., Kumar, B. S., Towards Stereoselective Synthesis of the C(31)–C(39) and C(20)–C(27) Fragments of Phorbosazole A, 386
- Nagaiah, K., Kumar, B. N., Venkatesham, A., Jagadeesh Babu, N., Synthesis of New Pyrano[2',3':5,6]chromeno[4,3-b]quinolin-4-ones via Aza-Diels–Alder Reaction, 417
- Nagashima, M., see Kobayashi, K., 184
- Nagendra, S., see Das, B., 520
- Nahavandian, S., see Shafiee, A., 1028
- Nardella, F., see Lenta, B. N., 945
- Nasrabadi, H., see Soltani Rad, M. N., Behrouz, S., 1210
- Nasybullin, R. F., see Elinson, M. N., 1104
- Neier, R., Eschenmoser, A., Yamada, Y., Wehrli, P., Miljkovic, D., Wild, H.-J., Bühler, N., Götschi, E., Golding, B., Löliger, P., Gleason, J., Pace, B., Ellis, L., Hunkeler, W., Schneider, P., Fuhrer, W., Nordmann, R., Srinivasachar, K., Keese, R., Müller, K., Corrin Syntheses. Part VI. Corrin Synthesis via A  $\rightarrow$  D Ring Closure. The Construction of A/D-Secocorrin Chromophore Systems by the 'Sulfide Contraction' Method and the Photochemical A/B-Secocorrin  $\rightarrow$  Corrin Cycloisomerization, 1921
- Nematollahi, D., see Amoozadeh, A., Asghari, A., 210
- Nematpour, M., see Yavari, I., 343
- Nematpour, M., see Yavari, I., 534
- Neuenschwander†, M., Low-Temperature Olefin Syntheses in View of Parent Fulvenes and Fulvalenes, 731
- Neuenschwander†, M., Substituent Effects on  $\pi$ -Bond Delocalization of Fulvenes and Fulvalenes. Are Fulvenes Aromatic?, 763
- Neuenschwander†, M., The Aminopropenal- and Aminopentadienal Rearrangement, 881
- Neuenschwander†, M., The Forgotten Carbonyl Reaction: Chloroacetylation and Bromoacetylation of Carbonyl Compounds, 899
- Neumann, B., see Lenta, B. N., 945

- Ng, S. W., see Alizadeh, A., 663  
 Ngouela, S., see Lenta, B. N., 945  
 Ni, Z.-Y., Wu, Y.-B., Zhang, C.-B., Wang, J., Qing, X., Yan, H.-M., Shi, Q.-W., Sauriol, F., Gu, Y.-C., Two New Eudesmanolides from the Flowers of *Achillea millefolium*, 973  
 Niu, Z.-G., see Chen, G.-Y., Wang, C.-Y., 368  
 Nordmann, R., see Neier, R., Eschenmoser, A., 1921  
 Nozawa, I., see Kobayashi, K., 179
- Odinokov, V. N., see Savchenko, R. G., 1292  
 Oh, M. S., see Jang, D. S., 1372  
 Ohta, E., see Ohta, S., 336  
 Ohta, S., Kamikawa, S., Ohta, E., Caesaljaponins A and B: New Cassane-Type Furanoditerpenoids from the Seeds of *Caesalpinia decapetala* var. *japonica*, 336  
 Onuki, H., see Kuroda, C., 1035  
 Ordoñez, M., see Cervantes, J., Serrano, O., 359  
 Ou-Yang, D.-W., see Kong, D.-Y., 683  
 OuYang, J., see Wang, H.-L., 1287
- Pace, B., see Neier, R., Eschenmoser, A., 1921  
 Paige Lathem, A., see Carr, J. M., 582  
 Pan, Q., Liu, R., Wang, Y.-N., Xie, B.-J., A New *p*-Terphenyl Derivative from the Mushroom *Thelephora vialis*, 1075  
 Panchenko, S. P., see Averin, A. D., Beletskaya, I. P., 47  
 Paraskevopoulos, G., see Skobridis, K., 593  
 Pashazadeh, R., see Yavari, I., 374  
 Pawłowska, A., see Pluskota-Karwatka, D., 842  
 Peng, C.-F., see Cheng, M.-J., Chen, I.-S., 347  
 Pereira, F., see Latino, D. A. R. S., 863  
 Pereira, R. C., see Bianco, É. M., 785  
 Pertuit, D., see Lacaille-Dubois, M.-A., 611  
 Perveen, S., see Khan, A., Farooq, U., 668  
 Pesaro, M., see Eschenmoser, A., 1683  
 Pesaro, M., see Eschenmoser, A., 1755  
 Pinheiro, C. B., see Bianco, É. M., 785  
 Pinteala, M., see Rotaru, A., 1141  
 Pipiak, P., see Młostoń, G., Heimgartner, H., 190  
 Pipiak, P., see Młostoń, G., Heimgartner, H., 462  
 Pluskota-Karwatka, D., Pawłowska, A., Characterization of Adducts Formed in the Reactions of Methylglyoxal and Malonaldehyde with Lysine and Histidine Derivatives, 842  
 Pospieszny, T., Design and Synthesis of New Bile Acid–Sterol Conjugates Linked via 1,2,3-Triazole Ring, 1337  
 Pradel, G., see Lenta, B. N., 945  
 Prasad, K. R., see Rao, J. M., 143  
 Previtera, L., see Di Fabio, G., 399  
 Priede, E., Zicmanis, A., One-Pot Three-Component Synthesis of Hantzsch 1,4-Dihydropyridines Promoted by Dimethyl Phosphate Ionic Liquids, 1095  
 Purushotham Reddy, S., see Rao, J. M., 143  
 Purushotham Reddy, S., see Babu, K. S., 1307
- Qin, X.-D., see Yang, S., Wang, F., 1325  
 Qing, X., see Ni, Z.-Y., Wu, Y.-B., 973  
 Qiu, L., see Yao, X.-S., 482  
 Qiu, M.-H., Li, Z.-J., Chen, J.-C., Deng, Y.-Y., Song, N.-L., Yu, M.-Y., Zhou, L., Two New Cucurbitane Triterpenoids from Immature Fruits of *Momordica charantia*, 1456
- Radha Krishna, P., Kumar, P. V. A., Mallula, V. S., Stereoselective Total Synthesis of Iso-Cladospolid B and the 12 Membered-Macrolactone (6*S*,12*R*)-6-Hydroxy-12-methyloxacyclododecane-2,5-dione, 1115  
 Rahimizadeh, M., Mohadeszadeh, M., Eshghi, H., Shiri, A., Gholizadeh, M., Shams, A., Synthesis and Spectral Characteristics of Novel Fluorescent Dyes Based on Pyrimido[4,5-*d*][1,2,4]triazolo[4,3-*a*]pyrimidine, 474  
 Rajaram, S., see Babu, K. S., 650  
 Raji Reddy, C., Suman, D., Rao, N. N., Alkyne-Mediated Approach to the Synthesis of (4*R*,5*R*)-5-Hydroxy-4-decanolide and (–)-Muricatacin, 967  
 Raju, K. B., see Nagaiah, K., 386  
 Ramesh Reddy, A., see Venkat Narsaiah, A., 1009  
 Ramulu, U., see Babu, K. S., 650  
 Rao, J. M., Prasad, K. R., Purushotham Reddy, S., Babu, K. S., First Stereoselective Synthesis of the Cytotoxic Polyketide (4*R*)-1-(3,5-Dihydroxyphenyl)-4-hydroxypentan-2-one, 143  
 Rao, L. C., see Meshram, H. M., 978  
 Rao, N. N., see Raji Reddy, C., 967  
 Razmi, Z., see Hosseini-Sarvari, M., 805  
 Reddy, B. P., see Reddy, B. V. S., 1395  
 Reddy, B. V. S., Reddy, P. S., Babu, K. V., Reddy, B. P., Yadav, J. S., Stereoselective Total Synthesis of Mangiferaelactone using D-Mannose as a Chiral Pool, 1395  
 Reddy, N., Aravind, S., Copper-Exchanged Tungstophosphoric Acid: An Efficient and Reusable Heteropoly Acid for the Synthesis of 2,3,4,5-Tetrahydro-4-methylidene-furan Derivatives, 557  
 Reddy, P. R., see Das, B., 509  
 Reddy, P. S., see Reddy, B. V. S., 1395  
 Reddy, V. K., see Das, B., 520  
 Rehman, N. U., see Hussain, J., Al-Harrasi, A., 719  
 Rehman, N. U., see Hussain, J., 1240  
 Ren, F.-C., see Yang, S., Wang, F., 1325  
 Ren, R., see Tan, R.-X., Jiao, R.-H., 1435

- Riepl, H. M., Kinzl, F. R., Synthesis of Terpene Diamines Based on Camphor-Derived Dinitriles, 447
- Rizvi, T. S., see Hussain, J., 1240
- Rizvi, T. S., see Al-Harrasi, A., Hussain, J., 1462
- Romanucci, V., see Di Fabio, G., 399
- Rotaru, A., Ursu, E.-L., Clima, L., Hejesen, C., Pinteala, M., DNA-Mediated Copper Nanoparticle Formation on Dispersed Single-Walled Carbon Nanotubes, 1141
- Roth, M., see Eschenmoser, A., 1755
- Rotzoll, S., see Michalik, D., Langer, P., 308
- Rouchal, M., see Klásek, A., 318
- Rouf, A., Taneja, S. C., Aga, M. A., Kumar, B., (R)-2,3-Cyclohexylidene-glyceraldehyde, a Chiral Pool Synthon for the Synthesis of 2-Azido-1,3-diols, 823
- Rudolf, O., see Klásek, A., 318
- Rumpf, N., see Meier, H., 1061
- Růžicková, Z., see Bureš, F., 1351
- Ryu, B., see Jang, D. S., 1372
- Ryzhkov, F. V., see Elinson, M. N., 1104
- Saberi, D., see Mohammadzadeh, M. R., 1411
- Sadegh-Samiei, S., see Yavari, I., 589
- Saeedi, M., see Shafiee, A., 1028
- Saeedi, S., see Adib, M., 1079
- Şahin, M. F., see Altundaş, R., Kara, Y., 1127
- Salakhutdinov, N. F., see Volcho, K. P., 1442
- Salehi, P., Dabiri, M., Fakharian, M., Kazemi Movahed, S., MaGee, D. I., New Convenient Five-Component One-Pot Synthesis of 3-Alkyl-6-amino-1,4-dihydro-4-[[1,2,3-triazol-4-yl]methoxy]phenyl]pyrano[2,3-c]pyrazole-5-carbonitrile Derivatives, 633
- Salva Reddy, N., see Das, B., 78
- Santelli, M., Siri, D., Audran, G., Brémond, P., El Abed, D., Marque, S. R. A., Computational Studies on Intramolecular Cycloadditions of Azidoenynes and Azidobutenenitriles to Give 6H-Pyrrolo[1,2-c][1,2,3]triazoles and 5H-Pyrrolo[1,2-d]tetrazoles, 1018
- Sato, A., see Wzorek, A., Klika, K. D., 1147
- Sauriol, F., see Shi, Q.-W., Dong, M., 691
- Sauriol, F., see Ni, Z.-Y., Wu, Y.-B., 973
- Savchenko, R. G., Kostyleva, S. A., Odinkov, V. N., Reductive Amination of  $\omega$ -Oxoecdysteroids in the Synthesis of Dimeric Ecdysteroids, 1292
- Sayahi, M. H., Adib, M., Hamooleh, Z., Zhu, L.-G., Amanlou, M., Reaction between Furan- or Thiophene-2-carbonyl Chloride, Isocyanides, and Dialkyl Acetylenedicarboxylates: Multicomponent Synthesis of 2,2'-Bifurans and 2-(Thiophen-2-yl)furans, 1231
- Scheffold, R., see Eschenmoser, A., 1601
- Scheffold, R., see Eschenmoser, A., 1755
- Schneider, P., see Neier, R., Eschenmoser, A., 1921
- Schossig, J., see Eschenmoser, A., 1755
- Schossig, J., see Eschenmoser, A., 1845
- Seçen, H., Kara, Y., Köse, A., Gündoğdu, Ö., Aktaş, D., Fıstıkçı, M., Altundaş, R., Enantiospecific Synthesis of (R)-3-Amino-4-(2,4,5-trifluorophenyl)butanoic Acid Using (S)-Serine as a Chiral Pool, 260
- Seçen, H., Seçinti, H., Synthesis of Two Natural Furan-Cyclized Diarylheptanoids via 2-Furaldehyde, 938
- Seçen, H., see Altundaş, R., Kara, Y., 1127
- Seçinti, H., see Seçen, H., 938
- Sedighian, H., see Alizadeh, A., 569
- Sedighian, H., see Alizadeh, A., 1426
- Serrano, O., Cervantes, J., Corona-Armenta, A. T., Ordoñez, M., López, J. A., Synthesis and Characterization of *m*-Terphenyl (1,3-Diphenylbenzene) Compounds Containing Trifluoromethyl Groups, 359
- Sewald, N., see Lenta, B. N., 945
- Sezen, G., see Merey, G., 1315
- Shafiee, A., Nahavandian, S., Allameh, S., Saeedi, M., Ansari, S., Mahdavi, M., Foroumadi, A., Novel 1,2,3,4-Tetrahydroquinazolinones via Reaction of 2-Amino-*N*-substituted Benzamides and Dimethyl Acetylenedicarboxylate, 1028
- Shahid Islam, M., see Mahmud Hossain, M., 1273
- Shams, A., see Rahimizadeh, M., 474
- Shan, W.-G., see Zhan, Z.-J., 148
- Shan, W.-G., see Zhan, Z.-J., 552
- Shao, Y., see Kong, D.-Y., 683
- Sheikhi, A., see Yavari, I., 343
- Sheikhi, A., see Yavari, I., 534
- Shen, Z., see Song, C., Chang, J., 128
- Shi, B.-Z., see Luo, D.-Q., 642
- Shi, Q.-W., Dong, M., Wu, Y.-B., Liu, D., Liu, P.-Y., Yang, X.-M., Liao, M., Lu, N.-N., Sauriol, F., Gu, Y.-C., Kiyota, H., New Limonoids from the Seeds of *Xylocarpus granatum*, 691
- Shi, Q.-W., see Ni, Z.-Y., Wu, Y.-B., 973
- Shi, X., see Liu, Z., 986
- Shi, X.-D., see Hu, J., 273
- Shigemura, Y., see Kobayashi, K., 1364
- Shinwari, Z. K., see Hussain, J., 1240
- Shiri, A., see Rahimizadeh, M., 474
- Shujah, S., see Al-Harrasi, A., Hussain, J., 1462
- Siddiqui, B. S., Dilshad, I., Faizi, S., Two New Degraded Triterpenoids and a Novel *seco*-Norabietane Diterpene from the Root Bark of *Azadirachta indica*, 135
- Simakova, I. L., see Volcho, K. P., 1442
- Siri, D., Santelli, M., Audran, G., Brémond, P., El Abed, D., Marque, S. R. A., Computational Studies on Intramolecular Cycloadditions of Azidoenynes and Azidobutenenitriles to Give 6H-

- Pyrrolo[1,2-*c*][1,2,3]triazoles and 5*H*-Pyrrolo[1,2-*d*]tetrazoles, 1018  
*Skhirladze, A.*, see *Kemertelidze, E.*, 224  
*Skobridis, K.*, *Paraskevopoulos, G.*, *Alivertis, D.*, *Theodorou, V.*, New Calix[4]arene-Cored Peripherally Functionalized Dendrimers: Synthesis and Conformational Characteristics, 593  
*Skoulika, S.*, see *Yavari, I.*, 589  
*Soheilzad, M.*, see *Adib, M.*, 1079  
*Soloshonok, V. A.*, see *Wzorek, A.*, *Klika, K. D.*, 1147  
*Soltani Rad, M. N.*, *Behrouz, S.*, *Jafar Hoseini, S.*, *Nasrabadī, H.*, *Zare, M. S.*, Copper/Graphene/Clay Nanohybrid: A Highly Efficient Heterogeneous Nanocatalyst for the Synthesis of Novel 1,2,3-Triazolyl Carboacyclic Nucleosides via ‘Click’ Huisgen 1,3-Dipolar Cycloaddition, 1210  
*Song, C.*, *Chang, J.*, *Ding, Q.*, *Zhang, Y.*, *Shen, Z.*, Synthesis of a Regioisomer of  $\beta$ -Lapachone and Analogs as Potent Antitumor Agents, 128  
*Song, H.-Z.*, see *Zhao, H.-J.*, *Xiong, Y.-K.*, 1225  
*Song, N.-L.*, see *Qiu, M.-H.*, 1456  
*Song, X.-M.*, see *Chen, G.-Y.*, *Wang, C.-Y.*, 368  
*Song, X.-M.*, see *Chen, G.-Y.*, *Song, X.-P.*, 724  
*Song, X.-P.*, see *Chen, G.-Y.*, *Wang, C.-Y.*, 368  
*Song, X.-P.*, *Chen, G.-Y.*, *Chen, W.-H.*, *Han, C.-R.*, *Hui, Y.*, *Zhang, D.-S.*, *Song, X.-M.*, Terpenoids from the Stems of *Drypetes congestiflora*, 724  
*Song, Y.*, see *Liu, Z.*, 986  
*Srilatha, M.*, see *Das, B.*, 267  
*Srinivasachar, K.*, see *Neier, R.*, *Eschenmoser, A.*, 1921  
*Stadler, H.*, Synthesis of Novel, Chiral Bicyclo[3.1.0]hex-2-ene Amino Acid Derivatives as Useful Synthons in Medicinal Chemistry, 1189  
*Stammli, H. G.*, see *Lenta, B. N.*, 945  
*Sterk, M.*, see *Bannwarth, W.*, 287  
*Su, Z.-Y.*, see *Yin, S.*, 1387  
*Suh, W. S.*, see *Lee, K. R.*, 1087  
*Suman, D.*, see *Raji Reddy, C.*, 967  
*Sun, H.*, see *Gao, C.*, *Huang, R.*, 710  
*Sun, H.-X.*, see *Xiang, L.*, 961  
*Sun, X.*, see *Xu, Y.*, 116  
*Suo, Y.-R.*, see *Wang, H.-L.*, 1287  
  
*Taheri, Z.*, see *Yavari, I.*, 343  
*Taheri, Z.*, see *Yavari, I.*, 534  
*Tajbakhsh, M.*, see *Adib, M.*, 1079  
*Tan, C.-J.*, see *Di, Y.-T.*, *Hao, X.-J.*, 72  
*Tan, R.-X.*, *Jiao, R.-H.*, *Ren, R.*, *Chen, C.-J.*, *Liu, X.-X.*, *Ge, H.-M.*, Bioactive Trichothecenes Produced by the *Myrothecium* sp. QB-1, 1435  
*Tanaka, C.*, see *Lacaille-Dubois, M.-A.*, 611  
*Taneja, S. C.*, *Rouf, A.*, *Aga, M. A.*, *Kumar, B.*, (R)-2,3-Cyclohexylidene-glyceraldehyde, a Chiral Pool Synthon for the Synthesis of 2-Azido-1,3-diols, 823  
*Tang, G.-H.*, see *Yin, S.*, 1387  
*Teixeira, V. L.*, see *Bianco, É. M.*, 785  
*Theodorou, V.*, see *Skobridis, K.*, 593  
*Tian, E.-L.*, see *Yang, G.-Z.*, 1160  
*Tian, S.-S.*, see *Zhu, H.-J.*, 819  
*Tontarelli, W.*, see *Cravero, R. M.*, 994  
*Tschumper, G. S.*, see *Carr, J. M.*, 582  
*Tydlitát, J.*, see *Bureš, F.*, 1351  
  
*Uebelhart, P.*, *Chen, Y.*, *Lehto, E.*, *Linden, A.*, *Hansen†, H.-J.*, Excursion to the World of Heptacyclic Compounds Made of Azulenes and Acetylenedicarboxylates, 913  
*Urbaniak, K.*, see *Młostoń, G.*, *Heimgartner, H.*, 453  
*Ursu, E.-L.*, see *Rotaru, A.*, 1141  
  
*Valizadeh, Y.*, see *Habibi, A.*, 67  
*van Ofwegen, L.*, see *Cheng, W.*, *Lin, W.*, 1202  
*Venkat Narsaiah, A.*, *Wadavrao, S. B.*, *Ghogare, R. S.*, A Concise Total Synthesis of (+)-(6*S*,9*R*,10*R*)-Bovidic Acid, 575  
*Venkat Narsaiah, A.*, *Ramesh Reddy, A.*, *Wadavrao, S. B.*, *Yadav, J. S.*, An Efficient Enantioselective Synthesis of Natural Gingerols, the Active Principles of Ginger, 1009  
*Venkatesham, A.*, see *Nagaiah, K.*, 417  
*Venkatesham, K.*, see *Babu, K. S.*, 1307  
*Vereshchagin, A. N.*, see *Elinson, M. N.*, 1104  
*Vieira, I. J. C.*, *Carmo, H. M. d.*, *Braz-Filho, R.*, A Novel Alkaloid from *Aspidosperma pyricollum* (Apocynaceae) and Complete <sup>1</sup>H and <sup>13</sup>C Chemical Shift Assignments, 1381  
*Villinger, A.*, see *Michalik, D.*, *Langer, P.*, 308  
*Volcho, K. P.*, *Ardashov, O. V.*, *Demidova, Y. S.*, *Korchagina, D. V.*, *Simakova, I. L.*, *Salakhutdinov, N. F.*, The First Synthesis of (4*S*,5*R*,6*R*)-5,6-Dihydroxy-4-(prop-1-en-2-yl)cyclohex-1-ene-1-carboxylic Acid, 1442  
*Vonthron-Sénécheau, C.*, see *Lenta, B. N.*, 945  
  
*Wadavrao, S. B.*, see *Venkat Narsaiah, A.*, 575  
*Wadavrao, S. B.*, see *Venkat Narsaiah, A.*, 1009  
*Wang, B.-G.*, *Zhang, P.*, *Li, X.-M.*, *Wang, J.-N.*, Oxepine-Containing Diketopiperazine Alkaloids from the Algal-Derived Endophytic Fungus *Paezilomyces variotii* EN-291, 800  
*Wang, C.*, see *Feng, P.*, 795  
*Wang, C.-Y.*, *Chen, G.-Y.*, *Zheng, C.-J.*, *Wu, L.-Y.*, *Li, X.-B.*, *Song, X.-M.*, *Niu, Z.-G.*, *Song, X.-P.*, Structure and Absolute Configuration of Aspergilumamide A, a Novel Lumazine Peptide from the Mangrove-Derived Fungus *Aspergillus* sp., 368  
*Wang, C.-Z.*, see *Yuan, C.-S.*, *Li, S.-P.*, 201

- Wang, F., see Zhang, Y.-H., 627
- Wang, F., Yang, S., Qin, X.-D., Zhao, Y., Gao, Y., Ren, F.-C., Curcumaromins A, B, and C, Three Novel Curcuminoids from *Curcuma aromatica*, 1325
- Wang, H.-L., OuYang, J., Zhou, W.-N., Li, G., Wang, X.-Y., Ding, C.-X., Suo, Y.-R., Three New Alkaloids from *Hippophae rhamnoides* LINN. subsp. *sinensis* ROUSI, 1287
- Wang, J., see Liu, Y., 834
- Wang, J., see Ni, Z.-Y., Wu, Y.-B., 973
- Wang, J.-N., see Wang, B.-G., 800
- Wang, L., see Liu, Y., 834
- Wang, M.-Y., Gong, M.-X., Lu, X.-R., Wang, X.-M., Wang, Z.-M., Chen, X.-Q., Two New Triterpenoid Saponins from *Stauntonia obovatifoliola* HAYATA ssp. *intermedia*, 245
- Wang, Q., Dai, W., Xie, Z.-J., Li, M., Three New Bisabolane Sesquiterpenes from *Ligularia songarica*, 410
- Wang, S.-L., see Zhan, Z.-J., 552
- Wang, X.-M., see Wang, M.-Y., Gong, M.-X., 245
- Wang, X.-Y., see Cong, Y., Guo, J.-G., 539
- Wang, X.-Y., see Wang, H.-L., 1287
- Wang, Y.-N., see Liu, R., Pan, Q., 1075
- Wang, Z.-M., see Wang, M.-Y., Gong, M.-X., 245
- Wang, Z.-T., see Wu, L.-H., Chou, G.-X., 657
- Watanabe, T., see Devkota, H. P., Yahara, S., 704
- Wehrli, P., see Eschenmoser, A., 1601
- Wehrli, P., see Neier, R., Eschenmoser, A., 1921
- Wei, Q., see Yao, X.-S., 482
- Wei, T., see Zhang, Z.-T., 953
- Wen, L., see Gao, C., Huang, R., 710
- Weng, X.-X., see Kong, D.-Y., 683
- Wick, A., see Eschenmoser, A., 1683
- Wild, H.-J., see Neier, R., Eschenmoser, A., 1921
- Winnacker, E.-L., see Eschenmoser, A., 1845
- Wu, C., see Zhou, G.-X., 1267
- Wu, L.-H., Chou, G.-X., Yao, H.-Q., Liu, Q., Wang, Z.-T., Two Rare  $\alpha$ -Pyrone (=2H-Pyran-2-one) Derivatives from *Gentiana rhodantha* FRANCHET, 657
- Wu, L.-Y., see Chen, G.-Y., Wang, C.-Y., 368
- Wu, Q.-Y., Zhao, Q.-J., Zhuo, X.-B., Zou, Y., Huang, S.-J., Liao, J., Hu, H.-G., Facile Synthesis of the Pentasaccharide Repeating Unit of the Exopolysaccharide from *Cryptococcus neoformans* Serotype D, 618
- Wu, S.-P., see Li, W.-H., Liu, Q.-C., 1254
- Wu, Y., see Hu, H.-B., 1466
- Wu, Y.-B., see Shi, Q.-W., Dong, M., 691
- Wu, Y.-B., Ni, Z.-Y., Zhang, C.-B., Wang, J., Qing, X., Yan, H.-M., Shi, Q.-W., Sauriol, F., Gu, Y.-C., Two New Eudesmanolides from the Flowers of *Achillea millefolium*, 973
- Wzorek, A., Klika, K. D., Sato, A., Drabowicz, J., Soloshonok, V. A., Enantiomeric Enrichments via the Self-Disproportionation of Enantiomers (SDE) by Achiral, Gravity-Driven Column Chromatography: a Case Study Using *N*-(1-Phenylethyl)acetamide for Optimizing the Enantiomerically Pure Yield and Magnitude of the SDE, 1147
- Xiang, L., Yue, S., Jiao, Z.-Z., Sun, H.-X., Jin, T.-Y., A New Tricyclic Alkaloid from *Portulaca oleracea* L., 961
- Xiao, C.-J., see Jiang, B., 527
- Xie, B.-J., see Liu, R., Pan, Q., 1075
- Xie, J.-M., see Zhang, Y.-H., 627
- Xie, Z.-J., see Wang, Q., 410
- Xiong, Y.-K., Zhao, H.-J., Yang, B., Zhang, J.-F., Song, H.-Z., Gu, M.-C., Two New Iridoid Esters from the Root and Rhizome of *Valeriana jatamansi* JONES, 1225
- Xu, Q., Li, X., Zhao, J., Li, X., Liu, Y., Khan, I. A., Yang, S., New Triterpenoid Glycosides from the Roots of *Camellia oleifera* ABEL, 496
- Xu, W.-H., see Al-Rehaily, A. J., 561
- Xu, Y., Lu, D., Liu, W., Guo, L., Sun, X., Palladium-Catalyzed Arylation of Olefins by Triarylphosphines via C–P Bond Cleavage, 116
- Xu, Y., see Zhu, H.-J., 819
- Yadav, J. S., see Venkat Narsaiah, A., 1009
- Yadav, J. S., see Reddy, B. V. S., 1395
- Yahara, S., Devkota, H. P., Joshi, K. R., Watanabe, T., Biflavonoids, Lignans, and Related Compounds from the Roots of *Diplomorpha canescens*, 704
- Yamada, Y., see Neier, R., Eschenmoser, A., 1921
- Yan, H.-M., see Ni, Z.-Y., Wu, Y.-B., 973
- Yang, B., see Zhao, Z., 108
- Yang, B., see Liu, Y., 834
- Yang, B., see Zhao, H.-J., Xiong, Y.-K., 1225
- Yang, B.-S., see Hu, J., 273
- Yang, C.-S., see Kuo, Y.-H., 123
- Yang, G.-C., see Liu, X.-Q., Hua, H.-M., 1332
- Yang, G.-Z., Chen, Y., Tian, E.-L., Hu, X., Li, J., Glycopentosides D–F, Three New Phenolic Glycosides from *Glycosmis pentaphylla*, 1160
- Yang, Q., see Zhang, Z.-T., 953
- Yang, S., see Xu, Q., 496
- Yang, S., Wang, F., Qin, X.-D., Zhao, Y., Gao, Y., Ren, F.-C., Curcumaromins A, B, and C, Three Novel Curcuminoids from *Curcuma aromatica*, 1325
- Yang, T., see Zhao, Z., 108
- Yang, X.-M., see Shi, Q.-W., Dong, M., 691
- Yao, H.-Q., see Wu, L.-H., Chou, G.-X., 657

- Yao, X.-S., Yuan, J.-Q., Qiu, L., Zou, L.-H., Wei, Q., Miao, J.-H., Two New Phenylethanoid Glycosides from *Callicarpa longissima*, 482
- Yavari, I., Taheri, Z., Nematpour, M., Sheikhi, A., Sulfonyl Ketenimines as Key Intermediates in One-Pot Synthesis of *N*-Sulfonyl-2-alkaneimido-yl Selenocyanates, 343
- Yavari, I., Hosseinpour, R., Pashazadeh, R., Formation of Dialkyl 2-[3-Alkoxy-1-(alkylimino)-1-chloro-3-oxopropan-2-ylidene]hydrazine-1,1-dicarboxylates of  $\alpha$ -(Alkoxy-carbonyl)imidoyl Chlorides from Phosphine–Diazo Ester Zwitterions and *Nef*-Isocyanide Adducts, 374
- Yavari, I., Sheikhi, A., Nematpour, M., Taheri, Z., Copper-Catalyzed Synthesis of Pentasubstituted Pyridines from *N*-Sulfonyl Ketenimines, 1,1,3,3-Tetramethylguanidine, and Acetylene Dicarboxylates, 534
- Yavari, I., Sadegh-Samiei, S., Skoulika, S., Base-Catalyzed Formation of Isoxazoles from Dialkyl Acetylenedicarboxylates and 2-Nitroacetophenones, 589
- Ye, W.-C., see Zhou, G.-X., 1267
- Yin, H., see Zhuang, Y.-B., Liu, T., 699
- Yin, S., Zhang, J.-S., Guo, Y.-Q., Bao, J.-M., Jiang, M.-H., Lin, S.-L., Su, Z.-Y., Tang, G.-H., Antioxidative Cassane Diterpenoids from the Seeds of *Caesalpinia minax*, 1387
- Ying, Y.-M., see Zhan, Z.-J., 148
- Ying, Y.-M., see Zhan, Z.-J., 552
- Yousaf, M., see Al-Rehaily, A. J., 561
- Yu, H., see Zhu, H.-J., 819
- Yu, L., see Gao, C., Huang, R., 710
- Yu, M.-Y., see Qiu, M.-H., 1456
- Yu, Q., see Liu, W.-H., 515
- Yu, S.-F., see Zhou, G.-X., 1267
- Yuan, C.-S., Li, S.-P., Huang, W.-H., Zhang, Q.-W., Wang, C.-Z., Phenolic Derivatives from the Root Bark of *Oplopanax horridus*, 201
- Yuan, J.-Q., see Yao, X.-S., 482
- Yue, S., see Xiang, L., 961
- Zare, M. S., see Soltani Rad, M. N., Behrouz, S., 1210
- Zarrelli, A., see Di Fabio, G., 399
- Zhan, Z.-J., Ma, T.-T., Shan, W.-G., Ying, Y.-M., Ma, L.-F., Liu, W.-H., Xanthones with  $\alpha$ -Glucosidase Inhibitory Activities from *Aspergillus versicolor*, a Fungal Endophyte of *Huperzia serrata*, 148
- Zhan, Z.-J., Shan, W.-G., Wang, S.-L., Lang, H.-Y., Chen, S.-M., Ying, Y.-M., Cottoquinazolines E and F from *Neosartorya fischeri* NRRL 181, 552
- Zhang, C.-B., see Ni, Z.-Y., Wu, Y.-B., 973
- Zhang, D.-S., see Chen, G.-Y., Song, X.-P., 724
- Zhang, J., see Kong, D.-Y., 60
- Zhang, J.-F., see Zhao, H.-J., Xiong, Y.-K., 1225
- Zhang, J.-S., see Yin, S., 1387
- Zhang, L., see Zhang, Y.-H., 627
- Zhang, P., see Wang, B.-G., 800
- Zhang, Q.-C., see Cong, Y., 85
- Zhang, Q.-C., see Cong, Y., Guo, J.-G., 539
- Zhang, Q.-W., see Yuan, C.-S., Li, S.-P., 201
- Zhang, X.-W., see Zhuang, Y.-B., Liu, T., 699
- Zhang, X.-W., see Hu, H.-B., 1466
- Zhang, Y., see Di, Y.-T., Hao, X.-J., 72
- Zhang, Y., see Song, C., Chang, J., 128
- Zhang, Y.-H., Liu, Q.-Y., Wang, F., Zhang, L., Xie, J.-M., Li, P., A Hydroxylated Lupeol-Based Triterpenoid Ester Isolated from the *Scurrula parasitica* Parasitic on *Nerium indicum*, 627
- Zhang, Z.-T., Yang, Q., Wei, T., He, Y., Liang, Y., Direct Arylation of 5-Iodouracil and 5-Iodouridine with Heteroarenes and Benzene via Photochemical Reaction, 953
- Zhao, H., see Liu, W.-H., 515
- Zhao, H.-J., Xiong, Y.-K., Yang, B., Zhang, J.-F., Song, H.-Z., Gu, M.-C., Two New Iridoid Esters from the Root and Rhizome of *Valeriana jatamansi* JONES, 1225
- Zhao, J., see Xu, Q., 496
- Zhao, N., see Liu, X.-Q., Hua, H.-M., 1332
- Zhao, Q.-J., Wu, Q.-Y., Zhuo, X.-B., Zou, Y., Huang, S.-J., Liao, J., Hu, H.-G., Facile Synthesis of the Pentasaccharide Repeating Unit of the Exopolysaccharide from *Cryptococcus neoformans* Serotype D, 618
- Zhao, X.-L., see Luo, D.-Q., 642
- Zhao, Y., see Yang, S., Wang, F., 1325
- Zhao, Z., Fan, Z., Jin, J., Lin, C., Zhu, C., Yang, T., Yang, B., Zhu, J., New Flavanol Glucosides from *Abacopteris aspera* (PRESL) CHING, 108
- Zheng, C.-J., see Chen, G.-Y., Wang, C.-Y., 368
- Zheng, H.-B., see Liu, W.-H., 515
- Zheng, X.-D., see Hu, H.-B., 1466
- Zhou, C., see Li, R.-T., Lee, K.-H., 1177
- Zhou, G.-X., Yu, S.-F., Huang, X.-J., Fu, S.-N., Wu, C., Ye, W.-C., New Monoterpenoids from Fruits of *Gardenia jasminoides* var. *radicans*, 1267
- Zhou, K., see Luo, D.-Q., 642
- Zhou, L., see Qiu, M.-H., 1456
- Zhou, W., see Zhuang, Y.-B., Liu, T., 699
- Zhou, W.-N., see Wang, H.-L., 1287
- Zhou, X., see Liu, Y., 834
- Zhu, C., see Zhao, Z., 108
- Zhu, H.-J., He, P., Tian, S.-S., Xu, Y., Yu, H., Ji, Y.-N., Li, J.-H., Three New Phenyl Ether Derivatives from *Aspergillus carneus* HQ889708, 819
- Zhu, H.-L., see Cong, Y., Guo, J.-G., 539
- Zhu, J., see Zhao, Z., 108
- Zhu, L.-G., see Alizadeh, A., 569
- Zhu, L.-G., see Sayahi, M. H., Adib, M., 1231

Zhu, Y.-Z., see Li, R.-T., 1132

Zhuang, Y.-B., Liu, T., Yin, H., Zhang, X.-W., Zhou,  
W., Three New Xanthones from the Fungus  
*Penicillium* sp. NH-7-1, 699

Zhuo, X.-B., see Zhao, Q.-J., Wu, Q.-Y., 618

Zicmanis, A., see Priede, E., 1095

Zou, L.-H., see Yao, X.-S., 482

Zou, Y., see Zhao, Q.-J., Wu, Q.-Y., 618