


Contents

Insertion of Molecular Oxygen in Transition-Metal Hydride Bonds, Oxygen-Bond Activation, and Unimolecular Dissociation of Metal Hydroperoxide Intermediates
Short Communication

*M. Schlagen, H. Schwarz**


379



Photocycloaddition Reactions of 5,5-Dimethyl-3-(3-methylbut-3-en-1-ynyl)cyclohex-2-en-1-one

*I. Inhülsen, J. Kopf, P. Margaretha**


387



Synthesis, DNA-Binding and Photocleavage Studies of the Ruthenium(II) Complexes $[\text{Ru}(\text{phen})_2(\text{ppd})]^{2+}$ and $[\text{Ru}(\text{phen})(\text{ppd})_2]^{2+}$ (ppd = Pteridino[6,7-*f*][1,10]phenanthroline-11,13(10*H*,12*H*)-dione, phen = 1,10-Phenanthroline)

F. Gao, H. Chao*, Y.-F. Wei, Y.-X. Yuan, B. Peng, X. Chen, K.-C. Zheng, L.-N. Ji*


395



Stability of 7,8-Dihydropterins in Air-Equilibrated Aqueous Solutions

M. L. Dántola, M. Vignoni, A. L. Capparelli, C. Lorente, A. H. Thomas*


411



New Sesquiterpene Formamides from the Marine Sponge *Axinyssa* sp.

W.-J. Lan, H.-P. Wan, G.-X. Li, H.-J. Li*, Y.-Y. Chen, C.-Z. Liao, J.-W. Cai


426



Diels–Alder Additions, Ene Reactions, and Condensations of 4-(Acylamino)-5-nitrosopyrimidines – Synthesis of 8-Substituted Guanines and of 6-Substituted Pteridinones

*T. Steinlin, A. Vasella**


435



*Unusual Nortriterpenoid Saponines from *Stauntonia chinensis**

*H. Gao, Z. Wang, Z.-H. Yao, N. Wu, H.-J. Dong, J. Li, N.-L. Wang, W.-C. Ye, X.-S. Yao**


451



*Noroleanane Triterpenoids from the Aerial Parts of *Lantana camara**

S. Begum, S. Q. Zehra, S. I. Hassan, B. S. Siddiqui*



460



Physicochemical Profiling of Sartans: A Detailed Study of Ionization Constants and Distribution Coefficients

P. Tosco, B. Rolando, R. Fruttero*, Y. Henchoz, S. Martel, P.-A. Carrupt, A. Gasco


468



New Oxygenated Lignans from *Kadsura philippinensis*

Y.-C. Shen*, Y.-C. Lin, Y.-B. Cheng, C.-J. Chang, T.-W. Lan, S.-S. Liou, C.-T. Chien, C.-C. Liaw, A. T. Khalil


483



Three New Glycosides from the Stems of *Milium balansae*

Y. Lei, L.-J. Wu, H.-M. Shi, P.-F. Tu*


495



On the Most Powerful Chemical Traps for Bis(methoxycarbonyl)carbene (=2-Methoxy-1-(methoxycarbonyl)-2-oxoethylidene)

V. V. Shevchenko*, N. G. Zhegalova, A. O. Borzenko, V. A. Nikolaev


501



Cytotoxic Terpenoids from *Turraea pubescens*

X.-N. Wang, C.-Q. Fan, S. Yin, L.-P. Lin, J. Ding, J.-M. Yue*


510



Novel Bibenzyl Derivatives from the Tubers of *Bletilla striata*

J.-Q. Feng, R.-J. Zhang, W.-M. Zhao*

520



Blestritin A ($\text{R}^1 = 4\text{-OH-C}_6\text{H}_4\text{CH}_2$, $\text{R}^2 = \text{H}$, $\text{R}^3 = \text{Me}$)


Blestritin B ($\text{R}^1 = \text{H}$, $\text{R}^2 = \text{OH}$, $\text{R}^3 = \text{Me}$)

Blestritin C ($\text{R}^1 = \text{H}$, $\text{R}^2 = 4\text{-OH-C}_6\text{H}_4\text{CH}_2$, $\text{R}^3 = \text{H}$)

Synthesis and Conformational Analysis of Pentapeptides Containing Enantiomerically Pure 2,2-Disubstituted Glycines

K. A. Brun, A. Linden, H. Heimgartner*

526



An Oxidative Rearrangement of 6-Phenylbicyclo[3.2.0]heptan-6-ol to 1,1'-Biphenyl-Carbaldehydes: A Mechanistic Study


M. Ceylan*, E. Findik, H. Seçen


559

Macrorhynines A and B, Two Novel Norditerpenoid Alkaloids from *Aconitum macrorhynchum*

X.-D. Yang, S. Yang, J. Yang, J.-F. Zhao, H.-B. Zhang, L. Li*

569





* Author to whom correspondence should be addressed
Korrespondenzautor