


Contents

Enantiomerically Pure Poly(oxymethylene) Helices: Correlating Helicity with Centri- chirality

*S. Eppacher, G. Giester, J. W. Bats, C. R. Noe**


581



Synthesis of (+)-13-Stemarene and (+)-18-Deoxystemarin: Expedient Preparation of the Key 6-*exo*-Hydroxybicyclo[2.2.2]octan-2-one Ethylene Dithioacetal

*F. Leonelli, B. Caschera, L. Silvestri, A. Prastaro, G. Corso, F. Ceccacci, A. La Bella,
 L. M. Migneco, R. Marini Bettolo**


598



2-Azido-2-deoxycellulose: Synthesis and 1,3-Dipolar Cycloaddition

*F. Zhang, B. Bernet, V. Bonnet, O. Dangles, F. Sarabia, A. Vasella**


608



Novel Aspects of a Convenient Synthesis and of Electroproperties of Derivatives Based on Diphenylamine

K. Idzik, J. Sołoducho*, J. Cabaj, M. Mosiądz, M. Łapkowski, S. Golba


618



Four New Neoclerodane Diterpenoids from *Ajuga decumbens*

X.-C. Huang, S. Qin, Y.-W. Guo*, K. Krohn


628



Colorimetric Fluoride-Anion Sensor Based on Intramolecular Hydrogen Bonding and Enol-Keto Tautomerization of a Phenothiazine Derivative

F. Han, J. Zhao*


635



Iridoid Glycosides from *Gardenia jasminoides* ELLIS

X.-M. Fu, G.-X. Chou, Z.-T. Wang*


646




Ring Opening of 2-(Benzylamino)-2H-1,4-benzoxazin-3(4H)-ones and 2-Bromo-2H-1,4-benzoxazin-3(4H)-ones

J. Ilaš, D. Kikelj*

654






Oligonucleotide Analogues with Integrated Bases and Backbone


Part 17. Conformational Analysis and Association of Ethylene-, Oxymethylene-, and Thiomethylene-Linked Self-Complementary Adenosine and Uridine Dimers

A. Ritter, D. Egli, B. Bernet, A. Vasella*

673



linear duplexes/associates:
 $R^1 = \text{TDS}, R^2 = \text{H or MMTrOCH}_2$
 cyclic duplexes:
 $R^1 = \text{H}, R^2 = \text{H or MMTrOCH}_2$
 $R^1 = \text{H or TDS}, R^2 = \text{HOCH}_2$




linear duplexes/associates:
 $R^1 = \text{TDS or H}, R^2 = \text{H}$
 $R^1 = \text{TDS or H}, R^2 = \text{MMTrOCH}_2$
 cyclic duplexes:
 $R^1 = \text{TDS}, R^2 = \text{HOCH}_2$

TDS = hexyl(dimethyl)silyl
 MMTr = (monomethoxy)trityl

Nanocrystalline ZnO for *Knoevenagel* Condensation and Reduction of the Carbon,Carbon Double Bond in Conjugated Alkenes

M. Hosseini-Sarvari*, H. Sharghi, S. Etemad


715



New Sesquiterpenes from *Chloranthus japonicus*

B. Wu, H. Qu, Y. Cheng*


725



Preparation of Two Diastereoisomeric Decalin Synthons and (-)-Ambrox

Y.-P. Xie, B.-G. Li, Y.-G. Luo, X.-Z. Chen, G.-L. Zhang*


734



Novel Polyketides Isolated from *Streptomyces* sp.

J. Li, C.-H. Lu, Y.-M. Shen*

741



Improved Synthesis of Phytosphingosine and Dihydrospingosine from 3,4,6-Tri-*O*-benzyl-D-galactal

Y. Niu, X. Cao, X.-S. Ye*


746




Modified Cyclodextrins as Enantioselective Hosts for Amino Acids


V. Pavan Kumar, I. Suryanarayana, Y. V. D. Nageswar, K. Rama Rao*

753





Guan fu diterpenoid A




Guan fu base S

Flash Vacuum Thermolysis of 4*H*-3,1-Benzoxathiin-4-thione: UV-Photoelectron Spectroscopy Characterization and Quantum Chemistry Studies

T. Drewnowski, A. Chrostowska*, S. Leśniak*, A. Dargelos, S. Khayar

766



* Author to whom correspondence should be addressed
Korrespondenzautor