Subject Index

***Ab initio* calculations**
A Facile Synthesis of New Pyrazolo[3,4-*d*]pyrimidine Derivatives *via* a One-Pot Four-Component Reaction with Sodium Acetate Supported on Basic Alumina as Promoter, 2267

Abelmoschus esculentus
Two New Pentacyclic Triterpenes from *Abelmoschus esculentus*, 533

Abietanes
Two New Abietane Diterpenoids from the Roots of *Tripterygium wilfordii* HOOK. f., 313
Diterpenoids from the Wood of *Cunninghamia konishii*, 2282

Acetate anion
Determination Limit of Fluorescence Turn-On Probes for the Acetate Anion, 719

Acetates, 2-azido-
Synthesis of (4*Z*)-4-(Arylmethylidene)-5-ethoxy-1,3-oxazolidine-2-thiones by the Reaction of Ethyl (2*Z*)-3-Aryl-2-isothiocyanatoprop-2-enoates with Organolithium Compounds, 431

Acetic acid
A Simple Synthesis of 2-{(Arylmethylidene)hydrazinylidene]-3-hydroxy-4*H*-furo[3,2-*c*]pyran-4(3*H*)-ones, 675

Acetophenone
New Synthetic Approaches to Naturally Occurring and Unnatural Pyranoflavones, 644

Acetylcholine esterase (AChE)
Two New *Lycopodium* Alkaloids from *Lycopodium obscurum*, 1197

Acetylenedicarboxylates, dialkyl
Synthesis of 2-Aryl-5-oxo-4-[2-(phenylmethylidene)hydrazino]-2,5-dihydro-1*H*-pyrrole-3-carboxylates by the Reaction between Hydrazones, Acetylenedicarboxylates, and 1-Aryl-*N*,*N*′-bis(arylmethylidene)methanediamines, 1991

Aconitum forrestii
Three New C_{19}-Diterpenoid Alkaloids from *Aconitum forrestii*, 2155

Aconitum tanguticum
Bis-Diterpenoid Alkaloids from *Aconitum tanguticum* var. *trichocarpum*, 710

Acridine-10(9*H*)-carbothioamides, 9-oxo-,
Synthesis of *N*,*N*-Dialkyl-9-oxoacridine-10(9*H*)-carbothioamides *via* the Reaction of (2-Halophenyl)(2-isothiocyanatophenyl)methanones with Secondary Amines, Followed by Cyclization with NaH, 2033

Acridin-9(10*H*)-ones
Synthesis of 10-Aryl- and 10-(Arylmethyl)acridin-9(10*H*)-ones *via* the Reaction of (2-Fluorophenyl)(2-halophenyl)methanones with Benzenamines and Arylmethanamines, 389

Acylation
Efficient Synthesis of 1-Arylquinoxalin-2(1*H*)-ones *via* Cyclocondensation of *N*-Aryl-Substituted 2-Nitrosoanilines with Functionalized Alkyl Acetates, 956
Mechanism of the Reaction of Amines with 5-[(Aryl- or Alkylamino)hydroxymethylene]-2,2-dimethyl-1,3-dioxane-4,6-diones in the Presence of Chlorotrimethylsilane (Me_3SiCl), 978

Adenosine 5′-monophosphate
Acid–Base Properties of Adenosine 5′-Monophosphate, Guanosine 5′-Monophosphate, and Inosine 5′-Monophosphate in Aqueous Solutions of Methanol, 1134

Adhatoda vasica
Natural (−)-Vasicine as a Novel Source of Optically Pure 1-Benzylpyrrolidin-3-ol, 969

Aldehydes
A Simple Synthesis of 2-[(Arylmethylidene)hydrazinylidene]-3-hydroxy-4*H*-furo[3,2-*c*]pyran-4(3*H*)-ones, 675
Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey, 799
An Efficient Synthesis of Novel Benzo-Fused Macrocyclic Dilactams, 1290
Synthesis of 2-Aryl-5-oxo-4-[2-(phenylmethylidene)hydrazino]-2,5-dihydro-1*H*-pyrrole-3-carboxylates by the Reaction between Hydrazones, Acetylenedicarboxylates, and 1-Aryl-*N*,*N*′-bis(arylmethylidene)methanediamines, 1991
A Novel Organocatalytic Asymmetric Transfer Hydrogenation of α,β-Unsaturated Aldehydes, 2152

Aldol reactions
Asymmetric Aldol Reactions in Caprolactam–Quaternary Ammonium Salt Coordination Ionic Liquid Catalyzed by L-Pro-L-Trp, 1266

Aldol-adduct elimination
Microwave-Assisted Convenient Synthesis of α,β-Unsaturated Esters and Ketones *via* Aldol-Adduct Elimination, 1548

Alkaloids
Alkaloids from the Twigs and Leaves of *Daphniphyllum macropodum*, 499
Bis-Diterpenoid Alkaloids from *Aconitum tanguticum* var. *trichocarpum*, 710
Five New Steroidal Alkaloid Glycosides from *Solanum tuberosum*, 931
Stereoselective Synthesis of (−)-Pinidinone, 990
New Secondary Metabolites from *Allium victorialis*, 1176
Two New *Lycopodium* Alkaloids from *Lycopodium obscurum*, 1197
Structure and Dynamic of Three Indole Alkaloids from the *Campylospermum* Genus (Ochnaceae), 1298
New Pyrrole Alkaloids with Bulky *N*-Alkyl Side Chains Containing Stereogenic Centers from *Lycium chinense*, 1482
Total Synthesis of a Pyrrolidin-2-one with the Structure Proposed for the Alkaloid Rigidiusculamide A, 1564
Two Novel Plumeran Indole Alkaloids Isolated from *Aspidosperma cylindrocarpon* (Apocynaceae), 1793
Pinacol Rearrangement of 3,4-Dihydro-3,4-dihydroxyquinolin-2(1*H*)-ones: An Alternative Pathway to Viridicatin Alkaloids and Their Analogs, 1905
Three New Hasubanan Alkaloids from *Stephania hernandifolia* (WILLD.) WALP., 1930
Three New C_{19}-Diterpenoid Alkaloids from *Aconitum forrestii*, 2155
Two New Indole Alkaloids from *Emmenopterys henryi*, 2207
Alkaloids from *Ochrosia borbonica*, 2288

Alkanesulfonic acid, amino-
Convenient Synthesis of Various Substituted Homotaurines from Alk-2-enamides, 1355

Alk-2-enamides
Convenient Synthesis of Various Substituted Homotaurines from Alk-2-enamides, 1355

Alkenes
N-Iodosuccinimide: A Highly Effective Regioselective Reagent for Iodoesterification of Alkenes, 1313

Alkoxonium ions
Nucleophilic Reactivity of Ethers Against Terminal Epoxides in the Presence of BF_3: A Mechanistic Study, 1325

Alkylation
A Transformation of *N*-Alkylated Anilines to *N*-Aryloxamates, 1542

Alkynes
Copper-Catalyzed One-Pot Synthesis of *N*-Sulfonylalkanimidoyl Thiocyanates from Sulfonyl Azides, Alkynes, and KSCN, 2214

Allium victorialis
New Secondary Metabolites from *Allium victorialis*, 1176

Allumines A and B
New Secondary Metabolites from *Allium victorialis*, 1176

Alpimikatins
Identification of Six New Minor Diarylheptanoids from the Seeds of *Alpinia katsumadai*, 1670

Alpinia katsumadai
Identification of Six New Minor Diarylheptanoids from the Seeds of *Alpinia katsumadai*, 1670
Alpinia officinarum
The First Stereoselective Total Synthesis of Naturally Occurring, Bioactive (3*R*,5*R*)-1-(4-Hydroxyphenyl)-7-phenylheptane-3,5-diol and the Synthesis of Its Enantiomer, 289
Alpinia oxyphylla
Two Halogenated Sesquiterpenoids from the Fruits of *Alpinia oxyphylla*, 1163
Amide formation
Total Synthesis of a Pyrrolidin-2-one with the Structure Proposed for the Alkaloid Rigidiusculamide A, 1564
Synthetic Studies Toward (+)-Spongidepsin, 1590
Amines
Dicyano(7-methyl-6-oxo-6*H*-dibenzo[*b*,*d*]pyran-9-yl)methanide Salts *via* a Multicomponent Reaction, 906
Amino acids
Synthesis and Self-Assembly of Bolaamphiphiles Based on β-Amino Acids or an Alcohol, 99
Convenient Synthesis of Various Substituted Homotaurines from Alk-2-enamides, 1355
Highly Constrained Linear Oligopeptides Containing Heterocyclic α-Amino Carboxylic Acids, 1714
Amino thiols
Convenient Synthesis of Various Substituted Homotaurines from Alk-2-enamides, 1355
Ammonium salt, chiral
A Novel Organocatalytic Asymmetric Transfer Hydrogenation of α,β-Unsaturated Aldehydes, 2152
Androstanes
Androstane-Type Steroidal Glycoside from the Roots of *Asparagus curillus* BUCH.-HAM. ex ROXB., 520
Angiogenesis
Isoindolones from *Lasiosphaera fenzlii* REICH. and Their Bioactivities, 109
Aniline
A Transformation of *N*-Alkylated Anilines to *N*-Aryloxamates, 1542
Annona squamosa
Cytotoxic Diterpenoids from the Stem Bark of *Annona squamosa* L., 656
Anthraquinones
Two New Secoanthraquinone Derivatives from the Marine-Derived Endophytic Fungus *Aspergillus wentii* EN-48, 458
Antibacterial activity
Doped Nano-Sized Copper(I) Oxide (Cu_2O) on Melamine–Formaldehyde Resin: a Highly Efficient Heterogeneous Nano Catalyst for 'Click' Synthesis of Some Novel 1*H*-1,2,3-Triazole Derivatives Having Antibacterial Activity, 688
Anti-*Chagas* activity
Cyclic Voltammetric Study of Some Anti-*Chagas*-Active 1,4-Dioxidoquinoxalin-2-yl Ketone Derivatives, 217
Antidiabetic activity
Phytochemical Investigation by Microwave-Assisted Extraction of Essential Oil of the Leaves of Walnut Cultivated in Algeria, 1168
Antifungal activity
Stereoselective Total Synthesis of Multiplolide A and of a Diastereoisomer, 266
Anti-HIV Activity
Synthesis and Anti-HIV Activity of Triazolo-Fused 2′,3′-Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 59
Antimicrobial activity
Synthesis of Functionalized *H*-[1]Benzopyrano[2,3-*b*]pyridines by the *Friedländer* Approach: Antimycobacterial and Antimicrobial Profile, 897
Clerodendrumic Acid, a New Triterpenoid from *Clerodendrum glabrum* (Verbenaceae), and Antimicrobial Activities of Fractions and Constituents, 1693
Two New Naphthoquinone Derivatives from *Lysionotus pauciflorus*, 1750
Antiproliferative activity
Nigerasterols A and B, Antiproliferative Sterols from the Mangrove-Derived Endophytic Fungus *Aspergillus niger* MA-132, 1055

Antitubercular activity
Synthesis of Functionalized *H*-[1]Benzopyrano[2,3-*b*]pyridines by the *Friedländer* Approach: Antimycobacterial and Antimicrobial Profile, 897

Arene formation
Regioselective Synthesis of Trichloromethyl-Substituted Salicylates and Cyclohexenones by One-Pot Cyclizations of 1,3-Bis(trimethylsilyloxy)buta-1,3-dienes, 1955

Armillaria mellea
Four New Alkaloids from the Fermentation Broth of *Armillaria mellea*, 330

Aromatization
A Concise and Convergent Total Synthesis of Two Novel Cytotoxic Hydroquinones, Lanneaquinol and (*R*)-2′-Hydroxylanneaquinol, 1983

Artemisia rupestris
Unusual Guaiane Sesquiterpenoids from *Artemisia rupestris*, 1182

Artificial RNases
Zn^{2+} Complexes of 3,5-Bis[(1,5,9-triazacyclododecan-3-yloxy)methyl]phenyl Conjugates of Oligonucleotides as Artificial RNases: The Effect of Oligonucleotide Conjugation on Uridine Selectivity of the Cleaving Agent, 31

Asparagine
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617

Asparagus curillus
Androstane-Type Steroidal Glycoside from the Roots of *Asparagus curillus* BUCH.-HAM. ex ROXB., 520

***Aspergillus niger* MA-132**
Nigerasterols A and B, Antiproliferative Sterols from the Mangrove-Derived Endophytic Fungus *Aspergillus niger* MA-132, 1055

Aspergillus wentii
Two New Secoanthraquinone Derivatives from the Marine-Derived Endophytic Fungus *Aspergillus wentii* EN-48, 458

Aspidosperma cylindrocarpon
Two Novel Plumeran Indole Alkaloids Isolated from *Aspidosperma cylindrocarpon* (Apocynaceae), 1793

Association
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 30. Synthesis and Association of a Self-Complementary Thiomethylene-Linked Octanucleoside, 1235

Asymmetric hydrogenation
A Novel Organocatalytic Asymmetric Transfer Hydrogenation of α,β-Unsaturated Aldehydes, 2152

Asymmetric synthesis
Synthesis of the Major Oxepane Segment of Zoapatanol, 663

Atisane
Synthesis of Natural Atisane-Type Diterpenoids by *retro*-Biomimetic Transformations, 864

Avicennia marina
Nigerasterols A and B, Antiproliferative Sterols from the Mangrove-Derived Endophytic Fungus *Aspergillus niger* MA-132, 1055

Azacrown complex
Zn^{2+} Complexes of 3,5-Bis[(1,5,9-triazacyclododecan-3-yloxy)methyl]phenyl Conjugates of Oligonucleotides as Artificial RNases: The Effect of Oligonucleotide Conjugation on Uridine Selectivity of the Cleaving Agent, 31

Aza-*Diels–Alder* reaction
Influence of Guanidinium Salts and Other Ionic Liquids on the Three-Component Aza-*Diels–Alder* Reaction, 1681

Azines
Synthesis of [3,3′(4*H*,4′*H*)-Bi-2*H*-1,3-oxazine]-4,4′-diones and Their Hydrolysis, 1339

Aziridine-2-carboxylate, 3-(indol-2-yl)-
Synthesis of the Aziridinomitosene Skeleton by Application of Guanidinium Ylide-Mediated Aziridination, 379

Aziridinomitosene
Synthesis of the Aziridinomitosene Skeleton by Application of Guanidinium Ylide-Mediated Aziridination, 379
2*H*-Azirin-3-amines
Highly Constrained Linear Oligopeptides Containing Heterocyclic α-Amino Carboxylic Acids, 1714
Azomethine ylides
One-Pot Synthesis of Dispiro[oxindole-3,3′-pyrrolidines] by Three-Component [3 + 2] Cycloadditions of *in situ*-Generated Azomethine Ylides with 3-Benzylidene-2,3-dihydro-1*H*-indol-2-ones, 2103
AZT
Synthesis and Self-Assembly of Bolaamphiphiles Based on β-Amino Acids or an Alcohol, 99
Azulenes
From Blue Azulenes to Blue Heptalenes – New Strongly Polarized π-Convertible Heptalenes, 1851

***Balmer* formula**
Niels Bohr (1885 – 1962): On the Wing of a Butterfly, *Johann J. Balmer* (1825 – 1898), 2304
***Barton–McCombie* deoxygenation**
Stereoselective Synthesis of (−)-(1*R*,1′*R*,5′*R*,7′*R*)-1-Hydroxy-*exo*-brevicomin and (+)-*exo*-Brevicomin from 3,4,6-Tri-*O*-acetyl-D-glucal, 1610
Base pairing
Metal-Ion-Binding Analogs of Ribonucleosides: Preparation and Formation of Ternary Pd^{2+} and Hg^{2+} Complexes with Natural Pyrimidine Nucleosides, 1658
***Baylis–Hillman* acetate**
Stereoselective Synthesis of (*Z*)- and (*E*)-Allyl Aryl Sulfides and Selenides from *Baylis–Hillman* Acetates under Neutral Conditions Using β-Cyclodextrin in Water, 2276
***Baylis–Hillman* condensation**
Starch–Sulfuric Acid (SSA) as Catalyst for a One-Pot Synthesis of 1,5-Diaryl-1*H*-pyrazoles, 1560
Benzaldehydes, 2-(1-aryl-2-methoxyethenyl)-
Synthesis of 3-Aryl-2-methoxyinden-1-one (*Z*)-Phenylhydrazones *via* Hydrobromic Acid-Mediated Cyclization of 2-(1-Aryl-2-methoxyethenyl)benzaldehyde Phenylhydrazones, 239
Synthesis of 4-Arylisocoumarins (= 4-Aryl-1*H*-2-benzopyran-1-ones) through Acidic Hydrolysis of (*Z*)-2-(1-Aryl-2-methoxyethenyl)benzaldehydes, Followed by Oxidation, 2173
Benzamides, 2-nitro-
Synthesis of Isoindolo[2,1-*a*]quinazoline-5,11-dione Derivatives *via* the Reductive One-Pot Reaction of *N*-Substituted 2-Nitrobenzamides and 2-Formylbenzoic Acids, 419
Benzenamines
Synthesis of 10-Aryl- and 10-(Arylmethyl)acridin-9(10*H*)-ones *via* the Reaction of (2-Fluorophenyl)(2-halophenyl)methanones with Benzenamines and Arylmethanamines, 389
Benzene metabolites, prenylated
Prenylated Benzene Metabolites from *Melicope pteleifolia*, 119
Benzene-1,3-diols, 2-(phenylsulfonyl)-
Formation of 2-(Phenylsulfonyl)resorcinols (= 2-(Phenylsulfonyl)benzene-1,3-diols) from Symmetrically Substituted Maleic Anhydrides (= Furan-2,5-diones), 1918
Benzenes, 1-(1-aryl-2-methoxyethenyl)-2-bromo-
Synthesis of 3-Aryl-2-methoxyinden-1-one (*Z*)-Phenylhydrazones *via* Hydrobromic Acid-Mediated Cyclization of 2-(1-Aryl-2-methoxyethenyl)benzaldehyde Phenylhydrazones, 239
Benzenes, 1-(1-aryl-2-methoxyethenyl)-2-lithio-
Synthesis of 4-Arylisocoumarins (= 4-Aryl-1*H*-2-benzopyran-1-ones) through Acidic Hydrolysis of (*Z*)-2-(1-Aryl-2-methoxyethenyl)benzaldehydes, Followed by Oxidation, 2173
Benzenes, (dialkoxymethyl)-2-lithio-
Synthesis of 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-ones by Hydrolysis of *N*-Substituted 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-imines Derived from 1-Bromo-2-(dialkoxymethyl)benzenes and Isothiocyanates, 1894
Benzenes, 1-fluoro-2-lithio-
Synthesis of 10-Aryl- and 10-(Arylmethyl)acridin-9(10*H*)-ones *via* the Reaction of (2-Fluorophenyl)(2-halophenyl)methanones with Benzenamines and Arylmethanamines, 389

1*H*-Benzimidazoles
Scope and Limitations of the Base-Free Copper(I) Oxide Catalyzed *N*-Heteroarylation of 1*H*-(Benz)imidazoles with *B*-Heteroarylboronic Acids or 2-Heteroaryl-4,4,5,5-tetramethyl-1,3,2-dioxaborolanes, 853

Benzocycloheptene
Novel Intramolecular Cyclization of 2-(Buta-1,3-dienyl)benzyl Anions to 6,7(9)-Dihydro-5*H*-benzocycloheptenyl Anions Leading to Successive Formation of 1,2-Dihydrocyclopropa[*a*]naphthalenes, 1704

Benzocyclooctene
A Fused Benzocyclooctene Ring System *via* an Aromatic *Cope* Rearrangement: Thermal Reactions of *trans*-1-Aryl-2-ethenylcyclobutanecarbonitriles, 1331

Benzoic acids, 2-formyl-
Synthesis of Isoindolo[2,1-*a*]quinazoline-5,11-dione Derivatives *via* the Reductive One-Pot Reaction of *N*-Substituted 2-Nitrobenzamides and 2-Formylbenzoic Acids, 419

2*H*-1-Benzopyran-2-one, 3-[(4,5-dihydro-1*H*-pyrrol-3-yl)carbonyl]-
A Novel and Efficient Synthesis of 3-[(4,5-Dihydro-1*H*-pyrrol-3-yl)carbonyl]-2*H*-chromen-2-ones (=3-[(4,5-Dihydro-1*H*-pyrrol-3-yl)carbonyl]-2*H*-1-benzopyran-2-ones), 473

1*H*-2-Benzopyran-1-ones
Synthesis of 4-Arylisocoumarins (=4-Aryl-1*H*-2-benzopyran-1-ones) through Acidic Hydrolysis of (*Z*)-2-(1-Aryl-2-methoxyethenyl)benzaldehydes, Followed by Oxidation, 2173

***H*-[1]Benzopyrano[2,3-*b*]pyridine**
Synthesis of Functionalized *H*-[1]Benzopyrano[2,3-*b*]pyridines by the *Friedländer* Approach: Antimycobacterial and Antimicrobial Profile, 897

Benzothioamides
Synthesis of 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-ones by Hydrolysis of *N*-Substituted 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-imines Derived from 1-Bromo-2-(dialkoxymethyl)benzenes and Isothiocyanates, 1894

Benzo[*c*]thiophen-1(3*H*)-ones
Synthesis of 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-ones by Hydrolysis of *N*-Substituted 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-imines Derived from 1-Bromo-2-(dialkoxymethyl)benzenes and Isothiocyanates, 1894

***Bhattacharya–Hortmann* cyclization**
Unexpected *Ritter* Reaction During Acid-Promoted 1,3-Dithiol-2-one Formation, 889

Bicyclopropylidenes
Stereoconvergent Generation of a Contrasteric *syn*-Bicyclopropylidene (=*syn*-Cyclopropylidenecyclopropane) by *Stille*-Like Coupling, 941

***Biginelli* compounds**
Synthesis of 4-Aryl-4,6-dihydropyrimido[4,5-*d*]pyridazine-2,5(1*H*,3*H*)-diones from *Biginelli* Compounds, 130

Biisoflavonoids
Dapholidins A–C, New Isomeric Biisoflavonoids From *Daphne oleoides*, 1801

Biological stereoselectivity
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617

***retro*-Biomimetic transformations**
Synthesis of Natural Atisane-Type Diterpenoids by *retro*-Biomimetic Transformations, 864

Biotransformations
New 9,10-Secosteroids from Biotransformations of Hyodeoxycholic Acid with *Rhodococcus* spp., 1062
Biotransformation of Jervine by *Cunninghamella echinulata*, 1072

1,1′-Biphenyl-2-carboxylates, 5-(2-cyanoethyl)-
Regioselective Synthesis of 5-(2-Cyanoethyl)-1,1′-biphenyl-2-carboxylates by Formal [3+3] Cyclocondensations of 1,3-Bis[(trimethylsilyl)oxy]buta-1,3-dienes, 2185

Bis[arylmethanone], 1,1′-[thiobis(methylene)]-
Temperature-Dependent Product Selectivity in the *Vilsmeier–Haack* Reaction on Bis(phenylhydrazones) of Bis(aroylmethyl) Sulfides (=1,1′-[Thiobis(methylene)]bis[arylmethanone] Bis(2-phenylhydrazones)): Synthesis of 3-Aroylindoles (=Aryl(1*H*-indol-3-yl)methanones), 452

Biscembranoids
Sarcophytolides G–L, New Biscembranoids from the Soft Coral *Sarcophyton elegans*, 2218

Bis[2-cyanoacetamides]
An Efficient Synthesis of Novel Benzo-Fused Macrocyclic Dilactams, 1290

***Bohr* atom**
Niels Bohr (1885–1962): On the Wing of a Butterfly, *Johann J. Balmer* (1825–1898), 2304
Bolaamphiphiles
Synthesis and Self-Assembly of Bolaamphiphiles Based on β-Amino Acids or an Alcohol, 99
Boron trifluoride
Nucleophilic Reactivity of Ethers Against Terminal Epoxides in the Presence of BF_3: A Mechanistic Study, 1325
Brevicomin
Stereoselective Synthesis of (−)-(1*R*,1′*R*,5′*R*,7′*R*)-1-Hydroxy-*exo*-brevicomin and (+)-*exo*-Brevicomin from 3,4,6-Tri-*O*-acetyl-D-glucal, 1610
Brine shrimp-lethality activity
Sesterterpenes and 2*H*-Pyran-2-ones (= α-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437
Bruguiera sexangula
Sesterterpenes and 2*H*-Pyran-2-ones (= α-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437
***Buchwald–Hartwig* reaction**
Scope and Limitations of the Base-Free Copper(I) Oxide Catalyzed *N*-Heteroarylation of 1*H*-(Benz)imidazoles with *B*-Heteroarylboronic Acids or 2-Heteroaryl-4,4,5,5-tetramethyl-1,3,2-dioxaborolanes, 853
Butanedial, 2-oxo-
Selective Transformations of a Diprotected 2-Oxobutanedial, 1841
***tert*-Butyl carbonates**
Synthesis of 2,*N*,*N*-Trisubstituted 1*H*-Indole-1-carbothioamides from 2-(Acylmethyl)phenyl Isocyanides, 93

***Cadiots–Chodkiewicz* cross-coupling reaction**
First Stereoselective Total Synthesis of Oplopandiol, 1571
Calanthumindole
Structure and Dynamic of Three Indole Alkaloids from the *Campylospermum* Genus (Ochnaceae), 1298
Camellia oleifera
Triterpenoids from the Roots of *Camellia oleifera* C.ABEL and Their Cytotoxic Activities, 1126
Cammaconine, 8-*O*-ethyl-
Three New C_{19}-Diterpenoid Alkaloids from *Aconitum forrestii*, 2155
Campylospermum calanthum
Structure and Dynamic of Three Indole Alkaloids from the *Campylospermum* Genus (Ochnaceae), 1298
β-Caprolactam–quaternary ammonium salt
Asymmetric Aldol Reactions in Caprolactam–Quaternary Ammonium Salt Coordination Ionic Liquid Catalyzed by L-Pro-L-Trp, 1266
9*H*-Carbazole-1,8-diamine, 3,6-dichloro-
Determination Limit of Fluorescence Turn-On Probes for the Acetate Anion, 719
Carbenoids
Reactions of Enaminones with Diazocarbonyl Compounds, 488
Stereoconvergent Generation of a Contrasteric *syn*-Bicyclopropylidene (= *syn*-Cyclopropylidenecyclopropane) by *Stille*-Like Coupling, 941
Carbohydrazides
New Selenosemicarbazides Derived from Imidazole-Based Carbohydrazides, 397
Carboxamides, α-acylamino
A Copper-Catalyzed Multicomponent Reaction and 'Click Strategy' for the Stereoselective Synthesis of a New Series of Oxazolone Peptidomimetics with α-Acylamino Amide and β-Amido Ketone Structures, 2251
Carboxyfluorescein
Synthesis and Spectroscopic Characterization of Fluorophore-Labeled Oligospiroketal Rods, 2046
Carboxyrhodamine
Synthesis and Spectroscopic Characterization of Fluorophore-Labeled Oligospiroketal Rods, 2046
Casbanes
Crotofolane- and Casbane-Type Diterpenes from *Croton argyrophyllus*, 1146

Cascade reaction
Copper-Assisted/Copper-Free Synthesis of Functionalized Dibenzo[*b*,*f*]oxepins and Their Analogs *via* a One-Pot Tandem Reaction, 296

Catalysis
Silica-Bound 3-{2-[Poly(ethylene Glycol)]ethyl}-Substituted 1-Methyl-1*H*-imidazol-3-ium Bromide: A Recoverable Phase-Transfer Catalyst for Smooth and Regioselective Conversion of Oxiranes to *β*-Hydroxynitriles in Water, 275
Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey, 799
Formation of *cine*-Substitution Products in the *Suzuki–Miyaura* Cross-Coupling Reaction Catalyzed by Dinuclear Palladium Complexes, 1093
Asymmetric Aldol Reactions in Caprolactam–Quaternary Ammonium Salt Coordination Ionic Liquid Catalyzed by L-Pro-L-Trp, 1266
Efficient One-Pot Synthesis of a Densely Functionalized Tetrahydropyridine in the Presence of [1,1′-Binaphthalene]-2,2′-diol/Indium(III) Chloride (binol/$InCl_3$) or Simple *Brønsted* Acids as Catalysts, 1348
Synthesis of Monospiro-2-amino-4*H*-pyran Derivatives Catalyzed by Propane-1-sulfonic Acid-Modified Magnetic Hydroxyapatite Nanoparticles, 1601
Influence of Guanidinium Salts and Other Ionic Liquids on the Three-Component Aza-*Diels–Alder* Reaction, 1681
Tandem Hydroformylation/Reductive Amination of 3-Allyl-2-methylquinazolin-4(3*H*)-one, 1782
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815
Dimerization of Dimethyl 2-(Naphthalen-1-yl)cyclopropane-1,1-dicarboxylate in the Presence of $GaCl_3$ to [3 + 2], [3 + 3], [3 + 4], and Spiroannulation Products, 2068
Stereoselective Total Synthesis of 4-Ketoclonostachydiol, 2115
Copper-Catalyzed Synthesis of 2*H*-Thiopyran Derivatives from Alkynes, Sulfonyl Azides, Carbon Disulfide, and Malononitrile, 2141
Studies towards the Synthesis of Alkyl *N*-(4-Nitrophenyl)-3/2-oxomorpholine-2/3-carboxylates, 2160
Copper-Catalyzed One-Pot Synthesis of *N*-Sulfonylalkanimidoyl Thiocyanates from Sulfonyl Azides, Alkynes, and KSCN, 2214

C,C-Bond formation
Microwave-Assisted Convenient Synthesis of *α*,*β*-Unsaturated Esters and Ketones *via* Aldol-Adduct Elimination, 1548

Cerebrosides
Novel Cerebrosides Isolated from the Fermentation Mycelia of *Tuber indicum*, 702

Ceriporia lacerate
Lanostane Triterpenes from *Ceriporia lacerate* HS-ZJUT-C13A, a Fungal Endophyte of *Huperzia serrata*, 2092

(+)-Cermizine D *N*-oxide
Two New *Lycopodium* Alkaloids from *Lycopodium obscurum*, 1197

Chemoselectivity
Chemoselectivity in the Reaction of 2-Diazo-3-oxo-3-phenylpropanal with Aldehydes and Ketones, 1733

Chiral drugs
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617

Chlojaponilactones B – E
Chlojaponilactones B – E, Four New Lindenane Sesquiterpenoid Lactones from *Chloranthus japonicus*, 1386

Chloramine-T
One-Pot Synthesis of Sulfonamides and Sulfonyl Azides from Thiols using Chloramine-T, 2147

Chloranthus japonicus
Chlojaponilactones B – E, Four New Lindenane Sesquiterpenoid Lactones from *Chloranthus japonicus*, 1386

Cholic acid
New 9,10-Secosteroids from Biotransformations of Bile Acids with *Rhodococcus ruber*, 2124

Chromanes
An Efficient Isocyanide-Based Three-Component Diastereoselective Synthesis of Chromane-3,4-dicarboxamides, 1978
Chromeno[2,3-*b*]pyridine
Synthesis of Functionalized *H*-[1]Benzopyrano[2,3-*b*]pyridines by the *Friedländer* Approach: Antimycobacterial and Antimicrobial Profile, 897
Chromium complexes
Synthesis and Characterization of Carbonyl Group-6-Metal Derivatives with Ligand *N,N*-Bis(diphenylphosphino)naphthalen-1-amine (= *N*-(Diphenylphosphino)-*N*-naphthalen-1-yl-*P,P*-diphenylphosphinous Amide). Molecular Structure of *cis*-Tetracarbonyl[*N*-(diphenylphosphino-κP)-*N*-naphthalen-1-yl-*P,P*-diphenylphosphinous amide-κP]molybdenum (*cis*-[$Mo(CO)_4\{C_{10}H_7\text{-}1\text{-}N(PPh_2)_2\}$]), 738
Chrysotriazoles A and B
Triazoles and Other N-Containing Metabolites from the Marine-Derived Endophytic Fungus *Penicillium chrysogenum* EN-118, 682
Cipadessa cinerascens
Two New Trijugin-Type Limonoids from *Cipadessa cinerascens*, 2228
Cipatrijugins G and H
Two New Trijugin-Type Limonoids from *Cipadessa cinerascens*, 2228
Clerodendrum glabrum
Clerodendrumic Acid, a New Triterpenoid from *Clerodendrum glabrum* (Verbenaceae), and Antimicrobial Activities of Fractions and Constituents, 1693
Clerodendrumic acid
Clerodendrumic Acid, a New Triterpenoid from *Clerodendrum glabrum* (Verbenaceae), and Antimicrobial Activities of Fractions and Constituents, 1693
'Click chemistry'
1-Thiacyclooct-4-yne (= 5,6-Didehydro-3,4,7,8-tetrahydro-2*H*-thiocin), and Its Sulfoxide and Its Sulfone, 228
Doped Nano-Sized Copper(I) Oxide (Cu_2O) on Melamine–Formaldehyde Resin: a Highly Efficient Heterogeneous Nano Catalyst for 'Click' Synthesis of Some Novel 1*H*-1,2,3-Triazole Derivatives Having Antibacterial Activity, 688
A Copper-Catalyzed Multicomponent Reaction and 'Click Strategy' for the Stereoselective Synthesis of a New Series of Oxazolone Peptidomimetics with α-Acylamino Amide and β-Amido Ketone Structures, 2251
(+)-(*S*)-Clopidogrel
A Facile Solid-Phase Synthesis of (+)-(*S*)-Clopidogrel, 326
Conformation analysis
Conformational Preferences of a β-Octapeptide as Function of Solvent and Force-Field Parameters, 189
Coordination ion liquid
Asymmetric Aldol Reactions in Caprolactam–Quaternary Ammonium Salt Coordination Ionic Liquid Catalyzed by L-Pro-L-Trp, 1266
***Cope* rearrangement**
A Fused Benzocyclooctene Ring System *via* an Aromatic *Cope* Rearrangement: Thermal Reactions of *trans*-1-Aryl-2-ethenylcyclobutanecarbonitriles, 1331
Copper iodide
Copper-Catalyzed One-Pot Synthesis of Functionalized Pyrroles from Sulfonyl Azides, Alkynes, and (*p*-Toluenesulfonyl)methyl Isocyanide, 2098
Copper-Catalyzed Synthesis of 2*H*-Thiopyran Derivatives from Alkynes, Sulfonyl Azides, Carbon Disulfide, and Malononitrile, 2141
Copper-Catalyzed One-Pot Synthesis of *N*-Sulfonylalkanimidoyl Thiocyanates from Sulfonyl Azides, Alkynes, and KSCN, 2214
Copper(I) oxide
Doped Nano-Sized Copper(I) Oxide (Cu_2O) on Melamine–Formaldehyde Resin: a Highly Efficient Heterogeneous Nano Catalyst for 'Click' Synthesis of Some Novel 1*H*-1,2,3-Triazole Derivatives Having Antibacterial Activity, 688
Cordycepols A – C
Unusual Spirodecane Sesquiterpenes and a Fumagillol Analogue from *Cordyceps ophioglossoides*, 76

Cordyceps ophioglossoides
Unusual Spirodecane Sesquiterpenes and a Fumagillol Analogue from *Cordyceps ophioglossoides*, 76
Cordycol
Unusual Spirodecane Sesquiterpenes and a Fumagillol Analogue from *Cordyceps ophioglossoides*, 76
Coumarin, 3-acetyl-
Dicyano(7-methyl-6-oxo-6*H*-dibenzo[*b*,*d*]pyran-9-yl)methanide Salts *via* a Multicomponent Reaction, 906
Crassalactone A
A Chiron Approach for the Total Synthesis of Crassalactone A, 2233
Crotofolanes
Crotofolane- and Casbane-Type Diterpenes from *Croton argyrophyllus*, 1146
Croton argyrophyllus
Crotofolane- and Casbane-Type Diterpenes from *Croton argyrophyllus*, 1146
Cucurbitanes
Cucurbitane-Type Triterpenoids from *Momordica charantia*, 1111
Cunninghamella echinulata
Biotransformation of Jervine by *Cunninghamella echinulata*, 1072
Cunninghamia konishii
Diterpenoids from the Wood of *Cunninghamia konishii*, 2282
Curcumene ether
Electrochemical Phenylselenoetherification as a Key Step in the Synthesis of (±)-Curcumene Ether, 1103
Cyclic imides
Synthesis of Nitrogen-Containing Derivatives of (18α,19β)-19-Hydroxy-2,3-secooleanane-2,3,28-trioic Acid 28,19-Lactone, 1757
2′,3′-Cyclic nucleosides
Synthesis and Anti-HIV Activity of Triazolo-Fused 2′,3′-Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 59
Cyclic voltammetry
Cyclic Voltammetric Study of Some Anti-*Chagas*-Active 1,4-Dioxidoquinoxalin-2-yl Ketone Derivatives, 217
Cyclization reactions
Regioselective [3 + 3] Cyclization of 1,3-Bis(silyloxy)buta-1,3-dienes with 1,1,1-Trifluoro-4-(silyloxy)alk-3-en-2-ones: New and Convenient Synthesis of Functionalized 5-Alkyl-3-(trifluoromethyl)phenols, 44
Synthesis of the Aziridinomitosene Skeleton by Application of Guanidinium Ylide-Mediated Aziridination, 379
Stereoselective Total Synthesis of Passifloricin A, 505
New Synthetic Approaches to Naturally Occurring and Unnatural Pyranoflavones, 644
Electrochemical Phenylselenoetherification as a Key Step in the Synthesis of (±)-Curcumene Ether, 1103
Regioselective Synthesis of Trichloromethyl-Substituted Salicylates and Cyclohexenones by One-Pot Cyclizations of 1,3-Bis(trimethylsilyloxy)buta-1,3-dienes, 1955
Synthesis of 3-Carbamoyl β-Lactams *via* Manganese(III)-Promoted Cyclization of *N*-Alkenylmalonamides, 2081
Regioselective Synthesis of 5-(2-Cyanoethyl)-1,1′-biphenyl-2-carboxylates by Formal [3 + 3] Cyclocondensations of 1,3-Bis[(trimethylsilyl)oxy]buta-1,3-dienes, 2185
Cycloadditions
Synthesis and Anti-HIV Activity of Triazolo-Fused 2′,3′-Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 59
1-Thiacyclooct-4-yne (= 5,6-Didehydro-3,4,7,8-tetrahydro-2*H*-thiocin), and Its Sulfoxide and Its Sulfone, 228
Synthesis of [3,3′(4*H*,4′*H*)-Bi-2*H*-1,3-oxazine]-4,4′-diones and Their Hydrolysis, 1339
Reactions of Acid Chlorides/Ketenes with 2-Substituted 4,5-Dihydro-4,4-dimethyl-1,3-thiazoles: Formation of Penam Derivatives, 1462
Chemoselectivity in the Reaction of 2-Diazo-3-oxo-3-phenylpropanal with Aldehydes and Ketones, 1733
One-Pot Synthesis of Dispiro[oxindole-3,3′-pyrrolidines] by Three-Component [3 + 2] Cycloadditions of *in situ*-Generated Azomethine Ylides with 3-Benzylidene-2,3-dihydro-1*H*-indol-2-ones, 2103
Cycloalkynes
1-Thiacyclooct-4-yne (= 5,6-Didehydro-3,4,7,8-tetrahydro-2*H*-thiocin), and Its Sulfoxide and Its Sulfone, 228

Cycloartane glycosides
Five New Cycloartane-Type Triterpenoid Saponins from *Nervilia fordii*, 150
Cyclobutanes
Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey, 799
A Fused Benzocyclooctene Ring System *via* an Aromatic *Cope* Rearrangement: Thermal Reactions of *trans*-1-Aryl-2-ethenylcyclobutanecarbonitriles, 1331
Cyclocondensation
Benzo-Annulated Steroids: Synthesis of Octahydro-indeno-phenanthrenes by Formal [3 + 3] Cyclocondensation Reaction with 1,3-Bis[(trimethylsilyl)oxy]buta-1,3-dienes, 924
Efficient Synthesis of 1-Arylquinoxalin-2(1*H*)-ones *via* Cyclocondensation of *N*-Aryl-Substituted 2-Nitrosoanilines with Functionalized Alkyl Acetates, 956
An Efficient Synthesis of Novel Benzo-Fused Macrocyclic Dilactams, 1290
First Synthesis of Ferrocenyl-Substituted 1,2-Dihydro-2-oxopyridine-3-carbonitriles, 2134
Cyclodehydration
Superacid-Promoted Cyclodehydration Leading to the Imidazo[2,1-*a*]isoquinoline Ring System, 1457
***β*-Cyclodextrin**
Stereoselective Synthesis of (*Z*)- and (*E*)-Allyl Aryl Sulfides and Selenides from *Baylis–Hillman* Acetates under Neutral Conditions Using *β*-Cyclodextrin in Water, 2276
Cyclodimerization
Dimerization of Dimethyl 2-(Naphthalen-1-yl)cyclopropane-1,1-dicarboxylate in the Presence of $GaCl_3$ to [3 + 2], [3 + 3], [3 + 4], and Spiroannulation Products, 2068
Cycloheptatrienyl anion
Novel Intramolecular Cyclization of 2-(Buta-1,3-dienyl)benzyl Anions to 6,7(9)-Dihydro-5*H*-benzocycloheptenyl Anions Leading to Successive Formation of 1,2-Dihydrocyclopropa[*a*]naphthalenes, 1704
Cyclohexa-2,5-dien-1-one, 2,4,4,6-tetrabromo-
Synthesis of 4-Aryl-4,6-dihydropyrimido[4,5-*d*]pyridazine-2,5(1*H*,3*H*)-diones from *Biginelli* Compounds, 130
Cycloids
Niels Bohr (1885 – 1962): On the Wing of a Butterfly, *Johann J. Balmer* (1825 – 1898), 2304
Cyclopentadienes
Ultrasound-Assisted Synthesis of Highly Functionalized Cyclopentadienes *via* an Isocyanide-Based Three-Component Reaction, 2196
Cyclopentenes
New Secondary Metabolites from *Allium victorialis*, 1176
Cyclopeptides
Rhopeptin A: First Cyclopeptide Isolated from *Rhodobryum giganteum*, 114
Novel Cerebrosides Isolated from the Fermentation Mycelia of *Tuber indicum*, 702
Cyclopropanaphthalene
Novel Intramolecular Cyclization of 2-(Buta-1,3-dienyl)benzyl Anions to 6,7(9)-Dihydro-5*H*-benzocycloheptenyl Anions Leading to Successive Formation of 1,2-Dihydrocyclopropa[*a*]naphthalenes, 1704
Cyclopropane-1,1-dicarboxylate, dimethyl 2-(naphthalen-1-yl)-
Dimerization of Dimethyl 2-(Naphthalen-1-yl)cyclopropane-1,1-dicarboxylate in the Presence of $GaCl_3$ to [3 + 2], [3 + 3], [3 + 4], and Spiroannulation Products, 2068
Cyclopropanes
Stereoconvergent Generation of a Contrasteric *syn*-Bicyclopropylidene (= *syn*-Cyclopropylidenecyclopropane) by *Stille*-Like Coupling, 941
Cyclopropylidenecyclopropanes
Stereoconvergent Generation of a Contrasteric *syn*-Bicyclopropylidene (= *syn*-Cyclopropylidenecyclopropane) by *Stille*-Like Coupling, 941
Cytotoxic activity
Unusual Spirodecane Sesquiterpenes and a Fumagillol Analogue from *Cordyceps ophioglossoides*, 76
Isoindolones from *Lasiosphaera fenzlii* REICH. and Their Bioactivities, 109
Five New Cycloartane-Type Triterpenoid Saponins from *Nervilia fordii*, 150
Two Unusual Rearranged Flavan Derivatives from *Narcissus tazetta* var. *chinensis*, 338
Two New Chemical Constituents of *Veratrum dahuricum* (TURCZ.) LOES. f., 345

A Novel Xanthone from *Garcinia oligantha*, 494
New Cytotoxic Metabolites from the Marine-Derived Fungus *Penicillium* sp. ZLN29, 514
Cytotoxic Diterpenoids from the Stem Bark of *Annona squamosa* L., 656
Triazoles and Other N-Containing Metabolites from the Marine-Derived Endophytic Fungus *Penicillium chrysogenum* EN-118, 682
Five New Steroidal Alkaloid Glycosides from *Solanum tuberosum*, 931
Juglanones A and B: Two Novel Tetralone Dimers from Walnut Pericarp (*Juglans regia*), 1031
Salicassin, an Unprecedented Chalcone–Diterpene Adduct and a Quinone Methide Triterpenoid from *Maytenus salicifolia*, 1046
Triterpenoids from the Roots of *Camellia oleifera* C.ABEL and Their Cytotoxic Activities, 1126
Unusual Guaiane Sesquiterpenoids from *Artemisia rupestris*, 1182
New Eunicellin Diterpenes and 9,10-Secosteroids from the Gorgonian *Muricella sibogae*, 1188
New Cytotoxic Triterpenoids from the Aerial Parts of *Euphorbia sieboldiana*, 1281
Homoisoflavonoids from *Ophiopogon japonicus*, 1397
Triterpene Saponins from *Entada phaseoloides*, 1579
Clerodendrumic Acid, a New Triterpenoid from *Clerodendrum glabrum* (Verbenaceae), and Antimicrobial Activities of Fractions and Constituents, 1693
Two New Naphthoquinone Derivatives from *Lysionotus pauciflorus*, 1750
A New Taraxastane-Type Triterpene from *Vitex trifolia* var. *simplicifolia*, 2040
A Chiron Approach for the Total Synthesis of Crassalactone A, 2233
Alkaloids from *Ochrosia borbonica*, 2288
Two New Rosane-Type Diterpenoids from *Euphorbia ebracteolata* HAYATA, 2299

***Dakin–West* reaction**
Efficient One-Pot Synthesis of β-Acetamido Carbonyl Compounds Using Fe_3O_4 Nanoparticles, 1943
Daphne oleoides
Dapholidins A – C, New Isomeric Biisoflavonoids From *Daphne oleoides*, 1801
Daphniphyllum macropodum
Alkaloids from the Twigs and Leaves of *Daphniphyllum macropodum*, 499
Dapholidins A – C
Dapholidins A – C, New Isomeric Biisoflavonoids From *Daphne oleoides*, 1801
Debenzylation
Pinacol Rearrangement of 3,4-Dihydro-3,4-dihydroxyquinolin-2(1*H*)-ones: An Alternative Pathway to Viridicatin Alkaloids and Their Analogs, 1905
Decarboxylation
Base-Induced Decarboxylation of Polyunsaturated α-Cyano Acids Derived from Malonic Acid: Synthesis of Sesquiterpene Nitriles and Aldehydes with β-, φ-, and ψ-End Groups, 259
Dehydrohedione
Further Explorations into the Synthesis of Dehydro-*Hedione*®, 246
Density-functional theory (DFT)
Four New Alkaloids from the Fermentation Broth of *Armillaria mellea*, 330
Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey, 799
Homoisoflavonoids from *Ophiopogon japonicus*, 1397
Novel Tin Complexes Containing an Oximato Ligand: Synthesis, Characterization, and Computational Investigation, 1740
Deoxycholic acid
New 9,10-Secosteroids from Biotransformations of Bile Acids with *Rhodococcus ruber*, 2124
Dialkylammonium salt
Dicyano(7-methyl-6-oxo-6*H*-dibenzo[*b*,*d*]pyran-9-yl)methanide Salts *via* a Multicomponent Reaction, 906
Diarylheptanoids
Identification of Six New Minor Diarylheptanoids from the Seeds of *Alpinia katsumadai*, 1670
Diastereoselectivity
Stereoconvergent Generation of a Contrasteric *syn*-Bicyclopropylidene (= *syn*-Cyclopropylidenecyclopropane) by *Stille*-Like Coupling, 941

Diazenes
A Novel Organocatalytic Asymmetric Transfer Hydrogenation of α,β-Unsaturated Aldehydes, 2152
Diazo compounds
Reactions of Enaminones with Diazocarbonyl Compounds, 488
***α*-Diazocarbonyl compounds**
Studies towards the Synthesis of Alkyl *N*-(4-Nitrophenyl)-3/2-oxomorpholine-2/3-carboxylates, 2160
Diazotization
Studies towards the Synthesis of Alkyl *N*-(4-Nitrophenyl)-3/2-oxomorpholine-2/3-carboxylates, 2160
Dibenzo[*b*,*f*]oxepins
Copper-Assisted/Copper-Free Synthesis of Functionalized Dibenzo[*b*,*f*]oxepins and Their Analogs *via* a One-Pot Tandem Reaction, 296
Dibenzopyranone derivatives
Dicyano(7-methyl-6-oxo-6*H*-dibenzo[*b*,*d*]pyran-9-yl)methanide Salts *via* a Multicomponent Reaction, 906
***β*-Dicarbonyl compounds**
Pinacol Rearrangement of 3,4-Dihydro-3,4-dihydroxyquinolin-2(1*H*)-ones: An Alternative Pathway to Viridicatin Alkaloids and Their Analogs, 1905
***Diels–Alder* reaction**
1-Thiacyclooct-4-yne (= 5,6-Didehydro-3,4,7,8-tetrahydro-2*H*-thiocin), and Its Sulfoxide and Its Sulfone, 228
Dienone–phenol rearrangement
Ming-Long Huang (1898–1979), A Chinese Chemist in Europe, 1822
Diimides
A Novel Organocatalytic Asymmetric Transfer Hydrogenation of α,β-Unsaturated Aldehydes, 2152
1,3-Diones
Synthesis of Thienyl-Substituted Dihydrofuran Compounds Promoted by Manganese(III) Acetate, 135
Microwave-Assisted Convenient Synthesis of α,β-Unsaturated Esters and Ketones *via* Aldol-Adduct Elimination, 1548
4*H*-1,3-Dioxin-4-one
Chemoselectivity in the Reaction of 2-Diazo-3-oxo-3-phenylpropanal with Aldehydes and Ketones, 1733
1,3-Dioxolo[4,5-*g*]furo[3,4-*b*]quinoline-8,9(5*H*,6*H*)-diones
Synthesis of New Furo[3,4-*b*]quinolin-1(3*H*)-one Scaffolds Derived from γ-Lactone-Fused Quinolin-4(1*H*)-ones, 919
1,3-Dioxolo[4,5-*g*]furo[3,4-*b*]quinolin-8(5*H*)-one
Synthesis of New Furo[3,4-*b*]quinolin-1(3*H*)-one Scaffolds Derived from γ-Lactone-Fused Quinolin-4(1*H*)-ones, 919
Diphenacyl sulfide
Temperature-Dependent Product Selectivity in the *Vilsmeier–Haack* Reaction on Bis(phenylhydrazones) of Bis(aroylmethyl) Sulfides (= 1,1′-[Thiobis(methylene)]bis[arylmethanone] Bis(2-phenylhydrazones)): Synthesis of 3-Aroylindoles (= Aryl(1*H*-indol-3-yl)methanones), 452
Diselenide, diphenyl
Electrochemical Phenylselenoetherification as a Key Step in the Synthesis of (±)-Curcumene Ether, 1103
Dispiropyrrolidine
One-Pot Synthesis of Dispiro[oxindole-3,3′-pyrrolidines] by Three-Component [3 + 2] Cycloadditions of *in situ*-Generated Azomethine Ylides with 3-Benzylidene-2,3-dihydro-1*H*-indol-2-ones, 2103
Dissymmetry
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617
Diterpenes
Diterpenes from *Xylopia langsdorffiana*, 1085
Crotofolane- and Casbane-Type Diterpenes from *Croton argyrophyllus*, 1146
New Eunicellin Diterpenes and 9,10-Secosteroids from the Gorgonian *Muricella sibogae*, 1188
Diterpenoids
Bis-Diterpenoid Alkaloids from *Aconitum tanguticum* var. *trichocarpum*, 710
Synthesis of Natural Atisane-Type Diterpenoids by *retro*-Biomimetic Transformations, 864
Three New C_{19}-Diterpenoid Alkaloids from *Aconitum forrestii*, 2155
Diterpenoids from the Wood of *Cunninghamia konishii*, 2282
Two New Rosane-Type Diterpenoids from *Euphorbia ebracteolata* HAYATA, 2299

1,3-Dithianes
Selective Transformations of a Diprotected 2-Oxobutanedial, 1841
1,3-Dithiol-2-ones
Unexpected *Ritter* Reaction During Acid-Promoted 1,3-Dithiol-2-one Formation, 889
Domino reactions
Influence of Guanidinium Salts and Other Ionic Liquids on the Three-Component Aza-*Diels–Alder* Reaction, 1681
***α*-Dunnione**
Two New Naphthoquinone Derivatives from *Lysionotus pauciflorus*, 1750
Dysoxylum lukii
Ergostane Steroids from *Dysoxylum lukii*, 2245

Electrocyclic reactions
Reactions of Enaminones with Diazocarbonyl Compounds, 488
Electronic circular dichroism (ECD)
Four New Alkaloids from the Fermentation Broth of *Armillaria mellea*, 330
Electron-withdrawing ligands
Primary Studies on Variation in Position of Trifluoromethyl Groups in Several Aromatic Group-14 Derivatives by ^{19}F-NMR Spectroscopy, 1078
Electro-organic syntheses
Electrochemical Phenylselenoetherification as a Key Step in the Synthesis of (±)-Curcumene Ether, 1103
Elephanosides G and H
New Steroidal Saponins from the Leaves of *Yucca elephantipes*, 1807
Emmenopterys henryi
Two New Indole Alkaloids from *Emmenopterys henryi*, 2207
Enaminones
Reactions of Enaminones with Diazocarbonyl Compounds, 488
Enantioselectivity
Study on the Mechanism of Formation of 1-Methylheptyl Phenyl Ether by the Isourea Method, 1305
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815
Endophytes
Lanostane Triterpenes from *Ceriporia lacerate* HS-ZJUT-C13A, a Fungal Endophyte of *Huperzia serrata*, 2092
Entada phaseoloides
Triterpene Saponins from *Entada phaseoloides*, 1579
Enzymatic desymmetrization
Divergent Enantioselective Total Synthesis of Siphonarienal, Siphonarienone, and Pectinatone, 1968
7-Epigoniodiol
Highly Diastereoselective Total Syntheses of (+)-7-Epigoniodiol, (−)-8-Epigoniodiol, and (+)-9-Deoxygoniopypyrone, 1366
Epoxidation
Further Explorations into the Synthesis of Dehydro-*Hedione*®, 246
Enantioselective Synthesis of the Natural Product (*S*)-Rugulactone, 1948
Epoxides
Silica-Bound 3-{2-[Poly(ethylene Glycol)]ethyl}-Substituted 1-Methyl-1*H*-imidazol-3-ium Bromide: A Recoverable Phase-Transfer Catalyst for Smooth and Regioselective Conversion of Oxiranes to *β*-Hydroxynitriles in Water, 275
Nucleophilic Reactivity of Ethers Against Terminal Epoxides in the Presence of BF_3: A Mechanistic Study, 1325
Epoxychalcones
An Expeditious Synthesis of Flavonols Promoted by Montmorillonite KSF Clay and Assisted by Microwave Irradiation under Solvent-Free Conditions, 1269

Eremophilanes
Three New Sesquiterpenes from *Laggera pterodonta*, 732
Ergostane
Ergostane Steroids from *Dysoxylum lukii*, 2245
Essential oils
Phytochemical Investigation by Microwave-Assisted Extraction of Essential Oil of the Leaves of Walnut Cultivated in Algeria, 1168
Esters
Microwave-Assisted Convenient Synthesis of α,β-Unsaturated Esters and Ketones *via* Aldol-Adduct Elimination, 1548
Efficient One-Pot Synthesis of β-Acetamido Carbonyl Compounds Using Fe_3O_4 Nanoparticles, 1943
Estrone
Benzo-Annulated Steroids: Synthesis of Octahydro-indeno-phenanthrenes by Formal [3 + 3] Cycloconden-sation Reaction with 1,3-Bis[(trimethylsilyl)oxy]buta-1,3-dienes, 924
Ethene, 1,1-bis(methylsulfanyl)-2-nitro-
Synthesis of 5-Aryl-3-(methylsulfanyl)-1*H*-pyrazoles *via* Three-Component Reaction of 1,1-Bis(methylsul-fanyl)-2-nitroethene, Aromatic Aldehydes, and Hydrazine, 2240
Ether cleavage
Nucleophilic Reactivity of Ethers Against Terminal Epoxides in the Presence of BF_3: A Mechanistic Study, 1325
Eudesmanes
Six Novel Eudesmane-Like Sesquiterpenes from *Illicium spathulatum*, 445
Three New Sesquiterpenes from *Laggera pterodonta*, 732
Eunicellins
New Eunicellin Diterpenes and 9,10-Secosteroids from the Gorgonian *Muricella sibogae*, 1188
Euonymus alatus
Two New Sesquiterpenes from *Euonymus alatus*, 85
Euphebracteolatins A and B
Two New Rosane-Type Diterpenoids from *Euphorbia ebracteolata* HAYATA, 2299
Euphorbia ebracteolata
Two New Rosane-Type Diterpenoids from *Euphorbia ebracteolata* HAYATA, 2299
Euphorbia sieboldiana
New Cytotoxic Triterpenoids from the Aerial Parts of *Euphorbia sieboldiana*, 1281
***Evans*' asymmetric alkylation**
Synthetic Studies Toward (+)-Spongidepsin, 1590
Divergent Enantioselective Total Synthesis of Siphonarienal, Siphonarienone, and Pectinatone, 1968
Evonine
Two New Sesquiterpenes from *Euonymus alatus*, 85

Fermentation
Four New Alkaloids from the Fermentation Broth of *Armillaria mellea*, 330
Ferrocene
First Synthesis of Ferrocenyl-Substituted 1,2-Dihydro-2-oxopyridine-3-carbonitriles, 2134
Flavifloramides A and B
Two New Bis-alkaloids from the Aerial Part of *Piper flaviflorum*, 951
Flavonoids
New Flavonoids from *Lysimachia christinae* HANCE, 985
A New Taraxastane-Type Triterpene from *Vitex trifolia* var. *simplicifolia*, 2040
Flavonol
An Expeditious Synthesis of Flavonols Promoted by Montmorillonite KSF Clay and Assisted by Microwave Irradiation under Solvent-Free Conditions, 1269
Fluorescence
Determination Limit of Fluorescence Turn-On Probes for the Acetate Anion, 719
Synthesis and Spectroscopic Characterization of Fluorophore-Labeled Oligospiroketal Rods, 2046

Fluorine compounds
Regioselective [3 + 3] Cyclization of 1,3-Bis(silyloxy)buta-1,3-dienes with 1,1,1-Trifluoro-4-(silyloxy)alk-3-en-2-ones: New and Convenient Synthesis of Functionalized 5-Alkyl-3-(trifluoromethyl)phenols, 44
Primary Studies on Variation in Position of Trifluoromethyl Groups in Several Aromatic Group-14 Derivatives by ^{19}F-NMR Spectroscopy, 1078
Microwave-Assisted Convenient Synthesis of α,β-Unsaturated Esters and Ketones *via* Aldol-Adduct Elimination, 1548
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815
'Fluorine effect'
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815
Flustration
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815
Forfugane
Six Novel Eudesmane-Like Sesquiterpenes from *Illicium spathulatum*, 445
***Förster* resonance energy transfer (FRET)**
Synthesis and Spectroscopic Characterization of Fluorophore-Labeled Oligospiroketal Rods, 2046
***Friedländer* reaction**
Synthesis of Functionalized *H*-[1]Benzopyrano[2,3-*b*]pyridines by the *Friedländer* Approach: Antimycobacterial and Antimicrobial Profile, 897
Fungi
Unusual Spirodecane Sesquiterpenes and a Fumagillol Analogue from *Cordyceps ophioglossoides*, 76
N-Bearing Furanone Derivatives from an Endophytic Fungus in *Huperzia serrata*, 997
Nigerasterols A and B, Antiproliferative Sterols from the Mangrove-Derived Endophytic Fungus *Aspergillus niger* MA-132, 1055
Furan, 4,5-dihydro-
Synthesis of Thienyl-Substituted Dihydrofuran Compounds Promoted by Manganese(III) Acetate, 135
Furan-diones
Synthesis of [3,3′(4*H*,4′*H*)-Bi-2*H*-1,3-oxazine]-4,4′-diones and Their Hydrolysis, 1339
Formation of 2-(Phenylsulfonyl)resorcinols (= 2-(Phenylsulfonyl)benzene-1,3-diols) from Symmetrically Substituted Maleic Anhydrides (= Furan-2,5-diones), 1918
Furans, dihydro-
Reactions of Enaminones with Diazocarbonyl Compounds, 488
Furofuran lignans
New Lignans from the Aerial Parts of *Rudbeckia laciniata*, 320
4*H*-Furo[3,2-*c*]pyran-4-ones, 2-hydrazinylidene-3-hydroxy-
A Simple Synthesis of 2-{(Arylmethylidene)hydrazinylidene]-3-hydroxy-4*H*-furo[3,2-*c*]pyran-4(3*H*)-ones, 675
Fusaprolifins A and B
Sesterterpenes and 2*H*-Pyran-2-ones (= α-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437
***Fusarium proliferatum* MA-84**
Sesterterpenes and 2*H*-Pyran-2-ones (= α-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437

Gallium chloride
Dimerization of Dimethyl 2-(Naphthalen-1-yl)cyclopropane-1,1-dicarboxylate in the Presence of $GaCl_3$ to [3 + 2], [3 + 3], [3 + 4], and Spiroannulation Products, 2068
Garcinia oligantha
A Novel Xanthone from *Garcinia oligantha*, 494

Germacranes
Two New Sesquiterpenes from the Roots of *Valeriana fauriei* BRIQ., 651

***Gliocladium* species**
Stereoselective Total Synthesis of 4-Ketoclonostachydiol, 2115

D-Glucal, 3,4,6-tri-*O*-acetyl-
Stereoselective Synthesis of (−)-(1*R*,1′*R*,5′*R*,7′*R*)-1-Hydroxy-*exo*-brevicomin and (+)-*exo*-Brevicomin from 3,4,6-Tri-*O*-acetyl-D-glucal, 1610

***α*-Glucosidase inhibitors**
Synthesis and Evaluation of Four Hederagenin Glycosides as α-Glucosidase Inhibitor, 142

Glucosides
Hypenol, a New Lignan from *Hypenia salzmannii*, 1121

Glutinanes
Torreyanoxane, a New 3,4-Secoglutinane Triterpenoid Isolated from the Pulp of *Torreya nucifera*, 375

Glycerol, 1-[11-(ferulyloxy)undecanoyl)]-
Two New Chemical Constituents of *Veratrum dahuricum* (TURCZ.) LOES. f., 345

Glycerophosphates, diacyl
Synthesis of Phospholipid–*Ribavirin* Conjugates, 463

Glycine derivatives
A New Glycine Derivative and a New Indole Alkaloid from the Fermentation Broth of the Plant Endophytic Fungus *Pestalotiopsis podocarpi* Isolated from the Chinese Podocarpaceae Plant *Podocarpus macrophyllus*, 309

Glycosides
Synthesis and Self-Assembly of Bolaamphiphiles Based on β-Amino Acids or an Alcohol, 99
Synthesis and Evaluation of Four Hederagenin Glycosides as α-Glucosidase Inhibitor, 142
Five New Cycloartane-Type Triterpenoid Saponins from *Nervilia fordii*, 150
Androstane-Type Steroidal Glycoside from the Roots of *Asparagus curillus* BUCH.-HAM. ex ROXB., 520
Five New Steroidal Alkaloid Glycosides from *Solanum tuberosum*, 931
New Flavonoids from *Lysimachia christinae* HANCE, 985

Goniopypyrone, (+)-9-deoxy-
Highly Diastereoselective Total Syntheses of (+)-7-Epigoniodiol, (−)-8-Epigoniodiol, and (+)-9-Deoxygoniopypyrone, 1366

***Goniothalamus* species**
Highly Diastereoselective Total Syntheses of (+)-7-Epigoniodiol, (−)-8-Epigoniodiol, and (+)-9-Deoxygoniopypyrone, 1366
Concise Stereoselective Total Synthesis of Leiocarpin C, 2179

Gorgonane
Six Novel Eudesmane-Like Sesquiterpenes from *Illicium spathulatum*, 445

Green chemistry
Efficient One-Pot Synthesis of a Densely Functionalized Tetrahydropyridine in the Presence of [1,1′-Binaphthalene]-2,2′-diol/Indium(III) Chloride (binol/$InCl_3$) or Simple *Brønsted* Acids as Catalysts, 1348

***Grignard* reaction**
Stereoselective Total Synthesis of 4-Ketoclonostachydiol, 2115

Group-14 compounds
Primary Studies on Variation in Position of Trifluoromethyl Groups in Several Aromatic Group-14 Derivatives by ^{19}F-NMR Spectroscopy, 1078

***Grubbs*' olefin metathesis**
Stereoselective Total Synthesis of Passifloricin A, 505
Stereoselective Synthesis of (−)-Pinidinone, 990

***Grubbs* ring-closing metathesis**
Highly Diastereoselective Total Syntheses of (+)-7-Epigoniodiol, (−)-8-Epigoniodiol, and (+)-9-Deoxygoniopypyrone, 1366

Guaianes
Unusual Guaiane Sesquiterpenoids from *Artemisia rupestris*, 1182

Guanosine 5′-monophosphate
Acid–Base Properties of Adenosine 5′-Monophosphate, Guanosine 5′-Monophosphate, and Inosine 5′-Monophosphate in Aqueous Solutions of Methanol, 1134
Guanosines
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 30. Synthesis and Association of a Self-Complementary Thiomethylene-Linked Octanucleoside, 1235
Gymnema sylvestre
New Triterpenes from *Gymnema sylvestre*, 1036
New Acylated Oleanane and Lupane Triterpenes from *Gymnema sylvestre*, 2200

Haedoxancoside A
Two New Lignans from *Phryma leptostachya* L., 1392
Hasubanan alkaloids
Three New Hasubanan Alkaloids from *Stephania hernandifolia* (WILLD.) WALP., 1930
Hederagenin glycosides
Synthesis and Evaluation of Four Hederagenin Glycosides as α-Glucosidase Inhibitor, 142
Hedione
Further Explorations into the Synthesis of Dehydro-*Hedione*®, 246
Helicenes
Hexahelicenophanes, 2009
Synthesis of Highly Substituted Hexahelicenes, 2020
Hemiacetals, cyclic
Synthesis of 4-Arylisocoumarins (= 4-Aryl-1*H*-2-benzopyran-1-ones) through Acidic Hydrolysis of (*Z*)-2-(1-Aryl-2-methoxyethenyl)benzaldehydes, Followed by Oxidation, 2173
Henryiosides A – E
Steroidal Saponins from the Rhizomes of *Smilacina henryi*, 478
Heptalene-4-carboxaldehydes
From Blue Azulenes to Blue Heptalenes – New Strongly Polarized π-Convertible Heptalenes, 1851
Heptalenecarboxylates, methyl
Synthesis and Characterization of New Heptalenes with Extended π-Systems Attached to Them, 1488
From Blue Azulenes to Blue Heptalenes – New Strongly Polarized π-Convertible Heptalenes, 1851
Heptalenes
Synthesis and Characterization of New Heptalenes with Extended π-Systems Attached to Them, 1488
From Blue Azulenes to Blue Heptalenes – New Strongly Polarized π-Convertible Heptalenes, 1851
Heptane-3,5-diol, (3*R*,5*R*)-1-(4-hydroxyphenyl)-7-phenyl-
The First Stereoselective Total Synthesis of Naturally Occurring, Bioactive (3*R*,5*R*)-1-(4-Hydroxyphenyl)-7-phenylheptane-3,5-diol and the Synthesis of Its Enantiomer, 289
Hernsubanines A – C
Three New Hasubanan Alkaloids from *Stephania hernandifolia* (WILLD.) WALP., 1930
Heterocyclic ketene aminal (HKA)
An Efficient One-Pot Four-Component Synthesis of Functionalized Imidazo[1,2-*a*]pyridines, 525
History of chemistry
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617
Ming-Long Huang (1898 – 1979), A Chinese Chemist in Europe, 1822
Niels Bohr (1885 – 1962): On the Wing of a Butterfly, *Johann J. Balmer* (1825 – 1898), 2304
Homoisoflavonoids
Homoisoflavonoids from *Ophiopogon japonicus*, 1397
Homotaurine
Convenient Synthesis of Various Substituted Homotaurines from Alk-2-enamides, 1355
***Horner–Wadsworth–Emmons* olefination**
Synthesis of the Major Oxepane Segment of Zoapatanol, 663
Stereoselective Total Synthesis of 4-Ketoclonostachydiol, 2115
***Huang–Minlon* modification**
Ming-Long Huang (1898 – 1979), A Chinese Chemist in Europe, 1822

Huaspenones C and D
N-Bearing Furanone Derivatives from an Endophytic Fungus in *Huperzia serrata*, 997
***Huisgen* 1,3-dipolar cycloaddition**
Synthesis and Anti-HIV Activity of Triazolo-Fused 2′,3′-Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 59
Huperzia serrata
N-Bearing Furanone Derivatives from an Endophytic Fungus in *Huperzia serrata*, 997
Lanostane Triterpenes from *Ceriporia lacerate* HS-ZJUT-C13A, a Fungal Endophyte of *Huperzia serrata*, 2092
Hybrids
First Synthesis of Ferrocenyl-Substituted 1,2-Dihydro-2-oxopyridine-3-carbonitriles, 2134
Hydrazine hydrate
Synthesis of 2-Aryl-5-oxo-4-[2-(phenylmethylidene)hydrazino]-2,5-dihydro-1*H*-pyrrole-3-carboxylates by the Reaction between Hydrazones, Acetylenedicarboxylates, and 1-Aryl-*N*,*N*′-bis(arylmethylidene)methanediamines, 1991
Hydrazones
Synthesis of 5-Aryl-3-(methylsulfanyl)-1*H*-pyrazoles *via* Three-Component Reaction of 1,1-Bis(methylsulfanyl)-2-nitroethene, Aromatic Aldehydes, and Hydrazine, 2240
Hydroformylation/reductive amination
Tandem Hydroformylation/Reductive Amination of 3-Allyl-2-methylquinazolin-4(3*H*)-one, 1782
Hydrogen bonds
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 30. Synthesis and Association of a Self-Complementary Thiomethylene-Linked Octanucleoside, 1235
Hydrogenation
A Novel Organocatalytic Asymmetric Transfer Hydrogenation of α,β-Unsaturated Aldehydes, 2152
Hydrophobization
Synthesis of Functionalized Lipids, and Their Use for a Tunable Hydrophobization of Nucleosides and Nucleic Acids, 201
Hydroquinones, alkylated
A Concise and Convergent Total Synthesis of Two Novel Cytotoxic Hydroquinones, Lanneaquinol and (*R*)-2′-Hydroxylanneaquinol, 1983
Hydroxyapatite
Synthesis of Monospiro-2-amino-4*H*-pyran Derivatives Catalyzed by Propane-1-sulfonic Acid-Modified Magnetic Hydroxyapatite Nanoparticles, 1601
Hydroxylation
Concise Stereoselective Total Synthesis of Leiocarpin C, 2179
Hyocholic acid
New 9,10-Secosteroids from Biotransformations of Bile Acids with *Rhodococcus ruber*, 2124
Hyodeoxycholic acid
New 9,10-Secosteroids from Biotransformations of Hyodeoxycholic Acid with *Rhodococcus* spp., 1062
Hypenia salzmannii
Hypenol, a New Lignan from *Hypenia salzmannii*, 1121
Hypenol
Hypenol, a New Lignan from *Hypenia salzmannii*, 1121

Illicium spathulatum
Six Novel Eudesmane-Like Sesquiterpenes from *Illicium spathulatum*, 445
Imidazo[2,1-*a*]isoquinoline
Superacid-Promoted Cyclodehydration Leading to the Imidazo[2,1-*a*]isoquinoline Ring System, 1457
Imidazolidinones
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815
Imidazo[1,2-*a*]pyridines
An Efficient One-Pot Four-Component Synthesis of Functionalized Imidazo[1,2-*a*]pyridines, 525

Iminium ions
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815

Inden-1-one (*Z*)-phenylhydrazones, 3-aryl-2-methoxy-
Synthesis of 3-Aryl-2-methoxyinden-1-one (*Z*)-Phenylhydrazones *via* Hydrobromic Acid-Mediated Cyclization of 2-(1-Aryl-2-methoxyethenyl)benzaldehyde Phenylhydrazones, 239

Indenophenanthrenes
Benzo-Annulated Steroids: Synthesis of Octahydro-indeno-phenanthrenes by Formal [3 + 3] Cyclocondensation Reaction with 1,3-Bis[(trimethylsilyl)oxy]buta-1,3-dienes, 924

Indole alkaloids
Structure and Dynamic of Three Indole Alkaloids from the *Campylospermum* Genus (Ochnaceae), 1298
Two Novel Plumeran Indole Alkaloids Isolated from *Aspidosperma cylindrocarpon* (Apocynaceae), 1793
Two New Indole Alkaloids from *Emmenopterys henryi*, 2207
Alkaloids from *Ochrosia borbonica*, 2288

1*H*-Indole-1-carbothioamides
Synthesis of 2,*N*,*N*-Trisubstituted 1*H*-Indole-1-carbothioamides from 2-(Acylmethyl)phenyl Isocyanides, 93

1*H*-Indol-3-ethanol, 1-methoxy-
A New Glycine Derivative and a New Indole Alkaloid from the Fermentation Broth of the Plant Endophytic Fungus *Pestalotiopsis podocarpi* Isolated from the Chinese Podocarpaceae Plant *Podocarpus macrophyllus*, 309

1*H*-Indol-3-ylmethanone, aryl-
Temperature-Dependent Product Selectivity in the *Vilsmeier–Haack* Reaction on Bis(phenylhydrazones) of Bis(aroylmethyl) Sulfides (= 1,1′-[Thiobis(methylene)]bis[arylmethanone] Bis(2-phenylhydrazones)): Synthesis of 3-Aroylindoles (= Aryl(1*H*-indol-3-yl)methanones), 452

Inhibitors
Synthesis and Evaluation of Four Hederagenin Glycosides as α-Glucosidase Inhibitor, 142
Two New *Lycopodium* Alkaloids from *Lycopodium obscurum*, 1197

Inosine 5′-monophosphate
Acid–Base Properties of Adenosine 5′-Monophosphate, Guanosine 5′-Monophosphate, and Inosine 5′-Monophosphate in Aqueous Solutions of Methanol, 1134

Insulin sensitivity
Five New Nortriterpenoids from the Stems of *Schisandra neglecta*, 1376

Iodo-carbonate cyclization
Stereoselective Total Synthesis of Passifloricin A, 505

Iodoesterification
N-Iodosuccinimide: A Highly Effective Regioselective Reagent for Iodoesterification of Alkenes, 1313

Iodohydrins
N-Iodosuccinimide: A Highly Effective Regioselective Reagent for Iodoesterification of Alkenes, 1313

***N*-Iodosuccinimide (NIS)**
N-Iodosuccinimide: A Highly Effective Regioselective Reagent for Iodoesterification of Alkenes, 1313

Ionic liquids
One-Pot, Three-Component Synthesis of Novel Spiro[3*H*-indole-3,2′-thiazolidine]-2,4′(1*H*)-diones in an Ionic Liquid as a Reusable Reaction Media, 414
Influence of Guanidinium Salts and Other Ionic Liquids on the Three-Component Aza-*Diels–Alder* Reaction, 1681

Iridoids
Iridoids from the Roots of *Valeriana jatamansi*, 424
Two New Indole Alkaloids from *Emmenopterys henryi*, 2207

Isobiscembranoids
Sarcophytolides G – L, New Biscembranoids from the Soft Coral *Sarcophyton elegans*, 2218

Isocoumarins, 4-aryl-
Synthesis of 4-Arylisocoumarins (= 4-Aryl-1*H*-2-benzopyran-1-ones) through Acidic Hydrolysis of (*Z*)-2-(1-Aryl-2-methoxyethenyl)benzaldehydes, Followed by Oxidation, 2173

Isocyanides
Synthesis of 2,*N*,*N*-Trisubstituted 1*H*-Indole-1-carbothioamides from 2-(Acylmethyl)phenyl Isocyanides, 93
An Efficient Isocyanide-Based Three-Component Diastereoselective Synthesis of Chromane-3,4-dicarboxamides, 1978
Ultrasound-Assisted Synthesis of Highly Functionalized Cyclopentadienes *via* an Isocyanide-Based Three-Component Reaction, 2196
Isoindolones
Isoindolones from *Lasiosphaera fenzlii* REICH. and Their Bioactivities, 109
Isoindolo[2,1-*a*]quinazoline-5,11-diones
Synthesis of Isoindolo[2,1-*a*]quinazoline-5,11-dione Derivatives *via* the Reductive One-Pot Reaction of *N*-Substituted 2-Nitrobenzamides and 2-Formylbenzoic Acids, 419
Isothiocyanates
Synthesis of *N*,*N*-Dialkyl-9-oxoacridine-10(9*H*)-carbothioamides *via* the Reaction of (2-Halophenyl)(2-isothiocyanatophenyl)methanones with Secondary Amines, Followed by Cyclization with NaH, 2033
From *Nef*-Isocyanide Adducts toward Functionalized 5-Iminothiazolidines Containing Polarized C=C Bonds, 2191
Isourea, *N*,*N*′-dicyclohexyl-*O*-(1-methylheptyl)-
Study on the Mechanism of Formation of 1-Methylheptyl Phenyl Ether by the Isourea Method, 1305
Isovalerianin A
Two New Sesquiterpenes from the Roots of *Valeriana fauriei* BRIQ., 651

***Jacobsen* resolution**
Stereoselective Total Synthesis of Multiplolide A and of a Diastereoisomer, 266
Jasmonate
Further Explorations into the Synthesis of Dehydro-*Hedione*®, 246
Jatamanins N – P
Iridoids from the Roots of *Valeriana jatamansi*, 424
Jervine
Biotransformation of Jervine by *Cunninghamella echinulata*, 1072
Juglanones A and B
Juglanones A and B: Two Novel Tetralone Dimers from Walnut Pericarp (*Juglans regia*), 1031
Juglans regia
Juglanones A and B: Two Novel Tetralone Dimers from Walnut Pericarp (*Juglans regia*), 1031
Phytochemical Investigation by Microwave-Assisted Extraction of Essential Oil of the Leaves of Walnut Cultivated in Algeria, 1168

Katsumains D – G
Identification of Six New Minor Diarylheptanoids from the Seeds of *Alpinia katsumadai*, 1670
***ent*-Kauranes**
Cytotoxic Diterpenoids from the Stem Bark of *Annona squamosa* L., 656
Ketenes
Mechanism of the Reaction of Amines with 5-[(Aryl- or Alkylamino)hydroxymethylene]-2,2-dimethyl-1,3-dioxane-4,6-diones in the Presence of Chlorotrimethylsilane (Me_3SiCl), 978
Ketenimines
Copper-Catalyzed One-Pot Synthesis of Functionalized Pyrroles from Sulfonyl Azides, Alkynes, and (*p*-Toluenesulfonyl)methyl Isocyanide, 2098
Copper-Catalyzed Synthesis of 2*H*-Thiopyran Derivatives from Alkynes, Sulfonyl Azides, Carbon Disulfide, and Malononitrile, 2141
Copper-Catalyzed One-Pot Synthesis of *N*-Sulfonylalkanimidoyl Thiocyanates from Sulfonyl Azides, Alkynes, and KSCN, 2214
Ketones
Cyclic Voltammetric Study of Some Anti-*Chagas*-Active 1,4-Dioxidoquinoxalin-2-yl Ketone Derivatives, 217
Asymmetric Aldol Reactions in Caprolactam–Quaternary Ammonium Salt Coordination Ionic Liquid Catalyzed by L-Pro-L-Trp, 1266

Microwave-Assisted Convenient Synthesis of α,β-Unsaturated Esters and Ketones *via* Aldol-Adduct Elimination, 1548
Selective Transformations of a Diprotected 2-Oxobutanedial, 1841
Efficient One-Pot Synthesis of β-Acetamido Carbonyl Compounds Using Fe_3O_4 Nanoparticles, 1943

Ketones, β-acetamido
A Copper-Catalyzed Multicomponent Reaction and 'Click Strategy' for the Stereoselective Synthesis of a New Series of Oxazolone Peptidomimetics with α-Acylamino Amide and β-Amido Ketone Structures, 2251

K-Selectride
Concise Stereoselective Total Synthesis of Leiocarpin C, 2179

Labdanes
Diterpenoids from the Wood of *Cunninghamia konishii*, 2282

Labdorffianic acids A and B
Diterpenes from *Xylopia langsdorffiana*, 1085

Lactamization
Unexpected Reaction Course of 3-Amino-5-aryl-1*H*-pyrazoles with Dialkyl Dicyanofumarates, 633

***β*-Lactams**
An Efficient Synthesis of Novel Benzo-Fused Macrocyclic Dilactams, 1290
Reactions of Acid Chlorides/Ketenes with 2-Substituted 4,5-Dihydro-4,4-dimethyl-1,3-thiazoles: Formation of Penam Derivatives, 1462
Synthesis of 3-Carbamoyl β-Lactams *via* Manganese(III)-Promoted Cyclization of *N*-Alkenylmalonamides, 2081

Lactones
Synthesis of New Furo[3,4-*b*]quinolin-1(3*H*)-one Scaffolds Derived from γ-Lactone-Fused Quinolin-4(1*H*)-ones, 919
Chlojaponilactones B – E, Four New Lindenane Sesquiterpenoid Lactones from *Chloranthus japonicus*, 1386
Concise Stereoselective Total Synthesis of Leiocarpin C, 2179

Laggera pterodonta
Three New Sesquiterpenes from *Laggera pterodonta*, 732

Language of stereochemistry
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617

Lanostanes
Lanostane Triterpenes from *Ceriporia lacerate* HS-ZJUT-C13A, a Fungal Endophyte of *Huperzia serrata*, 2092

Lasiosphaera fenzlii
Isoindolones from *Lasiosphaera fenzlii* REICH. and Their Bioactivities, 109

Leiocarpin C
Concise Stereoselective Total Synthesis of Leiocarpin C, 2179

Lignans
New Lignans from the Aerial Parts of *Rudbeckia laciniata*, 320
Hypenol, a New Lignan from *Hypenia salzmannii*, 1121
Two New Lignans from *Phryma leptostachya* L., 1392

Ligusticum sinense
First Total Synthesis of (−)-Ligustiphenol, 1936

(−)-Ligustiphenol
First Total Synthesis of (−)-Ligustiphenol, 1936

Limonoids
Two New Trijugin-Type Limonoids from *Cipadessa cinerascens*, 2228

Lindenanes
Chlojaponilactones B – E, Four New Lindenane Sesquiterpenoid Lactones from *Chloranthus japonicus*, 1386

Lipids
Synthesis of Functionalized Lipids, and Their Use for a Tunable Hydrophobization of Nucleosides and Nucleic Acids, 201

Lipophilization
Synthesis of Thymidine, Uridine, and 5-Methyluridine Nucleolipids: Tools for a Tuned Lipophilization of Oligonucleotides, 872
Lithium enolates
Synthesis of (4*Z*)-4-(Arylmethylidene)-5-ethoxy-1,3-oxazolidine-2-thiones by the Reaction of Ethyl (2*Z*)-3-Aryl-2-isothiocyanatoprop-2-enoates with Organolithium Compounds, 431
Lupanes
New Triterpenes from *Gymnema sylvestre*, 1036
New Acylated Oleanane and Lupane Triterpenes from *Gymnema sylvestre*, 2200
Lycium chinense
New Pyrrole Alkaloids with Bulky *N*-Alkyl Side Chains Containing Stereogenic Centers from *Lycium chinense*, 1482
Lycopodium obscurum
Two New *Lycopodium* Alkaloids from *Lycopodium obscurum*, 1197
Lysimachia christinae
New Flavonoids from *Lysimachia christinae* HANCE, 985
Lysionotus pauciflorus
Two New Naphthoquinone Derivatives from *Lysionotus pauciflorus*, 1750

***MacMillan* hydroxylation**
A Concise and Convergent Total Synthesis of Two Novel Cytotoxic Hydroquinones, Lanneaquinol and (*R*)-2′-Hydroxylanneaquinol, 1983
Stereoselective Total Synthesis of 4-Ketoclonostachydiol, 2115
Macrocycles
An Efficient Synthesis of Novel Benzo-Fused Macrocyclic Dilactams, 1290
Macrodumines A – C
Alkaloids from the Twigs and Leaves of *Daphniphyllum macropodum*, 499
Maleic anhydrides
Formation of 2-(Phenylsulfonyl)resorcinols (= 2-(Phenylsulfonyl)benzene-1,3-diols) from Symmetrically Substituted Maleic Anhydrides (= Furan-2,5-diones), 1918
Malonamides, *N*-alkenyl-
Synthesis of 3-Carbamoyl β-Lactams *via* Manganese(III)-Promoted Cyclization of *N*-Alkenylmalonamides, 2081
Malonic acid
Base-Induced Decarboxylation of Polyunsaturated α-Cyano Acids Derived from Malonic Acid: Synthesis of Sesquiterpene Nitriles and Aldehydes with β-, φ-, and ψ-End Groups, 259
Malononitrile
Dicyano(7-methyl-6-oxo-6*H*-dibenzo[*b*,*d*]pyran-9-yl)methanide Salts *via* a Multicomponent Reaction, 906
Copper-Catalyzed Synthesis of 2*H*-Thiopyran Derivatives from Alkynes, Sulfonyl Azides, Carbon Disulfide, and Malononitrile, 2141
From *Nef*-Isocyanide Adducts toward Functionalized 5-Iminothiazolidines Containing Polarized C=C Bonds, 2191
Manganese(III), tris(acetato)-
Synthesis of Thienyl-Substituted Dihydrofuran Compounds Promoted by Manganese(III) Acetate, 135
Manganese(III) acetate
Synthesis of 3-Carbamoyl β-Lactams *via* Manganese(III)-Promoted Cyclization of *N*-Alkenylmalonamides, 2081
Marine fungi
Sesterterpenes and 2*H*-Pyran-2-ones (= α-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437
Two New Secoanthraquinone Derivatives from the Marine-Derived Endophytic Fungus *Aspergillus wentii* EN-48, 458
New Cytotoxic Metabolites from the Marine-Derived Fungus *Penicillium* sp. ZLN29, 514
***Maruoka* allylation**
Stereoselective Total Synthesis of Passifloricin A, 505

Stereoselective Synthesis of (−)-Pinidinone, 990

Maytenus salicifolia

Salicassin, an Unprecedented Chalcone–Diterpene Adduct and a Quinone Methide Triterpenoid from *Maytenus salicifolia*, 1046

Melamine–formaldehyde resin

Doped Nano-Sized Copper(I) Oxide (Cu_2O) on Melamine–Formaldehyde Resin: a Highly Efficient Heterogeneous Nano Catalyst for 'Click' Synthesis of Some Novel 1*H*-1,2,3-Triazole Derivatives Having Antibacterial Activity, 688

***Meldrum*'s acids**

Mechanism of the Reaction of Amines with 5-[(Aryl- or Alkylamino)hydroxymethylene]-2,2-dimethyl-1,3-dioxane-4,6-diones in the Presence of Chlorotrimethylsilane (Me_3SiCl), 978

Melicope pteleifolia

Prenylated Benzene Metabolites from *Melicope pteleifolia*, 119

(−)-Menthyl ester, α-oxo

First Total Synthesis of (−)-Ligustiphenol, 1936

Mercury complexes

Metal-Ion-Binding Analogs of Ribonucleosides: Preparation and Formation of Ternary Pd^{2+} and Hg^{2+} Complexes with Natural Pyrimidine Nucleosides, 1658

Metabolites

Petrorhagiosides A – D, New γ-Pyrone Derivatives from *Petrorhagia saxifraga* LINK, 1273

Methanamines, aryl-

Synthesis of 10-Aryl- and 10-(Arylmethyl)acridin-9(10*H*)-ones *via* the Reaction of (2-Fluorophenyl)(2-halophenyl)methanones with Benzenamines and Arylmethanamines, 389

Methanediamine, 1-aryl-*N*,*N*′-bis(arylmethylidene)-

Synthesis of 2-Aryl-5-oxo-4-[2-(phenylmethylidene)hydrazino]-2,5-dihydro-1*H*-pyrrole-3-carboxylates by the Reaction between Hydrazones, Acetylenedicarboxylates, and 1-Aryl-*N*,*N*′-bis(arylmethylidene)methanediamines, 1991

Methanone, (2-halophenyl)(2-isothiocyanatophenyl)-

Synthesis of *N*,*N*-Dialkyl-9-oxoacridine-10(9*H*)-carbothioamides *via* the Reaction of (2-Halophenyl)(2-isothiocyanatophenyl)methanones with Secondary Amines, Followed by Cyclization with NaH, 2033

Methanones, (2-fluorophenyl)(2-halophenyl)-

Synthesis of 10-Aryl- and 10-(Arylmethyl)acridin-9(10*H*)-ones *via* the Reaction of (2-Fluorophenyl)(2-halophenyl)methanones with Benzenamines and Arylmethanamines, 389

***C*-Methylation**

Formation of 2-(Phenylsulfonyl)resorcinols (=2-(Phenylsulfonyl)benzene-1,3-diols) from Symmetrically Substituted Maleic Anhydrides (=Furan-2,5-diones), 1918

***Michael* addition**

Unexpected Reaction Course of 3-Amino-5-aryl-1*H*-pyrazoles with Dialkyl Dicyanofumarates, 633

Convenient Synthesis of Various Substituted Homotaurines from Alk-2-enamides, 1355

Synthesis of 5-Aryl-3-(methylsulfanyl)-1*H*-pyrazoles *via* Three-Component Reaction of 1,1-Bis(methylsulfanyl)-2-nitroethene, Aromatic Aldehydes, and Hydrazine, 2240

Microwave irradiation

An Expeditious Synthesis of Flavonols Promoted by Montmorillonite KSF Clay and Assisted by Microwave Irradiation under Solvent-Free Conditions, 1269

Microwave-Assisted Convenient Synthesis of α,β-Unsaturated Esters and Ketones *via* Aldol-Adduct Elimination, 1548

Microwave-assisted hydrodistillation (MAHD)

Phytochemical Investigation by Microwave-Assisted Extraction of Essential Oil of the Leaves of Walnut Cultivated in Algeria, 1168

Mitosenes

Synthesis of the Aziridinomitosene Skeleton by Application of Guanidinium Ylide-Mediated Aziridination, 379

***Mitsunobu* reaction**

Synthesis of Functionalized Lipids, and Their Use for a Tunable Hydrophobization of Nucleosides and Nucleic Acids, 201

Synthesis of Thymidine, Uridine, and 5-Methyluridine Nucleolipids: Tools for a Tuned Lipophilization of Oligonucleotides, 872
Synthetic Studies Toward (+)-Spongidepsin, 1590

Molecular pharmacology
Organic Stereochemistry. Part 5. Stereoselectivity in Molecular and Clinical Pharmacology, 747
Organic Stereochemistry. Part 6. The Conformation Factor in Molecular Pharmacology, 1005

Molecular rods
Synthesis and Spectroscopic Characterization of Fluorophore-Labeled Oligospiroketal Rods, 2046

Molecular-dynamics calculations
Conformational Preferences of a β-Octapeptide as Function of Solvent and Force-Field Parameters, 189

Molybdenum complexes
Synthesis and Characterization of Carbonyl Group-6-Metal Derivatives with Ligand *N*,*N*-Bis(diphenylphosphino)naphthalen-1-amine (= *N*-(Diphenylphosphino)-*N*-naphthalen-1-yl-*P*,*P*-diphenylphosphinous Amide). Molecular Structure of *cis*-Tetracarbonyl[*N*-(diphenylphosphino-κP)-*N*-naphthalen-1-yl-*P*,*P*-diphenylphosphinous amide-κP]molybdenum (*cis*-[$Mo(CO)_4\{C_{10}H_7$-1-$N(PPh_2)_2\}$]), 738

Momordica charantia
Cucurbitane-Type Triterpenoids from *Momordica charantia*, 1111

Monoanionic ligands
Synthesis and Metal Complexes of Thiourea Ligands Containing Carbohydrate-Derived Substituents, 280

Montmorillonite KSF clay
An Expeditious Synthesis of Flavonols Promoted by Montmorillonite KSF Clay and Assisted by Microwave Irradiation under Solvent-Free Conditions, 1269

Morpholinones
Studies towards the Synthesis of Alkyl *N*-(4-Nitrophenyl)-3/2-oxomorpholine-2/3-carboxylates, 2160

Multicomponent reactions
Synthesis and Evaluation of Four Hederagenin Glycosides as α-Glucosidase Inhibitor, 142
One-Pot, Three-Component Synthesis of Novel Spiro[3*H*-indole-3,2′-thiazolidine]-2,4′(1*H*)-diones in an Ionic Liquid as a Reusable Reaction Media, 414
Synthesis of Isoindolo[2,1-*a*]quinazoline-5,11-dione Derivatives *via* the Reductive One-Pot Reaction of *N*-Substituted 2-Nitrobenzamides and 2-Formylbenzoic Acids, 419
A Novel and Efficient Synthesis of 3-[(4,5-Dihydro-1*H*-pyrrol-3-yl)carbonyl]-2*H*-chromen-2-ones (= 3-[(4,5-Dihydro-1*H*-pyrrol-3-yl)carbonyl]-2*H*-1-benzopyran-2-ones), 473
An Efficient One-Pot Four-Component Synthesis of Functionalized Imidazo[1,2-*a*]pyridines, 525
A Simple Synthesis of 2-[(Arylmethylidene)hydrazinylidene]-3-hydroxy-4*H*-furo[3,2-*c*]pyran-4(3*H*)-ones, 675
Dicyano(7-methyl-6-oxo-6*H*-dibenzo[*b*,*d*]pyran-9-yl)methanide Salts *via* a Multicomponent Reaction, 906
One-Pot Synthesis of 5,7,8,9,9a,10-Hexahydro-8-thioxotetrahydropyrido[2,3-*d*:6,5-*d*′]dipyrimidine-2,4,6(1*H*,3*H*,5a*H*)-triones *via* a Four-Component Coupling Reaction of Aldehydes, Amines, Barbituric Acids, and Thiouracil, 1155
Efficient One-Pot Synthesis of a Densely Functionalized Tetrahydropyridine in the Presence of [1,1′-Binaphthalene]-2,2′-diol/Indium(III) Chloride (binol/$InCl_3$) or Simple *Brønsted* Acids as Catalysts, 1348
Synthesis of Monospiro-2-amino-4*H*-pyran Derivatives Catalyzed by Propane-1-sulfonic Acid-Modified Magnetic Hydroxyapatite Nanoparticles, 1601
Influence of Guanidinium Salts and Other Ionic Liquids on the Three-Component Aza-*Diels–Alder* Reaction, 1681
Efficient One-Pot Synthesis of β-Acetamido Carbonyl Compounds Using Fe_3O_4 Nanoparticles, 1943
An Efficient Isocyanide-Based Three-Component Diastereoselective Synthesis of Chromane-3,4-dicarboxamides, 1978
Synthesis of 2-Aryl-5-oxo-4-[2-(phenylmethylidene)hydrazino]-2,5-dihydro-1*H*-pyrrole-3-carboxylates by the Reaction between Hydrazones, Acetylenedicarboxylates, and 1-Aryl-*N*,*N*′-bis(arylmethylidene)methanediamines, 1991
One-Pot Synthesis of Dispiro[oxindole-3,3′-pyrrolidines] by Three-Component [3 + 2] Cycloadditions of *in situ*-Generated Azomethine Ylides with 3-Benzylidene-2,3-dihydro-1*H*-indol-2-ones, 2103
Copper-Catalyzed Synthesis of 2*H*-Thiopyran Derivatives from Alkynes, Sulfonyl Azides, Carbon Disulfide, and Malononitrile, 2141

One-Pot Synthesis of Sulfonamides and Sulfonyl Azides from Thiols using Chloramine-T, 2147
Ultrasound-Assisted Synthesis of Highly Functionalized Cyclopentadienes *via* an Isocyanide-Based Three-Component Reaction, 2196
Copper-Catalyzed One-Pot Synthesis of *N*-Sulfonylalkanimidoyl Thiocyanates from Sulfonyl Azides, Alkynes, and KSCN, 2214
Synthesis of 5-Aryl-3-(methylsulfanyl)-1*H*-pyrazoles *via* Three-Component Reaction of 1,1-Bis(methylsulfanyl)-2-nitroethene, Aromatic Aldehydes, and Hydrazine, 2240
A Copper-Catalyzed Multicomponent Reaction and 'Click Strategy' for the Stereoselective Synthesis of a New Series of Oxazolone Peptidomimetics with α-Acylamino Amide and β-Amido Ketone Structures, 2251
A Facile Synthesis of New Pyrazolo[3,4-*d*]pyrimidine Derivatives *via* a One-Pot Four-Component Reaction with Sodium Acetate Supported on Basic Alumina as Promoter, 2267

Multiplolide A
Stereoselective Total Synthesis of Multiplolide A and of a Diastereoisomer, 266

Muricella sibogae
New Eunicellin Diterpenes and 9,10-Secosteroids from the Gorgonian *Muricella sibogae*, 1188

Myricetin 3,3′-di-*O*-α-L-rhamnopyranoside
New Flavonoids from *Lysimachia christinae* HANCE, 985

Nanoparticles
Synthesis of Monospiro-2-amino-4*H*-pyran Derivatives Catalyzed by Propane-1-sulfonic Acid-Modified Magnetic Hydroxyapatite Nanoparticles, 1601
Efficient One-Pot Synthesis of β-Acetamido Carbonyl Compounds Using Fe_3O_4 Nanoparticles, 1943

Naphthoquinones
Two New Naphthoquinone Derivatives from *Lysionotus pauciflorus*, 1750

Narcissus tazetta* var. *chinensis
Two Unusual Rearranged Flavan Derivatives from *Narcissus tazetta* var. *chinensis*, 338

***Nef* isocyanide**
From *Nef*-Isocyanide Adducts toward Functionalized 5-Iminothiazolidines Containing Polarized C=C Bonds, 2191

Negleschidilactones A and B
Five New Nortriterpenoids from the Stems of *Schisandra neglecta*, 1376

Neoveratrenone
Two New Chemical Constituents of *Veratrum dahuricum* (TURCZ.) LOES. f., 345

Nervilia fordii
Five New Cycloartane-Type Triterpenoid Saponins from *Nervilia fordii*, 150

Nervisides D – H
Five New Cycloartane-Type Triterpenoid Saponins from *Nervilia fordii*, 150

Nigerasterols A and B
Nigerasterols A and B, Antiproliferative Sterols from the Mangrove-Derived Endophytic Fungus *Aspergillus niger* MA-132, 1055

Nitriles, β-hydroxy-
Silica-Bound 3-{2-[Poly(ethylene Glycol)]ethyl}-Substituted 1-Methyl-1*H*-imidazol-3-ium Bromide: A Recoverable Phase-Transfer Catalyst for Smooth and Regioselective Conversion of Oxiranes to β-Hydroxynitriles in Water, 275

Nitro olefins
Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey, 799

NMR Spectroscopy
Primary Studies on Variation in Position of Trifluoromethyl Groups in Several Aromatic Group-14 Derivatives by ^{19}F-NMR Spectroscopy, 1078

Nootkaton-11-ol
Two Halogenated Sesquiterpenoids from the Fruits of *Alpinia oxyphylla*, 1163

Norbornenes
Synthesis and Self-Assembly of Bolaamphiphiles Based on β-Amino Acids or an Alcohol, 99

Norditerpenoids
Two New Abietane Diterpenoids from the Roots of *Tripterygium wilfordii* HOOK. f., 313
Nortriterpenoids
Five New Nortriterpenoids from the Stems of *Schisandra neglecta*, 1376
***Noyori* reduction**
First Stereoselective Total Synthesis of Oplopandiol, 1571
Nucleic acids
Synthesis of Functionalized Lipids, and Their Use for a Tunable Hydrophobization of Nucleosides and Nucleic Acids, 201
Nucleophilic reactivity
Nucleophilic Reactivity of Ethers Against Terminal Epoxides in the Presence of BF_3: A Mechanistic Study, 1325
Nucleosides
Synthesis and Anti-HIV Activity of Triazolo-Fused 2′,3′-Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 59
Synthesis of Functionalized Lipids, and Their Use for a Tunable Hydrophobization of Nucleosides and Nucleic Acids, 201
Synthesis of Thymidine, Uridine, and 5-Methyluridine Nucleolipids: Tools for a Tuned Lipophilization of Oligonucleotides, 872
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 30. Synthesis and Association of a Self-Complementary Thiomethylene-Linked Octanucleoside, 1235
Metal-Ion-Binding Analogs of Ribonucleosides: Preparation and Formation of Ternary Pd^{2+} and Hg^{2+} Complexes with Natural Pyrimidine Nucleosides, 1658
Nucleotides
2-[(Acetyloxy)methyl]-4-(acetylsulfanyl)-2-(ethoxycarbonyl)-3-oxobutyl Group: A Thermolabile Protecting Group for Phosphodiesters, 1997

Obscurumine A, 8*β*-acetoxy-
Two New *Lycopodium* Alkaloids from *Lycopodium obscurum*, 1197
Ochroborines A and B
Alkaloids from *Ochrosia borbonica*, 2288
Ochrosia borbonica
Alkaloids from *Ochrosia borbonica*, 2288
***Ohira–Bestmann* alkynation**
First Stereoselective Total Synthesis of Oplopandiol, 1571
Oleananes
New Triterpenes from *Gymnema sylvestre*, 1036
New Acylated Oleanane and Lupane Triterpenes from *Gymnema sylvestre*, 2200
Oleanenes
Triterpenoids from the Roots of *Camellia oleifera* C.ABEL and Their Cytotoxic Activities, 1126
Olefination reaction
First Stereoselective Total Synthesis of Oplopandiol, 1571
Enantioselective Synthesis of the Natural Product (*S*)-Rugulactone, 1948
Oliganthone A
A Novel Xanthone from *Garcinia oligantha*, 494
Oligonucleotides
Zn^{2+} Complexes of 3,5-Bis[(1,5,9-triazacyclododecan-3-yloxy)methyl]phenyl Conjugates of Oligonucleotides as Artificial RNases: The Effect of Oligonucleotide Conjugation on Uridine Selectivity of the Cleaving Agent, 31
Synthesis of Thymidine, Uridine, and 5-Methyluridine Nucleolipids: Tools for a Tuned Lipophilization of Oligonucleotides, 872
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 30. Synthesis and Association of a Self-Complementary Thiomethylene-Linked Octanucleoside, 1235
Oligopeptides
Highly Constrained Linear Oligopeptides Containing Heterocyclic α-Amino Carboxylic Acids, 1714

Ophiopogon japonicus
Homoisoflavonoids from *Ophiopogon japonicus*, 1397

Oplopandiol
First Stereoselective Total Synthesis of Oplopandiol, 1571

Organocatalysis
Efficient One-Pot Synthesis of a Densely Functionalized Tetrahydropyridine in the Presence of [1,1′-Binaphthalene]-2,2′-diol/Indium(III) Chloride (binol/$InCl_3$) or Simple *Brønsted* Acids as Catalysts, 1348
Reversal of the Stereochemical Course of 1-Methyl-1*H*-indole Addition to Cinnamaldehyde with *cis*-5-Benzyl-(2-fluoromethyl)-2,3-dimethylimidazolidin-4-ones as Catalysts – a Puzzling 'Fluorine Effect'. Preliminary Communication, 1815

Organochlorine compounds
Regioselective Synthesis of Trichloromethyl-Substituted Salicylates and Cyclohexenones by One-Pot Cyclizations of 1,3-Bis(trimethylsilyloxy)buta-1,3-dienes, 1955

Organofluorine compounds
Regioselective [3 + 3] Cyclization of 1,3-Bis(silyloxy)buta-1,3-dienes with 1,1,1-Trifluoro-4-(silyloxy)alk-3-en-2-ones: New and Convenient Synthesis of Functionalized 5-Alkyl-3-(trifluoromethyl)phenols, 44

Organolithium compounds
Synthesis of (4*Z*)-4-(Arylmethylidene)-5-ethoxy-1,3-oxazolidine-2-thiones by the Reaction of Ethyl (2*Z*)-3-Aryl-2-isothiocyanatoprop-2-enoates with Organolithium Compounds, 431

Organotin oximates
Novel Tin Complexes Containing an Oximato Ligand: Synthesis, Characterization, and Computational Investigation, 1740

Oseltamivir
Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey, 799

Oxalyl chloride
Synthesis of Nitrogen-Containing Derivatives of (18α,19β)-19-Hydroxy-2,3-secooleanane-2,3,28-trioic Acid 28,19-Lactone, 1757

Oxamates, *N*-aryl
A Transformation of *N*-Alkylated Anilines to *N*-Aryloxamates, 1542

1,4-Oxathiino[2,3-*b*]pyrazines
One-Pot Synthesis of 1,4-Oxathiino[2,3-*b*]quinoxalines or -pyrazines from 2,3-Dichloroquinoxaline or -pyrazine and 1-Aryl-2-bromoalkan-1-ones, 1452

1,4-Oxathiino[2,3-*b*]quinoxalines
One-Pot Synthesis of 1,4-Oxathiino[2,3-*b*]quinoxalines or -pyrazines from 2,3-Dichloroquinoxaline or -pyrazine and 1-Aryl-2-bromoalkan-1-ones, 1452

Oxazine *N*-oxides
Stoichiometric Reactions of Enamines Derived from Diphenylprolinol Silyl Ethers with Nitro Olefins and Lessons for the Corresponding Organocatalytic Conversions – a Survey, 799

2*H*-1,3-Oxazines
Synthesis of [3,3′(4*H*,4′*H*)-Bi-2*H*-1,3-oxazine]-4,4′-diones and Their Hydrolysis, 1339

Oxazolidinediones
Synthesis of Nitrogen-Containing Derivatives of (18α,19β)-19-Hydroxy-2,3-secooleanane-2,3,28-trioic Acid 28,19-Lactone, 1757

1,3-Oxazolidine-2-thiones, (4*Z*)-4-(arylmethylidene)-5-ethoxy-
Synthesis of (4*Z*)-4-(Arylmethylidene)-5-ethoxy-1,3-oxazolidine-2-thiones by the Reaction of Ethyl (2*Z*)-3-Aryl-2-isothiocyanatoprop-2-enoates with Organolithium Compounds, 431

Oxazolidinone, *N*-(acetyl)-
Highly Diastereoselective Total Syntheses of (+)-7-Epigoniodiol, (−)-8-Epigoniodiol, and (+)-9-Deoxygoniopypyrone, 1366

Oxazolones
A Copper-Catalyzed Multicomponent Reaction and 'Click Strategy' for the Stereoselective Synthesis of a New Series of Oxazolone Peptidomimetics with α-Acylamino Amide and β-Amido Ketone Structures, 2251

Oxepane
Synthesis of the Major Oxepane Segment of Zoapatanol, 663
Oxiranes
Silica-Bound 3-{2-[Poly(ethylene Glycol)]ethyl}-Substituted 1-Methyl-1*H*-imidazol-3-ium Bromide: A Recoverable Phase-Transfer Catalyst for Smooth and Regioselective Conversion of Oxiranes to β-Hydroxynitriles in Water, 275

Palladium complexes
Synthesis and Metal Complexes of Thiourea Ligands Containing Carbohydrate-Derived Substituents, 280
Formation of *cine*-Substitution Products in the *Suzuki–Miyaura* Cross-Coupling Reaction Catalyzed by Dinuclear Palladium Complexes, 1093
Metal-Ion-Binding Analogs of Ribonucleosides: Preparation and Formation of Ternary Pd^{2+} and Hg^{2+} Complexes with Natural Pyrimidine Nucleosides, 1658
Paradisone
Further Explorations into the Synthesis of Dehydro-*Hedione*®, 246
Passifloricin A
Stereoselective Total Synthesis of Passifloricin A, 505
Pasteur, Louis
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617
Pectinatone
Divergent Enantioselective Total Synthesis of Siphonarienal, Siphonarienone, and Pectinatone, 1968
Penam derivatives
Reactions of Acid Chlorides/Ketenes with 2-Substituted 4,5-Dihydro-4,4-dimethyl-1,3-thiazoles: Formation of Penam Derivatives, 1462
Penicillium chrysogenum
Triazoles and Other N-Containing Metabolites from the Marine-Derived Endophytic Fungus *Penicillium chrysogenum* EN-118, 682
***Penicillium* sp. ZLN29**
New Cytotoxic Metabolites from the Marine-Derived Fungus *Penicillium* sp. ZLN29, 514
Peptides
Rhopeptin A: First Cyclopeptide Isolated from *Rhodobryum giganteum*, 114
Conformational Preferences of a β-Octapeptide as Function of Solvent and Force-Field Parameters, 189
Novel Cerebrosides Isolated from the Fermentation Mycelia of *Tuber indicum*, 702
Highly Constrained Linear Oligopeptides Containing Heterocyclic α-Amino Carboxylic Acids, 1714
Peptidomimetics
A Copper-Catalyzed Multicomponent Reaction and 'Click Strategy' for the Stereoselective Synthesis of a New Series of Oxazolone Peptidomimetics with α-Acylamino Amide and β-Amido Ketone Structures, 2251
Perylene
Synthesis and Spectroscopic Characterization of Fluorophore-Labeled Oligospiroketal Rods, 2046
Pestalotiopsis podocarpi
A New Glycine Derivative and a New Indole Alkaloid from the Fermentation Broth of the Plant Endophytic Fungus *Pestalotiopsis podocarpi* Isolated from the Chinese Podocarpaceae Plant *Podocarpus macrophyllus*, 309
Petrorhagia saxifraga
Petrorhagiosides A – D, New γ-Pyrone Derivatives from *Petrorhagia saxifraga* LINK, 1273
Petrorhagiosides A – D
Petrorhagiosides A – D, New γ-Pyrone Derivatives from *Petrorhagia saxifraga* LINK, 1273
Phanes
Hexahelicenophanes, 2009
Phaseoloidesides A – D
Triterpene Saponins from *Entada phaseoloides*, 1579

Phase-transfer catalysis
Silica-Bound 3-{2-[Poly(ethylene Glycol)]ethyl}-Substituted 1-Methyl-1*H*-imidazol-3-ium Bromide: A Recoverable Phase-Transfer Catalyst for Smooth and Regioselective Conversion of Oxiranes to β-Hydroxynitriles in Water, 275
Phenol
Study on the Mechanism of Formation of 1-Methylheptyl Phenyl Ether by the Isourea Method, 1305
Phenylselenoetherification
Electrochemical Phenylselenoetherification as a Key Step in the Synthesis of (±)-Curcumene Ether, 1103
Pheromones
Stereoselective Synthesis of (−)-(1*R*,1′*R*,5′*R*,7′*R*)-1-Hydroxy-*exo*-brevicomin and (+)-*exo*-Brevicomin from 3,4,6-Tri-*O*-acetyl-D-glucal, 1610
Phosphinous amide
Synthesis and Characterization of Carbonyl Group-6-Metal Derivatives with Ligand *N*,*N*-Bis(diphenylphosphino)naphthalen-1-amine (= *N*-(Diphenylphosphino)-*N*-naphthalen-1-yl-*P*,*P*-diphenylphosphinous Amide). Molecular Structure of *cis*-Tetracarbonyl[*N*-(diphenylphosphino-κ*P*)-*N*-naphthalen-1-yl-*P*,*P*-diphenylphosphinous amide-κ*P*]molybdenum (*cis*-[$Mo(CO)_4\{C_{10}H_7$-1-$N(PPh_2)_2\}$]), 738
Phosphodiesters
2-[(Acetyloxy)methyl]-4-(acetylsulfanyl)-2-(ethoxycarbonyl)-3-oxobutyl Group: A Thermolabile Protecting Group for Phosphodiesters, 1997
Phospholipids
Synthesis of Phospholipid–*Ribavirin* Conjugates, 463
Phosphoramidite method
Synthesis of Phospholipid–*Ribavirin* Conjugates, 463
Phosphorane, (isocyanoimino)(triphenyl)-
A Simple Synthesis of 2-{(Arylmethylidene)hydrazinylidene}-3-hydroxy-4*H*-furo[3,2-*c*]pyran-4(3*H*)-ones, 675
Photochromism
Synthesis and Characterization of New Heptalenes with Extended π-Systems Attached to Them, 1488
From Blue Azulenes to Blue Heptalenes – New Strongly Polarized π-Convertible Heptalenes, 1851
Photocyclization
Hexahelicenophanes, 2009
Synthesis of Highly Substituted Hexahelicenes, 2020
Photodimerization
Hexahelicenophanes, 2009
Photoinduced electron transfer (PET)
Determination Limit of Fluorescence Turn-On Probes for the Acetate Anion, 719
Phryma leptostachya
Two New Lignans from *Phryma leptostachya* L., 1392
Phrymarolin V
Two New Lignans from *Phryma leptostachya* L., 1392
Phthalates, dimethyl tetraaryl-
Synthesis of Dimethyl Tetraarylphthalates by *Suzuki–Miyaura* Reactions of Dimethyl Tetrabromophthalate, 408
Pinacol rearrangement
Pinacol Rearrangement of 3,4-Dihydro-3,4-dihydroxyquinolin-2(1*H*)-ones: An Alternative Pathway to Viridicatin Alkaloids and Their Analogs, 1905
(−)-Pinidinone
Stereoselective Synthesis of (−)-Pinidinone, 990
Piper flaviflorum
Two New Bis-alkaloids from the Aerial Part of *Piper flaviflorum*, 951
Piutti, Arnaldo
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617
Plumeran alkaloids
Two Novel Plumeran Indole Alkaloids Isolated from *Aspidosperma cylindrocarpon* (Apocynaceae), 1793

Podocarpiamide
A New Glycine Derivative and a New Indole Alkaloid from the Fermentation Broth of the Plant Endophytic Fungus *Pestalotiopsis podocarpi* Isolated from the Chinese Podocarpaceae Plant *Podocarpus macrophyllus*, 309
Polyketides
New Cytotoxic Metabolites from the Marine-Derived Fungus *Penicillium* sp. ZLN29, 514
N-Bearing Furanone Derivatives from an Endophytic Fungus in *Huperzia serrata*, 997
Polyunsaturated α-cyano-β-methyl acids
Base-Induced Decarboxylation of Polyunsaturated α-Cyano Acids Derived from Malonic Acid: Synthesis of Sesquiterpene Nitriles and Aldehydes with β-, φ-, and ψ-End Groups, 259
Prenpenicillide
New Cytotoxic Metabolites from the Marine-Derived Fungus *Penicillium* sp. ZLN29, 514
Prenxanthone
New Cytotoxic Metabolites from the Marine-Derived Fungus *Penicillium* sp. ZLN29, 514
Pristimerin, 16β-hydroxy-
Salicassin, an Unprecedented Chalcone–Diterpene Adduct and a Quinone Methide Triterpenoid from *Maytenus salicifolia*, 1046
Prodrugs
2-[(Acetyloxy)methyl]-4-(acetylsulfanyl)-2-(ethoxycarbonyl)-3-oxobutyl Group: A Thermolabile Protecting Group for Phosphodiesters, 1997
Product stereoselectivity
Organic Stereochemistry. Part 8. Prostereoisomerism and the Concept of Product Stereoselectivity in Biochemistry and Xenobiotic Metabolism, 1409
Prolipyrones A – C
Sesterterpenes and 2*H*-Pyran-2-ones ($=\alpha$-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437
Propanal, 2-diazo-3-oxo-3-phenyl-
Chemoselectivity in the Reaction of 2-Diazo-3-oxo-3-phenylpropanal with Aldehydes and Ketones, 1733
Propan-1-ones, 3-hydroxy-
Chemoselectivity in the Reaction of 2-Diazo-3-oxo-3-phenylpropanal with Aldehydes and Ketones, 1733
Prop-2-enoates, (2*Z*)-3-aryl-2-isothiocyanato-
Synthesis of (4*Z*)-4-(Arylmethylidene)-5-ethoxy-1,3-oxazolidine-2-thiones by the Reaction of Ethyl (2*Z*)-3-Aryl-2-isothiocyanatoprop-2-enoates with Organolithium Compounds, 431
Protecting group, thermolabile
2-[(Acetyloxy)methyl]-4-(acetylsulfanyl)-2-(ethoxycarbonyl)-3-oxobutyl Group: A Thermolabile Protecting Group for Phosphodiesters, 1997
Protonation constant
Acid–Base Properties of Adenosine 5′-Monophosphate, Guanosine 5′-Monophosphate, and Inosine 5′-Monophosphate in Aqueous Solutions of Methanol, 1134
L-Pro-L-Trp
Asymmetric Aldol Reactions in Caprolactam–Quaternary Ammonium Salt Coordination Ionic Liquid Catalyzed by L-Pro-L-Trp, 1266
Pteleifolins A – C
Prenylated Benzene Metabolites from *Melicope pteleifolia*, 119
Pyranoflavones
New Synthetic Approaches to Naturally Occurring and Unnatural Pyranoflavones, 644
4*H*-Pyran-4-one, 3-acetyl-2-hydroxy-6-methyl-
A Simple Synthesis of 2-{(Arylmethylidene)hydrazinylidene}-3-hydroxy-4*H*-furo[3,2-*c*]pyran-4(3*H*)-ones, 675
2*H*-Pyran-2-ones
Sesterterpenes and 2*H*-Pyran-2-ones ($=\alpha$-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437
Pyrazine, 2,3-dichloro-
One-Pot Synthesis of 1,4-Oxathiino[2,3-*b*]quinoxalines or -pyrazines from 2,3-Dichloroquinoxaline or -pyrazine and 1-Aryl-2-bromoalkan-1-ones, 1452

1*H*-Pyrazole-4-carboxaldehyde, 1,3-diaryl-
Temperature-Dependent Product Selectivity in the *Vilsmeier–Haack* Reaction on Bis(phenylhydrazones) of Bis(aroylmethyl) Sulfides (=1,1′-[Thiobis(methylene)]bis[arylmethanone] Bis(2-phenylhydrazones)): Synthesis of 3-Aroylindoles (=Aryl(1*H*-indol-3-yl)methanones), 452
1*H*-Pyrazoles
Synthesis of 5-Aryl-3-(methylsulfanyl)-1*H*-pyrazoles *via* Three-Component Reaction of 1,1-Bis(methylsulfanyl)-2-nitroethene, Aromatic Aldehydes, and Hydrazine, 2240
1*H*-Pyrazoles, diaryl-
Synthesis of [3,3′(4*H*,4′*H*)-Bi-2*H*-1,3-oxazine]-4,4′-diones and Their Hydrolysis, 1339
Starch–Sulfuric Acid (SSA) as Catalyst for a One-Pot Synthesis of 1,5-Diaryl-1*H*-pyrazoles, 1560
Pyrazoline
Dimerization of Dimethyl 2-(Naphthalen-1-yl)cyclopropane-1,1-dicarboxylate in the Presence of $GaCl_3$ to [3+2], [3+3], [3+4], and Spiroannulation Products, 2068
Pyrazolo-fused macrocycles
An Efficient Synthesis of Novel Benzo-Fused Macrocyclic Dilactams, 1290
Pyrazolo[3,4-*b*]pyridine-4-carboxylates
Unexpected Reaction Course of 3-Amino-5-aryl-1*H*-pyrazoles with Dialkyl Dicyanofumarates, 633
Pyrazolo[1,5-*a*]pyrimidine-5,6-dicarboxylates
Unexpected Reaction Course of 3-Amino-5-aryl-1*H*-pyrazoles with Dialkyl Dicyanofumarates, 633
Pyrazolo[3,4-*d*]pyrimidines
A Facile Synthesis of New Pyrazolo[3,4-*d*]pyrimidine Derivatives *via* a One-Pot Four-Component Reaction with Sodium Acetate Supported on Basic Alumina as Promoter, 2267
Pyrazolo-quinazoline
Tandem Hydroformylation/Reductive Amination of 3-Allyl-2-methylquinazolin-4(3*H*)-one, 1782
Pyrene
Synthesis and Spectroscopic Characterization of Fluorophore-Labeled Oligospiroketal Rods, 2046
Pyridine-3-carbonitrile, 2-oxo-
First Synthesis of Ferrocenyl-Substituted 1,2-Dihydro-2-oxopyridine-3-carbonitriles, 2134
Pyridines
A Convenient Synthesis of 2,3-Dihydro-4*H*-thiopyrano[2,3-*b*]-, -[2,3-*c*]-, or -[3,2-*c*]pyridin-4-ones by the Reaction of the Corresponding 1-(Chloropyridinyl)alk-2-en-1-ones with NaSH, 624
Efficient One-Pot Synthesis of a Densely Functionalized Tetrahydropyridine in the Presence of [1,1′-Binaphthalene]-2,2′-diol/Indium(III) Chloride (binol/$InCl_3$) or Simple *Brønsted* Acids as Catalysts, 1348
Pyrido[2,3-*d*:6,5-*d*′]dipyrimidinetrione, hexahydro-
One-Pot Synthesis of 5,7,8,9,9a,10-Hexahydro-8-thioxotetrahydropyrido[2,3-*d*:6,5-*d*′]dipyrimidine-2,4,6(1*H*,3*H*,5a*H*)-triones *via* a Four-Component Coupling Reaction of Aldehydes, Amines, Barbituric Acids, and Thiouracil, 1155
Pyrido[2,3-*b*]pyrazines
Unexpected Approach to the Synthesis of 2-Phenylquinoxalines and Pyrido[2,3-*b*]pyrazines *via* a Regioselective Reaction, 124
Pyrimidine nucleosides
Synthesis of Thymidine, Uridine, and 5-Methyluridine Nucleolipids: Tools for a Tuned Lipophilization of Oligonucleotides, 872
Pyrimido[4,5-*d*]pyridazines
Synthesis of 4-Aryl-4,6-dihydropyrimido[4,5-*d*]pyridazine-2,5(1*H*,3*H*)-diones from *Biginelli* Compounds, 130
γ-Pyrones
Petrorhagiosides A – D, New γ-Pyrone Derivatives from *Petrorhagia saxifraga* LINK, 1273
Pyrrole alkaloids
New Pyrrole Alkaloids with Bulky *N*-Alkyl Side Chains Containing Stereogenic Centers from *Lycium chinense*, 1482
Pyrrole synthesis
Copper-Catalyzed One-Pot Synthesis of Functionalized Pyrroles from Sulfonyl Azides, Alkynes, and (*p*-Toluenesulfonyl)methyl Isocyanide, 2098
Pyrrolidines
Four New Alkaloids from the Fermentation Broth of *Armillaria mellea*, 330

Pyrrolidinetriones
Synthesis of Nitrogen-Containing Derivatives of (18α,19β)-19-Hydroxy-2,3-secooleanane-2,3,28-trioic Acid 28,19-Lactone, 1757
Pyrrolidin-3-ol
Natural (−)-Vasicine as a Novel Source of Optically Pure 1-Benzylpyrrolidin-3-ol, 969
Pyrrolidin-2-one
Total Synthesis of a Pyrrolidin-2-one with the Structure Proposed for the Alkaloid Rigidiusculamide A, 1564

Quercetin 3,3′-di-*O*-α-L-rhamnopyranoside
New Flavonoids from *Lysimachia christinae* HANCE, 985
Quinazolin-4(3*H*)-one
Tandem Hydroformylation/Reductive Amination of 3-Allyl-2-methylquinazolin-4(3*H*)-one, 1782
Quinoxaline, 2,3-dichloro-
One-Pot Synthesis of 1,4-Oxathiino[2,3-*b*]quinoxalines or -pyrazines from 2,3-Dichloroquinoxaline or -pyrazine and 1-Aryl-2-bromoalkan-1-ones, 1452
Quinoxaline *N*,*N*′-dioxides
Cyclic Voltammetric Study of Some Anti-*Chagas*-Active 1,4-Dioxidoquinoxalin-2-yl Ketone Derivatives, 217
Quinoxalines
Unexpected Approach to the Synthesis of 2-Phenylquinoxalines and Pyrido[2,3-*b*]pyrazines *via* a Regioselective Reaction, 124
Quinoxalin-2(1*H*)-ones
Efficient Synthesis of 1-Arylquinoxalin-2(1*H*)-ones *via* Cyclocondensation of *N*-Aryl-Substituted 2-Nitrosoanilines with Functionalized Alkyl Acetates, 956
Quinoxalin-2-yl ketones, 1,4-dioxido-
Cyclic Voltammetric Study of Some Anti-*Chagas*-Active 1,4-Dioxidoquinoxalin-2-yl Ketone Derivatives, 217

Racemization kinetics
Hexahelicenophanes, 2009
Radical cyclization
Synthesis of Thienyl-Substituted Dihydrofuran Compounds Promoted by Manganese(III) Acetate, 135
Reduction potential
Cyclic Voltammetric Study of Some Anti-*Chagas*-Active 1,4-Dioxidoquinoxalin-2-yl Ketone Derivatives, 217
***Reformatsky* reaction**
Further Explorations into the Synthesis of Dehydro-*Hedione*®, 246
Regioselective reactions
Unexpected Approach to the Synthesis of 2-Phenylquinoxalines and Pyrido[2,3-*b*]pyrazines *via* a Regioselective Reaction, 124
Starch–Sulfuric Acid (SSA) as Catalyst for a One-Pot Synthesis of 1,5-Diaryl-1*H*-pyrazoles, 1560
Resorcinols, 2-(phenylsulfonyl)-
Formation of 2-(Phenylsulfonyl)resorcinols (=2-(Phenylsulfonyl)benzene-1,3-diols) from Symmetrically Substituted Maleic Anhydrides (=Furan-2,5-diones), 1918
Rhodium(II) acetate
Studies towards the Synthesis of Alkyl *N*-(4-Nitrophenyl)-3/2-oxomorpholine-2/3-carboxylates, 2160
Rhodium complexes
Tandem Hydroformylation/Reductive Amination of 3-Allyl-2-methylquinazolin-4(3*H*)-one, 1782
Rhodobryum giganteum
Rhopeptin A: First Cyclopeptide Isolated from *Rhodobryum giganteum*, 114
***Rhodococcus* species**
New 9,10-Secosteroids from Biotransformations of Hyodeoxycholic Acid with *Rhodococcus* spp., 1062
New 9,10-Secosteroids from Biotransformations of Bile Acids with *Rhodococcus ruber*, 2124
Rhopeptin A
Rhopeptin A: First Cyclopeptide Isolated from *Rhodobryum giganteum*, 114
Ribavirin
Synthesis of Phospholipid–*Ribavirin* Conjugates, 463

Ring enlargement
A Fused Benzocyclooctene Ring System *via* an Aromatic *Cope* Rearrangement: Thermal Reactions of *trans*-1-Aryl-2-ethenylcyclobutanecarbonitriles, 1331
Ring opening
Silica-Bound 3-{2-[Poly(ethylene Glycol)]ethyl}-Substituted 1-Methyl-1*H*-imidazol-3-ium Bromide: A Recoverable Phase-Transfer Catalyst for Smooth and Regioselective Conversion of Oxiranes to β-Hydroxynitriles in Water, 275
Ring-closing metathesis (RCM)
Stereoselective Total Synthesis of Multiplolide A and of a Diastereoisomer, 266
Synthesis of the Major Oxepane Segment of Zoapatanol, 663
Stereoselective Synthesis of (−)-Pinidinone, 990
Total Synthesis of a Pyrrolidin-2-one with the Structure Proposed for the Alkaloid Rigidiusculamide A, 1564
Synthetic Studies Toward (+)-Spongidepsin, 1590
Stereoselective Total Synthesis of 4-Ketoclonostachydiol, 2115
***Ritter* reaction**
Unexpected *Ritter* Reaction During Acid-Promoted 1,3-Dithiol-2-one Formation, 889
Rosane
Two New Rosane-Type Diterpenoids from *Euphorbia ebracteolata* HAYATA, 2299
Rudbeckia laciniata
New Lignans from the Aerial Parts of *Rudbeckia laciniata*, 320
(*S*)-Rugulactone
Enantioselective Synthesis of the Natural Product (*S*)-Rugulactone, 1948

Sachaconitine, 14-acetoxy-8-*O*-methyl-
Three New C_{19}-Diterpenoid Alkaloids from *Aconitum forrestii*, 2155
Salicassin
Salicassin, an Unprecedented Chalcone–Diterpene Adduct and a Quinone Methide Triterpenoid from *Maytenus salicifolia*, 1046
Salicylates
Regioselective Synthesis of Trichloromethyl-Substituted Salicylates and Cyclohexenones by One-Pot Cyclizations of 1,3-Bis(trimethylsilyloxy)buta-1,3-dienes, 1955
Santonin
Ming-Long Huang (1898–1979), A Chinese Chemist in Europe, 1822
Saponins
Steroidal Saponins from the Rhizomes of *Smilacina henryi*, 478
Triterpene Saponins from *Entada phaseoloides*, 1579
New Steroidal Saponins from the Leaves of *Yucca elephantipes*, 1807
Sarcophytolides G–L
Sarcophytolides G–L, New Biscembranoids from the Soft Coral *Sarcophyton elegans*, 2218
Sarcophyton elegans
Sarcophytolides G–L, New Biscembranoids from the Soft Coral *Sarcophyton elegans*, 2218
***Sargassum* species**
Two New Secoanthraquinone Derivatives from the Marine-Derived Endophytic Fungus *Aspergillus wentii* EN-48, 458
Triazoles and Other N-Containing Metabolites from the Marine-Derived Endophytic Fungus *Penicillium chrysogenum* EN-118, 682
Scaconine, 14-acetoxy-
Three New C_{19}-Diterpenoid Alkaloids from *Aconitum forrestii*, 2155
Schicagenins D–F
Five New Nortriterpenoids from the Stems of *Schisandra neglecta*, 1376
Schisandra neglecta
Five New Nortriterpenoids from the Stems of *Schisandra neglecta*, 1376
9,10-Secosteroids
New 9,10-Secosteroids from Biotransformations of Hyodeoxycholic Acid with *Rhodococcus* spp., 1062
New Eunicellin Diterpenes and 9,10-Secosteroids from the Gorgonian *Muricella sibogae*, 1188

New 9,10-Secosteroids from Biotransformations of Bile Acids with *Rhodococcus ruber*, 2124

2,3-Secotriterpenoids

Synthesis of Nitrogen-Containing Derivatives of (18α,19β)-19-Hydroxy-2,3-secooleanane-2,3,28-trioic Acid 28,19-Lactone, 1757

Selenides, allyl aryl

Stereoselective Synthesis of (*Z*)- and (*E*)-Allyl Aryl Sulfides and Selenides from *Baylis–Hillman* Acetates under Neutral Conditions Using β-Cyclodextrin in Water, 2276

Selenosemicarbazides

New Selenosemicarbazides Derived from Imidazole-Based Carbohydrazides, 397

Self-assembly

Synthesis and Self-Assembly of Bolaamphiphiles Based on β-Amino Acids or an Alcohol, 99

Sesquilignans

Two New Lignans from *Phryma leptostachya* L., 1392

Sesquiterpenes

Two New Sesquiterpenes from *Euonymus alatus*, 85

Base-Induced Decarboxylation of Polyunsaturated α-Cyano Acids Derived from Malonic Acid: Synthesis of Sesquiterpene Nitriles and Aldehydes with β-, φ-, and ψ-End Groups, 259

Six Novel Eudesmane-Like Sesquiterpenes from *Illicium spathulatum*, 445

Two New Sesquiterpenes from the Roots of *Valeriana fauriei* BRIQ., 651

Three New Sesquiterpenes from *Laggera pterodonta*, 732

Sesquiterpenoids

Two Halogenated Sesquiterpenoids from the Fruits of *Alpinia oxyphylla*, 1163

Unusual Guaiane Sesquiterpenoids from *Artemisia rupestris*, 1182

Chlojaponilactones B – E, Four New Lindenane Sesquiterpenoid Lactones from *Chloranthus japonicus*, 1386

Sesterterpenes

Sesterterpenes and 2*H*-Pyran-2-ones (= α-Pyrones) from the Mangrove-Derived Endophytic Fungus *Fusarium proliferatum* MA-84, 437

***Sharpless* asymmetric epoxidation**

Stereoselective Total Synthesis of Multiplolide A and of a Diastereoisomer, 266

The First Stereoselective Total Synthesis of Naturally Occurring, Bioactive (3*R*,5*R*)-1-(4-Hydroxyphenyl)-7-phenylheptane-3,5-diol and the Synthesis of Its Enantiomer, 289

Synthesis of the Major Oxepane Segment of Zoapatanol, 663

***Sharpless* asymmetric hydroxylation**

Highly Diastereoselective Total Syntheses of (+)-7-Epigoniodiol, (−)-8-Epigoniodiol, and (+)-9-Deoxygoniopypyrone, 1366

Sibogins A and B

New Eunicellin Diterpenes and 9,10-Secosteroids from the Gorgonian *Muricella sibogae*, 1188

Sibogols A – C

New Eunicellin Diterpenes and 9,10-Secosteroids from the Gorgonian *Muricella sibogae*, 1188

Silyl enol ethers

Regioselective [3 + 3] Cyclization of 1,3-Bis(silyloxy)buta-1,3-dienes with 1,1,1-Trifluoro-4-(silyloxy)alk-3-en-2-ones: New and Convenient Synthesis of Functionalized 5-Alkyl-3-(trifluoromethyl)phenols, 44

Regioselective Synthesis of Trichloromethyl-Substituted Salicylates and Cyclohexenones by One-Pot Cyclizations of 1,3-Bis(trimethylsilyloxy)buta-1,3-dienes, 1955

Regioselective Synthesis of 5-(2-Cyanoethyl)-1,1′-biphenyl-2-carboxylates by Formal [3 + 3] Cyclocondensations of 1,3-Bis[(trimethylsilyl)oxy]buta-1,3-dienes, 2185

Silylation

Mechanism of the Reaction of Amines with 5-[(Aryl- or Alkylamino)hydroxymethylene]-2,2-dimethyl-1,3-dioxane-4,6-diones in the Presence of Chlorotrimethylsilane (Me_3SiCl), 978

Siphonarienal

Divergent Enantioselective Total Synthesis of Siphonarienal, Siphonarienone, and Pectinatone, 1968

Siphonarienone

Divergent Enantioselective Total Synthesis of Siphonarienal, Siphonarienone, and Pectinatone, 1968

Smilacina henryi

Steroidal Saponins from the Rhizomes of *Smilacina henryi*, 478

Sodium sulfide
Three-Step Synthesis of 3-Aryl-2-sulfanylthieno[2,3-*b*]-, -[2,3-*c*]-, or -[3,2-*c*]pyridines from the Corresponding Aryl(halopyridinyl)methanones, 69

Sodium sulfide nonahydrate
One-Pot Synthesis of 1,4-Oxathiino[2,3-*b*]quinoxalines or -pyrazines from 2,3-Dichloroquinoxaline or -pyrazine and 1-Aryl-2-bromoalkan-1-ones, 1452

Soft corals
Sarcophytolides G – L, New Biscembranoids from the Soft Coral *Sarcophyton elegans*, 2218

Solanum tuberosum
Five New Steroidal Alkaloid Glycosides from *Solanum tuberosum*, 931

Solid-phase synthesis
A Facile Solid-Phase Synthesis of (+)-(*S*)-Clopidogrel, 326

Solvent effect
Acid–Base Properties of Adenosine 5′-Monophosphate, Guanosine 5′-Monophosphate, and Inosine 5′-Monophosphate in Aqueous Solutions of Methanol, 1134

Spin–lattice relaxation
Hexahelicenophanes, 2009

Spiro-2-amino-4*H*-pyrans
Synthesis of Monospiro-2-amino-4*H*-pyran Derivatives Catalyzed by Propane-1-sulfonic Acid-Modified Magnetic Hydroxyapatite Nanoparticles, 1601

Spiro[3*H*-indole-3,2′-thiazolidine]-2,4′(1*H*)-diones
One-Pot, Three-Component Synthesis of Novel Spiro[3*H*-indole-3,2′-thiazolidine]-2,4′(1*H*)-diones in an Ionic Liquid as a Reusable Reaction Media, 414

Spiro-oxindole
One-Pot Synthesis of Dispiro[oxindole-3,3′-pyrrolidines] by Three-Component [3 + 2] Cycloadditions of *in situ*-Generated Azomethine Ylides with 3-Benzylidene-2,3-dihydro-1*H*-indol-2-ones, 2103

(+)-Spongidepsin
Synthetic Studies Toward (+)-Spongidepsin, 1590

Starch–sulfuric acid (SSA)
Starch–Sulfuric Acid (SSA) as Catalyst for a One-Pot Synthesis of 1,5-Diaryl-1*H*-pyrazoles, 1560

Stephania hernandifolia
Three New Hasubanan Alkaloids from *Stephania hernandifolia* (WILLD.) WALP., 1930

Stereochemistry
Organic Stereochemistry: Guiding Principles and Bio-Medicinal Relevance. A General Introduction to the Series, 1
Organic Stereochemistry. Part 1. Symmetry Elements and Operations, Classification of Stereoisomers, 4
Organic Stereochemistry. Part 2. Stereoisomerism Resulting from One or Several Stereogenic Centers, 159
Organic Stereochemistry. Part 3. Other Stereogenic Elements: Axes of Chirality, Planes of Chirality, Helicity, and (*E*,*Z*)-Diastereoisomerism, 351
Organic Stereochemistry. Part 4. Isomerisms about Single Bonds and in Cyclic Systems, 564
Organic Stereochemistry. Part 5. Stereoselectivity in Molecular and Clinical Pharmacology, 747
Organic Stereochemistry. Part 6. The Conformation Factor in Molecular Pharmacology, 1005
Organic Stereochemistry. Part 7. The Concept of Substrate Stereoselectivity in Biochemistry and Xenobiotic Metabolism, 1203
Organic Stereochemistry. Part 8. Prostereoisomerism and the Concept of Product Stereoselectivity in Biochemistry and Xenobiotic Metabolism, 1409

Stereoisomer classification
Organic Stereochemistry. Part 1. Symmetry Elements and Operations, Classification of Stereoisomers, 4

Stereoisomerism
Organic Stereochemistry. Part 2. Stereoisomerism Resulting from One or Several Stereogenic Centers, 159
Organic Stereochemistry. Part 3. Other Stereogenic Elements: Axes of Chirality, Planes of Chirality, Helicity, and (*E*,*Z*)-Diastereoisomerism, 351
Organic Stereochemistry. Part 4. Isomerisms about Single Bonds and in Cyclic Systems, 564

Stereoselective syntheses
The First Stereoselective Total Synthesis of Naturally Occurring, Bioactive (3*R*,5*R*)-1-(4-Hydroxyphenyl)-7-phenylheptane-3,5-diol and the Synthesis of Its Enantiomer, 289
Stereoselective Total Synthesis of Passifloricin A, 505
Stereoselective Synthesis of (−)-Pinidinone, 990
First Stereoselective Total Synthesis of Oplopandiol, 1571
Stereoselective Synthesis of (−)-(1*R*,1′*R*,5′*R*,7′*R*)-1-Hydroxy-*exo*-brevicomin and (+)-*exo*-Brevicomin from 3,4,6-Tri-*O*-acetyl-D-glucal, 1610
Concise Stereoselective Total Synthesis of Leiocarpin C, 2179
A Copper-Catalyzed Multicomponent Reaction and 'Click Strategy' for the Stereoselective Synthesis of a New Series of Oxazolone Peptidomimetics with α-Acylamino Amide and β-Amido Ketone Structures, 2251
Stereoselective Synthesis of (*Z*)- and (*E*)-Allyl Aryl Sulfides and Selenides from *Baylis–Hillman* Acetates under Neutral Conditions Using β-Cyclodextrin in Water, 2276

Stereoselectivity
Organic Stereochemistry. Part 5. Stereoselectivity in Molecular and Clinical Pharmacology, 747

Steroids
Steroidal Saponins from the Rhizomes of *Smilacina henryi*, 478
Androstane-Type Steroidal Glycoside from the Roots of *Asparagus curillus* BUCH.-HAM. ex ROXB., 520
Benzo-Annulated Steroids: Synthesis of Octahydro-indeno-phenanthrenes by Formal [3 + 3] Cycloconden-sation Reaction with 1,3-Bis[(trimethylsilyl)oxy]buta-1,3-dienes, 924
Five New Steroidal Alkaloid Glycosides from *Solanum tuberosum*, 931
New 9,10-Secosteroids from Biotransformations of Hyodeoxycholic Acid with *Rhodococcus* spp., 1062
New Secondary Metabolites from *Allium victorialis*, 1176
New Steroidal Saponins from the Leaves of *Yucca elephantipes*, 1807
Ming-Long Huang (1898–1979), A Chinese Chemist in Europe, 1822
New 9,10-Secosteroids from Biotransformations of Bile Acids with *Rhodococcus ruber*, 2124
Ergostane Steroids from *Dysoxylum lukii*, 2245

***Stille* coupling**
Stereoconvergent Generation of a Contrasteric *syn*-Bicyclopropylidene (= *syn*-Cyclopropylidenecyclopro-pane) by *Stille*-Like Coupling, 941

***Still–Gennari* olefination**
A Chiron Approach for the Total Synthesis of Crassalactone A, 2233

***cine*-Substitution**
Formation of *cine*-Substitution Products in the *Suzuki–Miyaura* Cross-Coupling Reaction Catalyzed by Dinuclear Palladium Complexes, 1093

Substrate stereoselectivity
Organic Stereochemistry. Part 7. The Concept of Substrate Stereoselectivity in Biochemistry and Xenobiotic Metabolism, 1203

Sulfides, allyl aryl
Stereoselective Synthesis of (*Z*)- and (*E*)-Allyl Aryl Sulfides and Selenides from *Baylis–Hillman* Acetates under Neutral Conditions Using β-Cyclodextrin in Water, 2276

Sulfides, chloromethyl
Three-Step Synthesis of 3-Aryl-2-sulfanylthieno[2,3-*b*]-, -[2,3-*c*]-, or -[3,2-*c*]pyridines from the Corresponding Aryl(halopyridinyl)methanones, 69

Sulfonamides
One-Pot Synthesis of Sulfonamides and Sulfonyl Azides from Thiols using Chloramine-T, 2147

Sulfonyl azides
Copper-Catalyzed Synthesis of 2*H*-Thiopyran Derivatives from Alkynes, Sulfonyl Azides, Carbon Disulfide, and Malononitrile, 2141
One-Pot Synthesis of Sulfonamides and Sulfonyl Azides from Thiols using Chloramine-T, 2147

Superacids
Superacid-Promoted Cyclodehydration Leading to the Imidazo[2,1-*a*]isoquinoline Ring System, 1457

***Suzuki–Miyaura* coupling**
Synthesis of Dimethyl Tetraarylphthalates by *Suzuki–Miyaura* Reactions of Dimethyl Tetrabromophthalate, 408
Formation of *cine*-Substitution Products in the *Suzuki–Miyaura* Cross-Coupling Reaction Catalyzed by Dinuclear Palladium Complexes, 1093
***Swern* oxidation**
Stereoselective Total Synthesis of Multiplolide A and of a Diastereoisomer, 266
Symmetry elements
Organic Stereochemistry. Part 1. Symmetry Elements and Operations, Classification of Stereoisomers, 4
Organic Stereochemistry. Part 2. Stereoisomerism Resulting from One or Several Stereogenic Centers, 159
Organic Stereochemistry. Part 3. Other Stereogenic Elements: Axes of Chirality, Planes of Chirality, Helicity, and (*E*,*Z*)-Diastereoisomerism, 351
Organic Stereochemistry. Part 4. Isomerisms about Single Bonds and in Cyclic Systems, 564
Organic Stereochemistry. Part 5. Stereoselectivity in Molecular and Clinical Pharmacology, 747
Organic Stereochemistry. Part 6. The Conformation Factor in Molecular Pharmacology, 1005
Symmetry operations
Organic Stereochemistry. Part 1. Symmetry Elements and Operations, Classification of Stereoisomers, 4

Taraxer-14-en-30-al, 3-oxo-
A New Taraxastane-Type Triterpene from *Vitex trifolia* var. *simplicifolia*, 2040
Tartaric acid
Molecular Chirality in Chemistry and Biology: Historical Milestones, 1617
Tazettones A and B
Two Unusual Rearranged Flavan Derivatives from *Narcissus tazetta* var. *chinensis*, 338
Tetralone dimers
Juglanones A and B: Two Novel Tetralone Dimers from Walnut Pericarp (*Juglans regia*), 1031
Thermochromism
Synthesis and Characterization of New Heptalenes with Extended π-Systems Attached to Them, 1488
5-Thiacyclooctyne
1-Thiacyclooct-4-yne (= 5,6-Didehydro-3,4,7,8-tetrahydro-2*H*-thiocin), and Its Sulfoxide and Its Sulfone, 228
1,3-Thiazoles
Reactions of Acid Chlorides/Ketenes with 2-Substituted 4,5-Dihydro-4,4-dimethyl-1,3-thiazoles: Formation of Penam Derivatives, 1462
Thiazolidines
From *Nef*-Isocyanide Adducts toward Functionalized 5-Iminothiazolidines Containing Polarized C=C Bonds, 2191
Thieno-pyridines
Three-Step Synthesis of 3-Aryl-2-sulfanylthieno[2,3-*b*]-, -[2,3-*c*]-, or -[3,2-*c*]pyridines from the Corresponding Aryl(halopyridinyl)methanones, 69
A Facile Solid-Phase Synthesis of (+)-(*S*)-Clopidogrel, 326
Thioacetic acid
Convenient Synthesis of Various Substituted Homotaurines from Alk-2-enamides, 1355
Thiocyanates
Copper-Catalyzed One-Pot Synthesis of *N*-Sulfonylalkanimidoyl Thiocyanates from Sulfonyl Azides, Alkynes, and KSCN, 2214
Thioethers
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 30. Synthesis and Association of a Self-Complementary Thiomethylene-Linked Octanucleoside, 1235
Thiols
One-Pot Synthesis of Sulfonamides and Sulfonyl Azides from Thiols using Chloramine-T, 2147
Thiophthalides
Synthesis of 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-ones by Hydrolysis of *N*-Substituted 3-Alkoxybenzo[*c*]thiophen-1(3*H*)-imines Derived from 1-Bromo-2-(dialkoxymethyl)benzenes and Isothiocyanates, 1894

4*H*-Thiopyranopyridin-4-ones, 2,3-dihydro-
A Convenient Synthesis of 2,3-Dihydro-4*H*-thiopyrano[2,3-*b*]-, -[2,3-*c*]-, or -[3,2-*c*]pyridin-4-ones by the Reaction of the Corresponding 1-(Chloropyridinyl)alk-2-en-1-ones with NaSH, 624
Thiopyrans
Copper-Catalyzed Synthesis of 2*H*-Thiopyran Derivatives from Alkynes, Sulfonyl Azides, Carbon Disulfide, and Malononitrile, 2141
Thiouracil
One-Pot Synthesis of 5,7,8,9,9a,10-Hexahydro-8-thioxotetrahydropyrido[2,3-*d*:6,5-*d*′]dipyrimidine-2,4,6(1*H*,3*H*,5a*H*)-triones *via* a Four-Component Coupling Reaction of Aldehydes, Amines, Barbituric Acids, and Thiouracil, 1155
Thioureas
Synthesis of 2,*N*,*N*-Trisubstituted 1*H*-Indole-1-carbothioamides from 2-(Acylmethyl)phenyl Isocyanides, 93
Synthesis and Metal Complexes of Thiourea Ligands Containing Carbohydrate-Derived Substituents, 280
Synthesis of *N*,*N*-Dialkyl-9-oxoacridine-10(9*H*)-carbothioamides *via* the Reaction of (2-Halophenyl)(2-isothiocyanatophenyl)methanones with Secondary Amines, Followed by Cyclization with NaH, 2033
Tin complexes
Novel Tin Complexes Containing an Oximato Ligand: Synthesis, Characterization, and Computational Investigation, 1740
(*p*-Toluenesulfonyl)methyl isocyanide
Copper-Catalyzed One-Pot Synthesis of Functionalized Pyrroles from Sulfonyl Azides, Alkynes, and (*p*-Toluenesulfonyl)methyl Isocyanide, 2098
Torreya nucifera
Torreyanoxane, a New 3,4-Secoglutinane Triterpenoid Isolated from the Pulp of *Torreya nucifera*, 375
Torreyanoxane
Torreyanoxane, a New 3,4-Secoglutinane Triterpenoid Isolated from the Pulp of *Torreya nucifera*, 375
Tosyl azide
Copper-Catalyzed One-Pot Synthesis of Functionalized Pyrroles from Sulfonyl Azides, Alkynes, and (*p*-Toluenesulfonyl)methyl Isocyanide, 2098
Copper-Catalyzed One-Pot Synthesis of *N*-Sulfonylalkanimidoyl Thiocyanates from Sulfonyl Azides, Alkynes, and KSCN, 2214
Total synthesis
Concise Stereoselective Total Synthesis of Leiocarpin C, 2179
A Chiron Approach for the Total Synthesis of Crassalactone A, 2233
1*H*-1,2,3-Triazole
Doped Nano-Sized Copper(I) Oxide (Cu_2O) on Melamine–Formaldehyde Resin: a Highly Efficient Heterogeneous Nano Catalyst for 'Click' Synthesis of Some Novel 1*H*-1,2,3-Triazole Derivatives Having Antibacterial Activity, 688
Triazolo-fused 2′,3′-cyclic nucleoside analogs
Synthesis and Anti-HIV Activity of Triazolo-Fused 2′,3′-Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 59
Trichocarpidine
Bis-Diterpenoid Alkaloids from *Aconitum tanguticum* var. *trichocarpum*, 710
Trichocarpinines A – C
Bis-Diterpenoid Alkaloids from *Aconitum tanguticum* var. *trichocarpum*, 710
Trijugin
Two New Trijugin-Type Limonoids from *Cipadessa cinerascens*, 2228
Tripterygium wilfordii
Two New Abietane Diterpenoids from the Roots of *Tripterygium wilfordii* HOOK. f., 313
Triptobenzenes R and S
Two New Abietane Diterpenoids from the Roots of *Tripterygium wilfordii* HOOK. f., 313
Triterpenes
Two New Pentacyclic Triterpenes from *Abelmoschus esculentus*, 533
New Triterpenes from *Gymnema sylvestre*, 1036
Cucurbitane-Type Triterpenoids from *Momordica charantia*, 1111
Triterpene Saponins from *Entada phaseoloides*, 1579

Lanostane Triterpenes from *Ceriporia lacerate* HS-ZJUT-C13A, a Fungal Endophyte of *Huperzia serrata*, 2092
New Acylated Oleanane and Lupane Triterpenes from *Gymnema sylvestre*, 2200
Triterpenoids
Torreyanoxane, a New 3,4-Secoglutinane Triterpenoid Isolated from the Pulp of *Torreya nucifera*, 375
Salicassin, an Unprecedented Chalcone–Diterpene Adduct and a Quinone Methide Triterpenoid from *Maytenus salicifolia*, 1046
Triterpenoids from the Roots of *Camellia oleifera* C.ABEL and Their Cytotoxic Activities, 1126
New Cytotoxic Triterpenoids from the Aerial Parts of *Euphorbia sieboldiana*, 1281
Five New Nortriterpenoids from the Stems of *Schisandra neglecta*, 1376
A New Taraxastane-Type Triterpene from *Vitex trifolia* var. *simplicifolia*, 2040
Tuber indicum
Novel Cerebrosides Isolated from the Fermentation Mycelia of *Tuber indicum*, 702
Tungsten complexes
Synthesis and Characterization of Carbonyl Group-6-Metal Derivatives with Ligand *N,N*-Bis(diphenylphosphino)naphthalen-1-amine (= *N*-(Diphenylphosphino)-*N*-naphthalen-1-yl-*P,P*-diphenylphosphinous Amide). Molecular Structure of *cis*-Tetracarbonyl[*N*-(diphenylphosphino-κP)-*N*-naphthalen-1-yl-*P,P*-diphenylphosphinous amide-κP]molybdenum (*cis*-[$Mo(CO)_4\{C_{10}H_7$-1-$N(PPh_2)_2\}$]), 738
Tungstophosphoric acid
One-Pot Synthesis of 5,7,8,9,9a,10-Hexahydro-8-thioxotetrahydropyrido[2,3-*d*:6,5-*d*′]dipyrimidine-2,4,6(1*H*,3*H*,5a*H*)-triones *via* a Four-Component Coupling Reaction of Aldehydes, Amines, Barbituric Acids, and Thiouracil, 1155

***Ullmann* coupling**
Scope and Limitations of the Base-Free Copper(I) Oxide Catalyzed *N*-Heteroarylation of 1*H*-(Benz)imidazoles with *B*-Heteroarylboronic Acids or 2-Heteroaryl-4,4,5,5-tetramethyl-1,3,2-dioxaborolanes, 853
Ultrasound irradiation
Ultrasound-Assisted Synthesis of Highly Functionalized Cyclopentadienes *via* an Isocyanide-Based Three-Component Reaction, 2196

Valeriana fauriei
Two New Sesquiterpenes from the Roots of *Valeriana fauriei* BRIQ., 651
Valeriana jatamansi
Iridoids from the Roots of *Valeriana jatamansi*, 424
Valerianin C
Two New Sesquiterpenes from the Roots of *Valeriana fauriei* BRIQ., 651
(−)-Vasicine
Natural (−)-Vasicine as a Novel Source of Optically Pure 1-Benzylpyrrolidin-3-ol, 969
Veratrum dahuricum
Two New Chemical Constituents of *Veratrum dahuricum* (TURCZ.) LOES. f., 345
***Vilsmeier* reaction**
Temperature-Dependent Product Selectivity in the *Vilsmeier–Haack* Reaction on Bis(phenylhydrazones) of Bis(aroylmethyl) Sulfides (= 1,1′-[Thiobis(methylene)]bis[arylmethanone] Bis(2-phenylhydrazones)): Synthesis of 3-Aroylindoles (= Aryl(1*H*-indol-3-yl)methanones), 452
Vitex trifolia* var. *simplicifolia
A New Taraxastane-Type Triterpene from *Vitex trifolia* var. *simplicifolia*, 2040

***Watson–Crick* base pairing**
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 30. Synthesis and Association of a Self-Complementary Thiomethylene-Linked Octanucleoside, 1235
Wentiquinones A and B
Two New Secoanthraquinone Derivatives from the Marine-Derived Endophytic Fungus *Aspergillus wentii* EN-48, 458
***Wittig* olefination**
Synthesis of the Major Oxepane Segment of Zoapatanol, 663

***Wittig* reaction**
Synthesis of Highly Substituted Hexahelicenes, 2020
***Wittig–Horner* reaction**
Synthesis of Highly Substituted Hexahelicenes, 2020
***Wolff–Kishner* reduction**
Ming-Long Huang (1898–1979), A Chinese Chemist in Europe, 1822
Woodward Research Institute
Ming-Long Huang (1898–1979), A Chinese Chemist in Europe, 1822

Xanthones
A Novel Xanthone from *Garcinia oligantha*, 494
Xenobiotic metabolism
Organic Stereochemistry. Part 7. The Concept of Substrate Stereoselectivity in Biochemistry and Xenobiotic Metabolism, 1203
Organic Stereochemistry. Part 8. Prostereoisomerism and the Concept of Product Stereoselectivity in Biochemistry and Xenobiotic Metabolism, 1409
X-Ray crystallography
Regioselective [3 + 3] Cyclization of 1,3-Bis(silyloxy)buta-1,3-dienes with 1,1,1-Trifluoro-4-(silyloxy)alk-3-en-2-ones: New and Convenient Synthesis of Functionalized 5-Alkyl-3-(trifluoromethyl)phenols, 44
Two New Sesquiterpenes from *Euonymus alatus*, 85
Synthesis and Metal Complexes of Thiourea Ligands Containing Carbohydrate-Derived Substituents, 280
New Selenosemicarbazides Derived from Imidazole-Based Carbohydrazides, 397
Synthesis of Dimethyl Tetraarylphthalates by *Suzuki–Miyaura* Reactions of Dimethyl Tetrabromophthalate, 408
Temperature-Dependent Product Selectivity in the *Vilsmeier–Haack* Reaction on Bis(phenylhydrazones) of Bis(aroylmethyl) Sulfides (= 1,1′-[Thiobis(methylene)]bis[arylmethanone] Bis(2-phenylhydrazones)): Synthesis of 3-Aroylindoles (= Aryl(1*H*-indol-3-yl)methanones), 452
Unexpected Reaction Course of 3-Amino-5-aryl-1*H*-pyrazoles with Dialkyl Dicyanofumarates, 633
Synthesis and Characterization of Carbonyl Group-6-Metal Derivatives with Ligand *N*,*N*-Bis(diphenylphosphino)naphthalen-1-amine (= *N*-(Diphenylphosphino)-*N*-naphthalen-1-yl-*P*,*P*-diphenylphosphinous Amide). Molecular Structure of *cis*-Tetracarbonyl[*N*-(diphenylphosphino-κP)-*N*-naphthalen-1-yl-*P*,*P*-diphenylphosphinous amide-κP]molybdenum (*cis*-[$Mo(CO)_4\{C_{10}H_7\text{-}1\text{-}N(PPh_2)_2\}$]), 738
Stereoconvergent Generation of a Contrasteric *syn*-Bicyclopropylidene (= *syn*-Cyclopropylidenecyclopropane) by *Stille*-Like Coupling, 941
Biotransformation of Jervine by *Cunninghamella echinulata*, 1072
Crotofolane- and Casbane-Type Diterpenes from *Croton argyrophyllus*, 1146
Study on the Mechanism of Formation of 1-Methylheptyl Phenyl Ether by the Isourea Method, 1305
Reactions of Acid Chlorides/Ketenes with 2-Substituted 4,5-Dihydro-4,4-dimethyl-1,3-thiazoles: Formation of Penam Derivatives, 1462
Synthesis and Characterization of New Heptalenes with Extended π-Systems Attached to Them, 1488
Highly Constrained Linear Oligopeptides Containing Heterocyclic α-Amino Carboxylic Acids, 1714
From Blue Azulenes to Blue Heptalenes – New Strongly Polarized π-Convertible Heptalenes, 1851
Xylodiol 7-acetate
Diterpenes from *Xylopia langsdorffiana*, 1085
Xylopia landsdorffiana
Diterpenes from *Xylopia langsdorffiana*, 1085
Xylopinone
Diterpenes from *Xylopia langsdorffiana*, 1085

***Yamaguchi* reaction**
Stereoselective Total Synthesis of Multiplolide A and of a Diastereoisomer, 266
Yucca elephantipes
New Steroidal Saponins from the Leaves of *Yucca elephantipes*, 1807

Zinc complexes

Zn^{2+} Complexes of 3,5-Bis[(1,5,9-triazacyclododecan-3-yloxy)methyl]phenyl Conjugates of Oligonucleotides as Artificial RNases: The Effect of Oligonucleotide Conjugation on Uridine Selectivity of the Cleaving Agent, 31

Zoapatanol

Synthesis of the Major Oxepane Segment of Zoapatanol, 663