

Bibliography

Shun-ichi Yamada

1) Studies on Chiral Pool Method

1. Amino Acids. I. Enzymatic Resolution of DL-Methionine. S. Yamada, I. Chibata, S. Yamada, *Yakugaku Zasshi*, **1955**, 75, 113.
2. Studies on Amino Acids. II. Studies on the Enzymatic Resolution. II. Enzymatic Resolution of DL-Lysine (1). I. Chibata, Shigeki Yamada, Shun-ichi Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1956**, 20, 174.
3. Studies on Amino Acids. III. On the Synthesis of DL-Tryptophan. I. Chibata, S. Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1957**, 21, 58.
4. Studies on Amino Acids. IV. Studies on the Enzymatic Resolution. III. Enzymatic Resolution of DL-Tryptophan. I. Chibata, Shigeki Yamada, Shun-ichi Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1957**, 21, 62.
5. Studies on Amino Acids. V. Studies on the Enzymatic Resolution. IV. Enzymatic Resolution of DL-Methionine (2). I. Chibata, A. Watanabe, S. Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1957**, 21, 291.
6. Studies on Amino Acids. VI. Studies on the Enzymatic Resolution. V. Enzymatic Resolution of DL-Lysine (2). I. Chibata, A. Watanabe, S. Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1957**, 21, 296.
7. Studies on Amino Acids. VII. Studies on the Enzymatic Resolution. VI. A Survey of the Acylase in Molds. I. Chibata, T. Ishikawa, S. Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1957**, 21, 300.
8. Studies on Amino Acids. VIII. Studies on the Enzymatic Resolution. VII. Specificity of Mold Acylase. I. Chibata, T. Ishikawa, S. Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1957**, 21, 304.
9. Studies on Amino Acids. IX. On the Synthesis of α -Keto Acid Analogue of Methionine. I. Chibata, T. Kikuchi, S. Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1957**, 21, 333.
10. Studies on Amino Acids. X. Studies on the Enzymatic Resolution. VIII. Acylase Activity in Escherichiae. I. Chibata, M. Kisumi, S. Yamada, *Bull. Agr. Chem. Soc. Jpn.*, **1958**, 22, 24.
11. Assignment of the Absolute Configuration of Optically Active α -Amino Acids by Rotatory Dispersion Curves. S. Yamada, K. Achiwa, *Chem. Pharm. Bull.*, **1961**, 9, 412.
12. Studies on Optically Active Amino Acids. I. Preparation of 3-(3,4-Methylenedioxy)phenyl-D- and -L-alanine. S. Yamada, T. Fujii, T. Shioiri, *Chem. Pharm. Bull.*, **1962**, 10, 680.
13. Studies on Optically Active Amino Acids. III. Preparation of 3-(3,4-Dihydroxy)phenyl-DL-, -D-, and -L-alanine. S. Yamada, T. Fujii, T. Shioiri, *Chem. Pharm. Bull.*, **1962**, 10, 693.
14. Studies on Optically Active Amino Acids. IV. A New Synthetic Approach to Chloramphenicol Base from L-Phenylalanine. S. Yamada, K. Koga, H. Matsuo, *Chem. Pharm. Bull.*, **1963**, 11, 1140.
15. The Absolute Configuration of Optically Active Isovaline. S. Yamada, K. Achiwa, *Chem. Pharm. Bull.*, **1964**, 12, 1525.
16. Ind.-N-Alkylation of Tryptophan and Synthesis of 1-Alkyltryptophan Hydrazides. S. Yamada, T. Shioiri, T. Itaya, T. Hara, R. Matsueda, *Chem. Pharm. Bull.*, **1965**, 13, 88.
17. Absolute Configuration of Biochemically Active (-)- α -Methyl-(3,4-dihydroxyphenyl)alanine. S. Yamada, S. Terashima, K. Achiwa, *Chem. Pharm. Bull.*, **1965**, 13, 227.
18. Reduction of Acid Amides to Amines with Sodium Borohydride. S. Yamada, S. Kikugawa, S. Ikegami, *Chem. Pharm. Bull.*, **1965**, 13, 394.

19. Thermal Decomposition of Azidoformate with the Retention of Configuration. S. Yamada, S. Terashima, K. Achiwa, *Chem. Pharm. Bull.*, **1965**, *13*, 751.
20. The Solvent Effects on the Optical Rotatory Dispersion of Dithiocarbamates of α -Amino Acids. S. Yamada, K. Ishikawa, K. Achiwa, *Chem. Pharm. Bull.*, **1965**, *13*, 892.
21. Studies on Optically Active Amino Acids. V. Synthesis of Optically Active α -Aminoalcohols by the Reduction of α -Amino Acid Esters with Sodium Borohydride. H. Seki, K. Koga, H. Matsuo, M. Ohki, I. Matsuo, S. Yamada, *Chem. Pharm. Bull.*, **1965**, *13*, 996.
22. The Solvent Effects on the Optical Rotatory Dispersion of *N*-Thioacyl Derivatives of α -Amino Acids. S. Yamada, K. Ishikawa, K. Achiwa, *Chem. Pharm. Bull.*, **1965**, *13*, 1266.
23. Studies on Optically Active Amino Acids. VI. Studies on α -Alkyl- α -amino Acids. II. Resolution of Some α -Methyl- α -amino Acids through *l*-Menthyl Ester. S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1965**, *13*, 1399.
24. Studies on Optically Active Amino Acids. VII. Stereoselective Synthesis of *l*-Norephedrine Hydrochloride from D-Phenylalanine. K. Koga, H. Matsuo, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 243.
25. Studies on Optically Active Amino Acids. VIII. Studies on α -Alkyl- α -amino Acids. III. Determination of the Absolute Configuration of Optically Active Isovaline. K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 537.
26. Studies on Optically Active Amino Acids. IX. Studies on α -Alkyl- α -amino Acids. IV. Chemical Correlation of the Absolute Configuration of α -Methylaspartic Acid to Isovaline. S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 572.
27. Studies on Optically Active Amino Acids. X. Studies on α -Alkyl- α -amino Acids. V. Absolute Configuration of Biochemically Active (-)- α -Methyl-(3,4-dihydroxyphenyl)alanine. S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 579.
28. Determination of the Absolute Configuration of α -Methylphenylglycine by the Thermal Decomposition of the Azidoformate. S. Yamada, S. Terashima, K. Achiwa, *Chem. Pharm. Bull.*, **1966**, *14*, 800.
29. The Solvent Effects on the Optical Rotatory Dispersion of Dithiocarbamates of Amines. S. Yamada, K. Ishikawa, K. Achiwa, *Chem. Pharm. Bull.*, **1966**, *14*, 921.
30. Studies on Optically Active Amino Acids. XI. Studies on α -Alkyl- α -amino Acids. VI. Chemical Correlation of Absolute Configuration of α -Methylphenylalanine to α -Methylaspartic Acid. S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 1138.
31. Studies on Optically Active Amino Acids. XII. Synthesis, Resolution and Racemization of Bicyclic α -Amino-ketones. T. Kunieda, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 337.
32. Studies on Optically Active Amino Acids. XIII. Racemization of *N*-Benzoylanilides of Optically Active Proline and Pipelicolic Acid. T. Kunieda, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 350.
33. Studies on Optical Rotatory Dispersion and Circular Dichroism. I. Absolute Configuration of Cyclic α -Amino-ketones and Octant Rule. S. Yamada, T. Kunieda, *Chem. Pharm. Bull.*, **1967**, *15*, 490.
34. Studies on Indole Series. I. Studies on the Synthesis of Optically Active Indole Derivatives. S. Yamada, T. Kunieda, *Chem. Pharm. Bull.*, **1967**, *15*, 499.
35. Thermal Rearrangement of Optically Active α -Hydroxyimines to α -Amino-ketones. S. Yamada, H. Mizuno, S. Terashima, *J. Chem. Soc., Chem. Commun.*, **1967**, 1058.
36. Studies on Optically Active Amino Acids. XIV. Studies on α -Alkyl- α -amino Acids. VII. Determination of the Absolute Configuration of Optically Active α -Methyl-phenylglycine and 1-Methyl-1-phenylpropylamine. H. Mizuno, S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 1749.
37. Studies on Optically Active Amino Acids. XV. Studies on α -Alkyl- α -amino Acids. VIII. Absolute Configuration of Optically Active α -Methylserine and 2-Amino-2-methyl-3-butenoic Acid. N. Takamura, S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 1776.

38. Chemistry of Amino Acids. III. Reduction of L-Phenylalanine Ethyl Ester and Its Derivatives with Sodium Borohydride. H. Seki, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 1948.
39. The Synthesis of 1-Methyl-16-demethoxycarbonyl-20-desethylidenevobasine. S. Yamada, T. Shioiri, *Tetrahedron Lett.*, **1967**, 351.
40. Chemistry of Sodium Borohydride and Diborane. III. Synthesis of (+)-Lupinine by Hydroboration Reaction. T. Kunieda, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 240.
41. Non Enzymic Transformation of Phenylalanine to Tropic Acid. S. Yamada, T. Kitagawa, K. Achiwa, *Tetrahedron Lett.*, **1967**, 3007.
42. Chemistry of Amino Acids. V. Studies on α -Alkyl- α -amino Acids. IX. Mild Hydrolytic Ring Cleavage of Hydantoin Derivatives. K. Hiroi, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 444.
43. Chemistry of Sodium Borohydride and Diborane. IV. Reduction of Carboxylic Acids to Alcohols with Sodium Borohydride through Mixed Carbonic-Carboxylic Acid Anhydride. K. Ishizumi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 492.
44. Stereochemical Studies. I. Elucidation of the Reaction Mechanism of the Base-induced Rearrangement of Ketone Trimethylhydrazone Iodide Using Optically Active Compounds. S. Yamada, S. Terashima, *Chem. Pharm. Bull.*, **1968**, *16*, 1816.
45. Stereochemical Studies. II. Thermal and Photochemical Decomposition of Optically Active Alkyl Azidoformates. S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 1953.
46. Chemistry of Amino Acids. VI. Studies on α -Alkyl- α -amino Acids. X. Unusual Alkyl Migration in the Hofmann Degradation of 5-(2-Dialkylaminoethyl)-5-methylhydantoin Quaternary Ammonium Hydroxide Anhydronium Base. N. Takamura, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 2059.
47. Studies on Optically Active Amino Acids. XVI. Studies on α -Alkyl- α -amino acids. XI. Synthesis of (*R*)- α -Methylphenylalanine from (*S*)-(+)2-Methyl-3-phenylpropionic Acid by the Direct Conversion of the Optically Active C-H Bond into the C-N Bond. S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 2064.
48. Determination of the Absolute Configuration of Mercaptosuccinic Acid by Chemical Correlation with Glyceraldehyde. S. Yamada, Y. Murakami, K. Koga, *Tetrahedron Lett.*, **1968**, 1501.
49. Determination of L-Valine and L-Valine Benzyl Ester. S. Yamada, M. Taniguchi, K. Koga, *Tetrahedron Lett.*, **1969**, 25.
50. Intramolecular C-H Bond Insertion Reaction of Optically Active Acyl Azide with Complete Retention of Configuration. S. Yamada, S. Terashima, *J. Chem. Soc., Chem. Commun.*, **1969**, 511.
51. Existence of a Novel Mechanism in the Thermal Rearrangement of Isocyanide to Cyanide. S. Yamada, K. Takashima, T. Sato, S. Terashima, *J. Chem. Soc., Chem. Commun.*, **1969**, 811.
52. Stereochemical Studies. III. Chemical Correlation of Absolute Configuration of 2-Cyano-2-methyl-3-phenylpropionic Acid to α -Methyl- α -isopropylsuccinic Acid. S. Terashima, K. K. Lee, S. Yamada, *Chem. Pharm. Bull.*, **1969**, *17*, 2533.
53. Stereochemical Studies. IV. Studies on α -Alkyl- α -amino Acids. XII. Hofmann and Curtius Rearrangement of (+)-2-Cyano-2-methyl-3-phenylpropionic Acid. K. K. Lee, S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1969**, *17*, 2540.
54. Studies on Optically Active Amino Acids. XVII. Studies on α -Alkyl- α -amino Acids. XIII. Absolute Configuration and Circular Dichroism in Some α -Methyl- α -amino Acids. S. Yamada, K. Achiwa, S. Terashima, H. Mizuno, N. Takamura, M. Legrand, *Chem. Pharm. Bull.*, **1969**, *17*, 2608.
55. Studies on Optically Active Amino Acids. XVIII. Studies on α -Alkyl- α -amino Acids. XIV. Several Optical Properties of α -Methyl- α -amino Acids. K. Achiwa, S. Terashima, H. Mizuno, N. Takamura, T. Kitagawa, K. Ishikawa, S. Yamada, *Chem. Pharm. Bull.*, **1970**, *18*, 61.
56. Stereochemical Studies. V. Intramolecular C-H Bond Insertion Reaction of Acyl Nitrene Generated from Optically Active Acyl Azide. S. Terashima, M. Nara, S. Yamada, *Chem. Pharm. Bull.*, **1970**, *18*, 1124.

57. Chemistry of Sodium Borohydride and Diborane. VII. Reduction of α -Amino Acid Amides with Sodium Borohydride. I. Saito, Y. Kikugawa, S. Yamada, *Chem. Pharm. Bull.*, **1970**, *18*, 1731.
58. Stereochemical Studies. VII. Thermal Rearrangement of α -Hydroxyimines to α -Amino-ketones Using Optically Active Open Chain Compounds. H. Mizuno, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1971**, *19*, 227.
59. A New Synthesis of D-Ribose from L-Glutamic Acid. K. Koga, M. Taniguchi, S. Yamada, *Tetrahedron Lett.*, **1971**, 263.
60. Studies on Optically Active Amino Acids. XIX. Solvent Effects on Optical Rotatory Dispersion and Circular Dichroism of *N*-Dithiocarbethoxy-L- α -amino Acids. K. Ishikawa, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1971**, *19*, 912.
61. Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine Ethyl Ester and Its *p*-Nitro and *p*-Methoxy Derivatives. K. Koga, C. C. Wu, S. Yamada, *Tetrahedron Lett.*, **1971**, 2283.
62. Examinations on the Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine and Its *p*-Nitro and *p*-Methoxy Derivatives. Conversion of L-Phenylalanine to Naturally Occurring (*S*)-Tropic Acid. K. Koga, C. C. Wu, S. Yamada, *Tetrahedron Lett.*, **1971**, 2287.
63. Amino Acids and Peptides. I. Novel peptide Bond Formation Catalyzed by Metal Ions. I. Formation of Glycine Peptide Esters. S. Yamada, M. Wagatsuma, Y. Takeuchi, S. Terashima, *Chem. Pharm. Bull.*, **1971**, *19*, 2380.
64. Amino Acids and Peptides. II. A One-step Synthesis of Atropine and Other Related Alkaloids from *dl*-Phenylalanine 3 α -Tropanyl Ester. Y. Takeuchi, K. Koga, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1971**, *19*, 2603.
65. A New Method for the Synthesis of Peptides Using the Adducts of Phosphorus Compounds and Tetrahalomethanes. S. Yamada, Y. Takeuchi, *Tetrahedron Lett.*, **1971**, 3595.
66. Amino Acids and Peptides. III. A New Synthetic Approach to *N*-Acylated α -Amino Aldehydes from *N*-Acylated α -Amino Acids by Catalytic Reduction of Their Mixed Carbonic-Carboxylic Acid Anhydrides with Palladium-Charcoal. H. Seki, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 361.
67. Stereochemical Studies. XIII. Determination of the Absolute Configuration of Mercaptosuccinic Acid by Chemical Correlation with Glyceraldehyde. Y. Murakami, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 543.
68. Stereochemical Studies. XIV. Studies on the Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine Ethyl Ester and Its *p*-Nitro and *p*-Methoxy Derivatives. K. Koga, C. C. Wu, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 1272.
69. Stereochemical Studies. XV. Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine and Its *p*-Nitro and *p*-Methoxy Derivatives. Conversion of L-Phenylalanine to Naturally Occurring (*S*)-Tropic Acid. K. Koga, C. C. Wu, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 1282.
70. Stereochemical Studies. XVI. Deaminative Acetylisis of L-Valine and L-Valine Benzyl Ester. M. Taniguchi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 1438.
71. Stereochemical Studies. XVII. Nitrous Acid Deamination of (*R*)- α -Methylphenylalanine and Its Methyl Ester in Acetic Acid. M. Kobayashi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 1898.
72. Stereochemical Studies. XVIII. Nitrous Acid Deamination of *threo*- and *erythro*-Phenylserine and Their Methyl Esters in Acetic Acid. M. Kobayashi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 2017.
73. A Biogenetic-type Synthesis of (*S*)-(+)Laudanosine from L-(*-*)-Dopa. S. Yamada, M. Konda, T. Shioiri, *Tetrahedron Lett.*, **1972**, 2215.
74. Diphenylphosphoryl Azide. A New Convenient Reagent for a Modified Curtius Reaction and for the Peptide Synthesis. T. Shioiri, K. Ninomiya, S. Yamada, *J. Am. Chem. Soc.*, **1972**, *94*, 6203.

75. Stereochemical Studies. XXI. Studies on α -Alkyl- α -amino Acids. XV. Application of Thermal Isocyanide-Cyanide Rearrangement to R-S Conversion of α -Methylphenylalanine. M. Shibasaki, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 552.
76. Amino Acids and Peptides. IV. Novel Peptide Bond Formation Catalyzed by Metal Ions-II. Formation of Optically Active Peptide Esters. S. Terashima, M. Wagatsuma, S. Yamada, *Tetrahedron*, **1973**, *29*, 1487.
77. Amino Acids and Peptides. V. Novel Peptide Bond Formation Catalyzed by Metal Ions-III. Elucidation of the Formation Mechanism. M. Wagatsuma, S. Terashima, S. Yamada, *Tetrahedron*, **1973**, *29*, 1497.
78. Amino Acids and Peptides. VI. Novel Peptide Bond Formation Catalyzed by Metal Ions-IV. Formation of Optically Active Amino Acids Amides and Peptide Amides. M. Wagatsuma, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 422.
79. Diethylphosphoryl Cyanide. A New Reagent for the Synthesis of Amides. S. Yamada, Y. Kasai, T. Shioiri, *Tetrahedron Lett.*, **1973**, 1595.
80. Transfer of the Azido Function from Diphenylphosphoryl Azide to Malonic Acid Half Esters. S. Yamada, K. Ninomiya, T. Shioiri, *Tetrahedron Lett.*, **1973**, 2343.
81. Stereoselective Total Synthesis of 6-Deoxy-L-hexose Derivatives from L-Alanine without a Resolution Step. K. Koga, S. Yamada, M. Yoh, T. Mizoguchi, *Carbohydrate Res.*, **1974**, *36*, C9.
82. Phosphorus in Organic Synthesis. I. A New Method for the Preparation of Amides, Carbamates, Esters, and Carbonates by the Reaction of Alkylidene phosphoranes with Nitrosonium Ion. S. Yamada, Y. Takeuchi, *Chem. Pharm. Bull.*, **1974**, *22*, 634.
83. Amino Acids and Peptides. VII. Phosphorus in Organic Synthesis. II. A New Method for the Synthesis of Peptides Using the Adducts of Phosphorus Compounds and Tetrahalomethanes. Y. Takeuchi, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 832.
84. Amino Acids and Peptides. VIII. Phosphorus in Organic Synthesis. III. Synthesis of Some Peptides Containing Various Kinds of α -Amino Acids Using the Adducts of Phosphorus Compounds and Tetrahalomethanes. Y. Takeuchi, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 841.
85. Amino Acids and Peptides. IX. Phosphorus in Organic Synthesis. IV. Diphenyl Phosphorazidate. A New Convenient Reagent for the Peptide Synthesis. T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 849.
86. Amino Acids and Peptides. X. Phosphorus in Organic Synthesis. V. On the Mechanism for the Peptide Synthesis by Diphenyl Phosphorazidate. T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 855.
87. Amino Acids and Peptides. XI. Phosphorus in Organic Synthesis. VI. Application of Diphenyl Phosphorazidate to the Synthesis of Peptides Containing Various Functions. T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 859.
88. Phosphorus in Organic Synthesis. VII. Diphenyl Phosphorazidate (DPPA). A New Convenient Reagent for a Modified Curtius Reaction. K. Ninomiya, T. Shioiri, S. Yamada, *Tetrahedron*, **1974**, *30*, 2151.
89. Amino Acids and Peptides. XII. Phosphorus in Organic Synthesis. VIII. Reaction of Malonic Acid Half Esters with Diphenyl Phosphorazidate. K. Ninomiya, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 1398.
90. Phosphorus in Organic Synthesis. IX. On the Mechanism of Esterification of Malonic Acid Half Esters by Diphenyl Phosphorazidate. K. Ninomiya, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 1795.
91. Amino Acids and Peptides. XIII. A New Approach to the Biogenetic-type Asymmetric Synthesis of Indole and Isoquinoline Alkaloids by 1,3-Transfer of Asymmetry. H. Akimoto, K. Okamura, M. Yui, T. Shioiri, M. Kuramoto, Y. Kikugawa, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 2614.
92. Stereochemical Studies. XXX. Stereoselective Synthesis of D-Ribose from L-Glutamic Acid. M. Taniguchi, K. Koga, S. Yamada, *Tetrahedron*, **1974**, *30*, 3547.

93. Stereoselective Reactions. XXXI. Total Synthesis of Several D-Pentose Derivatives. Stereochemical Courses of the Synthesis of Four Methyl 2,3-Anhydro-5-O-benzyl-D-pentofuranosides from L-Glutamic Acid and Their Reactions with Nucleophiles. M. Taniguchi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1974**, 22, 2318.
94. Studies on Optical Rotatory Dispersion and Circular Dichroism. II. Circular Dichroism of α -Hydroxy- and α -Amino- α -phenyl Ketones. H. Mizuno, S. Yamada, *Chem. Pharm. Bull.*, **1975**, 23, 527.
95. Phosphorus in Organic Synthesis. X. *tert*-Butyl Carbamate. An Efficient Additive in a Modified Curtius Reaction by Diphenyl Phosphorazidate (DPPA). K. Murato, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1975**, 23, 1738.
96. Amino Acids and Peptides. XVII. A Biogenetic-type Asymmetric Synthesis of (S)-Laudanosine from L-3-(3,4-Dihydroxyphenyl)alanine by 1,3-Transfer of Asymmetry. M. Konda, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1975**, 23, 1025.
97. Amino Acids and Peptides. XVIII. A Biogenetic-type Asymmetric Synthesis of (S)-Reticuline from L-3-(3,4-Dihydroxyphenyl)alanine by 1,3-Transfer of Asymmetry. M. Konda, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1975**, 23, 1063.
98. Hydrazino Acids and Peptides. A New General Synthesis of L- α -Hydrazino Acids from L- α -Amino Acids. K. Achiwa, S. Yamada, *Tetrahedron Lett.*, **1975**, 2701.
99. Diphenyl Phosphorazidate (DPPA) and Diethyl Phosphorocyanide (DEPC), Two New Reagents for Solid-phase Peptide Synthesis and Their Application to the Synthesis of Porcine Motilin. S. Yamada, S. Ikota, T. Shioiri, S. Tachibana, *J. Am. Chem. Soc.*, **1975**, 97, 7174.
100. A Biogenetic-type Asymmetric Synthesis of Natural (+)-Maritidine from L-Tyrosine. S. Yamada, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1976**, 57.
101. Reductive Decyanization of α -Amino Nitriles with Sodium in Liquid Ammonia. Usefulness in Asymmetric Syntheses of Optically Active Alkaloids. S. Yamada, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1976**, 61.
102. A Method for Sequencing Peptides: A Co-operation of Diphenyl Phosphorazidate and 2-Mercapto- or 2-Hydroxypyridine for *N*-Acylketopiperazine Formation. S. Yamada, Y. Yokoyama, T. Shioiri, *Experientia*, **1976**, 32, 398.
103. Stereochemical Studies. XL. A Biomimetic Conversion of L-Lysine into Optically Active 2-Substituted Piperidines. Synthesis of D- and L-Pipecolic Acid and (S)-(+)-Coniine from L-Lysine. K. Aketa, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1976**, 24, 621.
104. Chemical Simulation of Tropic Acid Biosynthesis. Stereoselective Chemical Conversion of Optically Active Phenylalanine to (*R*)- and (*S*)-Tropic Acid. S. Yamada, K. Koga, T. M. Juang, K. Achiwa, *Chem. Lett.*, **1976**, 927.
105. Amino Acids and Peptides. XXI. Phosphorus in Organic Synthesis. XI. Reaction of Diethyl Phosphorocyanide (DEPC) with Carboxylic Acids. A New Synthesis of Carboxylic Esters and Amides. T. Shioiri, Y. Yokoyama, Y. Kasai, S. Yamada, *Tetrahedron*, **1976**, 32, 2211.
106. Synthetic Studies on Optically Active Epoxyterpenes from L-Glutamic Acid-I. Syntheses of (*R*)-(+)Epoxygeraniol, (*R*)-(+)Marmin and (*R*)-(+)Epoxyaurapten. S. Yamada, N. Oh-hashi, K. Achiwa, *Tetrahedron Lett.*, **1976**, 2557.
107. Synthetic Studies on Optically Active Epoxyterpenes from L-Glutamic Acid-II. Syntheses of (*R*)-(+)-10,11-Epoxyfarnesol and (*R*)-(+), (*S*)-(--)Squalene-2,3-oxide. S. Yamada, N. Oh-hashi, K. Achiwa, *Tetrahedron Lett.*, **1976**, 2561.
108. Diphenyl Phosphorazidate (DPPA) as a 1,3-Dipole. Its Reaction with Enamines of Cyclic Ketones. S. Yamada, Y. Hamada, K. Ninomiya, T. Shioiri, *Tetrahedron Lett.*, **1976**, 474.
109. Amino Acids and Peptides. XXII. Phosphorus in Organic Synthesis. XII. Reaction of Penicillin Sulfoxides with Diethyl Phosphorocyanide (DEPC). K. Ninomiya, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1976**, 24, 2711.
110. Stereochemical Studies. XLIV. Exploitation of the New Synthetic Scheme for Chiral Additives Usable in Asymmetric Synthesis. Novel Syntheses of Optically Active γ -Amino Acids and

- Pyrrolidines from L- α -Amino Acids. C. C. Tseng, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 29.
111. Amino Acids and Peptides. XXIII. An Asymmetric Synthesis of (*R*)-(–)-Laudanosine from L-3-(3,4-Dihydroxyphenyl)alanine. M. Konda, T. Ohishi, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 69.
112. Amino Acids and Peptides. XXIV. Phosphorus in Organic Synthesis. XIII. Application of Diphenyl Phosphorazidate (DPPA) to the Synthesis of the Protected N-Terminal Hexapeptide of Secretin. K. Ozawa, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 122.
113. Stereochemical Studies. XLV. A Novel Regiospecific Ring Opening of Optically Active 2-Substituted-1-tosylaziridines. C. C. Tseng, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 166.
114. Amino Acids and Peptides. XXV. Phosphorus in Organic Synthesis. XIV. Application of Diphenyl Phosphorazidate (DPPA) and Diethyl Phosphorocyanide (DEPC) to the Synthesis of the N-Terminal Hexapeptide of the Vasoactive Intestinal Peptide. Y. Hamada, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 221.
115. Amino Acids and Peptides. XXVI. Phosphorus in Organic Synthesis. XV. Application of Diphenyl Phosphorazidate (DPPA) and Diethyl Phosphorocyanide (DEPC) to the Synthesis of the N-Terminal Decapeptide of Gastric Inhibitory Polypeptide. Y. Hamada, S. Rishi, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 224.
116. Amino Acids and Peptides. XXVII. A Novel Reductive Cleavage of N-C-N Bonds with Sodium Borohydride. K. Murato, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 1559.
117. Phosphorus in Organic Synthesis. XVI. Diphenyl Phosphorazidate (DPPA) and Diethyl Phosphorocyanide (DEPC). Two New Reagents for the Preparation of Thiol Esters from Carboxylic Acids and Thiols. Y. Yokoyama, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 2423.
118. Stereochemical Studies. XLVIII. Stereoselective Synthesis of 6-Deoxy-L-hexose Derivatives from L-Alanine without a Resolution Step. M. Ohzeki, T. Mizoguchi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 2676.
119. Approaches to the Biogenetic-type Asymmetric Synthesis of Some Amaryllidaceae Alkaloids. K. Tomioka, K. Shimizu, S. Yamada, K. Koga, *Heterocycles*, **1977**, *6*, 1752.
120. Stereochemical Studies. XLIX. A Biogenetic-type Total Synthesis of Natural (+)-Maritidine from L-Tyrosine Using Highly Specific Asymmetric Cyclization. K. Tomioka, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 2681.
121. Stereochemical Studies. L. Reductive Decyanization of α -Amino Nitriles with Sodium in Liquid Ammonia. An Alternate Method for the Application to the Asymmetric Synthesis of Optically Active Natural Products. K. Tomioka, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 2689.
122. A Biogenetic-type Asymmetric Synthesis of Optically Active Amaryllidaceae Alkaloids: (+)- and (–)-Galanthamine from L-Tyrosine. K. Shimizu, K. Tomioka, S. Yamada, K. Koga, *Heterocycles*, **1977**, *8*, 277.
123. Amino Acids and Peptides. XXIII. An Asymmetric Synthesis of (*R*)-(–)-laudanosine from L-3-(3,4-Dihydroxyphenyl)alanine. M. Konda, T. Ohishi, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 69.
124. Stereochemical Studies. LI. Stereochemical Courses of Deaminative Bromination of L-Aspartic Acid and Its Esters. Y. Murakami, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1978**, *26*, 307.
125. Stereochemical Studies. LII. Studies on the Stereochemical Courses in Deaminative Bromination of 3,5-Dichloro-L-tyrosine and in Amination of the Corresponding α -Bromo Acid. Existence of Strong Neighboring "Phenoxide" Group Participation. K. Koga, T. M. Juang, S. Yamada, *Chem. Pharm. Bull.*, **1978**, *26*, 178.
126. Stereochemical Studies. LIII. An Asymmetric Synthesis of (3*S*,15*S*,20*R*)-Yohimbone from L-Tryptophan by 1,3-Transfer of Asymmetry. K. Okamura, S. Yamada, *Chem. Pharm. Bull.*, **1978**, *26*, 2305.

127. Stereochemical Studies. LIV. A Biogenetic-type Asymmetric Synthesis of Optically Active Galanthamine from L-Tyrosine. K. Shimizu, K. Tomioka, S. Yamada, K. Koga, *Chem. Pharm. Bull.*, **1978**, *26*, 3765.
128. Amino Acids and Peptides. XXX. Phosphorus in Organic Synthesis. XVII. Application of Diphenyl Phosphorazidate (DPPA) to Solid-phase Peptide Synthesis. N. Ikota, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1980**, *28*, 3064.
129. Amino Acids and Peptides. XXXI. Phosphorus in Organic Synthesis. XVIII. Synthesis of Porcine Motilin by the Solid-phase Method Using Diphenyl Phosphorazidate (DPPA) and Diethyl Phosphorocyanide (DEPC). N. Ikota, T. Shioiri, S. Yamada, S. Tachibana, *Chem. Pharm. Bull.*, **1980**, *28*, 3347.
130. Synthesis of L-Tryptophan from L-Glutamic Acid. F. Masumi, H. Takeuchi, S. Kondo, K. Suzuki, S. Yamada, *Chem. Pharm. Bull.*, **1982**, *30*, 3831.

2) Studies on Intramolecular Asymmetric Induction

1. Studies on Optically Active Amino Acids. II. Partial Asymmetric Synthesis of 3-(3,4-Methylenedioxyphenyl)alanine. S. Yamada, T. Shioiri, T. Fujii, *Chem. Pharm. Bull.*, **1962**, *10*, 688.
2. Effects of Neighboring Functional Groups on 1,2-Asymmetric Induction in the Reduction of Ketones with Sodium Borohydride. S. Yamada, K. Koga, *Tetrahedron Lett.*, **1967**, 1711.
3. Determination of the Absolute Configuration of 1,1'-Binaphthyl and Its Derivatives by X-Ray Diffraction. H. Akimoto, T. Shioiri, Y. Itaya, S. Yamada, *Tetrahedron Lett.*, **1968**, 97.
4. The Clear Establishment of the Absolute Configuration of Biphenyl, Bianthryl and Bianthraquinyl Systems. S. Yamada, H. Akimoto, *Tetrahedron Lett.*, **1968**, 3967.
5. Asymmetric Synthesis with Amino Acid. I. Asymmetric Induction in the Alkylation of Keto-enamine. S. Yamada, K. Hiroi, K. Achiwa, *Tetrahedron Lett.*, **1969**, 4233.
6. Asymmetric Synthesis with Amino Acid. II. Asymmetric Synthesis of Optically Active 4,4-Disubstituted-2-cyclohexenone. S. Yamada, G. Otani, *Tetrahedron Lett.*, **1969**, 4237.
7. Stereochemical Studies. VI. Steric Course of Intramolecular Alkylation Using Optically Active Amine Derivatives. S. Terashima, M. Wagatsuma, S. Yamada, *Chem. Pharm. Bull.*, **1970**, *18*, 1137.
8. Stereochemical Studies. VIII. Unequivocal Determination of the Absolute Configuration in Biaryl Systems. H. Akimoto, S. Yamada, *Tetrahedron*, **1971**, *27*, 5999.
9. Total Synthesis of (+)-Mesembrine by Asymmetric Synthesis with Amino Acid. S. Yamada, G. Otani, *Tetrahedron Lett.*, **1971**, 1133.
10. Stereochemical Studies. IX. Asymmetric Synthesis of 2-Alkylcyclohexanones with Enamine Alkylation. K. Hiroi, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 246.
11. Stereochemical Studies. X. Effects of Neighboring Functional Groups on 1,2-Asymmetric Induction in the Reduction of Propiophenone Derivatives with Sodium Borohydride. K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 539.
12. Stereochemical Studies. XI. Changes in the Stereochemical Course of 1,2-Asymmetric Induction in the Reduction of N-Substituted 2-Aminopropiophenone Derivatives with Sodium Borohydride. K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 539.
13. Stereochemical Studies. XII. Effects of Neighboring Functional Groups on 1,2-Asymmetric Induction in the Reduction of Propiophenone Derivatives by Catalytic Hydrogenation. K. Koga, Y. Yamamoto, S. Yamada, *Chem. Pharm. Bull.*, **1972**, *20*, 616.
14. α -Amination of Carboxylic Acids: A New Synthesis of α -Amino Acids. S. Yamada, T. Oguri, T. Shioiri, *J. Chem. Soc., Chem. Commun.*, **1972**, 623.
15. Stereochemical Studies. XIX. Asymmetric Synthesis of 2-Alkyl-4-substituted Cyclohexanones with Enamine Alkylation. K. Hiroi, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 47.

16. Stereochemical Studies. XX. Asymmetric Synthesis of α -Bromoketones. K. Hiroi, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 54.
17. Stereochemical Studies. XXII. Thermal Rearrangement of (*S*)-(-)-1-Phenylethyl Isocyanide. S. Terashima, K. Takashima, T. Sato, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 1135.
18. Stereochemical Studies. XXIII. Stereochemistry of the Thermal Isocyanide-Cyanide Rearrangement. M. Shibasaki, T. Sato, N. Ohashi, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 1868.
19. A New Biogenetic-type Cyclization of Citral to α -Cyclocitral via an Enamine. S. Yamada, M. Shibasaki, S. Terashima, *Tetrahedron Lett.*, **1973**, 377.
20. A Biogenetic-type Asymmetric Cyclization. Syntheses of Optically Active α -Cyclocitral and *trans*- α -Damascone. S. Yamada, M. Shibasaki, S. Terashima, *Tetrahedron Lett.*, **1973**, 381.
21. Stereochemical Studies. XXIV. Asymmetric Synthesis of Optically Active (+)-4-Methyl-4-phenyl-2-cyclohexenone with Enamine Alkylation Using Proline Derivatives. G. Otani, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 2112.
22. Stereochemical Studies. XXV. The Absolute Configuration and Optical Purity of (+)-4-Methyl-4-phenyl-2-cyclohexenone. G. Otani, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 2119.
23. Stereochemical Studies. XXVI. Asymmetric Synthesis Using Proline Derivatives of Optically Active Various 4,4-Disubstituted-2-cyclohexenones with Enamine Alkylation. G. Otani, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 2125.
24. Stereochemical Studies. XXVII. Total Synthesis of (+)-Mesembrine by Asymmetric Synthesis Using ProlineDerivative. G. Otani, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 2130.
25. Stereochemical Studies. XXVIII. Some Aspects of the Asymmetric Synthesis of (*R*)-(+)-4-Methyl-4-phenyl-2-cyclohexenone via Enamine. T. Sone, K. Hiroi, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 2331.
26. Stereochemical Studies. XXIX. Asymmetric Synthesis of 2-Alkylcyclohexanones via Optically Active Lithioenamines. M. Kitamoto, K. Hiroi, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 459.
27. Stereochemical Studies. XXXVII. A New Enantiomeric Conversion of Optically Active 4,4,-Disubstuted-2-cyclohexenone. T. Sone, S. Terashima, S. Yamada, *Synthesis*, **1974**, 725.
28. Stereochemical Studies. XXXII. Asymmetric Synthesis of Intermediates for the Total Synthesis of Steroids and Terpenes with L-Proline Enamine Method. K. Nagasawa, H. Takahashi, K. Hiroi, S. Yamada, *Yakugaku Zasshi*, **1975**, *95*, 33.
29. Stereochemical Studies. XXXIII. Åsymmetric Synthesis of (-)-Bisdehydroestrone Methyl Ester with L-Proline Enamine Method. K. Nagasawa, K. Hiroi, S. Yamada, *Yakugaku Zasshi*, **1975**, *95*, 46.
30. Stereochemical Studies. XXXIV. A Novel Biogenetic-type Cyclization of Citral to α -Cyclocitral via an Enamine. M. Shibasaki, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1975**, *23*, 272.
31. Stereochemical Studies. XXXV. A Biogenetic-type Asymmetric Cyclization. Syntheses of Optically Active α -Cyclocitral and *trans*- α -Damascone. M. Shibasaki, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1975**, *23*, 279.
32. Stereochemical Studies. XXXVIII. Asymmetric Synthesis of the Key Compounds for the Synthesis of Optically Active Diterpenes. Asymmetric Synthesis of Optically Active 1,2,3,4,5,6,7,8,8 α -Octahydro-8 α -methyl-3,8-naphthalenedione Derivatives with L-Proline Derivatives. K. Hiroi, S. Yamada, *Chem. Pharm. Bull.*, **1975**, *23*, 1103.
33. Amino Acids and Peptides. XV. A New Synthesis of α -Amino Acids by Amination of α -Metalated Carboxylic Acids. T. Oguri, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1975**, *23*, 167.
34. Amino Acids and Peptides. XVI. A New Synthesis of α -Phenylglycine and Its Derivatives. T. Oguri, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1975**, *23*, 173.
35. Amino Acids and Peptides. XIX. Synthetic Study of Optically Active Carene Skeleton from α -Amino Acid. Total Synthesis of (+)-Carene. S. Yamada, N. Takamura, M. Mizoguchi, *Chem. Pharm. Bull.*, **1975**, *23*, 2539.

36. Asymmetric Synthesis of α -Amino Acid Derivatives by Alkylation of a Chiral Schiff Base. S. Yamada, T. Oguri, T. Shioiri, *J. Chem. Soc., Chem. Commun.*, **1976**, 136.
37. Stereochemical Studies. XXXIX. A Novel Method for the Preparation of Optically Active Aldehydes. Syntheses of Optically Active (*R*)-(+) α -Cyclocitral, (*S*)-(+)Dehydrovomifoliol, and (*S*)-(+)Abciscic Acid. M. Shibasaki, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1976**, 24, 315.
38. A New Entry into Chinchona Alkaloids *via* a Biomimetic Pathway. S. Yamada, K. Murato, T. Shioiri, *Tetrahedron Lett.*, **1976**, 1605.
39. Stereochemical Studies. XLI. Asymmetric Synthesis of Optically Active 4 α -Methyl-4,4a,9,10-tetrahydro-2(3H)-phenanthrone Derivatives, Key Intermediates for the Total Syntheses of Optically Active Diterpenes and Steroids. T. Sone, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1976**, 24, 1273.
40. Stereochemical Studies. XLII. Asymmetric Synthesis of Naturally Occuring Podocarpic Acid. T. Sone, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1976**, 24, 1288.
41. Asymmetric Transamination from Amino Acid (III). Asymmetric Synthesis of Phenylglycine by Chemical Transamination from Optically Active Amino Acids to Benzaldehyde. S. Yamada, N. Oh-hashi, S. Hashimoto, *Chem. Lett.*, **1976**, 921.
42. Asymmetric Transamination from Amino Acids (I). Asymmetric Synthesis of Amino Acid by Chemical Transamination from Optically Active Amino Acid to α -Keto Acid. S. Yamada, S. Hashimoto, *Tetrahedron Lett.*, **1976**, 997.
43. Asymmetric Transamination from Amino Acids (II). Asymmetric Synthesis of Amines by Chemical Transamination from Optically Active Amino Acids to Ketones. S. Yamada, N. Ikota, K. Achiwa, *Tetrahedron Lett.*, **1976**, 1001.
44. Stereochemical Studies. XLIII. Novel Reactivity of Organometallic Reagents to 5,5-Ethylenedioxy-2-methyl-2-phenylcyclohexanone. T. Sone, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1976**, 24, 1293.
45. Asymmetric Synthesis Using *tert*-Leucine. I. An Asymmetric Synthesis of β -Substituted Aldehydes *via* 1,4-Addition of Grignard Reagents to Chiral α,β -Unsaturated Aldimines. S. Hashimoto, S. Yamada, K. Koga, *J. Am. Chem. Soc.*, **1976**, 98, 7450.
46. Stereochemical Studies. XLVI. Studies on the Synthesis of 4-Acetoxy-cyclopentane-1,3-dione Derivatives. M. Kitamoto, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1977**, 25, 41.
47. Novel Use of *meso*-Compound for the Preparation of Optically Active Compounds: Synthesis of Optically Active Prostaglandin Intermediates from *cis*-2-Cyclopentene-1,4-diol. S. Terashima, S. Yamada, M. Nara, *Tetrahedron Lett.*, **1977**, 1001.
48. Amino Acids and Peptides. XXVIII. A New Synthesis of α -Amino Acid Derivatives by Alkylation of Schiff Bases Derived from Glycine and Alanine. T. Oguri, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1977**, 25, 2287.
49. Asymmetric Michael Reaction *via* Chiral α,β -Unsaturated Aldimines. S. Hashimoto, N. Komeshima, S. Yamada, K. Koga, *Tetrahedron Lett.*, **1977**, 2907.
50. Amino Acids and Peptides. XXIX. A New Efficient Asymmetric Synthesis of α -Amino Acid Derivatives with Recycle of a Chiral Reagent — Asymmetric Alkylation of a Chiral Schiff Base from Glycine. T. Oguri, N. Kawai, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1978**, 26, 803.
51. Synthesis of an Optically Pure Prostaglandin Intermediate from *cis*-2-Cyclohexene-1,4-diol. S. Terashima, M. Nara, S. Yamada, *Tetrahedron Lett.*, **1978**, 1487.
52. Synthesis of an Optically Pure Steroid Intermediate by the Novel Use of *meso*-Compound. S. Terashima, M. Nara, S. Yamada, *Tetrahedron Lett.*, **1978**, 3379.
53. Stereoselective Reactions, I. A Highly Efficient Asymmetric Synthesis of β -Substituted Aldehydes *via* 1,4-Addition of Grignard Reagent to Optically Active α,β -Unsaturated Aldimines. S. Hashimoto, S. Yamada, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 771.

54. Stereoselective Reactions. II. Asymmetric Synthesis of β -Substituted Aldehydes by Michael Reaction Using Chiral α,β -Unsaturated Aldimines. S. Hashimoto, N. Komeshima, S. Yamada, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 2437.
55. Stereochemical Studies. LVII. Synthesis of Optically Active Compounds by the Novel Use of meso-Compounds-1. Efficient Synthesis of Two Structural Types of Optically Pure Prostaglandin Intermediates. M. Nara, S. Terashima, S. Yamada, *Tetrahedron*, **1980**, 36, 3161.
56. Stereochemical Studies. LVIII. Synthesis of Optically Active Compounds by the Novel Use of meso-Compounds-2. Efficient Synthesis of an Optically Pure Steroid Intermediate. M. Nara, S. Terashima, S. Yamada, *Tetrahedron*, **1980**, 36, 3171.

3) Studies on Intermolecular Asymmetric Induction

1. Asymmetric Synthesis of Peptides. I. Asymmetric Synthesis of L-Prolyl-D-amino Acids. K. Achiwa, S. Yamada, *Tetrahedron Lett.*, **1974**, 1799.
2. Asymmetric Synthesis of Optically Active Allethrolone and Prostaglandins: Reduction of 2-Alkyl-1,3,4-cyclopentanetriones with Lithium Aluminun Hydride Decomposed by (-)-N-Methylephedrine. S. Yamada, M. Kitamoto, S. Terashima, *Tetrahedron Lett.*, **1976**, 3165.
3. Stereochemical Studies. XLVII. Asymmetric Reduction of 2-Alkyl-1,3,4-cyclopentanetriones with Lithium Aluminun Hydride Decomposed by Optically Active β -Aminoalcohols. Synthesis of Optically Active Allethrolone and Prostaglandin E₁. M. Kitamoto, K. Kameo, S. Terashima, S. Yamada, *Chem. Pharm. Bull.*, **1977**, 25, 1273.
4. (Acetylacetonato)[(-)-N-alkylephedrinato]-dioxiomolybdenum, a New Class of Chiral Chelate Complexes which Catalyze Asymmetric Epoxidation of Allylic Alcohol. S. Yamada, T. Mashiko, S. Terashima, *J. Am. Chem. Soc.*, **1977**, 99, 1988.
5. Stereochemical Studies. LV. Synthetic Studies on Chiral Molybdenum(VI) Complexes as Asymmetric Epoxidation Catalysts. T. Mashiko, S. Terashima, S. Yamada, *Yakugaku Zasshi*, **1980**, 100, 319.
6. Stereochemical Studies. LVI. Asymmetric Epoxidation of Allylic Alcohols by the Use of (Acetylacetonato)[(1*R*,2*S*)-N-alkylephedrinato]-dioxiomolybdenum as Chiral Catalysts. T. Mashiko, S. Terashima, S. Yamada, *Yakugaku Zasshi*, **1980**, 100, 328.

4) Other Studies

1. Synthesis of Sulfamerazine. J. Hata, S. Yamada, J. Iwao, N. Kato, N. Sugimoto, R. Inoue, *Yakugaku Zasshi*, **1949**, 69, 477.
2. Synthesis of 2-(*p*-Aminobenzenesulfonamide)-4,5-dimethylpyrimidine. S. Sugasawa, S. Yamada, M. Narahashi, *Yakugaku Zasshi*, **1951**, 71, 1345.
3. A New Method for the Industrial Preparation of Sulfamerazine. S. Yamada, *Yakugaku Zasshi*, **1951**, 71, 1349.
4. Synthesis of 5-(*p*-Aminobenzenesulfonamide)-3,4-dimethylisoxazole. S. Yamada, C. Kowaki, *Yakugaku Zasshi*, **1951**, 71, 1356.
5. Synthesis of Sulfadiazine. S. Yamada, T. Fujita, J. Arita, *Yakugaku Zasshi*, **1951**, 71, 1360.
6. Synthesis of 2-Aminopyrimidine. S. Yamada, T. Fujita, J. Arita, *Yakugaku Zasshi*, **1951**, 71, 1363.
7. Application of Ion Exchangers in Organic Reactions. I. Application to the Fischer Indole Synthesis. S. Yamada, I. Chibata, R. Tsurui, *Pharm. Bull.*, **1953**, 1, 14.
8. Use of Ion Exchangers in Organic Reactions. II. Application to the Michael Condensation and its Analogous Reactions. S. Yamada, I. Chibata, R. Tsurui, *Yakugaku Zasshi*, **1953**, 73, 123.
9. Application of Ion Exchangers in Organic Reactions. III. Application to the Rearrangement of Hydrazobenzene Derivatives. S. Yamada, I. Chibata, R. Tsurui, *Pharm. Bull.*, **1954**, 2, 59.

10. Application of Ion Exchangers in Organic Reactions. IV. Application to the Synthesis of Oximes and Aldehyde Diacetates. S. Yamada, I. Chibata, R. Tsurui, *Pharm. Bull.*, **1954**, *2*, 62.
11. Synthesis of Thiamine Alkyl Disulfides. S. Yamada, T. Fujita, *Yakugaku Zasshi*, **1954**, *74*, 963.
12. Application of Ion Exchangers in Organic Reactions. V. Application to the Friedländer Quinoline Synthesis. S. Yamada, I. Chibata, *Pharm. Bull.*, **1955**, *3*, 21.
13. Application of Ion Exchangers in Organic Reactions. VI. Application to the Additional Reaction of Formaldehyde to the Active Methylene Groups. S. Yamada, I. Chibata, H. Matsumae, *Tanabe Seiyaku Kenkyu Nenpo*, **1956**, *1*, 20.
14. Application of Ion Exchangers in Organic Reactions. VIII. Application to the Ketonic Cleavage. S. Yamada, T. Fujita, N. Yoneda, T. Shirakura, *Tanabe Seiyaku Kenkyu Nenpo*, **1956**, *1*, 24.
15. The Preparation of Thiamine Monosalts by Use of Anion Exchange Resins. S. Yamada, T. Fujita, N. Yoneda, *Tanabe Seiyaku Kenkyu Nenpo*, **1956**, *1*, 26.
16. Syntheses of Thiamine Alkyl Disulfides. S. Yamada, T. Fujita, T. Mizoguchi, *Yakugaku Zasshi*, **1956**, *76*, 616.
17. Studies on 1,2,3-Triazole Derivatives. (1). Action of Acids and Alkali on 8-Azaguanine. S. Yamada, T. Mizoguchi, A. Ayata, *Yakugaku Zasshi*, **1957**, *77*, 441.
18. Studies on 1,2,3-Triazole Derivatives. (2). Syntheses of Compounds Related to 1,2,3-Triazole-carboxylic Acids. S. Yamada, T. Mizoguchi, A. Ayata, *Yakugaku Zasshi*, **1957**, *77*, 452.
19. Studies on 1,2,3-Triazole Derivatives. (3). Synthesis of 5-Amino-1,2,3-triazole-4-carboxamide. S. Yamada, T. Mizoguchi, A. Ayata, *Yakugaku Zasshi*, **1957**, *77*, 455.
20. Studies on 1,2,3-Triazole Derivatives. (4). Synthesis of 8-Azaguanine Derivatives. S. Yamada, I. Chibata, D. Kiguchi, *Yakugaku Kenkyu*, **1957**, *29*, 416.
21. Antitumor Effect of Amino Acid Analogs. M. Abe, I. Chibata, H. Hirokawa, Y. Kameda, D. Mizuno, S. Yamada, *Yakugaku Zasshi*, **1960**, *80*, 1309.
22. Studies on Thiamine Analogs: Synthesis of 3-[(2,4-Dioxo-1,2,3,4-tetrahydro-5-pyrimidinyl)-methyl]-4-methyl-5-(2-hydroxyethyl)thiazolium Nitrate. S. Yamada, K. Achiwa, *Chem. Pharm. Bull.*, **1961**, *9*, 119.
23. Preparation of Tyrosol and 4-Methoxyphenethyl Alcohol. S. Yamada, T. Fujii, K. Takagi, Y. Gomi, S. Matsushita, *Chem. Pharm. Bull.*, **1963**, *11*, 258.
24. The Reductive Cyclization of 1-Methyl-3-aminoalkyloxidoles with Lithium Aluminium Hydride. S. Yamada, T. Hino, K. Ogawa, *Chem. Pharm. Bull.*, **1963**, *11*, 674.
25. Total Synthesis of (+)-Folicantine. T. Hino, S. Yamada, *Tetrahedron Lett.*, **1963**, 1757.
26. Studies on Thioamides. I. Synthesis of *N*-(2-Arylethyl)thioamides and Their Infrared Absorption Spectra. S. Yamada, A. M. M. E. Omar, T. Hino, *Chem. Pharm. Bull.*, **1964**, *12*, 244.
27. Studies on Thioamides. II. Application of Thioamides in Bischler-Napieralski Reaction. S. Yamada, A. M. M. E. Omar, *Chem. Pharm. Bull.*, **1964**, *12*, 249.
28. A New Synthetic Method of 3,4-Dihydroisoquinoline Derivative by the Cyclodesulfurization of Thioamide. S. Yamada, A. M. M. E. Omar, *Chem. Pharm. Bull.*, **1964**, *12*, 738.
29. Chemistry of Amino Acids. II. Studies on α -Alkyl- α -amino Acids. I. Abnormal Decarbonylation of α -Methyl- α -phenylglycine. S. Terashima, K. Achiwa, S. Yamada, *Chem. Pharm. Bull.*, **1965**, *13*, 1001.
30. The Synthesis of 1-Alkoxy-, 1-Alkoxy-9-alkyl-, and 9-Alkyladenines. T. Fujii, T. Itaya, S. Yamada, *Chem. Pharm. Bull.*, **1965**, *13*, 1017.
31. Studies on Thioamides. III. A New Synthetic Method of 3,4-Dihydroisoquinoline Derivatives by the Cyclodesulfurization of Thioamides. A. M. M. E. Omar, S. Yamada, *Chem. Pharm. Bull.*, **1964**, *14*, 842.
32. Studies on Thioamides. IV. Extension of the Cyclodesulfurization Reaction to Synthesize 1-Substituted and 1,3-Disubstituted-3,4-dihydro-9H-pyrido[3,4-*b*]indole Derivatives. A. M. M. E. Omar, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 856.

33. Alkylation of 9-Alkyladenine 1-Oxides: An Alternate Synthesis of 1-Alkoxy-9-alkyladenine Salts. T. Fujii, C. C. Wu, T. Itaya, S. Yamada, *Chem. & Ind.*, **1966**, 1598.
34. Isolation of an Intermediate in the Rearrangement of 1-Ethoxy-9-ethylpurine. T. Fujii, T. Itaya, C. C. Wu, S. Yamada, *Chem. & Ind.*, **1966**, 1967.
35. The Nuclear Reduction of 3-Substituted Pyridines with Sodium Borohydride. S. Yamada, Y. Kikugawa, *Chem. & Ind.*, **1966**, 2169.
36. Oxygen to Nitrogen Alkyl Migration in the Cross Alkylation of 1-Alkoxyadenines: 1-Alkoxy-9-alkyladenine Salts as Possible Alkylating Reagents. T. Fujii, T. Itaya, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 1452.
37. Chemistry of Sodium Borohydride and Diborane. I. Some New-type of Amine Boranes. S. Yamada, S. Ikegami, *Chem. Pharm. Bull.*, **1966**, *14*, 1382.
38. Chemistry of Sodium Borohydride and Diborane. II. Reduction of Schiff Bases with Diborane in Tetrahydrofuran. S. Ikegami, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 1389.
39. Preparation and Nuclear Magnetic Resonance Spectra of Alkoxyamines. T. Fujii, C. C. Wu, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 345.
40. 1-(3-Methyl-2-indolyl)pyridinium Bromide. Synthesis and Auto-oxidation of Its Catalytic Hydrogenation Product. T. Hino, M. Nakagawa, T. Wakatsuki, K. Ogawa, S. Yamada, *Tetrahedron*, **1967**, *23*, 1441.
41. Study on Indole Series. II. A General Synthesis of Cycloalkan[b]indolones. K. Ishizumi, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 863.
42. Study on Indole Series. III. Steric Inhibition of Resonance in Cycloalkan[b]indolones. T. Shioiri, K. Ishizumi, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 1010.
43. Reduction of Cyano- or Nitropyridine at Position 2 or 4 with Sodium Borohydride. S. Yamada, Y. Kikugawa, *Chem. & Ind.*, **1967**, 1325.
44. Chemistry of Amino Acids. IV. Decarboxylation of 1,2,3,4-Tetrahydroisoquinoline-3-carboxylic Acid and Its Derivatives. S. Tachibana, H. Matsuo, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 414.
45. Study on Indole Series. IV. The Synthesis of the Vobasine Skeleton. T. Shioiri, S. Yamada, *Tetrahedron*, **1968**, *24*, 4159.
46. Study on Indole Series. V. The Mass Spectra of Some Vobasine-Type Compounds. T. Shioiri, T. Nakashima, S. Yamada, *Tetrahedron*, **1968**, *24*, 4177.
47. Chemistry of Sodium Borohydride and Diborane. V. Reduction of Nitrobenzenes with Sodium Borohydride in Pyridine. G. Otani, Y. Kikugawa, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 1840.
48. Chemistry of Amino Acids. VII. The Synthesis and Spectral Studies of Some 2-Piperidones Bearing β -Keto Ester Groups. T. Shioiri, T. Takusagawa, S. Yamada, *Chem. Pharm. Bull.*, **1969**, *17*, 467.
49. Chemistry of Sodium Borohydride and Diborane. VI. The Reaction of Amides with Sodium Borohydride. Y. Kikugawa, S. Ikegami, S. Yamada, *Chem. Pharm. Bull.*, **1969**, *17*, 98.
50. The Reduction of Substituted Ureas with Sodium Borohydride in Pyridine. Y. Kikugawa, S. Yamada, *Tetrahedron Lett.*, **1969**, 699.
51. The Reaction of Cyanopyridines with Sodium Borohydride in Aprotic Solvents. S. Yamada, M. Kuramoto, Y. Kikugawa, *Tetrahedron Lett.*, **1969**, 3101.
52. Reductive Decyanization of α -Amino Nitriles with NaBH₄. A New Synthetic Approach to Isoquinoline- And Indole-Alkaloids. S. Yamada, H. Akimoto, *Tetrahedron Lett.*, **1969**, 3105.
53. A Simple and Novel Peptide Bond Formation by Copper(II) Complex. S. Yamada, S. Terashima, M. Wagatsuma, *Tetrahedron Lett.*, **1970**, 1501.
54. Novel Olefin Formation in the Thermal Rearrangement of Isocyanide to Cyanide. S. Yamada, M. Shibasaki, S. Terashima, *J. Chem. Soc., Chem. Commun.*, **1971**, 1008.

55. A Simple and Convenient Method for the Preparation of α -Substituted- α -diazoesters. M. Takamura, T. Mizoguchi, K. Koga, S. Yamada, *Tetrahedron Lett.*, **1971**, 4495.
56. Chemistry of Sodium Borohydride and Diborane. VIII. Immediate Formation from Nitriles with Sodium Borohydride. H. Watanabe, Y. Kikugawa, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 465.
57. Chemistry of Sodium Borohydride and Diborane. IX. The Reduction of 3-Substituted Pyridines and Quinolines, and 4-Substituted Isoquinolines with Sodium Borohydride. Y. Kikugawa, M. Kuramoto, I. Saito, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 1914.
58. Chemistry of Sodium Borohydride and Diborane. X. The Reduction of 2- or 4-Substituted Pyridines and Quinolines, and 1, or 3-Substituted Isoquinolines with Sodium Borohydride. Y. Kikugawa, M. Kuramoto, I. Saito, S. Yamada, *Chem. Pharm. Bull.*, **1973**, *21*, 1927.
59. Stereoselective Syntheses of *trans*- and *cis*-Cinnamic Acid Esters from the Phenylalanine Derivatives. N. Takamura, T. Mizoguchi, S. Yamada, *Tetrahedron Lett.*, **1973**, 4267.
60. Chemistry of Sodium Borohydride and Diborane. XI. The Reaction of Isoquinoline Reissert Compounds with Sodium Borohydride. I. Saito, Y. Kikugawa, S. Yamada, *Chem. Pharm. Bull.*, **1974**, *22*, 740.
61. A New Synthesis of Thiol Esters. S. Yamada, Y. Yokoyama, T. Shioiri, *J. Org. Chem.*, **1974**, *39*, 3302.
62. Stereochemical Studies. XXXVI. Stereoselective Syntheses of *trans*- and *cis*-Cinnamic Acid Esters from the Phenylalanine Derivatives. N. Takamura, T. Mizoguchi, S. Yamada, *Chem. Pharm. Bull.*, **1975**, *23*, 299.
63. Amino Acids and Peptides. XIV. A Simple and Convenient Method for the Preparation of α -Substituted α -Diazo Esters. N. Takamura, K. Mizoguchi, K. Koga, S. Yamada, *Tetrahedron*, **1975**, *31*, 227.
64. Amino Acids and Peptides. XX. Reduction of α -Substituted α -Diazo Esters. Convenient Synthesis of α -Hydrazinocarboxylic Acids and Their Derivatives from Amino Acids. N. Takamura, S. Yamada, *Chem. Pharm. Bull.*, **1976**, *24*, 800.
65. Synthetic Simulation of Nonribosomal Peptide Biosynthesis. A Dual Role of Alkylthiol Esters in Peptide Synthesis. S. Yamada, Y. Yokoyama, T. Shioiri, *Experientia*, **1976**, *32*, 967.
66. Reduction of Heterocycles with Pyridine: Borane in Acetic Acid. Y. Kikugawa, K. Saito, S. Yamada, *Synthesis*, **1978**, 447.
67. Synthesis of Formamidines from Carbodiimides with Sodium Borohydride in Isopropanol. K. Kaji, H. Matsubara, H. Nagashima, Y. Kikugawa, S. Yamada, *Chem. Pharm. Bull.*, **1978**, *26*, 2246.
68. Pyrimidine Derivatives. II. New Synthesis and Reactions of 4-Amino-2-methylthiopyrimidine Derivatives. T. Sekiya, H. Hiranura, M. Uchide, S. Hata, S. Yamada, *Chem. Pharm. Bull.*, **1981**, *29*, 948.
69. Antiallergic Agents. I. Pyranoquinoline Derivatives. Y. Morinaka, K. Takahashi, S. Hata, S. Yamada, *Eur. J. Med. Chem.*, **1981**, *16*, 251.
70. Pyrimidine Derivatives. III. (1). Synthesis of Hypoglycemic 4-Alkoxy-2-piperazino-5,6-polymethylene-pyrimidines. T. Sekiya, H. Hiranuma, T. Kanayama, S. Hata, S. Yamada, *Eur. J. Med. Chem.*, **1982**, *17*, 75.
71. Pyrimidine Derivatives. IV. Synthesis and Antihypertensive Activity of 4-Amino-2-(4-cinnamoylpiperazino)-6,7-dimethoxyquinazoline Derivatives. T. Sekiya, H. Hiranuma, S. Hata, S. Mizogami, M. Hanazuka, S. Yamada, *J. Med. Chem.*, **1983**, *26*, 411.
72. Pyrimidine Derivatives. V. Structure-Activity Studies of Antihypertensive Quinazoline Derivatives Using the Adaptive Least-squares Method. Y. Sekiya, S. Imada, M. Uchida, S. Hata, S. Yamada, *Chem. Pharm. Bull.*, **1983**, *31*, 2779.
73. Pyrimidine Derivatives. VI. Synthesis of 2-(1-Piperazinyl)-5,6-polymethylenepyrimidine Derivatives and Determination of Their Hypoglycemic Activity. T. Sekiya, H. Hiranuma, T. Kanayama, S. Hata, S. Yamada, *Chem. Pharm. Bull.*, **1983**, *31*, 2254.

74. Pyrimidine Derivatives. VII. Structure-Activity Relationship of Hypoglycemic 4-Amino-2-(1-piperazinyl)-pyrimidines Investigated by the Adaptive Least-squares Method. T. Sekiya, S. Hata, S. Yamada, *Chem. Pharm. Bull.*, **1983**, *31*, 2423.
75. Diphenyl Phosphorazidate (Phosphorazidic Acid, Diphenyl Ester). T. Shioiri, S. Yamada, *Org. Synth.*, **1984**, *62*, 187.
76. A Convenient Synthesis of β -Alkynylpropionic Acids from β -Propiolactones. Synthesis of 4,4,5,5-Tetrahydro-9(0)-methano- $\Delta^{6(9\alpha)}$ -PGI1. M. Shinoda, K. Iseki, T. Oguri, Y. Hayashi, S. Yamada, M. Shibasaki, *Tetrahedron Lett.*, **1986**, *27*, 87.

5) Review Articles, etc.

1. Synthesis of DL-Tryptophan. J. Hata, S. Yamada, I. Chibata, *Yakugaku Kenkyu*, **1951**, *23*, 356.
2. Organic Reactions Catalyzed by Ion Exchange Resin. S. Yamada, *Kagaku Kogyo*, **1954**, *7*, 402.
3. Organic Reactions of Ion Exchange Resin. S. Yamada, I. Chibata, T. Tsurui, *Yakugaku Kenkyu*, **1954**, *26*, 381.
4. L-Lysin. S. Yamada, *Kagaku*, **1958**, *13*, 846.
5. Synthesis of L-Lysin. S. Yamada, *Chemical Engineering*, **1958**, No. 9, 1.
6. Amino Acid Preparations. S. Yamada, *Yakkoku*, **1959**, *10*, 161.
7. Asymmetric Synthesis by Hydroboration and Assumption of Absolute Configuration. S. Yamada, S. Ikegami, *Kagaku*, **1964**, *19*, 925.
8. Synthesis of Optically Active 2-Methyl-1-alkanol. S. Yamada, S. Ikegami, *Kagaku*, **1964**, *19*, 1051.
9. H-D Exchange Reactions by Base Catalysis of 2-Phenylbutyronitrile and 9-Methylfluorene Derivatives. S. Yamada, K. Koga, *Kagaku*, **1965**, *20*, 436.
10. Neber Rearrangement. S. Yamada, S. Terashima, *Kagaku*, **1965**, *20*, 735.
11. Chemistry of 2-Acyliindole Alkaloids. S. Yamada, T. Shioiri, *Kagaku*, **1965**, *20*, 1045.
12. Sodium Borohydride Reduction. S. Yamada, S. Ikegami, *Kagaku*, **1966**, *21*, 114.
13. Reaction of Alkoxy carbonyl Nitrene. I. S. Yamada, S. Terashima, *Kagaku*, **1966**, *21*, 219.
14. Reaction of Alkoxy carbonyl Nitrene. II. S. Yamada, S. Terashima, *Kagaku*, **1966**, *21*, 325.
15. N-Alkylation of Adenine Derivatives. S. Yamada, T. Fujii, *Kagaku*, **1966**, *21*, 442.
16. α -Alkyl- α -amino Acids. S. Yamada, K. Achiwa, *Kagaku*, **1966**, *21*, 474.
17. C-H Insertion by Cationic Nitrogen. S. Yamada, S. Terashima, *Kagaku*, **1966**, *21*, 1282.
18. Ion-Exchange Resin Catalysts. S. Yamada, in *Catalyst Data. Classification by Elements* (Catalyst Technology Series 10), Chijin Shokan, 1967, p. 727.
19. *Pharmaceutical Synthetic Organic Chemistry*. T. Taguchi, S. Yamada, S. Ohki, Nanzando, 1967.
20. Stereochemistry of Enamine. S. Yamada, K. Hiroi, *Kagaku*, **1967**, *22*, 201.
21. Synthesis of 4-Aminosugar. S. Yamada, H. Seki, *Kagaku*, **1967**, *22*, 687.
22. Synthesis of 3,6-Diaminohexose. S. Yamada, H. Seki, *Kagaku*, **1967**, *22*, 979.
23. Stereochemistry of 1,2-Asymmetric Induction. S. Yamada, K. Koga, *Kagaku*, **1968**, *23*, 24.
24. Aminoketone Rearrangement. S. Yamada, H. Mizuno, *Kagaku*, **1968**, *23*, 270.
25. Absolute Configuration of Optically Active Sulfides. S. Yamada, Y. Murakami, *Kagaku*, **1968**, *23*, 565.
26. Singlet and Triplet Alkoxy carbonyl Nitrene. S. Yamada, S. Terashima, *Kagaku*, **1968**, *23*, 1063.
27. Determination of Absolute Configuration of Dissymmetric Molecule. S. Yamada, H. Akimoto, *Kagaku*, **1969**, *24*, 283.

28. Chemistry of 1-Azirine. Synthesis and Reaction. S. Yamada, S. Terashima, *Kagaku*, **1969**, 24, 570.
29. Reduction of Heterocyclic Compounds. S. Yamada, Y. Kikugawa, *Kagaku*, **1969**, 24, 860.
30. Determination of Absolute Configuration of Dissymmetric Molecule (II). S. Yamada, H. Akimoto, *Kagaku*, **1969**, 24, 1065.
31. Asymmetric Induction through Hydride Reduction. S. Yamada, K. Koga, in *Selective Organic Transformations*, Vol. 1, ed. by B.S. Thyagarajan, Wiley-Interscience, New York, 1970, p. 1.
32. Phenonium Ion. S. Yamada, K. Koga, *Kagaku*, **1970**, 25, 184.
33. Recent Studies of Steroid Synthesis. S. Yamada, K. Hiroi, *Kagaku*, **1970**, 25, 579.
34. Recent Progress of Prostaglandin Synthesis. K. Achiwa, S. Yamada, *Kagaku*, **1970**, 25, 1033.
35. Recent Progress in Reduction with Sodium Borohydride. S. Yamada, *J. Synth. Org. Chem., Jpn.*, **1970**, 28, 1083.
36. Total Synthesis of Sugars from Compounds Other than Sugars. I. S. Yamada, S. Taniguchi, *Kagaku*, **1971**, 26, 217.
37. Total Synthesis of Sugars from Compounds Other than Sugars. II. S. Yamada, S. Taniguchi, *Kagaku*, **1971**, 26, 313.
38. From Topics of Peptide Synthesis. S. Yamada, Y. Takeuchi, *Kagaku*, **1972**, 27, 107.
39. Organic Chemical Studies on α -Amino Acids. On Deamination of α -Amino Acids by Nitrou Acid. S. Yamada, K. Achiwa, T. Shioiri, *Commemorative Issue on the Occasion of 75th Birthday of Professor Shigeiko Sugawara*, **1972**, p. 344.
40. Synthesis of Steroids and Terpenes using Biogenetic-type Olefinic Cyclization. S. Yamada, M. Shibasaki, *Kagaku*, **1973**, 28, 737.
41. Asymmetric Syntheses from α -Amino Acids. S. Yamada, *Kagaku To Seibutsu*, **1973**, 11, 70.
42. Diphenylphosphoryl azide. T. Shiori, S. Yamada, *J. Synth. Org. Chem., Jpn.*, **1973**, 31, 70.
43. Researches and History of Laboratory of Synthetic Pharmaceutical Chemistry. S. Yamada, *Yakuyuu*, **1974**, No. 7, p. 70.
44. Organic Synthesis with Optically Active Compounds. Synthesis of Biologically Active Natural Products from Optically Active Amino Acids. S. Yamada, K. Koga, *J. Synth. Org. Chem., Jpn.*, **1975**, 33, 535.
45. New Phosphorus Reagents and Their Application on Organic Synthesis. S. Yamada, *Kagaku Kogyo*, **1975**, 26, 153.
46. Chemical Synthesis of Prostaglandins. S. Terashima, S. Yamada, *Taisha*, **1975**, 12, 1489.
47. Optically Active Compounds. Organic Chemistry and Life. S. Yamada, *J. Synth. Org. Chem., Jpn.*, **1977**, 35, 147.
48. Synthesis of Natural Optically Active Compounds Using Optically Active Amino Acids. S. Yamada, *Kagaku Sosetsu*, **1978**, 19, 163.
49. Spirit of Optically Active Compounds. 'Vital World' and 'Nonvital World' [No. 1]. S. Yamada, *Pure Chemicals "Daiichi"*, **1981**, 12, 1.
50. Spirit of Optically Active Compounds. 'Vital World' and 'Nonvital World' [No. 2]. S. Yamada, *Pure Chemicals "Daiichi"*, **1981**, 12, 30.
51. *Synthetic Organic Chemistry for Pharmaceutical Science Majors*. S. Yamada (ed.), Hirokawa, 1978.