

PUBLICATION LIST

Professor Teruaki MUKAIYAMA

1952

- 1 On the Thermal Dissociation of Organic Compounds. I. The Urea Linkage (Diphenylurea in Fatty Acids). *J. Am. Chem. Soc.*, **74**, 3097 (1952), by T. Hoshino, T. Mukaiyama, and H. Hoshino.
- 2 On the Thermal Dissociation of Organic Compounds. II. The Dissociation of the Urea Linkage in Sym-dimethylurea, Asym-dimethylurea and Asym-phenylethylurea in Butyric Acid. *Bull. Chem. Soc. Jpn.*, **25**, 392 (1952), by T. Hoshino, T. Mukaiyama, and H. Hoshino.
- 3 On the Thermal Dissociation of Organic Compounds. III. The Dissociation of Ester Linkage in Phenylcarbaminoic Acid Phenyl Ester in Butyric Acid. *Bull. Chem. Soc. Jpn.*, **25**, 396 (1952), by T. Hoshino, T. Mukaiyama, and H. Hoshino.

1953

- 4 On the Thermal Dissociation of Organic Compounds. V. The Effect of the Solvent (Fatty Acids) on the Thermal Dissociation of Urea. *J. Am. Chem. Soc.*, **75**, 6209 (1953), by T. Mukaiyama and T. Matsunaga.
- 5 The Effect of the Substituents (Alkyl-groups) on the Thermal Dissociation of Carbaminoic Acid Esters. *Bull. Chem. Soc. Jpn.*, **26**, 49 (1953), by T. Mukaiyama, S. Motoki, and Y. Hamada.

1954

- 6 The Effects of Substituents on the Hydrolysis of Substituted Cyanamides in Sulfuric Acid Solution. *Bull. Chem. Soc. Jpn.*, **27**, 416 (1954), by T. Mukaiyama, S. Ohishi, and H. Takamura.
- 7 On the Thermal Dissociation of Organic Compounds. VI. The Effect of the Substituent and That of the Solvent on the Thermal Dissociation of Ureas. *Bull. Chem. Soc. Jpn.*, **27**, 578 (1954), by T. Mukaiyama, S. Ozaki, and T. Hoshino.

1955

- 8 On the Thermal Dissociation of Organic Compounds. VII. The Urea Linkage (1,3-Dibenzylurea and 1-Isopropyl-3,3-diethyl-urea in Alcohols). *Bull. Chem. Soc. Jpn.*, **28**, 253 (1955), by T. Mukaiyama.
- 9 On the Thermal Dissociation of Organic Compounds. X. The Effects of the Solvents (Amines and Fatty Acids) on the Thermal Dissociation of Urethans. *J. Am. Chem. Soc.*, **78**, 1946 (1956), by T. Mukaiyama and Y. Hoshino.
- 10 On the Thermal Dissociation of Organic Compounds. VIII. The Effects of the Substituents on the Thermal Dissociation of Tri-substituted Ureas. *Bull. Chem. Soc. Jpn.*, **29**, 51 (1956), by T. Mukaiyama, S. Ozaki, and Y. Kobayashi.

11 On the Thermal Dissociation of Organic Compounds. IX. The Urea Linkage (1,3-Di-substituted Ureas in Alcohols). *Bull. Chem. Soc. Jpn.*, **29**, 54 (1956), by T. Mukaiyama and Y. Fujita.

12 A Kinetic Study of the Reaction of Substituted Benzyl Chlorides with Tertiary Amines. *Bull. Chem. Soc. Jpn.*, **29**, 908 (1956), by T. Mukaiyama and H. Tanaka.

1957

13 On the Thermal Dissociation of Organic Compounds. XI. The Effects of the Substituents on the Thermal Dissociation of Urethans in Amine Solvent. *J. Am. Chem. Soc.*, **79**, 73 (1957), by T. Mukaiyama and M. Iwanami.

14 On the Thermal Dissociation of Organic Compounds. XIII. The Effect of Ring Size on the Rate of the Thermal Dissociation of Cyclopolymethyleneureas. *J. Am. Chem. Soc.*, **79**, 4358 (1957), by S. Ozaki, T. Mukaiyama, and K. Uno.

1960

15 The Reactions of Primary Nitroparaffins with Isocyanates. *J. Am. Chem. Soc.*, **82**, 5339 (1960), by T. Mukaiyama and T. Hoshino.

16 On the Thermal Dissociation of Organic Compounds. XIV. The Effects of the Solvents and of the Substituents on the Thermal Dissociation of Urethans in Amines, *Bull. Chem. Soc. Jpn.*, **33**, 1137 (1960), by T. Mukaiyama, T. Akiba, and T. Asahi.

17 The Dehydration Reactions of Nitroparaffins and Aldoximes. *Bull. Chem. Soc. Jpn.*, **33**, 1382 (1960), by T. Mukaiyama and T. Hata.

18 On the Thermal Dissociation of Organic Compounds. XV. Thermal Dissociation of Urethans in the Presence of Aromatic Amines. *Bull. Chem. Soc. Jpn.*, **33**, 1707 (1960), by T. Mukaiyama and T. Akiba.

19 The Dehydration Reactions of Aldoximes. *Bull. Chem. Soc. Jpn.*, **33**, 1712 (1960), by T. Mukaiyama and T. Hata.

20 A Kinetic Study of Addition Reaction of Vinyl Ether with Carboxylic Acids. *Bull. Chem. Soc. Jpn.*, **33**, 1716 (1960), by T. Mukaiyama and H. Nohira.

1961

21 Dehydration Reactions of Hydroxamic Acids. A New Method for the Preparation of Isocyanates, *J. Org. Chem.*, **26**, 782 (1961), by T. Mukaiyama and H. Nohira.

22 Studies on the Beckmann Rearrangement. I. Dehydrations of Aldoximes with Methylketene Diethylacetal. *J. Org. Chem.*, **26**, 2202 (1961), by T. Mukaiyama, K. Tonooka, and K. Inoue.

23 Novel Method for the Preparation of Organic Isocyanates. *J. Org. Chem.*, **26**, 4381 (1961), by T. Mukaiyama, M. Tokizawa, H. Nohira, and H. Takei.

24 The Dehydration Reactions by Means of Esters of Phosphoric Acid. *Bull. Chem. Soc. Jpn.*, **34**, 99 (1961), by T. Mukaiyama and T. Hata.

- 25 The Preapration of Diethyl Phosphate. *Bull. Chem. Soc. Jpn.*, **34**, 812 (1961), by T. Mukaiyama and T. Fujisawa.

1962

- 26 Dehydration Reaction of Hydroxamic Acids with Unsaturated Ethers. *Bull. Chem. Soc. Jpn.*, **35**, 71 (1962), by T. Mukaiyama, H. Nohira, and S. Asano.
- 27 Reactions of Iminocarbonates with Acids. *Bull. Chem. Soc. Jpn.*, **35**, 687 (1962), by T. Mukaiyama, T. Fujisawa, and T. Hyugaji.
- 28 Dehydration Reactions of Benzaldoxime by Means of Compounds Having a Nitrogen-Carbon Double Bond. *Bull. Chem. Soc. Jpn.*, **35**, 1104 (1962), by T. Mukaiyama, T. Fujiwasa, and O. Mitsunobu.
- 29 A Selective Phosphorylation by Means of α -Bromocyanoacetamides and Trialkyl Phosphites. *Bull. Chem. Soc. Jpn.*, **35**, 1106 (1962), by T. Hata and T. Mukaiyama.
- 30 Pyrolysis of Acid Amides. II. Pyrolysis of 2-Haloacetamides. *J. Org. Chem.*, **27**, 803 (1962), by T. Mukaiyama, M. Tokizawa, and H. Takei.
- 31 Methods of Phosphorylation by Means of Organic Dehydrating Reagents. *J. Org. Chem.*, **27**, 1815 (1962), by T. Mukaiyama, T. Hata, and O. Mitsunobu.
- 32 Reactions of Diethyl Phosphorochloridite with Alkali Salts of Nitroparaffins. *J. Org. Chem.*, **27**, 2201 (1962), by T. Mukaiyama and H. Nambu.
- 33 A New Type of Ring-Opening Polymerization. *J. Org. Chem.*, **27**, 3337 (1962), by T. Mukaiyama, T. Fujisawa, H. Nohira, and T. Hyugaji.
- 34 Deoxygenations of Isocyanates and Diphenylketene by Tertiary Phosphites. *J. Org. Chem.*, **27**, 3651 (1962), by T. Mukaiyama, H. Nambu, and M. Okamoto.

1963

- 35 A Selective Phosphorylation by Means of Dibromomalonamide and Trialkyl Phosphites. *J. Org. Chem.*, **28**, 481 (1963), by T. Mukaiyama, T. Hata, and K. Tasaka.
- 36 Reactions of Mercuric Carboxylates with Trivalent Phosphorus Compounds. *J. Org. Chem.*, **28**, 917 (1963), by T. Mukaiyama, H. Nambu, and I. Kuwajima.
- 37 Novel Method for the Preparation of Acid Anhydrides by Means of Diphenylmercury and Tertiary Phosphine. *J. Org. Chem.*, **28**, 2024 (1963), by T. Mukaiyama, I. Kuwajima, and Z. Suzuki.
- 38 Pyrolysis of Acid Amides. III. Pyrolysis of Cyanoacetamides and 2-Phenylacetamides. *Bull. Chem. Soc. Jpn.*, **36**, 95 (1963), by T. Mukaiyama, H. Takei, and Y. Koma.
- 39 The Synthesis and Ring-Opening Polymerization of N-Substituted 2-Iminotetrahydrofurans. *Bull. Chem. Soc. Jpn.*, **36**, 99 (1963), by T. Mukaiyama and K. Sato.

- 40 The Reactions of Nitrosobenzene and Some Methylene Compounds. *Bull. Chem. Soc. Jpn.*, **36**, 870 (1963), by H. Nohira, K. Sato, and T. Mukaiyama.

1964

- 41 A Novel Method for the Preparation of Acid Anhydrides by Means of Trans-Dibenzoyl ethylene and Tertiary Phosphines. *J. Org. Chem.*, **29**, 1385 (1964), by I. Kuwajima and T. Mukaiyama.
- 42 A New Synthesis of Diaryl- and Alkylaryl-Substituted Acetylenes from α -Diketones and Triethyl Phosphite. *J. Org. Chem.*, **29**, 2243 (1964), by T. Mukaiyama, H. Nambu, and T. Kumamoto.
- 43 1,3-Addition-Type Ring-Opening Polymerization of Cyclic Phosphonites. *J. Org. Chem.*, **29**, 2572 (1964), by T. Mukaiyama, T. Fujisawa, Y. Tamura, and Y. Yokota.
- 44 Phosphorylation via Oxidation of Phosphites. I. Preparation of Dialkyl Phosphites by the Reaction of Alcohols with Ethyl N-Phenylimino Phosphite and Benzaldehyde. *J. Org. Chem.*, **29**, 3005 (1964), by O. Mitsunobu and T. Mukaiyama.
- 45 Synthesis of Testosterone Dimethyl Phosphate, Bornyl Phosphate and Adenosine 5'-Phosphate. *Bull. Chem. Soc. Jpn.*, **37**, 103 (1964), by T. Hata and T. Mukaiyama.
- 46 The Ring-Opening Addition Reactions of Exo-imino Cyclic Compounds with Carboxylic Acids. *Bull. Chem. Soc. Jpn.*, **37**, 628 (1964), by T. Mukaiyama, Y. Tamura, and T. Fujisawa.
- 47 The Synthesis of 1,4-Addition Type Ring-Opening Polymerization of N-Substituted Cyclic Iminocarbonates. *Bull. Chem. Soc. Jpn.*, **37**, 793 (1964), by T. Fujisawa, Y. Tamura, and T. Mukaiyama.
- 48 The Preparation of Poly(ethylene N,N'-Disubstituted Ureas) by the 1,4-Addition Type Ring-Opening Polymerization of 2-Imino-1,3-oxazolidines. *Bull. Chem. Soc. Jpn.*, **37**, 797 (1964), by H. Nohira, Y. Nishikawa, and T. Mukaiyama.

1965

- 49 Oxidation of Phosphites and Phosphines via Quaternary Phosphonium Salts. *J. Org. Chem.*, **30**, 101 (1965), by T. Mukaiyama, O. Mitsunobu, and T. Obata.
- 50 Preparation of Esters of Phosphoric Acid via Quaternary Phosphonium Salts. *J. Org. Chem.*, **30**, 1071 (1965), by O. Mitsunobu, T. Obata, and T. Mukaiyama.
- 51 The Deoxygenation of Isocyanates by 2-Phenyl-3-methyl-1,3,2-oxazaphospholidine. A Convenient Method for the Preparation of Isonitriles. *Bull. Chem. Soc. Jpn.*, **38**, 858 (1965), by T. Mukaiyama and Y. Yokota.
- 52 The Synthesis and the Reactions of 2,4,6-Tri-(ω -hydroxyalkyl)-1,3,5-triazines. *Bull. Chem. Soc. Jpn.*, **38**, 897 (1965), by H. Nohira, Y. Nishikawa, Y. Furuya, and T. Mukaiyama.
- 53 Phosphorylation of Alcohols by the Use of Benzyl diethyl phosphite and Monobromocycloacetamide or N-Bromosuccinimide. *Bull. Chem. Soc. Jpn.*, **38**, 1088 (1965), by T. Mukaiyama, T. Obata, and O. Mitsunobu.

- 54 Phosphorylation by the Ues of Diethyl-phosphorosuccinimide. *Bull. Chem. Soc. Jpn.*, **38**, 1091 (1965), by T. Mukaiyama, T. Obata, and O. Mitsunobu.
- 55 The Reactions of Benzoyl Cyanide with Trivalent Phosphorous Compounds. *Bull. Chem. Soc. Jpn.*, **38**, 1954 (1965), by T. Mukaiyama, I. Kuwajima, and K. Ohno.
- 56 The Preparation of Iminosulfonic Acid Derivatives by Means of Sulfinamides and N-Bromosuccinimide. *Bull. Chem. Soc. Jpn.*, **38**, 1989 (1965), by H. Takei, I. Watanabe, and T. Mukaiyama.
- 57 Phosphorylation by Means of Ethyl Phosphorodimorpholidite and α -Bromoamides. *Bull. Chem. Soc. Jpn.*, **38**, 2100 (1965), by O. Mitsunobu, T. Obata, Y. Sugaya, and T. Mukaiyama.
- 58 Reactions of the Iodomethylate of N,N-Dimethylthiobenzamide with Nucleophilic Reagents. *Bull. Chem. Soc. Jpn.*, **38**, 2107 (1965), by T. Mukaiyama, T. Yamaguchi, and H. Nohira.

1966

- 59 1,4-Addition-Type Ring-Opening Polymerization of 1,3-Oxazolidine-2-thiones. *J. Org. Chem.*, **31**, 32 (1966), by T. Mukaiyama, I. Kuwajima, and K. Mizui.
- 60 New Syntheses of Phosphorylaminoethanols. *J. Org. Chem.*, **31**, 2903 (1966), by Y. Kodaira and T. Mukaiyama.
- 61 The Reactions of N-Phenyl Ethanolamine with Imido Phosphites, Amido Phosphites and Amino Phosphines. *Bull. Chem. Soc. Jpn.*, **39**, 214 (1966), by O. Mitsunobu, T. Ohashi, M. Kikuchi, and T. Mukaiyama.
- 62 Phosphorylation via the Oxidation of Phosphite. II. The Preparation of the Diesters of Phosphorous Acid by the Reaction of Alcohols with Ethyl N-Phenylimino Phosphite and Acid. *Bull. Chem. Soc. Jpn.*, **39**, 566 (1966), by T. Mukaiyama and K. Osaka.
- 63 The Reactions of Amido Phosphites. A New Synthesis of Oxazolidine, Imidazolidone and Thiazolidine Derivatives. *Bull. Chem. Soc. Jpn.*, **39**, 708 (1966), by O. Mitsunobu, T. Ohashi, and T. Mukaiyama.
- 64 The Reactions of the Benzil-Triethyl Phosphite Adduct. *Bull. Chem. Soc. Jpn.*, **39**, 879 (1966), by T. Mukaiyama and T. Kumamoto.
- 65 The Phosphorylation of Alcohols by the Reaction of Mono-bromocyanoacetamide with Monobenzyl Phosphite or Inorganic Phosphorous Acid. *Bull. Chem. Soc. Jpn.*, **39**, 1040 (1966), by T. Obata, M. Ueki, and T. Mukaiyama.
- 66 The Preparation of 2-Alkoxy-1,3,2-oxazaphospholidines and Some Reactions. *Bull. Chem. Soc. Jpn.*, **39**, 1297 (1966), by T. Mukaiyama and Y. Kodaira.
- 67 The Reaction of 2-Cyclohexylimino-3-cyclohexyl-4,5-diphenyl-4-oxazoline. *Bull. Chem. Soc. Jpn.*, **39**, 1765 (1966), by T. Kumamoto, T. Nagaoka, and T. Mukaiyama.
- 68 The Reactions of N,N-Dimethylbenzamide Diethylmercaptole. *Bull. Chem. Soc. Jpn.*, **39**, 2005 (1966), by T. Mukaiyama and T. Yamaguchi.

- 69 A New Method for the Phosphorylation of Alcohols by Means of Bromine and Dibenzylhydrogen Phosphite. *Bull. Chem. Soc. Jpn.*, **39**, 2721 (1966), by T. Mukaiyama, H. Kouda, and K. Kodera.
- 70 The New Method for the Preparation of Enol Phosphates. The Reaction of α -Hydroxy Ketones with Triethyl Phosphite. *Tetrahedron Lett.*, **1966**, 5563, by T. Mukaiyama, T. Kumamoto, and T. Nagaoka.
- 71 Reactions of Phenyl Isocyanate with Vinyl Ethers. *Tetrahedron Lett.*, **1966**, 6247, by T. Mukaiyama, R. Yoda, and I. Kuwajima.
- 1967
- 72 A New Synthesis of Monoalkyl Phosphates. *J. Org. Chem.*, **32**, 1063 (1967), by T. Obata and T. Mukaiyama.
- 73 The Reactions of N,N,N',N'-Tetraalkylsulfurous Diamide-Phenyl Isocyanate Adducts. *J. Org. Chem.*, **32**, 3475 (1967), by T. Mukaiyama, H. Shimizu, and H. Takei.
- 74 The Ring-Opening Polymerization of Cyclic Amino-phosphinites. *Bull. Chem. Soc. Jpn.*, **40**, 147 (1967), by T. Fujisawa, Y. Yokota, and T. Mukaiyama.
- 75 The Preparation of Poly(Ethylene Carbamate). *Bull. Chem. Soc. Jpn.*, **40**, 190 (1967), by T. Fujisawa, H. Koda, and T. Mukaiyama.
- 76 Nucleophilic Reactions of Diethyl N-Phenyliminocarbonate. *Bull. Chem. Soc. Jpn.*, **40**, 337 (1967), by T. Fujisawa and T. Mukaiyama.
- 77 Preparation of Esters of Phosphoric Acid by the Reaction of Trivalent Phosphorus Compounds with Diethyl Azodicarboxylate in the Presence of Alcohols. *Bull. Chem. Soc. Jpn.*, **40**, 935 (1967), by O. Mitsunobu, M. Yamada, and T. Mukaiyama.
- 78 The Reaction of N,N-Sulfinyl-bisdialkylamines. *Bull. Chem. Soc. Jpn.*, **40**, 939 (1967), by T. Mukaiyama, H. Takei, and H. Shimizu.
- 79 Amide Mercaptole. II. The Reactions of N,N-Dimethyl-benzamide Diethylmercaptole with Some Heavy Metal Compounds. *Bull. Chem. Soc. Jpn.*, **40**, 1952 (1967), by T. Yamaguchi and T. Mukaiyama.
- 80 The Oxidations of Thiols and Their Lead Salts. *Bull. Chem. Soc. Jpn.*, **40**, 2388 (1967), by T. Mukaiyama and T. Endo.
- 81 The Preparation of 1-Dimethylamino-1-ethylthioethylene(Ketene-N,S-acetal) and Its Reactions with Some Electrophilic Reagents. *Bull. Chem. Soc. Jpn.*, **40**, 2641 (1967), by T. Mukaiyama, S. Aizawa, and T. Yamaguchi.
- 82 Preparation of N,N'-Disubstituted Piperazines from Bis(2-anilinoethyl) Phenylphosphonites. *Bull. Chem. Soc. Jpn.*, **40**, 2964 (1967), by O. Mitsunobu, T. Ohashi, M. Kikuchi, and T. Mukaiyama.
- 83 The Reactions of α -Ketosulfides with Triethyl Phosphite. *Tetrahedron Lett.*, **1967**, 2461, by T. Mukaiyama, T. Nagaoka, and S. Fukuyama.

- 84 The Reactions of Sulfur-Containing Phosphonium Salts. *Tetrahedron Lett.*, **1967**, 3429, by T. Mukaiyama and M. Ueki.
- 85 The Reactions of ω -(Phenylthio)acetophenone. *Tetrahedron Lett.*, **1967**, 3439, by T. Mukaiyama, T. Takashima, and S. Ono.
- 86 The Reaction of Allylmercuric Iodide with Acyl Halide. *Tetrahedron Lett.*, **1967**, 4281, by I. Kuwajima, K. Narasaka, and T. Mukaiyama.
- 1968
- 87 Oxidation of Phosphites by Means of p-Quinones and Benzyl Alcohol. *Bull. Chem. Soc. Jpn.*, **41**, 461 (1968), by O. Mitsunobu, K. Kodera, and T. Mukaiyama.
- 88 S-Alkylthioamidium Salt. II. The Reactions of S-Alkylthioamidium Iodides with Mercuric Compounds. *Bull. Chem. Soc. Jpn.*, **41**, 673 (1968), by T. Yamaguchi, K. Inomata, and T. Mukaiyama.
- 89 The Reactions of Isothioamides and Thioamidium Iodides. *Tetrahedron Lett.*, **1968**, 3569, by T. Mukaiyama and S. Ono.
- 90 New Methods for the Preparation of Thiovinyl Ethers and unsym-Ketones. *Tetrahedron Lett.*, **1968**, 3787, by T. Mukaiyama, S. Fukuyama, and T. Kumamoto.
- 91 Oxidation of Halomagnesium sec-Alkoxides to Ketones. *Bull. Chem. Soc. Jpn.*, **41**, 1491 (1968), by T. Mukaiyama, K. Takahashi, and I. Kuwajima.
- 92 Reactions of Mercuric Salts with Bis(diethylthiocarbamoyl) Disulfide and Benzenesulfonyl Chloride. *J. Org. Chem.*, **33**, 2242 (1968), by T. Mukaiyama, T. Endo, S. Ikenaga, and K. Osonoi.
- 93 A New Synthesis of 3-Hydroxyfurans. The Reaction of Sulfonium Ylides with Ketene Dimer. *Bull. Chem. Soc. Jpn.*, **41**, 1738 (1968), by H. Takei, M. Higo, K. Saito, and T. Mukaiyama.
- 94 The Formation and Reactions of α -Keto Sulfoxide. *Bull. Chem. Soc. Jpn.*, **41**, 2111 (1968), by T. Kumamoto and T. Mukaiyama.
- 95 A New Method for Peptide Synthesis by Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **90**, 4490 (1968), by T. Mukaiyama, M. Ueki, H. Maruyama, and R. Matsueda.
- 96 The Reactions of Esters of Amidosulfurous Acid. *Bull. Chem. Soc. Jpn.*, **41**, 1925 (1968), by H. Takei, H. Shimizu, M. Higo, and T. Mukaiyama.
- 97 A Convenient Method for the Preparation of Unsymmetrical Disulfides by the Use of Diethyl Azodicarboxylate. *Tetrahedron Lett.*, **1968**, 5907, by T. Mukaiyama and K. Takahashi.
- 98 Convenient Method for the Preparations of Carboxylic Thiolester and Acid Anhydride. *Bull. Chem. Soc. Jpn.*, **41**, 2703 (1968), by T. Mukaiyama and H. Katsuyama.

- 99 New Syntheses of Vinyl Sulfides and Unsaturated Nitriles via Quaternary Phosphonium Salts. *Bull. Chem. Soc. Jpn.*, **41**, 2742 (1968), by T. Kumamoto, K. Hosoi, and T. Mukaiyama.
- 100 A convenient Method for the Preparation of Acid Anhydrides from Metallic Carboxylates. *Bull. Chem. Soc. Jpn.*, **41**, 2746 (1968), by T. Hata, K. Tajima, and T. Mukaiyama.

1969

- 101 Reactions of (α, α -Disubstituted-Phenacyl) and (Carbethoxy-disubstituted-methyl) Triphenylphosphonium Halides with Grignard Reagents. *Tetrahedron Lett.*, **1969**, 23, by T. Mukaiyama, R. Yoda, and I. Kuwajima.
- 102 The Effects of Metal Components and Acids on Racemization in the Synthesis of Peptides by the Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **91**, 1554 (1969), by T. Mukaiyama, R. Matsueda, H. Maruyama, and M. Ueki.
- 103 The Reactions of Bivalent Sulfur Compounds-Copper(II) Complexes. *J. Am. Chem. Soc.*, **91**, 4315 (1969), by T. Mukaiyama, K. Narasaka, and H. Hokonoki.
- 104 A New Phosphorylating Reagent. I. The Preparation of Alkyl Dihydrogen Phosphates by Means of 2-Chloromethyl-4-nitrophenyl Phosphorodichloridate. *J. Am. Chem. Soc.*, **91**, 4532 (1969), by T. Hata, Y. Mushika, and T. Mukaiyama.

1970

- 105 Peptide Synthesis via Oxidation-Reduction Condensation by the Use of Non-metallic Compound as a Mercaptan Scavenger. *Bull. Chem. Soc. Jpn.*, **43**, 1271 (1970), by T. Mukaiyama, R. Matsueda, and H. Maruyama.
- 106 A Convenient Method for the Preparation of Thiols Susceptible to Oxidation. The Effect of Nitrogen on the Susceptibility to Oxidation-Reduction in Sulfur of Bivalent Sulfur Compounds. *Tetrahedron Lett.*, **1970**, 1493, by T. Endo, T. Kobayashi, and T. Mukaiyama.
- 107 Peptide Synthesis via the Oxidation-Reduction Condensation by the Use of 2,2'-Dipyridyldisulfide as an Oxidant. *Tetrahedron Lett.*, **1970**, 1901 by T. Mukaiyama, R. Matsueda, and M. Suzuki.
- 108 A Convenient Method for the Synthesis of 3,4-Furandicarboxylic Acid Derivatives by the Reactions of Sulfonium Ylides with Dimethyl Acetylenedicarboxylate. *Tetrahedron Lett.*, **1970**, 2565, by M. Higo and T. Mukaiyama.
- 109 The Reactions of Sulfur Ylides with Cyclic Carboxyl Compounds and Isocyanates. *Bull. Chem. Soc. Jpn.*, **43**, 2566 (1970), by T. Mukaiyama, M. Higo, and H. Takei.
- 110 The Condensation Reactions of Bivalent Sulfur Compounds-Copper(II) Complexes with Nucleophiles. *Bull. Chem. Soc. Jpn.*, **43**, 2549 (1970), by T. Mukaiyama, K. Narasaka, K. Maekawa, and H. Hokonoki.
- 111 A Convenient Method for the Preparation of Thioesters. *Bull. Chem. Soc. Jpn.*, **43**, 2632 (1970), by T. Endo, S. Ikenaga, and T. Mukaiyama.

- 112 A New Phosphorylating Reagent. II. Preparation of Mixed Diesters of Phosphoric Acid by the Use of Alkyl 2-Chloromethyl-4-nitrophenyl Hydrogen Phosphates. *Tetrahedron Lett.*, 1970, 3505, by T. Hata, Y. Mushika, and T. Mukaiyama.
- 113 The Reactions of Phosphonium Ylides and Oxosulfonium Methylide with Sulfenamide Derivatives. *Bull. Chem. Soc. Jpn.*, **43**, 2870 (1970), by T. Mukaiyama, T. Kumamoto, S. Fukuyama, and T. Taguchi.
- 114 A Convenient Method for the Preparation of Primary Alkylamines by the Use of Bisbenzenesulfenimide. *Tetrahedron Lett.*, **1970**, 3411, by T. Mukaiyama and T. Taguchi.
- 115 2-Hydroxy-3-oxo-2,3-dihydrofuran-2-carboxylic Ester: The Oxidation Product of 3-Hydroxyfuran-2-carboxylic Ester. *Bull. Chem. Soc. Jpn.*, **43**, 3607 (1970), by H. Takei and T. Mukaiyama.
- 116 The Reactions of Bivalent Sulfur Compounds-Copper(II) Complexes: The Benzylation of Aromatic Compounds with Benzyl Sulfides. *Tetrahedron Lett.*, **1970**, 4669, by T. Mukaiyama, K. Maekawa, and K. Narasaka.
- 117 The Sulfenylation of the Active Methylene Compounds by the Use of Sulfenamides. *Tetrahedron Lett.*, **1970**, 5115, by T. Mukaiyama, S. Kobayashi, and T. Kumamoto.
- 118 A New Method for the Preparation of Active Esters of Various Amino Acids by Oxidation-Reduction Condensation. *Tetrahedron Lett.*, **1970**, 5293, by T. Mukaiyama, K. Goto, R. Matsueda, and M. Ueki.
- 119 The Ring Expansion of a Cyclic Sulfonium Ylide through a 1,3-Acyl Rearrangement. *Tetrahedron Lett.*, **1970**, 5297, by T. Mukaiyama and M. Higo.

1971

- 120 The Reactions of α -Substituted Carbonyl-stabilized Sulfonium Ylides with Succinic Anhydride. *Bull. Chem. Soc. Jpn.*, **44**, 161 (1971), by T. Mukaiyama, K. Hagio, H. Takei, and K. Saigo.
- 121 Reactions of Sulfonium and Pyridinium Salts with Alkyl Nitrite. *Bull. Chem. Soc. Jpn.*, **44**, 190 (1971), by T. Mukaiyama, K. Saigo, and H. Takei.
- 122 Phosphorylation of Alcohols and Phosphates by Oxidation-Reduction Condensation. *Bull. Chem. Soc. Jpn.*, **44**, 196 (1971), by T. Mukaiyama and M. Hashimoto.
- 123 A New Phosphorylating Reagent. III. Preparation of Mixed Diesters of Phosphoric Acid by the Use of an Activatable Protecting Group. *Bull. Chem. Soc. Jpn.*, **44**, 232 (1971), by Y. Mushika, T. Hata, and T. Mukaiyama.
- 124 The Reactions of Thioboronite. *Tetrahedron Lett.*, **1971**, 1097, by T. Mukaiyama, K. Inomata, and S. Yamamoto.
- 125 Peptide Synthesis by Oxidation-Reduction Condensation. I. Use of NPS-Peptides as Amino Component. *Bull. Chem. Soc. Jpn.*, **44**, 1108 (1971), by M. Ueki, H. Maruyama, and T. Mukaiyama.

- 126 Peptide Synthesis by Oxidation-Reduction Condensation. II. The Use of Disulfide as an Oxidant. *Bull. Chem. Soc. Jpn.*, **44**, 1373 (1971), by R. Matsueda, H. Maruyama, M. Ueki, and T. Mukaiyama.
- 127 Intermolecular Association through Hydrogen Bonding. Syntheses and Infrared Studies of Acylurea Derivatives. *Tetrahedron Lett.*, **1971**, 2291, by T. Mukaiyama, T. Endo, and S. Noguchi.
- 128 Phosphorylation by Oxidation-Reduction Condensation: Preparation and Reaction of S-(2-Pyridyl) Phosphorothioates. *Tetrahedron Lett.*, **1971**, 2425, by T. Mukaiyama and M. Hashimoto.
- 129 Phosphorylation by Oxidation-Reduction Condensation. Preparation of Active Phosphorylating Reagents. *Bull. Chem. Soc. Jpn.*, **44**, 2284, (1971), by T. Mukaiyama and M. Hashimoto.
- 130 A Useful Method for Reductive Fission of Sulfides and Its Application to Carbon-Carbon Bond Formation. *Bull. Chem. Soc. Jpn.*, **44**, 2285 (1971), by T. Mukaiyama, K. Narasaka, K. Maekawa, and M. Furusato.
- 131 A Novel Method for Spiro Annulation. Reaction of Cyclic Sulfonium Ylides with Ketene Dimer. *Tetrahedron Lett.*, **1971**, 3697, by T. Mukaiyama, M. Higo, and T. Sakashita.
- 132 The Reaction of β -Ketosulfonium Salts with Sulfenamide Derivatives. *Bull. Chem. Soc. Jpn.*, **44**, 2453 (1971), by T. Mukaiyama, K. Hosoi, S. Inokuma, and T. Kumamoto.
- 133 A Convenient Method for the Preparation of Primary Amines by the Use of Bisbenzenesulfenimide and Bis-*p*-chlorophenyl-sulfenimide. *Bull. Chem. Soc. Jpn.*, **44**, 2797 (1971), by T. Mukaiyama, T. Taguchi, and M. Nishi.
- 134 The Reactions of Complexes of Thioboronite with Compounds Containing Carbon-Nitrogen Multiple Bond. *Bull. Chem. Soc. Jpn.*, **44**, 2807 (1971), by T. Mukaiyama, S. Yamamoto, and K. Inomata.
- 135 A Simple Protecting Group Protection-Purification "Handle" for Polynucleotide Synthesis. I. *J. Am. Chem. Soc.*, **93**, 4928 (1971), by T. Hata, K. Tajima, and T. Mukaiyama.
- 136 Reaction of Thioboronite. A Convenient Method for the Preparation of α -Hydroxyalkanethioates. *Bull. Chem. Soc., Jpn.*, **44**, 3215 (1971), by T. Mukaiyama and K. Inomata.
- 137 The Reactions of Pyridinium Bromides with Sulfenamides. *Bull. Chem. Soc. Jpn.*, **44**, 3077 (1971), by T. Mukaiyama and K. Saigo.
- 138 Syntheses and Reactions of 2-Ethylthio- or 2-Phenylthio-2-cycloalkenones, *Bull. Chem. Soc. Jpn.*, **44**, 3155 (1971), by T. Mukaiyama, T. Adachi, and T. Kumamoto.
- 139 Syntheses of Acylurea Derivatives and Model Compounds for a Highly Specific Organic Reaction. *Bull. Chem. Soc. Jpn.*, **44**, 3424 (1971), by T. Endo, S. Noguchi, and T. Mukaiyama.

- 140 Ring Expansion through a 1,3-Acyl Rearrangement. Reactions of Cyclic Sulfonium Ylides with Acetylenic Compounds. *Bull. Chem. Soc. Jpn.*, **45**, 250 (1972), by M. Higo, T. Sakashita, M. Toyoda, and T. Mukaiyama.
- 141 Formation of Ethylenic Compounds by the Decomposition of Cuprated Sulfur Compounds. *Bull. Chem. Soc. Jpn.*, **45**, 652 (1972), by T. Mukaiyama, K. Narasaka, and M. Furusato.
- 142 A Convenient Method for the Synthesis of Cyclopentenones. *Chem. Lett.*, **1972**, 237, by T. Mukaiyama, S. Kobayashi, K. Kamio, and H. Takei.
- 143 Selective Carbon-Carbon Bond Forming Reaction by the Use of Allyl 2-Pyridyl Sulfide Derivatives-Total Synthesis of α -cis-Bergamotene. *Chem. Lett.*, **1972**, 259, by K. Narasaka, M. Hayashi, and T. Mukaiyama.
- 144 Sulfenylation of Active Methylene Compounds with Sulfenamides. *Bull. Chem. Soc. Jpn.*, **45**, 866 (1972), by T. Kumamoto, S. Kobayashi, and T. Mukaiyama.
- 145 Dehydration and Alkylation Reactions by the Use of Perchlorate Salts. *Chem. Lett.*, **1972**, 287, by T. Mukaiyama, M. Kuwahara, T. Izawa, and M. Ueki.
- 146 A Convenient Synthesis of Symmetrical and Unsymmetrical Biphenyls by the Oxidation of N-Aryl-N'-(tri-*n*-butylstannyl)hydrazines, *Bull. Chem. Soc. Jpn.*, **45**, 967 (1972), by H. Ishikawa and T. Mukaiyama.
- 147 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. Attachment of Various Amino Acids and Peptide Fragments to the Hydroxymethyl Resin. *Chem. Lett.*, **1972**, 379, by R. Matsueda, E. Kitazawa, H. Maruyama, H. Takahagi, and T. Mukaiyama.
- 148 $\text{AgClO}_4\text{-SnCl}_4$ as an Effective Catalyst in the Friedel-Crafts Alkylation, *Chem. Lett.*, **1972**, 443, by T. Mukaiyama, M. Ueki, T. Izawa, and M. Kuwahara.
- 149 A Convenient Synthesis of 4-Dimethylsulfuranylidene-2,3-dioxo-tetrahydrofuran Derivatives; The Reactions of Ethyl (Dimethylsulfuranylidene)pyruvate with Carbonyl Compounds. *Chem. Lett.*, **1972**, 553, by K. Hagio, H. Takei, and T. Mukaiyama.
- 150 A Total Synthesis of Coenzyme A by Oxidation-Reduction Condensation. *Chem. Lett.*, **1972**, 595, by M. Hashimoto and T. Mukaiyama.
- 151 The Reaction of Trialkylboron and α -Lithiobenzyl-2-pyridyl or Phenylsulfide. A Convenient Method for the Preparation of Alkylbenzenes. *Bull. Chem. Soc. Jpn.*, **45**, 2244 (1972), by T. Mukaiyama, S. Yamamoto, and M. Shiono.
- 152 Selective Formation of Symmetrical Bissulfides. *J. Am. Chem. Soc.*, **94**, 7575 (1972), by T. Mukaiyama, T. Endo, Y. Kojima, and T. Sato.
- 153 Synthesis of Oligothymidylates and Nucleoside Cyclic Phosphates by Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **94**, 8528 (1972), by T. Mukaiyama and M. Hashimoto.
- 154 Convenient Synthesis of 1,4-Diketones. Application to the Synthesis of Dihydrojasmane. *J. Am. Chem. Soc.*, **94**, 8641 (1972), by T. Mukaiyama, K. Narasaka, and M. Furusato.

- 155 A Convenient Method for the Hydrolysis of Vinyl Sulfides to Ketones. *Bull. Chem. Soc. Jpn.*, **45**, 3723 (1972), by T. Mukaiyama, K. Kamio, S. Kobayashi, and H. Takei.
- 156 A Convenient Method for Hydrolysis of 1,3-Dithiane Derivatives Using Cupric Chloride. *Bull. Chem. Soc. Jpn.*, **45**, 3724 (1972), by K. Narasaka, T. Sakashita, and T. Mukaiyama.
- 1973
- 157 A Convenient Method for the Syntheses of Benzyl N-Mono-alkylcarbamates and N-Benzyloxycarbonylamino Acids. *Chem. Lett.*, **1973**, 1, by T. Taguchi and T. Mukaiyama.
- 158 A Convenient Method for the Hydrolysis of Vinyl Chlorides to Ketones. *Chem. Lett.*, **1973**, 261, by T. Mukaiyama, T. Imamoto, and S. Kobayashi.
- 159 A Convenient Method for the Reduction of Sulfides and Vinylic or Aromatic Halides by Using TiCl_4 and LiAlH_4 . *Chem. Lett.*, **1973**, 291, by T. Mukaiyama, M. Hayashi, and K. Narasaka.
- 160 Vinyloxyboranes as Synthetic Intermediates. *J. Am. Chem. Soc.*, **95**, 967 (1973), by T. Mukaiyama, K. Inomata, and M. Muraki.
- 161 New Solid 1:1 Complexes of Acylurea Derivatives, *Tetrahedron. Lett.*, **1973**, 1069, by T. Endo, T. Sato, and T. Mukaiyama.
- 162 Addition Reaction of Thiol to Olefin by the Use of TiCl_4 . *Chem. Lett.*, **1973**, 355, by T. Mukaiyama, T. Izawa, K. Saigo, and H. Takei.
- 163 The Transformation of Nitriles into Amides by the Use of TiCl_4 . *Chem. Lett.*, **1973**, 357, by T. Mukaiyama, K. Kamio, S. Kobayashi, and H. Takei.
- 164 A Convenient Method for the Preparation of Vinyl Sulfides from Carbonyl Compounds by Using TiCl_4 . *Chem. Lett.*, **1973**, 479, by T. Mukaiyama and K. Saigo.
- 165 A Convenient Synthesis of Dinucleotides by Oxidation-Reduction Condensation Using Nucleoside 5'-Phosphoro-dianilidates. *Chem. Lett.*, **1973**, 513, by M. Hashimoto and T. Mukaiyama.
- 166 Reactions of Vinyloxyboranes. A Convenient Method for the Preparation of β -Hydroxy Thioesters, Esters and Ketones. *Bull. Chem. Soc. Jpn.*, **46**, 1807 (1973), by K. Inomata, M. Muraki, and T. Mukaiyama.
- 167 A Convenient Method for the Hydrolysis of Vinyl Chlorides to Ketones. *Chem. Lett.*, **1973**, 715, by T. Mukaiyama, T. Imamoto, and S. Kobayashi.
- 168 Peptide Synthesis by Oxidation-Reduction Condensation by Use of Triarylphosphite as Reducing Reagent. *Chem. Lett.*, **1973**, 733, by M. Ueki, T. Shishikura, A. Hayashida, and T. Mukaiyama.
- 169 Reaction of S-(2-Pyridyl) Thioates with Grignard Reagents. A Convenient Method for the Preparation of Ketones. *J. Am. Chem. Soc.*, **95**, 4763 (1973), by T. Mukaiyama, M. Araki, and H. Takei.

- 170 The Reaction of Trialkylboranes with the α -Lithio Derivatives of Bis(phenylthio)methane and of 1,1-Bis(phenylthio)pentane. A Convenient Method for the Preparation of Aldehydes and Ketones. *Chem. Lett.*, **1973**, 961, by S. Yamamoto, M. Shiono, and T. Mukaiyama.
- 171 New Aldol Type Reaction. *Chem. Lett.*, **1973**, 1011, by T. Mukaiyama, K. Narasaka, and K. Banno.
- 172 Reductive Coupling of Carbonyl Compounds to Pinacols and Olefins by Using TiCl_4 and Zn. *Chem. Lett.*, **1973**, 1041, by T. Mukaiyama, T. Sato, and J. Hanna.
- 173 The Stereospecific Preparation of Trisubstituted Olefins. *Chem. Lett.*, **1973**, 1097, by S. Kobayashi, H. Takei, and T. Mukaiyama.
- 174 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. Synthesis of LH-RH by Fragment Condensation of Solid Support. *Bull. Chem. Soc. Jpn.*, **46**, 3240 (1973), by R. Matsueda, H. Maruyama, E. Kitazawa, H. Takahagi, and T. Mukaiyama.
- 175 The Activation of Bivalent Sulfur Compounds with Cupric Chloride and Zinc Chloride. The Benzoylation and Acylation of Aromatic Compounds with Sulfides and Thiol Esters. *Bull. Chem. Soc. Jpn.*, **46**, 3478 (1973), by K. Maekawa, K. Narasaka, and T. Mukaiyama.
- 176 The Effect of Weak Molecular Interactions on Selective Formation of Unsymmetrical Bissulfides. *Chem. Lett.*, **1973**, 1201, by T. Endo, T. Sato, S. Sato, and T. Mukaiyama.
- 177 A Convenient Method for the Syntheses of Benzyl N-Alkyl-cyanocarbamates and N-Monoalkylisothioureas. *Chem. Lett.*, **1973**, 1225, by T. Taguchi, Y. Sato, and T. Mukaiyama.
- 178 Reactions of 2-Alkyl-2-lithio-1,3-dithianes with Pyridine. *Chem. Lett.*, **1973**, 1307, by T. Taguchi, M. Nishi, K. Watanabe, and T. Mukaiyama.
- 1974
- 179 New Syntheses of β -Alkoxy Ketones and α -Keto Acetals. *Chem. Lett.*, **1974**, 15, by T. Mukaiyama and M. Hayashi.
- 180 A Convenient Method for the Preparation of Vinyl Sulfides and Olefins by the Use of TiCl_4 and Zn. *Chem. Lett.*, **1974**, 37, by T. Mukaiyama, M. Shiono, and T. Sato.
- 181 The Reaction of Trimethylsilyl Sulfides with Carboxylic Esters. A Convenient Method for the Preparation of Thioesters. *Chem. Lett.*, **1974**, 187, by T. Mukaiyama, T. Takeda, and K. Atsumi.
- 182 A Convenient Method for the Preparation of β -Hydroxy Thioesters and Esters. *Chem. Lett.*, **1974**, 245, by K. Inomata, T. Kawahara, and T. Mukaiyama.
- 183 Reaction of Enol Acetate with Acetal and Carbonyl Compound in the Presence of Lewis Acid. *Chem. Lett.*, **1974**, 323, by T. Mukaiyama, T. Izawa, and K. Saigo.

- 184 A Convenient Method for the Synthesis of γ -Substituted- β -acetyl- γ -butyrolactones. *Chem. Lett.*, **1974**, 381, by T. Mukaiyama, J. Hanna, T. Inoue, and T. Sato.
- 185 A Convenient Method for the Syntheses of 2(1H)-Imidazolone Derivatives. *Chem. Lett.*, **1974**, 401, by T. Taguchi, Y. Sato, K. Watanabe, and T. Mukaiyama.
- 186 Facile Conversion of Thioesters into Thiols Using Cysteamine. *Chem. Lett.*, **1974**, 443, by T. Endo, K. Oda, and T. Mukaiyama.
- 187 Synthetic Control by Means of Selective Intermolecular Association. Specific Synthesis of Unsymmetrical or of Symmetrical Sulfides. *Tetrahedron Lett.*, **1974**, 1195, by T. Endo, S. Sato, and T. Mukaiyama.
- 188 Reaction of Vinyl Sulfides with Aldehydes in the Presence of Lewis Acids. *Chem. Lett.*, **1974**, 565, by T. Mukaiyama, K. Kamio, and K. Narasaka.
- 189 Reaction of Mixed Carboxylic Anhydrides with Grignard Reagents. A Useful Method for the Preparation of ketones. *Chem. Lett.*, **1974**, 663, by M. Araki and T. Mukaiyama.
- 190 Reaction of Mixed Carboxylic Anhydrides with Grignard Reagents. A Convenient Method for the Preparation of 1,4- or 1,6-Diketones. *Chem. Lett.*, **1974**, 687, by M. Araki, S. Sakata, H. Takei, and T. Mukaiyama.
- 191 Reaction of Vinyloxytin. A New Method for the Preparation of β -Hydroxyalkanoate. *Chem. Lett.*, **1974**, 689, by E. Shimada, K. Inomata, and T. Mukaiyama.
- 192 The Highly Stereoselective Synthesis of Ethyl Geranate. *Chem. Lett.*, **1974**, 705, by S. Kobayashi and T. Mukaiyama.
- 193 Biotin Synthesis. I. Synthesis of 4-(4-Carboxybutyl)-1,2-dihydrothieno[3,4-d]imidazol-2-one. *Chem. Lett.*, **1974**, 729, by T. Taguchi, Y. Sato, K. Watanabe, and T. Mukaiyama.
- 194 A Convenient Method for the Preparation of Ketones by the Reaction of Grignard Reagents with Carboxylic Acid Derivatives. *Bull. Chem. Soc. Jpn.*, **47**, 1777 (1974), by M. Araki, S. Sakata, H. Takei, and T. Mukaiyama.
- 195 The Reaction of Trimethylsilyl Sulfides with α,β -Unsaturated Acetals. A Convenient Method for the Preparation of γ -Alkoxyallyl Sulfides. *Chem. Lett.*, **1974**, 1013, by T. Mukaiyama, T. Takeda, and K. Atsumi.
- 196 A Convenient Method for the Preparation of Allyl Ethers — The Reaction of α,β -Unsaturated Acetals with Grignard Reagents Activated by Titanium Tetrachloride. *Chem. Lett.*, **1974**, 1077, by T. Mukaiyama and H. Ishikawa.
- 197 A Convenient Method for the Preparation of Styrene Derivatives by the Use of TiCl_4 and Zn. *Chem. Lett.*, **1974**, 1161, by S. Song, M. Shiono, and T. Mukaiyama.
- 198 A Convenient Synthesis of the Antibiotic Botryodiplodin. *Chem. Lett.*, **1974**, 1181, by T. Mukaiyama, M. Wada, and J. Hanna.
- 199 A Convenient Method for the Synthesis of δ -Alkoxy- β -ketoester. The Titanium Tetrachloride-Activated Reaction of Diketene with Acetal. *Chem. Lett.*, **1974**, 1189, by T. Izawa and T. Mukaiyama.

- 200 The New Michael Reaction. *Chem. Lett.*, **1974**, 1223, by K. Narasaka, K. Soai, and T. Mukaiyama.
- 201 The Stereospecific Preparation of Methyl Farnesoate and Synthetic Precursors of C₁₈- and C₁₇ Juvenile Hormones. *Chem. Lett.*, **1974**, 1425, by S. Kobayashi and T. Mukaiyama.
- 202 Aminoaluminum Hydride as New Reducing Agents. I. Selective Reduction of Carboxylic Acids to Aldehydes. *Chem. Lett.*, **1974**, 1447, by M. Muraki and T. Mukaiyama.
- 203 A Convenient Method for the Synthesis of α -Alkoxy-carboxamide Derivatives. *Chem. Lett.*, **1974**, 1457, by T. Mukaiyama, K. Watanabe, and M. Shiono.
- 204 Reductive Elimination of β -Benzoyloxy Sulfides by the Use of TiCl₄-Zn. A Convenient Method for Ketone Methylenation. *Chem. Lett.*, **1974**, 1523, by T. Mukaiyama, Y. Watanabe, and M. Shiono.
- 205 New Cross-Aldol Reactions. Reactions of Silyl Enol Ethers with Carbonyl Compounds Activated by Titanium Tetrachloride. *J. Am. Chem. Soc.*, **96**, 7503 (1974), by T. Mukaiyama, K. Banno, and K. Narasaka.

1975

- 206 A New Method for the Oxidation of Alcohol to Carbonyl Compound. *Chem. Lett.*, **1975**, 145, by K. Saigo, A. Morikawa, and T. Mukaiyama.
- 207 A Convenient Method for the Preparation of α -Hydroxy- β -Ketoesters and 6-Alkyl-5,6-dihydro-4-hydroxy-2-pyrones. Application to the Syntheses of Kawain and Dihydrokawain. *Chem. Lett.*, **1975**, 161, by T. Izawa and T. Mukaiyama.
- 208 Aminoaluminum Hydride as New Reducing Agents. II. Selective Reduction of Esters of Carboxylic Acids to Aldehydes. *Chem. Lett.*, **1975**, 215, by M. Muraki and T. Mukaiyama.
- 209 A New Method for the Preparation of Unsymmetrical Ethers. The Reaction of Alkyl 2,4-Dichlorophenyl Acetals with Grignard Reagents Activated by TiCl₄. *Chem. Lett.*, **1975**, 305, by H. Ishikawa and T. Mukaiyama.
- 210 A Convenient Method for the Preparation of δ -Alkoxy- α,β -unsaturated Aldehydes by Reaction of Acetals with 1-Trimethylsiloxy-1,3-butadiene. *Chem. Lett.*, **1975**, 319, by T. Mukaiyama and A. Ishida.
- 211 A Convenient Method for the Synthesis of Furan Derivatives. *Chem. Lett.*, **1975**, 527, by T. Mukaiyama, H. Ishihara, and K. Inomata.
- 212 A Convenient Method for the Synthesis of 2-(1-Alkenyl)-2-cyclopentenones. *Chem. Lett.*, **1975**, 531, by H. Ishihara, K. Inomata, and T. Mukaiyama.
- 213 The Stereoselective Synthesis of C₁₈-Juvenile Hormone Analogue. *Chem. Lett.*, **1975**, 535, by T. Mukaiyama, H. Toda, and S. Kobayashi.

- 214 The Reaction of Enol Ethers with Aldehydes Promoted by Titanium Tetraisopropoxide and Titanium Tetrachloride. *Chem. Lett.*, **1975**, 569, by E. Kitazawa, T. Imamura, K. Saigo, and T. Mukaiyama.
- 215 Reduction of Azobenzene and Benzyldeneaniline by the Combined Use of Copper and N,N-Diethyldithiocarbamic Acid. *Chem. Lett.*, **1975**, 637, by T. Sato, T. Inoue, and T. Mukaiyama.
- 216 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. *J. Am. Chem. Soc.*, **97**, 2573 (1975), by R. Matsueda, H. Maruyama, E. Kitazawa, H. Takahagi, and T. Mukaiyama.
- 217 The Oxidation of Alcohols to Carbonyl Compounds via Alkoxy-magnesium Bromides. *Chem. Lett.*, **1975**, 691, by T. Mukaiyama, M. Tsunoda, and K. Saigo.
- 218 A Convenient Method for the Preparation of gem-Dichlorocyclopropane Derivatives by the Use of TiCl_4 and LiAlH_4 . *Chem. Lett.*, **1975**, 711, by T. Mukaiyama, M. Shiono, K. Watanabe, and M. Onaka.
- 219 New Cross Aldol Reactions. The Reactions of Silyl Enol Ethers with Keto Esters Promoted by Titanium Tetrachloride. *Chem. Lett.*, **1975**, 741, by K. Banno and T. Mukaiyama.
- 220 A Convenient Method for Methylenation of Carbonyl Compounds. The Reductive β -Elimination of 2-(Phenylthio)-ethanols into Terminal Olefines Using TiCl_4 - LiAlH_4 . *Chem. Lett.*, **1975**, 871, by Y. Watanabe, M. Shiono, and T. Mukaiyama.
- 221 Aminoaluminum Hydride as New Reducing Agents. III. Selective Reduction of Carboxamides to Aldehydes. *Chem. Lett.*, **1975**, 875, by M. Muraki and T. Mukaiyama.
- 222 A New Method for the Preparation of β -Hydroxyesters. The Titanium Tetrachloride-Promoted Reaction of Ketene Alkyl Trialkylsilyl Acetals with Carbonyl Compounds. *Chem. Lett.*, **1975**, 989, by K. Saigo, M. Osaki, and T. Mukaiyama.
- 223 A New Method for the Preparation of α -Diketones by the Photo-oxidation of β -Ketoalkylpyridinium iodides. *Chem. Lett.*, **1975**, 1033, by T. Mukaiyama, K. Atsumi, and T. Takeda.
- 224 The Claisen Rearrangement Promoted by Titanium Tetrachloride. *Chem. Lett.*, **1975**, 1041, by K. Narasaka, E. Bald, and T. Mukaiyama.
- 225 A Convenient Method for the Synthesis of Carboxylic Esters. *Chem. Lett.*, **1975**, 1045, by T. Mukaiyama, M. Usui, E. Shimada, and K. Saigo.
- 226 A Convenient Method for the Preparation of Unsymmetrical Ethers and Its Application to the Synthesis of Rose Oxide and Dihydro Rose Oxide. *Chem. Lett.*, **1975**, 1051, by H. Ishikawa, S. Ikeda, and T. Mukaiyama.
- 227 A Novel Method for the Preparation of Various 2-Pyridyl Sulfides from Alcohols. *Chem. Lett.*, **1975**, 1159, by T. Mukaiyama, S. Ikeda, and S. Kobayashi.

- 228 A Facile Synthesis of Carboxamides by Using 1-Methyl-2-halopyridinium Iodides as Coupling Reagents. *Chem. Lett.*, **1975**, 1163, by E. Bald, K. Saigo, and T. Mukaiyama.
- 229 New Method for the Preparation of Polyenals from δ -Alkoxy- α , β -unsaturated Aldehydes. *Chem. Lett.*, **1975**, 1167, by A. Ishida and T. Mukaiyama.
- 230 A New Synthesis of Vitamin A. *Chem. Lett.*, **1975**, 1201, by T. Mukaiyama and A. Ishida.
- 231 Reactions of Vinyloxyboranes with Carbonyl Compounds, Nitriles, and Formates. *Bull. Chem. Soc. Jpn.*, **48**, 3200 (1975), by M. Muraki, K. Inomata, and T. Mukaiyama.

1976

- 232 Betaine as an Effective Acid Captor: A Convenient Method for the Synthesis of Carboxylic Esters. *Chem. Lett.*, **1976**, 13, by T. Mukaiyama, H. Toda, and S. Kobayashi.
- 233 The Facile Synthesis of Lactones. *Chem. Lett.*, **1976**, 49, by T. Mukaiyama, M. Usui, and K. Saigo.
- 234 Betaine as an Effective Acid Captor: A Convenient Method for the Synthesis of Carboxamides. *Chem. Lett.*, **1976**, 57, by T. Mukaiyama, Y. Aikawa, and S. Kobayashi.
- 235 Regiospecific Aldol Synthesis. The Generation of Active Enolates by the Reduction of 2,2,2-Trichloroethyl Esters of α -Substituted- β -Keto Acids with Zn. *Chem. Lett.*, **1976**, 95, by T. Mukaiyama, T. Sato, S. Suzuki, T. Inoue, and H. Nakamura.
- 236 S,S-Di-2-Pyridyl Dithiolo-phosphate as a Key Intermediate in the Phosphorylation by Oxidation-Reduction Condensation. *Chem. Lett.*, **1976**, 157, by M. Hashimoto, M. Ueki, and T. Mukaiyama.
- 237 The Michael Type Reaction of O-Silylated Ketene Acetals with α , β -Unsaturated Carbonyl Compounds Promoted by Titanium Tetrachloride. *Chem. Lett.*, **1976**, 163, by K. Saigo, M. Osaki, and T. Mukaiyama.
- 238 2-Halo-3-ethylbenzothiazolium Salts as Reactive Coupling Reagents. *Chem. Lett.*, **1976**, 267, by T. Mukaiyama and K. Hojo.
- 239 The Michael Reaction of Silyl Enol Ethers with α , β -Unsaturated Ketones and Acetals in the Presence of Titanium Tetraalkoxide and Titanium Tetrachloride. *Bull. Chem. Soc. Jpn.*, **49**, 779 (1976), by K. Narasaka, K. Soai, Y. Aikawa, and T. Mukaiyama.
- 240 Stereoselective Synthesis of Optically Active Manicones: Alarm Pheromone of Ant. *Chem. Lett.*, **1976**, 279, by K. Banno and T. Mukaiyama.
- 241 A Convenient Method for the Preparation of Carboxylic Acid Fluorides. *Chem. Lett.*, **1976**, 303, by T. Mukaiyama and T. Tanaka.
- 242 A New Method for the Preparation of α -Keto Carboxylic Esters by the Photo-oxidation of 1-(1-Ethoxycarbonylalkyl)-pyridinium Iodides. *Chem. Lett.*, **1976**, 347, by T. Takeda and T. Mukaiyama.

- 243 A Convenient Method for the Transformation of Alcohols to Alkyl Iodides Using 2-Fluoropyridinium Salt. *Chem. Lett.*, **1976**, 373, by S. Kobayashi, M. Tsutsui, and T. Mukaiyama.
- 244 Synthesis of Unsymmetrical Ketones by the Reduction of 2-Alkoxy-pyridinium Salts Formed from α -Hydroxy Ketones (Acylloins) with Sodium Hydrosulfite. *Chem. Lett.*, **1976**, 381, by M. Wada, M. Imaoka, and T. Mukaiyama.
- 245 Pyrimidone Derivatives as Effective Acid Captors. A Method for the Preparation of Carboxamides. *Heterocycles*, **4**, 1707 (1976), by E. Bald, S. Kobayashi, and T. Mukaiyama.
- 246 A Convenient Method for the Reduction of 1-(2-Oxoalkyl)-pyridinium Salts. *Chem. Lett.*, **1976**, 477, by T. Takeda and T. Mukaiyama.
- 247 A Convenient Synthesis of β -Acetyl- γ -substituted- γ -butyro-lactones and γ -Acetyl- δ -substituted- δ -valerolactones. *Bull. Chem. Soc. Jpn.*, **49**, 1055 (1976), by T. Sato, J. Hanna, H. Nakamura, and T. Mukaiyama.
- 248 A New Synthesis of the Pungent Principles of Ginger — Zingerone, Gingerol and Shogaol —. *Bull. Chem. Soc. Jpn.*, **49**, 1453 (1976), by K. Banno and T. Mukaiyama.
- 249 A Facile Method for the Oxidation of Alcohols. *Bull. Chem. Soc. Jpn.*, **49**, 1656 (1976), by K. Saigo, A. Morikawa, and T. Mukaiyama.
- 250 New Cross-Aldol Reaction via Vinyloxyboranes. *Chem. Lett.*, **1976**, 559, by T. Mukaiyama and T. Inoue.
- 251 Reaction of Pyridinium Ylides with Diethyl Azodicarboxylate — A Facile Synthesis of π^2 -1,3,4-Oxadiazolines —. *Chem. Lett.*, **1976**, 597, by T. Mukaiyama, K. Atsumi, and T. Takeda.
- 252 Synthesis of Alkyl Halides from Alcohols by the Reaction with 2-Alkoxy-3-ethyl Benzothiazolium Salts. *Chem. Lett.*, **1976**, 619, by K. Hojo and T. Mukaiyama.
- 253 A Convenient Method for the Preparation of N-Acyl Lactams. *Chem. Lett.*, **1976**, 711, by A. Ishida, T. Bando, and T. Mukaiyama.
- 254 A Convenient Method for the Preparation of Olefins by Reductive Demethoxylation of Allyl Methyl Ethers Using $\text{TiCl}_4 \cdot \text{LiAlH}_4$. *Chem. Lett.*, **1976**, 737, by H. Ishikawa and T. Mukaiyama.
- 255 A Facile Synthesis of Carboxylic Thiol Esters from Carboxylic Acids and Thiols. *Chem. Lett.*, **1976**, 741, by Y. Watanabe, S. Shoda, and T. Mukaiyama.
- 256 The Titanium Tetrachloride-promoted Reaction of Ketene Alkyl Trialkylsilyl Acetals with Acetals or an Orthoformate. *Chem. Lett.*, **1976**, 769, by K. Saigo, M. Osaki, and T. Mukaiyama.
- 257 New Method for Ketone Synthesis. *Chem. Lett.*, **1976**, 771, by K. Saigo, K. Kawata, and T. Mukaiyama.

- 258 Solid Phase Peptide Synthesis by Oxidation-Reduction Condensation. Synthesis of Adrenocorticotropin(1-24) by Chain Elongation at the Carboxyl End on Solid Support. *Bull. Chem. Soc. Jpn.*, **49**, 2259 (1976), by H. Maruyama, R. Matsueda, E. Kitazawa, H. Takahagi, and T. Mukaiyama.
- 259 Optical Interconversion of Enantiomeric Secondary Alcohols Using 2-Fluorobenzothiazolium Salt. *Chem. Lett.*, **1976**, 893, by T. Mukaiyama and K. Hojo.
- 260 New Synthesis of *g*-Ionone. *Chem. Lett.*, **1976**, 1033, by T. Mukaiyama, K. Saigo, and O. Takazawa.
- 261 Synthetic Control Based on 2-Halopyridinium Salts I. The Preparation of (R)- and (S)-2-chloro-1-(1-cyclohexylethyl)-3-ethyl-6-methylpyridinium Fluoroborate. *Chem. Lett.*, **1976**, 1041, by M. Shiono, T. Shibnuma, and T. Mukaiyama.
- 262 A Convenient Method for the Preparation of Symmetrical Polyolefins. Synthesis of *b*-Carotene. *Chem. Lett.*, **1976**, 1127, by A. Ishida and T. Mukaiyama.
- 263 The Reaction of 2-Fluoropyridinium Salt with Nerol and Geraniol. Non-Enzymic Biogeneticlike Cyclization to Limonene. *Chem. Lett.*, **1976**, 1137, by S. Kobayashi, M. Tsutsui, and T. Mukaiyama.
- 264 Lewis Acid-Promoted Reaction of 2-Alkoxy-3,5-dinitropyridines with Thiols. A New Method for the Synthesis of Unsymmetrical Sulfides. *Chem. Lett.*, **1976**, 1177, by T. Mukaiyama, T. Masui, and T. Izawa.
- 265 2-Dialkylaminopyridinium Salts as New Type of Catalysts in Two-Phase Alkylation Reaction. *Chem. Lett.*, **1976**, 1259, by T. Tanaka and T. Mukaiyama.
- 266 A Facile Method for the Beckmann Rearrangement Using 2-Fluoropyridinium Salt or 2-Chloropyrimidinium Salt. *Chem. Lett.*, **1976**, 1397, by M. Shiono, Y. Echigo, and T. Mukaiyama.

1977

- 267 New Synthetic Reactions Based on 1-Methyl-2-fluoropyridinium Salts. Facile Conversion of Alcohols to Thioalcohols. *Chem. Lett.*, **1977**, 133, by K. Hojo, H. Yoshino, and T. Mukaiyama.
- 268 New Directed Cross-Aldol Reaction Using 9-Trifluoromethyl-sulfonyl-9-borabicyclo[3.3.1]nonane. *Chem. Lett.*, **1977**, 153, by T. Inoue, T. Uchimaru, and T. Mukaiyama.
- 269 A Facile Method for the Pinacol Rearrangement of Phenyl-ethanediol Derivatives by the Use of 2-Chloropyridinium Salt. *Chem. Lett.*, **1977**, 179, by T. Mukaiyama, Y. Echigo, and M. Shiono.
- 270 A New Method for the Preparation of α -Hydroxy Ketones. *Chem. Lett.*, **1977**, 245, by T. Takeda, M. Ueda, and T. Mukaiyama.
- 271 A New Synthetic Method for the Transformation of Alcohols to Alkyl Chlorides Using 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1977**, 383, by T. Mukaiyama, S. Shoda, and Y. Watanabe.

- 272 New Synthetic Reactions Based on 1-Methyl-2-fluoro-pyridinium Salts. Stereospecific Preparation of Thioalcohols from Alcohols. *Chem. Lett.*, **1977**, 437, by K. Hojo, H. Yoshino, and T. Mukaiyama.
- 273 An Efficient Method for the Synthesis of Macrocyclic Lactone. *Chem. Lett.*, **1977**, 441, by T. Mukaiyama, K. Narasaka, and K. Kikuchi.
- 274 A New Synthesis of dl-Variotin. *Chem. Lett.*, **1977**, 467, by A. Ishida and T. Mukaiyama.
- 275 A Convenient Method for the Preparation of Isothiocyanates Using 2-Chloropyridinium Salt. *Chem. Lett.*, **1977**, 573, by T. Shibamura, M. Shiono, and T. Mukaiyama.
- 276 A Convenient Method for the Preparation of Carbodiimides Using 2-Chloropyridinium Salt. *Chem. Lett.*, **1977**, 575, by T. Shibamura, M. Shiono, and T. Mukaiyama.
- 277 A New Method for the Preparation of γ -Alkoxy- α,β -unsaturated Aldehydes and Polyenals. *Bull. Chem. Soc. Jpn.*, **50**, 1161 (1977), by A. Ishida, and T. Mukaiyama.
- 278 New synthetic Reactions based on 1-Methyl-2-fluoro-pyridinium Salts. Stereospecific Preparation of Primary Amines from Alcohols. *Chem. Lett.*, **1977**, 635, by K. Hojo, S. Kobayashi, K. Soai, S. Ikeda, and T. Mukaiyama.
- 279 Synthetic Control based on Chiral 2-Halopyridinium Salts II. The Kinetic Resolution of Racemic Amines. *Chem. Lett.*, **1977**, 651, by T. Mukaiyama, M. Onaka, and M. Shiono.
- 280 A Convenient Method for the Preparation of Isocyanides. *Chem. Lett.*, **1977**, 697, by Y. Echigo, Y. Watanabe, and T. Mukaiyama.
- 281 New Method for the Preparation of Carboxylic Esters. *Bull. Chem. Soc. Jpn.*, **50**, 1863 (1977), by K. Saigo, M. Usui, K. Kikuchi, E. Shimada, and T. Mukaiyama.
- 282 Study on Racemization in Oxidation-Reduction Condensation by the Coupling Reaction for the Formation of Boc-Leu-Ile-Asp(NH₂)-Leu-OBu^t. *Chem. Lett.*, **1977**, 719, by R. Matsueda, H. Takahagi, and T. Mukaiyama.
- 283 New Synthesis of γ -Damascone. *Chem. Lett.*, **1977**, 757, by O. Takazawa, K. Saigo, K. Narasaka, and T. Mukaiyama.
- 284 The Facile Synthesis of Macrocyclic Lactones by the Use of 2-Chloro-3-methoxymethyl-1-methyl-pyridinium Iodide. *Chem. Lett.*, **1977**, 763, by K. Narasaka, T. Masui, and T. Mukaiyama.
- 285 Asymmetric Reduction of Acetophenone with Chiral Hydride Reagent Prepared from Lithium Aluminium Hydride and (S)-2-(Anilino)methylpyrrolidine. *Chem. Lett.*, **1977**, 783, by T. Mukaiyama, M. Asami, J. Hanna, and S. Kobayashi.
- 286 Stereoselective Total Syntheses of (\pm)-Recifeiolide and (R)-(+)-Ricinellaidic Acid Lactone. *Chem. Lett.*, **1977**, 959, by K. Narasaka, M. Yamaguchi, and T. Mukaiyama.

- 287 A New Method for the Transformation of 1,2-Epoxides to 1,2-Dichloroalkanes. *Chem. Lett.*, **1977**, 1013, by Y. Echigo, Y. Watanabe, and T. Mukaiyama.
- 288 Asymmetric Synthesis Based on (Z)-(2R,3S)-6-Benzylidene-3,4-dimethyl-5,7-dioxo-2-phenylperhydro-1,4-oxazepine. Synthesis of Optically Active 3-Substituted 3-Phenylpropionic Acids. *Chem. Lett.*, **1977**, 1165, by T. Mukaiyama, T. Takeda, and M. Osaki.
- 289 Biogenetic-Like Cyclization of Farnesol and Nerolidol to Bisabolene by the Use of 2-Fluorobenzothiazolium Salt. *Chem. Lett.*, **1977**, 1169, by S. Kobayashi, M. Tsutsui, and T. Mukaiyama.
- 290 Isomerization of Oxiranes to Allylic Alcohols with Dialkylboryl Trifluoromethanesulfonates. *Chem. Lett.*, **1977**, 1215, by T. Inoue, T. Uchimaru, and T. Mukaiyama.
- 291 Efficient Methods for Oxidation of Alcohols. *Bull. Chem. Soc. Jpn.*, **50**, 2773 (1977), by K. Narasaka, A. Morikawa, K. Saigo, and T. Mukaiyama.
- 292 A New One-Pot Cross Coupling Reaction of the Grignard Reagents and Allyl Alcohols via 2-Allyloxypyridinium Salts. *Chem. Lett.*, **1977**, 1257, by T. Mukaiyama, M. Imaoka, and T. Izawa.
- 293 A New Method for the Preparation of Isocyanates from Methyl Thiocarbamates by the Use of 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1977**, 1345, by Y. Echigo, Y. Watanabe, and T. Mukaiyama.
- 294 The Partial Reduction of Carboxylic Acids to Aldehydes via 3-Acylthiazolidine-2-thiones with Diisobutylaluminum Hydride. *Chem. Lett.*, **1977**, 1443, by T. Izawa and T. Mukaiyama.

1978

- 295 A New Method for the Preparation of Ketones by Decarbonylation of α -Hydroxycarboxylic Acid with 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1978**, 49, by T. Mukaiyama and Y. Echigo.
- 296 Enantioface-Differentiating (Asymmetric) Addition of Alkylolithium to Aldehydes by Using (2S,2'S)-2-Hydroxymethyl-1-[(1-methylpyrrolidin-2-yl)methyl]-pyrrolidine as Chiral Ligand. *Chem. Lett.*, **1978**, 219, by T. Mukaiyama, K. Soai, and S. Kobayashi.
- 297 An Efficient Phosphorylation Method by the Activation of Alcohol. *Chem. Lett.*, **1978**, 349, by Y. Watanabe and T. Mukaiyama.
- 298 Oxidation of Alcohols with 2-Fluoro-1-methylpyridinium Tosylate and Dimethyl Sulfoxide or Hexamethylenetetramine. *Chem. Lett.*, **1978**, 369, by K. Hojo and T. Mukaiyama.
- 299 New Synthesis of (\pm)-Pestalotin and (\pm)-Epipestalotin. *Chem. Lett.*, **1978**, 409, by T. Izawa and T. Mukaiyama.
- 300 Preparation of Olefins by Reductive Elimination of β -Hydroxysulfides Using 2-Fluoropyridinium Salt and Lithium Iodide. *Chem. Lett.*, **1978**, 413, by T. Mukaiyama and M. Imaoka.

- 301 Asymmetric Synthesis of δ -Oxocarboxylic Acids by the Michael Reaction Using (2R,3S)-3,4-Dimethyl-5,7-dioxo-2-phenylperhydro-1,4-oxazepine. *Chem. Lett.*, **1978**, 461, by T. Mukaiyama, Y. Hirako, and T. Takeda.
- 302 Preparation of Vinyl Chlorides from Enolizable Aldehydes. *Chem. Lett.*, **1978**, 465, by Y. Echigo and T. Mukaiyama.
- 303 Effects of Solvents on the Enantioface-Differentiating (Asymmetric) Addition of Butyllithium to Benzaldehyde Using (2S,2'S)-2-Hydroxymethyl-1-[(1-methylpyrrolidin-2-yl)-methyl]pyrrolidine as a Chiral Ligand. *Chem. Lett.*, **1978**, 491, by K. Soai and T. Mukaiyama.
- 304 Asymmetric Reduction of Prochiral Ketones with Chiral Hydride Reagents Prepared from Lithium Aluminium Hydride and (S)-2-(N-Substituted aminomethyl)pyrrolidines. *Bull. Chem. Soc. Jpn.*, **51**, 1869 (1978), by M. Asami, H. Ohno, S. Kobayashi, and T. Mukaiyama.
- 305 Enantioface-Differentiating (Asymmetric) Addition of Dialkylmagnesium to Aldehydes by Using the Lithium Salt of (2S,2'S)-2-Hydroxymethyl-1-[(1-methylpyrrolidin-2-yl)-methyl]pyrrolidine as a Chiral Ligand. *Chem. Lett.*, **1978**, 601, by T. Sato, K. Soai, K. Suzuki, and T. Mukaiyama.
- 306 Synthesis of Nucleosides from 1-Hydroxysugars Using 2-Chlorobenzoxazolium Salt. *Chem. Lett.*, **1978**, 605, by T. Mukaiyama, S. Shoda, T. Nakatsuka, and K. Narasaka.
- 307 A Regioselective Coupling Reaction of Allyl Pyridyl Ethers with Grignard Reagents. *Chem. Lett.*, **1978**, 689, by T. Mukaiyama, M. Yamaguchi, and K. Narasaka.
- 308 A Convenient Method for the Preparation of Allenes from Propargyl Alcohols Using 1-Ethyl-2-fluoro-4,6-dimethyl-pyridinium Tetrafluoroborate. *Chem. Lett.*, **1978**, 785, by T. Mukaiyama and K. Kawata.
- 309 Reduction of Acetals with $\text{TiCl}_4\text{-LiAlH}_4$. *Bull. Chem. Soc. Jpn.*, **51**, 2059 (1978), by H. Ishikawa and T. Mukaiyama.
- 310 Total Synthesis of (\pm)-Variatoin and Its Analogs. *Bull. Chem. Soc. Jpn.*, **51**, 2077 (1978), by A. Ishida and T. Mukaiyama.
- 311 A Useful Method for the Synthesis of Macrocyclic Lactone. *Chem. Lett.*, **1978**, 885, by K. Narasaka, K. Maruyama, and T. Mukaiyama.
- 312 A Novel Method for the Preparation of Primary Amines by the Use of N-Benzylhydroxylamine and 2-Fluoropyridinium Salt. *Chem. Lett.*, **1978**, 1057, by T. Mukaiyama, T. Tsuji, and Y. Watanabe.
- 313 Asymmetric Synthesis of α -Hydroxy Aldehydes. *Chem. Lett.*, **1978**, 1253, by T. Mukaiyama, Y. Sakito, and M. Asami.
- 314 Asymmetric Synthesis Based on (2R,3S)-3,4-Dimethyl-2-phenylperhydro-1,4-oxazepine-5,7-dione. Synthesis of Highly Optically Active β -Substituted Alkanoic Acids. *Bull. Chem. Soc. Jpn.*, **51**, 3368 (1978), by T. Mukaiyama, T. Takeda, and K. Fujimoto.

1979

- 315 The Partial Reduction of Carboxylic Acids to Aldehydes via 3-Acylthiazolidine-2-thiones with Diisobutylaluminum Hydride and with Lithium Tri-*t*-butoxyaluminum Hydride. *Bull. Chem. Soc. Jpn.*, **52**, 555 (1979), by T. Izawa and T. Mukaiyama.
- 316 An Asymmetric Reduction of Prochiral Ketones with a Chiral Hydride Reagent Prepared from Lithium Aluminium Hydride and (S)-2-(2,6-Xylidinomethyl)pyrrolidine. *Heterocycles*, **12**, 499 (1979), by M. Asami and T. Mukaiyama.
- 317 Enantioface-Differentiating (Asymmetric) Addition of Alkylolithium and Dialkylmagnesium to Aldehydes by Using (2S,2'S)-2-Hydroxymethyl-1-[(1-alkylpyrrolidin-2-yl)-methyl]pyrrolidines as Chiral Ligands. *J. Am. Chem. Soc.*, **101**, 1455 (1979), by T. Mukaiyama, K. Soai, T. Sato, H. Shimizu, and K. Suzuki.
- 318 The Reaction of O-Alkyl S,S-Diaryl Phosphorodithioates with Alkylloxystannanes. *Chem. Lett.*, **1979**, 389, by Y. Watanabe and T. Mukaiyama.
- 319 Enantioselective Addition of Acetylene to Aldehyde. Preparation of Optically Active Alkynyl Alcohols. *Chem. Lett.*, **1979**, 447, by T. Mukaiyama, K. Suzuki, K. Soai, and T. Sato.
- 320 One Step Formation of Alkynes from Aryl Ketones. *Chem. Lett.*, **1979**, 481, by T. Tsuji, Y. Watanabe, and T. Mukaiyama.
- 321 An Efficient Glucosylation of Alcohol Using 1-Thioglucoside Derivative. *Chem. Lett.*, **1979**, 487, by T. Mukaiyama, T. Nakatsuka, and S. Shoda.
- 322 A Convenient Method for the Preparation of Phosphoric Diesters and Its Application to the Synthesis of Phospholipides. *Chem. Lett.*, **1979**, 531, by T. Mukaiyama, N. Morito, and Y. Watanabe.
- 323 Asymmetric Synthesis of 3-Alkylsuccinaldehydic Acid Methyl Esters. *Chem. Lett.*, **1979**, 569, by M. Asami and T. Mukaiyama.
- 324 The Reaction of Lithiated 2-Allyloxybenzimidazoles with Alkyl Halides. *Chem. Lett.*, **1979**, 657, by T. Mukaiyama and M. Yamaguchi.
- 325 Synthetic Control by Internal Coordination of Metal Salts. The Intermolecular Diels-Alder Reactions of N-Furfuryl-N-(2-Hydroxyphenyl)acrylamides. *Chem. Lett.*, **1979**, 697, by T. Mukaiyama, T. Tsuji, and N. Iwasawa.
- 326 Versatile Method for the Preparation of Optically Active α -Hydroxy Aldehydes with Desired Configurations. *Chem. Lett.*, **1979**, 705, by T. Mukaiyama, Y. Sakito, and M. Asami.
- 327 A New Method for the Synthesis of β -Glucosides Using 2-Chloro-3,5-dinitropyridine. *Chem. Lett.*, **1979**, 847, by S. Shoda and T. Mukaiyama.
- 328 An Efficient Method for the Synthesis of Mixed Diester of Phosphoric Acid. *Chem. Lett.*, **1979**, 895, by T. Mukaiyama, N. Morito, and Y. Watanabe.

- 329 A New Allylation Reaction of the Copper(I) Salt of Enamines with 2-Allyloxybenzimidazoles. *Chem. Lett.*, **1979**, 957, by M. Yamaguchi, M. Murakami, and T. Mukaiyama.
- 330 Asymmetric Synthesis of Two Enantiomers of Frontalin. *Chem. Lett.*, **1979**, 1027, by Y. Sakito and T. Mukaiyama.
- 331 Enantioface-Differentiating Reactions Using (2S,2'S)-2-Hydroxymethyl-1-[(1-alkyl-2-pyrrolidinyl)methyl]pyrrolidines as Chiral Ligands. Addition of Lithium Derivatives of Methyl Phenyl Sulfide, Acetonitrile, N-Nitrosodimethylamine, and 2-Methylthiothiazoline to Aldehydes. *Bull. Chem. Soc. Jpn.*, **52**, 3371 (1979), by K. Soai and T. Mukaiyama.
- 332 A Convenient Method for the Preparation of α -Chloro-nitriles. *Chem. Lett.*, **1979**, 1117, by T. Mukaiyama, K. Kawata, A. Sasaki, and M. Asami.
- 333 New Synthesis of Karahana Ether. *Chem. Lett.*, **1979**, 1175, by T. Mukaiyama, N. Iwasawa, T. Tsuji, and K. Narasaka.
- 334 Asymmetric Synthesis of Cyclopropanes and γ -Butyrolactones by the Reaction of Dimethylsulfoxonium Methylide with (E)-(2R,3S)-6-Alkyliden-3,4-dimethyl-2-phenylperhydro-1,4-oxazepine-5,7-dione. *Chem. Lett.*, **1979**, 1207, by T. Mukaiyama, K. Fujimoto, and T. Takeda.
- 335 The Addition Reaction of Metalated 2-Allyloxybenzimidazoles to Aldehydes and the Transformation of the Adducts to Vinyloxiranes. *Chem. Lett.*, **1979**, 1279, by M. Yamaguchi and T. Mukaiyama.
- 336 An Efficient Method for the Synthesis of Peptides by the Use of Phenylphosphonic Esters. *Chem. Lett.*, **1979**, 1305, by T. Mukaiyama, N. Morito, and Y. Watanabe.
- 337 The Reaction of π -Allylnickel Halides with 2-Pyridyl Carboxylates. A New Synthesis of β,γ -Unsaturated Ketones. *Chem. Lett.*, **1979**, 1483, by M. Onaka, T. Goto, and T. Mukaiyama.
- 1980
- 338 Enantioface-Differentiating Addition of a Chiral Aryllithium Reagent to Aldehydes. *Chem. Lett.*, **1980**, 17, by M. Asami and T. Mukaiyama.
- 339 Enantioface-Differentiating 1,4-Addition of Methyl Grignard Reagent to 1,3-Diphenyl-2-propen-1-one. *Chem. Lett.*, **1980**, 45, by T. Imamoto and T. Mukaiyama.
- 340 A New Method for the Preparation of Symmetrical Aromatic Ketones from Aromatic Carboxylic Acids. *Chem. Lett.*, **1980**, 51, by T. Goto, M. Onaka, and T. Mukaiyama.
- 341 Asymmetric Total Synthesis of Indolmycin. *Chem. Lett.*, **1980**, 163, by T. Takeda and T. Mukaiyama.
- 342 Regio- and Stereoselective Cross-aldol Reactions via Dialkylboryl Triflates. *Bull. Chem. Soc. Jpn.*, **53**, 174 (1980), by T. Inoue and T. Mukaiyama.

- 343 Asymmetric Addition of Acetylide to Aliphatic Aldehydes. Preparation of Optically Active 5-Octyl-2(5H)-furanone. *Chem. Lett.*, **1980**, 255, by T. Mukaiyama and K. Suzuki.
- 344 Cesium Fluoride-Promoted Synthesis of Carboxylic Acid Derivatives Using 2-Fluoropyridinium Salt. *Chem. Lett.*, **1980**, 391, by S. Shoda and T. Mukaiyama.
- 345 An Asymmetric Synthesis of β -Fromyl β -Hydroxy Esters. *Chem. Lett.*, **1980**, 455, by Y. Sakito, M. Asami, and T. Mukaiyama.
- 346 Cesium Fluoride-Promoted Reaction of Aldehydes with S-(2-Benzimidazolyl)Alkanthioates. A New Method for the Preparation of Enol Esters. *Chem. Lett.*, **1980**, 529, by T. Mukaiyama, M. Murakami, and M. Yamaguchi.
- 347 A Useful Method for Selective Acylation of Alcohols Using 2,2'-Bipyridyl-6-yl Carboxylate and Cesium Fluoride. *Chem. Lett.*, **1980**, 563, by T. Mukaiyama, F. Pai, M. Onaka, and K. Narasaka.
- 348 Asymmetric Synthesis of β -Substituted γ -Butyrolactones. *Chem. Lett.*, **1980**, 635, by T. Mukaiyama, K. Fujimoto, T. Hirose, and T. Takeda.
- 349 Synthesis of Olefins by Nickel-Catalyzed Decarbonylation of S-(2-Pyridyl) Thioates. *Chem. Lett.*, **1980**, 709, by T. Goto, M. Onaka, and T. Mukaiyama.
- 350 Reductive Coupling of S-(2-Pyridyl) Aliphatic Thioates by Use of Bis(1,5-Cyclooctadiene)nickel. *Chem. Lett.*, **1980**, 905, by M. Onaka, Y. Matsuoka, and T. Mukaiyama.
- 351 A Regio- and Stereoselective Synthesis of γ,δ -Unsaturated Alcohols. *Chem. Lett.*, **1980**, 993, by M. Yamaguchi and T. Mukaiyama.
- 352 Synthetic Control by Internal Hydrogen Bonding. The Intramolecular Diels-Alder Reaction of Nitrofurane and α,β -Unsaturated Carboxamides. *Chem. Lett.*, **1980**, 1013, by T. Mukaiyama and T. Takebayashi.
- 353 An Asymmetric Total Synthesis of a New Marine Antibiotic-Malyngolide. *Chem. Lett.*, **1980**, 1223, by Y. Sakito, S. Tanaka, M. Asami, and T. Mukaiyama.
- 354 An Efficient Method for the Preparation of Homoallylic Alcohol Derivatives by the Reaction of Allyl Iodide with Carbonyl Compounds in the Presence of Stannous Halide. *Chem. Lett.*, **1980**, 1507, by T. Mukaiyama, T. Harada, and S. Shoda.

1981

- 355 The Asymmetric Diels-Alder Reactions of α,β -Unsaturated Carboxylic Amides Derived from (-)-Phenylglycinol and the Asymmetric Total Synthesis of (+)-Farnesiferol C. *Chem. Lett.*, **1981**, 29, by T. Mukaiyama and N. Iwasawa.
- 356 Peptide Synthesis by Using Phenylphosphonic Ester as a Coupling Reagent. *Chem. Lett.*, **1981**, 65, by Y. Watanabe, N. Morito, K. Kamekawa, and T. Mukaiyama.
- 357 Highly Enantioselective Michael Addition of Thiols to 2-Cyclohexenone by Using (2S,4S)-2-(Anilinoethyl)-1-ethyl-4-hydroxypyrrolidine as a Chiral Catalyst. *Chem. Lett.*, **1981**, 165, by T. Mukaiyama, A. Ikegawa, and K. Suzuki.

- 358 A New Method for Enantioselective Synthesis of β -Hydroxy- α -amino Acids. *Chem. Lett.*, **1981**, 279, by T. Nakatsuka, T. Miwa, and T. Mukaiyama.
- 359 A Convenient Method for the Synthesis of Carboxamides and Peptides by the Use of Tetrabutylammonium Salts. *Chem. Lett.*, **1981**, 285, by Y. Watanabe and T. Mukaiyama.
- 360 An Efficient Method for Glucosylation of Hydroxy Compounds Using Glucopyranosyl Fluoride. *Chem. Lett.*, **1981**, 431, by T. Mukaiyama, Y. Murai, and S. Shoda.
- 361 A Novel Method for the Synthesis of β -Lactams by Means of Phase Transfer System. *Chem. Lett.*, **1981**, 443, by Y. Watanabe and T. Mukaiyama.
- 362 A Convenient Method for the Direct Preparation of Ketones from 2-[6-(2-Methoxyethyl)pyridyl] Carboxylates and Alkyl Iodides by Use of Zinc Dust and a Catalytic Amount of Nickel Dichloride. *Chem. Lett.*, **1981**, 531, by M. Onaka, Y. Matsuoka, and T. Mukaiyama.
- 363 Reaction of Acetals with Grignard Reagents. *Bull. Chem. Soc. Jpn.*, **54**, 776 (1981), by H. Ishikawa, T. Mukaiyama, and S. Ikeda.
- 364 A Convenient Synthesis of α -Hydroxyallenes by the Reaction of Propargyl Iodides with Aldehydes in the Presence of Stannous Halide. *Chem. Lett.*, **1981**, 621, by T. Mukaiyama and T. Harada.
- 365 Stereoselective Synthesis of α, β -Epoxyphenylketones from α, α -Dibromophenylketones and Aldehydes Using Stannous Fluoride. *Chem. Lett.*, **1981**, 723, by S. Shoda and T. Mukaiyama.
- 366 The Asymmetric Michael Reaction of (2R,3S)-3,4-Dimethyl-2-phenylperhydro-1,4-oxazepine-5,7-dione with 1-Nitrocyclohexene. *Chem. Lett.*, **1981**, 797, by T. Takeda, T. Hoshiko, and T. Mukaiyama.
- 367 A Facile Asymmetric Synthesis of β -Substituted Alkanoic Acid. The Highly Stereoselective Michael Addition of Grignard Reagents to α, β -Unsaturated Carboxylic Amides Derived from L-Ephedrin. *Chem. Lett.*, **1981**, 913, by T. Mukaiyama and N. Iwasawa.
- 368 The Stereoselective Synthesis of D- and L-Ribose. *Chem. Lett.*, **1981**, 1005, by M. Yamaguchi and T. Mukaiyama.
- 369 A Convenient Synthesis of 2-Deoxy-D-ribose. *Chem. Lett.*, **1981**, 1109, by T. Harada and T. Mukaiyama.
- 370 A Novel Method for the Generation of an Ester Enolate Anion from Ethoxyacetylene. *Chem. Lett.*, **1981**, 1129, by T. Mukaiyama and M. Murakami.
- 371 A New Aldol Reaction: A Method for the Generation of Vinyloxyboranes by the Acylation of Boron-stabilized Carbanions. *Chem. Lett.*, **1981**, 1193, by T. Mukaiyama, M. Murakami, T. Oriyama, and M. Yamaguchi.

- 372 One-Pot Cyclization of a Peptide by the Use of (5-Nitro-pyridyl)diphenyl Phosphinate: The Synthesis of Cyclic Decapeptide Gramicidin S. *Chem. Lett.*, **1981**, 1367, by T. Mukaiyama, K. Kamekawa, and Y. Watanabe.
- 373 A Novel Method for the Synthesis of 2,2,2-Tribromoethanols from Aldehydes and Carbontetrabromide in the Presence of Stannous Fluoride — A Synthesis of Diacetyl-D-erythronolactone —. *Chem. Lett.*, **1981**, 1505, by T. Mukaiyama, M. Yamaguchi, and J. Kato.
- 374 An Efficient Synthesis of Homoallyl Alcohols by the Reaction of Allyl Halides with Carbonyl Compounds in the Presence of Metallic Tin. *Chem. Lett.*, **1981**, 1527, by T. Mukaiyama and T. Harada.
- 375 The Stereoselective Synthesis of D-Ribulose. *Chem. Lett.*, **1981**, 1529, by K. Suzuki, Y. Yuki, and T. Mukaiyama.
- 376 A Novel Carboxyl Protecting Group — The Carboxamide Derived from 5,6-Dihydrophenanthridine —. *Chem. Lett.*, **1981**, 1551, by T. Uchimaru, K. Narasaka, and T. Mukaiyama.

1982

- 377 A Stereoselective Synthesis of 2-Amino-2-deoxy-D-arabinose and D-Ribose. *Chem. Lett.*, **1982**, 145, by T. Mukaiyama, T. Miwa, and T. Nakatsuka.
- 378 A New Method for the Synthesis of β -Hydroxyesters by Using Metallic Tin. *Chem. Lett.*, **1982**, 161, by T. Harada and T. Mukaiyama.
- 379 The Highly Stereoselective Synthesis of cis-Vinyloxiranes. *Chem. Lett.*, **1982**, 237, by M. Yamaguchi and T. Mukaiyama.
- 380 A New Method for the Generation of a Boron Enolate of an Ester — A New Synthesis of 2-Deoxy-D-ribose —. *Chem. Lett.*, **1982**, 241, by M. Murakami and T. Mukaiyama.
- 381 Stannous Triflate: A New Aldol Reaction via Divalent Tin Enolates. *Chem. Lett.*, **1982**, 353, by T. Mukaiyama, R. W. Stevens, and N. Iwasawa.
- 382 A New Method for the Direct Introduction of Alkoxy Group to Silyl Enol Ether with Alkyl Hypochlorite Catalyzed by Palladium(0). *Chem. Lett.*, **1982**, 369, by T. Nakatsuka and T. Mukaiyama.
- 383 New Method for the Synthesis of Glycosyl Glycerides — The Stereoselective Reduction of Glycosides of 1-Alkoxy-3-Hydroxyacetone—. *Chem. Lett.*, **1982**, 433, by T. Mukaiyama, S. Tanaka, and M. Asami.
- 384 A Total Synthesis of (\pm)-Integerrimine. *Chem. Lett.*, **1982**, 455, by K. Narasaka, T. Sakakura, T. Uchimaru, K. Morimoto, and T. Mukaiyama.
- 385 A New Method for the Regio- and Stereoselective Synthesis of Aldols from α -Bromoketone and Carbonyl Compounds by Using Metallic Tin. *Chem. Lett.*, **1982**, 467, by T. Harada and T. Mukaiyama.

- 386 A Stereoselective Synthesis of α,β -Dihydroxy Ketones. An Aldol Reaction of Eneiol-type Cyclic Vinyloxyboranes. *Chem. Lett.*, **1982**, 509, by T. Mukaiyama and M. Yamaguchi.
- 387 Synthetic Control by Internal Coordination of Metal Salts The Intramolecular Ene Reactions of N-(3-Methyl-2-butenyl)-N-(2-Hydroxyphenyl)acrylamides. *Chem. Lett.*, **1982**, 513, by N. Iwasawa, T. Takebayashi, and T. Mukaiyama.
- 388 An Efficient Method for the Stereoselective Synthesis of Tricyclic Compounds — The Intramolecular Diels-Alder Reaction of Cyclic α,β -Unsaturated Carboxamides —. *Chem. Lett.*, **1982**, 579, by T. Takebayashi, N. Iwasawa, and T. Mukaiyama.
- 389 A Novel Method for the Synthesis of 2-Deoxydisaccharide by Stereoselective Cyclization of the Acyclic Precursor. *Chem. Lett.*, **1982**, 683, by K. Suzuki and T. Mukaiyama.
- 390 Stereoselective Synthesis of 1-O-Acyl-D-glucopyranose from 1-Hydroxy Sugar and Acyl Fluorides by the Promotion of Cesium Fluoride. *Chem. Lett.*, **1982**, 861, by S. Shoda and T. Mukaiyama.
- 391 Asymmetric Synthesis of Optically Active Cyclohexenol Derivatives via Highly Stereoselective Reduction of (R)-3-(p-t-butylphenylthio)cyclohexan-1-one. *Chem. Lett.*, **1982**, 899, by K. Suzuki, A. Ikegawa, and T. Mukaiyama.
- 392 4-O-Benzyl-2,3-O-isopropylidene-L-threose — A New and Useful Building Block for the Syntheses of L-Sugars —. *Chem. Lett.*, **1982**, 929, by T. Mukaiyama, K. Suzuki, and T. Yamada.
- 393 5,6-Dihydrophenanthridin-5-yl as an Activatable Protecting Group of Carboxylic Acid — A Direct Preparation of Amides from 5-Acyl-5,6-dihydrophenanthridine —. *Chem. Lett.*, **1982**, 991, by K. Narasaka, T. Hirose, T. Uchimaru, and T. Mukaiyama.
- 394 The Stereoselective Synthesis of L-Tagatose — An Application of Zn(II) Mediated Highly Stereoselective Addition of 2-Furyllithium to Polyoxygenated Aldehyde —. *Chem. Lett.*, **1982**, 1169, by T. Mukaiyama, Y. Yuki, and K. Suzuki.
- 395 A Stereoselective Synthesis of 2-Amino-2-deoxy-D-ribose. *Chem. Lett.*, **1982**, 1271, by M. Murakami and T. Mukaiyama.
- 396 A Novel Method for the Synthesis of α,β -Dihydroxy Ketones via Tin(II) Eneiolates. *Chem. Lett.*, **1982**, 1291, by T. Mukaiyama, J. Kato, and M. Yamaguchi.
- 397 New Synthesis of β -Keto Acetals. *Chem. Lett.*, **1982**, 1307, by O. Takazawa and T. Mukaiyama.
- 398 Enantioselective Cross Aldol Reaction via Divalent Tin Enolate. *Chem. Lett.*, **1982**, 1441, by N. Iwasawa and T. Mukaiyama.
- 399 Stannous Triflate: A Facile Cross-aldol Reaction between Two Ketones via Divalent Tin Enolates. *Chem. Lett.*, **1982**, 1459, by R. W. Stevens, N. Iwasawa, and T. Mukaiyama.

- 400 Highly Stereoselective Synthesis of α -D-Glucopyranosides by the N-Iodosuccinimide-promoted Internal Cyclization. *Chem. Lett.*, **1982**, 1525, by K. Suzuki and T. Mukaiyama.
- 401 A New Method for the Synthesis of α -L-Threofuranosides from Acyclic Precursor. *Chem. Lett.*, **1982**, 1555, by T. Mukaiyama, T. Sugaya, S. Marui, and T. Nakatsuka.
- 402 Stereoselective Synthesis of cis- α,β -Epoxyketones via Divalent Tin Enolate. *Chem. Lett.*, **1982**, 1601, by T. Mukaiyama, T. Haga, and N. Iwasawa.
- 403 A New and Effective Asymmetric Synthesis of 3-Phenylalkanals. *Chem. Lett.*, **1982**, 1637, by T. Mukaiyama, H. Hayashi, T. Miwa, and K. Narasaka.
- 404 Stannous Triflate Mediated Aldol Reaction of 3-Acylthiazolidine-2-thione: A Convenient Method for the Stereoselective Syntheses of β -Hydroxy Aldehyde and α -Hydroxy Carboxylic Acid Derivatives. *Chem. Lett.*, **1982**, 1903, by T. Mukaiyama and N. Iwasawa.
- 405 The Enantioselective Michael Addition of Thiols to Cyclo-alkenones by Using (2S,4S)-2-Anilinomethyl-1-ethyl-4-hydroxypyrrolidine as Chiral Catalyst. *Bull. Chem. Soc. Jpn.*, **55**, 3277 (1982), by K. Suzuki, A. Ikegawa, and T. Mukaiyama.

1983

- 406 Stereoselective Synthesis of L-Sugars of Biological Importance Starting from 4-O-Benzyl-2,3-O-Isopropylidene-L-Threose as a Chiral Building Block, *Chem. Lett.*, **1983**, 5, by T. Mukaiyama, T. Yamada, and K. Suzuki.
- 407 An Asymmetric Synthesis of α -Benzyloxy Aldehydes Having a Chiral Tertiary Center — An Application to the Asymmetric Synthesis of exo-(+)-Brevicomine —. *Chem. Lett.*, **1983**, 93, by M. Asami and T. Mukaiyama.
- 408 The Stereoselective Synthesis of 2,3-cis-Dihydroxy- γ -butyrolactones by the Oxidation of γ -Butenolides with KMnO_4 -Crown Ether. *Chem. Lett.*, **1983**, 173, by T. Mukaiyama, F. Tabusa, and K. Suzuki.
- 409 Facile Method for the Acylation of Alcohols and Amides by the Use of 1,1'-Dimethylstannocene and Acyl Chlorides. *Chem. Lett.*, **1983**, 293, by T. Mukaiyama, J. Ichikawa, and M. Asami.
- 410 Highly Enantioselective Aldol-type Reaction of 3-Acetylthiazolidine-2-thione with Achiral Aldehydes. *Chem. Lett.*, **1983**, 297, by N. Iwasawa and T. Mukaiyama.
- 411 An Asymmetric Synthesis of Bicyclic Lactones and its Application to the Asymmetric Synthesis of (1R,3S)-cis-Chrysanthemic Acid. *Chem. Lett.*, **1983**, 385, by T. Mukaiyama, H. Yamashita, and M. Asami.
- 412 Diastereoselection in a Directed Crossed Aldol Reaction between Two Polyoxygenated Ketones Employing Tin(II) Enolates. A Facile Stereoselective Synthesis of Ethyl 2-C-Methyl-DL-Lyxofuranoside. *Chem. Lett.*, **1983**, 595, by R. W. Stevens and T. Mukaiyama.

- 413 Stereoselective Synthesis of L-Daunosamine. *Chem. Lett.*, **1983**, 671, by T. Mukaiyama, Y. Goto, and S. Shoda.
- 414 A Facile Synthesis of Carboxylic Esters and Carboxamides by the Use of 1,1'-Dimethylstannocene as a Condensing Reagent. *Chem. Lett.*, **1983**, 683, by T. Mukaiyama, J. Ichikawa, and M. Asami.
- 415 A Convenient Method for the Synthesis of α,β -Unsaturated Carbonyl Compounds. *Chem. Lett.*, **1983**, 875, by T. Mukaiyama and T. Ohsumi.
- 416 A Novel Method for the One-step Synthesis of N-Alkyl Imides by the Use of 1,1'-Dimethylstannocene. *Chem. Lett.*, **1983**, 879, by T. Mukaiyama, J. Ichikawa, M. Toba, and M. Asami.
- 417 Stereoselective Synthesis of 1,2-cis-Glycofuranosides Using Glycofuranosyl Fluorides. *Chem. Lett.*, **1983**, 935, by T. Mukaiyama, Y. Hashimoto, and S. Shoda.
- 418 A Convenient Method for the Preparation of Enol Acetates of α -Keto Esters by the Alkylation of Cyanohydrin Silyl Ethers Derived from Glyoxylic Esters with Benzyl and Allyl Halides. *Chem. Lett.*, **1983**, 985, by T. Mukaiyama, T. Oriyama, and M. Murakami.
- 419 Synthetic Control by Internal Interaction. The Intra-molecular Diels-Alder Reactions of Furan Derivatives and α,β -Unsaturated Amides. *Bull. Chem. Soc. Jpn.*, **56**, 1107 (1983), by T. Takebayashi, N. Iwasawa, and T. Mukaiyama.
- 420 The Direct Synthesis of α,β -Unsaturated Carbonyl Compounds by Pd(II) Promoted Dehydrogenation of Aldehydes and Ketones. *Chem. Lett.*, **1983**, 1207, by T. Mukaiyama, M. Ohshima, and T. Nakatsuka.
- 421 Stereoselective Intramolecular Diels-Alder Reactions of α,β -Unsaturated Amides Using Internal Coordination of Metal Salts. *Bull. Chem. Soc. Jpn.*, **56**, 1669 (1983), by T. Takebayashi, N. Iwasawa, T. Mukaiyama, and T. Hata.
- 422 Aldehyde Enolate. Cross Aldol Reaction via Tin(II) Enolate. *Chem. Lett.*, **1983**, 1727, by J. Kato and T. Mukaiyama.
- 423 A New Method for the Stereoselective Synthesis of β -Xylofuranoside. *Chem. Lett.*, **1983**, 1733, by M. Murakami and T. Mukaiyama.
- 424 Efficient Asymmetric Induction via Coordination of Chiral Diamine to Tin(II) Enolate: A Highly Enantioselective Synthesis of 2-Substituted Malates. *Chem. Lett.*, **1983**, 1799, by R. W. Stevens and T. Mukaiyama.
- 425 Tin(II) Enediolate from Methylglyoxal. *Chem. Lett.*, **1983**, 1825, by T. Mukaiyama, R. Tsuzuki, and J. Kato.
- 1984
- 426 Asymmetric Acylation of meso-1,2-Diols with d-Ketopinic Acid Chloride. *Chem. Lett.*, **1984**, 49, by T. Mukaiyama, I. Tomioka, and M. Shimizu.

- 427 2-Benzyloxy-1-Propene: A Novel Protective Reagent of Hydroxyl Groups. *Chem. Lett.*, **1984**, 265, by T. Mukaiyama, M. Ohshima, and M. Murakami.
- 428 Synthetic Control Leading to Chiral Compounds. *Tetrahedron*, **40**, 1381 (1984), by T. Mukaiyama, N. Iwasawa, R. W. Stevens, and T. Haga.
- 429 Highly Efficient Asymmetric Synthesis of (S)-2,2-Dimethyl-1,3-dioxolane-4-methanol from Glycerol. *Chem. Lett.*, **1984**, 401, by T. Mukaiyama, Y. Tanabe, and M. Shimizu.
- 430 A Formal Total Synthesis of Polyoxin J Using 4-O-Benzyl-2,3-O-isopropylidene-L-threose as a Common Chiral Building Block. *Chem. Lett.*, **1984**, 405, by F. Tabusa, T. Yamada, K. Suzuki, and T. Mukaiyama.
- 431 Stereoselective Synthesis of α -Ribonucleosides from 1-Hydroxy Sugars by Using 2-Fluoropyridinium Tosylate. *Chem. Lett.*, **1984**, 557, by T. Mukaiyama, Y. Hashimoto, Y. Hayashi, and S. Shoda.
- 432 Preparation of Chiral Sulfones by Asymmetric Addition of Arenesulfonyl Carbanions to Acetone. *Chem. Lett.*, **1984**, 611, by T. Akiyama, M. Shimizu, and T. Mukaiyama.
- 433 A Novel Acid-resistant Acetal-type Protective Group for Alcohols. *Chem. Lett.*, **1984**, 615, by T. Mukaiyama, M. Ohshima, H. Nagaoka, and M. Murakami.
- 434 Versatile Relative and Absolute Stereocontrol in Stannous Triflate Mediated Aldol-type Reactions of 3-(2-Benzyl-oxyacetyl)thiazolidine-2-thione. *Chem. Lett.*, **1984**, 753, by T. Mukaiyama and N. Iwasawa.
- 435 A Facile Synthesis of α -Glucosides and α -Ribosides from the Corresponding 1-O-Acyl Sugars and Alcohols in the Presence of Trityl Perchlorate. *Chem. Lett.*, **1984**, 907, by T. Mukaiyama, S. Kobayashi, and S. Shoda.
- 436 An Asymmetric Synthesis of Glycerol Derivatives by the Enantioselective Acylation of Prochiral Glycerol. *Chem. Lett.*, **1984**, 949, by J. Ichikawa, M. Asami, and T. Mukaiyama.
- 437 A New Method for the Stereoselective Synthesis of Nucleosides from Acyclic Epoxy Aldehydes. *Chem. Lett.*, **1984**, 1093, by T. Miwa, K. Narasaka, and T. Mukaiyama.
- 438 A Convenient Method for the Construction of β -Lactam Compounds from β -Amino Acids Using 2-Chloro-1-methylpyridinium Iodide as Condensing Reagent. *Chem. Lett.*, **1984**, 1465, by H. Huang, N. Iwasawa, and T. Mukaiyama.
- 439 A Facile Synthesis of α -C-Ribofuranosides from 1-O-Acetyl Ribose in the Presence of Trityl Perchlorate. *Chem. Lett.*, **1984**, 1529, by T. Mukaiyama, S. Kobayashi, and S. Shoda.
- 440 Stannous (II) Triflate Promoted Rearrangement of β -Keto Sulfoxides. Synthesis of 1,4-Diketones. *Chem. Lett.*, **1984**, 1531, by M. Shimizu, T. Akiyama, and T. Mukaiyama.

- 441 A Facile Synthesis of γ,δ -Unsaturated Esters by the Pd(II) Catalyzed Claisen Rearrangement. *Chem. Lett.*, **1984**, 1535, by M. Ohshima, M. Murakami, and T. Mukaiyama.
- 442 Trityl Perchlorate as an Efficient Catalyst in the Aldol-type Reaction. *Chem. Lett.*, **1984**, 1759, by T. Mukaiyama, S. Kobayashi, and M. Murakami.
- 443 A Convenient Method for the Synthesis of α -Phenylthio- α,β -unsaturated Ketone by Stannous Triflate Promoted Rearrangement of α -Sulfinyl Ketone. *Chem. Lett.*, **1984**, 1843, by T. Akiyama, H. Iwakiri, M. Shimizu, and T. Mukaiyama.
- 444 Dichloro-bis(trifluoromethanesulfonato)titanium(IV) as an Effective Promoter in the Claisen Ester Condensation. *Chem. Lett.*, **1984**, 1867, by Y. Tanabe and T. Mukaiyama.
- 445 A Convenient Method for the Mild Reductive Debromination of α -Bromo Ketones and of *vic*-Dibromoalkanes with Stannous Chloride/Diisobutylaluminum Hydride. *Chem. Lett.*, **1984**, 2069, by T. Oriyama and T. Mukaiyama.
- 446 Asymmetric Reduction of Prochiral Ketones with a Chiral Reducing Agent Prepared from Stannous Chloride, Chiral Diamine as a Ligand, and Diisobutylaluminum Hydride. *Chem. Lett.*, **1984**, 2071, by T. Oriyama and T. Mukaiyama.

1985

- 447 Asymmetric Michael Addition of Thiophenol to Maleic Acid Esters. *Chem. Lett.*, **1985**, 363, by H. Yamashita and T. Mukaiyama.
- 448 An Efficient Method for the Preparation of THREO Cross-Aldols from Silyl Enol Ethers and Aldehydes using Trityl Perchlorate as a Catalyst. *Chem. Lett.*, **1985**, 447, by T. Mukaiyama, S. Kobayashi, and M. Murakami.
- 449 A Facile Synthesis of 1,3-Dicarbonyl Compounds from 1-Alkyne and Acid Anhydride Promoted by Dichloro-bis (trifluoromethanesulfonato)titanium(IV). *Chem. Lett.*, **1985**, 673, by Y. Tanabe and T. Mukaiyama.
- 450 A Novel Method for the Preparation of Symmetrical and Unsymmetrical Ethers. Trityl Perchlorate Promoted Reduction of Carbonyl Compounds with Triethylsilane. *Chem. Lett.*, **1985**, 753, by J. Kato, N. Iwasawa, and T. Mukaiyama.
- 451 Stereoselective Synthesis of Cis- α,β -epoxyesters and Aldehydes via Divalent Tin Enolate. A Synthesis of 2-Amino-2-deoxy-D-arabinitol. *Chem. Lett.*, **1985**, 809, by T. Mukaiyama, T. Yura, and N. Iwasawa.
- 452 Asymmetric Reduction of Prochiral Keto Esters with a Chiral Reducing Agent Prepared from Tin(II) Chloride, Chiral Diamine, and Diisobutylaluminum Hydride. *Chem. Lett.*, **1985**, 813, by T. Mukaiyama, K. Tomimori, and T. Oriyama.
- 453 A Stereoselective Synthesis of Methyl D-glucosaminatate via Tin(II) Enediolate Formed from Furyl glyoxal. *Chem. Lett.*, **1985**, 837, by T. Mukaiyama, R. Tsuzuki, and J. Kato.

- 454 Unprecedented γ -selective Michael Addition of Tin(II) Dienolates to Acyclic α,β -Unsaturated Ketones. *Chem. Lett.*, **1985**, 851, by R. W. Stevens and T. Mukaiyama.
- 455 The **anti**-selective Michael Addition of Tin(II) Enolates of Cyclic Ketones to β -Nitrostyrene. *Chem. Lett.*, **1985**, 855, by R. W. Stevens and T. Mukaiyama.
- 456 The Trityl Perchlorate Catalyzed Michael Reaction. *Chem. Lett.*, **1985**, 953, by S. Kobayashi, M. Murakami, and T. Mukaiyama.
- 457 A Facile Synthesis of Homoallyl Ethers. The Reaction of Acetals with Allyltrimethylsilanes Promoted by Trityl Perchlorate or Diphenylboryl Triflate. *Chem. Lett.*, **1985**, 977, by T. Mukaiyama, H. Nagaoka, M. Murakami, and M. Ohshima.
- 458 A Facile Synthesis of α,β -Dihydroxyketones via Tin(IV) Enediolates by Utilizing the Reducing Power of Bis(2-Pyridinethiolato)Tin(II). *Chem. Lett.*, **1985**, 1009, by J. Ichikawa and T. Mukaiyama.
- 459 Stannous Triflate Mediated Aldol Reaction of 3-(3-Alkoxy and 3-Aminopropanoyl)Thiazolidine-2-Thiones Stereoselective Synthesis of β -Lactam Derivatives. *Chem. Lett.*, **1985**, 1045, by N. Iwasawa, H. Huang, and T. Mukaiyama.
- 460 Highly Stereoselective Synthesis of α -Ribonucleotides via a Cyclic Phosphate. *Chem. Lett.*, **1985**, 1087, by T. Mukaiyama, Y. Hayashi, and Y. Hashimoto.
- 461 A Novel and Useful Method for the Preparation of Methyl Esters from Dimethyl Acetals. *Chem. Lett.*, **1985**, 1255, by T. Mukaiyama, J. Kato, N. Miyoshi, and N. Iwasawa.
- 462 Asymmetric Reduction of Prochiral Hydroxy Ketones with a Chiral Reducing Agent Prepared from Tin(II) Chloride, a Chiral Diamine, and Diisobutylaluminum Hydride. *Chem. Lett.*, **1985**, 1359, by T. Mukaiyama, K. Tomimori, and T. Oriyama.
- 463 Immobilized Catalyst Directed to Synthetic Control. Cross-Aldol Reaction. *Chem. Lett.*, **1985**, 1363, by T. Mukaiyama and H. Iwakiri.
- 464 Trityl Salts as Efficient Catalysts in the Aldol Reaction. *Chem. Lett.*, **1985**, 1535, by S. Kobayashi, M. Murakami, and T. Mukaiyama.
- 465 A Regio- and Stereoselective Synthesis of Aldolized γ -Diketones via Tin(IV) Bisenolates by the Use of Bis(2-Pyridinethiolato)Tin(II). *Chem. Lett.*, **1985**, 1539, by T. Mukaiyama, J. Ichikawa, M. Toba, and M. Hayashi.
- 466 Asymmetric Ring-Opening of Cyclohexene Oxide with Various Thiols Catalyzed by Zinc Lg-Tartrate. *Chem. Lett.*, **1985**, 1643, by H. Yamashita and T. Mukaiyama.
- 467 A Convenient Method for the Preparation of γ -Ketosulfides from Thioacetals. *Chem. Lett.*, **1985**, 1871, by M. Ohshima, M. Murakami, and T. Mukaiyama.
- 1986
- 468 Asymmetric Allylation of Prochiral Aldehydes with a New Enantioselective Allylating Agent Prepared from Stannous Triflate, a Chiral Diamine, and Allyldialkylaluminum. *Chem. Lett.*, **1986**, 97, by T. Mukaiyama, N. Minowa, T. Oriyama, and K. Narasaka.

- 469 The Diphenylboryl Hexachloroantimonate Promoted Friedel-Crafts Acylation Reaction. *Chem. Lett.*, **1986**, 165, by T. Mukaiyama, H. Nagaoka, M. Ohshima, and M. Murakami.
- 470 Stereoselective Aldol Reaction for the Preparation of β -Ethylthiomethyl Aldols via Tin(II) Enolate by the Use of a Catalytic Amount of the Tin(II) Species. *Chem. Lett.*, **1986**, 187, by T. Yura, N. Iwasawa, and T. Mukaiyama.
- 471 A Convenient Method for Generation of Tin(II) Thioester Enolate and its Reaction with Aldehyde. *Chem. Lett.*, **1986**, 213, by T. Mukaiyama, N. Yamasaki, R. W. Stevens, and M. Murakami.
- 472 Trityl Perchlorate Catalyzed Tandem Michael-Aldol Reaction. A Facile Method for the Stereoselective Syntheses of γ -AcylSubstituted δ -Hydroxy Ketone Derivatives. *Chem. Lett.*, **1986**, 221, by S. Kobayashi and T. Mukaiyama.
- 473 Highly Stereoselective Aldol-type Reaction of Chiral Tin(II) Enolate. Formal Total Synthesis of (\pm)-Thienamycin. *Chem. Lett.*, **1986**, 637, by N. Iwasawa and T. Mukaiyama.
- 474 Oxidative Coupling of Ketene Dithoacetals with Silylated Carbon Nucleophiles by the Use of Trityl Tetrafluoroborate. *Chem. Lett.*, **1986**, 755, by Y. Hashimoto and T. Mukaiyama.
- 475 The Diastereoselective Addition of Tin(II) Enolates Derived from Carboxylic Thioesters to α -Iminoester. *Chem. Lett.*, **1986**, 915, by T. Mukaiyama, H. Suzuki, and T. Yamada.
- 476 An Effective Activation of Allyl Methyl Ethers by a Catalytic Amount of Trityl Perchlorate in the Allylation of Silyl Enol Ethers. *Chem. Lett.*, **1986**, 1009, by T. Mukaiyama, H. Nagaoka, M. Ohshima, and M. Murakami.
- 477 A Novel Method for the Stereoselective Synthesis of β -Aminoacid Derivatives via Tin(II) Carboxylic Thioester Enolates. *Chem. Lett.*, **1986**, 1013, by N. Yamasaki, M. Murakami, and T. Mukaiyama.
- 478 The Stereoselective Michael Reaction between Silyl Enol Ethers and α,β -Unsaturated Ketones by the Use of Trityl Perchlorate as a Catalyst. *Chem. Lett.*, **1986**, 1017, by T. Mukaiyama, M. Tamura, and S. Kobayashi.
- 479 A Stereocontrolled Synthesis of 2,3,5-Trisubstituted Tetrahydrofurans from Aldolized γ -Diketones via Cyclization-reduction Process. *Chem. Lett.*, **1986**, 1157, by T. Mukaiyama, M. Hayashi, and J. Ichikawa.
- 480 A Facile Method for the Oxidation of Aldehydes to Carboxylic Acids via Acetal-type Diperoxides. *Chem. Lett.*, **1986**, 1385, by T. Mukaiyama, N. Miyoshi, J. Kato, and M. Ohshima.
- 481 A Convenient Method for the Hydrolysis of Diethylthioacetals Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1986**, 1593, by M. Ohshima, M. Murakami, and T. Mukaiyama.

- 482 The Oxidative Michael Reaction. A Highly Diastereoselective Synthesis of 5-Oxocarboxylic Acid Derivatives. *Chem. Lett.*, **1986**, 1623, by Y. Hashimoto and T. Mukaiyama.
- 483 Regioselective Alkylation of 1,3-Dioxolan-2-ylum Cation Derived from α,β -Unsaturated Aldehyde Ethylene Acetal with Lithium Organo Compounds. *Chem. Lett.*, **1986**, 1627, by T. Mukaiyama, Y. Hayashi, and Y. Hashimoto.
- 484 A Highly Stereoselective Synthesis of γ -Acyl- δ -lactones by the Trityl Perchlorate Catalyzed Tandem Michael-aldol Reaction. *Chem. Lett.*, **1986**, 1805, by S. Kobayashi and T. Mukaiyama.
- 485 Asymmetric Sulfenylation of Tin(II) Enolates of Ketones and 3-Acyl-2-oxazolidones. Application to the Synthesis of Optically Active Epoxides. *Chem. Lett.*, **1986**, 1809, by T. Yura, N. Iwasawa, R. Clark, and T. Mukaiyama.
- 486 The Crossed Claisen Ester Condensation Mediated by Titanium(IV) Bistriflate. *Chem. Lett.*, **1986**, 1813, by Y. Tanabe and T. Mukaiyama.
- 487 The Highly Stereoselective Michael Reaction of α,β -Unsaturated Ketones with Silyl Enol Ethers of Thioesters Catalyzed by Trityl Salts. A Facile Stereoselective Synthesis of 5-Oxocarboxylic Acid Ester Derivatives. *Chem. Lett.*, **1986**, 1817, by T. Mukaiyama, M. Tamura, and S. Kobayashi.
- 488 The Double Michael Reaction of α,β -Unsaturated Ketones with Siloxydienes Catalyzed by Trityl Perchlorate Forming Six-Membered Ring Systems. *Chem. Lett.*, **1986**, 1821, by T. Mukaiyama, Y. Sagawa, and S. Kobayashi.

1987

- 489 The Tandem Michael-Aldol Reaction Catalyzed by Trityl Perchlorate. *Heterocycles*, **25**, 205 (1987), by T. Mukaiyama and S. Kobayashi.
- 490 A Conjugate Addition of Allylsilanes to α,β -Unsaturated Ketones Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1987**, 289, by M. Hayashi and T. Mukaiyama.
- 491 The Asymmetric Addition of the Sn(II) Enolates of Thioesters to α -Iminoesters. A Convenient Synthesis of Optically Active cis-Substituted β -Lactams. *Chem. Lett.*, **1987**, 293, by T. Yamada, H. Suzuki, and T. Mukaiyama.
- 492 Highly Efficient Asymmetric Esterification of Cyclic meso-Dicarboxylic Anhydrides Catalyzed by Diphenylboryl Triflate. *Chem. Lett.*, **1987**, 377, by M. Ohshima and T. Mukaiyama.
- 493 An Essentially Mild and Efficient Catalyst System for the Activation of Carbonyl Compounds and Their Derivatives. The Combined Use of Trimethylsilyl Chloride and Tin(II) Chloride. *Chem. Lett.*, **1987**, 463, by N. Iwasawa and T. Mukaiyama.

- 494 A Convenient Preparation of α -(p-Hydroxy- or p-Aminophenyl) Carbonyl Compounds. Addition-Reduction Reaction of Tin(II) Enolate with p-Benzoquinone and Its Mono-N-tosylimino Derivative. *Chem. Lett.*, **1987**, 479, by T. Mukaiyama, R. S. J. Clark, and N. Iwasawa.
- 495 An Efficient and Extremely Mild Catalyst System, Combined Use of Trityl Chloride and Tin(II) Chloride, in the Aldol and Michael Reactions. *Chem. Lett.*, **1987**, 491, by T. Mukaiyama, S. Kobayashi, M. Tamura, and Y. Sagawa.
- 496 A Significant Substituent Effect on the Stereochemistry of the Trityl Salt-Catalyzed Michael Reaction. *Chem. Lett.*, **1987**, 743, by T. Mukaiyama, M. Tamura, and S. Kobayashi.
- 497 New Possibilities in the Michael Reaction by the Use of Tin(II) Enolates. *Chem. Lett.*, **1987**, 791, by T. Yura, N. Iwasawa, and T. Mukaiyama.
- 498 Trityl Salts Catalyzed Aldol-Type Reaction of Alkyl Enol Ethers with Acetals. *Chem. Lett.*, **1987**, 1051, by M. Murakami, H. Minamikawa, and T. Mukaiyama.
- 499 An Efficient and Convenient Method for the Asymmetric Allylation of Aldehydes with Allyltrimethylsilane Catalyzed by Diphenylboryl Triflate. *Chem. Lett.*, **1987**, 1121, by T. Mukaiyama, M. Ohshima, and N. Miyoshi.
- 500 Facile Synthesis of 1,5-Dienes and b,g-Unsaturated Nitriles via Trityl Perchlorate-Catalyzed Allylation. *Chem. Lett.*, **1987**, 1167, by M. Murakami, T. Kato, and T. Mukaiyama.
- 501 α,β -Unsaturated Orthoesters as Michael Acceptors. The Trityl Salt-Catalyzed Michael Reaction of α,β -Unsaturated Orthoesters with Silyl Enol Ethers. *Chem. Lett.*, **1987**, 1183, by S. Kobayashi and T. Mukaiyama.
- 502 An Efficient Method for the Kinetic Resolution of Cyclic dl-Dicarboxylic Anhydrides Catalyzed by Diphenylboryl Triflate. *Chem. Lett.*, **1987**, 1233, by M. Ohshima, N. Miyoshi, and T. Mukaiyama.
- 503 Oxidative Carbon-Carbon Bond Forming Reaction via a 1,3-Dioxolan-2-ylum Cation. *Chem. Lett.*, **1987**, 1243, by Y. Hayashi, K. Wariishi, and T. Mukaiyama.
- 504 An Efficient and Convenient Method for the Preparation of α -Methylenated Ketones from Silyl Enol Ethers. *Chem. Lett.*, **1987**, 1283, by M. Hayashi and T. Mukaiyama.
- 505 The Trityl Cation Mediated Michael Reaction of Ethylthioacetone Dithioacetals with Silyl Enol Ethers. *Chem. Lett.*, **1987**, 1691, by Y. Hashimoto, H. Sugumi, T. Okauchi, and T. Mukaiyama.
- 506 The Trityl Cation Catalyzed Michael Type Reaction of Stannylated Nucleophiles with Ethylthioacetone Dithioacetals. *Chem. Lett.*, **1987**, 1695, by Y. Hashimoto, H. Sugumi, T. Okauchi, and T. Mukaiyama.
- 507 The Michael Reaction of O-Silylated Ketone Acetals with α,β -Unsaturated Esters Promoted by a Catalytic Amount of Aluminum Triflate. *Chem. Lett.*, **1987**, 1719, by N. Minowa and T. Mukaiyama.

- 508 New Method for Oxidative Carbon-carbon Bond Formation by the Reaction of Allyl Ethers, 2,3-Dichloro-5,6-dicyano-p-benzoquinone(DDQ) and Silyl Carbon Nucleophiles. *Chem. Lett.*, **1987**, 1811, by Y. Hayashi and T. Mukaiyama.
- 509 A Convenient Method for the Preparation of Secondary Propargylic Ethers. The Reaction of Acetals with 1-Trimethylsilylalkynes Promoted by the Combined Use of Catalytic Amounts of Tin(IV) Chloride and Zinc Chloride. *Chem. Lett.*, **1987**, 1975, by M. Hayashi, A. Inubushi, and T. Mukaiyama.
- 510 The Michael Reaction of Various Quinones with Silyl Enol Ethers. A Facile Method for the Preparation of Benzofuran and Indole Derivatives. *Chem. Lett.*, **1987**, 2169, by T. Mukaiyama, Y. Sagawa, and S. Kobayashi.
- 511 Asymmetric Allylation with a New Chiral Allylating Agent Prepared from Tin(II) Triflate, Chiral Diamine, and Allylaluminum. *Bull. Chem. Soc. Jpn.*, **60**, 3697 (1987), by N. Minowa and T. Mukaiyama.
- 512 A Convenient Synthesis of C- α -D-Ribofuranosyl Compounds from 1-O-Acetyl-2,3,5-tri-O-benzyl- β -D-ribose by the Promotion of Triphenylmethyl Perchlorate. *Carbohydrate Research*, **171**, 81 (1987), by T. Mukaiyama and S. Kobayashi.
- 513 The Tin(II) Enolate Addition Reaction to α,β -Unsaturated Ketones and Quinones. *Tetrahedron*, **43**, 5003 (1987), by T. Mukaiyama, N. Iwasawa, T. Yura, and R. S. J. Clark

1988

- 514 The Stereoselective Michael Reaction of α,β -Unsaturated Thioesters with Silyl Enol Ethers Promoted by Combined Use of Antimony(V) Chloride and Tin(II) Triflate. *Chem. Lett.*, **1988**, 91, by S. Kobayashi, M. Tamura, and T. Mukaiyama.
- 515 The Enantioselective Michael Reaction of Tin(II) Enolates. *Chem. Lett.*, **1988**, 1021, by T. Yura, N. Iwasawa, and T. Mukaiyama.
- 516 The Catalytic Asymmetric Michael Reaction of Tin(II) Enethiolates. *Chem. Lett.*, **1988**, 1025, by T. Yura, N. Iwasawa, K. Narasaka, and T. Mukaiyama.
- 517 The Addition Reaction of Acetals to Activated Olefins under Extremely Mild Conditions. *Chem. Lett.*, **1988**, 1101, by T. Mukaiyama, K. Wariishi, Y. Saito, M. Hayashi, and S. Kobayashi.
- 518 The Regioselective Addition Reaction of 1,2-Benzoquinones with Silyl Enol Ethers Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1988**, 1105 by, Y. Sagawa, S. Kobayashi, and T. Mukaiyama.
- 519 Substitution Reaction of Ketene Dithioacetals with Carbon Electrophiles by the Promotion of Trityl Chloride-Tin(II) Chloride or Trimethylsilyl Chloride-Tin(II) Chloride Catalyst System. *Chem. Lett.*, **1988**, 1291 by T. Mukaiyama, H. Sugumi, H. Uchiro, and S. Kobayashi.
- 520 Trityl Salt Catalyzed Aldol Reaction between α,β -Acetylenic Ketones and Silyl Enol Ethers. *Chem. Lett.*, **1988**, 1491, by S. Kobayashi, S. Matsui, and T. Mukaiyama.

- 521 Facile Synthesis of γ,δ -Unsaturated β -Azido Carbonyl Compounds via Successive Nucleophilic Additions on Cinnamaldehyde Dimethyl Acetal Catalyzed by Trityl Hexachloroantimonate. *Chem. Lett.*, **1988**, 1495, by T. Mukaiyama, P. Leon, and S. Kobayashi.
- 522 One-Pot Synthesis of α -Mono- and α,α -Disubstituted Cyclic Ethers from Lactones. *Chem. Lett.*, **1988**, 1725, by T. Mukaiyama, K. Homma, and H. Takenoshita.
- 523 Possible Mechanism for the Stereoselective Double Michael Reaction Catalyzed by Trityl Perchlorate. *Chem. Lett.*, **1988**, 1777, by S. Kobayashi, Y. Sagawa, H. Akamatsu, and T. Mukaiyama.
- *** A Convenient Method for the Preparation of Secondary Propargylic Ethers. The Reactions of Acetals with 1-Trimethylsilyl-1-alkynes Promoted Tin(IV) Chloride and Zinc Chloride. *Bull. Chem. Soc. Jpn.*, **61**, 4037 (1988), by M. Hayashi, A. Inubushi, and T. Mukaiyama.

1989

- 524 Stereoselective 1,2-cis Glycosylation Reaction of 1-O-Acetylribose with Silylated Nucleophiles by the Promotion of a New Catalyst System. *Chem. Lett.*, **1989**, 145, by T. Mukaiyama, T. Shimpuku, T. Takashima, and S. Kobayashi.
- 525 A Convenient Synthesis of Cyclic Ethers from Siloxy Carbonyl Compounds. *Chem Lett.*, **1989**, 259, by K. Homma and T. Mukaiyama.
- 526 Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes Promoted by the Combined Use of Chiral Diamine Coordinated Tin(II) Triflate and Tributyltin Fluoride. *Chem. Lett.*, **1989**, 297, by S. Kobayashi and T. Mukaiyama.
- 527 Oxidation-Reduction Hydration of Olefins with Molecular Oxygen and 2-Propanol Catalyzed by Bis(acetylacetonate)-cobalt(II). *Chem. Lett.*, **1989**, 449, by T. Mukaiyama, S. Isayama, S. Inoki, K. Kato, T. Yamada, and T. Takai.
- 528 Bis(trifluoroacetylacetonato)cobalt(II) Catalyzed Oxidation-Reduction Hydration of Olefins Selective Formation of Alcohols from Olefins. *Chem. Lett.*, **1989**, 515, by S. Inoki, K. Kato, T. Takai, S. Isayama, T. Yamada, and T. Mukaiyama.
- 529 Novel Method for Oxidation of Secondary Alcohols into Ketones with Molecular Oxygen by Using Cobalt(II) Complex Catalyst. *Chem. Lett.*, **1989**, 519, by T. Yamada and T. Mukaiyama.
- 530 Hydration of Olefins with Molecular Oxygen and Triethylsilane Catalyzed by Bis(trifluoroacetylacetonato)-cobalt(II). *Chem. Lett.*, **1989**, 569, by S. Isayama and T. Mukaiyama.
- 531 Novel Method for the Preparation of Triethylsilyl Peroxides from Olefins by the Reaction with Molecular Oxygen and Triethylsilane Catalyzed by Bis(1,3-diketonato)cobalt(II). *Chem. Lett.*, **1989**, 573, by S. Isayama and T. Mukaiyama.

- 532 Convenient Synthesis of Disubstituted Cyclic Ethers. Synthesis of (-)-cis-Rose Oxide and (cis-6-Methyltetrahydropyran-2-yl)acetic Acid. *Chem. Lett.*, **1989**, 893, by K. Homma and T. Mukaiyama.
- 533 Effective Activation of Carbonyl and Related Compounds with Phosphonium Salts. The Aldol and Michael Reactions of Carbonyl Compounds with Silyl Nucleophiles and Alkyl Enol Ethers. *Chem. Lett.*, **1989**, 993, by T. Mukaiyama, S. Matsui, and K. Kashiwagi.
- 534 Efficient Activation of Acetals toward Nucleophiles by the Use of Transition Metal Salts. New Method for Cyanation of Acetals and Orthoester Derived from Aromatic and α,β -Unsaturated Carbonyl Compounds with Trimethylsilyl Cyanide under Neutral Condition. *Chem. Lett.*, **1989**, 997, by T. Mukaiyama, T. Soga, and H. Takenoshita.
- 535 Perfect Stereochemical Control in the Synthesis of syn- α -Methyl- β -hydroxy Thioesters by Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes. *Chem. Lett.*, **1989**, 1001, by T. Mukaiyama, H. Uchiro, and S. Kobayashi.
- 536 A New Method for Preparation of Alcohols from Olefins with Molecular Oxygen and Phenylsilane by the Use of Bis(acetylacetonato)cobalt(II). *Chem. Lett.*, **1989**, 1071, by S. Isayama and T. Mukaiyama.
- 537 [1,2-Benzenediolato(2-)-O,O']oxotitanium. A Mild and Efficient Catalyst for the Michael Reaction of Ketene Silyl Acetals with α,β -Unsaturated Ketones. *Chem. Lett.*, **1989**, 1171, by T. Mukaiyama and R. Hara.
- 538 Efficient Activation of Acetals toward Nucleophiles with [Rh(COD)Cl]₂ Catalyst. New Method for the Preparation of Aldols from Acetals and Silyl Enol Ethers by the Combined Use of Catalytic Amounts of [Rh(COD)Cl]₂ and Trimethylsilyl Cyanide. *Chem. Lett.*, **1989**, 1273, by T. Mukaiyama, T. Soga, and H. Takenoshita.
- 539 The Addition Reaction of Acetals(Aldehydes) to Simple Olefins by the Use of a New Catalyst System. *Chem. Lett.*, **1989**, 1277, by T. Mukaiyama, K. Wariishi, M. Furuya, and S. Kobayashi.
- 540 Asymmetric Aldol-type Reaction between Both Achiral Ketene Silyl Acetals and Aldehydes by the Use of a Chiral Promoter. *Chem. Lett.*, **1989**, 1319, by S. Kobayashi, T. Sano, and T. Mukaiyama.
- 541 A Convenient Synthesis of β -Aminoesters. The Reaction of Imines with Ketene Silyl Acetals Catalyzed by Phosphonium Salts. *Chem. Lett.*, **1989**, 1397, by T. Mukaiyama, K. Kashiwagi, and S. Matsui.
- 542 Reductive Cross Coupling Reaction of a Glyoxylate with Carbonyl Compounds. A Facile Synthesis of α,β -Dihydroxycarboxylate Based on a Low Valent Titanium Compound. *Chem. Lett.*, **1989**, 1401, by T. Mukaiyama, H. Sugimura, T. Ohno, and S. Kobayashi.
- 543 An Efficient Chiral Promoter in the Aldol-type Reaction. Chiral Diamine Coordinated Tin(II) Triflate-Dibutylindiacetate Complex. *Chem. Lett.*, **1989**, 1757, by T. Mukaiyama, H. Uchiro, and S. Kobayashi.

- 544 [1,2-Benzendiolato(2-)-O-O']oxotitanium. A Chemoselective and Efficient Catalyst for Aldol-type Reaction of Ketene Silyl Acetals with Aldehydes. *Chem. Lett.*, **1989**, 1909, by R. Hara and T. Mukaiyama.
- 545 A Highly Enantioselective Synthesis of 2-Substituted Malates by Asymmetric Aldol Reaction. *Chem. Lett.*, **1989**, 2069, by S. Kobayashi, Y. Fujishita, and T. Mukaiyama.
- 546 A Convenient Method for the Direct Preparation of Ketones from Vinylsilanes with Molecular Oxygen Catalyzed by Cobalt(II) Complex. *Chem. Lett.*, **1989**, 2233, by K. Kato and T. Mukaiyama.
- 547 Catalytic Use of Tin(II) Reagents in Organic Synthesis. *Tetrahedron*, **45**, 1197 (1989), by N. Iwasawa, T. Yura, and T. Mukaiyama.
- 548 A Convenient Method for the Preparation of Secondary Propargylic Ethers. The Reactions of Acetals with 1-Trimethylsilyl-1-alkynes Promoted by the Combined Use of catalytic Amounts of Tin(IV) Chloride and Zinc Chloride. *Bull. Chem. Soc. Jpn.*, **61**, 4037 (1989), by M. Hayashi, A. Inubushi, and T. Mukaiyama.

1990

- 549 A Convenient Method for the Stereoselective Preparation of trans-2-Hydroxymethyltetrahydrofurans by the Oxidative Cyclization of 5-Hydroxy-1-alkenes with Molecular Oxygen Catalyzed by Cobalt(II) Complex. *Chem. Lett.*, **1990**, 67, by S. Inoki and T. Mukaiyama.
- 550 Catalytic Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes by the Use of Chiral Diamine Coordinated Tin(II) Triflate. *Chem. Lett.*, **1990**, 129, by T. Mukaiyama, S. Kobayashi, H. Uchiro, and I. Shiina.
- 551 Stereoselective Addition of t-Butyldimethylsiloxy-1-ethoxyethene to 2-Trichloromethyl-1,3-dioxan-4-ones. *Chem. Lett.*, **1990**, 161, by K. Homma and T. Mukaiyama.
- 552 4-O-Benzyl-2,3-O-Isopropylidene-L-threose: A Useful Building Block for Stereoselective Synthesis of Monosaccharides. *Tetrahedron*, **46**, 265 (1990), by T. Mukaiyama, K. Suzuki, T. Yamada, and F. Tabusa.
- 553 Efficient Method for the Preparation of (Z)- α -Alkoxy- α , β , γ -unsaturated Nitriles Starting from the Corresponding Acetals of (E)-Chalcone Derivatives. *Chem. Lett.*, **1990**, 229, by T. Mukaiyama, H. Takenoshita, M. Yamada, and T. Soga.
- 554 New Role of Tin(II) Compounds in Organic Synthesis. *J. Organomet. Chem.*, **382**, 39 (1990), by T. Mukaiyama and S. Kobayashi.
- 555 A Convenient Method for Stereoselective Synthesis of β -Aminoesters. Iron(II) Iodide or Trityl Hexachloroantimonate as an Effective Catalyst in the Reaction of Ketene Silyl Acetals with Imines. *Chem. Lett.*, **1990**, 889, by T. Mukaiyama, H. Akamatsu, and J.S. Han.
- 556 [1,1'-Bi-2-naphthalenediolato(2-)-O,O']oxotitanium. An Efficient Chiral Catalyst for the Asymmetric Aldol Reaction of Silyl Enol Ethers with Aldehydes. *Chem. Lett.*, **1990**, 1015, by T. Mukaiyama, A. Inubushi, S. Suda, R. Hara and S. Kobayashi.

- 557 Facile Synthesis of Optically Active anti- α , β -Dihydroxy Ester Derivatives. *Chem. Lett.*, **1990**, 1019, by T. Mukaiyama, H. Uchiro, I. Shiina, and S. Kobayashi.
- 558 Diphosphonium Salts as Effective Reagents for Stereoselective Synthesis of 1,2-cis-Ribofuranosides. *Chem. Lett.*, **1990**, 1143, by T. Mukaiyama and S. Suda.
- 559 A New Efficient Chiral Catalyst System. Combines Use of Tin(II) Oxide, Trimethylsilyl Triflate and Chiral Diamine in the Asymmetric Aldol Reaction. *Chem. Lett.*, **1990**, 1147, by T. Mukaiyama, H., Uchiro, and S. Kobayashi.
- 560 Asymmetric Aldol-type Reaction between Both Achiral Ketene Silyl Acetals of Acetic Acid Esters and Aldehydes by the Use of Chiral Promoters. *Tetrahedron*, **46**, 4653 (1990), by T. Mukaiyama, S. Kobayashi, and T. Sano.
- 561 Stereoselective Syntheses of α -Substituted Cyclic Ethers and syn-1,3-Diols. *Bull. Chem. Soc. Jpn.*, **63**, 1898 (1990), by K. Homma, H. Takenoshita, and T. Mukaiyama.
- 562 Reactions of Acetals of α , β -Unsaturated Ketones with Silylated Nucleophiles as Trimethylsilyl Cyanide and Phenylthiotrimethylsilanes. *Chem. Lett.*, **1990**, 1259, by T. Mukaiyama, H. Takenoshita, M. Yamada, and T. Soga.
- 563 Nitrosation of α , β -Unsaturated Carboxamide with Nitric Oxide and Triethylsilane Catalyzed by Cobalt(II) Complex. *Chem. Lett.*, **1990**, 1395, by K. Kato and T. Mukaiyama.
- 564 The Efficient Catalytic Asymmetric Aldol-type Reaction. *Chem. Lett.*, **1990**, 1455, by S. Kobayashi, Y. Fujishita, and T. Mukaiyama.
- 565 Epoxidation of Olefins with Molecular Oxygen and Alcohol Catalyzed by Bis(2-alkyl-1,3-diketonato)oxovanadium(IV). *Chem. Lett.*, **1990**, 1657, by T. Takai, T. Yamada, and T. Mukaiyama.
- 566 Nickel(II) Complex Catalyzed Epoxidation of Olefins with Molecular Oxygen and Primary Alcohol. *Chem. Lett.*, **1990**, 1661, by T. Mukaiyama, T. Takai, T. Yamada, and O. Rhode.
- 567 Stereoselective Reduction of t-Butyldimethylsiloxy Group of Ethyl 2-Trichloromethyl-4-t-butyldimethyl-siloxy-1,3-dioxan-4-acetate. *Heterocycles*, **31**, 443 (1990), by K. Homma and T. Mukaiyama.
- 568 Regioselective Condensation of Ethynyl Vinyl Ketone or 2-Propynyl Ether Derivatives with Silyl Enol Ethers Catalyzed by Trityl Perchlorate. *Bull. Chem. Soc. Jpn.*, **63**, 2687 (1990), by T. Mukaiyama, S. Matsui, K. Homma, and S. Kobayashi.
- 569 Catalytic Asymmetric Aldol Reaction of Ketene Silyl Acetals with Aldehydes by Use of Chiral Bissulfonamido Zinc(II). *Chem. Lett.*, **1990**, 1777, by T. Mukaiyama, T. Takashima, H. Kusaka, and T. Shimpuku.
- 570 A New and Facile Method for the Direct Preparation of α -Hydroxycarboxylic Acid Esters from α , β -Unsaturated Carboxylic Acid Esters with Molecular Oxygen and Phenylsilane Catalyzed by Bis(dipivaloylmethanato)manganese(II) Complex. *Chem. Lett.*, **1990**, 1869, by S. Inoki, K. Kato, S. Isayama, and T. Mukaiyama.

- 571 A Novel Method for the Preparation of 2-Hydroxyiminocarboxylic Acid Esters. Cobalt(II) Catalyzed α -Oximation of α, β -Unsaturated Esters with Butyl Nitrite and Phenylsilane. *Chem. Lett.*, **1990**, 1917, by K. Kato and T. Mukaiyama.
- 572 Efficient Activation of Acetals, Aldehydes, and Imines toward Silylated Nucleophiles by the Combined Use of Catalytic Amounts of $[\text{Rh}(\text{COD})\text{Cl}]_2$ and TMS-CN under Almost Neutral Conditions. *Bull. Chem. Soc. Jpn.*, **63**, 3122 (1990), by T. Soga, H. Takenoshita, M. Yamada, and T. Mukaiyama.
- 573 Cobalt(II) Catalyzed Coupling Reaction of α, β -Unsaturated Compounds with Aldehydes by the Use of Phenylsilane. New Method for Preparation of α -Hydroxy Nitriles, Amides, and Esters. *Chem. Lett.*, **1990**, 2005, by S. Isayama and T. Mukaiyama.
- 574 A Convenient and Versatile Route for the Stereoselective Synthesis of Monosaccharides via Key Chiral Synthons from Achiral Sources. *Chem. Lett.*, **1990**, 2201, by T. Mukaiyama, I. Shiina, and S. Kobayashi.
- 575 An Effective Activation of O-Trimethylsilyl Monothioacetal under Extremely Mild Conditions Using a Novel Catalysts System, Trimethylsilyl Chloride and Indium(III) chloride. *Chem. Lett.*, **1990**, 2239, by T. Mukaiyama, T. Ohno, T. Nishimura, J. S. Han, and S. Kobayashi.
- 1991
- 576 Highly Efficient Method for Epoxidation of Olefins with Molecular Oxygen and Aldehydes Catalyzed by Nickel(II) Complexes. *Chem. Lett.*, **1991**, 1, by T. Yamada, T. Takai, O. Rhode, and T. Mukaiyama.
- 577 Oxidation of Aldehydes into Carboxylic Acids with Molecular Oxygen Using Nickel(II) Complex Catalysts. *Chem. Lett.*, **1991**, 5, by T. Yamada, O. Rhode, T. Takai, and T. Mukaiyama.
- 578 Oxygenation of Silyl Enol Ethers and Silyl Ketene Acetals with Molecular Oxygen and Aldehyde Catalyzed by Nickel(II) Complex. A Convenient Method for the Preparation of α -Hydroxy Carbonyl Compounds. *Chem. Lett.*, **1991**, 281, by T. Takai, T. Yamada, O. Rhode and T. Mukaiyama.
- 579 Stereoselective Synthesis of 1,2-trans-Ribofuranosides from 1-Hydroxy Sugars by the Use of [1,2-Benzendiolato(2-)-O,O']oxotitanium and Trifluoromethanesulfonic Anhydride. *Chem. Lett.*, **1991**, 431, by S. Suda and T. Mukaiyama.
- 580 A Highly Stereoselective Synthesis of α -Glucosides from 1-O-Acetyl Glucose by Use of Tin(IV) Chloride-Silver Perchlorate Catalyst System. *Chem. Lett.*, **1991**, 533, by T. Mukaiyama, T. Takashima, M. Katsurada, and H. Aizawa.
- 581 A Facile Synthesis of Cyanohydrin Trimethylsilyl Ethers by the Addition Reaction of Trimethylsilyl Cyanide with Aldehydes under basic Condition. *Chem. Lett.*, **1991**, 537, by S. Kobayashi, Y. Tsuchiya, and T. Mukaiyama.
- 582 Enantioselective Addition Reaction of Trimethylsilyl Cyanide with Aldehydes Using a Chiral Tin(II) Lewis Acid. *Chem. Lett.*, **1991**, 541, by S. Kobayashi, Y. Tsuchiya, and T. Mukaiyama.

- 583 The Bayer-Villiger Oxidation of Ketones Catalyzed by Nickel(II) Complexes with Combined Use of Molecular Oxygen and an Aldehyde. *Chem. Lett.*, **1991**, 641, by T. Yamada, K. Takahashi, K. Kato, T. Takai, S. Inoki, and T. Mukaiyama.
- 584 Reactions of α , β -Unsaturated Ketone Acetals with Trimethylsilyl Cyanide and trimethylsilyl Sulfides. *Bull. Chem. Soc. Jpn.*, **64**, 1108 (1991), by T. Soga, H. Takenoshita, M. Yamada, J.S. Han, and T. Mukaiyama.
- 585 The Chiral Catalyst control. A Significant Role of a Chiral Catalyst in the Diastereoselective Aldol Reaction Using Chiral Aldehydes. *Chem. Lett.*, **1991**, 831, by S. Kobayashi, A. Ohtsubo, and T. Mukaiyama.
- 586 Asymmetric Aldol Reaction between Achiral Silyl Enol Ethers and Achiral Aldehydes by Use of a Chiral Promoter System. *J. Am. Chem. Soc.*, **113**, 4247 (1991), by S. Kobayashi, T. Uchiro, Y. Fujishita, I. Shiina, and T. Mukaiyama.
- 587 Oxovanadium(IV) Complex Catalyzed Oxygenation of α , β -Unsaturated Carboxamide into 2,3-Epoxycarboxamide with Molecular Oxygen and an Aldehyde. *Chem. Lett.*, **1991**, 941, by S. Inoki, T. Takai, T. Yamada, and T. Mukaiyama.
- 588 Reversal Phenomena of the Preferential Activation of Aldehydes to the Corresponding Acetals under Non-Basic with t-Buthyldimethylsilyl Enol Ethers Using TBSCl-InCl₃ as a Catalyst. *Chem. Lett.*, **1991**, 949, by T. Mukaiyama, T. Ohno, J. S. Han and S. Kobayashi.
- 589 An Efficient Method for the Stereoselective Synthesis of 1,2-cis- and 1,2-trans-Ribofuranosides from 1-Hydroxy Ribofuranose by the Use of Diphenyltin Sulfide and Trifluoromethanesulfonic Anhydride. *Chem. Lett.*, **1991**, 981, by T. Mukaiyama, K. Matsubara, and S. Suda.
- 590 The Evaluation of Catalysts Generated from Lewis Acids and Silver Perchlorate in a Highly Stereoselective Glycosylation of 1-O-Acetyl-D-Glucose. *Chem. Lett.*, **1991**, 985, by T. Mukaiyama, M. Katsurada, and T. Takashima.
- 591 Highly Enantioselective Synthesis of Propargylic Alcohols by Way of the Asymmetric Aldol Reaction. *Chem. Lett.*, **1991**, 989, by T. Mukaiyama, M. Furuya, A. Ohtsubo, and S. Kobayashi.
- 592 The Catalytic Fridel-Crafts Acylation Reaction Using a Catalyst Generated from GaCl₃ and a Silver Salt. *Chem. Lett.*, **1991**, 1059, by T. Mukaiyama, T. Ohno, T. Nishimura, S. Suda, and S. Kobayashi.
- 593 An Efficient Asymmetric Aldol Reaction Promoted by a Chiral Tin(II) Lewis Acid Consisting of Tin(II) Triflate, (R)-2-[(N-1-Naphtylamino)methyl]tetrahydrothiophene and a Tin(IV) Compound. *Chem. Lett.*, **1991**, 1209, by T. Mukaiyama, H. Asanuma, I. Hachiya, T. Harada, and S. Kobayashi.
- 594 Direct Epoxidation of Olefins Catalyzed by Nickel(II) Complexes with Molecular Oxygen and Aldehydes. *Bull. Chem. Soc. Jpn.*, **64**, 2109 (1991), by T. Yamada, T. Takai, O. Rhode, and T. Mukaiyama.

- 595 The Asymmetric Diels-Alder Reaction of α, β -Unsaturated Aldehydes with Dienes Using a Chiral Boron Reagent as a Catalyst. *Chem. Lett.*, **1991**, 1341, by S. Kobayashi, M. Murakami, T. Harada, and T. Mukaiyama.
- 596 Catalytic Asymmetric Aldol Reaction of the Silyl Enol Ether of Acetic Acid Thioester with Aldehydes Using Chiral Tin(II) Lewis Acid. *Tetrahedron Asymmetry*, **2**, 635 (1991), S. Kobayashi, M. Furuya, A. Ohtsubo, and T. Mukaiyama.
- 597 Aerobic Epoxidation of Olefinic Compounds Catalyzed by Tris(1,3-diketonato)ion(III). *Bull. Chem. Soc. Jpn.*, **64**, 2513 (1991), by T. Takai, E. Hata, T. Yamada, and T. Mukaiyama.
- 598 A Novel Catalyst System, Trimethylsilyl Chloride and Indium(III) Chloride, as an Efficient Catalyst in the Sulfide Synthesis. *Bull. Chem. Soc. Jpn.*, **64**, 2524 (1991), by T. Mukaiyama, T. Ohno, T. Nishimura, J. S. Han, and S. Kobayashi.
- 599 Aerobic Oxygenation of Olefinic Compounds into the Corresponding α -Hydroxy Ketones Using the Catalyst System of OsO₄ and Ni(II) Complex. *Chem. Lett.*, **1991**, 1499, by T. Takai, T. Yamada, and T. Mukaiyama.
- 600 The Catalytic Beckmann Rearrangement of Ketoxime Trimethylsilyl Ethers Using an Antimony(V) Salt. *Chem. Lett.*, **1991**, 1653, by T. Mukaiyama and T. Harada.
- 601 A Novel and Efficient Method for the Preparation of α -Hydroxyimino Carbonyl Compounds from α, β -Unsaturated Carbonyl Compounds with Butyl Nitrite and Phenylsilane Catalyzed by a Cobalt(II) Complex. *Bull. Chem. Soc. Jpn.*, **64**, 2948 (1991), by K. Kato and T. Mukaiyama.
- 602 Highly Enantioselective Synthesis of syn- α, β -Dihydroxy Thioesters by the Asymmetric Aldol Reaction Using a Chiral Tin(II) Lewis Acid. *Chem. Lett.*, **1991**, 1901, by T. Mukaiyama, I. Shiina, and S. Kobayashi.
- 603 The Catalytic Fridel-Crafts Acylation Reaction and the Catalytic Beckmann Rearrangement Promoted by a Gallium(III) or an Antimony(V) Cationic Species. *Synthesis*, **12**, 1216 (1991), by T. Harada, T. Ohno, S. Kobayashi, and T. Mukaiyama.
- 1992
- 604 The Catalytic Pinacol Rearrangement of 1,2-Diols Using Antimony(V) Salt. *Chem. Lett.*, **1992**, 81, by T. Harada and T. Mukaiyama.
- 605 A Novel Method for the Preparation of Optically Active Dipeptide. Chemo- and Stereoselective Reduction of 2-Hydroxyimino Amides with Samarium Diiodide. *Chem. Lett.*, **1992**, 181, by T. Mukaiyama, K. Yoroazu, K. Kato, and T. Yamada.
- 606 A Novel Method for Preparation of Glycocerol Monoesters from Glycidyl Esters with Molecular Oxygen Catalyzed by Ni(II) Complex. *Chem. Lett.*, **1992**, 231, by T. Mukaiyama, K. Imagawa, T. Yamada, and T. Takai.
- 607 An Efficient Method for the Preparation of Chiral Synthons Starting from Racemic Compounds by Way of Asymmetric Synthesis. *Chem. Lett.*, **1992**, 373, by S. Kobayashi, I. Shiina, J. Izumi, and T. Mukaiyama.

- 608 A Novel Catalyst System, Antimony(V) Chloride-Lithium Perchlorate ($\text{SbCl}_5\text{-LiClO}_4$), in the Friedel-Crafts Acylation Reaction. *Chem. Lett.*, **1992**, 435, by T. Mukaiyama, K. Suzuki, J.S. Han, and S. Kobayashi.
- 609 An Efficient Method for the Preparation of Carboxylic Esters via Mixed Anhydrides by the Promotion of a Catalytic Amount of Lewis Acid. *Chem. Lett.*, **1992**, 625, by T. Mukaiyama, I. Shiina, and M. Miyashita.
- 610 Stereoselective Glycosylation Reaction Starting from 1-O-Trimethylsilyl Sugars by Using Diphenyltin Sulfide and a Catalytic Amount of Active Acidic Species. *Chem. Lett.*, **1992**, 1041, by T. Mukaiyama and K. Matsubara.
- 611 Iron(III) Complex Catalyzed Nitrosation of Terminal and 1,2-Disubstituted Olefins with Butyl Nitrite and Phenylsilane. *Chem. Lett.*, **1992**, 1137, by K. Kato and T. Mukaiyama.
- 612 Stereoselective Synthesis of 1,2-cis-Arabinofuranosides Using a New Titanium Catalyst. *Chem. Lett.*, **1992**, 1401, by T. Mukaiyama, M. Yamada, S. Suda, Y. Yokomizo, and S. Kobayashi.
- 613 A New and Efficient Method for the Preparation of S-Phenyl Carbothioates via Mixed Anhydrides Using Active Titanium(IV) Salts. *Chem. Lett.*, **1992**, 1747, by T. Mukaiyama, M. Miyashita and I. Shiina.
- 614 An Efficient Catalytic Friedel-Crafts Acylation Reaction of Equimolar Amounts of Aromatic Compounds and Free Carboxylic Acids or Their Trimethylsilyl Esters via Mixed Anhydrides. *Chem. Lett.*, **1992**, 1751, by T. Mukaiyama and K. Suzuki.
- 615 Stereoselective Synthesis of 2-amino-2-deoxy- β -D-Glucopyranosides and Galactopyranosides by Using a Catalytic Amount of Tin(II) Trifluoromethanesulfonate. *Chem. Lett.*, **1992**, 1755, by T. Mukaiyama and K. Matsubara.
- 616 A Convenient Method for the Preparation of Ethers from Epoxides. Trityl Hexafluoroantimonate-catalyzed Sequential Reactions, Rearrangement and Reductive Condensation of Epoxides. *Chem. Lett.*, **1992**, 1901, by T. Harada and T. Mukaiyama.
- 617 Cobalt(II) Complex Catalyzed Epoxidation of Olefins by Combined Use of Molecular Oxygen and Cyclic Ketones. *Chem. Lett.*, **1992**, 2077, by T. Takai, E. Hata, K. Yorozu, and T. Mukaiyama.
- 618 A Highly Stereoselective Synthesis of β -Glucosides from Pentaacylglucopyranose and Alkyl Silyl Ether by the Use of a Catalytic Amount of Active Species Generated from Methyltrichlorosilane and Silver Perchlorate. *Chem. Lett.*, **1992**, 2105, by T. Mukaiyama, M. Katsurada, and Y. Iida.
- 619 β -Selective Epoxidation of Cholesterol Derivatives with Molecular Oxygen and Aldehyde Catalyzed by Manganese(II) Complex. *Chem. Lett.*, **1992**, 2109, by T. Yamada, K. Imagawa and T. Mukaiyama.
- 620 Enantioselective Epoxidation of Unfunctionalized Olefins with Molecular Oxygen and Aldehyde Catalyzed by Optically Active Manganese(III) Complexes. *Chem. Lett.*, **1992**, 2231, by T. Yamada, K. Imagawa, T. Nagata, and T. Mukaiyama.

- 621 The Esterification Reaction between Silyl Derivatives of Carboxylic Acids and Alcohols by the Promotion of a Catalytic Amount of Lewis Acid. *Chem. Lett.*, **1992**, 2319 by I. Shiina and T. Mukaiyama.
- 622 An Efficient Synthesis of 6-Deoxy-D-allose from Simple Achiral Starting Materials. *Chem. Lett.*, **1992**, 2419, by S. Kobayashi, S. Onozawa and T. Mukaiyama.

1993

- 623 Facile Synthesis of Amino-6-Deoxyaldohexoses from Simple Achiral Starting Materials *Bull. Soc. Chim. Fr.*, **130**, 388 (1993), by T. Mukaiyama, H. Anan, I. Shiina and S. Kobayashi.
- 624 An Efficient Synthesis of Unsymmetrical Sulfides from Organic Disulfides and Aromatic Compounds. *Chem. Lett.*, **1993**, 1, by T. Mukaiyama and K. Suzuki.
- 625 Trityl Antimonate-catalyzed Sequential Reactions of Epoxides with Silylated Nucleophiles. Rearrangement of Epoxides and Carbon-carbon or Carbon-oxygen Bond-forming Nucleophilic Reaction onto the Intermediate Carbonyl Compounds. *Bull. Chem. Soc. Jpn.*, **66**, 882, (1993) by T. Harada, and T. Mukaiyama
- 626 Catalytic Asymmetric Aldol-type Reaction Using a Chiral Tin(II) Lewis Acid. *Tetrahedron*, **49**, 1761 (1993), by S. Kobayashi H. Uchiro, I. Shiina and T. Mukaiyama.
- 627 Asymmetric Aerobic Epoxidation of Unfunctionalized Olefins Catalyzed by Optically Active α -alkoxycarbonyl- β -ketoiminato Manganese(III) Complexes. *Chem. Lett.* **1993**, 327 by T. Mukaiyama, T. Yamada, T. Nagata, and K. Imagawa.
- 628 Aerobic Epoxidation of Olefins Catalyzed by Cobalt(II) Complex Using Propionaldehyde Diethyl Acetal as a Reductant. *Chem. Lett.*, **1993**, 439, by T. Mukaiyama, K. Yorozu, T. Takai, and T. Yamada.
- 629 Stereoselective Synthesis of O-(2-Azido-2-deoxy- α -D-galactopyranosyl)-L-Serine and -L-threonine Derivatives by Using the Catalytic Amount of Active Acidic Species. *Chem. Lett.*, **1993**, 581, by K. Matsubara and T. Mukaiyama.
- 630 An Efficient Method for the Stereoselective Synthesis of β -D- and α -D-Ribofuranosides from 2,3,5-tri-O-benzyl-D-Ribofuranose by the use of [catecholato(2-)-O,O']Oxotitanium and Trifluoromethanesulfonic Anhydride. *Bull. Chem. Soc. Jpn.*, **66**, 1211 (1993), by S. Suda and T. Mukaiyama.
- 631 A New and Efficient Esterification Reaction via Mixed Anhydrides by the Promotion of a Catalytic Amount of Lewis Acid. *Bull. Chem. Soc. Jpn.*, **66**, 1516, by M. Miyashita, I. Shiina, S. Miyoshi, and T. Mukaiyama.
- 632 Enantioselective Synthesis of the α -Hydroxy- α -methyl- β -hydroxy Units via Asymmetric Aldol Reaction. *Heterocycles*, **35**, 719, by T. Mukaiyama, I. Shiina, J. Izumi, and S. Kobayashi.
- 633 Catalytic Stereoselective Synthesis of α - or β -Ribofuranosides by Combined Use of Silver Salts and Lithium Perchlorate of Diphenyltin Sulfide. *Chem. Lett.*, **1993**, 781, by T. Mukaiyama and N. Shimomura.

- 634 Facile Synthesis of Lactones from Silyl ω -Siloxycarboxylates Using *p*-Trifluoromethylbenzoic Anhydride and a Catalytic Amount of Active Lewis Acid. *Chem. Lett.*, **1993**, 907, by T. Mukaiyama, J. Izumi, M. Miyashita, and I. Shiina.
- 635 A Convenient Synthesis of Carboxanilides from Silyl Carboxylates and Weakly Nucleophilic Anilines Using *p*-Trifluoromethylbenzoic Anhydride and a Catalytic Amount of Active Titanium(IV) Salt. *Chem. Lett.*, **1993**, 1053, by M. Miyashita, I. Shiina, and T. Mukaiyama.
- 636 Catalytic Stereoselective Synthesis of α - or β -Glucosides Using a Single Glycosyl Donor, 1-O-2'-(2'-Methoxyethoxy)acetyl-Glucopyranose Derivative. *Chem. Lett.*, **1993**, 1373, by K. Matsubara, T. Sasaki, and T. Mukaiyama.
- 637 Oxygenation of Tetrahydrofurans with Combined Use of Molecular Oxygen and α -Diketone Catalyzed by Cobalt(III) Complex. *Chem. Lett.*, **1993**, 1513, by E. Hata, T. Takai, and T. Mukaiyama.
- 638 Epoxidation of Olefinic Compounds with Combined Use of Molecular Oxygen and Propionaldehyde Diethyl Acetal Catalyzed by Cobalt(II) Complex. Efficient Method for the Preparation of Acid-sensitive Epoxides. *Chem. Lett.*, **1993**, 1579, by K. Yorozu, T. Takai, T. Yamada, and T. Mukaiyama.
- 639 The Catalytic Friedel-Crafts Acylation Reaction Starting from Aromatic Compounds and Free Carboxylic Acids (or Their Trimethylsilyl Esters) by Promotion of Silicon(IV) Cationic Species via Mixed Anhydrides. *Bull. Chem. Soc. Jpn.*, **66**, 3729 (1993), by K. Suzuki, H. Kitagawa, and T. Mukaiyama.
- 640 Catalytic Stereoselective Synthesis of β -Ribonucleosides from Methyl Ribofuranosyl Carbonate and Trimethylsilylated Nucleoside Bases by Combined Use of silver Salts and Diphenyltin Sulfide. *Chem. Lett.*, **1993**, 1627, by T. Mukaiyama, T. Matsutani, and N. Shimomura.
- 641 Catalytic Synthesis of β -D-Ribofuranosides from D-Ribofuranose and Alcohols. *Chem. Lett.*, **1993**, 1941, by N. Shimomura and T. Mukaiyama.
- 642 Catalytic Stereoselective Synthesis of 2-Amino-2-Deoxy- α -D-Glucopyranosides and Galactopyranosides. *Chem. Lett.*, **1993**, 2145, by K. Matsubara and T. Mukaiyama.
- 1994
- 643 Optically Active β -Ketoiminato Manganese(III) Complexes as Efficient Catalysts in Enantioselective Aerobic Epoxidation of Unfunctionalized Olefins. *Inorg. Chim. Acta*, **220**, 283 (1994), by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 644 An Effective Method for Acylation of Weakly Nucleophilic Anilines with Silyl Carboxylates via Mixed Anhydrides. *Bull. Chem. Soc. Jpn.*, **67**, 210 (1994), by M. Miyashita, I. Shiina, and T. Mukaiyama.
- 645 A Catalytic Asymmetric Michael Reaction of Silyl Enol Ethers with α , β -Unsaturated Ketones Using a Chiral Titanium Oxide. *Chem. Lett.*, **1994**, 97, by S. Kobayashi, S. Suda, M. Yamada, and T. Mukaiyama.

- 646 High-Yielding Catalytic Synthesis of Glycosyl Azides from Peracylated Sugars. *Chem. Lett.*, **1994**, 247, by K. Matsubara and T. Mukaiyama.
- 647 Tin(II) Chloride Catalyzed Synthesis of Ribofuranosides. *Chem. Lett.*, **1994**, 433, by N. Shimomura, M. Saitoh, and T. Mukaiyama.
- 648 A Useful Method for the Preparation of Carboxylic Esters from Free Carboxylic Acids and Alcohols. *Chem. Lett.*, **1994**, 515, by I. Shiina, S. Miyoshi, M. Miyashita, and T. Mukaiyama.
- 649 *N*-Alkyl Imidazoles as Effective Axial Ligands in the Aerobic Asymmetric Epoxidation of Unfunctionalized Olefins Catalyzed by Optically Active Manganese(III)-salen-type Complex. *Chem. Lett.*, **1994**, 527, by K. Imagawa, T. Nagata, T. Yamada, and T. Mukaiyama.
- 650 A Convenient Method for the Preparation of Acetal Carboxylic Acids by Nickel(II) Complex Catalyzed Oxygenation of α -Alkoxy Cyclic Ketones with Molecular Oxygen. *Chem. Lett.*, **1994**, 535, by E. Hata, T. Takai, T. Yamada, and T. Mukaiyama.
- 651 A Novel Method for the Preparation of Macrolides from ω -Hydroxycarboxylic Acids. *Chem. Lett.*, **1994**, 677, by I. Shiina and T. Mukaiyama.
- 652 Combined Use of Diphenyltin Sulfide or Lawesson's Reagent and Silver Perchlorate as Effective Catalyst Systems in Aldol Reaction. *Chem. Lett.*, **1994**, 789, by T. Mukaiyama, K. Saitoh, H. Kitagawa, and N. Shimomura.
- 653 The Formation of 1,4-Quinones by Oxovanadium(IV)-Complexes Catalyzed Aerobic Oxygenation of Fused Aromatic Compounds. *Chem. Lett.*, **1994**, 885, by T. Takai, E. Hata, and T. Mukaiyama.
- 654 Diastereo- and Enantioselective Synthesis of *syn*- and *anti*-1,2-Diol Units by Asymmetric Aldol Reactions. *Chem. Soc. Jpn.*, **67**, 1708 (1994), by T. Mukaiyama, I. Shiina, H. Uchiro, and S. Kobayashi.
- 655 A Novel Method for the Preparation of Acid-Sensitive Epoxides from Olefins with the Combined Use of Molecular Oxygen and Aldoacetal Catalyzed by a Cobalt(II) Complex. *Bull. Chem. Soc. Jpn.*, **67**, 2195 (1994), by K. Yorozu, T. Takai, T. Yamada, and T. Mukaiyama.
- 656 Aerobic Enantioselective Epoxidation of Unfunctionalized Olefins Catalyzed by Optically Active Salen-Manganese(III) Complexes. *Bull. Chem. Soc. Jpn.*, **67**, 2248 (1994), by T. Yamada, K. Imagawa, T. Nagata, and T. Mukaiyama.
- 657 Enantioselective Aerobic Epoxidation of Acyclic Simple Olefins Catalyzed by the Optically Active β -Ketoiminato Manganese(III) Complex. *Chem. Lett.*, **1994**, 1259, by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 658 Stereoselective Syntheses of α -D- and β -D-Ribofuranosides Catalyzed by the Combined Use of Silver Salts and Their Partners. *Bull. Chem. Soc. Jpn.*, **67**, 2532 (1994), by N. Shimomura and T. Mukaiyama.

- 659 Direct and Stereoselective Preparation of Optically Active 1,3-Dioxolanes from the Corresponding Chiral Styrene Oxides. *Bull. Chem. Soc. Jpn.*, **67**, 2614 (1994), by T. Nagata, T. Takai, T. Yamada, K. Imagawa, and T. Mukaiyama.
- 660 Direct Oxygenation of Benzene and Its Analogues into Phenols Catalyzed by Oxovanadium(IV) Complex with Combined Use of Molecular Oxygen and Aldehyde. *Chem. Lett.*, **1994**, 1849, by E. Hata, T. Takai, T. Yamada, and T. Mukaiyama.
- 661 Tin(II) Chloride Catalyzed Synthesis of β -D-Ribonucleosides. *Chem. Lett.*, **1994**, 2089, by T. Mukaiyama, T. Matsutani, and N. Shimomura.
- 662 Stereoselective Syntheses of β -D-Ribonucleosides Catalyzed by the Combined Use of Silver Salts and Diphenyltin Sulfide or Lawesson's Reagent. *Bull. Chem. Soc. Jpn.*, **67**, 3100 (1994), by N. Shimomura, T. Matsutani, and T. Mukaiyama.
- 663 An Efficient Method for the Stereoselective Synthesis of 2-Amino- β -D- and α -D-Glycosides from Peracylated Sugars Using Active Acidic Species. *Polish J. Chem.*, **68**, 2365 (1994), by K. Matsubara and T. Mukaiyama.
- 664 An Efficient Glycosylation Reaction of 1-Hydroxy Sugars with Various Nucleophiles Using A Catalytic Amount of Activator and Hexamethyldisiloxane. *Synthesis*, **1994**, 1368, by T. Mukaiyama, K. Matsubara, and M. Hora.

1995

- 665 An Effective Method for Formylation of Weakly Nucleophilic Anilines and Indole. *Heterocycles*, **40**, 141 (1995), by I. Shiina, M. Miyashita, M. Nagai, and T. Mukaiyama.
- 666 The Catalytic Diels-Alder Reaction Using Combined Catalyst System of Diphenyltin Sulfide or Lawesson's Reagent and Silver Perchlorate. *Chem. Lett.*, **1995**, 1, by T. Mukaiyama, K. Watanabe, and I. Shiina.
- 667 An Efficient Esterification Reaction between Equimolar Amounts of Free Carboxylic Acids and Alcohols by the Combined Use of Octamethylcyclotetrasiloxane and a Catalytic Amount of Titanium(IV) chloride tris(trifluoromethanesulfonate). *Chem. Lett.*, **1995**, 141, by J. Izumi, I. Shiina, and T. Mukaiyama.
- 668 Mono-aryloxy or Mono-aloxy Zirconium Complexes/Methylaluminumoxane Catalyst System in Ethylene Polymerization. *Polymer Bulletin*, **34**, 199 (1995), by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 669 A Novel Approach to the Synthesis of Taxol. A Synthesis of Optically Active 3,7-dibenzyloxy-4,8-di-*t*-butyl-dimethylsiloxy-5,5-dimethyl-6-*p*-methoxybenzyloxy-2-octanone by Way of Stereoselective Aldol Reactions. *Chem. Lett.*, **1995**, 179, by T. Mukaiyama, I. Shiina, K. Sakata, T. Emura, K. Seto, and M. Saitoh.
- 670 An Asymmetric Synthesis of Fully Functionalized B Ring System of Taxol. *Chem. Lett.*, **1995**, 181, by I. Shiina, K. Uoto, N. Mori, T. Kosugi, and T. Mukaiyama.
- 671 Synthesis of A B Ring Model System of Taxol via Allylation of 8-Membered Ring Compound and Intramolecular Aldol Condensation. *Chem. Lett.*, **1995**, 229, by T. Mukaiyama, I. Shiina, K. Kimura, Y. Akiyama, and H. Iwadare.

- 672 Asymmetric Oxidation of Sulfides with Molecular Oxygen Catalyzed by β -Oxo Aldiminato Manganese(III) Complexes. *Chem. Lett.*, **1995**, 335, by K. Imagawa, T. Nagata, T. Yamada, and T. Mukaiyama.
- 673 Optically Active *N, N'*-Bis(3-oxobutylidene)diaminomanganese(III) Complexes as Novel and Efficient Catalysts for Aerobic Enantioselective Epoxidation of Simple Olefins. *Bull. Chem. Soc. Jpn.*, **68**, 1455, by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 674 Stereoselective Synthesis of *N*-Acetyl- α -neuraminosyl-glactose Disaccharide. *Chem. Lett.*, **1995**, 455, by T. Mukaiyama, T. Sasaki, E. Iwashita, and K. Matsubara.
- 675 Convenient and Simple Preparation of Nitroolefins. Nitration of Olefins with Nitric Oxide. *Chem. Lett.*, **1995**, 505, by T. Mukaiyama, E. Hata, and T. Yamada.
- 676 Preparation of Narrow Polydispersity Polycaprolactone Catalyzed by Cationic Zirconocene Complexes. *Chem. Lett.*, **1995**, 737, by T. Mukaiyama, M. Hayakawa, K. Oouchi, M. Mitani, and T. Yamada.
- 677 An Asymmetric Synthesis of the Fully Functionalized AB Ring System of 12-Demethyltaxol via Successive Stereoselective Allylation and Intramolecular Aldol Reactions. *Chem. Lett.*, **1995**, 781, by I. Shiina, H. Iwadare, M. Saitoh, N. Ohkawa, T. Nishimura, and T. Mukaiyama.
- 678 Stereoselective Cyclopolymerization of 1,5-Hexadiene Using Novel Bis(ferrocenyl)zirconocene Catalyst. *Chem Lett.*, **1995**, 905, by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 679 Enantioselective Aerobic Oxidation of Sulfides Catalyzed by Optically Active β -Oxo Aldiminatomanganese(III) Complexes. *Bull. Chem. Soc. Jpn.*, **68** (1995), 3241, by T. Nagata, K. Imagawa, T. Yamada, and T. Mukaiyama.
- 680 A Convenient Method for the Preparation of Nitro Olefins by Nitration of Olefins with Nitrogen Monoxide. *Bull. Chem. Soc. Jpn.*, **68** (1995), 3269, by E. Hata, T. Yamada, and T. Mukaiyama.
- 681 Olefin Polymerization Catalyzed by Homo- or Heterobimetallic Zirconocene Complex/methylaluminumoxane System. *Polymer Bulletin*, **35** (1995), 677, by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.

1996

- 682 Trityl Salt Catalyzed Stereoselective Glycosylation of Alcohols with 1-Hydroxyribofuranose. *Chem Lett.*, **1996**, 79, by H. Uchiro and T. Mukaiyama.
- 683 Synthesis of *N*⁶,2',3',5'-Tetrabenzoyl- β -D-adenosine Catalyzed by Metal Iodides. *Heterocycles*, **42** (1996), 57, by M. Nagai, T. Matsutani, and T. Mukaiyama.
- 684 Catalytic Stereoselective Synthesis of Pyrimidine 2-Deoxyribonucleosides. *Chem. Lett.*, **1996**, 99, by T. Mukaiyama, N. Hirano, M. Nishida, and H. Uchiro.

- 685 New and Effective Synthesis of 7-Triethylsilylbaccatin III from 7 β , 13 α - Bistriethylsiloxy-1 β , 2 α , 10 β -trihydroxy-9-oxo-4(20),11-taxadiene. *Chem. Lett.*, **1996**, 223, by I. Shiina, M. Saitoh, K. Nishimura, K. Saitoh, and T. Mukaiyama.
- 686 A Significant Effect of a Lithium Salt in the Stereocontrolled Synthesis of α -D-Ribofuranosides. *Chem. Lett.*, **1966**, 271, by H. Uchiro and T. Mukaiyama.
- 687 Ethylene Oligomerization Catalyzed with Dichlorobis-(β -diketonato)zirconium/organoaluminum Chloride Systems. *Macromol. Chem. Phys.* **197**, 1545 (1966), by K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 688 Convenient Method for One-pot Preparation of 1,2-Diamines from Nitroolefins. *Chem. Lett.*, **1966**, 291, by K. Imagawa, E. Hata, T. Yamada, and T. Mukaiyama.
- 689 An Asymmetric Synthesis of the BC Ring System of 8-Epitaxoids by Way of Intramolecular Aldol and Successive Stereoselective Methylation Reactions. *Chem. Lett.*, **1966**, 483, by T. Mukaiyama, I. Shiina, H. Iwadare, M. Saitoh, K. Nishimura, T. Nishimura, N. Ohkawa, H. Sakoh, and K. Saitoh.
- 690 Novel Zirconacyclopentadiene Complex; 8,8-bis(cyclopentadienyl)-7,9-bis(trimethylstannyl)-8-zirconabicyclo-[4.3.0] nona-1(9),6(7)-diene: Synthesis, X-ray analysis, and catalytic Activity for Ethylene Polymerization. *Journal of Organometallic Chemistry*, **516**, 111 (1966), by K. Oouchi, M. Mitani, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 691 Ligand Effects on Olefin Polymerizations with Multinuclear Zirconocene Catalysts Having Dimethylsilylferrocene as a Cyclopentadienyl Substituent. *Macromol. Chem. Phys.* **197**, 1815 (1966), by M. Mitani, K. Oouchi, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 692 A New Efficient Method for Stereoselective Synthesis of 2-Deoxy-C-ribofuranosides. *Chem. Lett.*, **1966**, 629, by T. Mukaiyama, H. Uchiro, N. Hirano, and T. Ishikawa.
- 693 Enantioselective Borohydride Reduction of Ketones Catalyzed by Optically Active Cobalt(II) Complexes: Achievement of High Enantioselection by Modified Borohydrides with Furfuryl Alcohol Derivatives. *Chem. Lett.*, **1966**, 737, by K. D. Sugi, T. Nagata, T. Yamada, and T. Mukaiyama.
- 694 The Catalytic Friedel-Crafts Acylation Reaction of Aromatic Compounds with Carboxylic Anhydrides Using Combined Catalyst System of Titanium(V) Chloride Tris(trifluoromethanesulfonate) and Trifluoromethanesulfonic Acid. *Chem. Lett.*, **1966**, 739, by J. Izumi and T., Mukaiyama.
- 695 Novel Zirconium-Iron Multinuclear Complex Catalysts for Olefin Polymerizations. *Bull. Chem. Soc. Jpn.*, **69**, 2967 (1996), by M. Mitani, M. Hayakawa, T. Yamada, and T. Mukaiyama.
- 696 Effects of Ligands and Additive Alcohols on Enantioselection in Highly Efficient Asymmetric Borohydride Reduction of Ketones Catalyzed by Optically Active Aldiminato Cobalt (II) Complexes. *Synlett*, **1996**, 1076, by T. Nagata, K. D. Sugi, T. Yamada, and T. Mukaiyama.

- 697 An Efficient Method for Catalytic Stereoselective Synthesis of α -L-Fucopyranosides. *Chem. Lett.*, **1996**, 1123, by T. Mukaiyama, K. Takeuchi, S. Higuchi, and H. Uchiro.
- 698 Asymmetric Allylation of Aromatic Aldehydes Using Chiral Allylic Tin Reagents. *Chem. Lett.*, **1996**, 1125, by M. Nishida, T. Tozawa, K. Yamada, and T. Mukaiyama.
- 699 Practical and Efficient Enantioselective Borohydride Reduction of Aromatic Ketones Catalyzed by Optically Active Cobalt (II) Complexes Using Pre-Modified Borohydride. *Chem. Lett.*, **1996**, 1081, by K. D. Sugi, T. Nagata, T. Yamada, and T. Mukaiyama.
- 700 Living Ring-opening Polymerization of Cyclic Carbonate Using Cationic Zirconocene Complex as Catalyst. *Macromol. Rapid Commun.* **17**, 865 (1996), by M. Hayakawa, M. Mitani, T. Yamada, and T. Mukaiyama.

1997

- 701 An Efficient Method for Catalytic and Stereoselective Glycosylation with Thioglycosides Promoted by Trityl Tetrakis(pentafluorophenyl)borate and Sodium Periodate. *Chem. Lett.*, **1997**, 121, by H. Uchiro and T. Mukaiyama.
- 702 New and Efficient Method for the Preparation of Medium-sized Lactones from the Corresponding ω -Hydroxycarboxylic Acids. *Chem. Lett.*, **1997**, 187, by T. Mukaiyama, J. Izumi, and I. Shiina.
- 703 Highly Stereoselective Synthesis of 2'-Deoxy- α -ribonucleosides and 2-Deoxy- α -C-ribofuranosides by Remote Stereocontrolled Glycosylation. *Chem. Lett.*, **1997**, 389, by T. Mukaiyama, T. Ishikawa, and H. Uchiro.
- 704 Catalytic Stereoselective Synthesis of α -D-Galactopyranosides from 2,3,4,6-Tetra-O-benzyl-D-galactopyranose and Several Alcoholic Nucleophiles. *Chem. Lett.*, **1997**, 403, by H. Uchiro, K. Miyazaki, and T. Mukaiyama.
- 705 An Asymmetric Synthesis of the ABC Ring System of 8-Demethyltaxoids from Optically Active 8-Membered Ring Compound via Intramolecular Aldol and Pinacol Coupling Reactions. *Chem. Lett.*, **1997**, 419, by I. Shiina, T. Nishimura, N. Ohkawa, H. Sakoh, K. Nishimura, K. Saitoh, and T. Mukaiyama.
- 706 Enantioselective Borohydride Reduction of *N*-Diphenylphosphinyl Imines Using Optically Active Cobalt(II) Complex Catalysts. *Chem. Lett.*, **1997**, 493, by K. D. Sugi, T. Nagata, T. Yamada and T. Mukaiyama.
- 707 Living Ring-opening Polymerization of Lactones Using Cationic Zirconocene Complex Catalysts. *Macromol. Chem. Phys.* **198**, 1305(1997), by M. Hayakawa, M. Mitani, T. Yamada, and T. Mukaiyama.
- 708 Highly Stereoselective Preparation of α -Glucosides Utilizing Anomerization Reaction with $\text{MgBr}_2 \cdot \text{OEt}$ and a Catalytic Amount of Titanium(IV)tetrahalides. *Chem. Lett.*, **1997**, 625, by T. Mukaiyama, K. Takeuchi, and H. Uchiro.

- 709 A Convenient Method for the Preparation of Disaccharides by Transglycosylation of Methyl Glucosides. *Israel Journal of Chemistry*, **37**, 87(1997), by H. Uchiro, N. Kurusu, and T. Mukaiyama.
- 710 Asymmetric Allylation of Carbonyl Compounds with Tartrate-Modified Chiral Allylic Tin Reagents. *Bull. Chem. Soc. Jpn.*, **70**, 2031(1997), by K. Yamada, T. Tozawa, M. Nishida, and T. Mukaiyama.
- 711 An Efficient Method for Catalytic and Stereoselective Synthesis of 2-Deoxy- α -D-glucopyranosides from 3,4,6-Tri-*O*-benzyl-2-deoxy-D-glucopyranose and Several Alcoholic Nucleophiles. *Chem. Lett.*, **1997**, 969, by K. Takeuchi, S. Higuchi, and T. Mukaiyama.
- 712 Construction of AB-Ring System of Taxane Framework by A-Ring Annulation Strategy: Synthesis of 1-Hydroxy-8,11,11-trimethylbicyclo-[5.3.1]undec-7-en-9-one by Way of Intramolecular Aldol Cyclization to Form the C1-C-10 Bond. *Chem. Pharm. Bull.* **45**(12), 1898 (1997), by K. Yamada, H. Iwadare, and T. Mukaiyama.
- 713 Stereocontrolled Synthesis of the BC Ring System of Taxol. *Chem. Lett.*, **1997**, 1139, by I. Shiina, H. Iwadare, H. Sakoh, Y. Tani, M. Hasegawa, K. Saitoh, and T. Mukaiyama.
- 714 Preparation of Useful Synthetic Intermediates of Taxol Analogs, Cyclooctenone Derivatives. *Chem. Pharm. Bull.* **45**(12), 2113(1979), by K. Yamada, T. Tozawa, K. Saitoh, and T. Mukaiyama.

1998

- 715 A New Method for the Synthesis of Baccatin III. *Chem. Lett.*, **1998**, 1, by I. Shiina, H. Iwadare, H. Sakoh, M. Hasegawa, Y. Tani, and T. Mukaiyama.
- 716 Total Asymmetric Synthesis of Taxol by Dehydration Condensation between 7-TES Baccatin III and Protected *N*-Benzoylphenylisoserines Prepared by Enantioselective Aldol Reaction. *Chem. Lett.*, **1998**, 3, by I. Shiina, K. Saitoh, I. F. Ortuno, and Mukaiyama.
- 717 Trityl Tetrakis(pentafluorophenyl)borate Catalyzed Stereoselective Glycosylation Using Glycopyranosyl Fluoride as a Glycosyl Donor. *Chem. Lett.*, **1998**, 555, by K. Takeuchi and T. Mukaiyama.
- 718 A New Efficient Method for Catalytic Hydrolysis of Thioglycoside. *Chem. Lett.*, **1998**, 567, by H. Uchiro, Y. Wakiyama, and T. Mukaiyama.
- 719 Highly Stereoselective Synthesis of 1,2-*trans*-Glycosides Using *p*-Chlorobenzylated Glycosyl Carbonate as Glycosyl Donor. *Chem. Lett.*, **1998**, 635, by T. Mukaiyama, K. Miyazaki, and H. Uchiro.

- 720 *O,O'*-Di(2-pyridyl)Thiocarbonate as an Efficient Reagent for the Preparation of Carboxylic Esters from Highly Hindered Alcohols. *Chem. Lett.*, **1998**, 679, by K. Saitoh, I. Shiina, and T. Mukaiyama.
- 721 Determination of Relative and Absolute Stereochemistry of Cephalosporolide D and Its Enantioselective Total Synthesis. *Chem. Lett.*, **1998**, 831, by I. Shiina, Y. Fukuda, T. Ishii, H. Fujisawa, and T. Mukaiyama.