

ORIGINAL PAPERS

1. Studies on Optically Active Amino Acids. IV. A New Synthetic Approach to Chloramphenicol Base from L-Phenylalanine. S. Yamada, K. Koga, H. Matsuo, *Chem. Pharm. Bull.*, **1963**, *11*, 1140.
2. Studies on Optically Active Amino Acids. V. Synthesis of Optically Active β -Aminoalcohols by the Reduction of α -Amino Acid Esters with Sodium Borohydride. H. Seki, K. Koga, H. Matsuo, M. Ohki, I. Matsuo, S. Yamada, *Chem. Pharm. Bull.*, **1965**, *13*, 996.
3. Studies on Optically Active Amino Acids. VII. Stereoselective Synthesis of *l*-Norephedrine Hydrochloride from D-Phenylalanine. K. Koga, H. Matsuo, S. Yamada, *Chem. Pharm. Bull.*, **1966**, *14*, 243.
4. Studies on Optically Active Amino Acids. XII. Synthesis, Resolution, and Racemization of Bicyclic α -Aminoketones. T. Kunieda, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 337.
5. Studies on Optically Active Amino Acids. XIII. Racemization of *N*-Benzoylanilides of Optically Active Proline and Pipecolic Acid. T. Kunieda, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 350.
6. Chemistry of Amino Acids. III. Reduction of Phenylalanine Ethyl Ester and Its Derivatives with Sodium Borohydride. H. Seki, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1967**, *15*, 1948.
7. Effects of Neighboring Functional Groups on 1,2-Asymmetric Induction in the Reduction of Ketones with Sodium Borohydride. S. Yamada, K. Koga, *Tetrahedron Lett.*, **1967**, 1711.
8. Chemistry of Sodium Borohydride and Diborane. IV. Reduction of Carboxylic Acids to Alcohols with Sodium Borohydride through Mixed Carbonic-Carboxylic Acid Anhydrides. K. Ishizumi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1968**, *16*, 492.
9. Determination of the Absolute Configuration of Mercaptosuccinic Acid by Chemical Correlation to Glyceraldehyde. S. Yamada, Y. Murakami, K. Koga, *Tetrahedron Lett.*, **1968**, 1501.
10. Deamination of L-Valine and L-Valine Benzyl Ester. S. Yamada, M. Taniguchi, K. Koga, *Tetrahedron Lett.*, **1969**, 25.
11. A new Synthesis of D-Ribose from L-Glutamic Acid. K. Koga, M. Taniguchi, S. Yamada, *Tetrahedron Lett.*, **1971**, 263.
12. Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine Ethyl Ester and Its *p*-Nitro and *p*-Methoxy Derivatives. K. Koga, C. C. Wu, S. Yamada, *Tetrahedron Lett.*, **1971**, 2283.

13. Examinations on the Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine and Its *p*-Nitro and *p*-Methoxy Derivatives. Conversion of L-Phenylalanine to Naturally Occurring (*S*)-Tropic Acid. K. Koga, C. C. Wu, S. Yamada, *Tetrahedron Lett.*, **1971**, 2287.
14. Amino Acids and Peptides. II. A One Step Synthesis of Atropine and Other Related Alkaloids from *dl*-Phenylalanine 3 α -Tropanyl Ester. Y. Takeuchi, K. Koga, T. Shioiri, S. Yamada, *Chem. Pharm. Bull.*, **1971**, 19, 2603.
15. A Simple and Convenient Method for the Preparation of α -Substituted- α -diazoesters. N. Takamura, T. Mizoguchi, K. Koga, S. Yamada, *Tetrahedron Lett.*, **1971**, 4495.
16. Amino Acids and Peptides. III. A New Synthetic Approach to *N*-Acylated α -Amino Aldehydes from *N*-Acylated α -Amino Acids by Catalytic Reduction of Their Carbonic-Carboxylic Acid Anhydrides with Palladium-Charcoal. H. Seki, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 361.
17. Stereochemical Studies. X. Effects of Neighboring Functional Groups on 1,2-Asymmetric Induction in the Reduction of Propiophenone Derivatives with Sodium Borohydride. K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 526.
18. Stereochemical Studies. XI. Changes in the Stereochemical Course of 1,2-Asymmetric Induction in the Reduction of *N*-Substituted 2-Aminopropiophenone Derivatives with Sodium Borohydride. K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 539.
19. Stereochemical Studies. XII. Effects of Neighboring Functional Groups on 1,2-Asymmetric Induction in the Reduction of Propiophenone Derivatives by Catalytic Hydrogenation. K. Koga, Y. Yamamoto, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 616.
20. Stereochemical Studies. XIII. Determination of the Absolute Configuration of Mercapto-succinic Acid by Chemical Correlation with Glyceraldehyde. Y. Murakami, K. Koga, H. Matsuo, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 543.
21. Stereochemical Studies. XIV. Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine Ethyl Ester and Its *p*-Nitro and *p*-Methoxy Derivatives. K. Koga, C. C. Wu, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 1272.
22. Stereochemical Studies. XV. Neighboring Aryl Group Participation in Nitrous Acid Deamination of L-Phenylalanine and Its *p*-Nitro and *p*-Methoxy Derivatives. Conversion of L-Phenylalanine to Naturally Occurring (*S*)-Tropic Acid. K. Koga, C. C. Wu, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 1282.
23. Stereochemical Studies. XVI. Deaminative Acetolysis of L-Valine and L-Valine Benzyl Ester. M. Taniguchi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 1438.

24. Stereochemical Studies. XVII. Nitrous Acid Deamination of (*R*)- α -Methylphenylalanine and Its Methyl Ester in Acetic Acid. M. Kobayashi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 1898.
25. Stereochemical Studies. XVIII. Nitrous Acid Deamination of *threo*- and *erythro*-Phenylserine and Their Methyl Esters in Acetic Acid. M. Yoh, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1972**, 20, 2017.
26. Chiral Recognition in Molecular Complexing. E. P. Kyba, K. Koga, L. R. Sousa, M. G. Siegel, D. J. Cram, *J. Am. Chem. Soc.*, **1973**, 95, 2692.
27. Optical Resolution by Differential Complexation in Solution between a Chiral Cyclic Polyether and an α -Amino Acid. R. C. Helgeson, K. Koga, J. M. Timko, D. J. Cram, *J. Am. Chem. Soc.*, **1973**, 95, 3021.
28. Stereoselective Total Synthesis of 6-Deoxy-L-hexose Derivatives from L-Alanine without a Resolution Step. K. Koga, S. Yamada, M. Yoh, T. Mizoguchi, *Carbohydrate Res.*, **1974**, 36, C9.
29. Stereochemical Studies. XXX. Stereoselective Synthesis of D-Ribose from L-Glutamic Acid. M. Taniguchi, K. Koga, S. Yamada, *Tetrahedron*, **1974**, 30, 3547.
30. Stereochemical Studies. XXXI. Total Synthesis of Several D-Pentose Derivatives. Stereochemical Course of the Synthesis of Four Methyl 2,3-Anhydro-5-*O*-benzyl-D-pentofuranosides from L-Glutamic Acid and Their Reactions with Nucleophiles. M. Taniguchi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1974**, 22, 2318.
31. Amino Acids and Peptides. XIV. A Simple and Convenient Method for the Preparation of α -Substituted α -Diazo Esters. N. Takamura, T. Mizoguchi, K. Koga, S. Yamada, *Tetrahedron*, **1975**, 31, 227.
32. A Biogenetic-type Asymmetric Synthesis of Natural (+)-Maritidine from L-Tyrosine. S. Yamada, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1976**, 57.
33. Reductive Decyanization of α -Amino Nitriles with Sodium in Liquid Ammonia. Usefulness in Asymmetric Synthesis of Optically Active Alkaloids. S. Yamada, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1976**, 61.
34. Chemical Simulation of Tropic Acid Biosynthesis. Stereoselective Chemical Conversion of Optically Active Phenylalanine to (*R*)- and (*S*)-Tropic Acid. S. Yamada, K. Koga, T. M. Juang, K. Achiwa, *Chem. Lett.*, **1976**, 927.
35. Asymmetric Synthesis Using *tert*-Leucine. I. An Asymmetric Synthesis of β -Substituted Aldehydes via 1,4-Addition of Grignard Reagents to Chiral α,β -Unsaturated Aldimines. S. Hashimoto, S. Yamada, K. Koga, *J. Am. Chem. Soc.*, **1976**, 98, 7450.

36. Approaches to the Biogenetic-type Asymmetric Synthesis of Some Amaryllidaceae Alkaloids. K. Tomioka, K. Shimizu, S. Yamada, K. Koga, *Heterocycles*, **1977**, *6*, 1752.
37. Stereochemical Studies. XLVIII. Stereoselective Synthesis of 6-Deoxy-L-hexose Derivatives from L-Alanine without a Resolution Step. M. Ohzeki, T. Taniguchi, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 2676.
38. Stereochemical Studies. XLIX. A Biogenetic-type Total Synthesis of Natural (+)-Maritidine from L-Tyrosine Using Highly Specific Asymmetric Cyclization. K. Tomioka, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 2681.
39. Stereochemical Studies. L. Reductive Decyanization of α -Amino Nitriles with Sodium in Liquid Ammonia. An Alternate Method for the Application to the Asymmetric Synthesis of Optically Active Natural Products. K. Tomioka, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1977**, *25*, 2689.
40. A Biogenetic-type Asymmetric Synthesis of Optically Active Amaryllidaceae Alkaloids: (+)- and (-)-Galanthamine from L-Tyrosine. K. Shimizu, K. Tomioka, S. Yamada, K. Koga, *Heterocycles*, **1977**, *8*, 277.
41. Asymmetric Halolactonization Reaction. A Highly Efficient Synthesis of Optically Active α -Hydroxy Acids from α,β -Unsaturated Acids. S. Terashima, S. S. Jew, K. Koga, *Tetrahedron Lett.*, **1977**, 1005.
42. Novel Aspects of Asymmetric Bromolactonization Reaction. S. Terashima, S. S. Jew, K. Koga, *Chem. Lett.*, **1977**, 1009.
43. Asymmetric Michael Reaction via Chiral α,β -Unsaturated Aldimines. S. Hashimoto, N. Komeshima, S. Yamada, K. Koga, *Tetrahedron Lett.*, **1977**, 2907.
44. Asymmetric Synthesis of (*R*)-(-)-2-Acetyl-1,2,3,4-tetrahydro-2-naphthol: A Method for the Synthesis of Optically Active Anthracyclinones. S. Terashima, S. S. Jew, K. Koga, *Tetrahedron Lett.*, **1977**, 4507.
45. Host-Guest Complexation. VII. The Binaphthyl Unit in Host-Guest Compounds. E. P. Kyba, W. G. Gokel, F. de Jong, K. Koga, L. R. Sousa, M. G. Siegel, L. K. Kaplan, G. D. Y. Sogah, D. J. Cram, *J. Org. Chem.*, **1977**, *42*, 4173.
46. Stereochemical Studies. LI. Stereochemical Course of Deaminative Bromination of L-Aspartic Acid and Its Esters. Y. Murakami, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1978**, *26*, 307.
47. Stereochemical Studies. LII. Stereochemical Course of Deaminative Bromination of 3,5-Dichloro-L-tyrosine and in Amination of the Corresponding α -Bromo Acid. Existence of Strong Neighboring "Phenoxyde" Group Participation. K. Koga, T. M. Juang, S. Yamada, *Chem. Pharm. Bull.*, **1978**, *26*, 178.

48. Asymmetric Synthesis of α -Alkylated Cyclic Ketones via Chiral Chelated Lithioenamines. S. Hashimoto, K. Koga, *Tetrahedron Lett.*, **1978**, 573.
49. Approaches to the Synthesis of Enzyme Model Systems. Regioselective Transacylation Reaction between Thiol-containing Crown Ethers and Amino Acid Ester Salts. T. Matsui, K. Koga, *Tetrahedron Lett.*, **1978**, 1115.
50. An Efficient Synthesis of Enantiomeric Pairs of Vicinal Diols from Optically Active α -Hydroxy Acids. Its Application to Optically Active Epoxyterpene Synthesis. S. Terashima, M. Hayashi, C. C. Tseng, K. Koga, *Tetrahedron Lett.*, **1978**, 1763.
51. Studies Directed toward the Asymmetric Total Synthesis of Antileukemic Lignan Lactones: Synthesis of (-)-Podorhizon. K. Tomioka, H. Mizuguchi, K. Koga, *Tetrahedron Lett.*, **1978**, 4687.
52. Stereochemical Studies. LIV. A Biogenetic-type Asymmetric Synthesis of Optically Active Galanthamine from L-Tyrosine. K. Shimizu, K. Tomioka, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1978**, 26, 3765.
53. Asymmetric Synthesis of Optically Active Anthracyclinones. S. Terashima, S. S. Jew, K. Koga, *Tetrahedron Lett.*, **1978**, 4937.
54. Host-Guest Complexation. VIII. Macro cyclic Polyethers Shaped by Two Rigid Substituted Binaphthyl or Bitetralyl Units. D. J. Cram, R. C. Helgeson, S. C. Peacock, L. J. Kaplan, L. A. Domeier, P. Moreau, K. Koga, J. M. Meyer, Y. Chao, M. G. Siegel, H. H. Hoffmann, D. G. Y. Sogah, *J. Org. Chem.*, **1978**, 43, 1930.
55. Host-Guest Complexation. IX. Macro cyclic Polyethers and Sulfides Shaped by One Rigid Binaphthyl Unit and Attached Arms. Synthesis and Survey of Complexation Abilities. D. J. Cram, R. C. Helgeson, K. Koga, E. P. Kyba, K. Madan, L. R. Sousa, M. G. Siegel, O. Moreau, G. W. Gokel, J. M. Timko, D. G. Y. Sogah, *J. Org. Chem.*, **1978**, 43, 2758.
56. Asymmetric Diels-Alder Reaction Catalyzed by Chiral Alkoxyaluminum Dichloride. S. Hashimoto, N. Komeshima, K. Koga, *J. Chem. Soc., Chem. Commun.*, **1979**, 437.
57. Stereochemical Studies. LII. Stereochemical Courses of Deaminative Bromination of L-Aspartic Acid and Its Esters. Y. Murakami, K. Koga, S. Yamada, *Chem. Pharm. Bull.*, **1979**, 26, 307.
58. Synthesis of Optically Active α -Alkyl or α -Aryl Acids from L- α -Amino Acids by the Use of Organocupper Reagents. S. Terashima, C. C. Tseng, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 747.
59. Synthesis of Enantiomeric Pairs of Vicinal Diols from L- α -Amino Acids by the Use of Organolithium Reagents: Its Application to Optically Active Epoxyterpene Synthesis. S. Terashima, C. C. Tseng, M. Hayashi, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 758.
60. Asymmetric Total Synthesis of the Antileukemic Lignans (+)-*trans*-Burseran and (-)-Isostegane. K. Tomioka, T. Ishiguro, K. Koga, *J. Chem. Soc., Chem. Commun.*, **1979**, 652.

61. Novel Isomerization of Dibenzocyclooctadiene Lignan Lactone: First Synthesis of (+)-Stegane. K. Tomioka, H. Mizuguchi, K. Koga, *Tetrahedron Lett.*, **1979**, 1409.
62. Stereoselective Total Synthesis of Optically Active *trans*- and *cis*-Burseran. Determination of the Stereochemistry of Natural Antitumor Burseran. K. Tomioka, K. Koga, *Heterocycles*, **1979**, 12, 1523.
63. Asymmetric Halolactonization Reaction. I. Asymmetric Synthesis of Optically Active α,β -Disubstituted α -Hydroxy Acids from α,β -Unsaturated Acids by the Novel Use of Halolactonization Reaction. S. S. Jew, S. Terashima, K. Koga, *Tetrahedron*, **1979**, 35, 2337.
64. Asymmetric Halolactonization Reaction. II. Elucidation of General Applicability and Mechanism of the Asymmetric Halolactonization Reaction. S. S. Jew, S. Terashima, K. Koga, *Tetrahedron*, **1979**, 35, 2345.
65. Asymmetric Halolactonization Reaction. III. Asymmetric Synthesis of Optically Active Anthracyclinones. S. S. Jew, S. Terashima, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 2351.
66. Stereoselective Reactions. I. A Highly Efficient Asymmetric Synthesis of β -Substituted Aldehydes via 1,4-Addition of Grignard Reagents to Optically Active α,β -Unsaturated Aldimines. S. Hashimoto, S. Yamada, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 771.
67. Asymmetric Synthesis of 2-Substituted Cycloalkanecarboxaldehydes. S. Hashimoto, H. Kogen, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1979**, 3009.
68. Studies Directed towards the Asymmetric Total Synthesis of Antileukemic Lignan Lactones. Synthesis of Optically Pure Key Intermediate and Its Utility. K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1979**, 3315.
69. Regioselective Intramolecular Asymmetric Cyclization of Symmetrical Open Chain Triketones. S. Terashima, S. Sato, K. Koga, *Tetrahedron Lett.*, **1979**, 3469.
70. Stereoselective Reactions. II. Asymmetric Synthesis of β -Substituted Aldehydes via Michael Reaction Using α,β -Unsaturated Aldimines. S. Hashimoto, N. Komeshima, S. Yamada, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 2437.
71. Stereoselective Reactions. III. A Highly Efficient Method for the Asymmetric Synthesis of 2-Alkylcycloalkanones via Chiral Chelated Lithioenamines. S. Hashimoto, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 2760.
72. Enantioselective Thiolysis of α -Amino Acid *p*-Nitrophenyl Ester Salts by Thiol-bearing Chiral Crown Ethers. S. Sasaki, K. Koga, *Heterocycles*, **1979**, 12, 1305.
73. Functionalized Macrocycles. I. Synthesis of Thiol-bearing Chiral Crown Ethers as an Approach to Regioselective Catalysis. T. Matsui, K. Koga, *Chem. Pharm. Bull.*, **1979**, 27, 2295.

74. Asymmetric Reduction of Simple Achiral Ketones with Lithium Aluminum Hydride Partially Decomposed by (-)-*N*-Methylephedrine and *N*-Ethylaniline. S. Terashima, N. Tanno, K. Koga, *Chem. Lett.*, **1980**, 981.
75. Asymmetric Reduction of α,β -Unsaturated Ketones with lithium Aluminum Hydride Partially Decomposed by (-)-*N*-Methylephedrine and *N*-Ethylaniline. S. Terashima, N. Tanno, K. Koga. *J. Chem. Soc., Chem. Commun.*, **1980**, 1026.
76. Synthetic Studies on Optically Active β -Lactams. Chiral Synthesis of Carbapenam Ring System Starting from L-Aspartic Acid. N. Ikota, H. Shibata, K. Koga, *Heterocycles*, **1980**, 14, 1077.
77. An Efficient Chiral Synthesis of (+)-Sesbanine. K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 2321.
78. First Asymmetric Total Synthesis of (+)-Steganacin. Determination of Absolute Stereo-chemistry. K. Tomioka, T. Ishiguro, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 2973.
79. A Novel Synthesis of *dl*-2-Acetyl-5,8-dimethoxy-1,2,3,4-tetrahydro-2-naphthol, a Key Intermediate for the Synthesis of Anthracyclinones. S. Terashima, N. Tanno, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 2749.
80. Asymmetric Synthesis of Optically Pure (*R*)-(-)-2-Acetyl-5,8-dimethoxy-1,2,3,4-tetrahydro-2-naphthol, a Key Intermediate for Optically Active Anthracyclinone Synthesis. S. Terashima, N. Tanno, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 2753.
81. A Highly Efficient Asymmetric Synthesis of Optically Active α,β -Epoxyaldehydes from α,β -Unsaturated Acids. S. Terashima, M. Hayashi, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 2733.
82. Asymmetric Halolactonization Reaction. IV. Asymmetric Synthesis of Optically Active α,β -Epoxyaldehydes from α,β -Unsaturated Acids. M. Hayashi, S. Terashima, K. Koga, *Tetrahedron*, **1980**, 37, 2797.
83. Asymmetric Synthesis of 1,2-Disubstituted Cycloalkanecarboxaldehydes. Procedures for the Highly Stereoselective Preparation of *cis*- and *trans*-Isomer. H. Kogen, K. Tomioka, S. Hashimoto, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 4005.
84. Host-Guest Complex Formation between a Water-soluble Polyparacyclophane and a Hydrophobic Guest Molecule. K. Odashima, A. Itai, Y. Iitaka, K. Koga, *J. Am. Chem. Soc.*, **1980**, 102, 2504.
85. Inclusion Complex Formation in a Particular Geometry by a Water-soluble Paracyclophane in Aqueous Solution. NMR Studies. K. Odashima, A. Itai, Y. Iitaka, Y. Arata, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 4347.
86. Modifications of Hydrophobic Cavity and Their Effects on Complex Formation with a Hydrophobic Substrate. T. Soga, K. Odashima, K. Koga, *Tetrahedron Lett.*, **1980**, 21, 4351.

87. Highly Stereoselective Construction of Chiral Quaternary Carbon: Asymmetric Synthesis of α,α -Disubstituted γ -Butyrolactones. K. Tomioka, Y. S. Cho, F. Sato, K. Koga, *Chem. Lett.*, **1981**, 1621.
88. Stereoselective Reactions. IV. Diastereoselective and Enantioselective Synthesis of 1,2-Disubstituted Cycloalkanecarboxaldehydes. H. Kogen, K. Tomioka, S. Hashimoto, K. Koga, *Tetrahedron*, **1981**, 37, 3951.
89. Substrate Selective Inclusion by a Series of Water-soluble Paracyclophanes. Host-Guest Recognition of Steric Structure and Charge. K. Odashima, K. Soga, K. Koga, *Tetrahedron Lett.*, **1981**, 22, 5311.
90. Design and Synthesis of Paracyclophanes Having Charged Side Chains that are Soluble in Neutral Aqueous Solution. K. Odashima, K. Koga, *Heterocycles*, **1981**, 15, 1151.
91. Synthetic Approaches toward Verrucarin A. Chiral Synthesis of (-)-Verrucarinolactone. K. Tomioka, F. Sato, K. Koga, *Heterocycles*, **1982**, 17, 311.
92. Synthetic Studies on Optically Active β -Lactams. Stereocontrolled Synthesis of Chiral Thienamycin Intermediate from D-Glucose. N. Ikota, O. Yoshino, K. Koga, *Chem. Pharm. Bull.*, **1982**, 30, 1929.
93. Asymmetric Synthesis of *cis,anti,cis*-tricyclo[5.3.0.0^{2,6}]decanes Using γ -Hydroxymethyl- γ -butyrolactone as a Chiral Synthon. First Asymmetric Total Synthesis of (-)- β -Bourbonene. K. Tomioka, M. Tanaka, K. Koga, *Tetrahedron Lett.*, **1982**, 23, 3401.
94. Stereoselective Reactions. V. Design of the Asymmetric Synthesis of Lignan Lactones. Synthesis of Optically Active Podorhizon and Deoxypodorhizon by 1,3-Asymmetric Induction. K. Tomioka, H. Mizuguchi, K. Koga, *Chem. Pharm. Bull.*, **1982**, 30, 4304.
95. Diastereomeric Host-Guest Complex formation by an Optically Active Paracyclophane in Water. I. Takahashi, K. Odashima, K. Koga, *Tetrahedron Lett.*, **1984**, 25, 973.
96. Stereoselective Reactions. VI. Asymmetric Total Synthesis of Natural (-) and Unnatural (+)-Steganacin. Determination of the Absolute Configuration of Natural Antitumor Steganacin. K. Tomioka, T. Ishiguro, Y. Iitaka, K. Koga, *Tetrahedron*, **1984**, 40, 1303.
97. Asymmetric Total Synthesis of Antileukemic Sesquiterpene (+)-Ivalin. K. Tomioka, M. Masumi, T. Yamashita, K. Koga, *Tetrahedron Lett.*, **1984**, 25, 333.
98. Conjugate Addition Reaction of Trimethylsilylacetone with α,β -Unsaturated Carbonyl Compounds. Synthetic Studies toward Sesbanimide. K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1984**, 25, 1599.
99. Asymmetric Alkylation of α -Alkyl β -Keto Esters. K. Tomioka, K. Ando, Y. Takemasa, K. Koga, *J. Am. Chem. Soc.*, **1984**, 106, 2718.

100. Factors Controlling the Diastereoface Selectivity in the Complementary Asymmetric Alkylation of α -Alkyl β -Keto Esters. K. Tomioka, K. Ando, Y. Takemasa, K. Koga, *Tetrahedron Lett.*, **1984**, 25, 5677.
101. Stereoselective Reactions. VII. Synthesis of Racemic and Optically Pure Stegane, Isostegane, Picrostegane, and Isopicrostegane via Highly Selective Isomerization. K. Tomioka, H. Mizuguchi, T. Ishiguro, and K. Koga, *Chem. Pharm. Bull.*, **1985**, 33, 121.
102. Stereoselective Reactions. VIII. Stereochemical Requirement for the Benzylic Oxidation of Lignan Lactones. A Highly Selective Synthesis of the Antitumor Lignan Lactone Steganacin by the Oxidation of Stegane. T. Ishiguro, H. Mizuguchi, K. Tomioka, K. Koga, *Chem. Pharm. Bull.*, **1985**, 33, 609.
103. Enantiospecific Total Synthesis of (-)-Megaphone by a Highly Controlled Consecutive 1,4- and 1,3-Asymmetric Induction. K. Tomioka, H. Kawasaki, Y. Iitaka, K. Koga, *Tetrahedron Lett.*, **1985**, 26, 903.
104. Enantioselective Conjugate Addition Reaction Mediated by Chiral Ligands. K. Tomioka, K. Sudani, Y. Shinmi, K. Koga, *Chem. Lett.*, **1985**, 329.
105. Control Elements in the Asymmetric Tandem Alkylation of α -Alkylidene- γ -butyrolactone Derivatives. K. Tomioka, H. Kawasaki, K. Koga, *Tetrahedron Lett.*, **1985**, 26, 3027.
106. Highly Diastereoselective Tandem Alkylation of Acyclic α,β -Unsaturated Esters Based on the Novel Use of Dithioacetal Unit. H. Kawasaki, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1985**, 26, 3031.
107. Asymmetric Total Synthesis of Stoechospermol Using Intramolecular (2+2) Photocyclo-addition Reaction. M. Tanaka, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1985**, 26, 3035.
108. Asymmetric Reduction of Arylglyoxylic Acids via Host-Guest Complex Formation with Optically Active Paracyclophanes. I. Takahashi, K. Odashima, K. Koga, *Chem. Pharm. Bull.*, **1985**, 33, 3571.
109. Biomimetic Studies Using Artificial Systems. II. Enantioselective Thiolysis of D- or L- α -Amino Acid Ester Salts by Thiol-bearing Chiral Crown Ethers as an Enzyme Model. S. Sasaki, M. Kawasaki, K. Koga, *Chem. Pharm. Bull.*, **1985**, 33, 4247.
110. Functionalized Crown Ethers as an Approach to the Enzyme Model for the Synthesis of Peptides. S. Sasaki, M. Shionoya, K. Koga, *J. Am. Chem. Soc.*, **1985**, 107, 3371.
111. Biomimetic Studies Using Artificial Systems. III. Design, Synthesis, and Inclusion Complex Formation Ability of a Novel Water-soluble Paracyclophane Possessing Diphenylmethane Skeletons. K. Odashima, A. Itai, Y. Iitaka, K. Koga, *J. Org. Chem.*, **1985**, 60, 4478.
112. Design, Synthesis, and Properties of Novel Water-soluble Cyclophanes Having Naphthyl-phenylmethane Units as Hosts for Aliphatic and Aromatic Guests. H. Kawakami, O. Yoshino, K. Odashima, K. Koga, *Chem. Pharm. Bull.*, **1985**, 33, 5610.

113. Synthesis and Properties of Water-soluble Bis-paracyclophanes. C. F. Lai, K. Odashima, K. Koga, *Tetrahedron Lett.*, **1985**, 26, 5179.
114. Stereoselective Reactions. IX. Synthetic Studies on Optically Active β -Lactams. I. Chiral Synthesis of Carbapenam and Carbapenem Ring Systems Starting from (S)-Aspartic Acid. N. Ikota, H. Shibata, K. Koga, *Chem. Pharm. Bull.*, **1985**, 33, 3299.
115. Stereoselective Reactions. X. Total Synthesis of Optically Pure Lignan Burseran. K. Tomioka, T. Ishiguro, K. Koga, *Chem. Pharm. Bull.*, **1985**, 33, 4333.
116. A Simple and Practical Procedure for the Conversion of (S)-4-Hydroxymethyl-4-butenolide into Its (R)-Enantiomer. M. Tanaka, K. Tomioka, K. Koga, *Heterocycles*, **1985**, 23, 2347.
117. The First Total Synthesis of (+)-Spatol with Natural Configuration. M. Tanaka, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1985**, 26, 6109.
118. Functionalized Crown Ethers as an Approach to the Enzyme Model for the Synthesis of Peptides. S. Sasaki, M. Shionoya, H. Chaki, K. Koga, *Ann. N. Y. Acad. Sci.*, **1986**, 316.
119. Enantioselective Deprotonation by Chiral Lithium Amide Bases: Asymmetric Synthesis of Trimethylsilyl Enol Ethers from 4-Alkylcyclohexanones. R. Shirai, M. Tanaka, K. Koga, *J. Am. Chem. Soc.*, **1986**, 108, 543.
120. Stereoselective Reactions. XI. Asymmetric Alkylation of Cyclohexanone via Chiral Chelated Lithioenamines Derived from D-Camphor Derivatives. N. Ikota, H. Sakai, H. Shibata, K. Koga, *Chem. Pharm. Bull.*, **1986**, 34, 1050.
121. Stereoselective Reactions. XII. Synthesis of Antitumor-active Steganacin Analogs, Picrosteganol and Epipicrosteganol by Selective Isomerization. K. Tomioka, T. Ishiguro, Y. Iitaka, K. Koga, *Chem. Pharm. Bull.*, **1986**, 34, 1501.
122. Asymmetric Conjugate Addition Reaction by the Use of (S)- γ -Trityloxymethyl- γ -butyrolactone as a Chiral Auxiliary. K. Tomioka, T. Suenaga, K. Koga, *Tetrahedron Lett.*, **1986**, 27, 369.
123. Asymmetric Michael Reaction of α -Alkyl β -Keto Esters via Chiral Enamine. K. Tomioka, K. Ando, K. Yasuda, K. Koga, *Tetrahedron Lett.*, **1986**, 27, 715.
124. A Rationale of Diastereofacial Selectivity in the Alkylation of Endocyclic Enolates with Chirality at the β -Carbon. K. Tomioka, K. Yasuda, H. Kawasaki, K. Koga, *Tetrahedron Lett.*, **1986**, 27, 3247.
125. Enantioface-Differentiating Michael Reaction of Ethyl Acetoacetate with Alkylidenemalonates via Chiral Enamine. K. Tomioka, K. Yasuda, K. Koga, *Tetrahedron Lett.*, **1986**, 27, 4611.
126. Copper(II) Complex of L-Histidylglycyl-L-histidylglycine and L-Histidyl-L-histidyl-glycylglycine: Coordination Mode of Histidyl Residues. J. Ueda, N. Ikota, A. Hanaki, K. Koga, *Inorg. Chim. Acta*, **1987**, 135, 43.

127. Novel 3,4-Diarylpyrrolidine-based Chiral Ligand for the Asymmetric Reaction of Aryl-magnesium Bromide with Benzaldehyde. K. Tomioka, M. Nakajima, K. Koga, *Chem. Lett.*, **1987**, 65.
128. Novel Use of Aroyalaluminum Dichloride in the Chiral Diamine Mediated Asymmetric Addition Reaction of Grignard Reagents to Benzaldehyde. K. Tomioka, M. Nakajima, K. Koga, *Tetrahedron Lett.*, **1987**, 28, 1291.
129. Synthetic Studies toward Trichothecene Sesquiterpenes. Synthesis of an Optically Pure Key Intermediate for Calonectrin Using Highly Stereoselective Cyclization. K. Tomioka, M. Sugimori, K. Koga, *Chem. Pharm. Bull.*, **1987**, 35, 906.
130. Enantioface Differentiation in *cis*-Dihydroxylation of C-C Double Bonds by Osmium Tetroxide with Use of a Chiral Diamine with *D*₂ Symmetry. K. Tomioka, M. Nakajima, K. Koga, *J. Am. Chem. Soc.*, **1987**, 109, 6213.
131. Construction of Contiguous Quaternary and Tertiary Carbon Centers via the Asymmetric Michael Reaction. K. Tomioka, K. Yasuda, K. Koga, *J. Chem. Soc., Chem. Commun.*, **1987**, 1345.
132. Stereochemical Aspects of Asymmetric Diels-Alder Reaction Catalyzed by Chiral Alkoxyaluminum Dichloride. H. Takemura, N. Komeshima, I. Takahashi, S. Hashimoto, N. Ikota, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1987**, 28, 5687.
133. Chlorotrimethylsilane Promoted Asymmetric Michael Reaction of Chiral Enamine of α -Alkyl β -Keto Esters. K. Tomioka, W. J. Seo, K. Ando, K. Koga, *Tetrahedron Lett.*, **1987**, 28, 6637.
134. Enantioselective Aldol Reaction Mediated by Chiral Lithium Amide Bases. M. Muraoka, H. Kawasaki, K. Koga, *Tetrahedron Lett.*, **1988**, 29, 337.
135. Mechanistic Aspects of Asymmetric *cis*-Dihydroxylation of Olefins with Osmium Tetroxide Employing a *C*₂-Symmetric Chiral Diamine. K. Tomioka, M. Nakajima, Y. Iitaka, K. Koga, *Tetrahedron Lett.*, **1988**, 29, 573.
136. Total Synthesis of (+)-Sesbanimide A from D-Glucose. K. Tomioka, A. Hagiwara, K. Koga, *Tetrahedron Lett.*, **1988**, 29, 3095.
137. A Model for the Diastereofacial Differentiation in the Alkylation of Endocyclic Enolates. K. Tomioka, H. Kawasaki, K. Yasuda, K. Koga, *J. Am. Chem. Soc.*, **1988**, 110, 3597.
138. Stereoselective Reactions. XIII. Total Synthesis of (+)-Sesbanine by a Highly Stereoselective Cycloannelation Reaction. K. Tomioka, K. Koga, *Tetrahedron*, **1988**, 44, 4351.
139. Stereoselective Reactions. XIV. Efficient Enantioselective Construction of Quaternary Carbon Centers by the Sequential Dialkylation of (S)- γ -[(Trityloxy)methyl]- γ -butyrolactone. Synthesis of Optically Active β,β -Disubstituted γ -Butyrolactones. K. Tomioka, Y. S. Cho, F. Sato, K. Koga, *J. Org. Chem.*, **1988**, 53, 4094.

140. Stereoselective Reactions. XV. Total Synthesis of (+)-Ivalin by Asymmetric Double Alkylation Reaction of α,β -Unsaturated Aldimine. K. Tomioka, F. Masumi, T. Yamashita, K. Koga, *Tetrahedron*, **1989**, *45*, 643.
141. Molecular Recognition and Discrimination of Hydrophobic Guests in Water by Quaternary Ammonium Cyclophane Having Diarylmethane Units. K. Odashima, H. Kawakami, A. Miwa, I. Sasaki, K. Koga, *Chem. Pharm. Bull.*, **1989**, *37*, 257.
142. Synthesis of the Core Enediyne Structure of Esperamicin-Calichemicin Class of Antitumor Antibiotics. K. Tomioka, H. Fujita, K. Koga, *Tetrahedron Lett.*, **1989**, *30*, 851.
143. Biomimetic Studies Using Artificial Systems. IV. Biomimetic Peptide Synthesis Using Multi-Functionalized Crown Ethers as a Novel Enzyme Model. A New Concept in Mimicking Enzyme-catalyzed Bond-forming Reactions. S. Sasaki, K. Koga, *Chem. Pharm. Bull.*, **1989**, *37*, 912.
144. Biomimetic Studies Using Artificial Systems. V. Design and Synthesis of Novel Water-soluble Bis-cyclophane. C. F. Lai, K. Odashima, K. Koga, *Chem. Pharm. Bull.*, **1989**, *37*, 2351.
145. Asymmetric α -Alkylation of Cyclohexanone Mediated by a Chiral Ligand and the Leaving Group Effect of Electrophiles on Enantioselectivity. K. Tomioka, M. Shindo, K. Koga, *Chem. Pharm. Bull.*, **1989**, *37*, 1120.
146. Stereoselective Reactions. XVI. Total Synthesis of (-)- β -Bourbonene by Employing Asymmetric (2+2) Photocycloaddition Reaction of Chiral Butenolide. K. Tomioka, M. Tanaka, K. Koga, *Chem. Pharm. Bull.*, **1989**, *37*, 1201.
147. Efficient Stereoselective Synthesis of 2-Aza-4'-demethylepipodophyllotoxin. K. Tomioka, Y. Kubota, K. Koga, *J. Chem. Soc., Chem. Commun.*, **1989**, 1622.
148. A Short Asymmetric Synthesis of Anthracycline Antibiotics. K. Tomioka, M. Nakajima, K. Koga, *J. Chem. Soc., Chem. Commun.*, **1989**, 1921.
149. Design, Synthesis, and Antitumor Activity of Steganacin Aza-analogues. K. Tomioka, Y. Kubota, H. Kawasaki, K. Koga, *Tetrahedron Lett.*, **1989**, *30*, 2949.
150. Synthesis and Antitumor Activity of Podophyllotoxin Aza-analogues. K. Tomioka, Y. Kubota, K. Koga, *Tetrahedron Lett.*, **1989**, *30*, 2953.
151. Kinetic Resolution of Racemic 2-Substituted Cyclohexanones by Enantioselective Deprotonation. H. D. Kim, H. Kawasaki, M. Nakajima, K. Koga, *Tetrahedron Lett.*, **1989**, *30*, 6537.
152. Enantioselective Deprotonation of the Monoacetals of Bicyclo[3.3.0]octan-1,3-dione. An Approach to the Asymmetric Synthesis of Chiral Synthon for Carbacyclin. H. Izawa, R. Shirai, H. Kawasaki, H. D. Kim, K. Koga, *Tetrahedron Lett.*, **1989**, *30*, 7721.

153. Simple Chiral Crown Ethers Complexed with Potassium *tert*-Butoxide as Efficient Catalysts for Asymmetric Michael Reaction. S. Aoki, S. Sasaki, K. Koga, *Tetrahedron Lett.*, **1989**, *30*, 7729.
154. Novel Strategy of Using a *C*₂-Symmetric Chiral Diether in the Enantioselective Conjugate Addition of an Organolithium to an α,β -Unsaturated Aldimine. K. Tomioka, M. Shindo, K. Koga, *J. Am. Chem. Soc.*, **1989**, *111*, 8266.
155. Enantioselective Deprotonation of the *meso*-Forms of 2,6- and 3,5-Dimethylcyclohexanones. H. D. Kim, R. Shirai, H. Kawasaki, M. Nakajima, K. Koga, *Heterocycles*, **1990**, *30*, 307.
156. Regioselective Enolization of Optically Active 3-Keto Steroids Using Chiral Lithium Amides. M. Sobukawa, M. Nakajima, K. Koga, *Tetrahedron: Asymmetry*, **1990**, *1*, 295.
157. Asymmetric Diels-Alder Reaction with Use of (*S*)-5-(Trityloxymethyl)pyrrolidin-2-one as a Chiral Auxiliary. K. Tomioka, N. Hamada, T. Suenaga, K. Koga, *J. Chem. Soc., Perkin Trans. 1*, **1990**, *426*.
158. Stereoselective Reactions. XVIII. Synthesis and Cytotoxicity of the Demethyl Derivatives of Steganes. K. Tomioka, H. Kawasaki, K. Koga, *Chem. Pharm. Bull.*, **1990**, *38*, 1898.
159. Enantioselective Alkylation at the α -Position of Cyclic Ketones Using a Chiral Lithium Amide as a Base in the Presence of Lithium Bromide. M. Murakata, M. Nakajima, K. Koga, *J. Chem. Soc., Chem. Commun.*, **1990**, 1657.
160. Conjugate Addition Reaction of Organolithiums to Naphthalenecarboxylates. K. Tomioka, M. Shindo, K. Koga, *Tetrahedron Lett.*, **1990**, *31*, 1739.
161. Dramatic Enantioselectivity Change in Dihydroxylation of Olefins with Chiral Amine-Osmium Tetroxide Complex. K. Tomioka, M. Nakajima, K. Koga, *Tetrahedron Lett.*, **1990**, *31*, 1741.
162. Stereoselective Reactions. XIX. Asymmetric Dihydroxylation of Olefins by Employing Osmium Tetroxide-Chiral Amine Complexes. K. Tomioka, Y. Shinmi, K. Shiina, M. Nakajima, K. Koga, *Chem. Pharm. Bull.*, **1990**, *38*, 2133.
163. Reductive Generation of Aldehyde Metal Enolate from Ketene. A One-flask Process to 1,1,2- and 1,2,2-Trisubstituted Dihydronaphthalenes from 1- and 2-Naphthalenecarboxylates. K. Tomioka, M. Shindo, K. Koga, *J. Org. Chem.*, **1990**, *55*, 2276.
164. An Attempt on Acceleration of Peptide Synthesis Using the Enzyme Model Having Preorganized Catalytic Group. S. Sasaki, Y. Takase, K. Koga, *Tetrahedron Lett.*, **1990**, *31*, 6051.
165. Asymmetric Organolithium Additions to Imines. K. Tomioka, I. Inoue, M. Shindo, K. Koga, *Tetrahedron Lett.*, **1990**, *31*, 6681.
166. Novel Bicyclic Chiral Crown Ethers Having a *p*-Xylenedioxy Unit with Improved Complex Stability and Rate Enhancement in the Intracomplex Thiolysis of α -Amino Acid Ester Salts. T. Yasukata, K. Sasaki, K. Koga, *Chem. Pharm. Bull.*, **1991**, *39*, 530.

167. Stereoselective Reactions. XVII. Absolute Structure-Cytotoxic Activity Relationship of Steganacin Congeners and Analogues. K. Tomioka, T. Ishiguro, H. Mizuguchi, N. Komeshima, K. Koga, S. Tsukagoshi, T. Tsuruo, T. Tashiro, S. Tanida, T. Kishi, *J. Med. Chem.*, **1991**, *34*, 54.
168. An Expeditious Synthesis of Dolastatin 10. K. Tomioka, M. Kanai, K. Koga, *Tetrahedron Lett.*, **1991**, *32*, 2395.
169. Stereoselective Reactions. XX. Synthetic Studies on Optically Active β -Lactams. Stereo-controlled Synthesis of Chiral Intermediate to (+)-Thienamycin from D-Glucose. N. Ikota, O. Yoshino, K. Koga, *Chem. Pharm. Bull.*, **1991**, *39*, 2201.
170. Catalytic Asymmetric Addition of Organolithiums to Aldimines. K. Tomioka, I. Inoue, M. Shindo, K. Koga, *Tetrahedron Lett.*, **1991**, *32*, 3095.
171. Anionic Cyclophanes as Hosts for Cationic Aromatic Guests. M. Miyake, M. Kirisawa, K. Koga, *Tetrahedron Lett.*, **1991**, *32*, 7295.
172. Chromatographic Separation of Aromatic Guest Compounds by a Gel-immobilized Water-soluble Cyclophane. K. Manabe, K. Odashima, K. Koga, *Chem. Pharm. Bull.*, **1992**, *40*, 580.
173. Utility of an Optically Active Paracyclophane as a New Type of Shift Reagent for NMR Spectra Based on the Diastereomeric Host-Guest Complex Formation. I. Takahashi, K. Odashima, K. Koga, H. Kitajima, *Chem. Express*, **1992**, *7*, 653.
174. NMR-based Studies on *N*-Substituent Effect as to the Structural Modification of Chiral Host TCP44. I. Takahashi, K. Odashima, K. Koga, H. Kitajima, *Chem. Express*, **1992**, *7*, 913.
175. Diastereomeric Host-Guest Complex Formation between an Optically Active Paracyclophane Having Quaternary Ammonium Groups and Chiral Aromatic Guests in Aqueous Solution. I. Takahashi, K. Odashima, K. Koga, A. Miwa, H. Kitajima, *Chem. Express*, **1992**, *7*, 913.
176. Asymmetric Michael Addition Reaction of Methyl Phenylthioacetate to 2-Cyclopentenone Catalyzed by Chiral Crown-KO*t*Bu Complexes. S. Aoki, S. Sasaki, K. Koga, *Heterocycles*, **1992**, *33*, 493.
177. Crystallographic and ^6Li and ^{15}N NMR Studies of a Chiral Bidentate Lithium Amide. An Effect of Aggregation States on an Enantioselective Deprotonation Reaction. D. Sato, H. Kawasaki, I. Shimada, Y. Arata, K. Okamura, T. Date, K. Koga, *J. Am. Chem. Soc.*, **1992**, *114*, 761.
178. A Novel Water-soluble Cyclophane as a Host for Cationic, Anionic, and Neutral Aromatic Guests. M. Miyake, M. Kirisawa, K. Koga, *Chem. Pharm. Bull.*, **1992**, *40*, 3124.
179. Receptor for a Phosphonic Acid Monoester. Salt Formation Stabilized by Three Hydrogen Bonding Interactions. K. Manabe, K. Okamura, T. Date, K. Koga, *J. Am. Chem. Soc.*, **1992**, *114*, 6940.
180. Enantioselective Conjugate Addition of Organocuprates Using a Chiral Aminophosphine Ligand. M. Kanai, K. Koga, K. Tomioka, *Tetrahedron Lett.*, **1992**, *33*, 7193-7196.

181. A Catalytic Method for Asymmetric Nucleophilic Aromatic Substitution Giving Binaphthyls. M. Shindo, K. Koga, K. Tomioka, *J. Am. Chem. Soc.*, **1992**, *114*, 8732-8733.
182. Enantioselective Protonation of Achiral Lithium Enolates Using a Chiral Amine in the Presence of Lithium Bromide. T. Yasukata, K. Koga, *Tetrahedron: Asymmetry*, **1993**, *4*, 35.
183. Asymmetric Addition of Aryllithiums to Naphthalene BHA-esters Catalyzed by a Chiral Ligand. K. Tomioka, M. Shindo, K. Koga, *Tetrahedron Lett.*, **1993**, *34*, 681.
184. Reinvestigation on the Optical Purities of Optically Active Trimethylsilyl Enol Ethers of 4-Substituted Cyclohexanones. K. Aoki, M. Nakajima, K. Tomioka, K. Koga, *Chem. Pharm. Bull.*, **1993**, *41*, 994.
185. Stereoselective Reactions. XXI. Asymmetric Alkylation of α -Alkyl β -Keto Esters to α,α -Dialkyl β -Keto Esters Having Either (*R*)- or (*S*)-Chiral Quaternary Center Depending on the Solvent System. K. Ando, Y. Takemasa, K. Tomioka, K. Koga, *Tetrahedron*, **1993**, *49*, 1579.
186. Design, Synthesis and Antitumor Activity-Absolute Configuration Relationship of Podo-phyllotoxin Aza Analogues. K. Tomioka, Y. Kubota, K. Koga, *Tetrahedron*, **1993**, *49*, 1891-1900.
187. Control of Diastereoselectivity in Alkylation of Chiral Lithium Enolates Mediated by a Chiral Secondary Amine Ligand. Y. Hasegawa, H. Kawasaki, K. Koga, *Tetrahedron Lett.*, **1993**, *34*, 1963.
188. Steric Tuning in Chiral Ligand Mediated Enantioselective Alkylation of Imines. I. Inoue, M. Shindo, K. Koga, K. Tomioka, *Tetrahedron: Asymmetry*, **1993**, *4*, 1603-1606.
189. Solvent Effect and NMR Behaviour in a Chiral Amidophosphine Mediated Reaction of Organocuprates with Chalcone. K. Kanai, K. Koga, K. Tomioka, *J. Chem. Soc., Chem. Commun.*, **1993**, 1248-1249.
190. Biomimetic Studies Using Artificial Systems. VI. Design and Synthesis of Novel Cyclophanes Having Eight Carboxyl Groups on the Aromatic Rings. M. Miyake, M. Kirisawa, K. Koga, *Chem. Pharm. Bull.*, **1993**, *41*, 1211.
191. Biomimetic Studies Using Artificial Systems. VII. Synthesis of a Novel Water-soluble Cyclophane Having Eight Carboxymethylthiomethyl Groups on the Aromatic Rings. M. Miyake, M. Kirisawa, K. Koga, *Heterocycles*, **1993**, *36*, 1845.
192. Biomimetic Studies Using Artificial Systems. VIII. Inclusion Complex Formation between a Novel Anionic Cyclophanes and Cationic Aromatic Guests in Aqueous Solution. M. Miyake, M. Kirisawa, K. Koga, *Heterocycles*, **1993**, *36*, 1851.
193. Stereoselective Reactions. XXIII. Design, Synthesis, and Structure-Cytotoxicity Relationship of Azasteganes. Y. Kubota, H. Kawasaki, K. Tomioka, K. Koga, *Tetrahedron*, **1993**, *49*, 3081.

194. Determination of the Protons Eliminated in the Regioselective Deprotonation of Some Optically Active 3-Keto Steroids by a Chiral Lithium Amide. M. Sobukawa, K. Koga, *Tetrahedron Lett.*, **1993**, *34*, 5101.
195. Enantioselective Deprotonation of 4-Substituted Cyclohexanones by Chiral Chelated Lithium Amides Having a Fluorine-containing Alkyl Group on Amide Nitrogen. K. Aoki, H. Noguchi, K. Tomioka, K. Koga, *Tetrahedron Lett.*, **1993**, *34*, 5105.
196. Effects of Ion-Pair Structure on Relative Basicity in Chloroform: Acid-Base Equilibria Controlled by Steric Repulsion, π -Stacking Interactions, and Hydrogen Bonding within an Ion Pair. K. Manabe, K. Okamura, T. Date, K. Koga, *J. Am. Chem. Soc.*, **1993**, *115*, 5324.
197. Receptor for Oxo Acids: Effects of Intra-Ion-Pair Hydrogen Bonding on Acid-Base Equilibria. K. Manabe, K. Okamura, T. Date, K. Koga, *J. Org. Chem.*, **1993**, *58*, 6692.
198. Design and Synthesis of Novel Chiral Pyrrolidine-based Diamines with C_2 -Symmetry. M. Nakajima, K. Tomioka, K. Koga, *Tetrahedron*, **1993**, *49*, 9735.
199. Enantioselective 1,2-Addition of Grignard Reagents to Aldehydes Using Chiral Diamines. M. Nakajima, K. Tomioka, K. Koga, *Tetrahedron*, **1993**, *49*, 9751.
200. Enantioselective Palladium Catalyzed Allylic Alkylation with C_2 -Symmetric Chiral Diamine Ligand. H. Kubota, M. Nakajima, K. Koga, *Tetrahedron Lett.*, **1993**, *34*, 8135.
201. Highly Enantioselective Dihydroxylation of Olefins by Osmium Tetroxide with Chiral Diamines. M. Nakajima, K. Tomioka, Y. Iitaka, K. Koga, *Tetrahedron*, **1993**, *49*, 10793.
202. Short-Step Asymmetric Synthesis of Anthracycline Antibiotics via Enantioselective Dihydroxylation by Osmium Tetroxide with a Chiral Diamine. M. Nakajima, K. Tomioka, K. Koga, *Tetrahedron*, **1993**, *49*, 10807.
203. Asymmetric addition of aryllithiums to naphthalene BHA-esters catalyzed by a chiral ligand. K. Tomioka, M. Shindo, K. Koga, *Tetrahedron Lett.*, **1993**, *34* (4), 681-682
204. Stereoselective Reactions. XXII. Design and Synthesis of Chiral Chelated Lithium Amides for Enantioselective Reactions. R. Shirai, K. Aoki, D. Sato, H. D. Kim, M. Murakata, T. Yasukata, K. Koga, *Chem. Pharm. Bull.*, **1994**, *42*, 690.
205. Stereoselective Reactions. XXIII. Asymmetric Michael Reaction of α -Alkyl β -Keto Esters via Chiral Enamine. Dependence of the Diastereofacial Selection on the Combination of Solvents and Additives. K. Ando, K. Yasuda, K. Tomioka, K. Koga, *J. Chem. Soc., Perkin Trans. I*, **1994**, 277.
206. 2+2 Salt Formation Induced by Hydrogen Bonding. K. Manabe, K. Okamura, T. Date, K. Koga, *Tetrahedron Lett.*, **1994**, *35*, 2705.

207. Asymmetric 1,2-Addition of Organolithiums to Aldimines Catalyzed by Chiral Ligand. I. Inoue, M. Shindo, K. Koga, K. Tomioka, *Tetrahedron*, **1994**, *50*, 4429-4438.
208. Enantioselective Palladium Catalyzed Allylic Alkylation with Phosphous-containing *C₂*-Symmetric Chiral Amine Ligands. H. Kubota, K. Koga, *Tetrahedron Lett.*, **1994**, *35*, 6689.
209. Chiral Lithium 2-Aminoalkoxides as Reagents for Enantioselective Michael Reaction. T. Kumamoto, S. Aoki, M. Nakajima, K. Koga, *Tetrahedron: Asymmetry*, **1994**, *5*, 1431.
210. Catalytic Asymmetric Benzylation of Achiral Lithium Enolates Using a Chiral Ligand for Lithium in the Presence of an Achiral Ligand. M. Imai, A. Hagihara, H. Kawasaki, K. Manabe, K. Koga, *J. Am. Chem. Soc.*, **1994**, *116*, 8829.
211. A New Catalytic System for Aerobic Oxidative Coupling of 2-Naphthol Derivatives by the Use of CuCl-Amine Complex: A Practical Synthesis of Binaphthol Derivatives. M. Noji, M. Nakajima, K. Koga, *Tetrahedron Lett.*, **1994**, *35*, 7983.
212. Stereoselective Reactions. XXIV. Chlorotrimethylsilane Promoted Asymmetric Michael Reaction of Chiral Lithioenamines Derived from α -Alkyl β -Keto Esters. K. Ando, W. J. Seo, K. Tomioka, K. Koga, *Tetrahedron*, **1994**, *50*, 13081.
213. Stereoselective Reactions. XXV. Enantioselective Total Synthesis of (+)-Stoechospermol via Stereoselective Intramolecular (2+2) Photocycloaddition of the Chiral Butenolide. M. Tanaka, K. Tomioka, K. Koga, *Tetrahedron*, **1994**, *50*, 12829.
214. Stereoselective Reactions. XXVI. Total Synthesis of Natural (+)-Spatol. Confirmation of the Absolute Stereostructure. M. Tanaka, K. Tomioka, K. Koga, *Tetrahedron*, **1994**, *50*, 12843.
215. Enantioselective Darzens Reaction: Asymmetric Synthesis of *trans*-Glycidic Esters Mediated by Chiral Lithium Amides. T. Takahashi, M. Muraoka, M. Capo, K. Koga, *Chem. Pharm. Bull.*, **1995**, *43*, 1821.
216. Highly Enantioselective Aldol Reaction Mediated by Mixed Aggregates Derived from a Lithium Ester Enolate and Tetradentate Chiral Lithium Amides. M. Uragami, K. Tomioka, K. Koga, *Tetrahedron: Asymmetry*, **1995**, *6*, 701.
217. Enantioselective Reaction of an Imine with Methylolithium Catalyzed by a Chiral Ligand. I. Inoue, M. Shindo, K. Koga, M. Kanai, K. Tomioka, *Tetrahedron: Asymmetry*, **1995**, *6*, 2527-2533.
218. Enantioselective Allylic Alkylation and Amination Catalyzed by a Chiral P/N Ligand-Palladium Complex. H. Kubota, K. Koga, *Heterocycles*, **1996**, *42*, 543.
219. Enantioselective Michael Reaction of Ketone Lithium Enolates Using a Chiral Amine Ligand. K. Yasuda, M. Shindo, K. Koga, *Tetrahedron Lett.*, **1996**, *37*, 6343.

220. Solution Structures of a Monodentate Chiral Lithium Amide in the Presence of Lithium Halide. K. Sugasawa, M. Shindo, H. Noguchi, K. Koga, *Tetrahedron Lett.*, **1996**, *37*, 7377.
221. An Approach to Catalytic Asymmetric Deprotonation of 4-Substituted Cyclohexanones. T. Yamashita, D. Sato, T. Kiyoto, A. Kumar, K. Koga, *Tetrahedron Lett.*, **1996**, *37*, 8195.
222. Enantioselective Methylation of the Lithium Enolate of 1-Tetralone Mediated by Chiral C_2 -Symmetric DMEU Derivatives. K. Ishii, S. Aoki, K. Koga, *Tetrahedron Lett.*, **1997**, *38*, 563.
223. Stereochemistry of Enantioselective Deprotonation of 4-Substituted Cyclohexanones by Chiral Bidentate Lithium Amides. M. Toriyama, K. Sugasawa, M. Shindo, N. Tokutake, K. Koga, *Tetrahedron Lett.*, **1997**, *38*, 567.
224. Enantioselective Deprotonation of 4-*tert*-Butylcyclohexanone by Fluorine-Containing Chiral Lithium Amides Derived from α -Phenethylamine. K. Aoki, K. Koga, *Tetrahedron Lett.*, **1997**, *38*, 2505.
225. Enantioselective Horner-Wadsworth-Emmons Reaction Using Chiral Lithium 2-Amino-alkoxides. T. Kumamoto, K. Koga, *Chem. Pharm. Bull.*, **1997**, *45*, 753.
226. Stereoselective Reactions. XXV. Enantioselective Deprotonation of Prochiral 4-Substituted Cyclohexanones by Chiral Chelated Lithium Amides. R. Shirai, D. Sato, K. Aoki, M. Tanaka, H. Kawasaki, K. Koga, *Tetrahedron*, **1997**, *53*, 5963.
227. Construction of Contiguous Chiral Tertiary Carbon Centers by Enantioselective Michael Reaction of Ketone Lithium Enolates Using a Chiral Amine Ligand. K. Yasuda, M. Shindo, K. Koga, *Tetrahedron Lett.*, **1997**, *38*, 3531.
228. Stereoselective Reactions. XXVI. Solution Structures of a Chiral Bidentate Lithium Amide in Relation to the Solvent-Dependent Enantioselectivities in Deprotonation Reaction. D. Sato, H. Kawasaki, I. Shimada, Y. Arata, K. Okamura, T., Date, and K. Koga, *Tetrahedron*, **1997**, *53*, 7191.
229. Stereoselective Reactions. XXVII. Solution Structure of a Chiral Tridentate Lithium Amide in Relation to Enantioselective Deprotonation of 4-*tert*-Butylcyclohexanone. D. Sato, H. Kawasaki, K. Koga, *Chem. Pharm. Bull.*, **1997**, *45*, 1399.
230. Stereoselective Reactions. XXVIII. Effects of the Alkyl Group at the Amide Nitrogen of Chiral Bidentate Lithium Amides on Enantioselective Deprotonation Reaction. K. Aoki, K. Tomioka, H. Noguchi, K. Koga, *Tetrahedron*, **1997**, *53*, 13641.
231. An Approach to Catalytic Enantioselective Protonation of Prochiral Lithium Enolates. P. Rivierre, K. Koga, *Tetrahedron Lett.*, **1997**, *38*, 7589.
232. Stereoselective Reactions. XXIX. Lithium-Hydrogen Interchange between Achiral Tridentate Lithium Amides and Chiral Bidentate Amines. An Approach to Catalytic Enantioselective Deprotonation. T. Yamashita, D. Sato, T. Kiyoto, A. Kumar, K. Koga, *Tetrahedron*, **1997**, *53*, 16987.

233. Chiral Bidentate Lithium Amides Having a Chiral Amide Nitrogen for Enantioselective Deprotonation of 4-*tert*-Butylcyclohexanone. H. Chatani, M. Nakajima, H. Kawasaki, K. Koga, *Heterocycles*, **1997**, *46*, 53.
234. Studies on Water-soluble Artificial Receptors Containing Chiral Side Chains Derived from Carbohydrates. 1. Synthesis of Optically Active Cyclophane TCP44 and Its Complexation Selectivity for Aromatic Guests in Acidic Aqueous Solutions. I. Takahashi, Y. Hirano, H. Asakawa, H. Kitajima, M. Hatanaka, K. Isa, K. Odashima, K. Koga, *Heterocycles*, **1997**, *46*, 589.
235. Enantioselective α -Alkylation of Phenylacetic Acid Using a Chiral Bidentate Lithium Amide as a Chiral Auxiliary. J. Matsuo, K. Koga, *Chem. Pharm. Bull.*, **1997**, *45*, 2122.
236. Targeting DNA Topoisomerase II with Podophyllotoxin Aza-Analogue. A. Iida, M. Kano, Y. Kubota, K. Koga, K. Tomioka, *Bioorg. Med. Chem. Lett.*, **1997**, *7*, 2565-2566.
237. Structural Requirements of a Chiral Ligand for the Catalytic Asymmetric Addition of Thiophenol to α,β -Unsaturated Esters. K. Tomioka, M. Okuda, K. Nishimura, S. Manabe, M. Kanai, Y. Nagaoka, K. Koga, *Tetrahedron Lett.*, **1998**, *39*, 2141-2144.
238. Design, Synthesis, and Application of a C2 Symmetric Chiral Ligand for Enantioselective Conjugate Addition of Organolithiums to α,β -Unsaturated Aldimines. M. Shindo, K. Koga, K. Tomioka, *J. Org. Chem.*, **1998**, *63* (25), 9351-9357.
239. Stereoselective Reactions. XXX. Enantioselective Alkylation of the Lithium Enolates of Six-membered Cyclic Ketones Using Tetradentate Chiral Amine in the Presence of Lithium Bromide. M. Murakata, T. Yasukata, T. Aoki, M. Nakajima, K. Koga, *Tetrahedron*, **1998**, *54*, 2449-2458..
240. Catalytic asymmetric reaction of lithium ester enolates with imines. K. Tomioka, M. Ahmed Hussein, T. Kambara, H. Fujieda, S. Hayashi, Y. Nomura, M. Kanai, K. Koga, *Chem. Commun.*, **1999**, (8), 715-716.
241. A one-flask synthesis of dihydronaphthalenemethanols by directed addition of organolithium reagents to BHA naphthalenecarboxylates, M. Shindo, K. Koga, Y. Asano, K. Tomioka, *Tetrahedron*, **1999**, *55* (16), 4955-4968.
242. Studies on Water-soluble Artificial Receptors Containing Chiral Side Chains Derived from Carbohydrates. 2. Formation of Diastereomeric Inclusion Complexes between Optically Active Cyclophane TCP44 and Chiral Aromatic Guests in Acidic Aqueous Solutions. Y. Takahashi, I. Aoyagi, A. Nakamura, K. Kitagawa, H. Matsumoto, K. Kitajima, K. Isa, K. Odashima, and K. Koga, *Heterocycles*, **1999**, *51* (6), 1371-1388.
243. Construction of Chiral Quaternary Carbon Centers by Asymmetric Alkylation of Achiral Lithium Enolates Mediated by Chiral Tetradentate Ligands: Stoichiometric and Catalytic Approaches. Y. Yamashita, K. Odashima, K. Koga, *Tetrahedron Lett.*, **1999**, *40*, 2803.

244. Synthesis of 1,2-disubstituted naphthalenes and tetrahydronaphthalenes from dihydronaphthalenes obtained by conjugate addition of organolithium reagents to 2,6-bis(tert-butyl)-4-methoxyphenyl naphthalenecarboxylates. M. Shindo, K. Koga, K. Tomioka, *Chem. Pharm. Bull.*, **1999**, *47*, 1318.
245. Catalytic Asymmetric Protonation of Achiral Lithium Enolates Mediated by a Chiral Tetraamine Ligand with Water as a Proton Source. Y. Yamashita, Y. Emura, K. Odashima, K. Koga, *Tetrahedron Lett.*, **2000**, *41* (2), 209-213.
246. Podophyllotoxin aza-analogue, a novel DNA topoisomerase II inhibitor. A. Iida, M. Kano, Y. Kubota, K. Koga, K. Tomioka, *Chem. Pharm. Bull.*, **2000**, *48* (4), 486-489.
247. Stereoselective reactions. XXXII. Enantioselective deprotonation of 4-tert-butylcyclohexanone by fluorine-containing chiral lithium amides derived from 1-phenylethylamine and 1-(1-naphthyl)ethylamine. K. Aoki, K. Koga, *Chem. Pharm. Bull.*, **2000**, *48* (4), 571-574.
248. Rate enhancement with high ratio of the monoalkylated product to the dialkylated product in the alkylation of the lithium enolate of 1-tetralone with reactive alkyl halides. M. Goto, K. Akimoto, K. Aoki, M. Shindo, K. Koga, *Chem. Pharm. Bull.*, **2000**, *48* (10), 1529-1531.
249. Synthesis of L- α -phosphatidyl-D-myo-inositol 3,5-bisphosphate from D-glucose. A. Nishikawa, S. Saito, Y. Hashimoto, K. Koga, R. Shirai, *Tetrahedron Lett.*, **2001**, *42* (52), 9195-9198.
250. Stereoselective reactions. XXXIII. Design and synthesis of chiral bidentate amines having a bulky group on the chiral carbon. M. Toriyama, K. Sugasawa, S. Motohashi, N. Tokutake, K. Koga, *Chem. Pharm. Bull.*, **2001**, *49* (4), 330-334.