

# Index of Vol. 8 (Issues 1-6), 2002

## Heterocyclic Communications, Vol. 8, No. 1, 2002

### Vol. 8, Issue 1 (2002)

|                                                                                     |     |                                                                                                                                                            |
|-------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                     | 1   | Contributors to this Issue.                                                                                                                                |
|                                                                                     | 2   | Graphical Abstracts.                                                                                                                                       |
| A.L. Baumstark, F. Kovac and P.C. Vasquez                                           | 9   | Oxidation of acetals by dimethyldioxirane.                                                                                                                 |
| D. Watanabe, T. Ito, K. Ito and Y. Ohba                                             | 13  | Synthesis and conformational behaviour of sulfinyl- or sulfonyl-bridge containing <i>p-tert</i> -butylcalix[4]arenes.                                      |
| R. Kumar, B.S.N. Reddy and J.W. Lown                                                | 19  | Design and synthesis of novel pyrrolo[2,1- <i>c</i> ][1,4]benzodiazepine-imidazole containing polyamide conjugates.                                        |
| S. Coen, N. Lehadus, C. Moustrou, A. Samat and R. Guglielmetti                      | 27  | Photochemical reactivity of 3H-naphtho[2,1- <i>b</i> ]pyrans : An example of photoinduced isomerisation.                                                   |
| G. Keglevich, J. Kovács, K. Ludányi and L. Töke                                     | 31  | Novel bridged p-heterocycles from 1,2-dihydrophosphinine 1-oxides.                                                                                         |
| M. Pop, I. Grosu, G. Pié, S. Mager, L. Muntean, D. Marginean and N. Dinca           | 35  | Synthesis and stereochemistry of some new 1,3-dioxane derivatives obtained from 1,3-benzenedicarboxaldehyde.                                               |
| A.K. Khalafallah                                                                    | 39  | Synthesis and biological activity of new selected different heterocyclic nitrogen compounds incorporating 1,4-naphthoquinone.                              |
| A.R. de Azevedo, I.C.P.P. Frugulhetti, M.A. Khan, S. Khakwani and A.M.R. Bernardino | 47  | New tetracyclic heteroaromatic ring system 3H-benzo[ <i>b</i> ]pyrazolo[3,4- <i>h</i> ]-1,6-naphthyridines.                                                |
| R. Cmelik, J. Marek and P. Pazdera                                                  | 55  | Regioselectivity of electrophilic attacks to 5-amino-3-thioxo-3H-1,2-dithiole-4-carboxylic acid functional derivatives. Elucidation of product structures. |
| K. Dabak and A. Akar                                                                | 61  | Synthesis of 1-vinyl 1,2,3-triazole derivatives.                                                                                                           |
| V. Sangeetha and K.J.R. Prasad                                                      | 65  | Tetracyclic compounds from cyclopent[ <i>b</i> ]indoles. Synthesis of isoxazolo-[3',4':5,4]cyclopent[ <i>b</i> ]indoles.                                   |
| P. Woisel, F. Cazier, G. Surpateanu, V. Baudel and V. Boursier                      | 71  | An efficient synthesis of 4-aryl-4H-[1,2,4]triazoles under microwave irradiation in dry media.                                                             |
| G.L. Rusinov, N.A. Itsikson, D.G. Berenev, O.V. Koryakova and O.N. Chupakhin        | 75  | S <sub>N</sub> <sup>H</sup> -Reactions of 1,2,4-triazines derivatives with acetophenones.                                                                  |
| W. Fathalla, J. Marek and P. Pazdera                                                | 79  | Synthesis of 4-amino-3-cyano-2-morpholinoquinoline.                                                                                                        |
| E.M. Sharshira                                                                      | 83  | Photocyclization reactions of ethyl 2-(8-oxo-5,6,7,8-tetrahydro-1-naphthoxy)-acetate and 8-oxo-5,6,7,8-tetrahydro-1-naphthoxyacetoneitrile in methanol.    |
| V. Padmavathi, M.R. Sarma, A. Padmaja and D.B. Reddy                                | 91  | Reactivity of bisolefinic systems with diazomethane and hydrazine hydrate-part III                                                                         |
|                                                                                     | 99  | Notes for the preparation of manuscript.                                                                                                                   |
|                                                                                     | 102 | Index of Vol. 7 (Issues 1-6), 2001.                                                                                                                        |

# Heterocyclic Communications, Vol. 8, No. 2, 2002

## Vol. 8, Issue 2 (2002)

|                                                                                                                                               |     |                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                               | 109 | Contributors to this Issue.                                                                                                                                                      |
|                                                                                                                                               | 110 | Graphical Abstracts.                                                                                                                                                             |
| R. Kumar and J.W. Lown                                                                                                                        | 115 | Design and synthesis of novel DNA interstrand cross-linking agents: C2-Linked pyrrolo[2,1-c][1,4]benzodiazepine polyamide conjugates.                                            |
| P. Bilek and J. Slouka                                                                                                                        | 123 | Cyclocondensation reactions of heterocyclic carbonyl compounds VII. Synthesis of some substituted benzo-[1,2,4]triazino[2,3-a]benzimidazoles.                                    |
| S. Govori, V. Kaljaj, V. Rapić,<br>L. Kaljaj and S. Daković                                                                                   | 129 | Synthesis and structure of some 3,4-annelated coumarin systems.                                                                                                                  |
| C.D. Pessoa-Mahana, J.A. Valderrama,<br>M.G. Olmos, O.A. Espinoza,<br>H. Pessoa-Mahana, A.R. de Arias,<br>H. Nakayama, S. Torres and J. Miret | 135 | Studies on quinones. Part 36. Synthesis and trypanocidal activity of 2-alkoxycarbonylbenzo[b]thiophene-4,7-quinones.                                                             |
| B. Chandrasekhar, G.O. Reddy,<br>M.R. Sarmā, A.S.R. Prasad, R. Bera<br>and T.S.V. P. Reddy                                                    | 141 | Synthesis of tetrahydro and hexahydro tetracyclic 1,5-benzoxazepines.                                                                                                            |
| A.M. Elzanaty                                                                                                                                 | 145 | A novel synthetic route to nitrosopyridine-2(1H)-thiones and nitroso-N-arylpyridones.                                                                                            |
| B. Insuasty, F. Fernandez, J. Quiroga,<br>R. Martínez, R. Gavino and E. Angeles                                                               | 151 | Reaction of 1,2-diaminobenzimidazole with 1-aryl-2-bromo-3-phenylpropanone. Synthesis of 2-aryl-3-benzyl-9-aminoimidazo[1,2-a]benzimidazoles.                                    |
| W. Fathalla, J. Marek and P. Pazdera                                                                                                          | 157 | Synthesis of new 4-[4-(methoxyphenyl)-5-(2-phenylquinazolin-4-yl)1,3-thiazol-2-yl]-morpholine and N'-[5-(4-methoxyphenyl)-1,3-oxathiol-2-yliden]-2-phenylquinazolin-4-yl)-amine. |
| M. Abdel-Megid and M.A.A. Awas                                                                                                                | 161 | A facile synthesis of p-bis(4-thiazol-indon-3-yl)phenylenes and related systems.                                                                                                 |
| L. Thomas, A. Gupta and V. Gupta                                                                                                              | 169 | One-pot synthesis of 3,5-dimethyl/3,7-dimethyl-4H-1,4-benzothiazines.                                                                                                            |
| I. Reine, D. Muceniece, V. Lusis and<br>A. Kemme                                                                                              | 173 | 2-Azabicyclo[2.2.2]oct-7-enes. I. Synthesis from polysubstituted 1,2-dihydropyridines.                                                                                           |
| K.S.K. Murthy, B. Rajitha, K.M. Rao,<br>T.R. Komuraiah and S.M. Reddy                                                                         | 179 | Facile synthesis of biologically active linear bisaroylbenzodifurans under solvent free microwave irradiation.                                                                   |
| M.F. El-Zohry, A.A. Al-Ahmadi,<br>and F.A. Aquily                                                                                             | 187 | Synthesis of some new spiroprimidoquinazoline derivatives.                                                                                                                       |
| P.R. Sharma, V. Gupta,<br>D.C. Gautam and R.R. Gupta                                                                                          | 195 | Synthesis of phenothiazines via Smiles rearrangement.                                                                                                                            |
| C.G.T. de Oliveira, V.F. Ferreira,<br>C. Freitas and J.M. Carballido                                                                          | 199 | Synthesis and antimicrobial evaluation of oxazole-1,4-naphthquinones.                                                                                                            |
|                                                                                                                                               | 205 | Notes for the preparation of manuscript.                                                                                                                                         |

# Heterocyclic Communications, Vol. 8, No. 3, 2002

## Vol. 8, Issue 3 (2002)

|                                                                            |     |                                                                                                                                                                                         |
|----------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                            | 209 | Contributors to this Issue.                                                                                                                                                             |
|                                                                            | 210 | Graphical Abstracts.                                                                                                                                                                    |
| C. Kus, D.W. Boykin and H. Göker                                           | 215 | Synthesis of some new <i>N</i> -isopropylamidinobenzimidazoles as potential topoisomerase inhibitors.                                                                                   |
| E. Starcevic, D.W. Boykin and G. Karminski-Zamola                          | 221 | New amidino substituted benzimidazolyl furyl-thienyl acrylates and benzo-thienofurans: Synthesis and photochemical synthesis.                                                           |
| A. Levai                                                                   | 227 | Oxazepines and thiazepines 39. Synthesis of tetracyclic 1,5-benzothiazepines by the reaction of (z)-3-arylidene-1-thioflavanones with 2-aminothiophenol.                                |
| A. Ivachtchenko, S. Kovalenko and O. Drushlyak                             | 233 | Synthesis of benzimidazo[1,2- <i>c</i> ]quinazoline-6(5 <i>H</i> )-thiones.                                                                                                             |
| J. Kövér, L. Szilágyi, S. Antus, J. Tompa and T. Gunda                     | 237 | Synthesis of optically active 2-[4-(6-chloro-2-benzoxazolyloxy)phenoxy] propionamide derivatives of potential herbicide activity.                                                       |
| B. Gangadasu, B.C. Raju and V.J. Rao                                       | 243 | A simple and convenient preparation of 2-chloro-5-methylpyridine-3-carbaldehyde imines.                                                                                                 |
| V.K. Khlestkin and A.Y. Tikhonov                                           | 249 | Synthesis of pyrimidine and 1,3-bishydroxylamine derivatives from enone Mannich base methiodides.                                                                                       |
| K. Harsányi and C. Szántay Jr                                              | 255 | 2,6-Dihydroxy-4-pyrrolidinyl-acetophenone and its complex with pyrrolidine.                                                                                                             |
| B. Insuasty, F. Fernández, J. Quiroga, R. Moreno and R. Abonia             | 259 | Synthesis of 3-aryl-2-benzyl-1,2-dihydroquinoxalines through the reaction between 1,2-diamino-4,5-dimethylbenzene and 1,2-diamino-4-methylbenzene with 2-bromo-1,3-diaryl-1-propanones. |
| K. Gupta, R. Gupta, R.R. Gupta and M. Kumar                                | 265 | Synthesis of 6-chloro-9-methyl-/7-methoxyphenothiazines via Smiles rearrangement.                                                                                                       |
| T. Oshikawa, S. Pochamroen, N. Takai, N. Ide, T. Takemoto and M. Yamashita | 271 | Molecular recognition and resolution of constitutional isomer of benzoic acids by brucine.                                                                                              |
| J. Charris, M. Monasterios, J. Dominguez, W. Infante and N.D. Castro       | 275 | Synthesis of some 5-nitro-2-furfurylidene derivatives and their antibacterial and antifungal activities.                                                                                |
| C.S.N. Prasad, R. Varala and S.R. Adapa                                    | 281 | A facile preparation of phthalimides and a new approach to the synthesis of indoprofen via carbonylation.                                                                               |
| B. Insuasty, A. Salcedo, R. Abonia, J. Quiroga, M. Nogueras and A. Sánchez | 287 | One-step multicomponent synthesis of 4-amino-2-aryl-3-cyano-1,2-dihydro-pyrimido[1,2- <i>a</i> ]benzimidazoles.                                                                         |
| L. Thomas, A. Gupta and V. Gupta                                           | 293 | Synthesis of 10 <i>H</i> -phenothiazine and 4 <i>H</i> -1,4-benzothiazine sulfones.                                                                                                     |
| M.A. Barsy, F.M. Abdel-Latif, A.M. Aref and K.U. Sadek                     | 299 | Microwave-assisted reaction 31. One pot synthesis of pyrido[1,2- <i>a</i> ]-6,7,8,9-tetrahydroquinazolines and pyrimido[1,2- <i>a</i> ]-2,3-dihydro-5-azaindenes.                       |
|                                                                            | 305 | Notes for the preparation of manuscript.                                                                                                                                                |

# Heterocyclic Communications, Vol. 8, No. 4, 2002

## Vol. 8, Issue 4 (2002)

|                                                                                                            |     |                                                                                                                                                                                                               |
|------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                            | 309 | contributors to this Issue.                                                                                                                                                                                   |
|                                                                                                            | 310 | Graphical Abstracts.                                                                                                                                                                                          |
| K.P.U. Perera, M. Krawiec<br>and D.W. Smith Jr.                                                            | 317 | Synthesis of heterocycle terminated tetraynes as precursors for optoelectro-<br>active polymers.                                                                                                              |
| D. Geffken and S. Zilz                                                                                     | 321 | Synthesis of novel 1,2,4,5-oxatriazinan-3,6-diones and 6-thioxo-1,2,4,5-oxatria-<br>zinan-3-ones.                                                                                                             |
| K. Matsumoto, A. Okada, T. Girek,<br>Y. Ikemi, J.C. Kim, N. Hayashi,<br>H. Yoshida and A. Kakehi           | 325 | Synthesis of 2-methyl-4,6-diaryl-1,2,3-triazinones via diarylcyclopropanones.                                                                                                                                 |
| A. Ivachtchenko, S. Kovalenko,<br>O. Parkhomenko and V. Chernykh                                           | 329 | Synthesis of 3-aryl-5-R-thio-[1,3]thiazolo[4',5':4,5]pyrimido[1,6- <i>a</i> ]benzi-<br>midazole-2(3 <i>H</i> )-thiones.                                                                                       |
| B. Morak, K. Pluta and K. Suwinska                                                                         | 331 | Unexpected simple route to novel dipyrdo-1,4-thiazine system.                                                                                                                                                 |
| R. Gharbi, B. Trimeche, Z. Mighri<br>and M.-T. Martin                                                      | 335 | Synthesis of new fused benzopyrano-benzodiazepinones.                                                                                                                                                         |
| R.A. Tapia, Y. Prieto, J.A. Valderrama,<br>A. Fournet, A.R. de Arias, H. Nakayama<br>and S. Torres         | 339 | Synthesis of 4-alkylamino-6-chloroquinolines as potential trypanocidal agents.                                                                                                                                |
| L. Thomas, A. Gupta and V. Gupta                                                                           | 343 | Synthesis of 1- and 3-methyl phenothiazines.                                                                                                                                                                  |
| V.C. Christov and B. Prodanov                                                                              | 349 | Bifunctionalized allenes part IV. 1,2λ <sup>5</sup> -Oxaphosphole-3-carboxylates and<br>3-phosphoryl-2(5 <i>H</i> )-furanones from 2-phosphoryl-2,3-alkadienoates.                                            |
| H.T. Zaki                                                                                                  | 355 | Action of amines and grignard reagents on some new N-arylideneamino-<br>phthalimides.                                                                                                                         |
| G.S. Reddy, S. Salahuddin,<br>P. Neelakantan and D.S. Iyengar                                              | 361 | Conversion of α-arylidene-γ-keto esters to diarylfuran carboxylic acid esters.                                                                                                                                |
| J.R. Castro, C.O. Puentes, V.V. Kouznetsov,<br>E.E. Stashenko, J.C. Poveda, A. Bahsas<br>and J. Amaro-Luis | 365 | 4-N-Aryl(benzyl)amino-4-heteroaryl-1-butenes as building blocks in hetero-<br>cyclic synthesis. 2. Synthesis of new tetrahydro-2-benzazepine derivatives and<br>related compounds containing a pyridine ring. |
| A.M. Aawadallah, A.-R.S. Ferwanah,<br>E.A. El-Sawi and H.M. Dalloul                                        | 369 | Cyclocondensation reactions of nitrilimines: Synthesis of 1,2,4-triazin-6-ones<br>and 1,2,4,5-tetrazines.                                                                                                     |
| A. Lévai                                                                                                   | 375 | Oxazepines and thiazepines 40. Synthesis of 4-aryl-2-(3-chromonyl)-2,3-<br>dihydro-1,5-benzothiazepines and their conversion into 3-acetyl-2,3-dihydro-<br>benzothiazoles.                                    |
| G. Kumar, V. Gupta, D.C. Gautam and<br>R.R. Gupta                                                          | 381 | A convenient synthesis of 5/7-chloro-4 <i>H</i> -1,4-benzothiazines.                                                                                                                                          |
| K. Dabak and A. Akar                                                                                       | 385 | Synthesis of 1,2,3-triazole derived potential peptidomimetics.                                                                                                                                                |
| J.V. Correia, M.N. Simoes, A.C. Ferreira,<br>L.R. Galveia and F.M.S.B. Palma                               | 391 | Conformational study of N-halopiperidines.                                                                                                                                                                    |
| A.K. Khalafallah, R.M. Abd Elal and<br>N.A.A. El Kanzi                                                     | 397 | Heterocyclic fused rings with bridgehead nitrogen atoms: Single step synthesis<br>of several polyfunctionally substituted fused pyridines.                                                                    |
|                                                                                                            | 407 | Notes for the preparation of manuscript.                                                                                                                                                                      |

# Heterocyclic Communications, Vol. 8, No. 5, 2002

## Vol. 8, Issue 5 (2002)

|                                                                                                                                                   |     |                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                   | 411 | contributors to this Issue.                                                                                                                                                                                   |
|                                                                                                                                                   | 412 | Graphical Abstracts.                                                                                                                                                                                          |
| D.P. Parker, S.A. Hughes, D.L. Parker and P.S. Ray                                                                                                | 419 | An unexpected dimer formation from a 4-(2-aminoethylamino)-5-formyl-pyrimidine intermediate.                                                                                                                  |
| T. Nagasawa, H. Miyata, K. Kudo, M. Nakatani, K. Ito and Y. Ohba                                                                                  | 423 | Synthesis of chiral solid catalysts and application to enantioselective addition of diethylzinc to benzaldehyde.                                                                                              |
| A.R. Azevedo, V.F. Ferreira, H. de Mello, L.R. Leao-Ferreira, A.V. Jabor, I.C.C.P. Frugulhetti, H.S. Pereira, N. Moussatché and A.M.R. Bernardino | 427 | Synthesis and biological evaluation of 1 <i>H</i> -pyrazolo[3,4- <i>b</i> ]pyridine-5-carboxylic acids against vaccinia virus                                                                                 |
| N. Cesur, Z. Cesur, H. Guner and B.O. Kasimogullari                                                                                               | 433 | Fused heterocycles : Synthesis of some new imidazothiazoles.                                                                                                                                                  |
| Y. Ikemi, N. Hayashi, A. Kakehi and K. Matsumoto                                                                                                  | 439 | A facile and solvent-free synthesis of 3,5-disubstituted-4-amino-1,2,4-triazoles by reactions of aromatic nitriles with hydrazine.                                                                            |
| G.H. Elgemeie, A.H. Elghandour, H.A. Ali and A.M. Hussein                                                                                         | 443 | A convenient synthesis of pyrazolo[3,4- <i>c</i> ]pyrazoles using some novel $\alpha$ -cyano-ketene dithioacetals.                                                                                            |
| G. Kumar, V. Gupta, D.C. Gautam and R.R. Gupta                                                                                                    | 447 | Synthesis of 1- and 3-chlorophenothiazines.                                                                                                                                                                   |
| F.M. Soliman, K.M. Khalil, M.M. Said and S.S. Maigaii                                                                                             | 451 | Novel synthesis of phosphoranylidene-cyclobutylidene derivatives from the reaction of <i>N</i> -phenyliminovinylidene, 2-oxovinylidene- and 2-thioxovinylidene triphenylphosphorane with $\alpha$ -diketones. |
| A.V. Reddy, V.L.N. Reddy, K. Ravinder and Y. Venkateswarlu                                                                                        | 459 | Synthesis of dihydropyrimidinones: An improved conditions for the Biginelli reaction.                                                                                                                         |
| N.M.A. El-Rahman                                                                                                                                  | 465 | The behaviour of arylidenemalononitriles towards certain thiating phosphorus reagents.                                                                                                                        |
| O. Murai, H. Ikeda and Y. Nakamura                                                                                                                | 469 | Stereo- and regioselective photocycloaddition of coumarin and thymine derivatives using molecular recognition catalyst.                                                                                       |
| B. Trimeche, R. Gharbi, Z. Mighri and M.-T. Martin                                                                                                | 473 | Stereospecific synthesis of 2-acyl-4-alkyl-3-aryl-2,3,3a,4-tetrahydroindeno-[1,2- <i>c</i> ]pyrazoles.                                                                                                        |
| I. Wiedermannová, J. Slouka and K. Lemr                                                                                                           | 479 | An anomalous course of the condensation of 1,5-diaryl-3-formazyl glyoxylic acids with <i>o</i> -phenylenediamine. A simple synthesis of some benzimidazo-2-carboxamidarylhydrazones.                          |
| K. Gupta, V. Gupta, R. Gupta and M. Kumar                                                                                                         | 485 | One pot synthesis of 7-methoxy/6-sulfonyl-4 <i>H</i> -1,4-benzothiazines.                                                                                                                                     |
| F.-D. Irimie, C. Paizs, C. Majdik, M.-I. Tosa, R. Misca and R. Silaghi-Dumitrescu                                                                 | 489 | Bioorganic synthesis of some (5-benzothiazol-2-yl-furan-2-yl)-methanols in cell catalysis using <i>Saccharomyces cerevisiae</i> .                                                                             |
| M.-W. Ding, S.-J. Yang, Y. Sun, Z.-J. Liu and X.-P. Liu                                                                                           | 493 | A solution-phase parallel synthesis of 2-amino-5-furfurylidene-4 <i>H</i> -imidazolin-4-ones.                                                                                                                 |
| G.S. Chaubey, S. Das and M.K. Mahanti                                                                                                             | 497 | Oxidation of heterocyclic aldehydes by quinolinium dichromate : A kinetic study.                                                                                                                              |
| H.M.F. Madkour                                                                                                                                    | 501 | Simple one-step synthesis of heterocyclic systems from 2-phenyl-4-thienyl-methylidene-5(4 <i>H</i> )-oxazol-one.                                                                                              |
|                                                                                                                                                   | 509 | Notes for the preparation of manuscript.                                                                                                                                                                      |

# Heterocyclic Communications, Vol. 8, No. 6, 2002

## Vol. 8, Issue 6 (2002)

|                                                                                    |     |                                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                    | 513 | Contributors to this Issue.                                                                                                                                                                                               |
|                                                                                    | 514 | Graphical Abstracts.                                                                                                                                                                                                      |
| R. Kumar, D. Rai, S.C.C. Ko and J. W. Lown                                         | 521 | Synthesis of novel thiazole-containing bis-1-chloromethyl-5-hydroxy-1,2-dihydro-3 <i>H</i> -benz[e]indole( <i>seco</i> -CBI)-polyamide conjugates as anticancer agents.                                                   |
| A. Demircan and P.J. Parsons                                                       | 531 | Preparation of tricyclic nitrogen heterocycle via intramolecular Diels-Alder reaction.                                                                                                                                    |
| A. Ivachtchenko, A. Manaev, E. Poutsykine, I. Poutsykine, V. Traven and D. Ugoleva | 537 | Condensation of 1,2-diaminoimidazoles with isatins.                                                                                                                                                                       |
| Á. Kenéz, L. Juhász and S. Antus                                                   | 543 | A simple synthesis of selinone, an antifungal component of <i>Monotes engleri</i> .                                                                                                                                       |
| P.R. Sharma, R. Gupta, V. Gupta, D.C. Gautam and R.R. Gupta                        | 549 | Synthesis of 7-bromo/8,9-dimethylphenothiazine sulfones.                                                                                                                                                                  |
| H. Salgado-Zamora, A. Reyes, O. Terrón, M.E. Campos, R. Jimenez and H. Jiménez     | 553 | An unexpected preferred crowded conformation in 1-aryl-2-(3-methyl-1,2,4-triazol-4-yl)ethanol derivatives.                                                                                                                |
| I. Zarzyka-Niemiec, J. Lubczak, Z. Ciunik, S. Wolowiec and T. Ruman                | 559 | Bis(hydroxyalkylated) derivatives of parabanic acid.                                                                                                                                                                      |
| Z. Lin and P.K. Kadaba                                                             | 565 | Aminoalkylpyridines 3: Synthesis of pyridyl substituted hydrazines by borane reduction of hydrazones.                                                                                                                     |
| K. Sucheta and B. V. Rao                                                           | 569 | Synthesis of novel 1,5-benzothiazepines containing 2 <i>H</i> (1)quinolin-2-one heterocycle.                                                                                                                              |
| G.E.H. Eigemeie, A.M. Elzanaty, A.H.H. Elghandour and M.M. Sayed                   | 573 | Reaction of thioglycolic acid with <i>N</i> -cyanoacetoarylsulfonylhydrazides: Novel synthesis of 2-( <i>N</i> -acetoarylsulfonylhydrazide)-2-thiazolin-4-ones and their corresponding thiazolo[2,3- <i>a</i> ]pyridines. |
| T.L. Kachhee, V. Gupta, R. Gupta and D.C. Gautam                                   | 579 | Synthesis of 7-ethoxy-3-methyl-4 <i>H</i> -1,4-benzothiazines.                                                                                                                                                            |
| L.Y. V. Mendéz and V. Kouznetsov                                                   | 583 | 4- <i>N</i> -aryl(benzyl)amino-4-hetaryl-1-butenes as building blocks in heterocyclic synthesis.3. A simple synthesis of fluorinated 4-methyl-2-(3-pyridyl)-1,2,3,4-tetrahydroquinolines and their respective quinolines. |
| G.H. Eigemeie and S. H. Sayed                                                      | 587 | Regioselective synthesis of a new class of <i>N</i> -arylsulfonylaminated biheterocycles.                                                                                                                                 |
| P.A. de Almeida, T. M.S. da Silva and A. Echevarria                                | 593 | Mesoionic 5-alkyl-1,3-dithiolium-4-thiolates: Synthesis and brine shrimp toxicity.                                                                                                                                        |
| B. Chai, S. Cao, H. Liu, G. Song and X. Qian                                       | 601 | Synthesis and insecticidal activity of neonicotinoids derivatives.                                                                                                                                                        |
| L.K. Baregama, B. Singh and G.L. Talesara                                          | 607 | Synthesis of 3-alkoxy-(substituted aryl)biguanidino-4-methyl-2,3-dihydro (1 <i>H</i> )-1,5-benzodiazepine-2-ones and related compounds.                                                                                   |
| T. Gucký, K. Nálepá and I. Wiedermannová                                           | 613 | Synthesis of the new series of novel heterocyclic skeleton isoxazolo [4,5- <i>e</i> ]1,2,4-triazines and new series of the pyrazolo [4,3- <i>e</i> ] 1,2,4-triazines.                                                     |
|                                                                                    | 617 | Notes for the preparation of manuscript.                                                                                                                                                                                  |