

Subject Index of Volume 55

- Acyclovir
synthesis and antiviral properties of 9-[(2-methyleneaminoxyethoxy)methyl]guanine derivatives as novel Acyclovir analogues, 104
- Acyclovir-diphosphate
synthesis and antiviral properties of novel analogues of monophosphate and diphosphate bioactive forms of acyclovir, 322
- Acyclovir-monophosphate
synthesis and antiviral properties of novel analogues of monophosphate and diphosphate bioactive forms of acyclovir, 322
- Adamantane derivatives
synthesis and antimicrobial activity of new adamantane derivatives II, 619
- μ -Affinity
synthesis, modelling, and μ -opioid receptor affinity of *N*-3(9)-arylpropenyl - *N*-9(3) - propionyl - 3,9 - diazabicyclo[3.3.1]-nonanes, 553
- Agonists and antagonists
design and synthesis of melatonin receptors agonists and antagonists, 184
- Aldose reductase
synthesis and aldose reductase inhibitory activity of a new series of benzo[*h*]cinnolinone derivatives, 544
- Alkanediamides
synthesis and cytotoxic evaluation of *N*¹,*N*^m-bis[(tetrahydrobenzo[*a*]acridin-12-yl)phenyl]alkanediamides and *N*¹,*N*^m-bis[(tetrahydrobenzo[*c*]acridin-7-yl)phenyl]alkanediamides, 631
- Alkoxyimino group
synthesis of (*Z*)-2-(2-formamido-4-thiazolyl)-2-(substituted alkoxyimino) acetic acids, 40
- 2-Alkylimidazoles
synthesis and biological assays of new H₃-antagonists with imidazole and imidazoline polar groups, 27
- Alkylthioquinazoline
quinazoline derivatives with antitubercular activity, 725
- allo*-Muscarine derivatives
synthesis and pharmacological characterization of new chiral derivatives of muscarine and *allo*-muscarine, 535
- AM1
activity of some 3-formylchromone derivatives on the induction of chloroplast-free mutants in *Euglena gracilis*, 21
- β -Amino acid
alicyclic β -amino acids: useful synthons in drug research, 181
- 7-Aminocephalosporanic acid
a rapid procedure to prepare cefotaxime, 393
synthesis of (*Z*)-2-(2-formamido-4-thiazolyl)-2-(substituted alkoxyimino) acetic acids, 40
- Aminopyrazoles
studies on aminopyrazoles: antibacterial activity of some novel pyrazolo[1,5-*a*]pyrimidines containing sulfonamido moieties, 596
- Amitriptyline
in vitro studies of the phototoxic potential of the antidepressant drugs amitriptyline and imipramine, 211
- Amoxicillin
kinetic spectrophotometric determination of ampicillin and amoxicillin in dosage forms, 680
- AMPA agonists
design of new analogues of glutamic acid with a conformationally restricted structure, 162
- Amphotericin B derivatives
novel approaches in the rational design of antifungal agents of low toxicity, 206
- Ampicillin
kinetic spectrophotometric determination of ampicillin and amoxicillin in dosage forms, 680
- Analgesic activity
analgesic activity of cyclic imides: 1,8-naphthalimide and 1,4,5,8-naphthalenediimide derivatives, 319
structure-relationship for the analgesic activity of gallic acid derivatives, 730
- Analgesic agents
4-dialkylamino-1-(5-substituted or unsubstituted 1-phenyl-1*H*-pyrazol-4-yl)butan-1-ols: synthesis and evaluation of analgesic, anti-inflammatory and platelet anti-aggregating activities, 219
N-Substituted 3-(arylamino)-4,5-dihydro-2*H*-benz[*g*]indazol-2-yl acetamides with anti-inflammatory and analgesic activities, 383
O-[2-Hydroxy-3-(dialkylamino)propyl]ethers of (+)-1,7,7-trimethyl bicyclo[2.2.1]heptan-2-one oxime (camphor oxime) with analgesic and antiarrhythmic activities, 495
some new 1,2,3,4-tetrahydroquinoline derivatives, 47
synthesis of *N*-[4-(propyl)cyclohexyl]-amides with anti-inflammatory and analgesic activities, 439
- Angiogenesis
recombinant production of PIGF-1 and its activity in animal models, 165
- Antagonist
synthesis and theoretical study of 2-amino-2,3,3a,4,5,6-hexahydro-1*H*-phenalene and its biological evaluation on central dopaminergic system, 575
- Anthracene-9,10-dione
new 1,4-anthracene-9,10-dione derivatives as potential anticancer agents, 1
- Anthranilic acid dimer
c-terminal anthranoyl-anthranilic acid derivatives and their evaluation on CCK receptors, 293
synthesis of new anthranilic acid dimer derivatives and their evaluation on CCK receptors, 369
- Antiaggregatory activities
synthesis, structure and antiaggregatory effects of some *N*-(4,5-dihydro-1*H*-imidazol-2-yl)indoles, 56
- Antiarrhythmic agents
O-[2-Hydroxy-3-(dialkylamino)propyl]ethers of (+)-1,7,7-trimethyl bicyclo[2.2.1]heptan-2-one oxime (camphor oxime) with analgesic and antiarrhythmic activities, 495

- Antiarrhythmics**
 new substituted 2-(pyrazol-1-yl) *o*-, *m*-, *p*-methylacetanilides with potential local anaesthetic and antiarrhythmic action. Part I, 362
- Antibacterial**
 isolation and bioactivities of epidioxysterol from the tunicate *Cynthia savignyi*, 492
- Antibacterial activity**
 studies on arylfuran derivatives: Part X. Synthesis and antibacterial properties of arylfuryl- Δ^2 -pyrazolines, 256
- Antibacterial and antifungal activity**
 synthesis and antimicrobial activity of some new 4-hydroxy-2*H*-1,4-benzoxazin-3(4*H*)-ones, 715
- Antibacterial, antifungal and herbicidal activities**
 studies on arylfuran derivatives: Part XI. Synthesis, characterisation and biological studies on some Mannich bases carrying 2,4-dichlorophenylfurfural moiety, 338
- Anticancer activity**
 quinoxaline chemistry. Part 13: 3-carboxy-2-benzylamino-substituted quinoxalines and *N*-[4-[(3-carboxyquinoxalin-2-yl)aminomethyl]benzoyl]-L-glutamates: synthesis and evaluation of in vitro anticancer activity, 77
- Anti-cancer activity**
 anti-cancer activity studies of indolalithiohydantoin (PIT) on certain cancer cell lines, 246
- Anticancer activity**
 synthesis and cytotoxic evaluation of *N*¹,*N*^m-bis[(tetrahydrobenzo[a]acridin-12-yl)phenyl]alkanediamides and *N*¹,*N*^m-bis[(tetrahydrobenzo[c]acridin-7-yl)phenyl]alkanediamides, 631
- Antidepressant**
 design, synthesis and biological evaluation of new 3-[(4-aryl)piperazin-1-yl]-1-arylpropane derivatives as potential antidepressants with a dual mode of action: serotonin reuptake inhibition and 5-HT_{1A} receptor antagonism, 345
- Antiepileptics**
 comparative LC-MS and HPLC analyses of selected antiepileptics and beta-blocking drugs, 136
- Antifungal**
 isolation and bioactivities of epidioxysterol from the tunicate *Cynthia savignyi*, 492
- Antifungal activity**
 synthesis and antifungal activity of novel pyrano[2',3':4,5]-thiazolo[2,3-*b*]quinazolines, pyrido[2',3':4,5]thiazolo[2,3-*b*]quinazolines and pyrazolo[2',3':4,5]thiazolo[2,3-*b*]quinazolines, 287
 synthesis and radiation stability of novel biologically active sulfur compounds derived from 1,2-bis(4-amino-5-mercaptos-triazol-3-yl)ethane, 354
- Antifungal agents**
 novel approaches in the rational design of antifungal agents of low toxicity, 206
- Anti-inflammatory activity**
 phytochemical study and anti-inflammatory properties of *Lam-paya hieronymi* Schum. ex Moldenke, 502
 synthesis, anti-inflammatory and antimicrobial activities of new 1,2,4-oxadiazoles peptidomimetics, 719
- Anti-inflammatory agents**
 4-dialkylamino-1-(5-substituted or unsubstituted 1-phenyl-1*H*-pyrazol-4-yl)butan-1-ols: synthesis and evaluation of analgesic, anti-inflammatory and platelet anti-aggregating activities, 219
N-Substituted 3-(arylamino)-4,5-dihydro-2*H*-benz[*g*]indazol-2-yl acetamides with anti-inflammatory and analgesic activities, 383
 synthesis of *N*-[4-(propyl)cyclohexyl]-amides with anti-inflammatory and analgesic activities, 439
- Antimicrobial**
 a novel synthesis of dibenzo[*c,f*]chromenes, dibenzo[*c,h*]chromenes and benzo[7,8]chromeno[3,4-*f*]isoindoles as antimicrobial agents, 227
 synthesis and antimicrobial activity of novel arylideneisothiosemicarbazones, 93
- Antimicrobial activity**
 1,5-benzodiazepine derivatives of 3-arylsydones: synthesis and antimicrobial activity of 3-aryl-4-[2'-aryl-2',4',6',7'-tetrahydro-(1*H*)-1',5'-benzodiazepine-4'-yl]sydones, 406
 4,5-dihydroisoxazoles: Testing of antimicrobial activity, 499
 3*H*-[1,2]Dithiolo[3,4-*b*]pyridine-3-thione and its derivatives Synthesis and antimicrobial activity, 669
 4-hydroxycoumarin in heterocyclic synthesis: Part III. Synthesis of some new pyrano[2,3-*d*]pyrimidine, 2-substituted[1,2,4]-triazolo[1,5-*c*]pyrimidine and pyrimido[1,6-*b*][1,2,4]triazine derivatives, 708
 synthesis and antimicrobial activity of 1-aryl-2-amino-3-(4-arylthiazol-2-yl)/(benzothiazol-2-yl)guanidines, 331
 synthesis and antimicrobial activity of (*E*)-acetoxystilbenes and α,α' -dibromoacetoxibenzyls, 151
 synthesis and antimicrobial activity of new adamantane derivatives II, 619
 synthesis and microbiological activity of some *N*-(*o*-hydroxyphenyl)benzamides and phenylacetamides as the possible metabolites of antimicrobial active benzoxazoles: part II, 469
 synthesis and microbiological activity of some novel 5-benzamido- and 5-phenylacetamido- substituted 2-phenylbenzoxazole derivatives, 397
 transformation of the sydnone ring into oxadiazolinones. A convenient one-pot synthesis of 3-aryl-5-methyl-1,3,4-oxadiazolin-2-ones from 3-arylsydones and their antimicrobial activity, 65
- Antimitotic activity**
 synthesis and evaluation of antimitotic activity of alkylated 2-amino-1,3,4-oxadiazole derivatives, 389
- Antimutagenicity**
 activity of some 3-formylchromone derivatives on the induction of chloroplast-free mutants in *Euglena gracilis*, 21
- Antimycobacterial activity**
 quinazoline derivatives with antitubercular activity, 725
 synthesis and antimycobacterial activity of some 4*H*-1,2,4-triazin-5-one derivatives, 590
- Antineoplastic agents**
 pyrrolo[2,1-*d*][1,2,3,5]tetrazinones deaza analogues of temozolomide with potent antitumor activity, 200
- Antinociceptive activity**
 synthesis of pyrrolinyl-naphthalenes and evaluation of their antinociceptive activity, 611
- Antinociceptive compounds**
 some new 1,2,3,4-tetrahydroquinoline derivatives, 47
- Antiproliferative activity**
 photobiological properties of 1-(3'-hydroxypropyl)-4,6,8-trimethylfuro[2,3-*h*]quinolin-2(1*H*)-one, a new furocoumarin analogue, 650
- Antirhinovirus activity**
 disoxaril-related 3-(diethylamino)-5-phenylisoxazoles, 119
- Antitubercular agents**
 building a pharmacophore model for a novel class of antitubercular compounds, 484
- Antiviral**
 synthesis and antiviral properties of 9-[(2-methyle-neaminoxyethoxy)methyl]guanine derivatives as novel Acyclovir analogues, 104
 synthesis and antiviral properties of novel analogues of monophosphate and diphosphate bioactive forms of acyclovir, 322

- Antiviral activity
 synthesis and antiviral assays of some 2-substituted benzimidazole-*N*-carbamates, 35
- Antiviral agents
 disoxaril-related 3-(diethylamino)-5-phenylisoxazoles, 119
- Apoptosis
 PUVA (psoralen + UVA) photochemotherapy: processes triggered in the cells, 515
- Aqueous solutions
 photostability determination of arbutin, a vegetable whitening agent, 410
- Arbutin
 photostability determination of arbutin, a vegetable whitening agent, 410
- Arylfuran derivative
 studies on arylfuran derivatives: Part XI. Synthesis, characterization and biological studies on some Mannich bases carrying 2,4-dichlorophenylfurfural moiety, 338
- Arylfurylpropenones
 studies on arylfuran derivatives: Part X. Synthesis and antibacterial properties of arylfuryl- Δ^2 -pyrazolines, 256
- Arylfurylpyrazolines
 studies on arylfuran derivatives: Part X. Synthesis and antibacterial properties of arylfuryl- Δ^2 -pyrazolines, 256
- Arylidene-imidazolone-glycines
 from crystallographic data to the creation of a binding model with a receptor, 197
- Arylideneisothiosemicarbazones
 synthesis and antimicrobial activity of novel arylideneisothiosemicarbazones, 93
- Arylpiperazine
 design, synthesis and biological evaluation of new 3-[(4-aryl)piperazin-1-yl]-1-arylpropane derivatives as potential antidepressants with a dual mode of action: serotonin reuptake inhibition and 5-HT_{1A} receptor antagonism, 345
- 3-Arylsydnonones
 1,5-benzodiazepine derivatives of 3-arylsydnonones: synthesis and antimicrobial activity of 3-aryl-4-[2'-aryl-2',4',6',7'-tetrahydro-(1'H)-1',5'-benzodiazepine-4'-yl]sydnonones, 406
- Azolotetrazines
 pyrrolo[2,1-*d*][1,2,3,5]tetrazinones deaza analogues of temozolomide with potent antitumor activity, 200
- Benazepril
 spectrophotometric determination of benazepril in tablets, 425
- Benazepril-HCl
 dissolution tests of benazepril-HCl and hydrochlorothiazide in commercial tablets: comparison of spectroscopic and high performance liquid chromatography methods, 477
- Benzacridines
 synthesis and cytotoxic evaluation of *N*¹,*N*^m-bis[(tetrahydrobenzo[*a*]acridin-12-yl)phenyl]alkanediamides and *N*¹,*N*^m-bis[(tetrahydrobenzo[*c*]acridin-7-yl)phenyl]alkanediamides, 631
- 2-(2-Benzhydrylthiazol-4-yl)ethanamines
 histamine H₁ receptor ligands: Part II. Synthesis and in vitro pharmacology of 2-[2-(phenylamino)thiazol-4-yl]ethanamine and 2-(2-benzhydrylthiazol-4-yl)ethanamine derivatives, 569
- Benzimidazoles
 synthesis and antiviral assays of some 2-substituted benzimidazole-*N*-carbamates, 35
- Benzocaine
 simultaneous determination of benzocaine and cetylpyridinium chloride in tablets by first-derivative spectrophotometric method, 687
- Benzodiazepine derivatives
 1,5-benzodiazepine derivatives of 3-arylsydnonones: synthesis and antimicrobial activity of 3-aryl-4-[2'-aryl-2',4',6',7'-tetrahydro-(1'H)-1',5'-benzodiazepine-4'-yl]sydnonones, 406
- Benzofurocoumarins
 interactions between DNA and benzo- and tetrahydrobenzofurocoumarins: thermodynamic and molecular modeling studies, 276
- Benzo[*h*]cinnolinone carboxylic acids
 synthesis and aldose reductase inhibitory activity of a new series of benzo[*h*]cinnolinone derivatives, 544
- Benzopyrano[2,3-*c*]pyrazoles
 synthesis and biological studies of some benzopyrano[2,3-*c*]pyrazole derivatives, 641
- Benzoxazinones
 solvation enthalpies as descriptors of structure – in vitro permeation relationship of benzoxazinones regioisomers, 563
- Benzoxazole
 synthesis and microbiological activity of some novel 5-benzamido- and 5-phenylacetamido-substituted 2-phenylbenzoxazole derivatives, 397
- Benzoxazole metabolites
 synthesis and microbiological activity of some *N*-(*o*-hydroxyphenyl)benzamides and phenylacetamides as the possible metabolites of antimicrobial active benzoxazoles: part II, 469
- Benzylaminoquinoxalines
 quinoxaline chemistry. Part 13: 3-carboxy-2-benzylamino-substituted quinoxalines and *N*-[4-(3-carboxyquinoxalin-2-yl)aminomethyl]benzoyl-L-glutamates: synthesis and evaluation of in vitro anticancer activity, 77
- Beta-blocking drugs
 comparative LC-MS and HPLC analyses of selected antiepileptics and beta-blocking drugs, 136
- Bile acids
 mixed oxo-hydroxy bile acids as actual or potential impurities in ursodeoxycholic acid preparation: a ¹H and ¹³C NMR study, 51
- Biological fluids
 the voltammetric study and determination of ramipril in dosage forms and biological fluids, 233
- Biological studies
 synthesis and biological studies of some benzopyrano[2,3-*c*]pyrazole derivatives, 641
- Biscarbamates
 biscarbamate analogues of the chemotactic tripeptide fMLF-OMe, 308
- Bleaching
 activity of some 3-formylchromone derivatives on the induction of chloroplast-free mutants in *Euglena gracilis*, 21
- Branched PEG
 therapeutic proteins: a comparison of chemical and biological properties of uricase conjugated to linear or branched poly(ethylene glycol) and poly(*N*-acryloylmorpholine), 264
- Calcium antagonistic activity
 synthesis and calcium antagonistic activity of 2,6,6-trimethyl-3-carbomethoxy(ethoxy)-4-aryl-1,4,5,6,7,8-hexahydroquinoline derivatives, 665
- Carbamates
 biscarbamate analogues of the chemotactic tripeptide fMLF-OMe, 308
 synthesis and antiviral assays of some 2-substituted benzimidazole-*N*-carbamates, 35
- Carrageenan-induced mouse paw edema
 phytochemical study and anti-inflammatory properties of *Lam-paya hieronymi* Schum. ex Moldenke, 502
- CCK ligands
c-terminal anthranoyl-anthranilic acid derivatives and their evaluation on CCK receptors, 293

- CCK receptor ligands
 synthesis of new anthranilic acid dimer derivatives and their evaluation on CCK receptors, 369
- Cefetamet–Na electrode reduction
 electrochemical study of cefetamet–Na and its polarographic determination, 13
- Cefotaxime
 a rapid procedure to prepare cefotaxime, 393
- Cell-cycle selectivity
 synthesis and cytotoxic activity of 2-dialkylaminoethylamino substituted xanthenone and thioxanthenone derivatives, 455
- Cellulose acetophthalate
 adsorption of Omeprazole on latex particles and characterization of the complex, 314
- Cephalosporins
 synthesis of (Z)-2-(2-formamido-4-thiazolyl)-2-(substituted alkoxyimino) acetic acids, 40
- Cetylpyridinium chloride
 simultaneous determination of benzocaine and cetylpyridinium chloride in tablets by first-derivative spectrophotometric method, 687
- Charge-transfer complexes
 use of charge-transfer complex formation for the spectrophotometric determination of nortriptyline, 659
- Chemotactic peptides
 bis-carbamate analogues of the chemotactic tripeptide fMLF–OMe, 308
- Chlorambucil
 prolidase-activated prodrug for cancer chemotherapy: Cytotoxic activity of proline analogue of chlorambucil in breast cancer MCF-7 cells, 736
- Chloromethyl pivalate
 an efficient method for the synthesis of sulbactam pivoxil, 134
- Chromenes
 a novel synthesis of dibenzo[*c,f*]chromenes, dibenzo[*c,h*]chromenes and benzo[7,8]chromeno[3,4-*f*]isoindoles as antimicrobial agents, 227
- Cispentacin
 alicyclic β -amino acids: useful synthons in drug research, 181
- Clarithromycin
 clarithromycin targeting to lung: characterization, size distribution and in vivo evaluation of the human serum albumin microspheres, 303
- ^{13}C NMR
 mixed oxo-hydroxy bile acids as actual or potential impurities in ursodeoxycholic acid preparation: a ^1H and ^{13}C NMR study, 51
- CNS depressant activity
 some new 1,2,3,4-tetrahydroquinoline derivatives, 47
- Combinatorial chemistry
 alicyclic β -amino acids: useful synthons in drug research, 181
 synthetic oligonucleotide combinatorial libraries and their applications, 174
- CoMFA
 prolyl endopeptidase inhibitors, 188
- Convulsant activity
 design of new analogues of glutamic acid with a conformationally restricted structure, 162
- Critical micellar concentration
 measurement of dynamic surface tension to determine critical micellar concentration in lipophilic silicone surfactants, 583
- Cr(VI)–metol–sulfanilic acid system oxidimetry
 quantitation of pharmaceutically important phenothiazines by oxidimetry, 87
- Cyclic imides
 analgesic activity of cyclic imides: 1,8-naphthalimide and 1,4,5,8-naphthalenediimide derivatives, 319
- Cycloaddition
 synthesis and antimicrobial activity of 1,4-diaryl-2-azetidiones, 147
- Cynthia savignyi*
 isolation and bioactivities of epidioxysterol from the tunicate *Cynthia savignyi*, 492
- Cytotoxic activity
 synthesis and cytotoxic activity of 2-dialkylaminoethylamino substituted xanthenone and thioxanthenone derivatives, 455
- Cytotoxicity
 fluorescent probes as markers of oxidative stress in keratinocyte cell lines following UVB exposure, 526
 isolation and bioactivities of epidioxysterol from the tunicate *Cynthia savignyi*, 492
- Database search
 building a pharmacophore model for a novel class of antitubercular compounds, 484
- Δ -opioid agonist
 development of novel pain relief agents acting through the selective activation of the Δ -opioid receptor, 178
- Dentinal desensitizer analysis
 potentiometric determination of nitrate in products used for the treatment of dentinal hypersensitivity, 99
- Derivative spectrophotometry
 simultaneous determination of benzocaine and cetylpyridinium chloride in tablets by first-derivative spectrophotometric method, 687
- Derivative UV spectrophotometry
 UV derivative spectrophotometric study of the photochemical degradation of nisoldipine, 128
- Design and synthesis
 design and synthesis of melatonin receptors agonists and antagonists, 184
- Diabetic complications
 synthesis and aldose reductase inhibitory activity of a new series of benzo[*h*]cinnolinone derivatives, 544
- 2-Dialkylaminoethylamino thioxanthenones
 synthesis and cytotoxic activity of 2-dialkylaminoethylamino substituted xanthenone and thioxanthenone derivatives, 455
- 2-Dialkylaminoethylamino xanthenones
 synthesis and cytotoxic activity of 2-dialkylaminoethylamino substituted xanthenone and thioxanthenone derivatives, 455
- ω -Dialkylaminohydroxy ethers of (+)-camphor oxime
O-[2-Hydroxy-3-(dialkylamino)propyl]ethers of (+)-1,7,7-trimethyl bicyclo[2.2.1]heptan-2-one oxime (camphor oxime) with analgesic and antiarrhythmic activities, 495
- Diazabicyclononanes
 synthesis, modelling, and μ -opioid receptor affinity of *N*-3(9)-arylpropenyl - *N* - 9(3) - propionyl - 3,9 - diazabicyclo[3.3.1]-nonanes, 553
- α,α' -Dibromoacetoxybibenzyls
 synthesis and antimicrobial activity of (*E*)-acetoxy stilbenes and α,α' -dibromoacetoxybibenzyls, 151
- Differential scanning calorimetry
 adsorption of Omeprazole on latex particles and characterization of the complex, 314
- 4,5-Dihydroisoxazoles
 4,5-dihydroisoxazoles: Testing of antimicrobial activity, 499
- 1,4-Dihydropyridine
 synthesis and calcium antagonistic activity of 2,6,6-trimethyl-3-carbomethoxy(ethoxy)-4-aryl-1,4,5,6,7,8-hexahydroquinoline derivatives, 665
- Dinitrosopiperazine (DNPZ)
 voltammetric determination of *N,N'*-dinitrosopiperazine in simulated gastric juice, 694

- Dissolution
enhanced release of solid dispersions of etodolac in polyethylene glycol, 433
- Dissolution profile
high-performance liquid chromatographic analysis of verapamil and its application to determination in tablet dosage forms and to drug dissolution studies, 376
- Dissolution rate
dissolution tests of benazepril-HCl and hydrochlorothiazide in commercial tablets: comparison of spectroscopic and high performance liquid chromatography methods, 477
- Distamycin
recent outcome in the field of distamycin-derived minor groove binders, 168
- DNA
new 1,4-anthracene-9,10-dione derivatives as potential anticancer agents, 1
- DNA binding
interactions between DNA and benzo- and tetrahydrobenzofurocoumarins: thermodynamic and molecular modeling studies, 276
- DNA damage
photobiological properties of 1-(3'-hydroxypropyl)-4,6,8-trimethylfuro[2,3-*h*]quinolin-2(1*H*)-one, a new furocoumarin analogue, 650
- DNA photocleavage
in vitro studies of the phototoxic potential of the antidepressant drugs amitriptyline and imipramine, 211
- Dopamine
synthesis and theoretical study of 2-amino-2,3,3a,4,5,6-hexahydro-1*H*-phenalene and its biological evaluation on central dopaminergic system, 575
- Dosage forms
kinetic spectrophotometric determination of ampicillin and amoxicillin in dosage forms, 680
the voltammetric study and determination of ramipril in dosage forms and biological fluids, 233
- Dpp determination
electrochemical study of cefetamet-Na and its polarographic determination, 13
- Drug targeting
clarithromycin targeting to lung: characterization, size distribution and in vivo evaluation of the human serum albumin microspheres, 303
- Dynamic surface tension
measurement of dynamic surface tension to determine critical micellar concentration in lipophilic silicone surfactants, 583
- (*E*)-Acetoxystilbenes
synthesis and antimicrobial activity of (*E*)-acetoxystilbenes and α,α' -dibromoacetoxybibenzyls, 151
- Enantioselective synthesis
alicyclic β -amino acids: useful synthons in drug research, 181
- Epidioxysterol
isolation and bioactivities of epidioxysterol from the tunicate *Cynthia savignyi*, 492
- Ethoxylated lanolin
extraction and clean-up procedure for analysis of organochlorine pesticide residues in ethoxylated lanolin, 637
- Etodolac
enhanced release of solid dispersions of etodolac in polyethylene glycol, 433
- Euglena gracilis*
activity of some 3-formylchromone derivatives on the induction of chloroplast-free mutants in *Euglena gracilis*, 21
- Fluocortolone hexanoate
determination of fluocortolone pivalate and fluocortolone hexanoate in suppositories using reverse-phase HPLC, 125
- Fluocortolone pivalate
determination of fluocortolone pivalate and fluocortolone hexanoate in suppositories using reverse-phase HPLC, 125
- Fluorescent probes
fluorescent probes as markers of oxidative stress in keratinocyte cell lines following UVB exposure, 526
- Fluorimetric detector
high-performance liquid chromatographic analysis of verapamil and its application to determination in tablet dosage forms and to drug dissolution studies, 376
- 3-Formylchromone-*N*-aroyl hydrazones
activity of some 3-formylchromone derivatives on the induction of chloroplast-free mutants in *Euglena gracilis*, 21
- Furoquinolinones
photobiological properties of 1-(3'-hydroxypropyl)-4,6,8-trimethylfuro[2,3-*h*]quinolin-2(1*H*)-one, a new furocoumarin analogue, 650
- Furosemide
high-performance liquid chromatography-mass spectrometric analysis of furosemide in plasma and its use in pharmacokinetic studies, 448
- Gallic acid
structure-activity relationships for the analgesic activity of gallic acid derivatives, 730
- Gas chromatography
extraction and clean-up procedure for analysis of organochlorine pesticide residues in ethoxylated lanolin, 637
- Glucosamine-6-phosphate synthase
novel approaches in the rational design of antifungal agents of low toxicity, 206
- Glutamate receptors
design of new analogues of glutamic acid with a conformationally restricted structure, 162
- Glycine
statistical analysis on a series of glycine antagonists, 194
- Glycine receptor ligands
from crystallographic data to the creation of a binding model with a receptor, 197
- Guanidines
synthesis and antimicrobial activity of 1-aryl-2-amino-3-(4-arylthiazol-2-yl)/(benzothiazol-2-yl)guanidines, 331
- Hair pigmentation
tryptophan in human hair: correlation with pigmentation, 521
- Hair tryptophan
tryptophan in human hair: correlation with pigmentation, 521
- α -Halogenoacrylamides
recent outcome in the field of distamycin-derived minor groove binders, 168
- H₃-Antagonists
structure-property relationships on histamine H₃-antagonists: binding of phenyl-substituted alkylthioimidazole derivatives to rat plasma proteins, 239
- H₁-antagonists
histamine H₁ receptor ligands: Part II. Synthesis and in vitro pharmacology of 2-[2-(phenylamino)thiazol-4-yl]ethanamine and 2-(2-benzhydrylthiazol-4-yl)ethanamine derivatives, 569
- 3*H*-[1,2]Dithiolo[3,4-*b*]pyridine-3-thiones
3*H*-[1,2]Dithiolo[3,4-*b*]pyridine-3-thione and its derivatives Synthesis and antimicrobial activity, 669
- Hexahydroquinoline
synthesis and calcium antagonistic activity of 2,6,6-trimethyl-3-carbomethoxy(ethoxy)-4-aryl-1,4,5,6,7,8-hexahydroquinoline derivatives, 665

- High-performance liquid chromatography
 high-performance liquid chromatographic analysis of verapamil and its application to determination in tablet dosage forms and to drug dissolution studies, 376
- High performance liquid chromatography
 dissolution tests of benazepril-HCl and hydrochlorothiazide in commercial tablets: comparison of spectroscopic and high performance liquid chromatography methods, 477
- Histamine
 synthesis and biological assays of new H₃-antagonists with imidazole and imidazoline polar groups, 27
- Histamine H₁-receptor
 histamine H₁ receptor ligands: Part II. Synthesis and in vitro pharmacology of 2-[2-(phenylamino)thiazol-4-yl]ethanamine and 2-(2-benzhydrylthiazol-4-yl)ethanamine derivatives, 569
- HIV-1
 synthesis and antiviral properties of 9-[(2-methyleaminoxyethoxy)methyl]guanine derivatives as novel Acyclovir analogues, 104
 synthesis and antiviral properties of novel analogues of monophosphate and diphosphate bioactive forms of acyclovir, 322
- ¹H NMR
 mixed oxo-hydroxy bile acids as actual or potential impurities in ursodeoxycholic acid preparation: a ¹H and ¹³C NMR study, 51
- HPLC
 comparative LC-MS and HPLC analyses of selected antiepileptics and beta-blocking drugs, 136
- H₃-receptor antagonists
 synthesis and biological assays of new H₃-antagonists with imidazole and imidazoline polar groups, 27
- HSV-1
 synthesis and antiviral properties of 9-[(2-methyleaminoxyethoxy)methyl]guanine derivatives as novel Acyclovir analogues, 104
 synthesis and antiviral properties of novel analogues of monophosphate and diphosphate bioactive forms of acyclovir, 322
- 5-HT_{1A} and 5-HT_{2A} receptor affinity
 synthesis, 5-HT_{1A} and 5-HT_{2A} receptor affinity of new 1-phenylpiperazinylpropyl derivatives of purine-2,6- and pyrrolidine-2,5-diones, 461
- 5-HT_{1A} antagonist
 design, synthesis and biological evaluation of new 3-[(4-aryl)piperazin-1-yl]-1-arylpropane derivatives as potential antidepressants with a dual mode of action: serotonin reuptake inhibition and 5-HT_{1A} receptor antagonism, 345
- 5-HT_{1A} receptor ligands
 ligand-5-HT_{1A} receptor interaction, 191
- 5-HT reuptake inhibitor
 design, synthesis and biological evaluation of new 3-[(4-aryl)piperazin-1-yl]-1-arylpropane derivatives as potential antidepressants with a dual mode of action: serotonin reuptake inhibition and 5-HT_{1A} receptor antagonism, 345
- 4H-1,2,4-Triazin-5-one derivatives
 synthesis and antimycobacterial activity of some 4H-1,2,4-triazin-5-one derivatives, 590
- Human blood platelets
 synthesis and antiplatelet activity of some 3-phenyl-1,8-naphthyridine derivatives, 603
- Human hair
 tryptophan in human hair: correlation with pigmentation, 521
- Human neutrophils
 bis carbamate analogues of the chemotactic tripeptide fMLF-OMe, 308
- Human serum albumin microsphere
 clarithromycin targeting to lung: characterization, size distribution and in vivo evaluation of the human serum albumin microspheres, 303
- Hydantoin
 anti-cancer activity studies of indolalithiohydantoin (PIT) on certain cancer cell lines, 246
- Hydrazone formation
 metabolic and chemical studies on *N*-(4-chlorobenzyl)-*N'*-benzoylhydrazine, 624
- Hydrochlorothiazide
 dissolution tests of benazepril-HCl and hydrochlorothiazide in commercial tablets: comparison of spectroscopic and high performance liquid chromatography methods, 477
- 4-Hydroxy-2H-1,4-benzoxazin-3(4H)-one
 synthesis and antimicrobial activity of some new 4-hydroxy-2H-1,4-benzoxazin-3(4H)-ones, 715
- Imides
 synthesis and antimicrobial activity of new adamantane derivatives II, 619
- Imipramine
 in vitro studies of the phototoxic potential of the antidepressant drugs amitriptyline and imipramine, 211
- Immunosuppressant
 pharmacokinetic monitoring of mycophenolate mofetil in kidney transplanted patients, 270
- Indole
 anti-cancer activity studies of indolalithiohydantoin (PIT) on certain cancer cell lines, 246
- Inhibition of platelet aggregation
 synthesis and antiplatelet activity of some 3-phenyl-1,8-naphthyridine derivatives, 603
- Intrinsic activity
 ligand-5-HT_{1A} receptor interaction, 191
- In vitro metabolism
 metabolic and chemical studies on *N*-(4-chlorobenzyl)-*N'*-benzoylhydrazine, 624
- In vitro percutaneous absorption
 solvation enthalpies as descriptors of structure – in vitro percutaneous permeation relationship of benzoxazinones regioisomers, 563
- Ion-selective electrodes
 potentiometric determination of nitrate in products used for the treatment of dentinal hypersensitivity, 99
- Isoindoles
 a novel synthesis of dibenzo[*c,f*]chromenes, dibenzo[*c,h*]chromenes and benzo[7,8]chromeno[3,4-*f*]isoindoles as antimicrobial agents, 227
- IsoStar
 from crystallographic data to the creation of a binding model with a receptor, 197
- Isothiazolo[5,4-*b*]pyridine-3(2H)-thiones
 3H-[1,2]Dithiolo[3,4-*b*]pyridine-3-thione and its derivatives
 Synthesis and antimicrobial activity, 669
- Isothiazolo[5,4-*b*]pyridin-3(2H)-ones
 3H-[1,2]Dithiolo[3,4-*b*]pyridine-3-thione and its derivatives
 Synthesis and antimicrobial activity, 669
- Isoxazole derivatives
 disoxaril-related 3-(diethylamino)-5-phenylisoxazoles, 119
- Isoxazolinylprolines
 design of new analogues of glutamic acid with a conformationally restricted structure, 162
- Kainic acid agonists
 design of new analogues of glutamic acid with a conformationally restricted structure, 162

- Keratinocytes
fluorescent probes as markers of oxidative stress in keratinocyte cell lines following UVB exposure, 526
- Kinetic determination
kinetic spectrophotometric determination of ampicillin and amoxicillin in dosage forms, 680
- β -Lactam
synthesis and antimicrobial activity of 1,4-diaryl-2-azetidinones, 147
- β -Lactamase inhibitor
an efficient method for the synthesis of sulbactam pivoxil, 134
- Lampaya hieronymi*
phytochemical study and anti-inflammatory properties of *Lampaya hieronymi* Schum. ex Moldenke, 502
- LC-MS
comparative LC-MS and HPLC analyses of selected antiepileptics and beta-blocking drugs, 136
high-performance liquid chromatography-mass spectrometric analysis of furosemide in plasma and its use in pharmacokinetic studies, 448
- Linear dichroism
interactions between DNA and benzo- and tetrahydrobenzofurocoumarins: thermodynamic and molecular modeling studies, 276
- Lipid peroxidation
in vitro studies of the phototoxic potential of the antidepressant drugs amitriptyline and imipramine, 211
- Lipophilicity
structure-property relationships on histamine H₃-antagonists: binding of phenyl-substituted alkylthioimidazole derivatives to rat plasma proteins, 239
- Local anesthetics
new substituted 2-(pyrazol-1-yl) *o*-, *m*-, *p*-methylacetanilides with potential local anaesthetic and antiarrhythmic action. Part I, 362
- MAEM
a rapid procedure to prepare cefotaxime, 393
- Mannich bases
studies on arylfuran derivatives: Part XI. Synthesis, characterisation and biological studies on some Mannich bases carrying 2,4-dichlorophenylfurfural moiety, 338
- Mechanistic scheme
electrochemical study of cefetamet-Na and its polarographic determination, 13
- Melatonin receptors
design and synthesis of melatonin receptors agonists and antagonists, 184
- Message-address concept
development of novel pain relief agents acting through the selective activation of the δ -opioid receptor, 178
- 9-[(2-Methyleneaminoxyethoxy)methyl]guanine derivatives
synthesis and antiviral properties of 9-[(2-methyleneaminoxyethoxy)methyl]guanine derivatives as novel Acyclovir analogues, 104
- Miconazole
4,5-dihydroisoxazoles: Testing of antimicrobial activity, 499
- Minimum inhibitory concentration
synthesis and antimicrobial activity of 1-aryl-2-amino-3-(4-arylthiazol-2-yl)/(benzothiazol-2-yl)guanidines, 331
- Minor groove binders
recent outcome in the field of distamycin-derived minor groove binders, 168
- Modelling
synthesis, modelling, and μ -opioid receptor affinity of *N*-3(9)-arylpropenyl-*N*-9(3)-propionyl-3,9-diazabicyclo[3.3.1]-nonanes, 553
- Molecular modeling
interactions between DNA and benzo- and tetrahydrobenzofurocoumarins: thermodynamic and molecular modeling studies, 276
new 1,4-anthracene-9,10-dione derivatives as potential anticancer agents, 1
- Morpholinyl
synthesis and antiplatelet activity of some 3-phenyl-1,8-naphthyridine derivatives, 603
- Morphology
clarithromycin targeting to lung: characterization, size distribution and in vivo evaluation of the human serum albumin microspheres, 303
- Muscarine derivatives
synthesis and pharmacological characterization of new chiral derivatives of muscarine and *allo*-muscarine, 535
- Muscarinic receptor subtypes
synthesis and pharmacological characterization of new chiral derivatives of muscarine and *allo*-muscarine, 535
- Mycophenolate mofetil
pharmacokinetic monitoring of mycophenolate mofetil in kidney transplanted patients, 270
- Myocardial infarct
recombinant production of PIGF-1 and its activity in animal models, 165
- N*-alkylated-2-amino-1,3,4-oxadiazoles
synthesis and evaluation of antimitotic activity of alkylated 2-amino-1,3,4-oxadiazole derivatives, 389
- N*-Alkyl hydrazide
metabolic and chemical studies on *N*-(4-chlorobenzyl)-*N'*-benzoylhydrazine, 624
- Naphthalimides
analgesic activity of cyclic imides: 1,8-naphthalimide and 1,4,5,8-naphthalenediimide derivatives, 319
- N*-(4,5-Dihydro-1*H*-imidazol-2-yl)indoles
synthesis, structure and antiaggregatory effects of some *N*-(4,5-dihydro-1*H*-imidazol-2-yl)indoles, 56
- N*-(2,5-Disubstituted)benzamides
synthesis and microbiological activity of some *N*-(*o*-hydroxyphenyl)benzamides and phenylacetamides as the possible metabolites of antimicrobial active benzoxazoles: part II, 469
- Neurotoxins
natural and synthetic polyamines: modulators of signalling proteins, 202
- ω -(*N*-Hetaryl)alkanoylprolylpyrrolidines
prolyl endopeptidase inhibitors, 188
- Nisoldipine
UV derivative spectrophotometric study of the photochemical degradation of nisoldipine, 128
- Nitrate determination
potentiometric determination of nitrate in products used for the treatment of dentinal hypersensitivity, 99
- Nitrogen mustards
recent outcome in the field of distamycin-derived minor groove binders, 168
- Nitrosopiperazine (NPZ)
voltammetric determination of *N,N'*-dinitrosopiperazine in simulated gastric juice, 694
- NMDA
statistical analysis on a series of glycine antagonists, 194
- Nortriptyline hydrochloride
use of charge-transfer complex formation for the spectrophotometric determination of nortriptyline, 659

- N*-[4-(propyl)cyclohexyl]-amides
 synthesis of *N*-[4-(propyl)cyclohexyl]-amides with anti-inflammatory and analgesic activities, 439
- N*-Substituted 4,5-dihydro-2*H*-benz[*g*]indazol-2-yl acetamides
N-Substituted 3-(arylamino)-4,5-dihydro-2*H*-benz[*g*]indazol-2-yl acetamides with anti-inflammatory and analgesic activities, 383
- Nuclear magnetic resonance
 mixed oxo-hydroxy bile acids as actual or potential impurities in ursodeoxycholic acid preparation: a ¹H and ¹³C NMR study, 51
- Oligonucleotides
 synthetic oligonucleotide combinatorial libraries and their applications, 174
- Omeprazole kinetics of adsorption
 adsorption of Omeprazole on latex particles and characterization of the complex, 314
- Onion root tip method
 synthesis and evaluation of antimutagenic activity of alkylated 2-amino-1,3,4-oxadiazole derivatives, 389
- Opioid receptor antagonists
 synthesis of pyrrolinyl-naphthalenes and evaluation of their antinociceptive activity, 611
- Organochlorine pesticides
 extraction and clean-up procedure for analysis of organochlorine pesticide residues in ethoxylated lanolin, 637
- 1,2,4-Oxadiazoles
 synthesis, anti-inflammatory and antimicrobial activities of new 1,2,4-oxadiazoles peptidomimetics, 719
- Oxadiazolinones
 transformation of the sydnone ring into oxadiazolinones. A convenient one-pot synthesis of 3-aryl-5-methyl-1,3,4-oxadiazolin-2-ones from 3-arylsydnes and their antimicrobial activity, 65
- Oxidative stress
 fluorescent probes as markers of oxidative stress in keratinocyte cell lines following UVB exposure, 526
- Pain
 development of novel pain relief agents acting through the selective activation of the *delta*-opioid receptor, 178
- PEG
 therapeutic proteins: a comparison of chemical and biological properties of uricase conjugated to linear or branched poly(ethylene glycol) and poly(*N*-acryloylmorpholine), 264
- PEGylation
 therapeutic proteins: a comparison of chemical and biological properties of uricase conjugated to linear or branched poly(ethylene glycol) and poly(*N*-acryloylmorpholine), 264
- Penicillin
 synthesis and antimicrobial activity of 1,4-diaryl-2-azetidines, 147
- Peptide synthesis
 synthesis, anti-inflammatory and antimicrobial activities of new 1,2,4-oxadiazoles peptidomimetics, 719
- Peptidomimetics
 synthesis, anti-inflammatory and antimicrobial activities of new 1,2,4-oxadiazoles peptidomimetics, 719
- Pharmaceutical analysis
 kinetic spectrophotometric determination of ampicillin and amoxicillin in dosage forms, 680
 spectrophotometric determination of benazepril in tablets, 425
- Pharmaceutical formulations
 quantitation of pharmaceutically important phenothiazines by oxidimetry, 87
- Pharmaceutical preparations
 spectrophotometric determination of benazepril in tablets, 425
- Pharmaceutical products
 comparative LC-MS and HPLC analyses of selected antiepileptics and beta-blocking drugs, 136
- Pharmaceutical tablets
 simultaneous determination of benzocaine and cetylpyridinium chloride in tablets by first-derivative spectrophotometric method, 687
- Pharmacokinetics
 high-performance liquid chromatography-mass spectrometric analysis of furosemide in plasma and its use in pharmacokinetic studies, 448
 pharmacokinetic monitoring of mycophenolate mofetil in kidney transplanted patients, 270
- Pharmacological activity
 synthesis and pharmacological properties of 1-(4-substituted)butyl derivatives of amides of 7-methyl-3-phenyl-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]-pyrimidine-5-carboxylic acid, 6
- Pharmacology
 synthesis and calcium antagonistic activity of 2,6,6-trimethyl-3-carbomethoxy(ethoxy)-4-aryl-1,4,5,6,7,8-hexahydroquinoline derivatives, 665
- Pharmacophore model
 building a pharmacophore model for a novel class of antitubercular compounds, 484
 ligand-5-HT_{1A} receptor interaction, 191
- pH effect
 photostability determination of arbutin, a vegetable whitening agent, 410
- Phenothiazines
 quantitation of pharmaceutically important phenothiazines by oxidimetry, 87
- Phenylacetamides
 synthesis and microbiological activity of some *N*-(*o*-hydroxyphenyl)benzamides and phenylacetamides as the possible metabolites of antimicrobial active benzoxazoles: part II, 469
- 2-[2-(Phenylamino)thiazol-4-yl]ethanamines
 histamine H₁ receptor ligands: Part II. Synthesis and in vitro pharmacology of 2-[2-(phenylamino)thiazol-4-yl]ethanamine and 2-(2-benzhydrylthiazol-4-yl)ethanamine derivatives, 569
- 3-Phenyl-1,8-naphthyridine
 synthesis and antiplatelet activity of some 3-phenyl-1,8-naphthyridine derivatives, 603
- 1-Phenylpiperazinypropylpurine-2,6-diones
 synthesis, 5-HT_{1A} and 5-HT_{2A} receptor affinity of new 1-phenylpiperazinypropyl derivatives of purine-2,6- and pyrrolidine-2,5-diones, 461
- 1-Phenylpiperazinypropyl-pyrrolidine-2,5-diones
 synthesis, 5-HT_{1A} and 5-HT_{2A} receptor affinity of new 1-phenylpiperazinypropyl derivatives of purine-2,6- and pyrrolidine-2,5-diones, 461
- Phospholipids
 PUVA (psoralen + UVA) photochemotherapy: processes triggered in the cells, 515
- Photodegradation
 photostability determination of arbutin, a vegetable whitening agent, 410
 UV derivative spectrophotometric study of the photochemical degradation of nisoldipine, 128
- Photohemolysis
 in vitro studies of the phototoxic potential of the antidepressant drugs amitriptyline and imipramine, 211
- Phototoxicity
 in vitro studies of the phototoxic potential of the antidepressant drugs amitriptyline and imipramine, 211

- Physicochemical characteristics
solvation enthalpies as descriptors of structure – in vitro permeation relationship of benzoxazinones regioisomers, 563
- Physico-chemical characterization
physico-chemical and solid-state characterization of secnidazole, 700
- Piperazine
voltammetric determination of *N,N'*-dinitrosopiperazine in simulated gastric juice, 694
- Piperazinyll
synthesis and antiplatelet activity of some 3-phenyl-1,8-naphthyridine derivatives, 603
- Piperidinyl
synthesis and antiplatelet activity of some 3-phenyl-1,8-naphthyridine derivatives, 603
- Pirrolomorphinan
development of novel pain relief agents acting through the selective activation of the *delta*-opioid receptor, 178
- Placenta growth factor
recombinant production of PIGF-1 and its activity in animal models, 165
- Platelet anti-aggregating agents
4-dialkylamino-1-(5-substituted or unsubstituted 1-phenyl-1*H*-pyrazol-4-yl)butan-1-ols: synthesis and evaluation of analgesic, anti-inflammatory and platelet anti-aggregating activities, 219
- PLS
statistical analysis on a series of glycine antagonists, 194
- Polarography
the voltammetric study and determination of ramipril in dosage forms and biological fluids, 233
- Polyamines
natural and synthetic polyamines: modulators of signalling proteins, 202
- Polyethylene glycol
enhanced release of solid dispersions of etodolac in polyethylene glycol, 433
- Poly(*N*-acryloylmorpholine)
therapeutic proteins: a comparison of chemical and biological properties of uricase conjugated to linear or branched poly(ethylene glycol) and poly(*N*-acryloylmorpholine), 264
- Potassium permanganate
spectrophotometric determination of benazepril in tablets, 425
- Potential antimicrobial agents
synthesis, anti-inflammatory and antimicrobial activities of new 1,2,4-oxadiazoles peptidomimetics, 719
- Preformulation
physico-chemical and solid-state characterization of secnidazole, 700
- Prodrug
an efficient method for the synthesis of sulbactam pivoxil, 134
- Prolidase
prolidase-activated prodrug for cancer chemotherapy: Cytotoxic activity of proline analogue of chlorambucil in breast cancer MCF-7 cells, 736
- Proline analogue of chlorambucil
prolidase-activated prodrug for cancer chemotherapy: Cytotoxic activity of proline analogue of chlorambucil in breast cancer MCF-7 cells, 736
- Prolyl endopeptidase inhibitors
prolyl endopeptidase inhibitors, 188
- Protein binding
structure–property relationships on histamine H₃-antagonists: binding of phenyl-substituted alkylthioimidazole derivatives to rat plasma proteins, 239
- Protein crystallography
prolyl endopeptidase inhibitors, 188
- Psoralen photoaddition
PUVA (psoralen + UVA) photochemotherapy: processes triggered in the cells, 515
- PUVA-photochemotherapy
PUVA (psoralen + UVA) photochemotherapy: processes triggered in the cells, 515
- Pyrano[3,2-*c*]benzopyrans
4-hydroxycoumarin in heterocyclic synthesis: Part III. Synthesis of some new pyrano[2,3-*d*]pyrimidine, 2-substituted[1,2,4]triazolo[1,5-*c*]pyrimidine and pyrimido[1,6-*b*]-[1,2,4]triazine derivatives, 708
- Pyrano[2,3-*d*]pyrimidines
4-hydroxycoumarin in heterocyclic synthesis: Part III. Synthesis of some new pyrano[2,3-*d*]pyrimidine, 2-substituted[1,2,4]triazolo[1,5-*c*]pyrimidine and pyrimido[1,6-*b*]-[1,2,4]triazine derivatives, 708
- Pyranothiazoloquinazoline
synthesis and antifungal activity of novel pyrano[2',3':4,5]-thiazolo[2,3-*b*]quinazolines, pyrido[2',3':4,5]thiazolo[2,3-*b*]quinazolines and pyrazolo[2',3':4,5]thiazolo[2,3-*b*]quinazolines, 287
- Pyrazole derivatives
4-dialkylamino-1-(5-substituted or unsubstituted 1-phenyl-1*H*-pyrazol-4-yl)butan-1-ols: synthesis and evaluation of analgesic, anti-inflammatory and platelet anti-aggregating activities, 219
- Pyrazolo[1,5-*a*]pyrimidines
studies on aminopyrazoles: antibacterial activity of some novel pyrazolo[1,5-*a*]pyrimidines containing sulfonamido moieties, 596
- Pyrazolyl-acetanilides
new substituted 2-(pyrazol-1-yl) *o*-, *m*-, *p*-methylacetanilides with potential local anaesthetic and antiarrhythmic action. Part I, 362
- Pyrido[2,3-*b*]pyrazine *N*-oxides
statistical analysis on a series of glycine antagonists, 194
- Pyrido[2,3-*b*]pyrazines
statistical analysis on a series of glycine antagonists, 194
- Pyrido[2,3-*d*]pyrimidines
synthesis and pharmacological properties of 1-(4-substituted)butyl derivatives of amides of 7-methyl-3-phenyl-2,4-dioxo - 1,2,3,4 - tetrahydropyrido[2,3 - *d*] - pyrimidine - 5-carboxylic acid, 6
- Pyrimidinothiazoloquinazolines and antifungal activity
synthesis and evaluation of some new fluorinated hydroquinazoline derivatives as antifungal agents, 249
- Pyrimido[1,6-*b*][1,2,4]triazine
4-hydroxycoumarin in heterocyclic synthesis: Part III. Synthesis of some new pyrano[2,3-*d*]pyrimidine, 2-substituted[1,2,4]triazolo[1,5-*c*]pyrimidine and pyrimido[1,6-*b*]-[1,2,4]triazine derivatives, 708
- Pyrrrolinyl-naphthalenes
synthesis of pyrrolinyl-naphthalenes and evaluation of their antinociceptive activity, 611
- Pyrrrolotetrazines
pyrrolo[2,1-*d*][1,2,3,5]tetrazinones deaza analogues of temozolomide with potent antitumor activity, 200
- QSAR
activity of some 3-formylchromone derivatives on the induction of chloroplast-free mutants in *Euglena gracilis*, 21
statistical analysis on a series of glycine antagonists, 194
- QSAR models
structure–activity relationships for the analgesic activity of gallic acid derivatives, 730

QSPR

structure–property relationships on histamine H₃-antagonists: binding of phenyl-substituted alkylthioimidazole derivatives to rat plasma proteins, 239

Quinazolines

quinazoline derivatives with antitubercular activity, 725
synthesis and evaluation of some new fluorinated hydroquinazoline derivatives as antifungal agents, 249

Quinoline derivatives

some new 1,2,3,4-tetrahydroquinoline derivatives, 47

Quinoxalines derivatives

quinoxaline chemistry. Part 13: 3-carboxy-2-benzylamino-substituted quinoxalines and *N*-[4-[(3-carboxyquinoxalin-2-yl)aminomethyl]benzoyl]-L-glutamates: synthesis and evaluation of in vitro anticancer activity, 77

Ramipril

the voltammetric study and determination of ramipril in dosage forms and biological fluids, 233

 γ -Rays

synthesis and radiation stability of novel biologically active sulfur compounds derived from 1,2-bis(4-amino-5-mercaptos-triazol-3-yl)ethane, 354

Receptor

synthesis and theoretical study of 2-amino-2,3,3a,4,5,6-hexahydro-1*H*-phenalene and its biological evaluation on central dopaminergic system, 575

Regioisomer

solvation enthalpies as descriptors of structure – in vitro percutaneous permeation relationship of benzoxazinones regioisomers, 563

Regioselective synthesis

synthesis of pyrrolinyl naphthalenes and evaluation of their anti-nociceptive activity, 611

Reverse-phase HPLC

determination of fluocortolone pivalate and fluocortolone hexanoate in suppositories using reverse-phase HPLC, 125

Schiff bases

studies on arylfuran derivatives: Part XI. Synthesis, characterization and biological studies on some Mannich bases carrying 2,4-dichlorophenylfurfural moiety, 338

Secnidazole

physico-chemical and solid-state characterization of secnidazole, 700

Secondary amines

metabolic and chemical studies on *N*-(4-chlorobenzyl)-*N'*-benzoylhydrazine, 624

Signalling proteins

natural and synthetic polyamines: modulators of signalling proteins, 202

Silicone surfactant

measurement of dynamic surface tension to determine critical micellar concentration in lipophilic silicone surfactants, 583

Simulated gastric juice (SGJ)

voltammetric determination of *N,N'*-dinitrosopiperazine in simulated gastric juice, 694

Sodium azide

synthesis and biological studies of some benzopyrano[2,3-*c*]pyrazole derivatives, 641

Solid dispersion

enhanced release of solid dispersions of etodolac in polyethylene glycol, 433

Sorbiniol

synthesis and aldose reductase inhibitory activity of a new series of benzo[*h*]cinnolinone derivatives, 544

Specificity

new 1,4-anthracene-9,10-dione derivatives as potential anticancer agents, 1

Spectra

synthesis and calcium antagonistic activity of 2,6,6-trimethyl-3-carbomethoxy(ethoxy)-4-aryl-1,4,5,6,7,8-hexahydroquinoline derivatives, 665

Spectrophotometry

quantitation of pharmaceutically important phenothiazines by oxidimetry, 87

use of charge-transfer complex formation for the spectrophotometric determination of nortriptyline, 659

Spectroscopy

dissolution tests of benazepril–HCl and hydrochlorothiazide in commercial tablets: comparison of spectroscopic and high performance liquid chromatography methods, 477

spectrophotometric determination of benazepril in tablets, 425

Statistical analysis

statistical analysis on a series of glycine antagonists, 194

Streptavidin

synthetic oligonucleotide combinatorial libraries and their applications, 174

Structure–activity relationships

structure–activity relationships for the analgesic activity of gallic acid derivatives, 730

synthesis and antimicrobial activity of novel arylideneisothiosemicarbazones, 93

Structure–property relationship

solvation enthalpies as descriptors of structure – in vitro percutaneous permeation relationship of benzoxazinones regioisomers, 563

(4-Substituted)butyl derivatives

synthesis and pharmacological properties of 1-(4-substituted)butyl derivatives of amides of 7-methyl-3-phenyl-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-5-carboxylic acid, 6

Sulbactam

an efficient method for the synthesis of sulbactam pivoxil, 134

2-Sulfanylnicotinamides

3*H*-[1,2]Dithiolo[3,4-*b*]pyridine-3-thione and its derivatives
Synthesis and antimicrobial activity, 669

2-Sulfanylpyridine-3-carbothioamides

3*H*-[1,2]Dithiolo[3,4-*b*]pyridine-3-thione and its derivatives
Synthesis and antimicrobial activity, 669

Sulfonamides and antibacterial activity

studies on aminopyrazoles: antibacterial activity of some novel pyrazolo[1,5-*a*]pyrimidines containing sulfonamido moieties, 596

Sydnone ring

transformation of the sydnone ring into oxadiazolinones. A convenient one-pot synthesis of 3-aryl-5-methyl-1,3,4-oxadiazolin-2-ones from 3-arylsydnes and their antimicrobial activity, 65

Synthesis

a rapid procedure to prepare cefotaxime, 393

prolyl endopeptidase inhibitors, 188

synthesis and antiviral assays of some 2-substituted benzimidazole-*N*-carbamates, 35

synthesis and cytotoxic evaluation of *N*¹,*N*^m-bis[(tetrahydrobenzo[*a*]acridin-12-yl)phenyl]alkanediamides and *N*¹,*N*^m-bis[(tetrahydrobenzo[*c*]acridin-7-yl)phenyl]alkanediamides, 631

synthesis and microbiological activity of some novel 5-benzamido- and 5-phenylacetamido-substituted 2-phenylbenzoxazole derivatives, 397

synthesis of (*Z*)-2-(2-formamido-4-thiazolyl)-2-(substituted alkoxyimino) acetic acids, 40

- synthesis, structure and antiaggregatory effects of some *N*-(4,5-dihydro-1*H*-imidazol-2-yl)indoles, 56
- Tablet analysis
- high-performance liquid chromatographic analysis of verapamil and its application to determination in tablet dosage forms and to drug dissolution studies, 376
 - use of charge-transfer complex formation for the spectrophotometric determination of nortriptyline, 659
- Tallimustine
- recent outcome in the field of distamycin-derived minor groove binders, 168
- Temozolomide
- pyrrolo[2,1-*d*][1,2,3,5]tetrazinones deaza analogues of temozolomide with potent antitumor activity, 200
- Tetracycline
- 4,5-dihydroisoxazoles: Testing of antimicrobial activity, 499
- Tetrahydrobenzofurocoumarins
- interactions between DNA and benzo- and tetrahydrobenzofurocoumarins: thermodynamic and molecular modeling studies, 276
- 1,2,3,4-Tetrahydroquinolines
- some new 1,2,3,4-tetrahydroquinoline derivatives, 47
- Therapeutic proteins
- therapeutic proteins: a comparison of chemical and biological properties of uricase conjugated to linear or branched poly(ethylene glycol) and poly(*N*-acryloylmorpholine), 264
- Thermogravimetry
- simultaneous determination of benzocaine and cetylpyridinium chloride in tablets by first-derivative spectrophotometric method, 687
- Thiazolopyridines
- synthesis of some new thiazolo[3,2-*a*]pyridines and related heterocyclic systems, 109
- Thiazolopyridopyrimidines
- synthesis of some new thiazolo[3,2-*a*]pyridines and related heterocyclic systems, 109
- Thiazolopyridotriazines
- synthesis of some new thiazolo[3,2-*a*]pyridines and related heterocyclic systems, 109
- Thiazoloquinazolines
- synthesis and antifungal activity of novel pyrano[2',3':4,5]thiazolo[2,3-*b*]quinazolines, pyrido[2',3':4,5]-thiazolo[2,3-*b*]quinazolines and pyrazolo[2',3':4,5]thiazolo[2,3-*b*]quinazolines, 287
 - synthesis and evaluation of some new fluorinated hydroquinazoline derivatives as antifungal agents, 249
- Thiohydantoin
- anti-cancer activity studies of indolalithiohydantoin (PIT) on certain cancer cell lines, 246
- 2-Thioimidazolines
- synthesis and biological assays of new H₃-antagonists with imidazole and imidazoline polar groups, 27
- Topoisomerase
- new 1,4-anthracene-9,10-dione derivatives as potential anticancer agents, 1
- Triazoles
- synthesis and radiation stability of novel biologically active sulfur compounds derived from 1,2-bis(4-amino-5-mercaptos-triazol-3-yl)ethane, 354
- [1,2,4]Triazolo[1,5-*c*]pyrimidines
- 4-hydroxycoumarin in heterocyclic synthesis: Part III. Synthesis of some new pyrano[2,3-*d*]pyrimidine, 2-substituted[1,2,4]triazolo[1,5-*c*]pyrimidine and pyrimido[1,6-*b*][1,2,4]triazine derivatives, 708
- Triazolothiadiazine
- synthesis and radiation stability of novel biologically active sulfur compounds derived from 1,2-bis(4-amino-5-mercaptos-triazol-3-yl)ethane, 354
- Triazolothiadiazole
- synthesis and radiation stability of novel biologically active sulfur compounds derived from 1,2-bis(4-amino-5-mercaptos-triazol-3-yl)ethane, 354
- Uricase
- therapeutic proteins: a comparison of chemical and biological properties of uricase conjugated to linear or branched poly(ethylene glycol) and poly(*N*-acryloylmorpholine), 264
- UVB radiation
- fluorescent probes as markers of oxidative stress in keratinocyte cell lines following UVB exposure, 526
- UV detector
- high-performance liquid chromatographic analysis of verapamil and its application to determination in tablet dosage forms and to drug dissolution studies, 376
- Verapamil hydrochloride
- high-performance liquid chromatographic analysis of verapamil and its application to determination in tablet dosage forms and to drug dissolution studies, 376
- Voltammetry
- the voltammetric study and determination of ramipril in dosage forms and biological fluids, 233
 - voltammetric determination of *N,N'*-dinitrosopiperazine in simulated gastric juice, 694
- Writhing test
- analgesic activity of cyclic imides: 1,8-naphthalimide and 1,4,5,8-naphthalenediimide derivatives, 319
- X-ray structure
- synthesis, structure and antiaggregatory effects of some *N*-(4,5-dihydro-1*H*-imidazol-2-yl)indoles, 56