

IL FARMACO

Il Farmaco 58 (2003) 1359-1377

www.elsevier.com/locate/farmac

Subject Index of Volume 58

 \boldsymbol{A}_1 and \boldsymbol{A}_{2A} adenosine receptor ligands Affinity to µ-opioid receptors pyrimidin-8-on[2,1-f]theophylline-9-alkylcarboxylic acids amides synthesis and pharmacological properties of N,N-dialkyl(dias A1 and A2A adenosine receptor ligands, 439 alkenyl)amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydro-Ab initio prediction electrophoretic behavior of alprenolol in mixed solvent elecpyrido[2,3-d]pyrimidine-5-carboxylic acid, 25 trolyte systems, 1039 Aceclofenac stability indicating methods for the determination of aceclofenac, 91 Acetylcholinesterase design, synthesis and biological evaluation of ambenonium derivatives as AChE inhibitors, 917 Acetylcholinesterase inhibitor design, synthesis and biological evaluation of ambenonium derivatives as AChE inhibitors, 917 Acivicin synthesis and biological evaluation of new amino acids structurally related to the antitumor agent acivicin, 683 ACTH preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131 Acyclovir simple high-performance liquid chromatographic method for the determination of acyclovir in pharmaceuticals, 1301 Adenosine receptor binding characterization and preliminary use of 1-, 2- and 3-methyl-5phenyl-7-chloro-1,2,3-triazolo[4,5-d]pyrimidine as reaction intermediates, 551 Adenosine receptor ligands purine and deazapurine nucleosides: synthetic approaches, molecular modelling and biological activity, 193 Adenosine receptor molecular modeling purine and deazapurine nucleosides: synthetic approaches, molecular modelling and biological activity, 193 β-Adrenergic blocking activity synthesis, β-adrenergic blocking activity and β-receptor binding affinities of 1-substituted-3-(2-isopropyl-5-methyl-phenoxy)propan-2-ol oxalates, 557 β-Adrenergic receptor binding affinity synthesis, β-adrenergic blocking activity and β-receptor binding affinities of 1-substituted-3-(2-isopropyl-5-methyl-phenoxy)propan-2-ol oxalates, 557 α_1 -Adrenoceptor antagonists searching for cyclazosin analogues as $\alpha_{1B}\text{-}adrenoceptor$ antagonists, 477 α_1 -Adrenoceptor subtypes searching for cyclazosin analogues as α_{1B} -adrenoceptor antagonists, 477 Advanced colorectal cancer pharmacokinetic study of oxaliplatin iv chronomodulated infusion combined with 5-fluorouracil iv continuous infusion in the treatment of advanced colorectal cancer, 1333

AIDS	
synthesis of styrylbenzofuran derivatives as styrylquinoline logues for HIV-1 integrase inhibitor, 1243	ana-
β-Alanine	
synthesis and activity of HCO-Met-Leu-Phe-OMe anal- containing β-alanine or taurine at the central position,	
Albendazole	
two simple methods for the estimation of albendazole and dosage forms using chloramine-T, 527	nd its
Alkaline hydrolysis	
kinetic study of alkaline induced hydrolysis of the skeletal m relaxant chlorzoxazone using ratio spectra first deriv spectrophotometry, 337	
Alkaloids	
isolation and pharmacological activities of the Tecoma alkaloids, 781	stans
4-Alkoxy-2,3-dihydro-6-methyl-1,3-dioxo-1H-pyrrolo[3,4-c]pyrid	line
derivatives	
a validated spectrophotometric and liquid chromatogr method for determination and purity evaluation methoxy-2-[2-hydroxy-3(4-phenyl-1-piperazinyl)]propyl dihydro-6-methyl-1,3-dioxo-1 <i>H</i> -pyrrolo[3,4-c]pyridine,	of 4- -2,3-
Alkylcarboxylic acids amides	
pyrimidin-8-on[2,1-f]theophylline-9-alkylcarboxylic acids an	mides
as A_1 and A_{2A} adenosine receptor ligands, 439	
Alprenolol	
electrophoretic behavior of alprenolol in mixed solvent trolyte systems, 1039	elec-
Alzheimer's disease	
design, synthesis and biological evaluation of ambeno derivatives as AChE inhibitors, 917	nium
Ambenonium analogues	
design, synthesis and biological evaluation of ambeno derivatives as AChE inhibitors, 917	nium
Ambroxol hydrochloride	
determination of ambroxol hydrochloride in pure solution	
some of its pharmaceutical preparations under batch	1 and
FIA conditions, 581	
Amides	
synthesis and pharmacological properties of <i>N</i> , <i>N</i> -dialk alkenyl)amides of 7-methyl-3-phenyl-1-[2-hydroxy phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahyd pyrido[2,3- <i>d</i>]pyrimidine-5-carboxylic acid, 25	-3-(4-
Amidinobenzimidazolyl-furans	

synthesis and antitumor evaluation of some new substituted amidino-benzimidazolyl-furyl-phenyl-acrylates and naphtho[2,1-b]furan-carboxylates, 1319

Amino acids

- synthesis and biological evaluation of new amino acids structurally related to the antitumor agent acivicin, 683
- 2-Aminobenzimidazole
 - the role of HB-donor groups in the heterocyclic polar fragment of H₃-antagonists. I. Synthesis and biological assays, 891

7-Aminocephalosporanic acid

- an alternative procedure for preparation of cefdinir, 409 an improved method for preparation of cefpodoxime proxetil, 363
- 2-Amino-4-chlorophenol
 - kinetic study of alkaline induced hydrolysis of the skeletal muscle relaxant chlorzoxazone using ratio spectra first derivative spectrophotometry, 337
- 2-Aminochromones
 - pyran derivatives: Part XXI. Antiproliferative and cytotoxic properties of novel *N*-substituted 4-aminocoumarins, their benzo-fused derivatives, and some related 2-aminochromones, 1083

4-Aminocoumarins

pyran derivatives: Part XXI. Antiproliferative and cytotoxic properties of novel *N*-substituted 4-aminocoumarins, their benzo-fused derivatives, and some related 2-aminochromones, 1083

Aminofuroxans

synthesis and vasodilating properties of *N*-alkylamide derivatives of 4-amino-3-furoxancarboxylic acid and related azo derivatives, 677

Aminoimidazole isosters

synthesis and antimicrobial properties of 3-aryl-1-(1,1'-biphenyl-4-yl)-2-(1H-imidazol-1-yl)propanes as 'carba-analogues' of the *N*-arylmethyl-*N*-[(1,1'-biphenyl)-4-ylmethyl])-1H-imidazol-1-amines, a new class of antifungal agents, 563

Aminomethylation

- synthesis and anti-inflammatory activity of 5-(6-methyl-2-substituted 4-pyrimidinyloxymethyl)-1,3,4-oxadiazole-2-thiones and their 3-morpholinomethyl derivatives, 323
- 3-Aminophenol
 - 3-aminophenol as a novel coupling agent for the spectrophotometric determination of sulfonamide derivatives, 1295

Amlodipine

sensitive spectrophotometric determination of amlodipine and felodipine using iron(III) and ferricyanide, 141

AMPA

binding modes of noncompetitive AMPA antagonists: a computational approach, 107

Amperometric detection

- flow injection amperometric determination of dipyrone in pharmaceutical formulations using a carbon paste electrode, 999 Analgesic
 - synthesis of N-substituted-N-acylthioureas of 4-substituted piperazines endowed with local anaesthetic, antihyperlipidemic, antiproliferative activities and antiarrythmic, analgesic, antiaggregating actions, 765

Analgesic activity

2-aryl-3-phenylamino-4,5-dihydro-2h-benz[g]indazoles with analgesic activity, 845

Analgesic agents

4-substituted 1,5-diarylpyrazole, analogues of celecoxib: synthesis and preliminary evaluation of biological properties, 795
Angiotensin-AT₁ antagonist

determination of a novel angiotensin-AT₁ antagonist CR 3210 in biological samples by HPLC, 837

Aniline

synthesis of aniline-type analogues of farnesyl diphosphate and their biological assays for prenyl protein transferase inhibitory activity, 1277 Animal species

enzyme activities of tryptophan metabolism along the kynurenine pathway in various species of animals, 829 Anionic polymer propranolol hydrochloride–anionic polymer binding interaction, 1051 Antagonists 2,4-dicarboxy-pyrroles as selective non-competitive mGluR1 an-

tagonists: an exploration of the role of the pyrrolic scaffold, 1005

synthesis and antagonistic activity at muscarinic receptor subtypes of some derivatives of diphenidol, 651

Anti-amoebic

in vitro anti-acanthamoeba action by thioureidic derivatives, 819 Antiarrhythmic

synthesis of *N*-substituted-*N*-acylthioureas of 4-substituted piperazines endowed with local anaesthetic, antihyperlipidemic, antiproliferative activities and antiarrythmic, analgesic, antiaggregating actions, 765

Antiarrhythmics

new substituted 2-(pyrazol-1-yl)-dialkylacetanilides with potential local anesthetic and antiarrhythmic action. Part II, 301 Antibacterial

- cynthichlorine: a bioactive alkaloid from the tunicate Cynthia savignyi, 1351
- Antibacterial activities
 - synthesis, antibacterial and antifungal activities of electron-rich olefins derived benzimidazole compounds, 431

Antibacterial activity

- synthesis and in vitro antibacterial activity of some N-(5-aryl-1,3,4-thiadiazole-2-yl)piperazinyl quinolone derivatives, 1023
- synthetic and antibacterial studies on some new furanopeptides, 569

Anticancer activity

- ceramide analogues in apoptosis: a new strategy for anticancer drug development, 205
- synthesis of 1-(6-chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)semicarbazides and their transformation into 4-chloro-2-mercapto-*N*-(4,5-dihydro-5-oxo-4-phenyl-1*H*-1,2,4-triazol-3-yl) benzenesulfonamides as potential anticancer and anti-HIV agents, 423

Anticancer agents

quinoxaline chemistry. Part 15. 4-[2-Quinoxalylmethylenimino]benzoylglutamates and -benzoates, 4-[2-quinoxalylmethyl-*N*-methylamino]-benzoylglutamates as analogues of classical antifolate agents. Synthesis, elucidation of structures and in vitro evaluation of antifolate and anticancer activities, 51

Anticonvulsant activity

synthesis and anticonvulsant properties of new *N*-[(4-arylpiperazin-1-yl)-methyl] derivatives of 3-aryl pyrrolidine-2,5-dione and 2-aza-spiro[4.4]nonane-1,3-dione, 1227

Antidepressant activity

neuropharmacological study of hetero[2,1]benzothiazepine derivatives analogues of tianeptine, 1

Antifolate agents

quinoxaline chemistry. Part 15. 4-[2-Quinoxalylmethylenimino]benzoylglutamates and -benzoates, 4-[2-quinoxalylmethyl-*N*-methylamino]-benzoylglutamates as analogues of classical antifolate agents. Synthesis, elucidation of structures and in vitro evaluation of antifolate and anticancer activities, 51

Antifungal

cynthichlorine: a bioactive alkaloid from the tunicate Cynthia savignyi, 1351

Antifungal activities

synthesis, antibacterial and antifungal activities of electron-rich olefins derived benzimidazole compounds, 431

Antifungal activity

- synthesis and antifungal activity of (±)-1-(5-aryl-3-pyridin-2-yl-4,5-dihydro-pyrazol-1-yl)-2-imidazol-1-yl-ethanone derivatives, 315
- synthesis and in vitro antifungal and cytotoxicity evaluation of substituted 4,5-dihydronaphtho[1,2-*d*][1,2,3]thia(or selena)diazoles, 63
- Anti-fungal and anti-microbial activity
 - an investigation of the biological effect of structural modifications of isothiosemicarbazones and their cyclic analogues, 951
- Anti-HIV-1 activity
- synthesis and anti-HIV activity of new C₂ symmetric derivatives designed as HIV-1 protease inhibitors, 149
- Anti-HIV activity
 - synthesis and anti-HIV activity of 2,3-diaryl-1,3-thiazolidin-4ones, 115
 - synthesis of 1-(6-chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)semicarbazides and their transformation into 4-chloro-2-mercapto-*N*-(4,5-dihydro-5-oxo-4-phenyl-1*H*-1,2,4-triazol-3-yl) benzenesulfonamides as potential anticancer and anti-HIV agents, 423
- Anti-HIV agents
 - anti-HIV agents: design and discovery of new potent RT inhibitors, 259

Anti-inflammatory

- synthesis of *N*-substituted-*N*-acylthioureas of 4-substituted piperazines endowed with local anaesthetic, antihyperlipidemic, antiproliferative activities and antiarrythmic, analgesic, antiaggregating actions, 765
- Antiinflammatory activity
 - synthesis and pharmacological evaluation of new N-methylarylpyrrolidinols with analgesic activity, 939

Anti-inflammatory activity

- synthesis and anti-inflammatory activity of 5-(6-methyl-2-substituted 4-pyrimidinyloxymethyl)-1,3,4-oxadiazole-2-thiones and their 3-morpholinomethyl derivatives, 323
- Anti-inflammatory agents
- 4-substituted 1,5-diarylpyrazole, analogues of celecoxib: synthesis and preliminary evaluation of biological properties, 795 Antiinflammatory agents
- antiinflammatory and antinociceptive activities of some benzotriazolylalkanoic acids, 33
- Anti inflammatory agents
 - novel thiazolyl, thiazolinyl and benzothiazolyl Schiff bases as possible lipoxygenase's inhibitors and anti-inflammatory agents, 489
- Anti-inflammatory drugs
 - synthesis and prostaglandin synthase inhibitory activity of new aromatic *O*-alkyloxime ethers substituted with methylsulfonamido or methylsulfonyl groups on their aliphatic portion, 707

Antimicrobial activity

- quinoxalin-2-ones: Part 5. Synthesis and antimicrobial evaluation of 3-alkyl-, 3-halomethyl- and 3-carboxyethylquinoxaline-2ones variously substituted on the benzo-moiety, 1251
- synthesis and antimicrobial activities of some new benzimidazole derivatives, 1345
- Antimicrobial agents
 - synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859

Antimicrobial and cytotoxic activities

synthesis, X-ray crystal structure and biological properties of acetylenic flavone derivatives, 875

Antimycobacterial activity

- 3-benzyl-2H-1,3-benzoxazine-2,4(3H)-diones, a new group of antimycobacterial compounds against potentially pathogenic strains, 1137
- synthesis and antimycobacterial activity of (3,4-diaryl-3*H*-thiazol-2-ylidene)-hydrazide derivatives, 631
- Antimycobacterial agents
 - synthesis and biological evaluation of enantiomerically pure pyrrolyl-oxazolidinones as a new class of potent and selective monoamine oxidase type A inhibitors, 231
 - synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859

Antimycotic activity

synthesis of some 1-(2,4-dihydroxythiobenzoyl)imidazoles, -imidazolines and -tetrazoles and their potent activity against *Candida* species, 455

Antineoplastic activity

1,2-dithiolan-3-ones and derivatives structurally related to leinamycin. Synthesis and biological evaluation, 995

Antinociceptive activity

- 4-amino-3(2*H*)-pyridazinones bearing arylpiperazinylalkyl groups and related compounds: synthesis and antinociceptive activity, 1063
- synthesis and pharmacological evaluation of new N-methylarylpyrrolidinols with analgesic activity, 939

Antinociceptive agents

antiinflammatory and antinociceptive activities of some benzotriazolylalkanoic acids, 33

Antioxidation activities

antioxidant activity of thioureidic derivatives I, 823

Antiparasitic activity

antiparasitic activity of highly conjugated pyrimidine-2,4-dione derivatives, 1263

Anti-prion-molecules

congo red analogues as potential anti-prion agents, 929 Antiproliferative activity

pyran derivatives: Part XXI. Antiproliferative and cytotoxic properties of novel *N*-substituted 4-aminocoumarins, their benzo-fused derivatives, and some related 2aminochromones, 1083

Antiproliferative agents

- quinoxaline chemistry. Part 16. 4-Substituted anilino and 4-substituted phenoxymethyl pyrrolo[1,2-a]quinoxalines and *N*-[4-(pyrrolo[1,2-a]quinoxalin-4-yl)amino and hydroxymethyl]benzoyl glutamates. Synthesis and evaluation of in vitro biological activity, 639
- Antituberculosis agents
 - antituberculosis agents VIII: Synthesis and in vitro antimycobacterial activity of alkyl α-[5-(5-nitro-2-thienyl)-1,3,4-thiadiazole-2-ylthio]acetates, 1073

Antitumor agent

synthesis and biological evaluation of new amino acids structurally related to the antitumor agent acivicin, 683

Anti-viral activity

synthesis and anti-measles virus activity of new isoquinolin-4-one derivatives, 1217

Apoptosis

ceramide analogues in apoptosis: a new strategy for anticancer drug development, 205

conformationally restrained ceramide analogues: effects of lipophilic modifications on the antiproliferative activity, 85 Aroylpyrazines

substituted 5-aroylpyrazine-2-carboxylic acid derivatives: synthesis and biological activity, 1105

Arthritis

different in vitro activity of flurbiprofen and its enantiomers on human articular cartilage, 1339 Artificial oligonucleotides

- structural modifications of antisense oligonucleotides, 243 Arylfuran derivatives
 - synthetic and antibacterial studies on some new furanopeptides, 569
- Arylidenehydrazothiazoles
 - an investigation of the biological effect of structural modifications of isothiosemicarbazones and their cyclic analogues, 951
- Arylideneisothiosemicarbazones
 - an investigation of the biological effect of structural modifications of isothiosemicarbazones and their cyclic analogues, 951
- Aryloxypropanolamines
 - synthesis, β-adrenergic blocking activity and β-receptor binding affinities of 1-substituted-3-(2-isopropyl-5-methyl-phenoxy)propan-2-ol oxalates, 557
- 2-Aryl-3-phenylamino-4,5-dihydro-2H-benz[g]indazoles
 - 2-aryl-3-phenylamino-4,5-dihydro-2h-benz[g]indazoles with analgesic activity, 845
- Arylpiperazinylalkylpyridazinones
 - 4-amino-3(2*H*)-pyridazinones bearing arylpiperazinylalkyl groups and related compounds: synthesis and antinociceptive activity, 1063
- $(\pm)\mbox{-}1\mbox{-}(5\mbox{-}Aryl\mbox{-}3\mbox{-}pyridin\mbox{-}2\mbox{-}yl\mbox{-}4\mbox{-},5\mbox{-}dihydro\mbox{-}pyrazol\mbox{-}1\mbox{-}yl\mbox{-}2\mbox{-}imidazol\mbox{-}1\mbox{-}yl\mbox{-}2\mbox{-}yl\mbox{-}z$
- 1-yl-ethanone derivatives
 - synthesis and antifungal activity of (\pm) -1-(5-aryl-3-pyridin-2-yl-4,5-dihydro-pyrazol-1-yl)-2-imidazol-1-yl-ethanone derivatives, 315
- Ascorbyl derivatives
- coagels from alkanoyl-6-O-ascorbic acid derivatives as drug carriers: structure and rheology, 1271

 ΔA spectrophotometry

stability indicating methods for the determination of aceclofenac, 91

Atenolol

- synthesis, β-adrenergic blocking activity and β-receptor binding affinities of 1-substituted-3-(2-isopropyl-5-methyl-phenoxy)propan-2-ol oxalates, 557
- 2-Aza-spiro[4.4]nonane-1,3-dione
 - synthesis and anticonvulsant properties of new *N*-[(4-arylpiperazin-1-yl)-methyl] derivatives of 3-aryl pyrrolidine-2,5-dione and 2-aza-spiro[4.4]nonane-1,3-dione, 1227

Azofuroxans

- synthesis and vasodilating properties of *N*-alkylamide derivatives of 4-amino-3-furoxancarboxylic acid and related azo derivatives, 677
- Azomethines
 - antiparasitic activity of highly conjugated pyrimidine-2,4-dione derivatives, 1263

Backbone modified oligonucleotides

structural modifications of antisense oligonucleotides, 243 Bacteriocides

functionalized alkyl and aryl diselenides as antimicrobial and antiviral agents: synthesis and properties, 1235

Baker's yeast

chemo-enzymatic synthesis of levodropropizine, 1029 Benzamides

synthesis and antimicrobial activities of some new benzimidazole derivatives, 1345

Benzimidazole derivatives

synthesis, antibacterial and antifungal activities of electron-rich olefins derived benzimidazole compounds, 431

Benzimidazoles

some new bi- and ter-benzimidazole derivatives as topoisomerase

Linhibitors 497 synthesis and antimicrobial activities of some new benzimidazole derivatives, 1345 1,2-Benzisothiazolin-3-one pH-Partition profiles of 4-(3-oxo-1,2-benzisothiazolin-2-yl)phenyl and phenoxyalkanoic acids, 989 Benzoazepine derivatives benzoazepine derivative as potent antagonists of the glycine binding site associated to the NMDA receptor, 723 Benzodiazepine receptor binding characterization and preliminary use of 1-, 2- and 3-methyl-5phenyl-7-chloro-1,2,3-triazolo[4,5-d]pyrimidine as reaction intermediates, 551 1,3-Benzodioxoles synthesis and cytotoxic activity of 1,3-benzodioxole derivatives. Note II, 351 Benzopyranone in silico screening with benzofurane- and benzopyrane-type MDR-modulators, 185 Benzopyran-4-one derivatives 2-(dialkylamino)-4H-1-benzopyran-4-one derivatives modify chloride conductance in CFTR expressing cells, 961 Benzotriazolyl alkanoic acids antiinflammatory and antinociceptive activities of some benzotriazolylalkanoic acids, 33 Benzotriazolyloxyalkanoic acids antiinflammatory and antinociceptive activities of some benzotriazolylalkanoic acids, 33 Benzoxazines 3-benzyl-2H-1,3-benzoxazine-2,4(3H)-diones, a new group of antimycobacterial compounds against potentially pathogenic strains, 1137 1-Benzoyloxy-3-chloropropan-2-ol chemo-enzymatic synthesis of levodropropizine, 1029 beta-Adrenergic agonists a novel potentiometric approach for detection of beta-adrenergics and beta-adrenolytics in high-performance liquid chromatography, 591 beta-Adrenergic blockers a novel potentiometric approach for detection of beta-adrenergics and beta-adrenolytics in high-performance liquid chromatography, 591 Bifonazole analogues synthesis and antimicrobial properties of 3-aryl-1-(1,1'-biphenyl-4-yl)-2-(1H-imidazol-1-yl)propanes as 'carba-analogues' of the N-arylmethyl-N-[(1,1'-biphenyl)-4-ylmethyl])-1H-imidazol-1-amines, a new class of antifungal agents, 563 Binding affinity synthesis and relative binding affinity to human steroid receptors of substituted 3-aryloxycoumarins, 1201 Binding assay synthesis and biological evaluation of pyridazino[4,3-b]indoles and indeno[1,2-c]pyridazines as new ligands of central and peripheral benzodiazepine receptors, 129 Bioadhesion an in vitro investigation for vaginal bioadhesive formulations: bioadhesive properties and swelling states of polymer mixtures, 391 Bioavailability in vitro evaluation of food effect on the bioavailability of rifampicin from antituberculosis fixed dose combination formulations, 1099 Bisquaternary heterocyclic compounds anticancer bisquaternary heterocyclic compounds: a ras-ional

anticancer bisquaternary heterocyclic compounds: a *ras*-ional design, 221

bis-Thioureidic

in vitro anti-acanthamoeba action by thioureidic derivatives, 819

Bopindolol

determination of bopindolol by sequential injection technique with spectrophotometric detection, 1057

Bovine serum albumin

competitive interfacial adsorption of blood proteins, 1017

Breast cancer cells

- proline analogue of melphalan as a prodrug susceptible to the action of prolidase in breast cancer MDA-MB 231 cells, 1113
- Breast carcinoma
 - synthesis and antitumor evaluation of some new substituted amidino-benzimidazolyl-furyl-phenyl-acrylates and naphtho[2,1-b]furan-carboxylates, 1319
- Brostallicin
 - the discovery of a new potential anticancer drug: a case history, 213

Bupivacaine

- sustained release of bupivacaine from devices based on chitosan, 1187
- Butyrylcholinesterase
 - design, synthesis and biological evaluation of ambenonium derivatives as AChE inhibitors, 917
- Calcium antagonists

synthesis and in vitro calcium antagonist activity of 4-aryl-7,7dimethyl/1,7,7-trimethyl-1,2,3,4,5,6,7,8-octahydroquinazoline-2,5-dione derivatives, 17

- Calcium channel anatagonists
 - synthesis and calcium antagonist activity of 1,4-dihydropyridines containing phenylaminoimidazolyl substituents, 1077

Calcium gluconate

investigations on mefenamic acid sustained release tablets with water-insoluble gel, 397

Cancer

a novel sunscreen agent having antimelanoma activity, 1163 Candida spp.

- synthesis and antifungal activity of (\pm)-1-(5-aryl-3-pyridin-2-yl-4,5-dihydro-pyrazol-1-yl)-2-imidazol-1-yl-ethanone derivatives, 315
- Capillary electrophoresis

electrophoretic behavior of alprenolol in mixed solvent electrolyte systems, 1039

Carbocisteine

kinetic spectrophotometric determination of some sulfur containing compounds in pharmaceutical preparations and human serum, 1325

Carbonic anhydrase

comparative QSAR of the sulfonamide function, 625

Carbon paste electrode

determination of pantoprazole by adsorptive stripping voltammetry at carbon paste electrode, 535

flow injection amperometric determination of dipyrone in pharmaceutical formulations using a carbon paste electrode, 999 Carbopol 934

- an in vitro investigation for vaginal bioadhesive formulations: bioadhesive properties and swelling states of polymer mixtures, 391
- Cartilage

different in vitro activity of flurbiprofen and its enantiomers on human articular cartilage, 1339

Cefamandole nafate sodium

kinetics of cefamandole nafate degradation in solid phase, 309 Cefdinir

an alternative procedure for preparation of cefdinir, 409 Cefotaxime

an improved method for preparation of cefpodoxime proxetil, 363

Cefpodoxime proxetil

an improved method for preparation of cefpodoxime proxetil, 363

Cellulose derivatives

in vitro release studies of chlorpheniramine maleate from gels prepared by different cellulose derivatives, 605

Cephalosporins

- an alternative procedure for preparation of cefdinir, 409
- an improved method for preparation of cefpodoxime proxetil, 363

Ceramide analogues

ceramide analogues in apoptosis: a new strategy for anticancer drug development, 205

conformationally restrained ceramide analogues: effects of lipophilic modifications on the antiproliferative activity, 85 Cerebroside

preliminary biological assay on cerebroside mixture from *Euphorbia nicaeensis* All. Isolation and structure determination of five glucocerebrosides, 809

CFTR

2-(dialkylamino)-4H-1-benzopyran-4-one derivatives modify chloride conductance in CFTR expressing cells, 961

Charge-transfer complex

two simple methods for the estimation of albendazole and its dosage forms using chloramine-T, 527

- Chemometric methods
 - spectophotometric quantitative resolution of hydrochlorothiazide and spironolactone in tablets by chemometric analysis methods, 1151

Chemotactic peptides

synthesis and activity of HCO–Met–Leu–Phe–OMe analogues containing β-alanine or taurine at the central position, 1121 Chitosan beads

sustained release of bupivacaine from devices based on chitosan, 1187

Chloramine-T

two simple methods for the estimation of albendazole and its dosage forms using chloramine-T, 527

1-(6-Chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)semicarbazides

synthesis of 1-(6-chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)semicarbazides and their transformation into 4-chloro-2-mercapto-*N*-(4,5-dihydro-5-oxo-4-phenyl-1*H*-1,2,4-triazol-3-yl) benzenesulfonamides as potential anticancer and anti-HIV agents, 423

4-Chloro-7-nitrobenzo-2-oxa-1,3-diazole (NBD-Cl)

spectrophotometric determination of fenoterol hydrobromide in pure form and dosage forms, 1033

3-Chloro-1,2-propanediol

chemo-enzymatic synthesis of levodropropizine, 1029

Chlorpheniramine maleate

in vitro release studies of chlorpheniramine maleate from gels prepared by different cellulose derivatives, 605

Chlorzoxazone

kinetic study of alkaline induced hydrolysis of the skeletal muscle relaxant chlorzoxazone using ratio spectra first derivative spectrophotometry, 337

Cholecystographic agents

inhibition of drug binding to human serum albumin by cholecystographic agents, 901

Cholesterol

synthesis and hypolipidemic activity of *N*-substituted phthalimides. Part V, 1283

Choline kinase

anticancer bisquaternary heterocyclic compounds: a *ras*-ional design, 221

Ciclooxygenase inhibitors

synthesis and prostaglandin synthase inhibitory activity of new aromatic *O*-alkyloxime ethers substituted with methylsulfonamido or methylsulfonyl groups on their aliphatic portion, 707

Ciclopirox

- polarographic determination of ciclopirox olamine in pure substance and in different pharmaceutical preparations, 1313 Cilazapril
 - square wave voltammetric determination of the angiotensin-converting enzyme inhibitors cilazapril, quinapril and ramipril in pharmaceutical formulations, 343
- Circular dichroism
 - inhibition of drug binding to human serum albumin by cholecystographic agents, 901
- Classical least squares
 - multivariate least squares regression applied to the spectrophotometric analysis of manidipine and its main photoproduct, 909
- Cloned receptors
 - synthesis and in vitro pharmacology of novel heterocyclic muscarinic ligands, 739
- Coagel
 - coagels from alkanoyl-6-O-ascorbic acid derivatives as drug carriers: structure and rheology, 1271
- Cognition-enhancing activity
 - 2-pyrrolidinone moiety is not critical for the cognition-enhancing activity of piracetam-like drugs, 715
- Collagen
 - proline analogue of melphalan as a prodrug susceptible to the action of prolidase in breast cancer MDA-MB 231 cells, 1113
- Competitive adsorption
- competitive interfacial adsorption of blood proteins, 1017 Complexation
 - propranolol hydrochloride-anionic polymer binding interaction, 1051
- Complex properties
 - preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131
- Condensed dihydropyrimidines
 - synthesis and in vitro calcium antagonist activity of 4-aryl-7,7dimethyl/1,7,7-trimethyl-1,2,3,4,5,6,7,8-octahydroquinazoline-2,5-dione derivatives, 17
- Conformational analysis
 - conformation by NMR of two tetralin-based receptor ligands, 469
- Congo red
- congo red analogues as potential anti-prion agents, 929 Conjugation
 - PEGylation of the antimicrobial peptide nisin A: problems and perspectives, 45
- Coumarins
 - synthesis and relative binding affinity to human steroid receptors of substituted 3-aryloxycoumarins, 1201
- Coupling agents
 - synthetic and antibacterial studies on some new furanopeptides, 569
- COX-inhibitors

4-substituted 1,5-diarylpyrazole, analogues of celecoxib: synthesis and preliminary evaluation of biological properties, 795 [3,4-c]Pyrimidines

- characterization and preliminary use of 1-, 2- and 3-methyl-5phenyl-7-chloro-1,2,3-triazolo[4,5-d]pyrimidine as reaction intermediates, 551
- Cyclazosin

searching for cyclazosin analogues as α_{1B} -adrenoceptor antago-

nists, 477

Cyclazosin analogues

searching for cyclazosin analogues as α_{1B} -adrenoceptor antagonists, 477

- Cyclodextrin
 - docking experiments showing similar recognition patterns of paclitaxel when interacting with different macromolecular targets, 691
- Cyclonite
 - determination of cyclonite (RDX) in human plasma by high-performance liquid chromatography, 445
- Cynthia savignyi
 - cynthichlorine: a bioactive alkaloid from the tunicate Cynthia savignyi, 1351
- Cynthichlorine
 - cynthichlorine: a bioactive alkaloid from the tunicate Cynthia savignyi, 1351
- Cystic fibrosis
 - 2-(dialkylamino)-4H-1-benzopyran-4-one derivatives modify chloride conductance in CFTR expressing cells, 961
- Cytisine derivatives
 - cytisine derivatives as ligands for neuronal nicotine receptors and with various pharmacological activities, 265
- Cytochrome c release
 - ceramide analogues in apoptosis: a new strategy for anticancer drug development, 205
- Cytostatic activity
 - preliminary biological assay on cerebroside mixture from *Euphorbia nicaeensis* All. Isolation and structure determination of five glucocerebrosides, 809

Cytotoxic activity

- chromophore-modified bis-benzo[g]indole carboxamides: synthesis and antiproliferative activity of bis-benzo[g]indazole-3carboxamides and related dimers, 749
- synthesis and cytotoxic activity of 1,3-benzodioxole derivatives. Note II, 351

Cytotoxicity

- cynthichlorine: a bioactive alkaloid from the tunicate Cynthia savignyi, 1351
- in vitro cytotoxicity to human cells in culture of some phenolics from olive oil, 403
- pyran derivatives: Part XXI. Antiproliferative and cytotoxic properties of novel *N*-substituted 4-aminocoumarins, their benzo-fused derivatives, and some related 2-aminochromones, 1083
- synthesis and in vitro antifungal and cytotoxicity evaluation of substituted 4,5-dihydronaphtho[1,2-d][1,2,3]thia(or selena)diazoles, 63

D003

gas chromatographic method for determining very long chain fatty acids that compose D003 in aqueous suspensions from 20 to 200 mg/ml, used in pharmacological and toxicological studies, 521

Dalarelin

preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131

Derivative spectrophotometry

- stability indicating methods for the determination of aceclofenac, 91
- Determination
 - sensitive spectrophotometric determination of amlodipine and felodipine using iron(III) and ferricyanide, 141
 - two simple methods for the estimation of albendazole and its dosage forms using chloramine-T, 527

Determination of ketoprofen

a validated method development for ketoprofen by a flow-injection analysis with UV-detection and its application to pharmaceutical formulations, 419

2,3-Diaryl-1,3-thiazolidin-4-ones

- anti-HIV agents: design and discovery of new potent RT inhibitors, 259
- synthesis and anti-HIV activity of 2,3-diaryl-1,3-thiazolidin-4ones, 115
- Diastereoselective synthesis
 - synthesis and pharmacological evaluation of new N-methylarylpyrrolidinols with analgesic activity, 939
- Diazotization
 - 3-aminophenol as a novel coupling agent for the spectrophotometric determination of sulfonamide derivatives, 1295
- Diazotized benzocaine
- spectrophotometric determination of labetalol in pharmaceutical preparations and spiked human urine, 293
- Diazotized *p*-nitroaniline
 - spectrophotometric determination of labetalol in pharmaceutical preparations and spiked human urine, 293
- Dibenzoylmethane derivatives
- a novel sunscreen agent having antimelanoma activity, 1163 2,4-Dicarboxy-pyrroles
 - 2,4-dicarboxy-pyrroles as selective non-competitive mGluR1 antagonists: an exploration of the role of the pyrrolic scaffold, 1005
- Dichlorofluorescein

four simple procedures for the assay of methdilazine in bulk drug and in tablets and syrup using potassium iodate, 285

Dihydrofolate reductase and tymidylate synthase inhibitors

quinoxaline chemistry. Part 15. 4-[2-Quinoxalylmethylenimino]benzoylglutamates and -benzoates, 4-[2-quinoxalylmethyl-*N*-methylamino]-benzoylglutamates as analogues of classical antifolate agents. Synthesis, elucidation of structures and in vitro evaluation of antifolate and anticancer activities, 51

2,4-Dihydroxythiobenzoylderivatives of imidazoles

synthesis of some 1-(2,4-dihydroxythiobenzoyl)imidazoles, -imidazolines and -tetrazoles and their potent activity against *Candida* species, 455

Dihyropyridines

synthesis and calcium antagonist activity of 1,4-dihydropyridines containing phenylaminoimidazolyl substituents, 1077

4-Dimethylaminobenzaldehyde

determination of bopindolol by sequential injection technique with spectrophotometric detection, 1057

Dipyrone

flow injection amperometric determination of dipyrone in pharmaceutical formulations using a carbon paste electrode, 999

Diselenides

functionalized alkyl and aryl diselenides as antimicrobial and antiviral agents: synthesis and properties, 1235

Dissolution

- in vitro evaluation of food effect on the bioavailability of rifampicin from antituberculosis fixed dose combination formulations, 1099
- Distamycin

the discovery of a new potential anticancer drug: a case history, 213

3,3-Disustituted-1-acylthioureas

synthesis of *N*-substituted-*N*-acylthioureas of 4-substituted piperazines endowed with local anaesthetic, antihyperlipidemic, antiproliferative activities and antiarrythmic, analgesic, antiaggregating actions, 765

1,2-Dithiolan-3-ones-1-oxide

- 1,2-dithiolan-3-ones and derivatives structurally related to leinamycin. Synthesis and biological evaluation, 995
- DNA
 - docking experiments showing similar recognition patterns of paclitaxel when interacting with different macromolecular targets, 691

Docking

docking experiments showing similar recognition patterns of paclitaxel when interacting with different macromolecular targets, 691

Dopamine

synthesis and affinity for serotonin and dopamine transporters of some benzophenone oxime ether derivatives, 977

Dosage forms

- spectrophotometric determination of fenoterol hydrobromide in pure form and dosage forms, 1033
- spectrophotometric determination of labetalol in pharmaceutical preparations and spiked human urine, 293
- two simple methods for the estimation of albendazole and its dosage forms using chloramine-T, 527

3D QSAR

- 3D QSAR studies for the β-tubulin binding site of microtubulestabilizing anticancer agents (MSAAs): A pseudoreceptor model for taxanes based on the experimental structure of tubulin, 659
- 3D QSAR studies of the interaction between β -tubulin and microtubule stabilizing antimitotic agents (MSAA). A combined pharmacophore generation and pseudoreceptor modeling approach applied to taxanes and epothilones, 357

Drug binding

inhibition of drug binding to human serum albumin by cholecystographic agents, 901

Drug carrier

- coagels from alkanoyl-6-O-ascorbic acid derivatives as drug carriers: structure and rheology, 1271
- Drug delivery
 - sustained release of bupivacaine from devices based on chitosan, 1187
- Drug photodegradation

photostability studies on the furosemide-triamterene drug association, 867

- Drug-polymer interaction
 - propranolol hydrochloride-anionic polymer binding interaction, 1051

Ebselen

functionalized alkyl and aryl diselenides as antimicrobial and antiviral agents: synthesis and properties, 1235

Electrochemical detection

- a novel potentiometric approach for detection of beta-adrenergics and beta-adrenolytics in high-performance liquid chromatography, 591
- Electrochromatography

ibuprofen quality control by electrochromatography, 699

Electron-rich olefins

synthesis, antibacterial and antifungal activities of electron-rich olefins derived benzimidazole compounds, 431

Electrophoretic mobility

electrophoretic behavior of alprenolol in mixed solvent electrolyte systems, 1039

Emorfazone

4-amino-3(2*H*)-pyridazinones bearing arylpiperazinylalkyl groups and related compounds: synthesis and antinociceptive activity, 1063

Enzyme inhibition

quinoxaline chemistry. Part 15. 4-[2-Quinoxalylmethylenimino]benzoylglutamates and -benzoates, 4-[2-quinoxalylmethyl-*N*-methylamino]-benzoylglutamates as analogues of classical antifolate agents. Synthesis, elucidation of structures and in vitro evaluation of antifolate and anticancer activities, 51

- Ephedrines
 - the mass spectrometric behaviour of fluorinated ephedrines under different protonating conditions, 69

Epothilones

- 3D QSAR studies of the interaction between β -tubulin and microtubule stabilizing antimitotic agents (MSAA). A combined pharmacophore generation and pseudoreceptor modeling approach applied to taxanes and epothilones, 357
- Erythromycin
 - synthesis of two and antibacterial activity of one novel oxime ether derivatives of erythromycin A, 1011
- Erythromycin oxime ether
 - synthesis of two and antibacterial activity of one novel oxime ether derivatives of erythromycin A, 1011

Ethionamide

- kinetic spectrophotometric determination of some sulfur containing compounds in pharmaceutical preparations and human serum, 1325
- Ethylcellulose
- influence of the concentration of a gelling agent and the type of surfactant on the rheological characteristics of oleogels, 1289
- Ethylpiperazinyl
 - synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859
- Euphorbia nicaeensis All.
 - preliminary biological assay on cerebroside mixture from *Euphorbia nicaeensis* All. Isolation and structure determination of five glucocerebrosides, 809
- Explosive
 - determination of cyclonite (RDX) in human plasma by high-performance liquid chromatography, 445
- Famotidine
 - application of ninhydrin to spectrophotometric determination of famotidine in drug formulations, 1045

Farnesyldiphosphate

- synthesis of aniline-type analogues of farnesyl diphosphate and their biological assays for prenyl protein transferase inhibitory activity, 1277
- Fatty acids
 - gas chromatographic method for determining very long chain fatty acids that compose D003 in aqueous suspensions from 20 to 200 mg/ml, used in pharmacological and toxicological studies, 521
- Felodipine
- sensitive spectrophotometric determination of amlodipine and felodipine using iron(III) and ferricyanide, 141

Fenoterol

- spectrophotometric determination of fenoterol hydrobromide in pure form and dosage forms, 1033
- Ferricyanide
 - sensitive spectrophotometric determination of amlodipine and felodipine using iron(III) and ferricyanide, 141
- Fibrinogen
- competitive interfacial adsorption of blood proteins, 1017 Finasteride
- polarographic behavior and determination of finasteride, 159 First derivative spectrophotometry
 - rapid and simple methods for quantitative analysis of some antidepressant in pharmaceutical formulations by using first derivative spectrophotometry and HPLC, 1209
- Flavone derivatives
 - synthesis, X-ray crystal structure and biological properties of acetylenic flavone derivatives, 875

Flavonyl thiazolidinediones

synthesis and hypoglycemic activity of some substituted flavonyl thiazolidinedione derivatives—fifth communication: flavonyl benzyl substituted 2,4-thiazolidinediones, 79

- Floctafenine and Glafenine determination of thiocolchicoside in its binary mixtures (thiocolchicoside-glafenine and thiocolchicoside-floctafenine) by TLC-densitometry, 463 Flow injection analysis determination of ambroxol hydrochloride in pure solutions and some of its pharmaceutical preparations under batch and FIA conditions, 581 flow injection amperometric determination of dipyrone in pharmaceutical formulations using a carbon paste electrode, 999 Flow-injection analysis a validated method development for ketoprofen by a flow-injection analysis with UV-detection and its application to pharmaceutical formulations, 419 Flubendazole polarographic determination of flubendazole in spiked human urine and plasma, 613 Fluorinated ephedrines the mass spectrometric behaviour of fluorinated ephedrines under different protonating conditions, 69 5-Fluorouracil pharmacokinetic study of oxaliplatin iv chronomodulated infusion combined with 5-fluorouracil iv continuous infusion in the treatment of advanced colorectal cancer, 1333 Folinic acid
 - pharmacokinetic study of oxaliplatin iv chronomodulated infusion combined with 5-fluorouracil iv continuous infusion in the treatment of advanced colorectal cancer, 1333
- Food effect
 - in vitro evaluation of food effect on the bioavailability of rifampicin from antituberculosis fixed dose combination formulations, 1099

Formulations

four simple procedures for the assay of methdilazine in bulk drug and in tablets and syrup using potassium iodate, 285

FTase

synthesis of aniline-type analogues of farnesyl diphosphate and their biological assays for prenyl protein transferase inhibitory activity, 1277

Functional assays

- synthesis and in vitro pharmacology of novel heterocyclic muscarinic ligands, 739
- Fungicides
 - functionalized alkyl and aryl diselenides as antimicrobial and antiviral agents: synthesis and properties, 1235

Furosemide

photostability studies on the furosemide-triamterene drug association, 867

Furoxancarboxylic acids

synthesis and vasodilating properties of *N*-alkylamide derivatives of 4-amino-3-furoxancarboxylic acid and related azo derivatives, 677

Furoxan derivatives

h₃ receptor ligands: new imidazole H₃-antagonists endowed with NO-donor properties, 279

GABA_B receptor 2

ligands for expression cloning and isolation of GABA_{B} receptors, 173

GABA_B receptors 1a to 1g

ligands for expression cloning and isolation of GABA_B receptors, 173

GAGs

different in vitro activity of flurbiprofen and its enantiomers on human articular cartilage, 1339

effects of leflunomide on human cartilage, 983

1366

GC determination

gas chromatographic method for determining very long chain fatty acids that compose D003 in aqueous suspensions from 20 to 200 mg/ml, used in pharmacological and toxicological studies, 521

GC/MS

validation of a GC/MS method for the determination of tramadol in human plasma after intravenous bolus, 947

Gel

in vitro release studies of chlorpheniramine maleate from gels prepared by different cellulose derivatives, 605

Gentamicin sulfate

mucoadhesive microspheres containing gentamicin sulfate for nasal administration: preparation and in vitro characterization, 11

γ-Glutamyl junction

synthesis and activity of novel glutathione analogues containing an urethane backbone linkage, 787

γ-Glutamyl transpeptidase

synthesis and activity of novel glutathione analogues containing an urethane backbone linkage, 787

Glutathione

- synthesis and activity of novel glutathione analogues containing an urethane backbone linkage, 787
- the discovery of a new potential anticancer drug: a case history, 213

Glutathione analogues

synthesis and activity of novel glutathione analogues containing an urethane backbone linkage, 787

Glycine

benzoazepine derivative as potent antagonists of the glycine binding site associated to the NMDA receptor, 723

Glycosphingolipid

preliminary biological assay on cerebroside mixture from *Euphorbia nicaeensis* All. Isolation and structure determination of five glucocerebrosides, 809

Glycosylation reactions

purine and deazapurine nucleosides: synthetic approaches, molecular modelling and biological activity, 193

GnRH

preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131

- the discovery of a new potential anticancer drug: a case history, 213
- ¹H and ¹³C NMR trifluoromethylquinoxalines
 - quinoxaline chemistry. Part 15. 4-[2-Quinoxalylmethylenimino]benzoylglutamates and -benzoates, 4-[2-quinoxalylmethyl-*N*-methylamino]-benzoylglutamates as analogues of classical antifolate agents. Synthesis, elucidation of structures and in vitro evaluation of antifolate and anticancer activities, 51

H₃-antagonist

 $h_{\rm 3}$ receptor ligands: new imidazole $H_{\rm 3}\text{-}antagonists$ endowed with NO-donor properties, 279

Heterobenzothiazepine derivatives

neuropharmacological study of hetero[2,1]benzothiazepine derivatives analogues of tianeptine, 1

Hexafluoroaniline

synthesis of aniline-type analogues of farnesyl diphosphate and their biological assays for prenyl protein transferase inhibitory activity, 1277

High-performance liquid chromatography

rapid and simple methods for quantitative analysis of some antidepressant in pharmaceutical formulations by using first derivative spectrophotometry and HPLC, 1209

simple high-performance liquid chromatographic method for the

determination of acyclovir in pharmaceuticals, 1301

Histamine

- effects of the vasoactive intestinal peptide on stress-induced mucosal ulcers and modulation of methylation of histamine in gastric tissue of the rats, 449
- the role of HB-donor groups in the heterocyclic polar fragment of H_3 -antagonists. I. Synthesis and biological assays, 891

HIV

synthesis of styrylbenzofuran derivatives as styrylquinoline analogues for HIV-1 integrase inhibitor, 1243

HIV-1 protease

synthesis and anti-HIV activity of new C_2 symmetric derivatives designed as HIV-1 protease inhibitors, 149

Homology modeling

binding modes of noncompetitive AMPA antagonists: a computational approach, 107

Homolytic aroylation

substituted 5-aroylpyrazine-2-carboxylic acid derivatives: synthesis and biological activity, 1105

HPLC

- a novel potentiometric approach for detection of beta-adrenergics and beta-adrenolytics in high-performance liquid chromatography, 591
- a validated spectrophotometric and liquid chromatography method for determination and purity evaluation of 4methoxy-2-[2-hydroxy-3(4-phenyl-1-piperazinyl)]propyl-2,3dihydro-6-methyl-1,3-dioxo-1*H*-pyrrolo[3,4-c]pyridine, 513

H₃-receptor antagonists

the role of HB-donor groups in the heterocyclic polar fragment of H_3 -antagonists. I. Synthesis and biological assays, 891

HT-29

- anticancer bisquaternary heterocyclic compounds: a ras-ional design, 221
- Human articular cartilage
- effects of leflunomide on human cartilage, 983
- Human glutathione S-transferase
 - synthesis and activity of novel glutathione analogues containing an urethane backbone linkage, 787
- Human immunoglobulin G

competitive interfacial adsorption of blood proteins, 1017

- Human neutrophils synthesis and activity of HCO-Met-Leu-Phe-OMe analogues containing β-alanine or taurine at the central position, 1121 Human serum albumin
 - inhibition of drug binding to human serum albumin by cholecystographic agents, 901

Human skin

- in vitro release studies of chlorpheniramine maleate from gels prepared by different cellulose derivatives, 605
- Hydrochlorothiazide

spectophotometric quantitative resolution of hydrochlorothiazide and spironolactone in tablets by chemometric analysis methods, 1151

- Hydrophilic polymer
 - a study on the release mechanism of drugs from hydrophilic partially coated perforated matrices, 971

Hydroxypropyl methylcellulose

- mucoadhesive microspheres containing gentamicin sulfate for nasal administration: preparation and in vitro characterization, 11
- Hypoglycaemic activity
 - isolation and pharmacological activities of the Tecoma stans alkaloids, 781

Hypoglycemic activity

synthesis and hypoglycemic activity of some substituted flavonyl thiazolidinedione derivatives—fifth communication: flavonyl benzyl substituted 2,4-thiazolidinediones, 79

α-Halogenoacrylamides

Hypolipidemic activity synthesis and hypolipidemic activity of N-substituted phthalimides. Part V, 1283

- ibuprofen quality control by electrochromatography, 699 Imidazole antifungal agents
 - synthesis and antimicrobial properties of 3-aryl-1-(1,1'-biphenyl-4-yl)-2-(1H-imidazol-1-yl)propanes as 'carba-analogues' of the N-arylmethyl-N-[(1,1'-biphenyl)-4-ylmethyl])-1H-imidazol-1-amines, a new class of antifungal agents, 563

Imidazolines and tetrazoles

synthesis of some 1-(2,4-dihydroxythiobenzoyl)imidazoles, -imidazolines and -tetrazoles and their potent activity against Candida species, 455

Imide

tumor necrosis factor-alpha production-regulating activity of phthalimide derivatives in genetically modified murine melanoma cells B78H1, 371

Immunoadjuvant

synthesis of new P₃CS derivatives and their mitogenic activity on in vitro mice splenocytes, 329

Immunostimulating agents

structural characterization of a dipeptide compound with immunostimulant activity: 3-(5-thioxo-L-prolyl)-L-thiazolidine-4-carboxylic acid, 883

Indeno[1,2-c]pyridazines

synthesis and biological evaluation of pyridazino[4,3-b]indoles and indeno[1,2-c]pyridazines as new ligands of central and peripheral benzodiazepine receptors, 129

Indomethacin

in vitro drug liberation and kinetics of sustained release indomethacin suppository, 509

Inhibitors

- some new bi- and ter-benzimidazole derivatives as topoisomerase I inhibitors, 497
 - towards new neuroprotective agents: design and synthesis of 4H-thieno[2,3-c] isoquinolin-5-one derivatives as potent PARP-1 inhibitors, 851

In silico screening approach

- in silico screening with benzofurane- and benzopyrane-type MDR-modulators, 185
- Integrase inhibitor
 - synthesis of styrylbenzofuran derivatives as styrylquinoline analogues for HIV-1 integrase inhibitor, 1243

Interplay between GB1 and GB2

- ligands for expression cloning and isolation of GABA_B receptors. 173
- In vitro antifungal activity
 - substituted 5-aroylpyrazine-2-carboxylic acid derivatives: synthesis and biological activity, 1105
- In vitro antimycobacterial activity

substituted 5-aroylpyrazine-2-carboxylic acid derivatives: synthesis and biological activity, 1105

In vitro studies

- synthesis, antibacterial and antifungal activities of electron-rich olefins derived benzimidazole compounds, 431
- synthesis of some 1-(2,4-dihydroxythiobenzoyl)imidazoles, -imidazolines and -tetrazoles and their potent activity against Candida species, 455
- Ionization methods
 - the mass spectrometric behaviour of fluorinated ephedrines under different protonating conditions, 69

Ion-selective electrode

determination of ambroxol hydrochloride in pure solutions and some of its pharmaceutical preparations under batch and FIA conditions, 581

Iron(III) chloride

quantitative determination of some pharmaceutical piperazine derivatives through complexation with iron(III) chloride, 573

sensitive spectrophotometric determination of amlodipine and felodipine using iron(III) and ferricyanide, 141

Ischemia

synthesis of 3,3'-(1-piperidino)substituted methylene-bis-isoxazoles preventing stimulus-induced leukocytes activation, 121 towards new neuroprotective agents: design and synthesis of 4H-thieno[2,3-c] isoquinolin-5-one derivatives as potent PARP-1 inhibitors, 851

Isoquinolin-4-one derivatives

synthesis and anti-measles virus activity of new isoquinolin-4-one derivatives, 1217

KATP channel blocker

synthesis and structure of novel 2,3, 5,6-tetrahydro-1H-imidazo[2,1-b][1,3,5]benzotriazepines with vasocontractile activity in rabbit aortic rings, 1171

Keratitis

in vitro anti-acanthamoeba action by thioureidic derivatives, 819 Ketoconazole

quantitative determination of some pharmaceutical piperazine derivatives through complexation with iron(III) chloride, 573

Ketoprofen

preparation and in vitro evaluation of modified release ketoprofen microsponges, 101

Kinetics

kinetic study of alkaline induced hydrolysis of the skeletal muscle relaxant chlorzoxazone using ratio spectra first derivative spectrophotometry, 337

Kynurenine pathway enzymes

enzyme activities of tryptophan metabolism along the kynurenine pathway in various species of animals, 829

Labetalol

spectrophotometric determination of labetalol in pharmaceutical preparations and spiked human urine, 293

Largneal carcinoma

synthesis and antitumor evaluation of some new substituted amidino-benzimidazolyl-furyl-phenyl-acrylates and naphtho[2,1-b]furan-carboxylates, 1319

LC

determination of two ternary mixtures containing phenobarbitone by second derivative of the ratio spectrum-zero-crossing and HPLC methods, 377

Leflunomide

effects of leflunomide on human cartilage, 983

Leinamycin

1,2-dithiolan-3-ones and derivatives structurally related to leinamycin. Synthesis and biological evaluation, 995

Levodropropizine

chemo-enzymatic synthesis of levodropropizine, 1029

Lipopeptides

synthesis of new P3CS derivatives and their mitogenic activity on in vitro mice splenocytes, 329

Lipophilicity

conformationally restrained ceramide analogues: effects of lipophilic modifications on the antiproliferative activity, 85 pH-Partition profiles of 4-(3-oxo-1,2-benzisothiazolin-2-yl)phenyl

and phenoxyalkanoic acids, 989

Lipoxygenase inhibitors

novel thiazolyl, thiazolinyl and benzothiazolyl Schiff bases as possible lipoxygenase's inhibitors and anti-inflammatory agents, 489

Ibuprofen

Liquid membrane electrodes

a novel potentiometric approach for detection of beta-adrenergics and beta-adrenolytics in high-performance liquid chromatography, 591

Lisinopril

a new spectrofluorimetric method for the determination of lisinopril in tablets, 165

LIVBP

binding modes of noncompetitive AMPA antagonists: a computational approach, 107

Local anaesthetic, Antihyperlipidemic

- synthesis of N-substituted-N-acylthioureas of 4-substituted piperazines endowed with local anaesthetic, antihyperlipidemic, antiproliferative activities and antiarrythmic, analgesic, antiaggregating actions, 765
- Local anesthetics
 - new substituted 2-(pyrazol-1-yl)-dialkylacetanilides with potential local anesthetic and antiarrhythmic action. Part II, 301
- Macrocycles
 - a novel potentiometric approach for detection of beta-adrenergics and beta-adrenolytics in high-performance liquid chromatography, 591
- Macromolecular prodrugs
 - improvement of physicochemical and biopharmaceutical properties of theophylline by poly(ethylene glycol) conjugates, 1307

Manidipine

multivariate least squares regression applied to the spectrophotometric analysis of manidipine and its main photoproduct, 909

Mannich bases

- synthesis of 3,3'-(1-piperidino)substituted methylene-bis-isoxazoles preventing stimulus-induced leukocytes activation, 121 MAO
 - synthesis and biological evaluation of enantiomerically pure pyrrolyl-oxazolidinones as a new class of potent and selective monoamine oxidase type A inhibitors, 231

MAO inhibitors

- synthesis and biological evaluation of enantiomerically pure pyrrolyl-oxazolidinones as a new class of potent and selective monoamine oxidase type A inhibitors, 231
- Mass spectrometry

the mass spectrometric behaviour of fluorinated ephedrines under different protonating conditions, 69

MBTH

spectrophotometric determination of propranolol in formulations via oxidative coupling with 3-methylbenzothiazoline-2one hydrazone, 1179

Measles virus

synthesis and anti-measles virus activity of new isoquinolin-4-one derivatives, 1217

Mefenamic acid

investigations on mefenamic acid sustained release tablets with water-insoluble gel, 397

Melanoma

a novel sunscreen agent having antimelanoma activity, 1163 synthesis and antitumor evaluation of some new substituted amidino-benzimidazolyl-furyl-phenyl-acrylates and naphtho[2,1-*b*]furan-carboxylates, 1319

Melatonin

conformation by NMR of two tetralin-based receptor ligands, 469

2-Mercapto-*N*-(4,5-dihydro-5-oxo-4-phenyl-1*H*-1,2,4-triazol-3-yl) benzenesulfonamides

synthesis of 1-(6-chloro-1,1-dioxo-1,4,2-benzodithiazin-3-yl)semicarbazides and their transformation into 4-chloro-2-mer-

capto-N-(4,5-dihydro-5-oxo-4-phenyl-1H-1,2,4-triazol-3-yl) benzenesulfonamides as potential anticancer and anti-HIV agents, 423 Methacrylic acid copolymer propranolol hydrochloride-anionic polymer binding interaction, 1051 Methdilazine determination four simple procedures for the assay of methdilazine in bulk drug and in tablets and syrup using potassium iodate, 285 Methoxy poly(ethylene glycol) improvement of physicochemical and biopharmaceutical properties of theophylline by poly(ethylene glycol) conjugates, 1307 Methylsulfonamido inhibitors synthesis and prostaglandin synthase inhibitory activity of new aromatic O-alkyloxime ethers substituted with methylsulfonamido or methylsulfonyl groups on their aliphatic portion, 707 Methylsulfonyl inhibitors synthesis and prostaglandin synthase inhibitory activity of new aromatic O-alkyloxime ethers substituted with methylsulfonamido or methylsulfonyl groups on their aliphatic portion, 707 Michael addition synthesis of two and antibacterial activity of one novel oxime ether derivatives of erythromycin A, 1011 Microsphere in vitro drug liberation and kinetics of sustained release indomethacin suppository, 509 Microsponges preparation and in vitro evaluation of modified release ketoprofen microsponges, 101 Minimum inhibitory concentration antituberculosis agents VIII: Synthesis and in vitro antimycobacterial activity of alkyl α-[5-(5-nitro-2-thienyl)-1,3,4-thiadiazole-2-ylthio]acetates, 1073 synthesis and in vitro antibacterial activity of some N-(5-aryl-1,3,4-thiadiazole-2-yl)piperazinyl quinolone derivatives. 1023 Minor groove the discovery of a new potential anticancer drug: a case history, 213 Mitogenicity synthesis of new P₃CS derivatives and their mitogenic activity on in vitro mice splenocytes, 329 Mixed solvent buffers electrophoretic behavior of alprenolol in mixed solvent electrolyte systems, 1039 Mixture design spectophotometric quantitative resolution of hydrochlorothiazide and spironolactone in tablets by chemometric analysis methods, 1151 2'-Modified oligonucleotides structural modifications of antisense oligonucleotides, 243 Modified release

preparation and in vitro evaluation of modified release ketoprofen microsponges, 101

Moiety

2-pyrrolidinone moiety is not critical for the cognition-enhancing activity of piracetam-like drugs, 715

Molecular mechanics

conformation by NMR of two tetralin-based receptor ligands, 469

Morpholinyl

synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859 MTT assay

substituted 5-aroylpyrazine-2-carboxylic acid derivatives: synthesis and biological activity, 1105

Mucoadhesive microspheres

- mucoadhesive microspheres containing gentamicin sulfate for nasal administration: preparation and in vitro characterization, 11
- Multidrug resistance
 - in silico screening with benzofurane- and benzopyrane-type MDR-modulators, 185

Multivariate spectrophotometry

- multivariate least squares regression applied to the spectrophotometric analysis of manidipine and its main photoproduct, 909
- Muscarinic activity
- synthesis and antagonistic activity at muscarinic receptor subtypes of some derivatives of diphenidol, 651
- Muscarinic ligands
 - synthesis and in vitro pharmacology of novel heterocyclic muscarinic ligands, 739

Muscarinic receptors ligands

- N-Homolupinanoyl and N-(ω-lupinylthio)alkanoyl derivatives of some tricyclic systems as ligands for muscarinic M₁ and M₂ receptor subtypes, 669
- Muscarinic receptor subtypes

synthesis and in vitro pharmacology of novel heterocyclic muscarinic ligands, 739

Mycobacterium

- 3-benzyl-2*H*-1,3-benzoxazine-2,4(3*H*)-diones, a new group of antimycobacterial compounds against potentially pathogenic strains, 1137
- 1,8-Naphthyridines
 - synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859
- N-Arylphthalimides
 - synthesis and hypolipidemic activity of N-substituted phthalimides. Part V, 1283
- Nasal drug delivery
 - mucoadhesive microspheres containing gentamicin sulfate for nasal administration: preparation and in vitro characterization, 11

NBD-Cl

a new spectrofluorimetric method for the determination of lisinopril in tablets, 165

Nefazodone hydrochloride

rapid and simple methods for quantitative analysis of some antidepressant in pharmaceutical formulations by using first derivative spectrophotometry and HPLC, 1209

Neuroleptic activity

neuropharmacological study of hetero[2,1]benzothiazepine derivatives analogues of tianeptine, 1

Neuronal nicotinic acetylcholine receptors

cytisine derivatives as ligands for neuronal nicotine receptors and with various pharmacological activities, 265

Neuropharmacology

neuropharmacological study of hetero[2,1]benzothiazepine derivatives analogues of tianeptine, 1

Neuroprotection

towards new neuroprotective agents: design and synthesis of 4*H*-thieno[2,3-*c*] isoquinolin-5-one derivatives as potent PARP-1 inhibitors, 851

Neutrophils

- synthesis of 3,3'-(1-piperidino)substituted methylene-bis-isoxazoles preventing stimulus-induced leukocytes activation, 121
- N-(Homolupinanoyl)phenothiazines N-Homolupinanoyl and N-(ω-lupinylthio)alkanoyl derivatives of some tricyclic systems as ligands for muscarinic M1 and M2 receptor subtypes, 669 N-2-hydroxy-3-(4-phenyl-1-piperazinyl)propyl derivatives synthesis and pharmacological properties of N,N-dialkyl(dialkenyl)amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-5-carboxylic acid, 25 Nifedipine analogues synthesis and calcium antagonist activity of 1,4-dihydropyridines containing phenylaminoimidazolyl substituents, 1077 Ninhydrin application of ninhydrin to spectrophotometric determination of famotidine in drug formulations, 1045 Nisin PEGylation of the antimicrobial peptide nisin A: problems and perspectives, 45 5-Nitrothiophene antituberculosis agents VIII: Synthesis and in vitro antimycobacterial activity of alkyl α-[5-(5-nitro-2-thienyl)-1,3,4-thiadiazole-2-ylthio]acetates, 1073 N-[(ω-lupinylthio)alkanoyl]phenothiazines N-Homolupinanoyl and N-(ω -lupinylthio)alkanoyl derivatives of some tricyclic systems as ligands for muscarinic M1 and M2 receptor subtypes, 669 NMDA receptor benzoazepine derivative as potent antagonists of the glycine binding site associated to the NMDA receptor, 723 NMR spectroscopy conformation by NMR of two tetralin-based receptor ligands, 469 **NNRTIs** anti-HIV agents: design and discovery of new potent RT inhibitors, 259 synthesis and anti-HIV activity of 2,3-diaryl-1,3-thiazolidin-4ones, 115 NO different in vitro activity of flurbiprofen and its enantiomers on human articular cartilage, 1339 effects of leflunomide on human cartilage, 983 synthesis and vasodilating properties of N-alkylamide derivatives of 4-amino-3-furoxancarboxylic acid and related azo derivatives, 677 NO-donors h₃ receptor ligands: new imidazole H₃-antagonists endowed with NO-donor properties, 279 Non-steroidal anti-inflammatory agent a validated method development for ketoprofen by a flow-injection analysis with UV-detection and its application to pharmaceutical formulations, 419 N-Piperazinyl quinolones synthesis and in vitro antibacterial activity of some N-(5-aryl-1,3,4-thiadiazole-2-yl)piperazinyl quinolone derivatives, 1023 NSAIDs synthesis and prostaglandin synthase inhibitory activity of new
 - synthesis and prostaglandin synthase inhibitory activity of new aromatic *O*-alkyloxime ethers substituted with methylsulfonamido or methylsulfonyl groups on their aliphatic portion, 707
- *N*-substituted-*N*-acyl 4-substituted piperazine-1-thiocarboxamides
 - synthesis of *N*-substituted-*N*-acylthioureas of 4-substituted piperazines endowed with local anaesthetic, antihyperlipidemic, antiproliferative activities and antiarrythmic, analgesic, antiaggregating actions, 765

N-(tert-Aminoalkanoyl)tricyclic systems

N-Homolupinanoyl and N-(ω -lupinylthio)alkanoyl derivatives of some tricyclic systems as ligands for muscarinic M_1 and M_2 receptor subtypes, 669

Nucleoside synthesis

purine and deazapurine nucleosides: synthetic approaches, molecular modelling and biological activity, 193

synthesis and in vitro calcium antagonist activity of 4-aryl-7,7dimethyl/1,7,7-trimethyl-1,2,3,4,5,6,7,8-octahydroquinazoline-2,5-dione derivatives, 17

Oleogel

influence of the concentration of a gelling agent and the type of surfactant on the rheological characteristics of oleogels, 1289

Oleuropein

in vitro cytotoxicity to human cells in culture of some phenolics from olive oil, 403

Olivem

- influence of the concentration of a gelling agent and the type of surfactant on the rheological characteristics of oleogels, 1289
- Olive oil
 - in vitro cytotoxicity to human cells in culture of some phenolics from olive oil, 403
- Optical biosensor
 - inhibition of drug binding to human serum albumin by cholecystographic agents, 901
- 1,3,4-Oxadiazole-2-thiones
 - synthesis and anti-inflammatory activity of 5-(6-methyl-2-substituted 4-pyrimidinyloxymethyl)-1,3,4-oxadiazole-2-thiones and their 3-morpholinomethyl derivatives, 323
- Oxaliplatin
 - pharmacokinetic study of oxaliplatin iv chronomodulated infusion combined with 5-fluorouracil iv continuous infusion in the treatment of advanced colorectal cancer, 1333

Oxazolidinones

synthesis and biological evaluation of enantiomerically pure pyrrolyl-oxazolidinones as a new class of potent and selective monoamine oxidase type A inhibitors, 231

Oxime derivatives

synthesis and affinity for serotonin and dopamine transporters of some benzophenone oxime ether derivatives, 977

Oxotremorine analogues

synthesis and in vitro pharmacology of novel heterocyclic muscarinic ligands, 739

Paclitaxel

- docking experiments showing similar recognition patterns of paclitaxel when interacting with different macromolecular targets, 691
- Pancreatic carcinoma
 - synthesis and antitumor evaluation of some new substituted amidino-benzimidazolyl-furyl-phenyl-acrylates and naphtho[2,1-*b*]furan-carboxylates, 1319

Pantoprazole

determination of pantoprazole by adsorptive stripping voltammetry at carbon paste electrode, 535

PARP

towards new neuroprotective agents: design and synthesis of 4*H*-thieno[2,3-*c*] isoquinolin-5-one derivatives as potent PARP-1 inhibitors, 851

Partially coated perforated system

a study on the release mechanism of drugs from hydrophilic partially coated perforated matrices, 971 Pectin

an in vitro investigation for vaginal bioadhesive formulations: bioadhesive properties and swelling states of polymer mixtures, 391

Peptide nucleic acids

structural modifications of antisense oligonucleotides, 243 Peptides

- preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131
- Percutaneous absorption

in vitro release studies of chlorpheniramine maleate from gels prepared by different cellulose derivatives, 605

Peripheral benzodiazepine receptor

- synthesis and biological evaluation of pyridazino[4,3-b]indoles and indeno[1,2-c]pyridazines as new ligands of central and peripheral benzodiazepine receptors, 129
- P-glycoprotein inhibitors
 - in silico screening with benzofurane- and benzopyrane-type MDR-modulators, 185

Pharmaceutical analysis

- a validated method development for ketoprofen by a flow-injection analysis with UV-detection and its application to pharmaceutical formulations, 419
- determination of pantoprazole by adsorptive stripping voltammetry at carbon paste electrode, 535
- spectrophotometric determination of propranolol in formulations via oxidative coupling with 3-methylbenzothiazoline-2one hydrazone, 1179

Pharmaceutical excipients

- the safety of pharmaceutical excipients, 541
- Pharmaceutical formulations
 - application of ninhydrin to spectrophotometric determination of famotidine in drug formulations, 1045

Pharmaceutical preparations

- polarographic behavior and determination of finasteride, 159 polarographic determination of ciclopirox olamine in pure substance and in different pharmaceutical preparations, 1313
- spectrophotometric determination of propranolol in formulations via oxidative coupling with 3-methylbenzothiazoline-2one hydrazone, 1179

Pharmaceutical product

simple high-performance liquid chromatographic method for the determination of acyclovir in pharmaceuticals, 1301

Pharmaceuticals

- 3-aminophenol as a novel coupling agent for the spectrophotometric determination of sulfonamide derivatives, 1295
- square wave voltammetric determination of the angiotensin-converting enzyme inhibitors cilazapril, quinapril and ramipril in pharmaceutical formulations, 343
- Pharmacokinetic
 - determination of a novel angiotensin-AT₁ antagonist CR 3210 in biological samples by HPLC, 837
 - pharmacokinetic study of oxaliplatin iv chronomodulated infusion combined with 5-fluorouracil iv continuous infusion in the treatment of advanced colorectal cancer, 1333

Pharmacological activity

synthesis and pharmacological properties of *N*,*N*-dialkyl(dialkenyl)amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-5-carboxylic acid, 25

Phenobarbitone

determination of two ternary mixtures containing phenobarbitone by second derivative of the ratio spectrum-zero-crossing and HPLC methods, 377

Phenolic compounds

in vitro cytotoxicity to human cells in culture of some phenolics from olive oil, 403

^{1,2,3,4,5,6,7,8-}Octahydroquinazoline-2,5-diones

Phenylaminoimidazoles

synthesis and calcium antagonist activity of 1,4-dihydropyridines containing phenylaminoimidazolyl substituents, 1077

Phenylpiperazinyl

- synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859
- Phosphonoacetamido(oxy)
 - synthesis of aniline-type analogues of farnesyl diphosphate and their biological assays for prenyl protein transferase inhibitory activity, 1277
- Photodegradation
 - multivariate least squares regression applied to the spectrophotometric analysis of manidipine and its main photoproduct, 909
- Photostability
 - photostability studies on the furosemide-triamterene drug association, 867
- pH-Partition profiles
 - pH-Partition profiles of 4-(3-oxo-1,2-benzisothiazolin-2-yl)phenyl and phenoxyalkanoic acids, 989
- 3,3'-(1-Piperidino) substituted methylene-bis-isoxazoles
- synthesis of 3,3'-(1-piperidino)substituted methylene-bis-isoxazoles preventing stimulus-induced leukocytes activation, 121 Piperidinyl
 - synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859
- Piracetam-like drugs

2-pyrrolidinone moiety is not critical for the cognition-enhancing activity of piracetam-like drugs, 715

Piribedil

quantitative determination of some pharmaceutical piperazine derivatives through complexation with iron(III) chloride, 573

pK_a

pH-Partition profiles of 4-(3-oxo-1,2-benzisothiazolin-2-yl)phenyl and phenoxyalkanoic acids, 989

Plant

- preliminary biological assay on cerebroside mixture from *Euphorbia nicaeensis* All. Isolation and structure determination of five glucocerebrosides, 809
- Plastic membrane
 - determination of ambroxol hydrochloride in pure solutions and some of its pharmaceutical preparations under batch and FIA conditions, 581

Platelet antiaggregating and antiproliferative activities

- synthesis of *N*-substituted-*N*-acylthioureas of 4-substituted piperazines endowed with local anaesthetic, antihyperlipidemic, antiproliferative activities and antiarrythmic, analgesic, antiaggregating actions, 765
- Polar group
 - the role of HB-donor groups in the heterocyclic polar fragment of H_3 -antagonists. I. Synthesis and biological assays, 891

Polarography

- polarographic behavior and determination of finasteride, 159 polarographic determination of ciclopirox olamine in pure substance and in different pharmaceutical preparations, 1313 polarographic determination of flubendazole in spiked human
- urine and plasma, 613
- Poly(ethylene glycol)
 - improvement of physicochemical and biopharmaceutical properties of theophylline by poly(ethylene glycol) conjugates, 1307
 - PEGylation of the antimicrobial peptide nisin A: problems and perspectives, 45

Poly(DL-lactide-co-glycolide)

- sustained release of bupivacaine from devices based on chitosan, 1187
- Polynomial regression
 - determination of thiocolchicoside in its binary mixtures (thiocolchicoside-glafenine and thiocolchicoside-floctafenine) by TLC-densitometry, 463
- Potential antifolate agents
 - quinoxaline chemistry. Part 16. 4-Substituted anilino and 4-substituted phenoxymethyl pyrrolo[1,2-a]quinoxalines and *N*-[4-(pyrrolo[1,2-a]quinoxalin-4-yl)amino and hydroxymethyl] benzoyl glutamates. Synthesis and evaluation of in vitro biological activity, 639

Potentiometry and conductimetry

determination of ambroxol hydrochloride in pure solutions and some of its pharmaceutical preparations under batch and FIA conditions, 581

Prodrug

proline analogue of melphalan as a prodrug susceptible to the action of prolidase in breast cancer MDA-MB 231 cells, 1113

Prolidase

- proline analogue of melphalan as a prodrug susceptible to the action of prolidase in breast cancer MDA-MB 231 cells, 1113
- Proline analogue of melphalan
 - proline analogue of melphalan as a prodrug susceptible to the action of prolidase in breast cancer MDA-MB 231 cells, 1113
- Proline dipeptides
 - structural characterization of a dipeptide compound with immunostimulant activity: 3-(5-thioxo-L-prolyl)-L-thiazolidine-4-carboxylic acid, 883

Propranolol

- spectrophotometric determination of propranolol in formulations via oxidative coupling with 3-methylbenzothiazoline-2one hydrazone, 1179
- synthesis, β-adrenergic blocking activity and β-receptor binding affinities of 1-substituted-3-(2-isopropyl-5-methyl-phenoxy)propan-2-ol oxalates, 557
- Pseudoreceptor modeling
 - 3D QSAR studies for the β-tubulin binding site of microtubulestabilizing anticancer agents (MSAAs): A pseudoreceptor model for taxanes based on the experimental structure of tubulin, 659
 - 3D QSAR studies of the interaction between β -tubulin and microtubule stabilizing antimitotic agents (MSAA). A combined pharmacophore generation and pseudoreceptor modeling approach applied to taxanes and epothilones, 357

Pyrazole derivatives

4-substituted 1,5-diarylpyrazole, analogues of celecoxib: synthesis and preliminary evaluation of biological properties, 795 Pyrazolyl-acetanilides

new substituted 2-(pyrazol-1-yl)-dialkylacetanilides with potential local anesthetic and antiarrhythmic action. Part II, 301 Pyridazino[4,3-b]indoles

synthesis and biological evaluation of pyridazino[4,3-b]indoles and indeno[1,2-c]pyridazines as new ligands of central and peripheral benzodiazepine receptors, 129

2-[5-(Pyridin-2-yl)-1,3,4-thiadiazol-2-ylthio]acetic acid (3,4-diaryl-3*H*-thiazol-2-ylidene)-hydrazide derivatives

synthesis and antimycobacterial activity of (3,4-diaryl-3*H*-thiazol-2-ylidene)-hydrazide derivatives, 631

Pyrido[2,3-d]pyrimidines

synthesis and pharmacological properties of *N*,*N*-dialkyl(dialkenyl)amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-5-carboxylic acid, 25 Pyrimidine-2,4-dione derivatives

antiparasitic activity of highly conjugated pyrimidine-2,4-dione derivatives, 1263

Pyrimido[2,1-f]theophyllines

pyrimidin-8-on[2,1-f]theophylline-9-alkylcarboxylic acids amides as A_1 and A_{2A} adenosine receptor ligands, 439

Pyrrole scaffold

- 2,4-dicarboxy-pyrroles as selective non-competitive mGluR1 antagonists: an exploration of the role of the pyrrolic scaffold, 1005
- Pyrrolidine-2,5-dione
 - synthesis and anticonvulsant properties of new N-[(4-arylpiperazin-1-yl)-methyl] derivatives of 3-aryl pyrrolidine-2,5-dione and 2-aza-spiro[4.4]nonane-1,3-dione, 1227
- Pyrrolidinols
 - synthesis and pharmacological evaluation of new N-methylarylpyrrolidinols with analgesic activity, 939
- 2-Pyrrolidinone
 - 2-pyrrolidinone moiety is not critical for the cognition-enhancing activity of piracetam-like drugs, 715

Pyrrolo[1,2-a]quinoxalines

quinoxaline chemistry. Part 16. 4-Substituted anilino and 4-substituted phenoxymethyl pyrrolo[1,2-a]quinoxalines and *N*-[4-(pyrrolo[1,2-a]quinoxalin-4-yl)amino and hydroxymethyl] benzoyl glutamates. Synthesis and evaluation of in vitro biological activity, 639

QSAR

- a novel potentiometric approach for detection of beta-adrenergics and beta-adrenolytics in high-performance liquid chromatography, 591
- anticancer bisquaternary heterocyclic compounds: a ras-ional design, 221
- comparative QSAR of the sulfonamide function, 625 Quality assessment
 - simple high-performance liquid chromatographic method for the determination of acyclovir in pharmaceuticals, 1301
- Quality control
- ibuprofen quality control by electrochromatography, 699 Quasi-emulsion solvent diffusion method
- preparation and in vitro evaluation of modified release ketoprofen microsponges, 101
- Quinapril
 - square wave voltammetric determination of the angiotensin-converting enzyme inhibitors cilazapril, quinapril and ramipril in pharmaceutical formulations, 343

Quinazoline compounds

- searching for cyclazosin analogues as α_{1B} -adrenoceptor antagonists, 477
- Quinolizidine alkaloids

cytisine derivatives as ligands for neuronal nicotine receptors and with various pharmacological activities, 265

Quinolizidine derivatives

N-Homolupinanoyl and *N*-(ω -lupinylthio)alkanoyl derivatives of some tricyclic systems as ligands for muscarinic M₁ and M₂ receptor subtypes, 669

Quinoxalines

quinoxalin-2-ones: Part 5. Synthesis and antimicrobial evaluation of 3-alkyl-, 3-halomethyl- and 3-carboxyethylquinoxaline-2ones variously substituted on the benzo-moiety, 1251

2-Quinoxalinones

quinoxalin-2-ones: Part 5. Synthesis and antimicrobial evaluation of 3-alkyl-, 3-halomethyl- and 3-carboxyethylquinoxaline-2ones variously substituted on the benzo-moiety, 1251

Rabbit aortic rings

dazo[2,1-b][1,3,5]benzotriazepines with vasocontractile activity in rabbit aortic rings, 1171

Ramipril

- square wave voltammetric determination of the angiotensin-converting enzyme inhibitors cilazapril, quinapril and ramipril in pharmaceutical formulations, 343
- $\sigma_{\rm R}$ and $\sigma_{\rm R}^+$ parameters
 - anticancer bisquaternary heterocyclic compounds: a ras-ional design, 221

Ratio spectra first derivative spectrophotometry

kinetic study of alkaline induced hydrolysis of the skeletal muscle relaxant chlorzoxazone using ratio spectra first derivative spectrophotometry, 337

RDX

determination of cyclonite (RDX) in human plasma by high-performance liquid chromatography, 445

Receptor

- synthesis and antagonistic activity at muscarinic receptor subtypes of some derivatives of diphenidol, 651
- Rectal administration
 - in vitro drug liberation and kinetics of sustained release indomethacin suppository, 509
- Release area
 - a study on the release mechanism of drugs from hydrophilic partially coated perforated matrices, 971
- Release mechanism
 - a study on the release mechanism of drugs from hydrophilic partially coated perforated matrices, 971

Reperfusion injuries

- synthesis of 3,3'-(1-piperidino)substituted methylene-bis-isoxazoles preventing stimulus-induced leukocytes activation, 121 Rheology
 - coagels from alkanoyl-6-O-ascorbic acid derivatives as drug carriers: structure and rheology, 1271

Rifampicin

in vitro evaluation of food effect on the bioavailability of rifampicin from antituberculosis fixed dose combination formulations, 1099

RP-HPLC

determination of a novel angiotensin-AT₁ antagonist CR 3210 in biological samples by HPLC, 837

stability indicating methods for the determination of aceclofenac, 91

RSD₁ spectrophotometry

stability indicating methods for the determination of aceclofenac, 91

Safety

- the safety of pharmaceutical excipients, 541
- SAR
 - synthesis and antagonistic activity at muscarinic receptor subtypes of some derivatives of diphenidol, 651

SARs studies

4-amino-3(2H)-pyridazinones bearing arylpiperazinylalkyl groups and related compounds: synthesis and antinociceptive activity, 1063

Schiff bases

- novel thiazolyl, thiazolinyl and benzothiazolyl Schiff bases as possible lipoxygenase's inhibitors and anti-inflammatory agents, 489
- Second derivative of the ratio spectrum
- determination of two ternary mixtures containing phenobarbitone by second derivative of the ratio spectrum-zero-crossing and HPLC methods, 377
- 1,2,3-Selenadiazole
 - synthesis and in vitro antifungal and cytotoxicity evaluation of substituted 4,5-dihydronaphtho[1,2-*d*][1,2,3]thia(or selena)diazoles, 63

synthesis and structure of novel 2,3, 5,6-tetrahydro-1H-imi-

Sequential injection analysis

determination of bopindolol by sequential injection technique with spectrophotometric detection, 1057

Serotonin

synthesis and affinity for serotonin and dopamine transporters of some benzophenone oxime ether derivatives, 977

Sertraline hydrochloride

rapid and simple methods for quantitative analysis of some antidepressant in pharmaceutical formulations by using first derivative spectrophotometry and HPLC, 1209

Serum

- spectrofluorimetric determination of velnacrine in human serum and urine, 1257
- (S)-(+)-Flurbiprofen
 - different in vitro activity of flurbiprofen and its enantiomers on human articular cartilage, 1339

Sodium alginate

investigations on mefenamic acid sustained release tablets with water-insoluble gel, 397

Sodium cholate

- mucoadhesive microspheres containing gentamicin sulfate for nasal administration: preparation and in vitro characterization, 11
- Spectrofluorimetry
 - a new spectrofluorimetric method for the determination of lisinopril in tablets, 165
 - spectrofluorimetric determination of velnacrine in human serum and urine, 1257

Spectrophotometry

- 3-aminophenol as a novel coupling agent for the spectrophotometric determination of sulfonamide derivatives, 1295
- application of ninhydrin to spectrophotometric determination of famotidine in drug formulations, 1045
- four simple procedures for the assay of methdilazine in bulk drug and in tablets and syrup using potassium iodate, 285
- quantitative determination of some pharmaceutical piperazine derivatives through complexation with iron(III) chloride, 573
- sensitive spectrophotometric determination of amlodipine and felodipine using iron(III) and ferricyanide, 141
- spectrophotometric determination of fenoterol hydrobromide in pure form and dosage forms, 1033
- two simple methods for the estimation of albendazole and its dosage forms using chloramine-T, 527
- Spectroscopy

spectrophotometric determination of propranolol in formulations via oxidative coupling with 3-methylbenzothiazoline-2one hydrazone, 1179

- Spiked plasma
 - polarographic determination of flubendazole in spiked human urine and plasma, 613
- Spiked urine
 - polarographic determination of flubendazole in spiked human urine and plasma, 613
- Spironolactone
 - spectophotometric quantitative resolution of hydrochlorothiazide and spironolactone in tablets by chemometric analysis methods, 1151
- Spirosuccinimides
 - synthesis and anticonvulsant properties of new *N*-[(4-arylpiperazin-1-yl)-methyl] derivatives of 3-aryl pyrrolidine-2,5-dione and 2-aza-spiro[4.4]nonane-1,3-dione, 1227

Spray drying

mucoadhesive microspheres containing gentamicin sulfate for nasal administration: preparation and in vitro characterization, 11 Square wave voltammetry

- square wave voltammetric determination of the angiotensin-converting enzyme inhibitors cilazapril, quinapril and ramipril in pharmaceutical formulations, 343
- Stability
 - a validated spectrophotometric and liquid chromatography method for determination and purity evaluation of 4methoxy-2-[2-hydroxy-3(4-phenyl-1-piperazinyl)]propyl-2,3-dihydro-6-methyl-1,3-dioxo-1*H*-pyrrolo[3,4-c]pyridine, 513
- Stability in the solid phase

kinetics of cefamandole nafate degradation in solid phase, 309 Stability study

kinetic study of alkaline induced hydrolysis of the skeletal muscle relaxant chlorzoxazone using ratio spectra first derivative spectrophotometry, 337

Steroid receptors

- synthesis and relative binding affinity to human steroid receptors of substituted 3-aryloxycoumarins, 1201
- Stopped flow technique
 - determination of bopindolol by sequential injection technique with spectrophotometric detection, 1057

Stress

effects of the vasoactive intestinal peptide on stress-induced mucosal ulcers and modulation of methylation of histamine in gastric tissue of the rats, 449

Stress-induced gastric ulcers

effects of the vasoactive intestinal peptide on stress-induced mucosal ulcers and modulation of methylation of histamine in gastric tissue of the rats, 449

Structural studies

structural characterization of a dipeptide compound with immunostimulant activity: 3-(5-thioxo-L-prolyl)-L-thiazolidine-4-carboxylic acid, 883

Structure-activity relationship

synthesis and anti-measles virus activity of new isoquinolin-4-one derivatives, 1217

- Structure-activity relationship
 - in silico screening with benzofurane- and benzopyrane-type MDR-modulators, 185

Structure-activity relationships

- substituted 5-aroylpyrazine-2-carboxylic acid derivatives: synthesis and biological activity, 1105
- synthesis and biological evaluation of pyridazino[4,3-b]indoles and indeno[1,2-c]pyridazines as new ligands of central and peripheral benzodiazepine receptors, 129
- Styrylbenzofuran
 - synthesis of styrylbenzofuran derivatives as styrylquinoline analogues for HIV-1 integrase inhibitor, 1243
- Sulfa drugs
 - 3-aminophenol as a novel coupling agent for the spectrophotometric determination of sulfonamide derivatives, 1295

Superoxide anion

synthesis of 3,3'-(1-piperidino)substituted methylene-bis-isoxazoles preventing stimulus-induced leukocytes activation, 121 Suppository

in vitro drug liberation and kinetics of sustained release indomethacin suppository, 509

Surfactants

coagels from alkanoyl-6-O-ascorbic acid derivatives as drug carriers: structure and rheology, 1271

- Suspension
 - preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131

Suspensions

gas chromatographic method for determining very long chain fatty acids that compose D003 in aqueous suspensions from 20 to 200 mg/ml, used in pharmacological and toxicological studies, 521

Sustained release

- investigations on mefenamic acid sustained release tablets with water-insoluble gel, 397
- in vitro drug liberation and kinetics of sustained release indomethacin suppository, 509

Swelling volume

- an in vitro investigation for vaginal bioadhesive formulations: bioadhesive properties and swelling states of polymer mixtures, 391
- Synthesis
 - 4-amino-3(2H)-pyridazinones bearing arylpiperazinylalkyl groups and related compounds: synthesis and antinociceptive activity, 1063
 - an alternative procedure for preparation of cefdinir, 409
 - an improved method for preparation of cefpodoxime proxetil, 363
 - synthesis and anti-measles virus activity of new isoquinolin-4-one derivatives, 1217
 - synthesis and hypoglycemic activity of some substituted flavonyl thiazolidinedione derivatives—fifth communication: flavonyl benzyl substituted 2,4-thiazolidinediones, 79
 - synthesis and in vitro calcium antagonist activity of 4-aryl-7,7dimethyl/1,7,7-trimethyl-1,2,3,4,5,6,7,8-octahydroquinazoline-2,5-dione derivatives, 17
 - synthesis and pharmacological properties of *N*,*N*-dialkyl(dialkenyl)amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-d]pyrimidine-5-carboxylic acid, 25
 - synthesis and structure of novel 2,3, 5,6-tetrahydro-1*H*-imidazo[2,1-b][1,3,5]benzotriazepines with vasocontractile activity in rabbit aortic rings, 1171
 - synthesis, X-ray crystal structure and biological properties of acetylenic flavone derivatives, 875

Synthesis of [125I]CGP84963

ligands for expression cloning and isolation of GABA_B receptors, 173

Synthetic vaccine

synthesis of new P₃CS derivatives and their mitogenic activity on in vitro mice splenocytes, 329

Tablet

spectophotometric quantitative resolution of hydrochlorothiazide and spironolactone in tablets by chemometric analysis methods, 1151

Tablets and creams

D-tartaric acid derivatives

synthesis and anti-HIV activity of new C₂ symmetric derivatives designed as HIV-1 protease inhibitors, 149

Taurine

synthesis and activity of HCO-Met-Leu-Phe-OMe analogues containing β-alanine or taurine at the central position, 1121

```
Taxanes
```

- 3D QSAR studies for the β-tubulin binding site of microtubulestabilizing anticancer agents (MSAAs): A pseudoreceptor model for taxanes based on the experimental structure of tubulin, 659
- 3D QSAR studies of the interaction between β -tubulin and microtubule stabilizing antimitotic agents (MSAA). A combined pharmacophore generation and pseudoreceptor modeling approach applied to taxanes and epothilones, 357

Tecoma stans

isolation and pharmacological activities of the Tecoma stans alkaloids, 781

Ternary mixture

- determination of two ternary mixtures containing phenobarbitone by second derivative of the ratio spectrum-zero-crossing and HPLC methods, 377
- 2,3,5,6-Tetrahydro-1H-imidazo[2,1-b][1,3,5]benzotriazepines
 - synthesis and structure of novel 2,3, 5,6-tetrahydro-1*H*-imidazo[2,1-b][1,3,5]benzotriazepines with vasocontractile activity in rabbit aortic rings, 1171
- Tetralin synthesis
 - conformation by NMR of two tetralin-based receptor ligands, 469

Tetraphenylborate

determination of ambroxol hydrochloride in pure solutions and some of its pharmaceutical preparations under batch and FIA conditions, 581

Theophylline

- improvement of physicochemical and biopharmaceutical properties of theophylline by poly(ethylene glycol) conjugates, 1307
- Thermodynamic parameters
- kinetics of cefamandole nafate degradation in solid phase, 309 1,3,4-Thiadiazole
 - antituberculosis agents VIII: Synthesis and in vitro antimycobacterial activity of alkyl α-[5-(5-nitro-2-thienyl)-1,3,4-thiadiazole-2-ylthio]acetates, 1073

1,2,3-Thiadiazole

synthesis and in vitro antifungal and cytotoxicity evaluation of substituted 4,5-dihydronaphtho[1,2-d][1,2,3]thia(or selena)diazoles, 63

Thiocolchicoside

determination of thiocolchicoside in its binary mixtures (thiocolchicoside-glafenine and thiocolchicoside-floctafenine) by TLC-densitometry, 463

Thioctic acid

kinetic spectrophotometric determination of some sulfur containing compounds in pharmaceutical preparations and human serum, 1325

Thioimide

tumor necrosis factor-alpha production-regulating activity of phthalimide derivatives in genetically modified murine melanoma cells B78H1, 371

Thiouracil

conformationally restrained ceramide analogues: effects of lipophilic modifications on the antiproliferative activity, 85 Thioureidic compounds

- antioxidant activity of thioureidic derivatives I, 823
- THP1 cells
 - antiparasitic activity of highly conjugated pyrimidine-2,4-dione derivatives, 1263

Thrombosis

competitive interfacial adsorption of blood proteins, 1017 Thymol

synthesis, β-adrenergic blocking activity and β-receptor binding affinities of 1-substituted-3-(2-isopropyl-5-methyl-phenoxy)propan-2-ol oxalates, 557

Tianeptine analogues

neuropharmacological study of hetero[2,1]benzothiazepine derivatives analogues of tianeptine, 1

Titrimetry

- four simple procedures for the assay of methdilazine in bulk drug and in tablets and syrup using potassium iodate, 285
- two simple methods for the estimation of albendazole and its dosage forms using chloramine-T, 527

TLC

a validated spectrophotometric and liquid chromatography method for determination and purity evaluation of 4methoxy-2-[2-hydroxy-3(4-phenyl-1-piperazinyl)]propyl-2,3dihydro-6-methyl-1,3-dioxo-1*H*-pyrrolo[3,4-c]pyridine, 513

quantitative determination of some pharmaceutical piperazine derivatives through complexation with iron(III) chloride, 573

TLC-densitometry

stability indicating methods for the determination of aceclofenac, 91

TLC-densitometry

- determination of thiocolchicoside in its binary mixtures (thiocolchicoside-glafenine and thiocolchicoside-floctafenine) by TLC-densitometry, 463
- TNF-α
 - tumor necrosis factor-alpha production-regulating activity of phthalimide derivatives in genetically modified murine melanoma cells B78H1, 371
- Topoisomerase I
 - some new bi- and ter-benzimidazole derivatives as topoisomerase I inhibitors, 497
- Toxicity
 - antiparasitic activity of highly conjugated pyrimidine-2,4-dione derivatives, 1263
 - the safety of pharmaceutical excipients, 541

Tramadol

validation of a GC/MS method for the determination of tramadol in human plasma after intravenous bolus, 947

Transmissible spongiform encephalopathies (TSE)

- congo red analogues as potential anti-prion agents, 929 TRH
- preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131

Triamterene

- photostability studies on the furosemide-triamterene drug association, 867
- 1,2,3-Triazolo[4,5-d]pyrimidines
 - characterization and preliminary use of 1-, 2- and 3-methyl-5phenyl-7-chloro-1,2,3-triazolo[4,5-d]pyrimidine as reaction intermediates, 551
- 1,2,3-Triazolo[4,5-e]1,2,4-triazolo
 - characterization and preliminary use of 1-, 2- and 3-methyl-5phenyl-7-chloro-1,2,3-triazolo[4,5-d]pyrimidine as reaction intermediates, 551

Tricyclic pyrazole

chromophore-modified bis-benzo[g]indole carboxamides: synthesis and antiproliferative activity of bis-benzo[g]indazole-3carboxamides and related dimers, 749

Tricyclic theophylline derivatives

- pyrimidin-8-on[2,1-f]theophylline-9-alkylcarboxylic acids amides as A₁ and A_{2A} adenosine receptor ligands, 439
- Triglycerides
 - synthesis and hypolipidemic activity of N-substituted phthalimides. Part V, 1283

Trimetazidine hydrochloride

- quantitative determination of some pharmaceutical piperazine derivatives through complexation with iron(III) chloride, 573
- Tripalmitoyl-S-glyceryl-Cys-Ser derivative

synthesis of new P₃CS derivatives and their mitogenic activity on in vitro mice splenocytes, 329

Tryptophan metabolism

- enzyme activities of tryptophan metabolism along the kynurenine pathway in various species of animals, 829 Tuberculostatic agents
 - synthesis of 3- or 4-phenyl-1,8-naphthyridine derivatives and evaluation of antimycobacterial and antimicrobial activity, 859

Tuberculostatics

3-benzyl-2*H*-1,3-benzoxazine-2,4(3*H*)-diones, a new group of antimycobacterial compounds against potentially pathogenic strains, 1137

Tubulin

docking experiments showing similar recognition patterns of

paclitaxel when interacting with different macromolecular targets, 691

- 3D QSAR studies for the β -tubulin binding site of microtubulestabilizing anticancer agents (MSAAs): A pseudoreceptor model for taxanes based on the experimental structure of tubulin, 659
- 3D QSAR studies of the interaction between β -tubulin and microtubule stabilizing antimitotic agents (MSAA). A combined pharmacophore generation and pseudoreceptor modeling approach applied to taxanes and epothilones, 357

Tumor immunotherapy

synthesis of new P_3CS derivatives and their mitogenic activity on in vitro mice splenocytes, 329

Tumor xenograft

ceramide analogues in apoptosis: a new strategy for anticancer drug development, 205

Two-way ANOVA

- determination of thiocolchicoside in its binary mixtures (thiocolchicoside-glafenine and thiocolchicoside-floctafenine) by TLC-densitometry, 463
- Uncompetitive antagonists
 - binding modes of noncompetitive AMPA antagonists: a computational approach, 107

Uracil

conformationally restrained ceramide analogues: effects of lipophilic modifications on the antiproliferative activity, 85 Urethanic bond

synthesis and activity of novel glutathione analogues containing an urethane backbone linkage, 787

Urine

- spectrofluorimetric determination of velnacrine in human serum and urine, 1257
- spectrophotometric determination of labetalol in pharmaceutical preparations and spiked human urine, 293

UV

- a validated spectrophotometric and liquid chromatography method for determination and purity evaluation of 4methoxy-2-[2-hydroxy-3(4-phenyl-1-piperazinyl)]propyl-2,3dihydro-6-methyl-1,3-dioxo-1*H*-pyrrolo[3,4-c]pyridine, 513
- UV sunscreen

a novel sunscreen agent having antimelanoma activity, 1163

Vaginal administration

an in vitro investigation for vaginal bioadhesive formulations: bioadhesive properties and swelling states of polymer mixtures, 391

Validation

- gas chromatographic method for determining very long chain fatty acids that compose D003 in aqueous suspensions from 20 to 200 mg/ml, used in pharmacological and toxicological studies, 521
- validation of a GC/MS method for the determination of tramadol in human plasma after intravenous bolus, 947

Variamine blue

four simple procedures for the assay of methdilazine in bulk drug and in tablets and syrup using potassium iodate, 285

- Vasoactive intestinal peptide
 - effects of the vasoactive intestinal peptide on stress-induced mucosal ulcers and modulation of methylation of histamine in gastric tissue of the rats, 449

Vasodilation

synthesis and vasodilating properties of *N*-alkylamide derivatives of 4-amino-3-furoxancarboxylic acid and related azo derivatives, 677 Velnacrine

spectrofluorimetric determination of velnacrine in human serum and urine, 1257

Virucides

functionalized alkyl and aryl diselenides as antimicrobial and antiviral agents: synthesis and properties, 1235

Viscosity

- chromophore-modified bis-benzo[g]indole carboxamides: synthesis and antiproliferative activity of bis-benzo[g]indazole-3carboxamides and related dimers, 749
- influence of the concentration of a gelling agent and the type of surfactant on the rheological characteristics of oleogels, 1289

Voltammetry.

polarographic determination of ciclopirox olamine in pure substance and in different pharmaceutical preparations, 1313

Voltammetry

determination of pantoprazole by adsorptive stripping voltammetry at carbon paste electrode, 535

polarographic determination of flubendazole in spiked human urine and plasma, 613

Wittig reaction

- synthesis of styrylbenzofuran derivatives as styrylquinoline analogues for HIV-1 integrase inhibitor, 1243
- X-ray structure analysis
 - synthesis and structure of novel 2,3, 5,6-tetrahydro-1*H*-imidazo[2,1-b][1,3,5]benzotriazepines with vasocontractile activity in rabbit aortic rings, 1171

X-ray structures

synthesis, X-ray crystal structure and biological properties of acetylenic flavone derivatives, 875

Zero-order kinetics

a study on the release mechanism of drugs from hydrophilic partially coated perforated matrices, 971

Zn(II)

preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131

Zn(II)-peptide complex

preparation and properties of selected Zn(II)-peptide complexes in suspension, 1131

Zwitterionic oligonucleotides

structural modifications of antisense oligonucleotides, 243