

Additions and Corrections

1991, Volume 30

John H. Yamamoto, Wesley Yoshida, and Craig M. Jensen*: Unusual Reversible Dimerization of a μ -Pyridine-2-thiolato (pyS) Complex: Crystal Structure of $\text{Pd}_2(\mu\text{-}N\text{-}S\text{-}\eta^2\text{-pyS})_2\text{Cl}_2(\text{PMe}_3)_2$.

Pages 1353–1357. The energetics reported for the dimer–monomer interconversion involving $\text{Pd}_2(\mu\text{-}N\text{-}S\text{-}\eta^2\text{-pyS})_2\text{Cl}_2(\text{PMe}_3)_2$ were based on erroneous equilibrium constants. The correctly determined energetics are as follows: for the ^{31}P NMR study, $\Delta H = 52 \text{ kJ mol}^{-1}$ and $\Delta S = 122 \text{ J K}^{-1} \text{ mol}^{-1}$; for the ^1H NMR study, $\Delta H = 43 \text{ kJ mol}^{-1}$ and $\Delta S = 107 \text{ J K}^{-1} \text{ mol}^{-1}$.

1992, Volume 31

Glenn P. A. Yap and Craig M. Jensen*: Dynamic Behavior and Crystal Structures of $\text{Pd}_2(\mu_{\text{NS}},\eta^2\text{-L})_2\text{Cl}_2(\text{PMe}_3)_2$ (L = Pyrimidine-2-thiolate, 4-Methylpyrimidine-2-thiolate, and Methylimidazole-2-thiolate): Influence of the N–C–S Bond Angle on the Stability of (Heterocyclic 2-thiolato)dipalladium Complexes.

Pages 4823–4828. The energetics reported for the dimer–monomer interconversion involving $\text{Pd}_2(\mu_{\text{NS}},\eta^2\text{-primS})_2\text{Cl}_2(\text{PMe}_3)_2$ were based on erroneous equilibrium constants. The correctly determined energetics are $\Delta H = 42 \text{ kJ mol}^{-1}$ and $\Delta S = 123 \text{ J K}^{-1} \text{ mol}^{-1}$.