This article was downloaded by: On: *18 January 2011* Access details: *Access Details: Free Access* Publisher *Taylor & Francis* Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



To cite this Article (1994) 'Erratum', International Journal of Environmental Analytical Chemistry, 56: 1, i - ii To link to this Article: DOI: 10.1080/03067319408044411 URL: http://dx.doi.org/10.1080/03067319408044411

## PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

## **ERRATUM**

In volume 53 number 3 of the *International Journal of Environmental Analytical Chemistry*, Figure 1 and Figure 2 of the paper, "Simultaneous Determination and Confirmation of Sodium N-Methyldithiocarbamate (Metham Sodium<sup>R</sup>) and Methyl Isothiocyanate in Water by High Performance Liquid Chromatography with Diode Array Detection" by J. S. Dhoot, A. R. del Rosario and B. R. Tamplin, should have appeared as follows:



Figure 1 UV absorption chromatograms (at 242 nm and 284 nm) showing MITC and sodium N-methyldithiocarbamate in raw surface water at 10 mg/L each using Supelcosil LC-SAX column ( $25 \text{ cm x} 4.6 \text{ mm x} 5 \mu \text{m}$  particle size), solvent (45/55 V/V) methanol/buffered water (pH 6.9) containing 10 mM CTAB, potassium dihydrogen phosphate and disodium hydrogen phosphate.



**Figure 2 (a,b,d)** UV/VIS spectra for MITC and sodium N-methyldithiocarbamate and the interferent corresponding to chromatographic peaks 1, 2 and 3. (c) UV/VIS spectra for MITC taken from chromatographic peak of raw surface water at  $100 \mu g/L$  and matched with that of standard from spectral library.

The authors and Publisher sincerely apologize for this error.