

# Index to Volume 16, 1995

## Author/Title Index

- Akintunde, K. *See Babus'Haq, R. F.*, 50  
Akyurt, M., Lamfon, N. J., Najjar, Y.S.H., Habeebulah, M. H. and Alp, T. Y.: Modeling of waste heat recovery by looped water-in-steel heat pipes, 263  
Ali, M. E.: On thermal boundary layer on a power-law stretched surface with suction or injection, 280  
Alp, T. Y. *See Akyurt, M.*, 263  
Asano, T. *See Obi, S.*, 398  
Aung, W. *See Jeng, Y. N.*, 25  
Azevedo, I., Lebouche, M. and Devienne, R.: Laminar cooling of pseudoplastic fluids flowing through cylindrical horizontal pipes, 125  
  
Babus'Haq, R. F., Akintunde, K. and Probert, S. D.: Thermal performance of a pin-fin assembly, 50  
Balaji, C. and Venkateshan, S. P.: Combined conduction, convection and radiation in a slot, 139  
Baughn, J. W.: Liquid crystal methods for studying turbulent heat transfer, 365  
Bejan, A. *See Vargas, J.V.C.*, 211  
Bejan, A., Kim, S. J., Morega, A. M. and Lee, S. W.: Cooling of stacks of plates shielded by porous screens, 16  
Beppu, H. *See Miyake, Y.*, 333  
Bethancourt, A. M. *See Obi, S.*, 398  
Bisaka, T. *See Inoue, O.*, 327  
Brun, K. *See Flack, R. D.*, 106  
  
Cakmakci, S. R. and Hankey, W. L.: Parabolic numerical method for investigating free surface flows, 178  
Chakroun, W., Taylor, R. and Medhin, M.: Investigation of the effect of a smooth strip on rough-wall turbulent boundary layers, 163  
Chang, F. and Dhir, V. K.: Mechanisms of heat transfer enhancement and slow decay of swirl in tubes using tangential injection, 78  
Chen, J. and Herold, K. E.: Buoyancy effects on the mass transfer in absorption with a nonabsorbing gas, 536  
Chen, J. L. *See Jeng, Y. N.*, 25  
Chen, Y-Y *See Jeng, Y. N.*, 25  
Chew, J. W., Lapworth, B. L. and Millener, P. J.: Mathematical modeling of brush seals, 493  
Chew, Y. T. *See Zhang, D. H.*, 88  
Chew, Y. T., Shi, S. X. and Khoo, B. C.: On the numerical near-wall corrections of single hot-wire measurements, 471  
Chung, M. K. *See Kim, S. K.*, 194  
Comte, P. *See Ducros, F.*, 341  
Cotton, M. A. and Kirwin, P. J.: A variant of the low-Reynolds-number two-equation turbulence model applied to variable property mixed convection flows, 486  
  
Dall'Olio, R. *See Spiga, M.*, 307  
Devienne, R. *See Azevedo, I.*, 125; Nouar, C., 223  
Dhir, V. K. *See Chang, F.*, 78  
Dong, Z. F. and Ebadian, M. A.: Numerical simulation of double diffusive convection in a V-shaped sump, 236  
Ducros, F., Comte, P. and Lesieur, M.: Large-eddy simulation of a spatially growing boundary layer over an adiabatic flat plate at low Mach number, 341  
  
Ebadian, M. A. *See Dong, Z. F.*, 236  
Echigo, R. *See Obi, S.*, 398  
Eggels, J.G.M. and Somers, J. A.: Numerical simulation of free convective flow using the lattice-Boltzmann scheme, 357  
El-Shaarawi, M.A.I. *See Kodah, Z.*, 36  
Escudier, M. P. and Gouldson, I. W.: Concentric annular flow with centerbody rotation of a Newtonian and a shear-thinning liquid, 156  
  
Facas, G. N.: Natural convection from a buried elliptic heat source, 519  
Fang, P. P. *See Manglik R. M.*, 298  
Fiebig, M.: Embedded vortices in internal flow: heat transfer and pressure loss enhancement, 376  
Flack, R. D., Brun, K. and Schnipke, R. J.: Measurement and prediction of natural convection velocities in triangular enclosures, 106  
Flamant, G. *See Lu, J. D.*, 131  
Floryan, J. M. and Novak, M.: Free convection heat transfer in multiple vertical channels, 244  
Fossa, M.: A simple model to evaluate direct contact heat transfer and flow characteristics in annular two-phase flow, 272  
Frederick, R. L. and Valencia, A.: Natural convection in central microcavities of vertical, finned enclosures of very high aspect ratios, 114  
  
Gao, S. and Voke, P. R.: Large-eddy simulation of turbulent heat transport in enclosed impinging jets, 349  
Garg, V. K. *See Velusamy, K.*, 145  
Gorla, R.S.R. and Nakamura, S.: Mixed convection of a micropolar fluid from a rotating cone, 69  
Gorla, R.S.R., Takhar, H.S., Slaouti, A., Pop, I. and Kumari, M.: Free convection in power-law fluids near a three-dimensional stagnation point, 62  
Görres, J., Schnell, U. and Hein, K.R.G.: Trajectories of burning coal particles in highly swirling reactive flows, 440  
Gouldson, I. W. *See Escudier, M. P.*, 156  
  
Habeebulah, M. H. *See Akyurt, M.*, 263  
Hanjalić, K. *See Kenjereć, S.*, 429  
Hankey, W. L. *See Cakmakci, S. R.*, 178  
Heggs, P. J. *See Ingham, D. B.*, 202  
Heindel, T. J., Incropera, F. P. and Ramadhyani: Conjugate natural convection from an array of discrete heat sources: part 2—a numerical parametric study, 511  
  
Heindel, T. J., Ramadhyani, S. and Incropera, F. P.: Conjugate natural convection from an array of discrete heat sources: part 1—two- and three-dimensional model validation, 501  
Hein, K.R.G. *See Görres, J.*, 440  
Herold, K. E. *See Chen, J.*, 536  
Hishida, K. *See Mori, Y. S.*, 405  
Hyun, J. M. *See Sung, H. J.*, 527  
  
Iacovides, H. and Launder, B. E.: Computational fluid dynamics applied to internal gas-turbine blade cooling: a review, 454  
Iida, O. *See Kasagi, N.*, 2  
Ince, N. Z. and Launder, B. E.: Three-dimensional and heat-loss effects on turbulent flow in a nominally two-dimensional cavity, 171  
Incropera, F. P. *See Heindel, T. J.*, 501  
Ingham, D. B., Watson, P. and Heggs, P. J.: Recirculating laminar mixed convection in a horizontal parallel plate duct, 202  
Inoue, O., Yamazaki, T. and Bisaka, T.: Numerical simulation of forced wakes around a cylinder, 327  
  
Jeng, Y. N., Chen, J. L., Chen, Y.-Y., and Aung, W.: Heat transfer enhancement in a vertical channel with asymmetric isothermal walls by local blowing or suction, 25  
  
Kasagi, N. and Matsunaga, A.: Three-dimensional particle-tracking velocimetry measurement of turbulence statistics and energy budget in a backward-facing step flow, 477  
Kasagi, N., Sumitani, Y., Suzuki, Y. and Iida, O.: Kinematics of the quasi-coherent vortical structure in near-wall turbulence, 2  
Kendoush, A. A.: Low Prandtl number heat transfer to fluids flowing past an isothermal spherical particle, 291  
Kenjereć, S. and Hanjalić, K.: Prediction of turbulent thermal convection in concentric and eccentric horizontal annuli, 429  
Khoo, B. C. *See Chew, Y. T.*, 471  
Kim, S. J. *See Bejan, A.*, 16; Vafai, S. J., 11  
Kim, S. K. and Chung, M. K.: Roles of pressure transport and intermittency for computation of turbulent free shear flows, 194  
Kim, S. Y. *See Sung, H. J.*, 527  
Kirwin, P. J. *See Cotton, M. A.*, 486  
Kobayashi, K. P. *See Obi, S.*, 398  
Kodah, Z. and El-Shaarawi, M.A.I.: Induced flow in isothermally heated vertical annuli with two rotating boundaries, 36  
Kumari, M. *See Gorla, R.S.R.*, 62  
  
Lamfon, N. J. *See Akyurt, M.*, 263  
Lapworth, B. L. *See Chew, J. W.*, 493  
Launder, B. E. *See Iacovides, H.*, 454; Ince, N. Z., 171  
Laursen, T. A. *See Vargas, J.V.C.*, 211  
Lebouché, M. *See Nouar, C.*, 223  
Lebouche, M. *See Azevedo, I.*, 125  
Lee, S. W. *See Bejan, A.*, 16  
Lesieur, M. *See Ducros, F.*, 341; Métais, O., 315  
Lock, G.S.H. *See Minhas, H.*, 186  
Lu, J. D. and Flamant, G.: A quantitative analysis of heat transfer regimes in gas-solid fluidized beds, 131

- Maeda, M. *See* Mori, Y. S., 405  
 Manglik, R. M. and Fang, P. P.: Effect of eccentricity and thermal boundary conditions on laminar fully developed flow in annular ducts, 298  
 Matsunaga, A. *See* Kasagi, N., 477  
 Medhin, M. *See* Chakroun, W., 163  
 Métais, O. and Lesieur, M.: Coherent vortices in thermally stratified and rotating turbulence, 315  
 Millener, P. J. *See* Chew, J. W., 493  
 Minhas, H., Lock, G.S.H. and Wu, M.: Flow characteristics of an air-filled bayonet tube under laminar conditions, 186  
 Miyake, Y., Tsujimoto, K. and Beppu, H.: Direct numerical simulation of a turbulent flow in a channel having periodic pressure gradient, 333  
 Morega, Al. M. *See* Bejan, A., 16  
 Mori, Y. S., Hishida, K. and Maeda, M.: Buoyancy effects on the wake behind a heated obstacle immersed in a turbulent boundary layer, 405  
 Najjar, Y.S.H. *See* Akyurt, M., 263  
 Nakamura, S. *See* Gorla, R.S.R., 69  
 Nakatani, M. *See* Yao, M., 389  
 Nield, D. A.: Onset of convection in a porous medium with nonuniform time-dependent volumetric heating, 217  
 Nouar, C., Lebouché, M., Devienne, R. and Riou, C.: Numerical analysis of the thermal convection for Herschel-Bulkley fluids, 223  
 Novak, M. *See* Floryan, J. M., 244  
 Obi, S., Kobayashi, K. P., Bethancourt, A. M., Yoshida, H., Asano, T. and Echigo, R.: Experimental and computational study of turbulent heat transfer characteristics in serrated channel flow, 398  
 Poots, G. and Skelton, P.L.I.: Thermodynamic models of wet-snow accretion: axial growth and liquid water content on a fixed conductor, 43  
 Pop, I. *See* Gorla, R.S.R., 62  
 Probert, S. D. *See* Babus'Haq, R. F., 50  
 Ramadhyani, S. *See* Heindel, T. J., 501, 511  
 Richelle, E., Tasse, R., Riethmüller, M. L.: Momentum and thermal boundary layer along a slender cylinder in axial flow, 99  
 Riethmüller, M. L. *See* Richelle, E., 99  
 Riou, C. *See* Nouar, C., 223  
 Schnell, U. *See* Görres, J., 440  
 Schnipke, R. J. *See* Flack, R. D., 106  
 Shi, S. X. *See* Chew, Y. T., 471  
 Skelton, P.L.I. *See* Poots, G., 43  
 Slaouti, A. *See* Gorla, R.S.R., 62  
 Somers, J. A. *See* Eggels, J.G.M., 357  
 Spiga, M. and Dall'Olio, R.: Friction factor and Nusselt number in flat tubes with rounded edges, 307  
 Sumitani, Y. *See* Kasagi, N., 2  
 Sung, H. J., Kim, S. Y. and Hyun, J. M.: Forced convection from an isolated heat source in a channel with porous medium, 527  
 Suzuki, K. *See* Yao, M., 389  
 Suzuki, Y. *See* Kasagi, N., 2  
 Takhar, H.S. *See* Gorla, R.S.R., 62  
 Tasse, R. *See* Richelle, E., 99  
 Taylor, R. *See* Chakroun, W., 163  
 Tsujimoto, K. *See* Miyake, Y., 333  
 Vafai, K. and Kim, S. J.: On the limitations of the Brinkman-Forchheimer-extended Darcy equation, 11  
 Vaidyanathan, G. *See* Velusamy, K., 145  
 Valencia, A. *See* Frederick, R. L., 115  
 Vargas, J.V.C., Laursen, T. A. and Bejan, A.: Nonsimilar solutions for mixed convection on a wedge embedded in a porous medium, 211  
 Velusamy, K., Garg, V. K. and Vaidyanathan, G.: Fully developed flow and heat transfer in semi-elliptical ducts, 145  
 Venkateshan, S. P. *See* Balaji, C., 139  
 Vionnet, C. A.: Numerical investigation of the sealing capacity of centrifugal instabilities in shaft seals, 254  
 Voke, P. R. *See* Gao, S., 349  
 Wang, T.-Y.: Mixed convection heat transfer from a vertical plate to non-Newtonian fluids, 56  
 Watson, P. *See* Ingham, D. B., 202  
 Winoto, S. H. *See* Zhang, D. H., 88  
 Wu, M. *See* Minhas, H., 186  
 Yamamoto, M.: Investigation of multiple-time-scale Reynolds stress model in homogeneous anisotropic turbulence, 417  
 Yamazaki, T. *See* Inoue, O., 327  
 Yao, M., Nakatani, M. and Suzuki, K.: Flow visualization and heat transfer experiments in a turbulent channel flow obstructed with an inserted square rod, 389  
 Yoshida, H. *See* Obi, S., 398  
 Zhang, D. H., Winoto, S. H. and Chew, Y. T.: Measurement in laminar and transitional boundary-layer flows on concave surface, 88
- ## Keyword Index
- Absorption chiller, 263
  - Aerodynamic forces, 493
  - Angular velocities, 36
  - Anisotropic porous media, 493
  - Annulus, 429
  - Annulus radius ratio, 36
  - Application of turbulence models, 398
  - Axial flow, 99
  - Axisymmetric flows, 99
  - Backward-facing step, 477
  - Bayonet tube, 186
  - Boundary layer, 69, 99, 163, 280, 291, 341
  - Boundary-layer flow, 88
  - Bristle bending, 493
  - Buoyancy effects, 405
  - Buoyancy force, 236
  - Buoyant flow, 171
  - Centerbody rotation, 156
  - Centrifugal instabilities, 254
  - Channel flow, 2, 333
  - Channel turbulent flow, 389
  - Coal combustion, 440
  - Coherent structure, 2
  - Coherent vortices, 315
  - Concave surface, 88
  - Concentric annulus, 156
  - Conduction, 139
  - Conjugate heat transfer, 501, 511
  - Contact forces, 493
  - Control volume analysis, 145
  - Convective heat transfer, 291
  - Cooling, 125
  - Correlations, 139
  - Coupling, 139
  - Criss-cross motion, 389
  - Cylinder, 99
  - Cylinder wakes, 327
  - Cylindrical duct, 223
  - Database, 333
  - Direct contact heat transfer, 272
  - Direct numerical simulation, 2, 333
  - Dispersed annular flow, 272
  - Double diffusive, 236
  - Drug reduction, 327
  - Duct flows, 298
  - Electronic cooling, 16, 501, 511
  - Energy budget, 477
  - External flow, 291
  - Finite elements, 254
  - Finned cavities, 114
  - Fluid flow, 50
  - Fluids, 125
  - Forced convection, 16, 405, 527
  - Free convection, 244
  - Free convection boundary layer, 62
  - Free convective flow, 357
  - Free shear flow, 194
  - Free surface boundary, 178
  - Friction factors, 202
  - Gas turbine engine, 263
  - Heat exchanger, 186, 298
  - Heat exchanges, 50
  - Heat pipe, 263
  - Heat recovery, 263
  - Heat transfer, 50, 99, 145, 171, 223, 349, 365, 527
  - Heat transfer augmentation, 398
  - Heat transfer enhancement, 78, 376, 389
  - Heat transfer rate, 56
  - Helicity, 2
  - Herschel-Bulkley fluids, 223
  - Horizontal triangular enclosure, 106
  - Hot wire, 471
  - Impinging jets, 349
  - Induced flow characteristics, 36
  - Intermittency, 315
  - Intermittent dye injection method, 389
  - Internal flow, 376
  - Isothermal surfaces, 106
  - Karman vortex, 389
  - Laminar, 88, 125, 186
  - Laminar flow, 106, 145
  - Laminar forced convection, 298
  - Lagrangian simulation, 440
  - Large-eddy simulation, 315, 341, 349
  - Laser Doppler anemometer measurement, 398, 405
  - Lattice-Boltzmann scheme, 357
  - Lip seals, 254
  - Liquid crystals, 365
  - Local heat transfer enhancement, 25
  - Local Nusselt numbers, 202
  - Looped thermosyphon, 263
  - Measurement, 88
  - Micropolar fluids, 69
  - Mixed convection, 25, 69, 202, 211, 486

- Mixed-convection parameter, 56  
 Modeling, 263  
 Multiple-time-scale, 417  
 Multiple vertical channels, 244  
 Natural convection, 16, 106, 114, 139, 217, 429, 501, 511  
 Navier-Stokes, 254  
 Navier-Stokes simulations, 327  
 Near-wall corrections, 471  
 Non-Darcian effects, 11  
 Nonequilibrium flows, 272  
 non-Newtonian, 156  
 Non-Newtonian fluids, 56, 62  
 Nonsimilar solutions, 211  
 Numerical and experimental comparisons, 501  
 Numerical simulation, 236, 357, 511  
 Obstruction by a square rod, 389  
 Open boundaries, 254  
 Overhead power conductors, 43  
 Parabolic method, 178  
 Parallel plate duct, 202  
 Particle-tracking velocimeter, 477  
 Penalty method, 254  
 Periodic forcing, 327  
 Pin-fins, 50  
 Pipe, 125  
 Porous block in a channel, 527  
 Porous media, 11, 211  
 Porous medium, 217  
 Power law, 280  
 Power-lay viscosity index, 56  
 Pressure drop, 223, 527  
 Pressure gradient, 333  
 Pressure loss penalty, 376  
 Pressure-strain correlation, 417  
 Pressure transport, 194  
 Pseudoplastic, 125  
 Radiation, 139  
 Recirculation, 202  
 Recirculation flow, 405  
 Reynolds stress, 2  
 Reynolds stress model, 194, 417  
 Rheology, 62  
 Rotating cone, 69  
 Rotation, 315  
 Rotational parameter, 36  
 Rough wall, 163  
 Round-edged tubes, 307  
 Segment of porous wall, 25  
 Semi-elliptical ducts, 145  
 Separated flow, 315, 477  
 Separation and impingement, 398  
 Separation angle, 291  
 Shear-thinning, 156  
 Skin friction coefficient, 178  
 Slot, 139  
 Small gap, 254  
 Smooth strip, 163  
 Sphere, 291  
 Stack, 263  
 Stagnation point flow, 62  
 Streamwise vortex, 2  
 Stretched surface, 280  
 Strouhal number, 389  
 Subgrid scale (SGS) modeling, 341  
 Swirl flow, 78  
 Temperature profile, 307  
 Thermal structures, 349  
 Thermal systems, 50  
 Thermodependency, 125  
 Thermohydraulics, 307  
 Thin layer, 178  
 Three components 1-D models, 272  
 Time-dependent heating, 217  
 Transition, 376  
 Transitional, 88  
 Turbulence, 2, 78, 194, 315, 333, 341, 365, 477  
 Turbulence modeling, 429, 440  
 Turbulence models, 333, 486  
 Turbulent, 163  
 Turbulent flow, 171, 398, 417  
 Turbulent statistics, 477  
 Two-equation model, 405  
 Two-phase flow, 272  
 Variable properties, 486  
 Velocity measurement, 106  
 Vertical pipe flow, 486  
 Visualization, 2  
 Volumetric heating, 217  
 Vortex generation, 376  
 Vortex merging, 327  
 Vortices, 376  
 V-shaped sump, 236  
 Wall effects, 471  
 Wall skin friction, 56  
 Wall turbulence, 2  
 Wet snow, 43