

Heat transfer bibliography—Japanese works

I. TANASAWA

Institute of Industrial Science, University of Tokyo, 7-22-1 Roppongi, Minato-ku, Tokyo 106, Japan

and

R. ECHIGO

Department of Mechanical Engineering, Tokyo Institute of Technology, 2-12-1 Ohokayama,
Meguro-ku, Tokyo 152, Japan

CONDUCTION

- J. Fukai, Estimation of thermal stress at an early step of coking process, *Kagaku Kogaku (J. Chem. Engng)* **53**(6), 397 (1989).
- J. Hamanaka, Analysis for transient heat conduction, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1661 (1989).
- M. Hasatani, N. Arai and Y. Itaya, Unsteady three-dimensional heat transfer of bread heated in electric oven, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(6), 1160 (1989).
- Y. Hirasawa, A. Saito and E. Takegoshi, A study on phase changes of heterogeneous composite materials (examination by comparing calculation models), *Trans. JAR* **6**(2), 61 (1989).
- Y. Hirose, P. H. Liem, E. Suetomi, T. Obara and H. Sekimoto, Fuel management effects on inherent safety of modular high temperature reactor, *J. Nucl. Sci. Technol. (English)* **26**(7), 647 (1989).
- R. Ishida and Y. Ochiai, On BEM formulation of transient axisymmetric heat conduction problems, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3493 (1989).
- M. Iwakuma, H. Kanetaka, K. Funaki, K. Tasaki and K. Yamafuji, Abnormal quench process in superconducting cabled conductors (I, mechanism of fast quench), *Cryogenic Engng* **24**(5), 262 (1989).
- M. Iwakuma, K. Tasaki, K. Funaki and K. Yamafuji, Abnormal quench process in superconducting cabled conductors (II, fast quench in a 6-strand cable), *Cryogenic Engng* **24**(5), 270 (1989).
- H. Kawamura and H. Ando, Fuel centerline temperature response of LWR fuel rods on reactor scram, *J. Atom. Energy Soc. Japan* **31**(7), 852 (1989).
- K. Kuroda, S. Uchikawa, N. Hara, R. Saito, R. Takeda, K. Murai, T. Kobayashi, S. Suzuki and T. Nakayama, Quench simulation analysis of a superconducting coil (I, experiment), *Cryogenic Engng* **29**(814), 209 (1989).
- K. Kuroda, S. Uchikawa, N. Hara, R. Saito, R. Takeda, K. Murai, T. Kobayashi, S. Suzuki and T. Nakayama, Quench simulation analysis of a superconducting coil (II, simulation), *Cryogenic Engng* **29**(814), 216 (1989).
- K. Mizuhara, Estimation of thermal contact resistance by electrical contact resistance measurement, *J. Mech. Engng Lab.* **43**(5), 242 (1989).
- S. Nishio, Cooling stability of current carrying superconductors (dc superconductors cooled in stagnant coolant), *Monthly J. Inst. Ind. Sci. Univ. Tokyo* **41**(10), 745 (1989).
- T. Nomura, Y. Murakami and M. Uchikawa, A new evaluation method of stored heat effect of reinforced concrete wall of cold storage, *Trans. JAR* **6**(3), 67 (1989).
- T. Nomura, Y. Murakami and M. Uchikawa, Unsteady heat transfer behavior of reinforced concrete wall of cold storage (2: effect of fluctuation of outside temperature), *Trans. JAR* **6**(1), 91 (1989).
- S. Obara, H. Akasaka and S. Kuroki, An analysis of transient heat conduction of void slabs using finite element method (1: on the void slabs with natural convective void air), *Res. Rep. Fac. Engng Kagoshima Univ.* **31** (1989).
- H. Ohkubo, T. Noguchi, Y. Matsubara and T. Ogasawara, Experimental verification of dynamic stability of face-cooled superconducting tape, *Cryogenic Engng* **24**(6), 326 (1989).
- N. Oshima and N. Watari, The calculation of the effective thermal conductivity of media with regularly dispersed parallel cylinders, *J.S.M.E. Int. J., Series II (English)* **32**(2), 225 (1989).
- K. Shinagawa, T. Ishikawa and Y. Hosoi, Compressive flow stress characteristics of carbon steels and stainless steels during cold forging, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(11), 2067 (1989).
- Y. Sorimachi, T. Iwata, I. Tsubata and S. Miyauchi, Temperature distribution for planar heaters with self control temperature (2), *Bull. Nagaoka Univ. Technol.* **11**, 25 (1989).
- K. Takagi, T. Naitou, M. Obashi, T. Inoue and H. Hiraishi, Development of new skid buttons with ceramic composite metal for slab reheating furnace, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(5), 758 (1989).
- M. Tajima, T. Maki and K. Katayama, Relation between carbon content and generated latent heat of phase transformation of steel during quenching, *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1181 (1989).
- T. Tanaka, Y. Yamada, H. Ishiguro, M. Takeuchi, M. Yamashita and S. Kotake, A consideration of thermal burns caused by a mat with hot-water circulation (analysis of heat transfer in a body contacting a mat with hot-water circulation), *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2018 (1989).
- T. Teramoto and M. Saito, Design comparison of coated structures for high heat flux components in fusion reactor, *J. Nucl. Sci. Technol. (English)* **26**(3), 379 (1989).
- K. Torii and R. Liu, Prediction of instantaneous heat flux in an internal combustion engine, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 235 (1990).
- T. Tsukada, Effect of a radiation shield on silicon CZ growth, *Kagaku Kogaku (J. Chem. Engng)* **53**(6), 388 (1989).
- H. Umemiya and T. Mutou, Influence of ferric bacteria on aquifer thermal energy storage (field verification of a colloidal dam effect), *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3803 (1989).
- U. Umemiya and H. Sasaki, The selection of a site suitable for aquifer thermal energy storage, *J.S.M.E. Int. J., Series II (English)* **32**(4), 652 (1989).
- H. Yamamoto, Heat load simulation for refrigerated ware-

house by personal computer, *Refrigeration* **64**(743), 971 (1989).

S. Yamazaki, M. Seki and M. Uno, Crack initiation behaviors of metallic walls subjected to high heat flux expected at plasma disruption, *J. Atom. Energy Soc. Japan* **31**(11), 1251 (1989).

NATURAL CONVECTION AND MIXED CONVECTION

- K. Fukui, Longitudinal vortices in mixed convection in a horizontal duct, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(5), 963 (1989).
- S. Fukusako and M. Takahashi, Free convection heat transfer of air-water layers in a cooled circular tube, *Bull. Fac. Engng Hokkaido Univ.* No. 146, 21 (1989).
- S. Fukusako, M. Takahashi and O. Okagaki, Free convection heat transfer of air water layers in a horizontal cooled circular tube, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1631 (1989).
- N. Himeno, K. Hijikata and K. Kawamoto, Free convection in a stably stratified fluid between vertical plates, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2486 (1989).
- N. Imaishi, T. Tsukada and M. Hozawa, Numerical analysis of velocity, temperature and thermal stress fields in Czochralski furnace, *Rep. Inst. Advanced Material Study Kyushu Unit.* **3**(1), 9 (1989).
- T. Inagaki and N. Kasagi, Numerical analysis of turbulent combined forced and natural convection using $\kappa-e$ turbulence model (aiding flow), *J. Toyota College Technol.* **22**, 1 (1989).
- I. Ishihara and K. Katsuta, Natural convection between vertical parallel plates (a case of asymmetric and partial heating), *Kansai Univ. Inst. Ind. Technol. Gien* **60**, 3 (1989).
- K. Kato, T. Hanzawa, K. Yoshie and T. Takarada, Numerical analysis of transport phenomena between heated vertical parallel plates, *J. Chem. Engng Japan (English)* **23**(1), 64 (1990).
- K. Kato, T. Takarada, K. Yoshie, M. Fukatsu and Y. Ezure, Natural convective flow between heated vertical parallel plates, *J. Chem. Engng Japan (English)* **22**(6), 649 (1989).
- H. Kimoto and Y. Miyawaki, A study on quasi-steady multicellular natural convection induced in a vertical slot, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3680 (1989).
- M. Kimura, A. Tanaka and T. Sukegawa, Gravity effect on growth and dissolution of silicon in LPE system, *Bull. Res. Inst. Elec. Shizuoka Univ.* **24**(2), 91 (1989).
- R. Kimura, The earth as a circulatory system (geophysical flows in the global scale), *J. Japan Soc. Mech. Engrs* **B55**(520), 3733 (1989).
- Y. Ma, K. Sugiyama and R. Ishiguro, Combined convective heat transfer of liquid sodium flowing across tube banks (examination with single row of tube normal to flow in direction of gravity), *J. Atom. Energy Soc. Japan* **31**(5), 599 (1989).
- T. Misumi and K. Kitamura, Natural convection heat transfer in the separation region of a backward-facing step (heat transfer from step), *Trans. Japan Soc. Mech. Engrs* **B56**(521), 115 (1990).
- K. Miyabe and M. Fujii, Natural convection heat transfer in enclosed horizontal fluid layer heated from below, *Rep. Inst. Advanced Material Study Kyushu Univ.* **3**(1), 33 (1989).
- M. Miyamoto, Y. Katoh, T. H. Kuehn and R. J. Goldstein, Two-dimensional laminar natural convection heat transfer from a fully or partially open square cavity, *Memo. Fac. Engng Yamaguchi Univ.* **40**(1), 63 (1989).
- Y. Mori and H. Koizumi, A study of controlling generation of a Bénard cell in the laminar combined convection in a horizontal rectangular duct heated from below, *Japan Soc. Mech. Engrs* **55**(511), 820 (1989).
- Y. Mori, Y. Uchida, H. Koizumi and K. Fukuo, A study of three-dimensionally oscillating natural convection over a heated horizontal rectangular plate installed in a container, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2012 (1989).
- T. Munakata and I. Tanasawa, A study of the onset of oscillatory flow in a Czochralski growth melt and its suppression by a magnetic field, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2610 (1989).
- S. Murakami, S. Kato, Y. Tanaka, H. Suzuki, D.-H. Choi and T. Chikamoto, Scale model test on indoor climate of opera theatre (air distribution at heating and cooling in stage and seat area), *Monthly J. Inst. Ind. Sci. Univ. Tokyo* **41**(10), 796 (1989).
- Y. Okano, A. Hatano and A. Hirata, Natural and Marangoni convections in a floating zone, *J. Chem. Engng Japan (English)* **22**(4), 385 (1989).
- Y. Okano, M. Itoh and A. Hirata, Natural and Marangoni convections in a two-dimensional rectangular open boat, *J. Chem. Engng Japan (English)* **22**(3), 275 (1989).
- Y. Okano, M. Tachibana, A. Hatano and A. Hirata, Control of crystal melt interface shape during Czochralski growth of oxide single crystals, *J. Chem. Engng Japan (English)* **22**(4), 389 (1989).
- K. Okumura, M. Kuwabara, K. Sassa and I. Muchi, Theoretical analysis and model experiment on thermosolutal convection during unidirectional solidification in the vertical direction, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(4), 618 (1989).
- O. Sano and T. Wakayama, An experimental study of the thermal convection, *J. Phys. Soc. Japan (English)* **58**(8), 2615 (1989).
- Y. Shiina and K. Fujimura, An experimental study on natural convection heat transfer in a hemisphere, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3129 (1989).
- K. Sugiyama, R. Ishiguro and Y. Ma, Combined convective heat transfer of liquid sodium in upward crossflow through two horizontal tubes (examination on the applicability of an inviscid flow model), *Japan Soc. Mech. Engrs* **55**(521), 35 (1990).
- S. Tada and Y. Mochimaru, Application of a pressure gradient method to a transient natural convection problem, *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1329 (1989).
- M. Takashima, The stability of natural convection in an inclined fluid layer with internal heat generation, *J. Phys. Soc. Japan (English)* **58**(12), 4431 (1989).
- T. Takeda and M. Hishida, Study on diffusion and natural circulation of two component gases (1st report, experiment and analysis with a reverse U-shaped pipe), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2795 (1989).
- I. Tanasawa and T. Munakata, Heat and fluid flow in melt growth of a single crystal, *Monthly J. Inst. Ind. Sci. Univ. Tokyo* **41**(4), 205 (1989).
- T. Tomimura and M. Fujii, A numerical analysis of laminar mixed convection heat transfer between vertical parallel plates with discrete sources heated at different rate (part 1: insulated plates), *Engng Sci. Rep. Kyushu Univ.* **11**(3), 321 (1989).
- K. Tsuboki and G. Wakahama, Effect of stratification on quasi-geostrophic baroclinic instability waves, *Low Temp. Sci., Ser. A* **48**, 69 (1989).
- T. Usui, M. Kaminaga and Y. Sudo, Combined forced and free convective heat transfer characteristics in a narrow vertical rectangular channel with 2.5 mm gap heated from both sides, *J. Nucl. Sci. Technol. (English)* **26**(6), 580 (1989).
- T. Yanagida, A calculation method for temperature distribution of IC packages on a printed wiring board (2nd report, heat transfer coefficients of IC packages), *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1432 (1989).
- T. Yanagida, A calculation method for temperature distribution of IC packages on a printed wiring board (3rd report, temperature distribution of IC packages), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3172 (1989).
- Y. Yin, Y. Nagano and T. Tsuji, Numerical prediction of turbulent natural convection boundary layers, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1623 (1989).

- Y. Yokono, T. Sasaki and M. Ishizuka, Cooling performance for fins under an obstacle, *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1188 (1989).
 T. Watanabe and H. Kawakami, Effect of uniform suction or injection on free convection boundary layers, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3365 (1989).

FORCED CONVECTION

- T. Aihara and J.-K. Kim, Heat transfer due to an axisymmetric impinging jet of near-critical-point carbon dioxide, *Trans. Japan Soc. Mech. Engrs* **B56**(522), 529 (1990).
 M. Aota, K. Shirasawa and T. Takatsuka, Measurements of an atmospheric boundary layer around the air-sea-ice observation tower (1989 winter experiments), *Low Temp. Sci., Ser. A* **48**, 79 (1989).
 S. Fujii, N. Akino, M. Hishida, H. Kawamura and K. Sanokawa, Experimental and theoretical investigations on heat transfer of strongly heated turbulent gas flow in an annular duct, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 122 (1990).
 K. Fukuda, T. Kondoh, T. Karino, F. Nozaki, T. Nagayoshi and S. Hasegawa, Study of flow instability of supercritical helium, *Technol. Rep. Kyushu Univ.* **62**(6), 645 (1989).
 Y. Fukushima and T. Takashima, Development region of wall buoyant jet, *Bull. Nagaoka Univ. Technol.* **11**, 45 (1989).
 E. Hasegawa and M. Segawa, On the heat generation in a viscous flow between a horizontally and vertically oscillating plane and a fixed plane, *Trans. Japan Soc. Mech. Engrs* **B55**(511), 715 (1989).
 R. Hino, S. Maruyama, K. Takase, Y. Miyamoto and H. Shimomura, Experimental studies on thermal and hydraulic performance of fuel stack of VHTR (5, test results of HENDEL multi-channel test rig when helium gas was heated up to 1,000°C), *J. Atom. Energy Soc. Japan* **31**(4), 470 (1989).
 M. Hishida, Heat transfer of ribbed surfaces (local heat transfer coefficient with different heat fluxes for rib and basic surfaces), *Japan. Soc. Mech. Engrs* **B55**(518), 3166 (1989).
 M. Hori, K. Yamaguchi, J. Yata and T. Minamiyama, Study of turbulent heat transfer enhancement by turbulence promoter placed in turbulent boundary layer, *Japan Soc. Mech. Engrs* **B55**(519), 3485 (1989).
 K. Ichimiya, M. Katayama, T. Saitoh, T. Miyazawa and H. Kondoh, Effect of a single porous-type roughness element on heat transfer, *Trans. JAR* **6**(2), 67 (1989).
 K. Ichimiya and N. Hosaka, Experimental study of heat transfer characteristics due to confined impinging two dimensional jets (heat transfer experiment for three slot jets), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3210 (1989).
 T. Igarashi and H. Takasaki, Fluid flow around three rectangular cylinders in a flat plate laminar boundary layer, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3341 (1989).
 T. Igarashi and H. Yamasaki, Fluid flow and heat transfer around two circular cylinders closely arranged in tandem (effect of Reynolds number), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2800 (1989).
 T. Igarashi and H. Yamasaki, Fluid flow and heat transfer of a rectangular cylinder in the turbulent boundary layer on a plate, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3157 (1989).
 Y. Inagaki, T. Kunugi and Y. Miyamoto, Numerical and experimental studies for thermal mixing of coolant in a core bottom structure of HTTR, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1692 (1989).
 M. Ito and S. Suzuki, Heat transfer to laminar flow in a circular tube (1, infinite series solution of the Graetz problem), *Rep. Fac. Sci. Technol. Meijo Univ.* **29**, 129 (1989).
 S. Kikkawa, K. Ozaki and K. Sakaguchi, Numerical study on heat transfer over a gas turbine blade, *Sci. Engng Rev. Doshisha Univ.* **30**(1), 21 (1989).
 H. Kimoto and S. Kitano, Cavitation effect on heat transfer from a circular cylinder in a conduit, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3733 (1989).
 T. Kobashi, T. Takahashi and Y. Kitamura, Heat transfer coefficient in agitated vessel with perforated screw mixer, *Kagaku Kogaku (J. Chem. Engng)* **16**(1), 46 (1989).
 K. Komori and T. Inagaki, Enhancement of forced-convection heat transfer by adding injection flow, *J. Toyota College Technol. (English)* **22**, 13 (1989).
 A. Kumakawa, Regenerative cooling of high pressure hydrocarbon rocket combustors, *J. Japan Soc. Aeronaut. Space Sci.* **37**(427), 380 (1989).
 I. Mabuchi, M. Kumada, M. Hiwada and E. Hasegawa, Local heat transfer characteristics from a circular cylinder placed downstream of and perpendicular to a single row of cylinders, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2441 (1989).
 T. Matsuoka and Y. Inoue, Numerical simulation of fiber orientation in injection molded parts, *Kagaku Kogaku (J. Chem. Engng)* **53**(5), 345 (1989).
 O. Miyatake, H. Iwashita and S. Yamamoto, Experimental study of laminar heat transfer in axial fluid flow through closely-packed triangular and square arrays of cylinders, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(2), 431 (1989).
 H. Mori, Study on heat transfer of forced flow superfluid helium, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1673 (1989).
 S. Murakami, T. Sekine and Y. Sugimoto, Temperature distribution and impact force of powder during plasma-jet spraying, *Rep. Res. Nippon Inst. Technol.* **19**(2), 293 (1989).
 H. K. Myong, N. Kasagi and M. Hirata, Numerical prediction of turbulent pipe flow heat transfer for various Prandtl number fluids with the improved $k-e$ turbulence model, *J.S.M.E. Int. J., Series II (English)* **32**(4), 613 (1989).
 H. Naka, T. Ichiyanagi and K. Kenmochi, A study of injection molding (4th report, analysis of pressure build-up during the packing and the cooling stage in the injection molding), *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1686 (1989).
 M. Namba, N. Yamasaki and W. Huang, Numerical analysis of flow and temperature fields for jet in cross flow, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2702 (1989).
 T. Nomura, N. Nishimura and T. Kashiwagi, Characteristics of evaporation of water into superheated steam (1st report, characteristics of convective heat transfer at evaporating surface by laser holographic interferometry), *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3746 (1989).
 M. Oguro, T. Katayama, T. Hayashi and J. Tsutsumi, One-dimensional numerical simulation of urban atmospheric boundary layer, *Engng Sci. Rep. Kyushu Univ.* **11**(1), 67 (1989).
 S. Okamoto, The effects of sound waves on the near wake of a heated circular cylinder (appropriateness for the Reynolds number using the fluid kinematic viscosity in the film temperature), *J. Japan Soc. Aeronaut. Space Sci.* **37**(422), 135 (1989).
 S. Okamoto, The effects of sound waves on the near wake of a heated circular cylinder (analogy to thermoacoustic streaming), *J. Japan Soc. Aeronaut. Space Sci.* **38**(432), 23 (1990).
 Y. Okuda, M. Yagawa and Y. Eguchi, Finite element thermal hydraulic analysis using $k-e$ turbulence model, *J. Atom. Energy Soc. Japan* **31**(5), 588 (1989).
 K. Oyakawa, T. Shinzato and I. Mabuchi, The effects of the channel width on heat-transfer augmentation in a sinusoidal wave channel, *J.S.M.E. Int. J., Series II (English)* **32**(3), 403 (1989).
 J. Saeki and A. Kaneda, Flow analysis of an epoxy compound for low pressure transfer molding in a circular cross-sectional channel, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2626 (1989).
 S. Sakiyama, T. Onzuka, H. Sakai, M. Watanabe, O. Fukumasa, K. Osaki and S. Saeki, Analysis of particle heating and cooling in the plasma jet reactor, *Memo. Fac. Engng Yamaguchi Univ.* **40**(1), 241 (1989).
 K. Shiina, S. Nakamura and W. Sagawa, Enhancement of forced convective heat transfer in a rectangular channel using

- thin plate-type obstacles (2nd report, heat transfer and pressure drop characteristics using spacer configuration), *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2041 (1989).
- Y. Sudo, T. Unsui and M. Kaminaga, Heat transfer characteristics in narrow vertical rectangular channels heated from both sides, *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1174 (1989).
- K. Suga, H. Aoki and T. Shinagawa, Numerical analysis on two-dimensional flow and heat transfer of louvered fins using overlaid grids, *J.S.M.E. Int. J.*, Series II (English) **33**(1), 122 (1990).
- H. Suzuki, Y. Kikkawa, H. Kigawa and K. Suzuki, Heat transfer and skin friction of a flat plate turbulent boundary layer distributed by a cylinder, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3333 (1989).
- K. Takahashi and K. Endoh, A new correlation method for the effect of vibration on forced-convection heat transfer, *J. Chem. Engng Japan* (English) **23**(1), 45 (1990).
- N. Takemitsu, Some basics in the computational fluid dynamics, *Monthly J. Inst. Ind. Sci. Univ. Tokyo* **41**(6), 515 (1989).
- S. Torii, A. Shimizu, S. Hasegawa and M. Higasa, Laminarization of annular duct flow (part 3, symmetric heating), *Engng Sci. Rep. Kyushu Univ.* **11**(1), 53 (1989).
- S. Torii, A. Shimizu, S. Hasegawa and M. Higasa, Analysis of the laminarization phenomena in a circular tube by use of a modified $k-\epsilon$ model, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3144 (1989).
- S. Torii, A. Shimizu, S. Hasegawa and N. Kusama, Heat transfer of annular gas flow with both convergence and heat flux (analysis by use of modified $k-\epsilon$ model), *Engng Sci. Rep. Kyushu Univ.* **11**(1), 47 (1989).
- S. Torii, A. Shimizu, S. Hasegawa and N. Kusama, High flux heat transfer concentric annular gas flow (analysis by use of modified $k-\epsilon$ model), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3136 (1989).
- K. Torii and J. I. Yanagihara, The effects of longitudinal vortices on heat transfer of laminar boundary layers, *J.S.M.E. Int. J.*, Series II (English) **32**(3), 395 (1989).
- H. Yamashita and Y. Wang, Fluid flow and heat transfer in an opposed plane jet in a uniform stream (analysis in unsteady motions), *J.S.M.E. Int. J.*, Series II (English) **32**(2), 231 (1989).
- H. Yamashita and Y. Wang, Fluids flow and heat transfer in an opposed axisymmetric jet in a uniform stream (1st report, experiment in unsteady motions), *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1426 (1989).
- M. Yoshiwara, Y. Katto and M. Yokoyama, Convective heat transfer between the wall surface of a cavity and the external main stream (effect of tripping wire), *Trans. JAR* **6**(3), 311 (1989).
- M. Hirota, H. Fujita and H. Yokosawa, Turbulence kinetic energy in turbulent flow through square ducts with riblike roughness elements, *Trans. Japan Soc. Mech. Engrs* **B56**(522), 360 (1990).
- Y. Horibata, Large eddy simulation of the life cycle of cumulus convection, *J. Japan Soc. Fluid Mech.* **8**(3), 253 (1989).
- M. Iguchi and H. Miura, Radial propagation of turbulence in pulsatile pipe flow, *J.S.M.E. Int. J.*, Series II (English) **32**(2), 173 (1989).
- T. Kajishima and Y. Miyake, Estimation of turbulence models by large eddy simulation with high-resolution grids, *J.S.M.E. Int. J.*, Series II (English) **33**(1), 73 (1990).
- Y. Kaneda, Statistical theory of turbulence (from the view point of renormalized expansions), *J. Japan Soc. Fluid Mech.* **8**(1), 16 (1989).
- S. Kida, M. Yamada and K. Ohkitani, Error growth in a decaying two-dimensional turbulence, *J. Phys. Soc. Japan* (English) **59**(1), 90 (1990).
- M. Kiya, Turbulence structure of separated-and-reattaching flows, *Trans. Japan Soc. Mech. Engrs* **B55**(511), 559 (1989).
- H. Kobayashi and A. Hatanaka, Active simulation of turbulence in Eiffel type wind tunnel, *Memo. Res. Inst. Sci. Engng Ritsumeikan Univ.* **48**, 35 (1989).
- H. Makita and T. Iwasaki, An experimental study on axisymmetric turbulence (3rd report, anisotropy tensor, scale anisotropy and probability density distribution of axisymmetric turbulence), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2642 (1989).
- H. Makita and A. Iida, Statistical properties of high-Reynolds number turbulent flow fields (2nd report, measurement of three-dimensional energy spectra), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 342 (1990).
- H. Makita and A. Iida, Statistical properties of high-Reynolds number turbulent flow fields (3rd report, the self-similarity and universal equilibrium theory), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 351 (1990).
- H. Makita and T. Iwasaki, An experimental study on axisymmetric turbulence (4th report, verification of the models of return to isotropy of axisymmetric turbulence), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2650 (1989).
- H. Makita, K. Sassa, A. Iida and M. Shigeyama, Experimental simulation of atmospheric diffusion (1st report, on the features of the large-scale turbulence field and mean concentration distribution), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 388 (1990).
- T. Miyauchi and K. Kawano, Large eddy simulation of turbulent mixing (3rd report, the case of initial random fluctuations), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 336 (1990).
- T. Miyauchi and T. Saito, Large eddy simulation of turbulent mixing (2nd report, three-dimensional flow field), *Trans. Japan Soc. Mech. Engrs* **B55**(512), 978 (1989).
- H. Mizutani and T. Nakano, Multifractal analysis of simulated two-dimensional turbulence, *J. Phys. Soc. Japan* (English) **58**(5), 1595 (1989).
- S. Mochizuki and H. Osaka, Analysis of the coherent structure of a d-type rough wall boundary layer with the VITA technique, *Memo. Fac. Engng Yamaguchi Univ.* **39**(2), 337 (1989).
- S. Mochizuki and H. Osaka, Structure of a d-type rough wall turbulent boundary layer at a low Reynolds number (higher order moments and violent events), *Memo. Fac. Engng Yamaguchi Univ.* **40**(1), 1 (1989).
- S. Murakami, S. Kato and Y. Kondo, 3-D study on room airflow with buoyancy by algebraic stress model, *Monthly J. Inst. Ind. Sci. Univ. Tokyo* **42**(1), 59 (1990).
- S. Murakami, S. Kato and S. Nagano, Study on buoyancy effected room airflow by $k-\epsilon$ model simulation with local equilibrium type WET heat flux modeling, *Monthly J. Inst. Ind. Sci. Univ. Tokyo* **42**(1), 75 (1990).
- H. K. Myong and T. Kobayashi, Numerical simulation of developing flows in square duct with an anisotropic $k-\epsilon$ turbulence model, *Monthly J. Inst. Ind. Sci. Univ. Tokyo* **42**(1), 63 (1990).

TURBULENCE

- Y. Aoyama, K. Hijikata and K. Futagami, Experimental study on turbulent flow in a curved tube, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2212 (1989).
- H. Fujita, M. Hirota, H. Yokosawa and I. Gotoh, Turbulent flow through a rectangular duct with one roughened short-side wall, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2285 (1989).
- Y. Fukushima, Similarity solutions of axisymmetric plumes and jet using $k-\epsilon$ turbulence model, *J. Japan Soc. Fluid Mech.* **8**(4), 336 (1989).
- T. Gotoh, Passive scalar diffusion in two dimensional turbulence in the Lagrangian renormalized approximation, *J. Phys. Soc. Japan* (English) **58**(7), 2365 (1989).
- H. Hanai, H. Sakamoto and Y. Sakai, Effects of streamline curvature on shear stress, and eddy viscosity of curved jet, *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1362 (1989).
- S. Hirai and T. Takagi, Numerical prediction of turbulent mixing in a variable-density swirling pipe flow, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2500 (1989).

- H. K. Myong and N. Kasagi, A new approach to the improvement of $k-e$ turbulence model for wall-bounded shear flows, *J.S.M.E. Int. J.*, Series II (English) **33**(1), 63 (1990).
- Y. Nagano, M. Tagawa and H. Kume, Turbulence model for triple products of velocity and temperature, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3057 (1989).
- I. Nakamura, On turbulent diffusion from a point source, *Trans. Japan Soc. Mech. Engrs* **B55**(512), 929 (1989).
- H. Osaka, S. Mochizuki and T. Sato, Turbulent structure of a plane wall jet disturbed by a circular cylinder, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2694 (1989).
- Y. Sugimori, T. Takahashi and M. Akiyama, Study of generation process of ocean mixed layer by three-dimensional model using horizontal temperature gradient, *J. Fac. Marine Sci. Tech. Tokai Univ.* **29**, 143 (1989).
- K. Toyoda and F. Hussain, Study of vortical structures in a cross-shaped jet, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3205 (1989).
- H. Yamada, I. Nakamura, S. Yamashita and H. Yano, Experiments on two-dimensional impinging jet on a wedge (turbulence properties and the energy balance), *Trans. Japan Soc. Mech. Engrs* **B55**(511), 845 (1989).
- S. Yokobori, A. Ichikawa, K. Hishida and M. Maeda, Turbulent characteristics of thermal stratified flow with increasing interfacial level in a cylindrical vessel, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2120 (1989).
- S. Yuu and A. Toyoda, Large-scale structures in a slit nozzle turbulent air jet, *J. Chem. Engng Japan* (English) **22**(5), 497 (1989).
- MELTING AND SOLIDIFICATION**
- Y. Abe, Y. Takahashi, R. Sakamoto, K. Kanari, K. Tanaka and M. Kamimoto, Latent thermal storage using sodium hydroxide based molten salts (compatibility of molten salts), *Kagaku Kogaku Ronbunshu* (*Trans. Chem. Engng Japan*) **15**(5), 977 (1989).
- N. Endoh and Y. Mitsui, Analysis of frozen soil using BE-FE coupling procedure, *Memo. Nagano National College Technol.* **20**, 147 (1989).
- S. Fukusako, K. Kitayama, M. Tago and O. Okagaki, Melting heat transfer from a horizontal ice cylinder immersed in sea water, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1678 (1989).
- S. Fukusako and M. Takahashi, Freezing characteristics of layered air-water flow in a horizontal circular tube, *Trans. JAR* **6**(1), 47 (1989).
- S. Fukusako and M. Yamada, Freezing characteristics of an ethylene glycol solution, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3787 (1989).
- S. Fukusako and M. Yamada, An analytical study of freezing characteristics of an aqueous binary solution on upper facing cooled plate, *Bull. Fac. Engng Hokkaido Univ.* **149** (1990).
- S. Hara, N. Ikemiya and K. Ogino, Spray nozzles for spray solidification of molten metals, *Tetsu to Hagane* (*J. Iron Steel Inst. Japan*) **75**(11), 2038 (1989).
- M. Hasebe, T. Kumekawa and M. Hino, A preliminary experiment on effect of atmospheric factors influencing snowmelt runoff, *Tech. Rep. Dep. Civil Engng Tokyo Inst. Technol.* **41**, 9 (1989).
- E. Hasegawa and J. Yamada, Steady solidification of a liquid on a moving wall under the action of a forced convection, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 107 (1990).
- Y. Hirasawa, A. Saito, T. Saito, E. Takegoshi and S. Imura, A study on phase changes of heterogeneous composite materials, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2874 (1989).
- T. Hirata, H. Matsui and Y. Harayama, Formation of linked ice layer around isothermally cooled cylinders arranged in a parallel line with water flow (2nd report, effect of cylinder pitch on ice formation), *Japan Soc. Mech. Engrs* **B55**(511), 800 (1989).
- Y. Ikawa, T. Itami, K. Kumagai and T. Ando, Spray deposition method and its application to production of mill rolls, *Tetsu to Hagane* (*J. Iron Steel Inst. Japan*) **75**(5), 766 (1989).
- M. Iguchi, H. Takeuchi, H. Kawabata, T. Uemura and Z. Morita, Melting process of a rectangular ice prism immersed in bubbling jet in a cylindrical vessel, *Tetsu to Hagane* (*J. Iron Steel Inst. Japan*) **75**(11), 2031 (1989).
- S. Ito, N. Miura and Y. Yano, Approximate solution and experimental investigation of the thermal performance of a latent heat thermal energy storage unit with a finned tube, *Trans. Japan Soc. Mech. Engrs* **B55**(511), 782 (1989).
- H. Kitaoka, I. Yarita, A. Kawaharada, T. Fujii, T. Okumura and S. Sengen, Manufacturing technique for stainless steel clad plates by enshrouding casting and rolling process, *Tetsu to Hagane* (*J. Iron Steel Inst. Japan*) **75**(9), 1680 (1989).
- M. Kobiyama, S. Fukushima, T. Koyama, T. Murakami, Y. Satoh and T. Shimizu, Long-term and large-scale storage of natural cold thermal energy in the winter season (2nd report, practical experiment by a scale model), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3178 (1989).
- E. Kumazawa, Y. Saiki and K. Ido, Development of continuous vacuum dryer for highly viscous liquid food, *Kagaku Kogaku Ronbunshu* (*Trans. Chem. Engng Japan*) **15**(5), 938 (1989).
- J. Kurobe, H. Sakuta, Y. Miyata, T. Suzuki and Y. Ichinose, Rapid melting and solidification of Fe-3% C-2% Si alloy using cw CO₂ laser, *Tetsu to Hagane* (*J. Iron Steel Inst. Japan*) **75**(7), 1170 (1989).
- H. Mizukami, Y. Nagakura and T. Kusakawa, Effect of surface active element on the initial solidification structure of stainless steel ingot, *Tetsu to Hagane* (*J. Iron Steel Inst. Japan*) **75**(8), 1308 (1989).
- T. Nagamoto, An experimental study on solidification process of a binary eutectic system, *Memo. Ishikawa College Technol.* **21**, 17 (1989).
- M. Ogawa, M. Araki, K. Fukaya, K. Yokoyama, K. Emori, M. Dairaku, K. Kiuchi and M. Seki, Experimental observations of metal surfaces exposed to intense hydrogen beam (simulation of plasma disruption), *J. Nucl. Sci. Technol.* (English) **26**(7), 721 (1989).
- Y. Ogawa, Studies on gape and heave of foodstuffs due to internal pressure during freezing (freezing of round type yellow fin tuna/albacore by CaCl₂ brine immersion system under outer pressure), *Trans. JAR* **6**(2), 21 (1989).
- M. Oka and E. Hasegawa, On the steady melting of a phase-change material placed on a hot wall, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1653 (1989).
- A. Saito, Y. Utaka, S. Okawa and H. Ishibashi, Fundamental research on heat transfer characteristics in shell and tube type ice forming cold energy storage, *Trans. JAR* **6**(3), 31 (1989).
- A. Saito, T. Imamura, Y. Utaka and A. Saito, On the contact heat transfer with melting (direct contact melting process within an inclined rectangular cross-section), *J.S.M.E. Int. J.*, Series II (English) **32**(3), 411 (1989).
- A. Saito, S. Okawa and A. Tamaki, On the freezing process with supercooling (measurements of the cooling rate affecting the freezing temperature), *Trans. JAR* **6**(1), 31 (1989).
- K. Sakitani and H. Honda, Studies of phase change materials and a latent heat storage unit used for a natural circulation cooling/latent heat storage system (1st report, section of PCM and latent heat storage unit material), *Trans. JAR* **6**(1), 15 (1989).
- K. Sakitani and H. Honda, Study of phase change materials and a latent heat storage unit used for a natural circulation cooling/latent heat storage system (2nd report, heat transfer characteristics of latent heat storage unit), *Trans. JAR* **6**(1), 23 (1989).
- K. Sasaguchi and Y. Sakamoto, Effects of natural convection on melting of a phase change material around a finned tube, *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1418 (1989).
- A. Sasaki, S. Aiba and S. Fukusako, Freezing heat transfer within a water-saturated porous media, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1666 (1989).

- I. Tanaka, H. Tanaka and Y. Ishii, The dynamic characteristics of a thermal storage water tank including a helical coil-type heat exchanger (part 1, effect of tank shape), *Res. Bull. Fac. Agriculture Gifu Univ.* **54**, 113 (1989).
- T. Teramoto, S. Takeuchi, M. Akai and H. Nariai, Irradiation test of stainless steel by high power CO₂ laser, *J. Nucl. Sci. Technol.* (English) **26**(6), 625 (1989).
- T. Tsuchiya, Freeze denaturation of fish muscle proteins, *Trans. JAR* **6**(1), 1 (1989).
- Y. Utaka, A. Saito, M. Niimi and N. Nakata, A method of efficient ice cool energy storage using heat transfer of direct contact phase change between working medium and PCM in an enclosure, *J.S.M.E. Int. J., Series II* (English) **32**(3), 469 (1989).
- S. Yamaguchi and S. Fujiwara, Forecast system for freezing time of tuna, *Refrigeration* **64**(743), 980 (1989).
- T. Yokota and Y. Ohto, A continuous method for freezing droplets by a wetted-wall column in freeze drying, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 877 (1989).
- ### BOILING AND EVAPORATION
- R. Akiyoshi, S. Nishio and I. Tanasawa, An attempt at the production of rapidly solidified particles by thermal interaction in a molten metal/water system, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 94 (1990).
- A. Asai, Application of the nucleation theory to the design of bubble jet printers, *Jap. J. Appl. Phys.* (English) **28**(5), 909 (1989).
- Y. Asakura, M. Nagase, S. Uchida, K. Ohsumi, Y. Nishino, S. Yoshikawa, O. Amano and N. Suzuki, Deposition of nickel and cobalt ions on heated surface under nucleate boiling condition, *J. Nucl. Sci. Technol.* (English) **26**(12), 1112 (1989).
- K. Aoki, M. Hattori and N. Yamanaka, Liquid holdup and liquid-to-particle mass transfer for gas continuous two-phase flow in packed beds, *J.S.M.E. Int. J., Series II* (English) **32**(3), 428 (1989).
- K. Fukuda, T. Morita and H. Kutsuna, Characteristics of boiling heat transfer on heated wire at low water levels, *Rev. Kobe Univ. Mercantile Marine, Part II, Maritime Studies Sci. Engng No. 37*, 135 (1989).
- Y. Haramura, Measurement of thickness of liquid film formed on a heated surface in high heat flux saturation boiling (1st report, a method to measure the thickness of the liquid film and the results in pool boiling), *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1392 (1989).
- T. Hashizume, Y. Terashima, S. Kameda and T. Machiyama, Some studies on dynamic behavior of a binary turbine system (part 4, investigation on dynamic characteristic of the R11 evaporator), *Rep. Res. Nippon Inst. Technol.* **19**(3), 361 (1989).
- H. Hiroyasu, M. Arai, K. Hashizaki and T. Matue, Experimental study on evaporation and combustion of single coal-slurry droplets (behavior on a hot surface in an elevated-temperature environment), *J.S.M.E. Int. J., Series II* (English) **32**(2), 265 (1989).
- K. Honda, K. Kido, R. Akamine and T. Munakata, Separation performance in falling film evaporators for binary mixtures, *Tech. Rep. Kyushu Univ.* **63**(1), (1990).
- S. Inada, K. Nishida, M. Toriba and M. Uchida, Transient heat transfer of a water drop impinging on a heated surface (2nd report, study of the liquid-solid contact state based on the temperature fluctuation of a heated surface), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3499 (1989).
- M. Inuzuka, H. Ishikawa, I. Yamada, S. Hiraoka, T. Aragaki, Y. Inukai, A. T. Erciyes and S. Kobayashi, Vaporization from liquid film of binary mixture in a centrifugal molecular still, *J. Chem. Engng Japan* (English) **22**(3), 291 (1989).
- T. Ito, Y. Takata and Z.-H. Liu, On the water cooling of hot surfaces (analysis of fog cooling in the region equivalent to film boiling), *Trans. Japan Soc. Mech. Engrs* **B55**(511), 805 (1989).
- T. Ito, K. Tanaka and T. Tamari, Evaluation of potentially high-performance porous boiling surfaces (3rd report, a proposal of heat-transfer prediction), *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1403 (1989).
- T. Kadota, K. Kadowaki and K. Sumida, Vapor concentration profile around an evaporating sphere in an air stream, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2891 (1989).
- F. Kaminaga, Subcooled boiling heat transfer of a stagnant Freon R-113 surrounded by a cooling jacket, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2024 (1989).
- M. Kaminaga, Y. Sudo, T. Usui and Y. Murayama, Experimental study of critical heat flux in a narrow vertical rectangular channel (comparison between uniform heat flux case and nonuniform heat flux case), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2809 (1989).
- Y. Katto and M. Yoshiwara, Analytical study of critical heat flux of subcooled flow boiling in round tubes, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3515 (1989).
- Y. Kikuchi, T. Ebisu and I. Michiyoshi, The effect of liquid-solid contacts on the low limit of film boiling, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 1989 (1989).
- J. Kim, K. Nagata, M. Katsuta, H. Tomosugi, K. Kikuchi and T. Horichi, Influence of oil on refrigerant evaporator performance (3rd report, void fraction and flow regime in the horizontal tube), *Trans. JAR* **6**(1), 67 (1989).
- J. Kim, K. Nagata, M. Katsuta, K. Kikuchi and T. Horichi, Influence of oil on refrigerant evaporator performance (4th report, flow regime and pressure drop in return bend), *Trans. JAR* **6**(1), 79 (1989).
- S. Komori, K. Takata and Y. Murakami, Flow and mixing characteristics in an agitated thin-film evaporator with vertically aligned blades, *J. Chem. Engng Japan* (English) **22**(4), 346 (1989).
- H. Kosuge, T. Ishikawa, S. Tanaka and K. Asano, Evaporation of binary solutions into dry air on a vertical flat plate, *J. Chem. Engng Japan* (English) **22**(2), 114 (1989).
- Y. Kosho and K. Hamada, Visualization of critical heat flux for natural convection boiling in a horizontal rectangular channel, *Bull. Fac. Engng Miyazaki Univ.* No. 35, 19 (1989).
- H. Kumamaru, Y. Koizumi and K. Tasaka, Critical heat flux for uniformly heated rod bundle under high-pressure, low-flow and mixed inlet conditions, *J. Nucl. Sci. Technol.* (English) **26**(5), 544 (1989).
- H. Kumamaru, Y. Koizumi and K. Tasaka, Critical heat flux for annulus under high-pressure, low-flow and mixed inlet conditions, *J. Nucl. Sci. Technol.* (English) **27**(1), 68 (1990).
- M. Mitsutsuka and K. Fukuda, Effect of water temperature on cooling capacity in water cooling of hot steels, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(7), 1154 (1989).
- M. Monde and Y. Mitsutake, Enhancement of heat transfer due to bubbles passing through a narrow vertical rectangular channel (theoretical analysis without evaporation on an interface), *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2030 (1989).
- M. Monde and Y. Mitsutake, Enhancement of heat transfer due to bubble passing through a narrow vertical rectangular channel (theoretical analysis with evaporation on an interface), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3441 (1989).
- S. Namie, Two-phase mist flow cooling in the tube with high wall temperature (part 1, anaytical estimation), *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1397 (1989).
- M. Narazaki, S. Fuchizawa and M. Usuba, Effects of specimen geometry on characteristic temperature during quenching of heated metals in subcooled water, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(4), 634 (1989).
- S. Nishio and G. R. Chandratilleke, Steady-state pool boiling heat transfer to saturated liquid helium at atmospheric pressure, *J.S.M.E. Int. J., Series II* (English) **32**(4), 639 (1989).
- T. Ohara, T. Yamamoto and K. Matsuzaki, Experimental study on boiling heat transfer in rib-roughened flat tubes

- for an evaporator (wall temperature distributions in vertical channels with a sharp 180-degree turn), *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1438 (1989).
- T. Ohara, T. Yamamoto and T. Takahashi, Development of high performance evaporators for automobile air conditioning systems, *Trans. JAR* **6**(2), 13 (1989).
- H. Ohkubo and S. Nishio, Study on accurate prediction of characteristics of mist cooling (2nd report, effects of surface wettability), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2846 (1989).
- T. Okamura, K. Ishito, S. Keimatsu, S. Kabashima and A. Sato, Boiling heat transfer in pressurized superfluid helium channel, *Cryogenic Engng* **24**(6), 35 (1989).
- M. Ouchi, Y. Takamori, M. Izumi, N. Yamakawa and T. Takeyama, Heat transfer mechanism of liquid film flow in a vertical finely grooved heating surface, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3479 (1989).
- T. Shigechi, N. Kawae, Y. Tokita and T. Yamada, Film boiling heat transfer from a horizontal circular plate facing downward, *J.S.M.E. Int. J.*, Series II (English) **32**(4), 646 (1989).
- R. Shimada, J. Komai, Y. Hirono, S. Kumagai and T. Takeyama, Boiling heat transfer in a narrow space restricted by an interference plate with holes, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2035 (1989).
- Y. Shimizu, H. Shimaoka and Y. H. Mori, Heat transfer to single drops of a non-azeotropic fluorocarbon mixture evaporating in water, *J.S.M.E. Int. J.*, Series II (English) **32**(4), 630 (1989).
- S. Sugawara, Analytical prediction of CHF by FIDAS code based on three-fluid and film-dryout model, *J. Nucl. Sci. Technol.* (English) **27**(1), 12 (1990).
- T. Takano and K. Kobayasi, Vaporization behavior of a single droplet impinging on a heated surface with a flame-sprayed ceramic coating (effect of surface roughness), *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2000 (1989).
- K. Torikai, K. Suzuki and T. Kaneko, Effect of condition of heating surface on pool boiling heat transfer (on boiling for unwettable surface and grooving surface), *Trans. Japan Soc. Mech. Engrs* **B55**(511), 764 (1989).
- K. Torikai, K. Suzuki and M. Takeuchi, Boiling heat transfer in unwetted heating surfaces (effect of forced convection), *Trans. Japan Soc. Mech. Engrs* **B55**(511), 770 (1989).
- K. Torikai, K. Suzuki and M. Yamaguchi, Study on the contact area of pool boiling bubbles on a heating surface (observation of bubbles in transition boiling), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3199 (1989).
- T. Tsuruga, K. Endoh, H. Kobayashi, T. Kodama and M. Tanaka, Effects of channel geometry on heat transfer to He II, *Cryogenic Engng* **24**(2), 104 (1989).
- Y. Watanabe, K. Nanbu and S. Igarashi, Angular distributions of molecular beam flux (2nd report, evaporation from a cylindrical crucible), *Trans. Japan Soc. Mech. Engrs* **B55**(515), 1994 (1989).
- S. Yoshida, T. Matsunaga, H.-P. Hong and M. Miyazaki, Influence of oil on heat transfer to refrigerant flowing in horizontal evaporator tubes, *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1410 (1989).
- Y. Yoshimoto, M. Tsukahara and T. Murayama, Studies on the microexplosion of emulsified fuels (1st report, effects of fuel properties, water contents, and particle sizes on the microexplosion on a hot surface), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3538 (1989).
- zontal cylinder with a scraper (case of thin condensate film), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2450 (1989).
- T. Haraguchi, R. Shimada, S. Kumagai and T. Takeyama, The effect of polyvinylidene chloride coating thickness to promote dropwise condensation of steam, *Trans. Japan Soc. Mech. Engrs* **B56**(522), 547 (1990).
- T. Haraguchi, R. Shimada and T. Takeyama, Drop formation mechanism in dropwise condensation on the polyvinylidene chloride surface (proposing a film growth hypothesis), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3472 (1989).
- K. Hijikata, N. Himeno and S. Goto, Forced convective condensation of a binary mixture of vapors (2nd report, condensation on vertical and horizontal tubes), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3190 (1989).
- K. Hijikata, N. Himeno and O. Nakabeppe, Condensation of a binary mixture of vapors in a vertical tube, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3183 (1989).
- K. Hijikata, N. Himeno, Y. Zhou and S. Goto, Free convective condensation of fluoroalcohol-water mixtures, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2006 (1989).
- H. Honda, S. Nozu and B. Uchima, Experimental study of the enhancement of condensation heat transfer on downward-facing horizontal surfaces, *Rep. Inst. Advanced Material Study Kyushu Univ.* **3**(1), 21 (1989).
- H. Honda, B. Uchima, S. Nozu, H. Nakata and E. Torigoe, Film condensation of downward flowing R-113 vapor on inline bundles of horizontal finned tubes, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2433 (1989).
- K. Honda, Y. Kawasaki and T. Munakata, Fractionation in falling-film condensers for binary vapor mixtures, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **16**(1), 137 (1990).
- T. Hosokawa, Y. Hosokawa, Y. Fujiwara and Y. Yamasaki, Behavior of rivulet flowing down an inclined non-wettable plate (relation between flow rate and width), *Rep. Himeji Inst. Technol.* **42**(A), 70 (1989).
- T. Hosokawa, Y. Hosokawa, G. Komatsu, T. Kawai and J. B. Cole, Dropwise condensation heat transfer on a vertical row of horizontal tubes (calculated results), *Jap. J. Multiphase Flow* **3**(1), 21 (1989).
- S. Kawagoe, S. Matsuo, A. Masu and K. Matsuo, Effects of condensation on the strength of an oblique shock-wave in a supersonic flow, *Engng Sci. Rep. Kyushu Univ.* **10**(4), 385 (1989).
- S. Kumagai, H. Fukushima, H. Katsuda, R. Shimada and T. Takeyama, Dropwise-filmwise coexisting condensation heat transfer, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3739 (1989).
- S. Nozu, H. Honda, T. Aoyama and K. Shibukuwa, Condensation of non-azeotropic refrigerant blends of R114 and R113 in a horizontal annulus with an enhanced inner tube, *Trans. JAR* **6**(1), 57 (1989).
- M. Ouchi, M. Yoneya, M. Izumi, N. Yamakawa and T. Takeyama, Transition from film to drop and drop to film condensation occurring on a horizontal tube at subatmospheric pressure, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3467 (1989).
- K. Suzuki, Y. Hagiwara and H. Izumi, A numerical study of forced-convective filmwise condensation in a vertical tube, *J.S.M.E. Int. J.*, Series II (English) **33**(1), 134 (1990).
- I. Tanasawa, Condensation heat transfer (recent progress of Japanese research), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2111 (1989).
- T. Tsuruta and S. Togashi, A study on the constriction resistance in dropwise condensation, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2852 (1989).
- H. Uehara, T. Nakaoka and H. Takesue, Condensation on a double swirl tube, *Trans. JAR* **6**(3), 105 (1989).

CONDENSATION

H. Asaka, Y. Murao and Y. Kukita, Assessment of TRAC-PF1 condensation heat transfer model for analysis of ECC water injection transients, *J. Nucl. Sci. Technol.* (English) **26**(11), 1045 (1989).

K. Futagami, J. Ikeda, K. Ohhira, Y. Aoyama and K. Mizukami, Condensation heat transfer in a rotating hori-

MULTIPHASE FLOW

K. Akagawa, Modeling and simulation on thermo-fluid behaviors on gas-liquid two-phase flow systems, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(4), 571 (1989).

- K. Akagawa, T. Fujii, J. Ohta, N. Takenaka and K. Taniguchi, Performance characteristics of convergent-divergent nozzles for subcooled hot water (2nd report, improvement of nozzle performance), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2743 (1989).
- K. Akagawa, N. Takenaka, T. Fujii, M. Yoshida and Y. Oku, Flow instabilities in a liquid nitrogen evaporator (1st report, nucleate boiling region in parallel spiral tubes), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2465 (1989).
- K. Akagawa, N. Takenaka, T. Fujii and Y. Oku, Flow instabilities in a liquid nitrogen evaporator (2nd report, nucleate boiling and film boiling regions in a parallel vertical tube), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2472 (1989).
- K. Akagawa, A history of gas liquid two-phase flow research and the related technology (3rd report), *Jap. J. Multiphase Flow* (English) **3**(1), 2 (1989).
- K. Akagawa, A history of gas-liquid two-phase flow research and related technology (4th report), *Jap. J. Multiphase Flow* (English) **3**(4), 314 (1989).
- M. R. Ansari and H. Narai, Experimental investigation on wave initiation and slugging of air-water stratified flow in a horizontal duct, *J. Nucl. Sci. Technol.* (English) **26**(7), 681 (1989).
- T. Fukano, K. Kadoguchi, M. Kanamori and A. Tominaga, The effect of a flat-plate-type obstacle on the thin liquid film accompanied by a high speed gas flow, *Jap. J. Multiphase Flow* **3**(4), 389 (1989).
- K. Fukuda, T. Sakai, T. Kondoh and S. Hasegawa, Heating limits of boiling downward two-phase flow in parallel channels, *J. Atom. Energy Soc. Japan* **31**(6), 699 (1989).
- S. Hara, T. Yunoki and K. Ogino, Effect of surface viscosity on the foaminess of molten oxides, *Tetsu to Hagane* (J. Iron Steel Inst. Japan) **75**(12), 2182 (1989).
- Y. Hayamizu, S. Sugawara and H. Mochizuki, Development of thermalhydraulic analysis models for ATR, *J. Atom. Energy Soc. Japan* **31**(12), 1343 (1989).
- T. Hibiki, M. Yamaguchi and T. Katayama, Stability of a dielectric liquid jet in a nonuniform electric field, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Engng Japan) **15**(2), 269 (1989).
- T. Hibiki, M. Yamaguchi and T. Katayama, Formation of single charged drops from a laminar liquid jet in a non-uniform electric field and dynamic behavior of the jet, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Engng Japan) **15**(6), 1153 (1989).
- Y. Imamura, S. Kobayashi and H. Inazumi, Behavior of gas and liquid, and gas holdup in a vertical liquid jet ejector, *Rep. Chiba Inst. Technol.* **36**, 55 (1990).
- T. Imasaka, N. Kanekuni, N. Wajima and S. Yoshino, Cross-flow filtration in a gas-liquid two-phase flow system, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Engng Japan) **15**(2), 306 (1989).
- A. Ito, S. K. Choudhury and T. Fukano, Heated liquid film flow and its breakdown caused by Marangoni convection (the characteristic flow of pure water), *J.S.M.E. Int. J.*, Series II (English) **33**(1), 128 (1990).
- O. C. Jones, Jr., Closure conditions for computation of thermal nonequilibrium in two-phase flows, *J. Nucl. Sci. Technol.* (English) **26**(11), 979 (1989).
- S. Kamiyama and H. Ishikawa, Two-phase flow characteristics of a temperature-sensitive magnetic fluid, *Trans. Japan Soc. Mech. Engrs* **B55**(511), 741 (1989).
- T. Kanki, T. Asano, S. Iuchi, T. Yamasaki and H. Ueda, Flow around a growing bubble in contact with a plate, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Engng Japan) **15**(4), 824 (1989).
- K. Kawanishi, N. Nakamori, A. Tsuge, K. Kodama, T. Kohriyama and H. Nagumo, Experimental study on PORV break LOCA in PWR plants, *J. Nucl. Sci. Technol.* (English) **27**(2), 133 (1990).
- H. Kitahara and K. Yoshida, Heat-transfer characteristics in upward three-phase flows of gas-liquid-solid mixtures, *Jap. J. Multiphase Flow* **3**(4), 369 (1989).
- H. Kitahara and K. Yoshida, Hydrodynamic characteristics of gas slugs upflowing in gas-liquid-solid three-phase upward flows, *Jap. J. Multiphase Flow* **3**(4), 379 (1989).
- S. Kitamura and K. Okohira, Behavior of splash formation by top blown oxygen gas under hot metal decarburization, *Tetsu to Hagane* (J. Iron Steel Inst. Japan) **76**(2), 199 (1990).
- Y. Matsumoto and M. Watanabe, Numerical simulation on a bubble motion with full N-S equations, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3282 (1989).
- I. Michiyoshi, Liquid metal two-phase flow heat transfer with and without magnetic field, *J.S.M.E. Int. J.*, Series II (English) **32**(4), 483 (1989).
- T. Miyahara, M. Asoda and T. Takahashi, Hydrodynamic characteristics of sieve-plate columns having large free areas with downcomers, *Kagaku Kogaku Ronbunshu* (Trans. Chem. Engng Japan) **16**(1), 177 (1990).
- S. Murata, A. Minato and O. Yokomizo, Calculation for three-dimensional structures of two-phase flow in enlarged flow area, *J. Nucl. Sci. Technol.* (English) **26**(9), 893 (1989).
- T. Nagasaki, T. Kanaya and K. Hijikata, A study on critical two-phase flow through a narrow channel, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3216 (1989).
- O. Nishida, H. Fujita and W. Harano, Behavior of droplets in steady jet spray and its applications for combustion field, *Rev. Kobe Univ. Mercantile Marine*, Part II, *Maritime Studies Sci. Engng* **37**, 61 (1989).
- K. Nishikawa, Some opinions on the research of gas-liquid two phase flow, *Jap. J. Multiphase Flow* **3**(3), 197 (1989).
- T. Ohara, Y. Matsumoto, N. Shimamoto and H. Ohashi, Liquid film formation on a rotating disk (2nd report, numerical analysis of the film thinning process with heat and mass transfer), *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1640 (1989).
- T. Okamoto, T. Takagi, T. Kazi and M. Terauchi, Examination of particle sizing method using phase Doppler technique, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3593 (1989).
- T. Okubo, T. Iguchi and Y. Murao, Experimental study on reflooding behavior in PWRs under downcomer injection, *J. Nucl. Sci. Technol.* (English) **27**(1), 30 (1990).
- S. Saito, S. Ishii, T. Sakai and K. Hara, Fundamental study for a two-phase-flow water wheel by means of boiling of liquid freon injected in water (2nd report, experimental study on acceleration mechanism), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 483 (1990).
- T. Sakaguchi, H. Shakutsui, H. Hamaguchi, H. Minagawa and H. Mizuta, Development of a converter to change gas-liquid two-phase slug flow to bubbly flow in a vertical tube (2nd report, minimum length of the bubbly-flow region and consideration of the regeneration process to slug flow), *Trans. Japan Soc. Mech. Engrs* **B56**(521), 1 (1990).
- T. Sakaguchi, H. Minagawa, A. Tomiyama and H. Shakutsui, Estimation of volumetric fractions in liquid-solid two-phase flow, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 5 (1990).
- K. Shibanuma, M. Araki, M. Dairaku and T. Shibata, Natural circulation two-phase helium flow characteristics in cryopump for JT-60 neutral beam injector, *J. Atom. Energy Soc. Japan* **31**(3), 399 (1989).
- T. Shimizu and K. Wada, A study on flow characteristics of pulp suspension (4th report, flocculation in divergent or convergent duct flow), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3314 (1989).
- Y. Sudo, T. Usui and M. Kaminaga, Experimental study of the falling water limitation under a counter-current flow in a vertical rectangular channel (1st report, effect of flow channel configuration and introduction of CCFL correlation), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2814 (1989).
- H. Takenaga, Y. Kuramoto, S. Fukuda and T. Fujikawa, Study on performance estimation of a hot water turbine (1st report, nozzle performance), *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1109 (1989).
- H. Takenaga, Y. Kuramoto, S. Fukuda and T. Fujikawa, Study on blade performance of a hot water turbine, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3413 (1989).

- H. Takenaga, Y. Kuramoto, S. Fukuda and T. Fujikawa, A study on performance estimations for hot water turbines (turbine performance), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 489 (1990).
- K. Usui and K. Sato, Vertically downward two-phase flow (I, void distribution and average void fraction), *J. Nucl. Sci. Technol.* (English) **26**(7), 670 (1989).
- K. Usui, Vertically downward two-phase flow (II, flow regime transition criteria), *J. Nucl. Sci. Technol.* (English) **26**(11), 1013 (1989).
- S. Yamauchi, T. Sawai and S. Nakanishi, Analysis of the flow reversal in natural-circulation boiler, *Jap. J. Multiphase Flow* (English) **3**(2), 120 (1989).
- S. Yoshida and H. Honda, Fundamentals for the modeling of heat transfer with phase change inside tubes, *Refrigeration* **64**(742), 61 (1989).
- nongray effects of a porous medium energy converter, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3523 (1989).
- Y. Yoshizawa, W. Ozawa and R. Echigo, Analytical study of the transient behavior of a steam reformer composed of porous media energy converters, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1713 (1989).

MASS TRANSFER

- H. Asai, S. Kato and K. Nagahama, Permeation rates in the pervaporation of water–ethanol mixtures using nafion membrane, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **16**(1), 69 (1989).
- Y. Bando, M. Nishimura, C. Ichikawa, I. Takeshita and M. Kuraishi, Gas–liquid contactor using gas entrainment by liquid flowing downward into downcomer, *J. Chem. Engng Japan* (English) **22**(6), 660 (1989).
- Y. Enokida, Y. Ueda, Y. Makino and A. Suzuki, Analysis of hydrodynamic instability in extraction column, *Annual Rep. Engng Res. Inst. Fac. Engng Univ. Tokyo* **48**, 131 (1989).
- Y. Enokida and A. Suzuki, Axial turbulent diffusion in fluid between rotating concentric cylinders, *Annual Rep. Engng Res. Inst. Fac. Engng Univ. Tokyo* **48**, 119 (1989).
- S. Fukuda, S. Furuta and N. Mitsuishi, Mass transfer with mist formation for laminar flow in vertical cooling tube with constant temperature wall (experimental and theoretical study on fuel gas refining system with cryogenic freezer), *J. Atom. Energy Soc. Japan* **31**(4), 487 (1989).
- S. Fukuda, K. Inoue and N. Mitsuishi, Effects of presence of foreign nuclei on mass flux at cooling walls in cryogenic freezer, *J. Nucl. Sci. Technol.* (English) **26**(8), 808 (1989).
- N. Inoue, Component modeling for absorption system, *Refrigeration* **64**(742), 55 (1989).
- K. Kato, M. Mayuzumi, the late T. Iijima, Y. Okubo and T. Takarada, Average mass transfer coefficient in the disk-type CVD reactor, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 832 (1989).
- K. Kato, M. Mayuzumi, the late T. Iijima and T. Takarada, Effect of double-pipe nozzle on local mass transfer coefficient in the disk-type CVD reactor, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 837 (1989).
- F. Katoh, Properties of spray dried food and spray drying characteristics, *Trans. JAR* **6**(3), 19 (1989).
- M. Kawagoe, T. Otake and C. W. Robinson, Gas-phase mixing in bubble columns, *J. Chem. Engng Japan* (English) **22**(2), 136 (1989).
- M. Kawagoe and S. Suye, Mass transfer in an immobilized calcium alginate gel, *Res. Rep. Nara National College Technol.* **25**, 83 (1989).
- D. K. Keum, J. K. Moon and W. K. Lee, Concentration dependence of intraparticle mass transfer coefficients in silica gel for *m*-cresol, quinoline and 1-naphthol in *n*-hexane, *J. Chem. Engng Japan* (English) **22**(4), 421 (1989).
- K. Koide, Mixing diffusion, *Kagaku Kogaku (J. Chem. Engng)* **53**(3), 210 (1989).
- E. Kumazawa, K. Ido, M. Okazaki and R. Toei, Vacuum drying of maltodextrin aqueous solution with ethanol in foamed state, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(5), 946 (1989).
- S. M. Lee, S. Aoki and T. Takeda, Diffusion calculation model for streaming effects in low density channels in LMFBRs, *J. Nucl. Sci. Technol.* (English) **26**(7), 712 (1989).
- Y. Matsuda, A new formulation by the finite element method and finite difference method for the one-dimensional convection–diffusion equation (approach by the error analysis technique), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 441 (1990).
- S. Matsumoto, S. Honma, J. Koga, N. Akutsu and H. Kobayashi, Mass transfer of laminar flow of polystyrene suspensions in circular tubes, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 884 (1989).
- A. Matsuura, H. Nakamura, S. Hiraoka, T. Aragaki and I. Yamada, Momentum and mass transfer on vertical flat plate
- T. Amano and A. Ohara, An experimental study of thermal radiation at cryogenic temperatures, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 146 (1990).
- R. Echigo, Applications of porous body radiation to chemical reaction systems, *Cryogenic Engng* **53**(11), 800 (1989).
- S. Hirasawa, T. Torii and T. Takagaki, Temperature distribution in semiconductor wafers arranged in a row at insertion into a diffusion furnace, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2880 (1989).
- K. Kamiuto, Radiation characteristics of an isothermal layer of dispersed soot particles, *J.S.M.E. Int. J.*, Series II (English) **32**(2), 281 (1989).
- K. Kamiumo, Effect of the H/C weight ratios on the optical dispersion parameters of soots, *J.S.M.E. Int. J.*, Series II (English) **32**(2), 286 (1989).
- M. Katsuki, Y. Mizutani and Y. Ono, Numerical simulation of a cylindrical furnace with radiative heat recirculation, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3766 (1989).
- K. Kudo, H. Taniguchi, K. Funasaki, M. Obata and M. Kawasaki, Numerical simulation of radiative heat transfer to high-pressure turbine-cooled nozzle vanes of aeroengines, *Trans. Japan Soc. Mech. Engrs* **B55**(521), 129 (1990).
- K. Kudo, H. Taniguchi, Y. Kim and K. Miyoshi, Side-wall effects on transmittance of radiative energy through a three-dimensional packed bed, *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2819 (1989).
- Y. Mizutani and T. Yoshida, Combustion of lean flammable mixtures in an intense radiation field (effects of radiant heat flux on laminar Bunsen flames), *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1749 (1989).
- Y. Mizutani, T. Yoshida and K. Adachi, Combustion of lean flammable mixtures in an intense radiation field, *J.S.M.E. Int. J.*, Series II (English) **33**(1), 149 (1990).
- H. Shirai and K. Tabei, Study of radiation of nonequilibrium nitrogen plasma with a Maecker type plasma generator, *J. Japan Soc. Aeronaut. Space Sci.* **37**(423), 24 (1989).
- S. Tanaka, Heat transfer between heated diffuse reflection bodies of arbitrary shapes in a free molecular gas, *Rev. Kobe Univ. Mercantile Marine*, Part II, *Maritime Studies Sci. Engng* No. 37, 71 (1989).
- H. Taniguchi, K. Kudo, N. Kumagai, K. Guo, T. Katayama and T. Nakamura, Three-dimensional radiation heat transfer analysis in a cylindrical gas reformer by the radiative heat ray method, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1724 (1989).
- N. Usui and T. Nishizawa, Sounding results of long wave radiation fluxes, using the radiation sonde system, *Bull. Environ. Res. Center Univ. Tsukuba* No. 13, 123 (1989).
- A. Yoshida and T. Kunitomo, Two-dimensional simulation of the thermal environment of a polluted urban atmosphere (effects of aerosol characteristics), *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1463 (1989).
- Y. Yoshizawa, H. Nakajima and R. Echigo, A study of the

- electrode immersed in electrolytic gas bubble flow. *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 804 (1989).
- M. Minemoto, N. Kamishima, S. Hatano, Y. Kita, T. Etoh and H. Iida, Simulation of removal and concentration of carbon dioxide in a closed system. *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **16**(1), 99 (1990).
- H. Miyakoshi, K. Sasaki and A. Hiramatsu, A calculation model for gas and diffusion of a porous media with pore size distribution. *Sci. Tech. Rep. Mining College Akita Univ.* **10**, 1 (1989).
- Y. Nakanishi and M. Kobari, Diffusion of ethanol vapor in thin sheet plant material, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **16**(1), 160 (1990).
- I. Nakamura, Y. Sakai and H. Tsunoda, On conditional statistics of the diffusion field of matter by a point source plume in uniform mean shear flow, *J.S.M.E. Int. J., Series II (English)* **32**(2), 180 (1989).
- T. Nishimura, Flow structure and mass transfer for a wavy channel in transitional flow regime, *Kagaku Kogaku (J. Chem. Engng)* **53**(6), 394 (1989).
- M. Niwa, H. Ohya, T. Hara and Y. Negishi, Experimental studies of solute distribution coefficient and transfer coefficient in reverse osmosis membrane, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 726 (1989).
- K. Ogawa and N. Isshiki, Study on absorption heat transfer of two-dimensionally constant curvature surface tubes, I (shape of heat transfer surface and observation of liquid film). *Trans. J.A.R.* **6**(2), 33 (1989).
- A. Ohara and K. Ashibe, Impurity removal from hydrogen by cryogenic adsorption, *J. Atom. Energy Soc. Japan* **31**(8), 948 (1989).
- F. Saito and M. Kamiwano, An extended technique for predicting the mixing times of high-viscosity liquid in a mixer (mixing systems with molecular diffusion of solute), *J. Chem. Engng Japan (English)* **22**(5), 491 (1989).
- Y. Sato, K. Kondo and F. Nakashio, A novel membrane extractor using hollow fibers for separation and enrichment of metal, *J. Chem. Engng Japan (English)* **23**(1), 23 (1990).
- T. Suchiro, T. Yamanaka and K. Mizoguchi, A novel continuous membrane column for separating solutes by dialysis, *J. Chem. Engng Japan (English)* **23**(1), 110 (1990).
- Y. Sun and S. Furusaki, Effect of intraparticle diffusion on the determination of the gas-liquid volumetric oxygen transfer coefficient in a three-phase fluidized bed containing porous particles. *J. Chem. Engng Japan (English)* **22**(5), 556 (1989).
- K. Takahashi and K. Endoh, Effect of vibration on forced convection mass transfer, *J. Chem. Engng Japan (English)* **22**(2), 120 (1989).
- K. Takahashi and H. Takeuchi, Holdup of dispersed phase in a mixer-settler extraction column, *J. Chem. Engng Japan (English)* **23**(1), 12 (1990).
- I. Taniguchi and K. Asano, Calculation of drag coefficients and mass transfer of two adjacent spheres of various diameter ratios, *J. Chem. Engng Japan (English)* **22**(6), 701 (1989).
- K. Tanishita and K. Hoshino, Oxygen transfer performance in the membrane curved tube oxygenator, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2383 (1989).
- H. Tsuge, Engineering aspects of blood oxygenators, *Kagaku Kogaku (J. Chem. Engng)* **53**(3), 182 (1989).
- T. Tsujino, M. Miura and A. Shima, Dissolution of an oxygen bubble in blood, *Trans. Japan Soc. Mech. Engrs* **B55**(521), 74 (1990).
- I. Yamamoto and A. Kanagawa, Approximate column constants expressed in terms of design parameters for hot-wire thermal diffusion column, *J. Nucl. Sci. Technol. (English)* **27**(1), 49 (1990).
- M. Yoshida, H. Imakoma and M. Okazaki, Characteristic functions for the drying of non-hygroscopic porous slab with a constant body temperature, *J. Chem. Engng Japan (English)* **23**(1), 58 (1989).

FLUIDIZED BED AND PACKED BED

- K. Aoki, M. Hattori and N. Yamanaka, Liquid holdup and liquid-to-particle mass transfer for gas continuous two-phase flow in packed beds, *J.S.M.E. Int. J., Series II (English)* **32**(3), 428 (1989).
- U. Arena, A. Cammarota, A. Marzocchella and L. Massimilla, Solids flow structures in a two-dimensional riser of a circulating fluidized bed, *J. Chem. Engng Japan (English)* **22**(3), 236 (1989).
- O. Hashimoto, T. Haruta, S. Mori, S. Hiraoka and I. Yamada, Simulation model turbulent fluidized-bed catalytic reactor, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(2), 336 (1989).
- M. Horio, H. Ishii, Y. Kobukai and N. Yamanishi, A scaling law for circulating fluidized beds, *J. Chem. Engng Japan (English)* **22**(6), 587 (1989).
- H. Ishii, T. Nakajima and M. Horio, The clustering annular flow model of circulating fluidized beds, *J. Chem. Engng Japan (English)* **22**(5), 484 (1989).
- T. Kai and T. Takahashi, A model for predicting the relationship between maximum voidage in homogeneous fluidization and emulsion phase voidage in bubbling fluidization, *J. Chem. Engng Japan (English)* **22**(4), 334 (1989).
- Y. Katoh and M. Miyamoto, Heat transfer to horizontal finned tube bundles in the freeboard region of fluidized bed, *Memo. Fac. Engng Yamaguchi Univ.* **40**(1), 55 (1989).
- T. Kojima, K. Ishihara, Y. Guilin and the late T. Furusawa, Measurement of solids behaviour in a fast fluidized bed, *J. Chem. Engng Japan (English)* **22**(4), 341 (1989).
- K. Kubo and D. Kato, Optimum design of a packed bed reactor with fluid mixing (the cases of a parallel reaction or a successive reaction), *Bull. Osaka Perf. College Technol.* **23**, 57 (1989).
- T. Minoura, Y. Sakamoto and S. Toyama, Numerical simulation of fluidized bed refuse incinerator, *Jap. J. Multiphase Flow (English)* **3**(3), 256 (1989).
- M. Miyamoto, Y. Katoh, T. Chimura and Y. Idei, Heat transfer to horizontal tube bundles in freeboard region of fluidized bed, *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3151 (1989).
- S. Mori, T. Haruta, A. Yamamoto, I. Yamada and E. Mizutani, Vibro-fluidization of very fine particles, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(5), 992 (1989).
- M. Nakajima, D. Hirota, K. Nakamura, R. Yamazaki and G. Jimbo, The effect of ring-shaped baffles on bubble behavior in a gas solid fluidized bed, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **16**(1), 130 (1990).
- M. Nishio, S. Kagaei and N. Wakao, Estimation of parameters in a gas-solid fluidized-bed adsorber by the concentration response technique (at incipient fluidization), *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **16**(1), 92 (1989).
- K. Oki, Y. Yamamoto and O. Ishiguro, Simulation of fluidized bed boiler load regulation, *Jap. J. Multiphase Flow* **3**(3), 247 (1989).
- H. Toyohara and Y. Kawamura, Fluidization characteristics of tapered bed, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 733 (1989).
- K. Wada, T. Sumiyoshi, N. Hayano and T. Katayama, Study of a granular bed dust collector (simulations of the dust collection efficiency), *Trans. Japan Soc. Mech. Engrs* **B56**(522), 523 (1990).
- H. Yamaoka, Flow characteristics of gas and powders at circulating fluidized bed reactor, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(3), 424 (1989).
- R. Yamazaki, R. Sugioka, O. Ando and G. Jimbo, Minimum fluidization velocity of inclined fluidized bed, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(2), 219 (1989).

MEASUREMENT

- K. Akagawa, T. Fujii, N. Takenaka, N. Takagi, H. Nakanishi and K. Hayashi, A new designed sensor for measure-

- ment of the concentration in a solid-liquid two-phase flow, *Memo. Graduate School Sci. Technol. Kobe Univ.* **7B**, 19 (1989).
- N. Arai, A. Yamamoto and M. Hasatani, Acoustic measurement of temperature distribution in a coaxial liquid jet flow in a circular tube by ultrasonic CT method, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(6), 1073 (1989).
- Y. Fujiwara, Y. Ohtani, T. Makita and T. Yamaya, Study on the optical pyrometer equipped with two filaments, *J. College Ind. Technol. Nihon Univ.* **22**(2), 9 (1989).
- S. Hara, M. Kitamura and K. Ogino, Apparatus for measurement of surface viscosity of liquid, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(12), 2167 (1989).
- S. Hara, M. Kitamura and K. Ogino, Measurement of surface viscosity of molten oxides, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(12), 2174 (1989).
- T. Hasegawa, K. Miyawaki, S. Yamaguchi and N. Ohiwa, Concentration measurement in a jet by laser-induced fluorescence method, *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1458 (1989).
- T. Hori, Measurement of fluid viscosity by a hot wire method, *J. Japan Soc. Mech. Engrs* **92**(846), 430 (1989).
- A. Ito, S. K. Choudhury and T. Fukano, A technique for measuring an unsteady temperature distribution in a liquid using holographic interferometry, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 194 (1990).
- H. Kobayashi and T. Watanabe, A restoration method for thermal video pictures, *J. College Ind. Technol. Nihon Univ.* **22**(1), 27 (1989).
- H. Masuda, S. Sasaki, M. Higano and H. Sasaki, Simultaneous measurement of specific heat and total hemispherical emissivity of metals by the transient calorimetric technique, *Trans. Japan Soc. Mech. Engrs* **B56**(522), 541 (1990).
- M. Miyata, Measurement of the stagnation temperature of the MHD generation plasma by a thermal sensor, *Res. Bull. Meisei Univ. (Phys. Sci. Engng)* No. 25, 69 (1989).
- Y. Monma, H. Itoh, M. Egashira, E. Baba, H. Miyazaki and C. Tanaka, Origin of drift in PR thermocouple after long-time creep testing, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(4), 665 (1989).
- K. Ohba, H. Takada and N. Kawakami, Twin fiber optic liquid film sensor for simultaneous measurement of local film thickness and interfacial wave velocity, *Jap. J. Multiphase Flow* **3**(1), 50 (1989).
- K. Ohtake, Laser spectroscopic measurements of gas temperature and its concentration, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(4), 587 (1989).
- Y. Okamoto, F. Kaminaga, M. Osakabe, K. Maekawa, T. Ishii, N. Ohoka and M. Eto, Measurement of radiosity coefficient by using an infrared radiometer and its application, *J. Fac. Engng Ibaraki Univ.* **37**, 121 (1989).
- Y. Okamoto, F. Kaminaga, M. Osakabe, T. Ishii, N. Ohoka, K. Kanaya and Y. Etou, Surface flaw detection by infrared radiometer, *J. Fac. Engng Ibaraki Univ.* **37**, 137 (1989).
- Y. Sakai, I. Nakamura, H. Tsunoda and T. Kusida, Development of an optical fiber type of fluctuation concentration measuring system of multiple species by the light absorption spectrometric method, *Trans. Japan Soc. Mech. Engrs* **B56**(522), 518 (1990).
- K. Shinzato, T. Fujii, S. Koyama and T. Nosetani, Experimental verification of a method for simultaneous measurement of the fouling factor and water velocity inside a condenser tube, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3772 (1989).
- M. Tabata, H. Fujii, M. Arai and H. Hiroyasu, Mean drop diameter of a diesel spray in a vaporizing process (1st report, method for measuring the drop size of a spray injected into an elevated temperature and pressure environment), *Trans. Japan Soc. Mech. Engrs* **B56**(521), 206 (1990).
- M. Tabata, H. Fujii, M. Arai and H. Hiroyasu, Mean drop diameter of a diesel spray in a vaporizing process (2nd report, results at an elevated temperature and pressure environment), *Trans. Japan Soc. Mech. Engrs* **B56**(521), 214 (1990).
- K. Tabei and H. Shirai, Temperature and/or density measurements of asymmetrical flow fields by means of the Moire-Schlieren method (1st report, inverting method of Moire data using an orthogonal polynomial expansion), *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1030 (1989).
- K. Tabei, H. Shirai and K. Machida, Temperature and/or density measurements of asymmetrical flow fields by means of the Moire-Schlieren method (2nd report, temperature measurements of a combustion flame from a rectangular burner), *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1035 (1989).
- S. Takeda, Response properties of condenser-type polymer thin film humidity sensor with obliquely deposited electrode, *Bull. Fac. Engng Takushoku Univ.* **2**(1), 18 (1989).
- H. Tasaka, H. Nozaki and H. Tajima, Heat loss measurement of an internal combustion engine, *Bull. Fac. Engng Miyazaki Univ.* No. 35, 1 (1989).
- K. Tsubouchi, S. Yoshida, K. Hishida and M. Maeda, Measurements of atomized droplet flow by a four-beam fiber optic LDV system, *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1022 (1989).
- S. Yamaguchi, T. Hasegawa, K. Miyawaki and N. Ohiwa, Two-dimensional mean concentration measurement in a jet by planar laser-induced fluorescence method, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3566 (1989).
- S. Yokobori and H. Nei, Current status and survey on flow visualization techniques in fields of nuclear thermal-hydraulics, *J. Atom. Energy Soc. Japan* **31**(7), 781 (1989).

THERMAL PROPERTIES

- T. Fujita and S. Kikuchi, Vapor pressure of aqueous solutions of ethylene glycol, *Trans. JAR* **6**(2), 183 (1989).
- T. Fujita, S. Tezuka, S. Uchida, T. Yamashita, M. Iwata and K. Nakagawa, Vapor pressure of aqueous solutions of ethylene glycol and lithium chloride, *J. Tokyo Univ. Mercantile Marine (Natural Sci.)* No. 40, 27 (1989).
- S. Fukusako and M. Yamada, Thermal conductivity of a frozen layer of ethylene glycol solution, *Bull. Fac. Engng Hokkaido Univ.* No. 146, 33 (1989).
- S. Fukusako and M. Yamada, Thermal conductivity of a frozen layer of aqueous binary solution formed on downward facing cooled plate, *Bull. Fac. Engng Hokkaido Univ.* No. 148, 53 (1989).
- Y. Higashi, Prediction of thermodynamic properties for halogenated hydrocarbons, *Trans. JAR* **6**(2), 1 (1989).
- Y. Hiki, Thermal properties of matters, *Kagaku Kogaku (J. Chem. Engng)* **53**(4), 270 (1989).
- S. Hirasawa, T. Watanabe, T. Torii, T. Uchino and T. Doi, Measurement of thermal radiative properties of silicon wafers with oxide film and nitride film at 950°C, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2404 (1989).
- H. Imakoma, H. Sang, K. Miyoshi and M. Okazaki, Effective thermal conductivity of fibrous insulation (examination of parameters in heat transfer model), *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 871 (1989).
- H. Inomata, K. Arai and S. Saito, On the functional form of the equation of state for prediction of mixture critical properties, *J. Chem. Engng Japan (English)* **22**(6), 695 (1989).
- A. Iwata, Cryogenic fluids and its applications, *J. Japan Soc. Mech. Engrs* **92**(11), 1003 (1989).
- H. Kimura, T. Numazawa, M. Sato and H. Maeda, Crystal structure and thermal conductivity of $Gd_3(Ga_{1-x}Al_x)O_{12}$ garnets, *Jap. J. Appl. Phys. (English)* **28**(9), 1644 (1989).
- H. Kimura, T. Numazawa, M. Sato and H. Maeda, Dislocations and thermal conductivity of $Gd_{3+y}(Ga_{0.8}Al_{0.2})_{5-y}O_{12}$ garnets, *Jap. J. Appl. Phys. (English)* **28**(9), 1654 (1989).
- S. Kitade, Y. Kobayashi, Y. Nagasaka and A. Nagashima, Thermal conductivity measurement of molten salts by the transient hot-wire method (2nd report, measurements of

- molten NaNO₃ and KNO₃ using ceramic-coated probes), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2411 (1989).
- T. Matsui and K. Naito, Thermodynamic calculation on the vaporization of fission-produced noble metal system in vacuum and oxidative atmosphere at high temperatures, *J. Nucl. Sci. Technol.* (English) **26**(12), 1102 (1989).
- Y. Morita, K. Okamura, H. Kawashima and M. Seguchi, High temperature material properties of ceramic particle composite, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(9), 1596 (1989).
- S. Murakami and N. Maeno, Thermal conductivity of snow and snow/metal mixtures, *Low Temp. Sci., Ser. A* **48**, 24 (1989).
- T. Nagao, Relationships of van der Waals descriptors and physicochemical properties (3, heats of sublimation of solid hydrocarbons), *Res. Rep. Hakodate National College Technol.* No. 24, 77 (1989).
- M. Nagatomo, H. Yoshino and S. Matsumoto, Thermal performance of semi-underground house (part 2, measurements of the thermal characteristics of soil), *Architectural Rep. Tohoku Univ.* No. 28, 173 (1989).
- H. Nishiumi and M. Fukushima, Correlation of binary interaction parameters of the extended BWR equation of state for systems containing hydrogen, *J. Chem. Engng Japan* (English) **22**(2), 205 (1989).
- K. Oguchi, General knowledge on the practical prediction or estimation methods of thermophysical properties, *Refrigeration* **64**(743), 961 (1989).
- H. Ohta, T. Akiyama, I. Suh, R. Takahashi, J. Yagi and Y. Waseda, Measurement of thermal diffusivity of fired and nonfired pellets by laser flash method, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(10), 1877 (1989).
- M. Okada, T. Ohtake, M. Hattori and K. Watanabe, Measurements of the surface tension for n-hexane and n-octane, *Trans. Japan Soc. Mech. Engrs* **B55**(514), 1649 (1989).
- A. Saito, K. Matsumoto and Y. Utaka, Reconsideration of the transient line source technique (3rd report, analytical discussion on the influence of coating layer), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2417 (1989).
- M. Takahashi, C. Yokoyama and S. Takahashi, Gas viscosity of non-azeotropic mixtures: R12-R22, *Trans. JAR* **6**(3), 247 (1989).
- T. Takahashi, Development of high temperature thermophysical properties measurement apparatus for new ceramics and fireproof materials, *Karyoku Genshiryoku Hatusuden* **40**(12), 1555 (1989).
- Y. Takahashi, H. Shimada and T. Terai, Thermal conductivity of uranium-zirconium alloys from 300 to 1000 K, *Annual Rep. Engng Res. Inst. Univ. Tokyo* **48**, 161 (1989).
- M. Tanaka and F. Chisaka, Effective thermal conductivity of discontinuous and continuous solid systems, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **16**(1), 168 (1990).
- J. O. Valderrama, A generalized Patel-Teja equation of state for polar and nonpolar fluids and their mixture, *J. Chem. Engng Japan* (English) **23**(1), 87 (1990).
- N. Yada, M. Uematsu and K. Watanabe, Measurements of the vapor pressure and PVT properties for refrigerant 115, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2426 (1989).
- E. Yamada, H. Taniguchi, N. Hamade and Y. Manabe, Effective thermal diffusivity of dispersed materials (experiments using the periodical heating method), *Trans. Japan Soc. Mech. Engrs* **B56**(521), 155 (1990).
- K. Yamamoto, T. Izumi and Y. Arai, Mutual diffusion coefficient of the polycarbonate-methylene chloride system at 140°C, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(5), 1038 (1989).
- A. Yoshida, W. Luangdilok and Y. Naka, Effects of thermal history on pressure-composition-temperature characteristics of the LaNi₅-H₂ system, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 1975 (1989).
- A. Yoshida, Y. Naka and T. Ohkita, Experimental study on thermophysical and kinetic properties of the LaNi₅-H₂ system, *Trans. Japan Soc. Mech. Engrs* **B56**(522), 536 (1990).
- HEAT EXCHANGER**
- K. Aoki, M. Hattori and K. Akita, A study of extended surface heat exchanger with frosting (2nd report, heat transfer and pressure drop for each row), *Trans. Japan Soc. Mech. Engrs* **B56**(521), 133 (1990).
- K. Aoki, M. Hattori and T. Hiramatsu, A study of extended surface heat exchanger with frosting (3rd report, analysis of characteristics), *Trans. Japan Soc. Mech. Engrs* **B56**(521), 140 (1990).
- T. Fujii, K. Shinzato, A. Kawabe, T. Koyama and Y. Watanabe, A simple method for measuring the fouling factor inside a removed condenser tube by radiant heating, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 101 (1990).
- T. Fujita and S. Kametani, Thermal characteristics of heating towers (I, counterflow towers), *Trans. JAR* **6**(3), 75 (1989).
- T. Fujita and K. Kawahara, Thermal characteristics of heating towers (II, crossflow towers), *Trans. JAR* **6**(3), 85 (1989).
- K. Gi, Y. Sangu and A. Tsuchida, Studies on fouling control for plate type heat exchanger (I), *Tech. Rep. Seikei Univ.* **49**, 1 (1990).
- Y. Hayashi, A. Takimoto, O. Matsuda and K. Motoya, Study on mist cooling for heat exchangers (5th report, heat transfer for tube bundles), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2861 (1989).
- Y. Hayashi, A. Takimoto, O. Matsuda and K. Motoya, Study on mist cooling for heat exchangers (6th report, design optimization), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2868 (1989).
- M. Hiramatsu, T. Ishimaru and K. Matsuzaki, Research on fins for air conditioning heat exchangers (1st report, numerical analysis of heat transfer on louvered fins), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3449 (1989).
- M. Hiramatsu, T. Ishimaru and K. Matsuzaki, Research on fins for air conditioning heat exchangers (2nd report, study of the heat transfer-characteristics of louvered fins), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3457 (1989).
- M. Hiramatsu, T. Ishimaru and K. Matsuzaki, Research on fins for air conditioning heat exchangers (3rd report, heat transfer analysis for louver array), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3462 (1989).
- Y. Kim, Y. Shinagawa, K. Yoshikawa, Y. Y. Cheng and S. Shiota, Studies on a high temperature regenerative heat exchanger for closed cycle MHD power generation (6th report, heat transfer analysis in the combustion chamber during the evacuation and argon heating periods), *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1199 (1989).
- Y. Kim, Y. Shinagawa, K. Yoshikawa, Y. Y. Cheng and S. Shiota, Studies on a high temperature regenerative heat exchanger for closed cycle MHD power generation (heat transfer analysis for the combustion chamber), *J.S.M.E. Int. J., Series II (English)* **33**(1), 141 (1990).
- Y. Kim, K. Yoshikawa, Y. Shinagawa and S. Shiota, Studies on a high temperature regenerative heat exchanger for closed cycle MHD power generation (7th report, unsteady thermal performance under cyclic continuous operation), *Trans. Japan Soc. Mech. Engrs* **B55**(512), 1206 (1989).
- M. Kuriyama, A. Wada, E. Harada and H. Konno, Cooling characteristics of highly viscous liquids with variable viscosity in simplified plate heat exchanger, *Trans. JAR* **6**(3), 95 (1989).
- K. Nishimoto and N. Hieda, A study on a performance test of matrices for Stirling engines (1st report, heat transfer test of various matrices), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3255 (1989).
- K. Nishimoto and N. Hieda, A study on a performance test of matrices for Stirling engines (2nd report, performance comparison of various matrices), *Trans. Japan Soc. Mech. Engrs* **B55**(518), 3261 (1989).
- K. Ogawa and Y. Seshimo, Characteristics of air-cooled heat exchanger with frost formation, *Trans. Japan Soc. Mech. Engrs* **B55**(511), 776 (1989).

- H. Shidara, M. Kikuchi, M. Kanzaki, M. Kuriyama and H. Konno, Heat transfer coefficients and pressure drops of highly viscous fluids in plate heat exchangers, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(5), 924 (1989).
- K. Suzuki, T. Hayashi, M. J. Schuerger, A. Nishihara and M. Hayashi, Heat transfer characteristics of two-dimensional model of parallel louver fin, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2457 (1989).
- S. Takeoka and T. Imai, Plate type catalytic reaction element, *Kagaku Kogaku (J. Chem. Engng)* **53**(11), 802 (1989).
- M. Tanaka, I. Yamashita and F. Chisaka, Flow and heat transfer characteristics of Stirling engine regenerator in oscillating flow, *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2478 (1989).
- H. Uehara, T. Nakaoka and H. Takesue, Experimental study of a shell-and-swirl tube type condenser, *Trans. JAR* **6**(3), 113 (1989).
- G. Xi, K. Suzuki, Y. Hagiwara and T. Murata, A basic study on heat transfer characteristics of offset fin arrays (effect of fin thickness in the middle range of Reynolds number), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3507 (1989).
- E. Yamada and M. Matsui, Evaluation and improvement of contact thermal resistance on fin collar of finned heat exchanger, *Trans. JAR* **6**(1), 39 (1989).
- HEAT PIPE AND THERMOSYPHON**
- K. Hijikata, H. Hasegawa and T. Nagasaki, A study on a heat pipe using a binary mixture, *Trans. Japan Soc. Mech. Engrs* **B55**(513), 1469 (1989).
- M. Hirashima, Y. Nishikawa, M. Taguchi, K. Negishi, K. Kaneko and T. Matsuoka, Heat transfer performance of corrugated tube thermosyphons (2nd report, condenser performance), *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3778 (1989).
- H. Imura, Y. Saito and H. Fujimoto, Flow and heat transfer characteristics in a closed-type two-phase loop thermosyphon, *Trans. JAR* **6**(2), 73 (1989).
- F. Kaminaga, Y. Okamoto, M. Osakabe and T. Yotsukura, Heat transfer characteristics of thermosyphon heat pipe on steady state and transient conditions, *J. Fac. Engng Ibaraki Univ.* **37**, 145 (1989).
- H. Kozai, H. Imura and Y. Ikeda, The permeability of screen wicks, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 161 (1990).
- H. Kozai, H. Imura and Y. Ikeda, The effective pore radius of screen wicks, *Trans. Japan Soc. Mech. Engrs* **B56**(521), 168 (1990).
- M. Kuramae and M. Ito, Some considerations on the physical models of a heat pipe for analyzing dynamic heat transfer characteristics, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(6), 1064 (1989).
- A. Miyasaka and K. Nakajima, Heat transport performance of axially grooved heat pipe with multiple heating points, *J. Japan Soc. Aeronaut. Space Sci.* **37**(424), 222 (1989).
- A. Shimizu, S. Yamazaki, T. Shindo and M. Taufiq, Jr., Heat transfer experiment of a flexible closed two phase thermosyphon, *Res. Rep. Tokyo National College Technol.* **21**, 61 (1989).
- I. Shishido, Y. Suzuki, K. Watanabe and M. Suzuki, Development of dual-mode cascaded thermosyphon, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(4), 868 (1989).
- T. Ueda, T. Miyashita and P. H. Chu, Heat transport characteristics of a closed two-phase thermosyphon, *J.S.M.E. Int. J.*, Series II (English) **32**(2), 239 (1989).
- T. Yamamoto, Y. Tanaka, Y. Ikeda, M. Mochizuki, S. Sugihara and J. Liu, Experimental study of sodium heat pipes (2nd report), *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2054 (1989).
- APPLICATION**
- H. Akabane, Energy supply and development of urban environment, *J. Japan Soc. Mech. Engrs* **92**(4), 15 (1989).
- K. Aoki, Characteristics on heat pump system due to frosting, *Refrigeration* **64**(742), 69 (1989).
- Y. Bando, M. Nishimura, K. Toyoda and M. Kuraishi, Collection characteristics of composite solar collector with volume heat trap and surface heat trap, *J. Chem. Engng Japan (English)* **22**(6), 665 (1989).
- Y. Fukuoka and M. Ishizuka, An application of the thermal network method to the thermal analysis of multichip packages (proposal of a simple thermal analysis model), *Jap. J. Appl. Phys. (English)* **28**(9), 1578 (1989).
- T. Harami, N. Watanabe and T. Takano, Analytical studies of thermal-hydraulic and radionuclide behavior in severe accident at boiling water reactor, *J. Nucl. Sci. Technol. (English)* **27**(2), 174 (1990).
- Y. Harazono, Y. Hayashi, M. Nasuno and H. Toritani, Dynamic response of a red pine canopy to changes of the outside environment (2, features of aerodynamic parameters on turbulent transfer of a red pine canopy), *Bull. Environ. Res. Center Univ. Tsukuba No. 13*, 105 (1989).
- S. Hayashi, H. Ojima, K. Kawaguchi, M. Shinohara and T. Kawano, Corrosion behavior of stainless steels under heat transfer condition in simulated solution of dissolver for FBR fuel reprocessing, *J. Atom. Energy Soc. Japan* **31**(11), 1273 (1989).
- T. Hayashi, T. Katayama, Y. Shiotsuki, N. Tsutsumi and J. Tsutsumi, Consecutive observation of heat balance on ground surfaces with five kinds of covering materials, *Engng Sci. Rep. Kyushu Univ.* **11**(3), 313 (1989).
- Y. Hayashi, Y. Harazono, M. Nasuno and H. Toritani, Dynamic response of a red pine canopy to changes of the outside environment (1, characteristics of temperature field within and above a red pine canopy), *Bull. Environ. Res. Center Univ. Tsukuba No. 13*, 97 (1989).
- M. Ikari, Outlines and trends in cogeneration, *J. Japan Soc. Mech. Engrs* **92**(4), 299 (1989).
- Y. Ikegami and H. Uehara, Off-design performance analysis of OTEC (ammonia as working fluid), *Trans. Japan Soc. Mech. Engrs* **B55**(511), 920 (1989).
- Y. Ikegami and H. Uehara, Off-design performance analysis of a turbine for OTEC (ammonia as a working fluid), *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3419 (1989).
- K. Itou, Urban energy system, *Kagaku Kogaku (J. Chem. Engng)* **53**(12), 895 (1989).
- R. Ito and Y. Inoue, Energy conversion and storage by "wet-type" solar cells with semiconductor electrodes, *Kagaku Kogaku (J. Chem. Engng)* **53**(11), 804 (1989).
- T. Iwase, S. Akabayashi and K. Mizutani, Investigation on thermal environment of detached wooden houses in Niigata-city, *Res. Rep. Fac. Engng Niigata Univ.* **38**, 21 (1989).
- T. Katayama, T. Hayashi, Y. Shiotsuki, H. Kitayama, K. Takayama, M. Oguro, J. Tsutsumi, A. Ishii and M. Nishida, Field observation of the urban thermal environment in summer influenced by sea breeze along a river, *Engng Sci. Rep. Kyushu Univ.* **11**(2), 223 (1989).
- M. Kawada, S. Hosokawa, K. Machida, I. Kudo, H. Yoshimura and K. Furuya, Development of small vuilleumier cooler for space use (1, preliminary design and performance mapping), *Cryogenic Engng* **24**(6), 21 (1989).
- N. Kobayashi, H. Fujimura and K. Ohtsuka, Heat and mass transfer in a molten carbonate fuel cell (experimental and analytical investigation of fuel cell temperature distribution), *J.S.M.E. Int. J.*, Series II (English) **32**(3), 420 (1989).
- M. Kobiyama, A refrigeration system with an ice-cooled condenser, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3783 (1989).
- M. Kobiyama, S. Fukushima, T. Koyama, T. Murakami and Y. Satoh, Long-term and large-scale storage of natural cold thermal energy in the winter season (1st report, theoretical investigation), *Trans. Japan Soc. Mech. Engrs* **B55**(517), 2886 (1989).
- Y. Kunugi, Ammonia-water absorption refrigerating machine, *Refrigeration* **64**(745), 1191 (1989).
- S. Kurosawa, Development of air-cooled double-effect gas-

- fired absorption water chiller-heater, *Refrigeration* **64**(739), 511 (1989).
- X. Li, Y. Furukawa, T. Nagao, S. Uyeda and H. Suzuki, Heat flow in central Japan and its relations to geological and geophysical features, *Bull. Earthquake Res. Inst. Univ. Tokyo* **64**, 1 (1989).
- Y. Mori, Y. Yoshizaki and T. Bushimata, A fundamental study of thermoelectric power generation by use of amorphous thin film on the heat transfer basis, *Trans. Japan Soc. Mech. Engrs* **B55**(511), 791 (1989).
- I. Morioka and M. Kiyota, Heat transfer from a heated fish pond with a vinyl sheet cover, *J.S.M.E. Int. J.*, Series II (English) **32**(4), 623 (1989).
- I. Morioka and M. Kiyota, Room temperature inside vinyl-sheet house above a heated fish pond, *Sci. Pap. Fac. Engng Univ. Tokushima* **34**, 21 (1989).
- H. Moritsuka, T. Mimaki, J. Inumaru and T. Hamamatsu, Evaluation method of coal gasification combined cycle power generation plant's performance and gasification characteristics, *Karyoku Genshiryoku Hatsuden* **40**(9), 1029 (1989).
- K. Murai, Y. Kawashima and S. Nakanishi, A graphical method for practical calculation of varying-pressure steam accumulator capacity, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **15**(2), 226 (1989).
- M. Nagao, T. Inaguchi, H. Yoshimura, T. Yamada and M. Iwamoto, Helium liquefaction by Gifford McMahon cycle cryogenic refrigerator, *Cryogenic Engng* **24**(4), 222 (1989).
- M. Nagatomo, H. Yoshino, Y. Ishikawa, S. Kimura, T. Watanabe, A. Sato and K. Sakurai, Experimental study on operating performance of a heat pump system using earth tube for residential space heating and cooling, *Architectural Rep. Tohoku Univ.* **28**, 181 (1989).
- M. Nagatomo, H. Yoshino, Y. Ishikawa, S. Matsumoto and N. Utsumi, Investigation of indoor thermal environment, air quality and shelter performance in highly insulated and airtight detached houses around Sendai city, *Architectural Rep. Tohoku Univ.* **28**, 191 (1989).
- M. Nasuno, Y. Hayashi, Y. Harazono and T. Nishizawa, Dynamic response of a red pine canopy to changes of the outside environment (3, turbulence transport over and within a red pine canopy), *Bull. Environ. Res. Center Univ. Tsukuba* No. 13, 113 (1989).
- T. Nomura, N. Nishimura, A. Yabushita and T. Kashiwagi, High performance drying system using absorption temperature amplifier (1, the concept of new drying system and its thermal engineering analysis), *Trans. JAR* **6**(2), 51 (1989).
- Y. Okamoto, F. Kaminaga, K. Ogawa and Y. Marui, Thermal cooling techniques of electronic components, *J. Fac. Engng Ibaraki Univ.* **37**, 127 (1989).
- K. Onda, T. Masuda, S. Nagata, K. Nozaki, A. Negishi and K. Tanaka, Cycle analyses for thermoelectric power generation and heat pumps using β'' alumina solid electrolytes, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 2048 (1989).
- N. Sawada, K. Iramina, Y. Ikumi and T. Tanaka, Simulation of the absorption heat pump for temperature boosting of waste heat, *Refrigeration* **64**(743), 37 (1989).
- W. Sugishima and Y. Nabeshima, Energy recovery technology from municipal solid waste, *J. Japan Soc. Mech. Engrs* **92**(845), 302 (1989).
- S. Takada, Recent researches and developments on the absorption refrigerating machine and heat pump, *Refrigeration* **64**(737), 79 (1989).
- Y. Tan and X. Dong, Influence of austenitizing temperatures on microstructures and mechanical properties of hot water quenched steel wires, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(8), 1386 (1989).
- Y. Tan, M. Tang and M. Yuan, Relation between the procedures of hot water quenching and mechanical properties of high carbon steels, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(8), 1378 (1989).
- M. Tanaka, Refrigeration of pressurized He II using a ^3He circulation system (I, characteristics of the system for a stationary heat load), *Cryogenic Engng* **25**(1), 18 (1989).
- M. Tanaka, Refrigeration of pressurized He II using a ^3He circulation system (II, behavior of the system during the initial cooling and after a pulsed heat generation), *Cryogenic Engng* **25**(1), 25 (1990).
- I. Tanaka, A fundamental study on the characteristics of temperature rise in a greenhouse with a fluid-roof absorbing infrared rays, *Res. Bull. Fac. Agriculture Gifu Univ.* **54**, 105 (1989).
- Y. Tanaka, K. Fukuda and S. Hasegawa, Basic study of laboratory solar pond (effect of surface covering with plastic sheet, wind and salt-gradient), *Engng Sci. Rep. Kyushu Univ.* **11**(1), 61 (1989).
- H. Uehara, T. Nakaoka, S. Takeishi and Y. Ikegami, Optimization of turbine for OTEC (ammonia as a working fluid), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2346 (1989).
- H. Umemiya and Y. Sato, A cogeneration system for a heavy-snow fall zone based on aquifer thermal energy storage, *Trans. Japan Soc. Mech. Engrs* **B55**(520), 3794 (1989).

OUTLOOK

- M. Akiyama, Thermal-hydraulics and computer analysis, *J. Japan Soc. Mech. Engrs* **92**(847), 480 (1989).
- M. Ichiyanagi and K. Nishizima, A generalized evolution criterion in nonequilibrium convective systems, *J. Phys. Soc. Japan (English)* **58**(4), 1182 (1989).
- M. Ikari, Outlines and trends in cogeneration, *J. Japan Soc. Mech. Engrs* **92**, 299 (1989).
- M. Ishikawa, Preparatory experiment for space utilization, *Kagaku Kogaku (J. Chem. Engng)* **53**(10), 738 (1989).
- F. Ito and K. Yokota, Future trend and present status of phosphoric acid type fuel cell technology for power generation, *Trans. Japan Soc. Mech. Engrs* **B55**(515), 1775 (1989).
- S. Kotake, Evolution and status of computational thermal and fluid dynamics, *J. Japan Soc. Mech. Engrs* **92**(847), 498 (1989).
- I. Michiyoshi, Developments in heat transfer studies, *Trans. Japan Soc. Mech. Engrs* **B55**(519), 3267 (1989).
- T. Ohta, On the reconstruction of soft energy systems, *J. Japan Soc. Mech. Engrs* **92**, 295 (1989).
- T. Saito, Review of simulation relating to the refrigeration engineering in the past twenty years and prospect in the future, *Refrigeration* **64**(742), 857 (1989).
- A. Sanada, Long term energy outlook and energy policy (what is major trend in energy area?), *J. Japan Soc. Mech. Engrs* **92**(845), 292 (1989).
- Working Group, Pollution of the atmosphere and global warming, *Kagaku Kogaku (J. Chem. Engng)* **54**(1), 8 (1990).

MISCELLANEOUS

- Y. Kato, J. C. Grosjean, J. P. Reboul and P. Riboud, Theoretical study on gas flow and heat and mass transfer in a converter, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **75**(3), 478 (1989).
- K. Katoh and H. Fujita, Wetting behavior of two-dimensional meniscus formed under a horizontal plate (effect of infinitesimal roughness on a solid surface), *Trans. Japan Soc. Mech. Engrs* **B55**(516), 2397 (1989).
- Y. Nakamura, D. Ichimiya, N. Hayakawa and H. Nishimura, Sea surface heat transfer and its effects on the formation of coastal bay anoxia, *Bull. Nagaoka Univ. Technol.* **11**, 69 (1989).
- K. Ogawa and S. Yoshikawa, Transport phenomena from a viewpoint of pattern recognition, *Kagaku Kogaku (J. Chem. Engng)* **53**(6), 428 (1989).
- K. Turutani, M. Yao, J. Senda and H. Fujimoto, Numerical analysis of the deformation process of a droplet impinging upon a surface, *Trans. Japan Soc. Mech. Engrs* **B55**(511), 814 (1989).