



0017-9310(95)00392-4

Heat transfer bibliography—Japanese works 1994[†]

I. TANASAWA and S. NISHIO

Institute of Industrial Science, University of Tokyo 7-22-1 Roppongi, Minato-ku, Tokyo 106, Japan

and

K. SUZUKI

Department of Mechanical Engineering, Kyoto University, Yoshidahoncho, Sakyo-ku,
Kyoto 606-01, Japan

CONDUCTION

- T. Amano, Thermal performance of multilayer insulation (2nd report, expansion and application of the prediction-based heat flux equation), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 284 (1994).
- T. Amano and A. Ohara, Thermal performance of multilayer insulation (3rd report, effects of various parameters on heat flux), *Trans. Japan Soc. Mech. Engrs Ser. B* **60**(569), 292 (1994).
- K. Goodson and M. L. Flik, Thermal conduction processes with sub-micrometer lengthscales in electronic circuits, *Thermal Sci. Engng* (English) **2**(1), 191 (1994).
- S. Ishimoto, M. Hirai, K. Ito and K. Korei, Effects of soluble fission products on thermal conductivities of nuclear fuel pellets, *J. Nucl. Sci. Technol.* (English) **31**(8), 794 (1994).
- T. Kawai, I. Yoshida and I. Imai, Equi-partition of outflow of joule's heat generated in a homogeneous body of arbitrary shape, *J. Phys. Soc. Japan* (English) **63**(3), 948 (1994).
- S. Kotake and S. Wakuri, Molecular dynamics study of heat conduction in solid materials, *J.S.M.E. Int. J. Ser. B* (English) **37**(1), 103 (1994).
- M. J. Lee, M. T. Yeh and C. Y. Chiu, Corresponding-states model for thermal conductivity of liquids and liquid mixtures, *J. Chem. Engng Japan* (English) **27**(4), 472 (1994).
- A. Makino, N. Araki, H. Kitajima and K. Ohashi, Transient temperature response of functionally gradient material subjected to partial, stepwise heating, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(580), 4200 (1994).
- K. Momose and H. Kimoto, Identification of heat sources based on symmetry of green's function, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(572), 1356 (1994).
- Y. Ochiai, Axisymmetric heat conduction analysis under steady state by improved multiple-reciprocity boundary element method, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(579), 3918 (1994).
- T. Oku, A. Kurumada, T. Hoshino, T. Hiraoka and K. Kuroda, Thermal conductive and mechanical properties of carbon materials, *J. Faculty Engng Ibaraki Univ.* **42**, 21 (1994).
- T. Qiu, Molecular-scale heat conduction in metal-dielectric films, *Thermal Sci. Engng* (English) **2**(4), 11 (1994).
- T. Sakiyama and T. Yano, Temperature dependence of the effective thermal conductivity of food gels impregnated with air bubbles, *J. Chem. Engng Japan* (English) **27**(3), 291 (1994).
- T. Sunaga, Theory and numerical method on the inverse problem of heat conduction, *Thermal Sci. Engng* (English) **2**(2), 9 (1994).
- E. Yamada, K. Takahashi, M. Sato and Y. Ishii, Effective thermal conductivity of insulating material made from recycled newspapers, *Trans. JAR* **11**(1), 17 (1994).

NATURAL CONVECTION

- K. Araki, J. Mizushima and S. Yanase, Thermal instability of a fluid in a spherical shell with thin layer approximation analysis, *J. Phys. Soc. Japan* (English) **63**(6), 2123 (1994).
- T. Funada and T. Iizuka, Marangoni instability of a liquid layer due to time-periodic heating, *Numazu College Technol. Res. Annual* **29**, 37 (1994).
- A. Hirata, S. Nishizawa, M. Noguchi and M. Sakurai, S. Yasuhiro and N. Imaishi, Marangoni convection in a liquid bridge under microgravity conditions during parabolic flight, *J. Chem. Engng Japan* (English) **27**(1), 65 (1994).
- K. Hirose, F. Saito and M. Ouchi, Numerical study of natural convection heat transfer in eccentric horizontal cylindrical annuli (heat transfer enhancement by eccentricity), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(575), 2511 (1994).
- S. Iida and K. Ogawara, Bifurcation structures of Lorenz-type 5-equation model in thermal convection, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), 366 (1994).
- S. Iida, K. Ogawara and S. Furusawa, A study on bifurcation control using pattern recognition of thermal convection, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(580), 4045 (1994).
- T. Inagaki and K. Komori, Experimental study on heat-transfer enhancement in turbulent natural convection along a vertical flat plate (2nd report, effect of backward-facing step), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(573), 1737 (1994).
- T. Inagaki and K. Komori, Heat transfer and fluid flow of natural convection along a vertical flat plate in the tran-

[†] Until the last version [Int. J. Heat Mass Transfer **38**(9), 1533-1542] this bibliography listed those papers published during the one-year period between February of two years before and January of a year before. The reason is unclear. From this issue on we change the policy to list the papers which appeared in the same calendar year. Thus, the papers published in January 1994 are listed once again in this bibliography. But it is an inconvenience only for this year.

- sition region (Clarification of transitional structure with the aid of flow visualization), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(577), 3117 (1994).
- F. Kimura and K. Kitamura, Heat transfer and fluid flow of natural convection over horizontal-heated plate (high-Rayleigh-number flow), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 566 (1994).
- K. Kitamura, N. Nagae and F. Kimura, Enhancement of natural-convection heat transfer from a horizontal heated plate, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(569), 270 (1994).
- H. Koizumi and I. Hosokawa, Controlling the generation of Bénard cells in combined convection of a horizontal rectangular duct heated from below (experiment of mass transfer), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 560 (1994).
- H. Koizumi, I. Hosokawa and H. Miyoshi, Chaotic behavior of the natural convection around an isothermally heated horizontal cylinder effected by a flat ceiling, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3448 (1994).
- K. Kudo, H. Taniguchi, A. Kuroda, W. Yang, T. Tanaka and M. Yasuno, Analysis of transient surface-tension-driven convection in a hemispherically heated liquid droplet, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1724 (1994).
- Y. Masuda, S. Kimura and K. Hayashi, Three-dimensional numerical analysis of natural convection in a saturated porous matrix (stability of convection patterns), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 960 (1994).
- M. Miyamoto, Y. Katoh, J. Kurima and Y. Taguchi, Characteristics of free-convection boundary layer in transition region along vertical plate, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 971 (1994).
- J. Mizushima, Mechanism of the pattern formation in Rayleigh-Bénard convection, *J. Phys. Soc. Japan (English)* **63**(1), 101 (1994).
- H. Mori and H. Ogata, Natural convection heat transfer to liquid helium in a high centrifugal acceleration field, *J.S.M.E. Int. J. Ser. B (English)* **37**(1), 109 (1994).
- T. Munakata and I. Tanasawa, Numerical study on effect of initial concentration difference on onset of rollover, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3512 (1994).
- T. Nishimura and K. Kunitugu, Natural convection suppression in a horizontal porous annulus by azimuthal baffles, *Memo. Fac. Engng Yamaguchi Univ.* **45**(1), 1 (1994).
- T. Ohara, J. Tamba and T. Aihara, Rapid transient heat transfer of near-critical carbon dioxide, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1370 (1994).
- Y. Ookouchi, Local circulation model including cloud physical process, *Yatsushiro Natn. College Technol.* **16**, 13 (1994).
- A. Saitoh and K. Yamasaki, Natural convection heat transfer from finite vertical plate on floor at low Grashof numbers, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(577), 3124 (1994).
- M. Sakata, Numerical study of natural convection in a cylindrical cavity with a heated part of the vertical wall, *J. Japan Soc. Fluid Mech.* **13**(2), 131 (1994).
- K. Sugiyama, M. Miyata, R. Ishiguro and T. Enoto, Rarefied gas flow induced by wall temperature gradient in containers, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(569), 229 (1994).
- S. G. Tagare, Effect of rotation on Rayleigh-Bénard convection with large Prandtl number, *J. Phys. Soc. Japan (English)* **63**(4), 1351 (1994).
- T. Watanabe, H. Kaburaki, M. Machida and M. Yokokawa, Study of Rayleigh-Bénard instability using the direct simulation Monte Carlo method, *Thermal Sci. Engng (English)* **2**(4), 17 (1994).
- T. Yabuta and K. Yoshioka, Calculation of buoyancy-driven flow in a square cavity by application of the PD method, *Rep. Faculty Engng Oita Univ.* **29**, 7 (1994).
- I. Yamamoto, A. Segi and A. Kanagawa, Effect of cold-wall temperature on $'\text{He}-{}^4\text{He}$ separative performances of "cryogenic-wall" thermal diffusion column, *J. Nucl. Sci. Technol. (English)* **31**(4), 314 (1994).
- I. Yamamoto, A. Shibata and A. Kanagawa, Simple model for prediction of changes in hot-wire temperature caused by convection at top and bottom of thermal diffusion column, *J. Nucl. Sci. Technol. (English)* **31**(3), 222 (1994).

FORCED CONVECTION

- K. Abe, Y. Nagano and T. Kondoh, Two-equation heat-transfer model for turbulent flows with separation and reattachment, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1743 (1994).
- T. Atarashi, T. Hatada and T. Daikoku, Air-cooled heat sink for electronic equipment (heat transfer characteristics of inclined strip fins and a multiflow air duct system), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 620 (1994).
- I. K. Chung, A. Nakayama and N. Araki, Heat transfer enhancement of a thermally developing region in a rectangular channel by use of turbulence promoters, *Kagaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(5), 717 (1994).
- I. K. Chung, N. Araki and A. Nakayama, Augmentation of forced convective heat transfer for thermally developing region in rectangular channel by means of turbulence promoter, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2149 (1994).
- K. Funazaki, Y. Yamashita and S. Yamawaki, Studies of wake-affected heat transfer around a leading edge of turbine rotors (1st report, heat transfer augmentation by incident wakes), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2811 (1994).
- Y. Haneda, Y. Tsuchiya, H. Kurasawa and K. Suzuki, A study on the two-dimensional jet impinging on a circular cylinder (1st report, measurements of flow-field and heat transfer around a circular cylinder mounted near two flat plates), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1401 (1994).
- E. M. Hido, Y. Bando and M. Nishimura, Study on heat transfer enhancement by using spirally corrugated tubes, *J. Chem. Engng Japan (English)* **27**(5), 632 (1994).
- K. Hijikata, H. Kaneko and K. Ogawa, Microscale heat transfer enhancement utilizing EHD effects, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1386 (1994).
- K. Honma, H. Kawamura, K. Saita and E. Inagaki, Visualization and calculation of temperature and flow fields in forced convection cooling of a wall-mounted block, *Thermal Sci. Engng (English)* **2**(3), 19 (1994).
- K. Ichimiya, M. Katayama and Y. Suzuki, Effects of contraction fins on local heat transfer, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 582 (1994).
- K. Ichimiya and Y. Kawai, Effects of a porous-medium in a forced convection field on local heat transfer and flow, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 983 (1994).
- K. Ichimiya and H. Matsumoto, Heat transfer and flow characteristics of a laminar annular impinging jet with confined wall, *Trans. JAR* **11**(3), 53 (1994).
- O. Iida and N. Kasagi, Direct numerical simulation of homogeneous anisotropic decaying turbulence with heat transfer, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2708 (1994).
- T. Inaba, Longitudinal heat transfer in oscillatory flows in circular pipes with heat loss, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2538 (1994).
- H. Inaba, K. Ozaki and S. Kanaoka, A fundamental study of heat-transfer enhancement and flow-drag reduction in tubes by means of wire coil insert (1st report, characteristics of flow resistance and heat transfer in tubes with

- wire coil insert), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 240 (1994).
- H. Inaba, K. Ozaki and S. Kanaoka, A fundamental study of heat-transfer enhancement and flow-drag reduction in tubes by means of wire coil (2nd report, heat transfer estimation and optimum arrangement of wire coil in a tube), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(571), 1005 (1994).
- Y. Inaba, T. Noda, Y.-F. Rao and K. Fukuda, Numerical analysis of forced convective heat transfer of helium II, *Cryogenic Engng* **29**(11), 23 (1994).
- T. Ishikawa and T. Kamiya, Limits of Reynolds number for effective use of heat transfer promoters—twisted tape and static mixer, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(1), 41 (1994).
- K. Kanemaru, N. Kawae, T. Shigechi and T. Yamada, Numerical analysis on fully developed laminar forced convective heat transfer in circular tube with internal longitudinal fins, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(579), 3924 (1994).
- H. Kawamura, S. Nakamura, S. Satake and T. Kunugi, Large eddy simulation of turbulent heat transfer in a concentric annulus, *Thermal Sci. Engng (English)* **2**(2), 16 (1994).
- T. Kawamura, M. Yamamori, J. Mimatsu and M. Kumada, Three-dimensional unsteady characteristics of heat transfer around reattachment region of backward-facing step flow, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2833 (1994).
- S. Kida, Stability of thermal convection in a rapidly rotating sphere, *J. Phys. Soc. Japan (English)* **63**(8), 2964 (1994).
- K. Kitamura and H. Umeda, Heat transfer of combined forced and natural convection from a horizontal cylinder (heat transfer of cross flow), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), 587 (1994).
- M. Kobayashi, H. Maekawa, T. Takano and M. Kobayashi, Experimental study of turbulent heat transfer in a two-dimensional curved channel (time-mean temperature and multiple temperature/velocity correlations in the entrance section), *J.S.M.E. Int. J. Ser. B (English)* **37**(3), 545 (1994).
- M. Kobayashi, H. Maekawa, T. Takano and M. Kobayashi, Experimental study of turbulent heat transfer in a two-dimensional curved channel (time-mean temperature and multiple temperature/velocity correlations in the entrance section), *Res. Rep. Fac. Engng, Niigata Univ.* **43**, 45 (1994).
- T. Kojima, M. Shimazue, J. Yang and Y. Matsuoka, Numerical analysis of flow accompanying heat transfer in pipe (1st report, analytic methods), *Res. Rep. Fac. Engng Kinki Univ.* **28**, 49 (1994).
- T. Kojima, M. Shimazue, J. Yang and Y. Matsuoka, Numerical analysis of flow accompanying heat transfer in pipe (2nd report, results of analysis), *Res. Rep. Fac. Engng Kinki Univ.* **28**, 55 (1994).
- S. Koshizuka, N. Takano and Y. Oka, Numerical analysis of deterioration in heat transfer in supercritical water, *Trans. Japan Soc. Mech. Engrs B* **60**(575), 2497 (1994).
- T. Kunugi, K. Ichimiya and Y. Sakamoto, Numerical analysis of mixed convective heat transfer in a square channel with uniform wall temperature, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(572), 1393 (1994).
- T. Kunugi, T. Yokomine and K. Ichimiya, Numerical study on heat transfer of an impinging turbulent plane jet with confined wall, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(573), 1751 (1994).
- T. Kunugi, Y. Sakamoto and K. Ichimiya, Laminar mixed convection with flow reversal in a horizontal isothermal square channel, *Thermal Sci. Engng (English)* **2**(3), 9 (1994).
- K. Minakami, S. Mochizuki, A. Murata, Y. Yagi and H. Iwasaki, Heat-transfer characteristics of pin-fin arrays (2nd report, empirical formulas of heat transfer and pressure loss performances), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 255 (1994).
- M. Mizuno, M. Hori and K. Kudo, Heat transfer and flow characteristics of offset fins in low-Reynolds-number region (effect of thermal conductivity of fins), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 263 (1994).
- S. Nishio, M. Honma and W.-M. Zhang, Oscillation-controlled heat transport tube (1st report, effect of liquid properties), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 233 (1994).
- S. Nishio and W.-M. Zhang, Oscillation-controlled heat transport tube (2nd report, optimum conditions), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), 627 (1994).
- H. Ohsaki, Numerical analysis of electromagnetic force drive of molten metal with a free surface, *J. Fac. Eng., Univ. Tokyo A-32*, 42 (1994).
- F. Ono, T. Kanda, G. Masuya, T. Saito and Y. Wakamatsu, Effect of film cooling/regenerative cooling on a scramjet engine performances, Technical Rep. Natn. Aerospace Lab. TR1242T (1994).
- T. Ota, H. Yanaoka and T. Hata, Numerical analysis of laminar flow and heat transfer in a two-dimensional symmetrically enlarged channel, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(579), 3930 (1994).
- K. Oyakawa, T. Taira and E. Yamazato, Studies of heat transfer control by jet discharge at reattachment region downstream of a backward-facing step (2nd report, for various expansion ratios), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 248 (1994).
- K. Oyakawa, I. Senaha and I. Mabuchi, Augmentation of heat transfer in a tube with a blade wheel at inlet, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(575), 2532 (1994).
- K. Sada and T. Kanzaki, Development of advanced wind tunnel experiment methods incorporating topographic and thermal effect (1st report, analysis method based on a convective velocity), CRIEPI (Central Res. Inst. Elec. Power Ind.) Rep. No. T93008, 1 (1994).
- K. Sagae, M. Koizumi and M. Yamakawa, Numerical analysis for polymer melt flow in injection molding, *J.S.M.E. Int. J. Ser. B (English)* **37**(3), 531 (1994).
- H. Sato, T. Minaga, M. Tagawa and Y. Nagano, Structures of the intermittent region of a turbulent thermal boundary layer, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), Ser. 594 (1994).
- F. Shichuan and K. Ohba, Experimental investigation of recirculation flow field in water model of stirring reactors, *Rep. Technol. Faculty Engng Kansai Univ.* **36**, (1994).
- H. Sugiyama, M. Akiyama, M. Matsumoto and M. Hirata, Numerical analysis of forced convection heat transfer for turbulent flow in a square duct with a rough wall, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2840 (1994).
- K. Torii, K. Nishino and K. Nakayama, Mechanism of heat-transfer enhancement by longitudinal vortices in a flat-plate boundary layer, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(571), 997 (1994).
- A. Uchiyama, M. Yamamoto, T. Shizawa and S. Honami, Behavior of cooling jet in the lateral injection in film cooling (1st report, time-averaged velocity and temperature field), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), 614 (1994).
- H. Umur, Concave wall heat transfer characteristics with longitudinal pressure gradients and discrete wall jets, *J.S.M.E. Int. J. Ser. B (English)* **37**(2), 403 (1994).
- X. Wang, S. Ohyagi and T. Fujiwara, Numerical simulation on 2D/3D reacting free shear layer, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(580), 4171 (1994).
- M. Yao, M. Nakatani, T. Senoo and K. Suzuki, Flow visualization and heat transfer experiments between two parallel plates with an insertion of a square rod, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2819 (1994).
- M. Yoshiwara, Effect of temperature non-uniformity on wall surface for convective heat transfer from an open cavity (part 1: experimental study in the case of depth-to-width ratio $H/L = 1.0$), *Trans. JAR* **11**(3), 73 (1994).
- M. Yoshiwara, Effect of temperature non-uniformity on wall

surface for convective heat transfer from an open cavity (part 2: numerical calculation by heat transfer model in the case of depth-to-width ratio $H/L = 1.0$), *Trans. JAR* **11**(3), 83 (1994).

BOILING AND EVAPORATION

- E. F. Adiutori, A critical examination of the view that nucleate boiling heat-transfer data exhibit power law behavior, *J.S.M.E. Int. J. Ser. B* (English) **37**(2), 394 (1994).
- T. Aihara, A. Komura, S. Okada, K. Kuroda, T. Ohara and H. Yamamoto, Rapid transient boiling heat-transfer from a coated strip vertically placed in liquid helium—1, *Cryogenic Engng* **29**(1), 2 (1994).
- I. Aoki, Water flash evaporation in vacuum (1st report), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4159 (1994).
- M. Arai and K. Amagai, Droplet evaporation on a hot surface under super-gravitational fields (1st report, influence of the gravity on evaporation lifetime), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1343 (1994).
- Y. Fujita and M. Tsutsui, Evaporation heat transfer of falling films on horizontal tube (1st report, analytical study), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3469 (1994).
- Y. Fujita and M. Tsutsui, Evaporation heat transfer of falling films on horizontal tube (2nd report, experimental study), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3475 (1994).
- Y. Fujita and M. Tsutsui, Heat transfer in nucleate boiling of binary mixtures (heat transfer measurement and assessment of available correlations), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(577), 3101 (1994).
- Y. Fujita, Q. Bai and M. Tsutsui, Critical heat flux of binary mixtures in pool boiling (experimental results and a new CHF correlation), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3434 (1994).
- M. Furukawa, E. Enomoto and K. Sekoguchi, Boiling heat transfer in high temperature generator of absorption chiller/heater (2nd report: boiling heat transfer of sprayed heated surface), *Trans. JAR* **11**(2), 113 (1994).
- M. Furukawa, M. Kaji, T. Suyama and K. Sekoguchi, Enhancement of pool boiling heat transfer to lithium bromide aqueous solution, *Trans. JAR* **11**(3), 113 (1994).
- M. Hasegawa and K. Nanbu, Study on evaporation into a vacuum by the molecular dynamics method, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(579), 3893 (1994).
- Z. L. Huang, S. Yokoya and M. Shoji, Experiment on steady pool transition boiling of water on a horizontal copper heated surface, *J.S.M.E. Int. J. Ser. B* (English) **37**(4), 896 (1994).
- Y. Iida, K. Okuyama and K. Sakura, Boiling nucleation on very small film heater subjected to extremely rapid heating, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1362 (1994).
- O. Kido and H. Uehara, Evaporation heat transfer of HCFC 22 on grooved surfaces inside a horizontal rectangular channel (correlations for heat transfer on upper and lower surface), *Trans. JAR* **11**(2), 31 (1994).
- O. Kida, M. Taniguchi, T. Taira and H. Uehara, Evaporation heat transfer and pressure drop of HCFC 22 inside an internally grooved horizontal tube, *Trans. JAR* **11**(2), 43 (1994).
- O. Kido and H. Uehara, Correlation for evaporation heat transfer of pure refrigerant inside an internally grooved horizontal tube, *Trans. JAR* **11**(2), 55 (1994).
- Y. Kim, S. Nishio and H. Ohkubo, Spray cooling with formation of liquid film (distribution of heat-transfer coefficient in high-temperature region), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2158 (1994).
- Y. Kitamura, Q. Huang and T. Takahashi, Superheating and flashing of water-in-oil emulsions, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(3), 405 (1994).
- S. Koyama, N. Inoue, T. Fujii, An experimental study of transient heat transfer characteristics of an evaporator using an internally grooved tube, (In the case of step change in refrigerant flow rate), *Trans. JAR* **11**(1), 25 (1994).
- S. Kumagai, Y. Sano, T. Kamata, S. Suzuki and R. Kubo, Boiling heat transfer to an impinged jet in cooling a hot metal slab, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 609 (1994).
- M. Kureta, K. Mishima, H. Nishihara and K. Tasaka, Effect of diameter and heated length on critical heat flux for water flowing in small-diameter tubes, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2089 (1994).
- M. Monde, K. Kitajima, T. Inoue and Y. Mitsutake, Critical heat flux in forced convective subcooled boiling, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 932 (1994).
- M. Monde, Y. Mitsutake and S. Kobo, Critical heat flux during natural convective boiling on uniformly heated inner tubes in vertical annular tubes submerged in saturated liquid, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 940 (1994).
- T. Nagasaki, K. Hijikata, K. Fushinobu and T. Saitoh, Boiling heat transfer from a small heating element, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1730 (1994).
- H. Narai, F. Inasaka, A. Ishikawa and H. Kinoshita, Effect of internal twisted tape on critical heat flux of subcooled flow boiling under nonuniform heating condition, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4215 (1994).
- H. Nei and T. Kagawa, Heat transfer behavior in non-uniform electric field (1st report, observation of boiling phenomena by Schlieren method), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2805 (1994).
- H. Ohtake and S. Nishio, Natural-convection film-boiling heat transfer experiment of subcooled film boiling with long vapor film, *J.S.M.E. Int. J. Ser. B* (English) **37**(1), 116 (1994).
- T. Oka, Y. Abe, Y. H. Mori and A. Nagashima, Pool boiling heat transfer under microgravity (experiments with CFC-113 and water utilizing drop shaft facility), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(577), 3093 (1994).
- M. Ouchi, K. Hirose, Y. Shoji, T. Abe and F. Saito, Heat transfer characteristics on a surface with isolated fine structures in boiling water, *Trans. JAR* **11**(1), 57 (1994).
- E. M. Peter, A. Takimoto and Y. Hayashi, Flashing and shattering phenomena of superheated liquid jets, *J.S.M.E. Int. J. Ser. B* (English) **37**(2), 313 (1994).
- Y. Shibata, H. Tezuka, Y. Hagiwara and K. Suzuki, A numerical study of evaporating heat transfer of non-azeotropic binary mixtures flowing upward in a vertical tube (2nd report, the effect of nonideality of mixtures), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2927 (1994).
- M. Shoji and X. Y. Zhang, Study of contact angle hysteresis (in relation to boiling surface wettability), *J.S.M.E. Int. J. Ser. B* (English) **37**(3), 560 (1994).
- K. Takano, I. Tanasawa and S. Nishio, Enhancement of evaporation of a droplet using EHD effect (4th report, measurement of steady-state heat flux during evaporation of a single droplet), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1705 (1994).
- T. Takano, T. Hujita and K. Kobayashi, Vaporization behavior of single droplet impinging on hot surface with flame-sprayed ceramic coating under pressurized atmosphere, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2095 (1994).
- T. Ueno and K. Kawanishi, Study of chemical concentration behavior in tube support plate crevices within the steam generator, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(3), 321 (1994).
- N. Wada, M. Kato, M. Dohi, S. Sawai, M. Tani, M. Sengoku, T. Gotoh, T. Sato and T. Noda, Gas evaporation

- in space, *Japan J. Appl. Phys. (English)* **33**(12-A), 6648 (1994).
- S. Yoshida, H. Mori, H. Hong and T. Matsunaga, Prediction of heat transfer coefficient for refrigerants flowing in horizontal evaporator tubes, *Trans. JAR* **11**(1), 67 (1994).
- ### CONDENSATION
- S. Fujikawa and M. Maerefat, A shock method for the study of vapor-liquid interface phenomena, *Thermal Sci. Engng (English)* **2**(1), 60 (1994).
- H. Haraguchi, S. Koyama and T. Fujii, Condensation of refrigerants HCF C22, HFC 134a and HCFC 123 in a horizontal smooth tube (1st report, proposals of empirical expressions for the local frictional pressure drop), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2111 (1994).
- H. Haraguchi, S. Koyama and T. Fujii, Condensation of refrigerants HCF C22, HFC 134a and HCFC123 in a horizontal smooth tube (2nd report, proposals of empirical expressions for local heat transfer coefficient), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2117 (1994).
- T. Haraguchi, R. Shimada and T. Takeyama, Local condensation curve from dropwise to glacial region on large vertical surface, *Trans. JAR* **11**(3), 147 (1994).
- R. Hashimoto, K. Yanagi and T. Fujii, Effects of condensate flow pattern upon gravity-controlled condensation of ethanol and water mixtures on a vertical surface, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(569), 215 (1994).
- H. Honda, H. Takamatsu, K. Kim, Y. Ishikawa and N. Takada, Film condensation of HCFC-123 on in-line bundles of horizontal finned tubes: effect of fin geometry, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2103 (1994).
- K. Hijikata, Y. Fukasaku and O. Nakabeppu, Instability analysis of the drop growth mechanism on condensation of a water-ethanol binary mixture, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1337 (1994).
- H. Honda and K. Him, Effect of bundle length of optimized fin geometry of horizontal low-finned condenser tube, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1710 (1994).
- I. Ishihara, R. Matsumoto, T. Ebihara and A. Maegoya, Natural convection condensation heat transfer of carbon dioxide on a vertical surface in the subcritical region, (1st report: comparatively low vapor pressure) *Trans. JAR* **11**(3), 63 (1994).
- M. Itoh, C. Kobayashi, T. Hara, M. Shibayama and Y. Kunugi, Condensing heat transfer characteristics of HFC-134a and CFC-12 inside a smooth tube in low mass velocity range, *Trans. JAR* **11**(3), 93 (1994).
- T. Mamyoda and K. Asano, Experimental study of condensation of vapors in the presence of noncondensable gas on a short horizontal tube, *J. Chem. Engng Japan (English)* **27**(4), 485 (1994).
- S. Nozu, H. Honda and S. Nishida, An experimental study of heat transfer and pressure drop in a double-pipe condenser with u-bends (experiments with a zeotropic refrigerant mixture R-114-R113), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2472 (1994).
- H. Shinagawa, K. Miyamoto, T. Hamada, K. Okuyama and B. E. Wyslouzil, Determining the phase transition of condensate formed by heterogeneous nucleation of condensable vapors onto a cold substrate, *J. Chem. Engng Japan (English)* **27**(3), 284 (1994).
- N. Shishido, Evaporation and condensation waves in van der Waals' fluid, *J. Japan Soc. Fluid Mech.* **13**(5), 389 (1994).
- K. Sugiyama, R. Ishiguro, Y. Imai and H. Yoshida, Vapor molecule behavior in the vicinity of metal condensation interface, *Thermal Sci. Engng (English)* **2**(1), 70 (1994).
- K. Sugiyama, R. Ishiguro, Y. Imai and H. Yoshida, Vapor molecule behavior in potassium condensation, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1698 (1994).
- K. Sugiyama, H. Yoshida and R. Ishiguro, Simulation of potassium condensation by DSMC method, *J. Japan Soc. Atom. Energy* **36**(10), 70 (1994).
- T. Takamasa, N. Miyoshi, T. Murai and I. Aya, Pipe flow and pressure oscillation due to vapor condensation in pool water, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(579), 3880 (1994).
- T. Teranishi, A. Takimoto and Y. Hayashi, Condensation heat transfer to binary vapors of immiscible liquids on horizontal tubes, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2479 (1994).
- T. Tsuruta, Y. Kato, Y. Yasunobu and T. Masuoka, Estimation of condensation coefficient by dropwise condensation method (condensation coefficients of ethylene glycol and water), *Trans. Japan Soc. Mech. Engrs. B* **60**(570), 508 (1994).
- T. Tsuruta, T. Masuoka and Y. Kato, Estimation of condensation coefficient from dropwise condensation heat transfer, *Thermal Sci. Engng (English)* **2**(1), 98 (1994).
- H. Uehara and E. Kinoshita, Wave and turbulent film condensation on a vertical surface (correlation for local heat-transfer coefficient), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(577), 3109 (1994).
- Y. Utaka, K. Ishii and R. Kubo, An investigation on the characteristics of condensation curve on the lyophobic surface (measurement of the ethylene glycol vapor and heat transfer characteristics), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 946 (1994).
- ### MULTIPHASE FLOW
- K. Amagai and H. Hashimoto, A theoretical model for multiphase flow with solidified particles (physical signification of constitutive equations and evaluation of latent heat effect), *J.S.M.E. Int. J., Ser. B (English)* **37**(3), 477 (1994).
- J. H. Chiang, M. Aritomi, M. Mori and M. Higuchi, Fundamental study on thermo-hydraulics during start-up in natural circulation boiling water reactors, (III), (effects of system pressure on geysering and natural circulation oscillation), *J. Nucl. Sci. Technol. (English)* **31**(9), 883 (1994).
- H. Fujita, T. Ohara, M. Hirota and A. Kokubo, Influences of channel attitudes on air-water flow in an evaporator flat channel with a sharp 180-degree turn, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2558 (1994).
- S. Hara, T. Kobayashi and K. Ogino, Stability mechanism of molten oxide bubble lamella, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(4), 306 (1994).
- M. Iguchi, H. Kawabata, Z. Morita, K. Nakajima and Y. Ito, Continuous measurements of bubble characteristics in a molten iron bath with Ar gas bubbling, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(5), 365 (1994).
- K. Ishizaka, T. Ikohagi and H. Daiguji, A high-resolution finite difference scheme for supersonic wet-stream flows, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(579), 3887 (1994).
- A. Ito and S. Oku, Generation of a wave on a liquid film flowing down a heated inclined plane (2nd report, disturbance and Marangoni waves), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(579), 3887 (1994).
- S. Kawano, H. Hashimoto and T. Suyama, Thermal and fluid flow of immiscible two-layer liquids in vertical cylindrical container (application to solid spherical shell generator in liquid-liquid-gas systems), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(569), 85 (1994).
- M. Kiyota, I. Morioka and M. Kiyo, Numerical analysis of waveforms of falling films, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4177 (1994).
- Y. Matsumoto and F. Takemura, Influence of internal phenomena on gas bubble motion (effects of thermal diffusion, phase change on the gas-liquid interface and mass diffusion between vapor and noncondensable gas in

- the collapsing phase), *J.S.M.E. Int. J., Ser. B* (English) **37**(2), 288 (1994).
- M. Nakagawa, T. Matsumi, H. Takeuchi and N. Kokubo, Mixing of confined jet of mist flow, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2552 (1994).
- M. Nakagawa and T. Takenaka, Modeling and analysis of a water hammer in collapse of a cooling cavity including heat transfer, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 357 (1994).
- K. Nishida, T. Kanazawa, O. Yokomizo and Y. Masuhara, Space effect on liquid film flow and critical power in BWR fuel bundles, *J. Nucl. Sci. Technol. (English)* **31**(3), 213 (1994).
- J. Ochi, K. Ayukawa and G. Kawahara, Application of three-layer model analysis on single-component two-phase critical flow through converging nozzle (comparison of the experimental results of steam-water and carbon dioxide with calculations), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 1923 (1994).
- M. Ochiai and S. Endo, Effect of model scale and water tank width on air-entrainment at free-surface of a water flows, *J. Coll. Ind. Technol. Nihon Univ.* **27**(2), 23 (1994).
- T. Ohkawa and A. Tomiyama, Applicability of high-order upwind schemes to two-fluid model (2nd report : examination based on the two-fluid model), *Japanese J. Multiphase Flow (English)* **8**(2), 126 (1994).
- T. Ohkawa and A. Tomiyama, Applicability of high-order upwind schemes to two-fluid model (3rd report : examination on the accuracy of numerical solutions) *Japanese J. Multiphase Flow (English)* **8**(4), 291 (1994).
- K. Sekoguchi and T. Furukawa, Effect of liquid viscosity on liquid lump velocity in vertical upward gas-liquid two-phase flow (1st report, mean liquid lump velocity and its standard deviation), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 552 (1994).
- K. Sekoguchi, K. Mori, H. Tsujino, M. Ikeshita and M. Kaji, Wave venation in gas-liquid two-phase flow (1st report, time-spatial map of wave behavior and its characteristics), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1716 (1994).
- K. Shin, S. Kawano, H. Hashimoto and A. Ihara, Improvement of sequential production device of solid spherical shells in liquid-liquid-gas systems, *Japanese J. Multiphase Flow (English)* **8**(3), 203 (1994).
- A. Sudi, M. Aritomi, A. Murase and K. Iwaki, Relaxation process of thermal non-equilibrium in boiling two-phase flow. (1) : experimental results, *J. Nucl. Sci. Technol. (English)* **31**(11), 1171 (1994).
- Y. Sudo, Analytical study on characteristics of falling water limitation in countercurrent two-phase flow in vertical annular channels, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2888 (1994).
- Y. Sudo, Analytical study of critical heat flux under countercurrent flow limitation in vertical channels, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4222 (1994).
- Y. Sudo, Analytical study of critical heat flux in upward saturated two-phase flow in vertical rectangular channels under atmospheric pressure, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4229 (1994).
- F. Takemura and Y. Matsumoto, Influence of internal phenomena on gas bubble motion (effect of transport phenomena and mist formation inside bubble in the expanding phase), *J.S.M.E. Int. J. Ser. B* (English) **37**(4), 736 (1994).
- N. Tokugawa and R. Takaki, Mechanism of self-induced vibration of a liquid drop based on the surface tension fluctuation, *J. Phys. Soc. Japan (English)* **63**(5), 1758 (1994).
- A. Tomiyama, I. Kataoka, N. Furutani, T. Sakaguchi and S. Sugawara, Study on prediction of annular-mist flow based on the three-fluid model (1st report, examination on numerical stability of governing equation system), *Japanese J. Multiphase Flow (English)* **8**(1), 24 (1994).
- T. Tsujino, A. Shima, M. Miura and T. Tsujino, Study of bubble generation in liquids under the conditions of vibration and pressure reduction, *Japanese J. Multiphase Flow (English)* **8**(4), 301 (1994).
- M. Watanabe, M. Katsuta, K. Nagata and K. Sakuma, Two-phase flow distribution in multipass tube, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4145 (1994).
- N. Watanabe, K. Kutsumi and O. Sano, Surface tension driven random motion of a mercury drop in HNO_3 and $\text{K}_2\text{Cr}_2\text{O}_7$ solution, *J. Phys. Soc. Japan (English)* **63**(8), 2955 (1994).
- S. Yoshida, H. Mori and T. Matsunaga, Theoretical investigations on heat transfer in two-phase annular flow of refrigerant-oil mixtures inside a horizontal evaporator tube, *Technol. Rep. Kyushu Univ.* **67**(6), 697 (1994).

MELTING AND SOLIDIFICATION

- T. Endoh and E. Hasegawa, Relation between aspect ratio of heated body and squeezing force in close-contact melting, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 537 (1994).
- T. Endoh and E. Hasegawa, The effect of dimensions of a rectangular heated body on the melting velocity, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4207 (1994).
- S. Fukusako, M. Yamada and C. Watanabe, Melting heat transfer from a horizontal ice cylinder immersed in saline water (effect of liquid depth to saline water surface), *Trans. Japan Soc. Mech. Engrs. Ser. B* **59**(564), 2509 (1994).
- S. Fukusako, M. Yamada and C. Watanabe, Melting heat transfer from a horizontal ice cylinder immersed in saline water (effect of ambient saline water concentration), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(569), 276 (1994).
- Y. Hayashi, N. Momose and Y. Tada, Micro-freezing of biological material, *Thermal Sci. Engng (English)* **2**(1), 85 (1994).
- Y. Hirasawa, T. Hamada and E. Takegoshi, An experimental study on melting process of ice containing conductive solids, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2491 (1994).
- A. Horibe, S. Fukusako and M. Yamada, Production characteristics of liquid ice by solution spraying method, *Trans. JAR* **11**(1), 79 (1994).
- H. Inaba, H. Ikegami and K. Ozaki, Solidification characteristics of molten polymer plastics injected in a narrow annular cavity, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2195 (1994).
- H. Inaba and K. Takeya, Effects of some factors on critical condition of ice formation for flowing supercooled water and water solution inside cooled circular tube, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3440 (1994).
- H. Inaba and K. Takeya, Behavior of spherical ice particle in flowing supercooled water, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4151 (1994).
- H. Inaba, K. Takeya and T. Asano, Study on ice formation in still supercooled water with ice nucleating substance, *Trans. JAR* **11**(3), 41 (1994).
- H. Inaba, K. Takeya and S. Nozu, Fundamental study on continuous ice making using flowing supercooled water, *J.S.M.E. Int. J., Ser. B* (English) **37**(2), 385 (1994).
- H. Ishiguro and B. Rubinsky, Microscopic behavior of ice crystals and biological cells during directional solidification of solutions with cells, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1349 (1994).
- H. Ishiguro and B. Rubinsky, Influence of antifreeze proteins on behavior of ice crystals and red blood cells during solidification of cell suspensions with cryoprotectant, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(579), 3748 (1994).
- H. Ishiguro and B. Rubinsky, Influence of hematocrit on behavior of ice crystals and human red blood cells during directional solidification of cell suspensions, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(579), 3755 (1994).
- H. Nakabayashi, Y. Kodama and Y. Takeuchi, Process of

- snow-melt in Spitsbergen, *Low Temperature Sci. Ser.* **53**, 11 (1994).
- S. Nishio, S. Inamura and N. Nagai, Solidified-shell formation process during immersion process of a cooled solid surface, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(580), 4165 (1994).
- M. Okada, K. Matsumoto and Y. Yabushita, Solidification around horizontal cylinder in porous medium saturated with aqueous solution, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2125 (1994).
- S. Okawa, A. Saito and C. Kang, Simulation on melting process of water using molecular dynamics method, *Trans. JAR* **11**(2), 79 (1994).
- T. Ozawa, M. Ando, Y. Hayakawa and M. Kumagawa, Crystal growth of InGaAs by temperature difference method and numerical analysis of solution convection, *Bull. Res. Inst. Electron. Shizuoka Univ.* **29**(1), 55 (1994).
- K. Sasaguchi, Solid/liquid phase change heat transfer in porous media (effect of density of inversion of water on melting process in a rectangular regions), *Japan Soc. Mech. Engrs, Ser. B* **60**(580), 4138 (1994).
- K. Sasaguchi, Heat transfer and fluid flow analysis on a system with change of phase, *Sci. Machine* **46**(9), 931 (1994).
- T. Saitoh and H. Kato, Numerical analysis for combined natural convection and close-contact melting in a cylindrical capsule, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 223 (1994).
- Y. Shirai, T. Moriya and C. Yoshida, Heat transfer and solidification structure on the initial solidification of semi-solid metals, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(8), 629 (1994).
- M. Sugawara and T. Fujita, Melting of snow by aqueous solution with low solidification temperature (3rd report, analysis with a fixed diffusion layer model and a moving diffusion layer model), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2882 (1994).
- T. Takasu, K. Sassa and S. Asai, A glass melting by use of a high frequency induction skull melting method with submerged heating elements and its heat conduction analysis, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(3), 195 (1994).
- T. Tsuneto, Remarks on frost heave, *J. Phys. Soc. Japan (English)* **63**(6), 2231 (1994).

POROUS MEDIA (INCLUDING FLUIDIZED AND PACKED BEDS)

- M. Aritomi, T. Mizushima, H. Yabuta, Two-phase flow in wire-packed bed, *J. Nucl. Sci. Technol. (English)* **31**(3), 204 (1994).
- Y. Fujima, K. Tagashira, H. Takatsuka, Y. Arakawa and T. Hasegawa, Formation of fast fluidization and the vertical profile of solid concentration (1st report, regime of fast fluidization), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2860 (1994).
- K. Kamiuto and S. Saitoh, Fully developed forced-convection heat transfer in cylindrical packed beds with constant wall temperatures, *J.S.M.E. Int. J., Ser. B (English)* **37**(3), 554 (1994).
- K. Kato, S. Yoshioka and T. Murakami, Particle mixing and temperature distribution in a two-stage fluidized bed, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng. Japan)* **20**(1), 34 (1994).
- Y. Kurosaki, I. Satoh, E. Nara and S. Tokuda, Heat transfer enhancement due to turbulence induced by particle motion in gas-solid fluidized beds, *Thermal Sci. Engng (English)* **2**(3), 1 (1994).
- M. Matsuura and Y. Ohno, Modeling of gas and liquid flow in two dimensional packed bed and analysis of dropping zone in blast furnace, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(12), 884 (1994).
- H. Seki and T. Komori, An experimental heat and moisture

transfer in soil warming by circulating warm water in a buried pipe line, *Mem. Fac. Tech. Kanazawa Univ.* **27** 27 (1994).

- Y. Takatsu, T. Masuoka and T. Tsuruta, Turbulence model for flow through porous media, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(571), 965 (1994).

MASS TRANSFER

- Y. M. Chang, Heat and mass transfer between gas and solid particles in transverse bed of aerated rotary kiln incinerator, *J. Chem. Engng Japan (English)* **27**(4), 443 (1994).
- T. Fukano, Y. Kinoue and T. Matsunaga, Mass transfer into a liquid film flowing concurrently with gas flow (1st report, theoretical prediction of bulk concentration variation in flow direction), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(574), 2141 (1994).
- T. Fukano, Y. Kinoue, T. Matsunaga and K. Ishibashi, Mass transfer into a liquid film flowing concurrently with gas flow (2nd report, correlation of average mass transfer coefficient), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(578), 3456 (1994).
- T. Funada, Nonlinear Marangoni instability of a liquid layer due to transient mass transfer, *Numazu College Technol. Res. Annual* **29**, 47 (1994).
- X. Huang, K. Terashima, E. Tokizaki, S. Kimura and E. Whitby, Evaporation rates of oxides from undoped and Sb-doped Si melts under atmospheres of pure Ne, Ar and Kr, *Japan J. Appl. Phys. (English)* **33**(7A) 3808 (1994).
- M. Nabeshima, Analysis of two phase mass transfer kinetics by logarithmic driving force based on chemical thermodynamics, *J. Nucl. Sci. Technol. (English)* **31**(9), 960 (1994).
- K. Sada and Y. Ichikawa, Numerical simulation of tracer gas diffusion from continuous point source (2nd report, calculations of tracer gas concentration in unstable boundary layer), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(569), 119 (1994).
- T. Takeda and M. Hishida, Study on molecular diffusion and natural circulation of two-component gases (2nd report, numerical analysis with a reverse-U-shaped tube), *Trans. Japan Soc. Mech. Engrs B* **60**(569), 208 (1994).
- S. D. Vlaev, M. Valeva and R. Popov, Gas-liquid mass transfer in stirred non-Newtonian corn-starch dispersions, *J. Chem. Engng Japan (English)* **27**(6), 723 (1994).
- T. Yamanishi and K. Okuno, Mass transfer in cryogenic distillation column separating hydrogen isotopes, *J. Nucl. Sci. Technol. (English)* **31**(6), 562 (1994).

THERMAL RADIATION

- H. Kou and H. Masuda, Control of radiation heat transfer from solid surface using grating composed of parallel elliptical cylinders (energy concentration in direction normal to solid surface), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(575), 2524 (1994).
- K. Kudo, H. Taniguchi, A. Kuroda, A. Eid, A. Mochida and M. Oguma, Application of tetrahedral elements for radiative heat transfer in arbitrary shaped domain, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(578), 3462 (1994).
- T. Makino and K. Kaga, Scattering of radiation on rough surface modeled by three-dimensional superimposition technique, *J.S.M.E. Int. J., Ser. B (English)* **37**(4), 904 (1994).
- T. Makino and H. Kurata, Scattering of radiation by flake-type particle with rough surface, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), 530 (1994).
- T. Makino and H. Wakabayashi, Numerical simulation on melting behavior of an atomic layer irradiated by thermal radiation, *Thermal Sci. Engng (English)* **2**(1), 158 (1994).
- S. Maruyama and T. Aihara, Radiation heat transfer in absorbing, emitting and scattering media with arbitrary shapes and thermal conditions (basic theory and accuracy

- in plane parallel system), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(577), 3138 (1994).
- H. Matsushima and M. Doi, Numerical simulation of heat transfer and fluid flow with thermal radiation between surfaces of arbitrary shape (simulation algorithm and application to X-ray tube), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3481 (1994).
- Y. Nikawa, Study on dielectric loaded waveguide applicator for microwave heating (dedicated to Professor F. Okada), *Scientific Engng Rep. Natn. Defense Academy* **31**(2), 189 (1994).
- J. Yamada, Y. Kurosaki, K. Shimada and I. Satoh, Radiation heat exchange between fluidized particles and heated surface in a fluidized bed, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1378 (1994).
- MOLECULAR AND MICROSCALE HEAT TRANSFER**
- H. H. Bau, Transport processes associated with micro-devices, *Thermal Sci. Engng* (English) **2**(1), 172 (1994).
- R. A. Dimenna and R. O. Buckius, Microgeometrical contour contributions to surface scattering, *Thermal Sci. Engng* (English) **2**(1), 166 (1994).
- H. Hashimoto and S. Kotake, Spectroscopic study of molecular vibrational energy in phase-changing process, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 977 (1994).
- K. Hijikata, K. Ito, O. Nakabeppe, P. Phelan and K. Torikoshi, Thermoelectric voltage at point contacts by electron tunneling effect, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2171 (1994).
- K. Hijikata, K. Ito, O. Nakabeppe, P. E. Phelan and K. Torikoshi, Heat and electron transport at point contact, *Thermal Sci. Engng* (English) **2**(1), 104 (1994).
- T. Inoue and S. Hashimura, Vacuum deposition of velocity-selected metal-vapor atoms, *Thermal Sci. Engng* (English) **2**(2), 1 (1994).
- T. Inoue and H. Ozoe, Crystalline structures of thin films under the thermal energy control, *Thermal Sci. Engng* (English) **2**(1), 179 (1994).
- K. Kakimoto, Molecular dynamics simulation of molten silicon, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(4), 220 (1994).
- S. Kato, T. Fujimoto and T. Niimi, Experiment of gas-surface interaction and its energy transport characteristics, *Thermal Sci. Engng* (English) **2**(1), 35 (1994).
- Y. Kobayashi, S. Toyokawa and T. Araki, Heat and mass transfer from thin liquid film in the vicinity of the interline of meniscus, *Thermal Sci. Engng* (English) **2**(1), 45 (1994).
- S. Kotake, Future aspects of molecular heat and mass transfer studies, *Thermal Sci. Engng* (English) **2**(1), 12 (1994).
- S. Kumar, Thermal radiation transport regimes in micro-structures, *Thermal Sci. Engng* (English) **2**(1), 149 (1994).
- L. Lin, K. S. Udell and A. P. Pisano, Liquid-vapor phase transition and bubble formation in micro structures, *Thermal Sci. Engng* (English) **2**(1), 52 (1994).
- A. Majumdar, J. Lai, K. Fushinobu and M. Chandrachood, Thermal imaging and modeling of hot electron semiconductor devices, *Thermal Sci. Engng* (English) **2**(1), 116 (1994).
- S. Maruyama, S. Matsumoto and A. Ogita, Surface phenomena of molecular clusters by molecular dynamics method, *Thermal Sci. Engng* (English) **2**(1), 77 (1994).
- J. Matsui and Y. Matsumoto, Numerical analysis of an atomic molecule interaction on surface, *Thermal Sci. Engng* (English) **2**(1), 28 (1994).
- M. Matsumoto, K. Yasuoka and Y. Kataoka, Microscopic features of evaporation and condensation at liquid surfaces: molecular dynamics simulation, *Thermal Sci. Engng* (English) **2**(1), 64 (1994).
- Y. Matsumoto and T. Tokumasu, Cluster formation of diatomic molecules, *Thermal Sci. Engng* (English) **2**(1), 138 (1994).
- V. Narayanamurti, From physics to function: semi-conductor quantum structures and the information age, *Thermal Sci. Engng* (English) **2**(1), 145 (1994).
- T. Ohara and T. Aihara, Molecular dynamics study on cluster structure of water (dependence of cluster size and its probability distribution on temperature and density), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 496 (1994).
- T. Ohara and T. Aihara, Molecular dynamics study on structure of near-critical water, *Thermal Sci. Engng* (English) **2**(1), 132 (1994).
- P. Phelan, Transport phenomena in metallic point contacts, *Thermal Sci. Engng* (English) **2**(1), 108 (1994).
- M. Shibahara and S. Kotake, Quantum molecular dynamics study of the light absorption of metal clusters, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1690 (1994).
- C. L. Tien, T. Q. Qiu and P. M. Norris, Microscale thermal phenomena in contemporary technology, *Thermal Sci. Engng* (English) **2**(1) 1 (1994).

MEASUREMENT

- T. Fukano, Y. Kinoue and K. Ishibashi, The measurement of concentration of carbon dioxide in a liquid film by the constant-electric-current method, *Japanese J. Multiphase Flow* (English) **8**(3), 195 (1994).
- Y. Hara, T. Fujimoto, T. Ni-imu, H. Ohba and S. Ito, Measurement of temperature by pure rotational CARS (application of pure rotational CARS to rarefied gas flows), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 1035 (1994).
- Y. Hasegawa, H. Yamasaki and S. Shioda, Measurement of potassium number density using molecular absorption, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1323 (1994).
- T. Inagaki, M. Sekiya, H. Ishibashi, Y. Okamoto and K. Kurokawa, Surface temperature measurement using infrared radiometer (2nd report, applicability of pseudo gray body approximation), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2203 (1994).
- S. Kato and N. Maruyama, Three-dimensional temperature measurement by laser-holographic interferometry, *J.S.M.E. Int. J. Ser. B* (English) **37**(4), 912 (1994).
- K. Nara, H. Kato and M. Okaji, Development of thin wire platinum resistance thermometer with isotropic magneto-resistance, *Bull. N.R.L.M. (Natn. Res. Lab. Metrology, AIST)* **43**(1), 55 (1994).
- Y. Okamoto, H. Ishibashi, T. Inagaki, N. Fukuzawa and T. Numao, Detection of the internal heterogeneous spatial position in materials using the thermal image method and its model analysis, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1758 (1994).
- J. Sakakibara, K. Hishida and M. Maeda, Simultaneous measurement method of velocity and temperature fields by using image processing, *Thermal Sci. Engng* (English) **2**(4), 1 (1994).
- F. Sakuma and A. Ono, Spectral radiance meters for pre-launch calibration of JERS-1 OPS, *Bull. N.R.L.M. (Natn. Res. Lab. Metrology, AIST)* **43**(1), 6 (1994).
- F. Sakuma and A. Ono, Radiometric calibration of the EOS Aster instrument, *Bull. N.R.L.M. (Natn. Res. Lab. Metrology, AIST)* **43**(2), 125 (1994).
- M. Yao, M. Nakatani, M. Okuda and K. Suzuki, Simultaneous measurements of flow and thermal fields in a turbulent channel flow with insertion of a square rod, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4192 (1994).

THERMOPHYSICAL PROPERTIES

- T. Baba and A. Cezairliyan, Thermal diffusivity of POCO AXM-501 graphite in the range 1500 to 2500 K measured by a laser-pulse technique, *Bull. N.R.L.M. (Natn. Res. Lab. Metrology, AIST)* **43**(3), 420 (1994).
- A. Cezairliyan, T. Baba and R. Taylor, A high-temperature

- laser-pulse thermal diffusivity apparatus, *Bull. NRLM (Natl. Res. Lab. Metrology, AIST)* **43**(3), 395 (1994).
- H. Haga, A. Onodera, M. Tokunaga and Y. Shiozuka, Critical behaviour of specific heat in ferroelectric K_2ZnCl_4 and $(NH_4)_2BeF_4$ at normal-incommensurate phase transition, *J. Phys. Soc. Japan (English)* **62**(5), 1597 (1994).
- T. Hanawa, K. Shinkawa, M. Ishikawa, K. Miyatani, K. Saito and K. Kohn, Anisotropic specific heat of $CoNb_2O_6$ in magnetic fields, *J. Phys. Soc. Japan (English)* **63**(7), 2706 (1994).
- N. Himeno, S. Hinata and M. Yanadori, A simple method of measuring thermophysical properties by stepwise heating (2nd report, the optimum condition of surface-temperature measurement), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(572), 1330 (1994).
- S. Horita, H. Konishi, N. Miyabo and T. Hata, Determination of material thermal properties using photo-acoustic signals detected by a transparent transducer, *Japan J. Appl. Phys. (English)* **33**(5B), 3238 (1994).
- M. Ikebe, H. Fujishiro, M. Matsukawa, F. Tatezaki, H. Ogasawara, K. Noto, K. Michisita and Y. Kubo, A model analysis of the thermal conductivity of Ag-doped Bi-Si-Ca-Cu-O superconducting oxide, *Japan J. Appl. Phys. (English)* **33**(4A), 2004 (1994).
- M. Ikebe, H. Fujishiro, T. Naito, M. Matsukawa and K. Noto, Anisotropic thermal diffusivity and conductivity of YBCO(123) and YBCO(211) mixed crystals II, *Japan J. Appl. Phys. (English)* **33**(11), 6157 (1994).
- M. Ikebe, H. Fujishiro, T. Naito and K. Noto, Simultaneous measurement of thermal diffusivity and conductivity applied to Bi-2223 ceramic superconductors, *J. Phys. Soc. Japan (English)* **63**(8), 3107 (1994).
- A. Ito and A. Goto, Measurement of refractive index for several liquids and its dependence on temperature, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2875 (1994).
- N. Ito and H. Okamoto, Shoulder estimation in rate curve of heat liberation, *Res. Rep. Maizuru College Technol.* **29**, 62 (1994).
- M. Iwata, T. Tojo, T. Atake and Y. Ishibashi, Specific heat and phase transition phenomena in $(CH_3NH_3)_2Bi_2Cl_{11}$, *J. Phys. Soc. Japan (English)* **63**(10), 3751 (1994).
- Y. Kabata and M. Uematsu, Composition dependence of thermodynamic properties for aqueous mixtures of 2,2,3-trifluoroethanol in the temperature range from 310 K to 420 K at pressures up to 200 MPa, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(574), 2133 (1994).
- K. Kaji, K. Tochigi, S. Okada and K. Kuroda, Specific heat measurement of polyvinylformal and carbon for a thermometer in low temperature, *Cryogenic Engng* **29**(6), 13 (1994).
- M. Kato and H. Ueda, Vapor-liquid equilibria for acetone-methanol-1-propanol-water system at atmospheric pressure, *Japan J. Thermophys. Properties (Netsu Bussei) (English)*, **8**(1), 4 (1994).
- M. Kobayashi, T. Baba and A. Ono, Infrared radiation thermometer for laser flash thermal diffusivity measurements, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(3), 143 (1994).
- M. Kobayashi, T. Baba and A. Ono, Infrared radiation thermometer for laser flash thermal diffusivity measurements, *Bull. NRLM (Natl. Res. Lab. Metrology, AIST)* **43**(4), 445 (1994).
- P. Kolár and K. Kojima, Determination of the binary cross virial coefficient in the Wong-Sandler mixing rule for cubic equations of state, *J. Chem. Engng Japan (English)* **27**(4), 460 (1994).
- H. Koyama, S. Tanimoto, K. Kuroiwa and Y. Tarui, Thermal properties of various Ta precursors used in chemical vapor deposition of tantalum pentoxide, *Japan J. Appl. Phys. (English)* **33**(11), 6291 (1994).
- M. Kyo, T. Katoh, Y. Kamata and T. Kashiwagi, Effective thermal conductivity of composite foam, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), 574 (1994).
- S. H. Lee, T. Terai and Y. Takahashi, Thermal diffusivity measurements by using "logarithmic method" on samples having anomalous shape, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(4), 213 (1994).
- A. Makabe, S. Araki, M. Kimura and Y. Aida, Glass transition temperature of copolymers used as printer toner, *Japan J. Appl. Phys. (English)* **33**(part 2, 1B), 122 (1994).
- A. Makino and N. Araki, Estimation of thermal diffusivity profile in functionally gradient materials (analytical consideration), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2848 (1994).
- T. Matsumoto and A. Ono, Method and apparatus for measurements of specific heat capacity and emissivity of ribbon-shaped samples by use of pulse-current heating, *Bull. NRLM (Natl. Res. Lab. Metrology, AIST)* **43**(4), 517 (1994).
- N. Matsunaga, M. Hori and A. Nagashima, Measurements of the mutual diffusion coefficients of gases by the Taylor method (4th report, measurements on the CFC12-air, HFC134a-air, CFC113-air, CFC114-air and CFC115-air systems), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(570), 504 (1994).
- S. Matsuo, Y. Tanaka, S. Taya and R. Yamamoto, Thermal conductivity of gaseous mixtures, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(4), 207 (1994).
- E. Matsushima, K. Sawa and A. Nagashima, Thermal diffusivity and porosity of solid materials by electromagnetic ultrasonic technique (2nd report, influence of distribution of induction heating for thermal diffusivity measurement), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(575), 2544 (1994).
- K. Nagayama, New thermal variables of condensed matter at high pressures and temperatures, *J. Phys. Soc. Japan (English)* **63**(10), 3729 (1994).
- K. Nagayama, New method of calculating shock temperature and entropy of solids based on the Hugoniot data, *J. Phys. Soc. Japan (English)* **63**(10), 3737 (1994).
- H. Ohta, M. Masuda, K. Watanabe, K. Nakajima, H. Shiba and Y. Waseda, Determination of thermal diffusivities of continuous casting powders for steel by precisely excluding the contribution of radiative component at high temperature, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(6), 463 (1994).
- J. Ortega and J. A. Peña, Vapor-liquid equilibria of methyl or ethyl acetate with 1-chloropentane or 1-chlorohexane at 101.32 kPa pressure, *J. Chem. Engng Japan (English)* **27**(3), 351 (1994).
- S. Sasaki, H. Masuda and H. Takahashi, A transient heating technique for measuring thermal diffusivities of metals, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(4), 226 (1994).
- I. Takahashi and Y. Tanaka, Measurement of thermal diffusivity of intermetallic compound TiAl base alloys, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(3), 155 (1994).
- H. Tanaka and M. Kato, Solubilities of carbon dioxide in heavy hydrocarbons, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(2), 74 (1994).
- M. Tokuta and H. Kiyohashi, Measurement of the thermal conductivity of low conductivity thin films by a transient hot-wire comparison method, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(3), 149 (1994).
- H. Toratani, K. Shiokawa, K. Takamizawa and F. E. Karasz, Volumetric study on glass transition under high pressure, *Rep. Engng Sciences, Kyushu Univ.* **16**(1), 1 (1994).
- T. Tsubaki, T. Atsumi and Y. Tsuji, Thermal properties of zinc-chromium spinel chromium solidification system, *Japan J. Thermophys. Properties (Netsu Bussei)* **8**(2), 74 (1994).
- H. Wada, N. Shimamura and M. Shiga, Thermal and transport properties of $Sc_{1-x}Ti_xFe_2$, *J. Phys. Soc. Japan (English)* **63**(1), 283 (1994).
- N. Yada and K. Watanabe, Correlation of dew- and bubble-

- point curves for binary refrigerant mixtures. *J.S.M.E. Int. J., Ser. B* (English) **37**(1), 132 (1994).
- H. Yamamoto, H. Kamei and J. Tokunaga, Solubilities of argon, oxygen and nitrogen in 1,2-propanediol + water mixed solvent at 298.15 K and 101.33 kPa, *J. Chem. Engng Japan* (English) **27**(4), 455 (1994).
- J. Yoneya and T. Nitta, Monte Carlo simulations of pVT relations and adsorption equilibria of ethane under sub- and supercritical conditions, *J. Chem. Engng Japan* (English) **27**(2), 228 (1994).

HEAT EXCHANGER

- Amano, T. Hashizume and T. Machiyama, On dynamics of shell-and-tube heat exchangers from the viewpoint of the network theory, *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(576), 2895 (1994).
- K. Aoki, M. Hattori and N. Ishikawa, Characteristics of heat exchanger operating with snow melting (1st report, melting of piled snow), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(571), 1022 (1994).
- H. Hasegawa, M. Saikawa, K. Hashimoto and T. Mimaki, Development of two-stage compression heat pump for hot water supply in commercial use (demonstrated performance of a system applied with vertical shell and tube multifunction intermediate heat exchanger), CRIEPI (Central Res. Inst. Elec. Power Ind.) No. W940041 (1994).
- S. Hosokawa, M. Kawada, A. Iwasaki and I. Kudo, Fundamental study of a liquid droplet radiator, *Bull. Electrotech. Lab.* **58**(5), 15 (1994).
- N. Ishikawa, K. Aoki, M. Hattori and M. Usui, Characteristics of heat exchanger operating with snow melting (2nd report, melting of falling snow), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(573), 1765 (1994).
- K. Minakami, S. Mochizuki and M. Ishizuka, Heat transfer characteristics of pin-fins with in-line arrangement (3rd. measurement of heat transfer coefficient utilizing local heating method), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2485 (1994).
- H. Shidara, M. Kikuchi and R. Watanabe, Fouling of plate type heat exchangers used for heat sterilization of foods, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(1), 1 (1994).
- Y. Yagi and S. Mochizuki, Empirical correlation for heat transfer and pressure drop characteristics of thin wire fin surfaces, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2518 (1994).

HEAT PIPE AND THERMOSYPHON

- F. M. Gerner, B. Badran, H. T. Henderson and P. Ramadas, Silicon-water micro heat pipes, *Thermal Sci. Engng (English)* **2**(1), 90 (1994).
- H. Imura, K. Takeshita, Y. Horie and K. Noda, Flow and heat transfer characteristics of a two-phase loop thermosyphon, (the case where an evaporator has three heated tubes), *Trans. JAR* **11**(2), 101 (1994).
- H. Imura, K. Takeshita, K. Doi and K. Noda, The effect of subcooling on the flow and heat transfer characteristics on a two-phase loop thermosyphon, *Trans. JAR* **11**(2), 121 (1994).
- K. Kadoguchi, T. Fukano and Y. Emi, Heat transfer characteristics in the heating section of a closed two-phase thermosyphon working with a binary mixture, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60** (570), 603 (1994).
- K. Kadoguchi and T. Fukano, Experimental study on the operating limit of a closed two-phase thermosyphon with a binary mixture, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4244 (1994).
- M. Kuramae and M. Suzuki, Behaviour of working fluid in two-component heat pipes in a microgravity environment, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(4), 513 (1994).

- T. Masuoka, H. Tanigawa, T. Tsuruta and H. Izaki, Advanced thermal insulation layers with row of heat pipes (2nd report, experimental results), *Trans. Japan Soc. Mech. Engrs, Ser. B* **60**(572), 1430 (1994).
- Y. Murashige and K. Yoshioka, An analysis of darcy flow in a web of an artery type heat pipe, *Rep. Faculty Engng Oita Univ.* **29**, 7 (1994).
- T. Nagasaki and K. Hijikata, A numerical study on condensation in a heat pipe using a binary mixture, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 9531 (1994).
- M. Ouchi, K. Hirose, F. Saito, Heat transfer mechanism of a vertical wall inside a two-phase closed thermosiphon evaporator and its estimation, *Trans. JAR* **11**(1), 47 (1994).
- O. Tanaka, H. Koshino, J. Kuriki and N. Azumi, Heat transfer characteristics of a copper-water wickless heat pipe, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2826 (1994).
- Y. Tsutsui, K. Iwahara, K. Fukuda, Y. Rao, K. Kudou and Y. Kuncoro, Heating limit of a closed two phase thermosyphon, *Rep. Engng Sciences, Kyushu Univ.* **15**(4), 359.
- T. Yamamoto, On evaporator surface temperature change at beginning of heating of mercury heating pipe, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 1017 (1994).
- W. P. Zeng, H. Matsuda and M. Hasatani, Heat exchange characteristics of tube-wall reactor at exothermic end for high-temperature chemical heat pipe, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(4), 504 (1994).

THERMAL STORAGE

- H. Inaba and S. Morita, Cold heat storage characteristics of O/W-type latent heat emulsion including continuum phase of water treated with a freezing point depression, *Trans. JAR* **11**(2), 67 (1994).
- H. Inaba and S. Morita, Fundamental study of cold heat-storage system of O/W-type emulsion having cold latent heat dispersion material (2nd report, flow and cold heat-storage characteristics of emulsion in a coiled double-tube heat exchanger), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1422 (1994).
- H. Inaba and K. Sato, Fundamental study on latent cold heat storage by means of oil droplets with low freezing point (1st report, flow and solidification characteristics of tetradecane droplets ascending in low-temperature water solution), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4236 (1994).
- K. Kaino, Thermal characteristics of solidification process of heat storage unit (a prediction method for the relationship between similarity function and heat release fraction using a similarity curve), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 634 (1994).
- S. A. Saborio, H. Nakamura and G. M. Reistad, The effect of freezing and melting on the efficiency of latent heat storage systems, *J. Chem. Engng Japan (English)* **27**(6), 779 (1994).
- A. Saito, H. Hong and K. Yamashita, Performance of latent heat thermal energy storage system with split fins, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1408 (1994).

VARIOUS APPLICATIONS

- T. Aihara, S. Okada, H. Yamamoto and A. Komura, Optical observation of thermal disturbance and quench occurring in immersion-cooled superconductors in liquid helium, *Cryogenic Engng* **29**(7), 32 (1994).
- E. Boelman, B. A. Saha, A. Tanaka, Conventional and advanced silica gel-water adsorption cycles driven by near-environmental temperature heat (the effect of operating temperatures on cycle viability and performance), *Trans. JAR* **11**(3), 121 (1994).
- Y. Chen, H. Yasuoka and E. Nakanishi, A study on energy-

- saving distillation system with secondary reflux and vaporization (SRV), *Memo. Graduate School Sci. Technol. Kobe Univ.* **12B**, 55 (1994).
- J. Cui, T. Watanabe, Y. Ryu and Y. Akashi, Dynamics of chilled cooling and dehumidifying coils for air-conditioning of buildings, *Technol. Rep. Kyushu Univ.* **67**(3), 193 (1993).
- R. Echigo, High-performance power generating system using thermo-electric energy conversion, *Science Machine*, **46**(8), 815 (1994).
- F. Fujii, A. Nishiguchi, T. Fukushima, T. Ohuchi, Y. Kunugi and M. Aizawa, Analysis of dynamic behavior of an absorption chiller heater (1st report, simulation model of dynamic characteristics of evaporator and absorber), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(572), 1416 (1994).
- S. Fujimoto, K. Kazami, Y. Takada, T. Yoshida, H. Ogata and H. Kado, Cooling of squid by a GM cryocooler with a magnetic regenerative material and measurement of biomagnetism, *Cryogenic Engng* **29**(4), 10 (1994).
- J. L. Gao and Y. Matsubara, Novel configuration of three-stage pulse tube refrigerator for temperatures below 4K, *Cryogenic Engng* **29**(4), 28 (1994).
- S. Harada, H. Nishida, H. Ueda, Y. Shikano, K. Matsumoto and K. Okamoto, Development of a variable nozzle area radial turbine for 10-kW class helium refrigerator, *Cryogenic Engng* **29**(1), 19 (1994).
- H. Hasegawa, M. Saikawa, K. Hashimoto and T. Mimaki, Development of two-stage compression heat pump for hot water supply in commercial use (demonstrated performance of a system applied with vertical shell and tube multifunction intermediate heat exchanger), CRIEPI (Central Res. Inst. Elec. Power Ind.) Rep. No. W94004 1 (1994).
- Y. Hori, T. Ito, Y. Kuzuma and Y. Watanabe, The preliminary design on thermoelectric generation system using the fluid heat sources, CRIEPI (Central Res. Inst. Elec. Power Ind.) Rep. No. W93037, 1 (1994).
- T. Hashimoto, M. Yabuki, T. Eda, T. Kuriyama and H. Nakagome, Investigation of the high efficient GM refrigerator with the high entropy magnetic regenerator materials in the He temperature range, *Cryogenic Engng* **29**(2), 51 (1994).
- K. Hoshino, Deformation and stress of experimental structure due to the ununiformity of the temperature distribution, *Papers Ship Res. Inst. (English)* **16**, 85 (1994).
- Y. Imashimizu and J. Watanabe, Radial and axial temperature gradients in pulling copper crystal, *Sci. Tech. Rep. Min. Coll. Akita Univ.* **15**, 17 (1994).
- J. Ishimoto, M. Okubo and S. Kamiyama, Study of the MHD power-generation system using two-phase flows of temperature-sensitive electrically conducting magnetic fluids (analysis of flow characteristics in a pipe and the power-generation characteristics), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 891 (1994).
- M. Ishizuka and Y. Fukuoka, Development of new density package cooling technology using phase-changing material (Application of thermal network method to phase changing phenomena), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2165 (1994).
- M. Iwamoto, T. Hashimoto, K. Toh and H. Ozoe, Numerical computation of liquid encapsulated Czochralski bulk flow in comparison with flow visualization, *J. Chem. Engng Japan (English)* **27**(3), 344 (1994).
- S. Jitsuhara, Y. Ikegami and H. Uehara, Optimization of design conditions for OTEC (in the case of annual operation performance), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 641 (1994).
- K. Kakinoki, M. Suzuki, T. Tsukuda, M. Hozawa and N. Imaishi, Transition of low mode in a model CZ melt, *J. Chem. Engng Japan (English)* **27**(6), 790 (1994).
- K. Kato, K. Yamada, A. Inaba, T. Shimatani, S. Tabata, S. Kawamura, H. Shibuya, Y. Iwase, Cost evaluation of photovoltaic energy systems, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(2), 261 (1994).
- I. Kawaguchi and T. Ito, Characteristics of hot water cycle and thermodynamic optimization, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(574), 2189 (1994).
- K. Kikuchi, Analysis of performance characteristics of heat pump cycle: optimization of 2-stage compression system, *Sci. Machine* **46**(4), 345 (1994).
- S. Kobayashi, Observed wind speed at weather station and heat transfer coefficient of external surface of the building in summer and winter, *Mem. Fac. Engng Fukuyama Univ.* **18**(1), 83 (1994).
- T. Koga, Development of thermalhydraulic analysis code using higher order approximation method (phase 2, numerical modification and sample calculation), CRIEPI (Central Res. Inst. Elec. Power Ind. Rep.) No. U93020, 1 (1994).
- N. Matsumura, H. Taniguchi and K. Kudo, Estimation of effect of thermophysical properties on temperature of water wall in furnace of thermal electric power plant, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4260 (1994).
- H. Matsushima, K. Terada, A. Ueki, Y. Kondo and T. Komatsu, Finite element analysis of LSI packages with three-dimensional steady heat transfer and fluid flow by the simple algorithm formulation, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3490 (1994).
- H. Mochizuki and Y. Hirao, Development of steam separator performance analysis code and its validation, (III), (validation of code for carryover), *J. Nucl. Sci. Technol. (English)* **31**(8), 782 (1994).
- H. Mori, Heat transfer characteristics of cable-in-conduit type forced flow cooled superconductor, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(577), 3132 (1994).
- Y. Moriya and N. Ishii, A humidity control system and an adsorption material and indoor air quality improvement, *Trans. JAR* **11**(3), 135 (1994).
- Y. Nawata, Output characteristics of photovoltaic array exposed to natural environment, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2904 (1994).
- S. Nishio, X.-H. Shi and K. Funatsu, Study on oscillation-controlled heat transport tube (3rd report, inverted oscillation-phase heat transport tube), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3498 (1994).
- N. Nishiyama, K. Fujikura, H. Wakimizu, T. Kaneko, S. Yamazaki and M. Izu, R & D of an absorption heat pump system using new working fluid to utilize treated sewage water, (1st report: performance of absorption machine), *Trans. JAR* **11**(2), 219 (1994).
- N. Nishiyama, R. Honma, H. Wakimizu, S. Kawai, N. Sugano and K. Saito, Studies on the characteristics of an absorption refrigerator driven by two different heat sources (2nd report, hot water and combustion gas), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1778 (1994).
- J. Okajima, F. Matsuoka, M. Sato and T. Kashiwagi, Cogeneration system dynamic simulation for snow-melting plant, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 1028 (1994).
- K. Okazaki, R. Tobe, S. Yasuda and A. Mizuno, Formation and sustaining conditions of high-voltage ultrashort pulse plasma for CVD processing, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1785 (1994).
- M. Ozawa, A. Kawamoto, M. Kataoka and T. Takafuji, Heat transfer in an acoustic-resonance tube model and its visualization, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(580), 4252 (1994).
- K. Saito, N. Sugano, S. Kawai, N. Nishiyama, R. Honma and H. Wakimizu, Studies on the characteristics of absorption refrigerator driven by two different heat sources (1st report, hot water and steam), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1770 (1994).
- M. Shimada, M. Ono, Y. Wachi, T. Hamajima, M. Yamaguchi and A. Ishiyama, Stability degradation and normal

- zone propagation of a forced flow cooled superconducting coil, *Cryogenic Engng* **29**(9), 48 (1994).
- K. Shimobatake, S. Yokoyama, T. Inaguchi, S. Fujita, S. Nakamura, S. Miyashita, H. Higuma, T. Umemura, K. Egawa and F. Uchikawa, Field operation and cooling test of bismuth-based pancake coil, *Cryogenic Engng* **29**(2), 65 (1994).
- Y. Shiotsuki, T. Katayama, T. Hayashi, T. Sasaki, Consecutive observation of heat balance on ground surfaces with five kinds of covering materials, *Rep. Engng Sci. Kyushu Univ.* **15**(4), 367 (1994).
- N. Sugano, K. Saito, S. Kawai, N. Nishiyama, R. Honma and H. Wakimizu, Simulation and experimental research of dynamic characteristics of single-effect absorption refrigerators driven by waste hot water, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(576), 2910 (1994).
- E. Suzuki, S. Saito, J. Ohmori, M. Oki and F. Suzuki, Characteristics of heating in a superconducting coil mechanically vibrated, *Cryogenic Engng* **29**(10).
- T. Takasu, K. Sassa and S. Asai, Direct induction skull melting of electrical conducting materials using crucible with insulating coat and its heat conduction analysis, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(12), 878 (1994).
- T. Takei, Economical analysis about ammonia absorption refrigeration plants (economical analysis of the equipment cost and COP), *Trans. JAR* **11**(2), 89 (1994).
- Y. Tanzawa, T. Hashizume, Y. Terashima and T. Machiyama, Dynamic behavior of a directly combined binary turbine system consisting of steam and R11 turbines (1st report, network model on system dynamics), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3504 (1994).
- T. Tsukada, M. Hozawa and N. Imaishi, Global analysis of heat transfer in CZ crystal growth of oxide, *J. Chem. Engng Japan (English)* **27**(1), 25 (1994).
- H. Uehara, Y. Ikegami, H. Fukugawa and M. Uto, Performance analysis of OTEC system using Kalina cycle (thermodynamic characteristics of cycle), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3519 (1994).
- J. Wang, Y. Yamada, I. Yamashita and Y. Kurosaki, Improvement of stirling engine efficiency by heat transfer enhancement of heater, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 1011 (1994).
- Y. Watabe and M. Yanadori, Cooling characteristics of adsorption refrigeration apparatus using silica gel/ethanol system, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(4), 589 (1994).
- F. Watanabe, J. Kozuka, J. Ozaki, M. Kumita, M. Hasatani, Experimental study of heat transfer characteristics of mat-type adsorption heat pump, *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(3), 339 (1994).
- H. Yamazaki, T. Sakamoto and Y. Uwano, Experimental study on flow and heat-transfer characteristics for transformer windings composed of conductors wound with thread spacers (2nd report, effect of spacer diameter cooled by perfluorocarbon liquid and air), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2504 (1994).
- H. Yasuda, T. Yanagisawa and M. Izushi, A dynamic model of a vapor compression refrigeration cycle, *Trans. JAR* **11**(3), 27 (1994).
- K. Yasuda and H. Kajioka, General method for solidification and cooling analysis of a cast in a mold through a linear heat flow model, *Tetsu to Hagane (J. Iron Steel Inst. Japan)* **80**(11), 837 (1994).
- J. Yoon and T. Kashiwagi, Computer simulation of triple absorption cycles ($\text{NH}_3/\text{LiNO}_3$, $\text{NH}_3/\text{LiNO}_3 + \text{H}_2\text{O}/\text{LiBr}$ absorption cycle), *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(578), 3526 (1994).
- H. Yoshino, S. Matumoto, M. Nose and N. Furuki, Long-term thermal performance measurement of semi-underground test house and green house, *Architectural Rep. Tohoku Univ.* **33**, 119 (1994).
- I. Yuri, T. Mimaki, T. Hisamatsu, K. Watanabe, E. Etori, K. Wada and T. Machida, Improvement on thermal efficiency by applying ceramic gas turbine to LNG combined cycle plant, CRIEPI (Central Res. Inst. Elec. Power Ind.) Rep. No. W93030, 1 (1994).

MISCELLANEOUS

- N. Honji, O. Sato and S. Yasukawa, Effects of energy demand and fuel prices on carbon dioxide emission reduction (F), *Kagaku Kogaku Ronbunshu (Trans. Chem. Engng Japan)* **20**(6), 902 (1993).
- N. Inai, H. En and T. Kumada, Expansion of passive safety function, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(575), 2573 (1994).
- K. Koura, Monte Carlo simulation of rarefied nitrogen gases contained between parallel plates using the statistical inelastic cross-section model, *Technical Rep. Natn. Aerospace Lab. TR1229T* (1994).
- S. Matsumoto, P. Sobotka, H. Yoshino, The analysis of basement heat loss: a comparison of measurement with two-dimensional FEM program and mitalas method, *Architectural Rep. Tohoku Univ. (English)* **33**, 105 (1994).
- M. Miyakawa, N. Takahashi, S. Hoshina, T. Hayashi and Y. Yamada, Physical model used to visualize heat generation and heat transfer inside the human body, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(579), 3098 (1994).
- S. Nomura and M. Nakagawa, Cavitation intensity and sound pressure by ultrasonic vibration on surface of heating elements in water vessel, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(571), 989 (1994).
- T. Ohno and Y. Sakakibara, The application of the heat balance in reservoir to the stratification model, *J. Toyota College Technol.* **27**, 37 (1994).
- K. Okazaki, A. Mizuno and S. Yasuda, Highly-non-equilibrium plasma chemistry at atmospheric pressure and temperature in the control of material conversion processes, *Thermal Sci. Engng (English)* **2**(1), 21 (1994).
- T. S. Saitoh, M. Nakamura and T. Gomi, Proposal of super time-saving method: time-space method, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(570), 515 (1994).
- T. Sugiyama, R. Echigo, H. Yoshida and S. Tada, Inversion mechanism of Joule-Thomson effect, *Thermal Sci. Engng (English)* **2**(1), 125 (1994).
- T. Sugiyama, R. Echigo, H. Yoshida and S. Tada, Inversion mechanism of Joule-Thomson effect, *Trans. Japan Soc. Mech. Engrs. Ser. B* **60**(573), 1683 (1994).
- Y. Wachi, M. Ono, M. Shimada, S. Hanawa, T. Hamajima, H. Takano, H. Shinohara, O. Motojima, J. Yamamoto, T. Satou and K. Takahata, Stability of a cable-in-conduit conductor cooled by supercritical helium below 4.2 K, *Cryogenic Engng* **29**(3), 18 (1994).