



ELSEVIER

International Journal of Mass Spectrometry 181 (1998) 203–206



Subject index

Ab initio molecular orbital (MO) calculation

Ab initio molecular orbital study on the gas phase S_N2 reaction $F^- + CH_3Cl \rightarrow CH_3F + Cl^-$, 151

Acetic acid

Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31

Aeronomy

Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99

Array

Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159

Carbon

Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11

Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1 - 23$), 135

Charge transfer

Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1

Chemical ionisation

Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31

Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1

Chemical ionization mass spectrometry (CIMS)

Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99

Clusters

Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11

Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1 - 23$), 135

Collisional cooling

Cooling of direct current beams of low mass ions, 27

Computer simulation

Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67

Density functional theory

Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11

Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1 - 23$), 135

Detector

Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159

Direct ab initio dynamics

Ab initio molecular orbital study on the gas phase S_N2 reaction $F^- + CH_3Cl \rightarrow CH_3F + Cl^-$, 151

D-labeling

Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89

Electron impact (EI)

Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89

Elemental ions

Cooling of direct current beams of low mass ions, 27

Energy distribution

Ab initio molecular orbital study on the gas phase S_N2 reaction $F^- + CH_3Cl \rightarrow CH_3F + Cl^-$, 151

Ethyl lactate

Unimolecular decomposition of ethyl lactate, $CH_3CH(OH)COOC_2H_5$, upon electron impact, 89

Ferrocene

Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59

Filament temperature

Filament temperature stabilizer for a thermal ionization mass spectrometer, 167

Flame ionization

The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181

Flames

The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181

Flowing afterglow

Gas phase reactions of HNO_3 with Cl^- , $\text{Cl}^- \text{H}_2\text{O}$, and $\text{Cl}^- \text{HCl}$, of Cl_2 with $\text{Cl}^- \text{H}_2\text{O}$ and $\text{Cl}^- \text{HCl}$, and of HCl with $\text{Cl}^- \text{H}_2\text{O}$, 113

Formic acid

Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31

High Rydberg states

Application of laser induced photoemission electron in time-of-flight mass spectrometry, 43

Hydride ion transfer

Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1

Hydrocarbons

Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1

Inductively coupled plasma mass spectrometry

Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123

In-source decay

Does in-source decay occur independent of the ionization process in matrix-assisted laser desorption?, L1

Interstellar medium

Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1 - 23$), 135

Ion-molecule reactions

Gas phase reactions of HNO_3 with Cl^- , $\text{Cl}^- \text{H}_2\text{O}$, and $\text{Cl}^- \text{HCl}$, of Cl_2 with $\text{Cl}^- \text{H}_2\text{O}$ and $\text{Cl}^- \text{HCl}$, and of HCl with $\text{Cl}^- \text{H}_2\text{O}$, 113

Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1

Ion source

Filament temperature stabilizer for a thermal ionization mass spectrometer, 167

Ion trajectories

Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67

Isotope ratiomeasurement

Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123

Isotopes

A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51

Isotopic abundance sensitivity

Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67

Kinetic energy measurements

Well defined chopping of the Paul trap rf potential up to a 1.5 MHz frequency combined with a time-of-flight method, 173

Lead

A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51

Mass discrimination

Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123

Mass spectrometer

A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51

Mass spectrometry

Filament temperature stabilizer for a thermal ionization mass spectrometer, 167

The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181

Matrix assisted laser desorption/ionization (MALDI)

Does in-source decay occur independent of the ionization process in matrix-assisted laser desorption?, L1

Metallic compounds

The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181

Metastable

Unimolecular decomposition of ethyl lactate, $\text{CH}_3\text{CH}(\text{OH})\text{COOC}_2\text{H}_5$, upon electron impact, 89

MIKES

Unimolecular decomposition of ethyl lactate, $\text{CH}_3\text{CH}(\text{OH})\text{COOC}_2\text{H}_5$, upon electron impact, 89

Multicharged ions

- Application of laser induced photoemission electron in time-of-flight mass spectrometry, 43
- Multiple collector
Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123
A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51
- Nitric acid
Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99
- Paul trap
Well defined chopping of the Paul trap rf potential up to a 1.5 MHz frequency combined with a time-of-flight method, 173
- Pb isotopes
Accuracy and long-term reproducibility of lead isotopic measurements by multiple-collector inductively coupled plasma mass spectrometry using an external method for correction of mass discrimination, 123
- Peptides
Does in-source decay occur independent of the ionization process in matrix-assisted laser desorption?, L1
- Performance
Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159
- Photodissociation
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59
- Photoemission electron
Application of laser induced photoemission electron in time-of-flight mass spectrometry, 43
- Photoionization
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59
- Plasma
A new variable dispersion double-focusing plasma mass spectrometer with performance illustrated for Pb isotopes, 51
- Proton affinity
The measurement of high proton affinities for a variety of metallic compounds: a new approach by flame-ion mass spectrometry, 181
- Proton transfer
Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
- Quadrupole mass spectrometer
Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67
- Rate constant measurements
Gas phase reactions of HNO_3 with Cl^- , $\text{Cl}^- \text{H}_2\text{O}$, and $\text{Cl}^- \text{HCl}$, of Cl_2 with $\text{Cl}^- \text{H}_2\text{O}$ and $\text{Cl}^- \text{HCl}$, and of HCl with $\text{Cl}^- \text{H}_2\text{O}$, 113
- Resonance ionization mass spectrometry
Properties and performance of a quadrupole mass filter used for resonance ionization mass spectrometry, 67
- rf quadrupole
Cooling of direct current beams of low mass ions, 27
- Selected ion flow tube
Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
- $\text{S}_{\text{N}}2$ reaction
Ab initio molecular orbital study on the gas phase $\text{S}_{\text{N}}2$ reaction $\text{F}^- + \text{CH}_3\text{Cl} \rightarrow \text{CH}_3\text{F} + \text{Cl}^-$, 151
- Stratosphere
Stratospheric chemical ionization mass spectrometry: nitric acid detection by different ion molecule reaction schemes, 99
- Sulphur carbide
Structures and energies of C_nS ($1 \leq n \leq 20$) sulphur carbide clusters, 11
Theoretical investigation of cationic sulphur carbide clusters C_nS^+ ($n = 1 - 23$), 135
- Surface ionization
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
- Synchrotron radiation
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59
- Temperature stabilization
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
- Thermal ionization
Filament temperature stabilizer for a thermal ionization mass spectrometer, 167
- Time-of-flight (TOF) methods
Well defined chopping of the Paul trap rf potential up to a 1.5 MHz frequency combined with a time-of-flight method, 173
- Trace gas analysis

- Selected ion flow tube studies of the reactions of H_3O^+ , NO^+ , and O_2^+ with several aromatic and aliphatic hydrocarbons, 1
- Tropospheric chemistry
Laboratory investigations of negative ion molecule reactions of formic and acetic acids: implications for atmospheric measurements by ion-molecule reaction mass spectrometry, 31
- Uniformity
Spectrum recovery from discrete detector arrays—correction for nonuniformity, 159
- Vacuum ultraviolet
Vacuum ultraviolet photoionization and photodissociation of ferrocene, 59