



ELSEVIER

International Journal of Mass Spectrometry 182/183 (1999) 439–444



## Subject index

### Ab initio calculations

Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203

### Ab initio theory

Oxidation properties of the early transition-metal dioxide cations  $\text{MO}_2^+$  (M = Ti, V, Zr, Nb) in the gas-phase, 85

### Adenine radical cation

Intrinsic acidity and redox properties of the adenine radical cation, 253

### Ammonia

Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63

### Atmospheric gases

Reactions of  $\text{Cu}^+$  ( $^1S$  and  $^3D$ ) with  $\text{O}_2$ ,  $\text{CO}$ ,  $\text{CO}_2$ ,  $\text{N}_2$ ,  $\text{NO}$ ,  $\text{N}_2\text{O}$ , and  $\text{NO}_2$  studied by guided ion beam mass spectrometry, 99

### Binding sites

Novel method for  $[\text{M} + \text{Cu}]^+$  ion formation by matrix-assisted laser desorption ionization, 185

### Bond energies

Reactions of  $\text{Cu}^+$  ( $^1S$  and  $^3D$ ) with  $\text{O}_2$ ,  $\text{CO}$ ,  $\text{CO}_2$ ,  $\text{N}_2$ ,  $\text{NO}$ ,  $\text{N}_2\text{O}$ , and  $\text{NO}_2$  studied by guided ion beam mass spectrometry, 99

### Bond strengths

Bond strengths in cyclopentadienyl metal carbonyl anions, 149

Sigma-bond metathesis reactions of  $\text{Sc}(\text{OCD}_3)_2^+$  with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121

### Carbonyl ligands

Gas phase ion molecule chemistry of tetracarbonyl ( $\eta^5$ -cyclopentadienyl) vanadium by Fourier transform ion cyclotron resonance, 139

### Charge reversal

Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203

### Charge separation

Chlorination of charged buckyballs: reactions of  $\text{C}_{60}^{x+}$  cations ( $x = 1-3$ ) with  $\text{Cl}_2$ ,  $\text{CCl}_4$ ,  $\text{CDCl}_3$ ,  $\text{CH}_2\text{Cl}_2$ , and  $\text{CH}_3\text{Cl}$ , 349

### C–H bond activation

C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of  $\text{Nb}^+$  and  $\text{Ta}^+$  with toluene and picoline, 197

### Chirality

Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357

### Chloride transfer

Chlorination of charged buckyballs: reactions of  $\text{C}_{60}^{x+}$  cations ( $x = 1-3$ ) with  $\text{Cl}_2$ ,  $\text{CCl}_4$ ,  $\text{CDCl}_3$ ,  $\text{CH}_2\text{Cl}_2$ , and  $\text{CH}_3\text{Cl}$ , 349

### Chlorinated methanes

Chlorination of charged buckyballs: reactions of  $\text{C}_{60}^{x+}$  cations ( $x = 1-3$ ) with  $\text{Cl}_2$ ,  $\text{CCl}_4$ ,  $\text{CDCl}_3$ ,  $\text{CH}_2\text{Cl}_2$ , and  $\text{CH}_3\text{Cl}$ , 349

### Chlorine

Chlorination of charged buckyballs: reactions of  $\text{C}_{60}^{x+}$  cations ( $x = 1-3$ ) with  $\text{Cl}_2$ ,  $\text{CCl}_4$ ,  $\text{CDCl}_3$ ,  $\text{CH}_2\text{Cl}_2$ , and  $\text{CH}_3\text{Cl}$ , 349

### Chlorotitanium ions

Bond dissociation and internal energies of the gas phase  $\text{TiCl}_n^+$  ions formed by 70 eV electron impact ionization: an ion beam study, 163

### $\text{Cl}_2\text{O}$

Gas phase reactions of  $\text{Cl}_2\text{O}$  with  $\text{X}^-(\text{D}_2\text{O})_{n=0-4}$  ( $\text{X} = \text{O}, \text{OD}, \text{O}_2, \text{DO}_2, \text{and O}_3$ ), 31

### Cluster ions

Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357

Modifications to an analytical mass spectrometer for the soft-landing experiment, 415

### Collisional activation

Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275

- Collisionally activated dissociation  
Electron capture versus energetic dissociation of protein ions, 1
- Collision-induced dissociation  
Bond dissociation and internal energies of the gas phase  
TiCl<sub>n</sub><sup>+</sup> ions formed by 70 eV electron impact ionization: an ion beam study, 163  
Bond strengths in cyclopentadienyl metal carbonyl anions, 149
- Copper ions  
Reactions of Cu<sup>+</sup>(<sup>1</sup>S and <sup>3</sup>D) with O<sub>2</sub>, CO, CO<sub>2</sub>, N<sub>2</sub>, NO, N<sub>2</sub>O, and NO<sub>2</sub> studied by guided ion beam mass spectrometry, 99
- Cu<sup>+</sup>  
Novel method for [M + Cu]<sup>+</sup> ion formation by matrix-assisted laser desorption ionization, 185
- Cyclodepsipeptides  
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289
- Cyclodextrin  
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261
- Cyclopentadienyl metal carbonyls  
Bond strengths in cyclopentadienyl metal carbonyl anions, 149
- Deprotonation  
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
- Deuterium isotope effects  
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
- Deuterium labeled amines  
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
- Dialkyl tartrate molecular recognition  
Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
- Differentially heated capillary  
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261
- Dilithium fluoride  
Hypermetallic dilithium fluoride, Li<sub>2</sub>F, and its cation and anion: a combined dissociation and charge permutation study, 45
- Dimensional scaling  
Phase transitions and the stability of atomic and molecular ions, 23
- Disulfide bond  
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
- Effective temperature  
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
- Electrified metal-vacuum interfaces  
Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403
- Electron capture dissociation  
Electron capture versus energetic dissociation of protein ions, 1
- Electrospray ionization  
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233  
H/D exchange reactions of protonated diglycine; an electrospray ionization—flow tube reactor experiment, 213  
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299  
Modifications to an analytical mass spectrometer for the soft-landing experiment, 415
- Energy barriers  
Calculated energy barriers for the identity S<sub>N</sub>2 reaction H<sub>2</sub>O + CH<sub>3</sub>OH<sub>2</sub><sup>+</sup> → <sup>+</sup>H<sub>2</sub>OCH<sub>3</sub> + OH<sub>2</sub> in the gas phase, in water clusters, and in aqueous solution, 13
- Energy deposition  
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423
- Equilibrium constants  
Sigma-bond metathesis reactions of Sc(OCD<sub>3</sub>)<sub>2</sub><sup>+</sup> with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
- Ethanol  
Sigma-bond metathesis reactions of Sc(OCD<sub>3</sub>)<sub>2</sub><sup>+</sup> with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
- Finite size scaling  
Phase transitions and the stability of atomic and molecular ions, 23
- Flowing afterglow  
Bond strengths in cyclopentadienyl metal carbonyl anions, 149
- Fluorobenzenes  
Reactions of Au<sup>+</sup> and Au<sup>-</sup> with benzene and fluorine-substituted benzenes, 175

- Fourier transform ion cyclotron resonance mass spectrometry
- Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
  - Gas phase ion molecule chemistry of tetracarbonyl ( $\eta^5$ -cyclopentadienyl) vanadium by Fourier transform ion cyclotron resonance, 139
  - Intrinsic acidity and redox properties of the adenine radical cation, 253
  - Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
  - Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes  $M@C_{60}$ , 335
  - Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
  - Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221
  - Reactions of  $Au^+$  and  $Au^-$  with benzene and fluorine-substituted benzenes, 175
  - Sigma-bond metathesis reactions of  $Sc(OCD_3)_2^+$  with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
  - Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73
- Four-sector mass spectrometry
- Ligand displacement reactions of dimer and trimer pyridyl ligand/transition metal complexes, 311
  - Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289
- Fragmentation
- Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes  $M@C_{60}$ , 335
- Fullerene ions
- Chlorination of charged buckyballs: reactions of  $C_{60}^{x+}$  cations ( $x = 1-3$ ) with  $Cl_2$ ,  $CCl_4$ ,  $CDCl_3$ ,  $CH_2Cl_2$ , and  $CH_3Cl$ , 349
- Gas and liquid phases
- Investigation of dialkyl tartrate molecular recognition in cluster ions by Fourier transform mass spectrometry: a comparison of chirality effects in gas and liquid phases, 357
- Gas phase ion chemistry
- Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
  - Gas phase ion chemistry of molybdenum hexacarbonyl, 53
  - Gas phase ion molecule chemistry of tetracarbonyl ( $\eta^5$ -cyclopentadienyl) vanadium by Fourier transform ion cyclotron resonance, 139
- Gas phase ion-molecule reactions
- C-H bond activation versus ring cleavage in the gas phase ion-molecule reactions of  $Nb^+$  and  $Ta^+$  with toluene and picoline, 197
- Gas phase reactions
- Gas phase reactions of  $Cl_2O$  with  $X^-(D_2O)_{n=0-4}$  ( $X = O, OD, O_2, DO_2, \text{ and } O_3$ ), 31
- Germanium hydrides
- Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
- Glycine
- Characterization of  $[M-H]$  cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203
- Gold cations
- Reactions of  $Au^+$  and  $Au^-$  with benzene and fluorine-substituted benzenes, 175
- Guided ion beams
- Reactions of  $Cu^+(^1S \text{ and } ^3D)$  with  $O_2, CO, CO_2, N_2, NO, N_2O,$  and  $NO_2$  studied by guided ion beam mass spectrometry, 99
- H/D exchange
- H/D exchange reactions of protonated diglycine; an electropray ionization-flow tube reactor experiment, 213
- $H_2O + CH_3OH_2^+ \rightarrow ^+H_2OCH_3 + OH_2$
- Calculated energy barriers for the identity  $S_N2$  reaction  $H_2O + CH_3OH_2^+ \rightarrow ^+H_2OCH_3 + OH_2$  in the gas phase, in water clusters, and in aqueous solution, 13
- Hybrid mass spectrometer
- Modifications to an analytical mass spectrometer for the soft-landing experiment, 415
- Hydrogen/deuterium exchange
- Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
- Hypermetalated or hypermetallic species
- Hypermetallic dilithium fluoride,  $Li_2F$ , and its cation and anion: a combined dissociation and charge permutation study, 45
- Impulsive dynamics
- Reactions of  $Cu^+(^1S \text{ and } ^3D)$  with  $O_2, CO, CO_2, N_2, NO, N_2O,$  and  $NO_2$  studied by guided ion beam mass spectrometry, 99
- Ion activation
- Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275
- Ion chromatography
- On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243

## Ion complexes

H/D exchange reactions of protonated diglycine; an electrospray ionization–flow tube reactor experiment, 213

## Ion deposition

Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423

## Ion internal temperature

Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275

## Ionized adenine

Intrinsic acidity and redox properties of the adenine radical cation, 253

## Ion mobility

On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243

## Ion-molecule reaction

Adducts and dimers of  $SF_n^+$  ( $n = 1-5$ ) with benzene, acetonitrile, and pyridine. Gas-phase generation and ab initio structures and thermochemistry, 369

Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221

Reactions of  $Au^+$  and  $Au^-$  with benzene and fluorine-substituted benzenes, 175

Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73

## Ion structure

On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243

## Ion trap mass spectrometry

Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63

Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289

## Kinetic energy release

Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381

## Kinetic method

Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381

## Kinetics

Chlorination of charged buckyballs: reactions of  $C_{60}^{x+}$  cations ( $x = 1-3$ ) with  $Cl_2$ ,  $CCl_4$ ,  $CDCl_3$ ,  $CH_2Cl_2$ , and  $CH_3Cl$ , 349

Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63

Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221

## Laser ablation

Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73

## Liquid secondary ion mass spectrometry

Modifications to an analytical mass spectrometer for the soft-landing experiment, 415

## Mass spectrometry

Oxidation properties of the early transition-metal dioxide cations  $MO_2^+$  ( $M = Ti, V, Zr, Nb$ ) in the gas-phase, 85

## Matrix-assisted laser desorption ionization

Novel method for  $[M + Cu]^+$  ion formation by matrix-assisted laser desorption ionization, 185

## Memorial

Ben Sherman Freiser Remembered, xi

Professor Ben S. Freiser, 1951–1997, xiii

## Metal dioxides

Oxidation properties of the early transition-metal dioxide cations  $MO_2^+$  ( $M = Ti, V, Zr, Nb$ ) in the gas-phase, 85

## Metal ions

Novel mixed ligand sandwich complexes: competitive binding of iron with benzene, coronene, and  $C_{60}$ , 323

## Metallic clusters

Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403

## Metallofullerenes

Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes  $M@C_{60}$ , 335

## Methyl isobutyrate

Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73

## Methyl methacrylate

Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73

## [M–H] anions, cations, neutrals

Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203

## Molecular dielectrics

Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403

## Molybdenum hexacarbonyl

Gas phase ion chemistry of molybdenum hexacarbonyl, 53

## Monosaccharide

Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299

- Multiply charged gaseous cations  
Electron capture versus energetic dissociation of protein ions, 1
- Nb<sup>+</sup> and Ta<sup>+</sup>  
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb<sup>+</sup> and Ta<sup>+</sup> with toluene and picoline, 197
- Negative ions  
Phase transitions and the stability of atomic and molecular ions, 23
- Neutralization-reionization  
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203  
Hypermetallic dilithium fluoride, Li<sub>2</sub>F, and its cation and anion: a combined dissociation and charge permutation study, 45
- Noncovalently bound complex  
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261
- Organometallic complexes  
Novel mixed ligand sandwich complexes: competitive binding of iron with benzene, coronene, and C<sub>60</sub>, 323
- Oxidation  
Oxidation properties of the early transition-metal dioxide cations MO<sub>2</sub><sup>+</sup> (M = Ti, V, Zr, Nb) in the gas-phase, 85
- Oxygen reactivity  
Investigation of the fragmentation and oxygen reactivity of endohedral metallofullerenes M@C<sub>60</sub>, 335
- Pentaquadrupole mass spectrometry  
Adducts and dimers of SF<sub>n</sub><sup>+</sup> (n = 1–5) with benzene, acetonitrile, and pyridine. Gas-phase generation and ab initio structures and thermochemistry, 369
- Peptide  
Differentially heated capillary for thermal dissociation of noncovalently bound complexes produced by electrospray ionization, 261  
H/D exchange reactions of protonated diglycine; an electrospray ionization–flow tube reactor experiment, 213  
Novel method for [M + Cu]<sup>+</sup> ion formation by matrix-assisted laser desorption ionization, 185  
Rate and extent of gas-phase hydrogen/deuterium exchange of bradykinins: evidence for peptide zwitterions in the gas phase, 221
- Peptide conformation  
Effects of disulfide linkages on gas-phase reactions of small multiply charged peptide ions, 233
- Peptide sequencing  
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289
- Phase transitions  
Phase transitions and the stability of atomic and molecular ions, 23
- Phosphine  
Gas phase ion chemistry in germane/ammonia, methylgermane/ammonia, and methylgermane/phosphine, 63
- Photodissociation  
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7  
Novel mixed ligand sandwich complexes: competitive binding of iron with benzene, coronene, and C<sub>60</sub>, 323
- Photoexcitation  
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
- Photon-induced bimolecular proton transfer  
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
- Picoline  
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb<sup>+</sup> and Ta<sup>+</sup> with toluene and picoline, 197
- 1-Propanol  
Sigma-bond metathesis reactions of Sc(OCD<sub>3</sub>)<sub>2</sub><sup>+</sup> with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
- Protein sequencing  
Electron capture versus energetic dissociation of protein ions, 1
- Proton affinity  
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
- Protonated naphthalene  
Light-induced intermolecular proton transfer from gas-phase ions to neutral molecules, 7
- Proton bound dimers  
Isotope effects in dissociation reactions of proton bound amine dimers in the gas phase, 381
- PSD  
Novel method for [M + Cu]<sup>+</sup> ion formation by matrix-assisted laser desorption ionization, 185
- Pyridyl ligands  
Ligand displacement reactions of dimer and trimer pyridyl ligand/transition metal complexes, 311
- Quadrupole ion trap  
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299

- Ion internal temperature and ion trap collisional activation: protonated leucine enkephalin, 275
- Ring cleavage  
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb<sup>+</sup> and Ta<sup>+</sup> with toluene and picoline, 197
- Salt bridge  
On the question of salt bridges of cationized amino acids in the gas phase: glycine and arginine, 243
- Sc(OCD<sub>3</sub>)<sub>2</sub><sup>+</sup>  
Sigma-bond metathesis reactions of Sc(OCD<sub>3</sub>)<sub>2</sub><sup>+</sup> with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
- Selected ion flow tube  
Chlorination of charged buckyballs: reactions of C<sub>60</sub><sup>x+</sup> cations (*x* = 1–3) with Cl<sub>2</sub>, CCl<sub>4</sub>, CDCl<sub>3</sub>, CH<sub>2</sub>Cl<sub>2</sub>, and CH<sub>3</sub>Cl, 349  
H/D exchange reactions of protonated diglycine; an electrospray ionization–flow tube reactor experiment, 213
- Self-assembled monolayers  
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423
- SF<sub>6</sub>  
Adducts and dimers of SF<sub>*n*</sub><sup>+</sup> (*n* = 1–5) with benzene, acetonitrile, and pyridine. Gas-phase generation and ab initio structures and thermochemistry, 369
- SF<sub>*n*</sub><sup>+</sup>: SF<sub>5</sub><sup>+</sup>, SF<sub>4</sub><sup>+</sup>, SF<sub>3</sub><sup>+</sup>, SF<sub>2</sub><sup>+</sup>, SF<sup>+</sup>  
Adducts and dimers of SF<sub>*n*</sub><sup>+</sup> (*n* = 1–5) with benzene, acetonitrile, and pyridine. Gas-phase generation and ab initio structures and thermochemistry, 369
- S<sub>N</sub>2 reaction  
Calculated energy barriers for the identity S<sub>N</sub>2 reaction H<sub>2</sub>O + CH<sub>3</sub>OH<sub>2</sub><sup>+</sup> → <sup>+</sup>H<sub>2</sub>OCH<sub>3</sub> + OH<sub>2</sub> in the gas phase, in water clusters, and in aqueous solution, 13
- Soft landing  
Modifications to an analytical mass spectrometer for the soft-landing experiment, 415  
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423
- Solvation  
Some dielectric solvation effects on the energetics of electrified metal interfaces and related molecular systems, 403
- Specific sodium-ion interaction  
Sodium-directed selective cleavage of lactones: a method for structure determination of cyclodepsipeptides, 289
- Stability of atoms  
Phase transitions and the stability of atomic and molecular ions, 23
- Stereochemistry  
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299
- Superalkalis  
Hypermetallic dilithium fluoride, Li<sub>2</sub>F, and its cation and anion: a combined dissociation and charge permutation study, 45
- Surface-induced dissociation  
Soft landing of ions onto self-assembled hydrocarbon and fluorocarbon monolayer surfaces, 423
- Tandem mass spectrometry  
Characterization of [M–H] cations, radicals and anions of glycine in the gas phase: a combined experimental and ab initio study, 203
- Toluene  
C–H bond activation versus ring cleavage in the gas phase ion-molecule reactions of Nb<sup>+</sup> and Ta<sup>+</sup> with toluene and picoline, 197
- Transition metal  
Influence of coordination number and ligand size on the dissociation mechanisms of transition metal-monosaccharide complexes, 299  
Ligand displacement reactions of dimer and trimer pyridyl ligand/transition metal complexes, 311
- Vanadium oxide cluster anions  
Vanadium oxide anion cluster reactions with methyl isobutyrate and methyl methacrylate monomer and dimer: a study by FT/ICR mass spectrometry, 73
- Vanadium oxides  
Oxidation properties of the early transition-metal dioxide cations MO<sub>2</sub><sup>+</sup> (M = Ti, V, Zr, Nb) in the gas-phase, 85
- Water  
Sigma-bond metathesis reactions of Sc(OCD<sub>3</sub>)<sub>2</sub><sup>+</sup> with water, ethanol, and 1-propanol: measurements of equilibrium constants, relative bond strengths, and absolute bond strengths, 121
- X<sup>–</sup>(D<sub>2</sub>O)<sub>*n*–0–4</sub> (X = O, OD, O<sub>2</sub>, DO<sub>2</sub>, and O<sub>3</sub>)  
Gas phase reactions of Cl<sub>2</sub>O with X<sup>–</sup>(D<sub>2</sub>O)<sub>*n*–0–4</sub> (X = O, OD, O<sub>2</sub>, DO<sub>2</sub>, and O<sub>3</sub>), 31