



ELSEVIER

International Journal of Mass Spectrometry 188 (1999) 239–242



Subject index

Ab initio calculations

Long-lived high-spin sextet states of N_2^- , 199

Acetone

Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer–surface collisions, L1

n-Alkyltriphenylphosphonium salts

Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163

Amines

Noncovalent inclusion complexes of protonated amines with crown ethers, 53

Anion radicals

Mass spectrometric studies of the oxocarbons C_nO_n ($n = 3–6$), 17

Beam-induced processes

Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39

Carbohydrates

Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131

Charge-remote fragmentation

Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163

Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39

Studies of mixed-site and charge-site-remote fragmentations of quaternary ammonium ions. II. Effects of chain length, 27

Chemokines

Mass spectrometric characterisation of an interleukin-1 α -like polypeptide induced in keratinocytes by skin irritants, 7

Cluster ions

Cluster ion studies of Ho^{2+} and Ho^{3+} solvation in the gas phase, 113

Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer–surface collisions, L1

Collision-activated dissociation (CAD)

Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95

Collision-induced dissociation

Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163

Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39

Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63

Gas phase conformations of synthetic polymers: poly(methyl methacrylate) oligomers cationized by sodium ions, 121

A metastable ion and collision-induced dissociation study of the $(M-C_2H_4)^+$ ion from 3-phenyl-1-bromopropane, 1

π -Complex

Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163

Confinement

Confinement of ions in a radio frequency quadrupole ion trap supplied with a periodic impulsional potential, 177

Conformations

Gas phase conformations of synthetic polymers: poly(methyl methacrylate) oligomers cationized by sodium ions, 121

Cross sections

Cross section for the production of N_2^+ ($X^2 \Sigma_g^+$) ions by electron impact on N_2 , 147

Crown ethers

- Noncovalent inclusion complexes of protonated amines with crown ethers, 53
- Cyclotron resonance
- Ion dynamics in a novel linear combined trap, 155
- Electrode geometry
- In situ optimization of the electrode geometry of the quadrupole ion trap, 87
- Electron-impact ionization
- Cross section for the production of N_2^+ ($X^2 \Sigma_g^+$) ions by electron impact on N_2 , 147
- Electrospray
- Mass spectrometric characterisation of an interleukin-1 α -like polypeptide induced in keratinocytes by skin irritants, 7
 - Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
- Electrospray ionization mass spectrometry
- An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech *Haemopsis grandis* provides a complete enumeration of its subunits, 105
 - Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
- Excited state
- Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163
- Fast atom bombardment (FAB)
- Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163
 - Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39
- Flame ionization
- Chemical kinetics of lanthanum ionization in $H_2-O_2-N_2$ flames, 213
- Fragment ions
- Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131
- Gas-phase
- Chemical kinetics of lanthanum ionization in $H_2-O_2-N_2$ flames, 213
 - Cluster ion studies of Ho^{2+} and Ho^{3+} solvation in the gas phase, 113
- Glycopeptide antibiotics
- Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
- Hemoglobin
- An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech *Haemopsis grandis* provides a complete enumeration of its subunits, 105
- Ho solvation
- Cluster ion studies of Ho^{2+} and Ho^{3+} solvation in the gas phase, 113
- Impulsional potential
- Confinement of ions in a radio frequency quadrupole ion trap supplied with a periodic impulsional potential, 177
- Inclusion complexes
- Noncovalent inclusion complexes of protonated amines with crown ethers, 53
- Inflammation
- Mass spectrometric characterisation of an interleukin-1 α -like polypeptide induced in keratinocytes by skin irritants, 7
- In situ optimization
- In situ optimization of the electrode geometry of the quadrupole ion trap, 87
- Interleukin
- Mass spectrometric characterisation of an interleukin-1 α -like polypeptide induced in keratinocytes by skin irritants, 7
- Ion dimer
- Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
- Ion emission
- Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
- Ion trap mass spectrometry
- Noncovalent inclusion complexes of protonated amines with crown ethers, 53
- Kinetic energy release
- A metastable ion and collision-induced dissociation study of the $(M-C_2H_4)^{+}$ ion from 3-phenyl-1-bromopropane, 1
- Lanthanum
- Chemical kinetics of lanthanum ionization in $H_2-O_2-N_2$ flames, 213

- Laser ablation
A mass spectrometric study on the formation of ionic Ta-containing oxides from laser ablation of Ta and Ta₂O₅ in O₂ ambient, 205
- Laser cooling
Ion dynamics in a novel linear combined trap, 155
- Laser-induced fluorescence
Cross section for the production of N₂⁺ (*X*² Σ_g⁺) ions by electron impact on N₂, 147
- Laser-vaporization
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
- Leech
An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech *Haemopsis grandis* provides a complete enumeration of its subunits, 105
- Long-chain quaternary ammonium ions
Studies of mixed-site and charge-site-remote fragmentations of quaternary ammonium ions. II. Effects of chain length, 27
- Long-lived anions
Long-lived high-spin sextet states of N₂⁻, 199
- Mass spectrometry
Chemical kinetics of lanthanum ionization in H₂-O₂-N₂ flames, 213
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
Mass spectrometric studies of the oxocarbons C_{*n*}O_{*n*} (*n* = 3–6), 17
In situ optimization of the electrode geometry of the quadrupole ion trap, 87
- Mass suppression
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
- Matrix-assisted laser desorption (ionization) [MALD(I)]
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131
- Metallocarbon clusters
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
- Metallofullerenes
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
- Metastable ions
A metastable ion and collision-induced dissociation study of the (M-C₂H₄)⁺ ion from 3-phenyl-1-bromopropane, 1
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131
- Molecular recognition
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
- Multiple reflections
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
- Neutralization-reionization
Mass spectrometric studies of the oxocarbons C_{*n*}O_{*n*} (*n* = 3–6), 17
- Nickel
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
- Nitrogen
Long-lived high-spin sextet states of N₂⁻, 199
- Noncovalent complexes
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
- Oxocarbons
Mass spectrometric studies of the oxocarbons C_{*n*}O_{*n*} (*n* = 3–6), 17
- Paul trap
Ion dynamics in a novel linear combined trap, 155
- Penning trap
Ion dynamics in a novel linear combined trap, 155
- Peptides
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
- 3-Phenyl-1-bromopropane
A metastable ion and collision-induced dissociation study of the (M-C₂H₄)⁺ ion from 3-phenyl-1-bromopropane, 1
- Polyketones
Mass spectrometric studies of the oxocarbons C_{*n*}O_{*n*} (*n* = 3–6), 17
- Polymethyl methacrylate

- Gas phase conformations of synthetic polymers: poly (methyl methacrylate) oligomers cationized by sodium ions, 121
- Post-source decay
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131
- Quadrupole ion traps
In situ optimization of the electrode geometry of the quadrupole ion trap, 87
- Quadrupole rf trap
Confinement of ions in a radio frequency quadrupole ion trap supplied with a periodic impulsive potential, 177
- Reflectron
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
- Secondary ion mass spectrometry (SIMS)
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
- Sextet states
Long-lived high-spin sextet states of N_2^- , 199
- Skin
Mass spectrometric characterisation of an interleukin-1 α -like polypeptide induced in keratinocytes by skin irritants, 7
- Sputtering
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
- Subunits
An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech *Haemopsis grandis* provides a complete enumeration of its subunits, 105
- Supersonic cluster beam
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
- Surface induced reactions
Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer-surface collisions, L1
- Ta-containing ionic oxides
A mass spectrometric study on the formation of ionic Ta-containing oxides from laser ablation of Ta and Ta₂O₅ in O₂ ambient, 205
- Tandem mass spectrometry
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer-surface collisions, L1
- Thermal ionization
Chemical kinetics of lanthanum ionization in H₂-O₂-N₂ flames, 213
- Thiocarbamoyl derivatives
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
- Time-of-flight mass spectrometry
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
A mass spectrometric study on the formation of ionic Ta-containing oxides from laser ablation of Ta and Ta₂O₅ in O₂ ambient, 205
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
- Unimolecular dissociation reaction mechanism
A metastable ion and collision-induced dissociation study of the (M-C₂H₄)⁺ ion from 3-phenyl-1-bromopropane, 1