




ELSEVIER

International Journal of Mass Spectrometry 190/191 (1999) 361–364



## Subject index

### Acylium ion

Isomeric differentiation of conjugated diene epoxides by polar [4 + 2<sup>+</sup>] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253

### Asymmetric trapping field

A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129

### Bacteria

Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331

### Bath gas temperature

Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281

### Beam optics

Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153

### Biomarkers

Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331

### Blackbody infrared dissociation (BIRD)

Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209

### Broadband waveforms

Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265

### Buffer gas

Mass selective instability mode without a light buffer gas, 103

### Buffer-gas cooling

Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153

### *n*-Butylbenzene

Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265

### Carbon suboxide

Ion-molecule chemistry of carbon suboxide in an ion-trap mass spectrometer, 171

### CH<sub>2</sub>OH<sub>2</sub><sup>+</sup>

A density functional theory study of the catalytic role of Ar, Kr, Xe, and N<sub>2</sub> in the CH<sub>3</sub>OH<sup>+</sup> to CH<sub>2</sub>OH<sub>2</sub><sup>+</sup> isomerization reaction, 181

### CH<sub>3</sub>OH<sup>+</sup>

A density functional theory study of the catalytic role of Ar, Kr, Xe, and N<sub>2</sub> in the CH<sub>3</sub>OH<sup>+</sup> to CH<sub>2</sub>OH<sub>2</sub><sup>+</sup> isomerization reaction, 181

### Charged particle arrays

Micrometeors and the Paul trap, 1

### Chemical ionization/ion trap mass spectrometry

The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343

### Chemotaxonomy

Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331

### Collision-induced dissociation (CID)

Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313

Location of the Na<sup>+</sup> cation in negative ions of DNA evidenced by using MS<sup>2</sup> experiments in ion trap mass spectrometry, 303

Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209

### Collisional activation

Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281

### Collisional relaxation

Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281

### Conjugated diene epoxides

Isomeric differentiation of conjugated diene epoxides by polar [4 + 2<sup>+</sup>] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253

**Density functional theory**

A density functional theory study of the catalytic role of Ar, Kr, Xe, and N<sub>2</sub> in the CH<sub>3</sub>OH<sup>+</sup> to CH<sub>2</sub>OH<sub>2</sub><sup>+</sup> isomerization reaction, 181

**Diels-Alder reaction**

Isomeric differentiation of conjugated diene epoxides by polar [4 + 2<sup>+</sup>] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253

**DNA**

Location of the Na<sup>+</sup> cation in negative ions of DNA evidenced by using MS<sup>2</sup> experiments in ion trap mass spectrometry, 303

**Electrospray**

Fundamental studies of ion injection and trapping of electrosprayed ions on a quadrupole ion trap, 81

Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209

**Fourier analysis**

A dual quadrupole ion trap mass spectrometer, 59

**H/D scrambling Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253**

Location of the Na<sup>+</sup> cation in negative ions of DNA evidenced by using MS<sup>2</sup> experiments in ion trap mass spectrometry, 303

Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209

**Ion-molecule reactions**

A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9

Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295

Ion-molecule chemistry of carbon suboxide in an ion-trap mass spectrometer, 171

Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195

Isomeric differentiation of conjugated diene epoxides by polar [4 + 2<sup>+</sup>] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253

**Isomer differentiation**

Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195

Isomeric differentiation of conjugated diene epoxides by polar [4 + 2<sup>+</sup>] Diels-Alder cycloaddition of acylium ions in an ion trap mass spectrometer, 253

**Isomerization reaction**

A density functional theory study of the catalytic role of Ar, Kr, Xe, and N<sub>2</sub> in the CH<sub>3</sub>OH<sup>+</sup> to CH<sub>2</sub>OH<sub>2</sub><sup>+</sup> isomerization reaction, 181

**Isotope effect**

Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295

**Kinetic energy measurements**

Kinetic energy of an N<sup>+</sup> ion cloud throughout the stability diagram, 37

**Kinetics**

Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243

Ion trap studies of H<sup>+</sup>(H<sub>2</sub>SO<sub>4</sub>)<sub>m</sub>(H<sub>2</sub>O)<sub>n</sub> reactions with water, ammonia, and a variety of organic compounds, 231

**Laser desorption**

Optimum phase angle for laser desorption ion trap mass spectrometry is dependent on the number of ions produced, 69

**Mass filter**

Some features of "unstable" trajectories of ions within hyperboloid mass spectrometers and the problem of charged particle analysis, 113

**Mass range extension**

A comparison of overtone and fundamental resonances for mass range extension by resonance ejection in a quadrupole ion trap mass spectrometer, 145

**Mass scanning**

A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129

**Mass selective axial instability**

Mass selective instability mode without a light buffer gas, 103

**Mass spectrometry**

A dual quadrupole ion trap mass spectrometer, 59

Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153

Mass selective instability mode without a light buffer gas, 103

Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331

- Some features of “unstable” trajectories of ions within hyperboloid mass spectrometers and the problem of charged particle analysis, 113
- Mass spectrometry instrumentation  
Characterization of a hybrid ion trap, 47
- Mathieu equations  
Micrometeors and the Paul trap, 1
- Matrix-assisted laser desorption ionization (MALDI)  
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313  
Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209
- Meteor simulation  
Micrometeors and the Paul trap, 1
- Microorganisms  
Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331
- MS/MS  
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
- Multipole trapping field  
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129
- Muramic acid  
Comparison of ion trap and triple quadrupole gas chromatography-tandem mass spectrometry in the quantitative and qualitative trace analysis of muramic acid in complex matrices, 321
- Na<sup>+</sup> cation  
Location of the Na<sup>+</sup> cation in negative ions of DNA evidenced by using MS<sup>2</sup> experiments in ion trap mass spectrometry, 303
- Nonlinear resonance  
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129
- Nucleoside  
Hydrogen/deuterium exchange of nucleoside analogs in a quadrupole ion trap mass spectrometer, 161
- Oxygenated and polar organics  
The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343
- Paul trap  
Kinetic energy of an N<sup>+</sup> ion cloud throughout the stability diagram, 37  
Micrometeors and the Paul trap, 1
- Pentafluorobenzyl alcohol  
The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343
- Pentafluorobenzyl derivatives  
The power of pentafluorobenzyl alcohol chemical ionization/ion trap mass spectrometry to identify pentafluorobenzyl derivatives of oxygenated polar organics, 343
- Peptide sequence  
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
- Perfluorotributylamine  
Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
- Polycyclic aromatic hydrocarbons  
Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
- Propane  
Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243
- Propene  
Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243
- Protein identification  
Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
- Protonated sulfuric acid  
Ion trap studies of H<sup>+</sup>(H<sub>2</sub>SO<sub>4</sub>)<sub>m</sub>(H<sub>2</sub>O)<sub>n</sub> reactions with water, ammonia, and a variety of organic compounds, 231
- Quadrupole ion trap  
A comparison of overtone and fundamental resonances for mass range extension by resonance ejection in a quadrupole ion trap mass spectrometer, 145  
A dual quadrupole ion trap mass spectrometer, 59  
A new ion ejection method employing an asymmetric trapping field to improve the mass scanning performance of an electrodynamic ion trap, 129  
A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9  
Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281  
Fundamental studies of ion injection and trapping of electrosprayed ions on a quadrupole ion trap, 81

- Hydrogen/deuterium exchange of nucleoside analogs in a quadrupole ion trap mass spectrometer, 161
- Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295
- Ion/molecule reactions of perfluorotributylamine (FC43) cations with polycyclic aromatic hydrocarbons in a quadrupole ion trap, 195
- Mass selective instability mode without a light buffer gas, 103
- Rapid chemotaxonomy of pathogenic bacteria using in situ thermal hydrolysis and methylation as a sample preparation step coupled with a field-portable membrane-inlet quadrupole ion trap mass spectrometer, 331
- Some features of "unstable" trajectories of ions within hyperboloid mass spectrometers and the problem of charged particle analysis, 113
- Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265
- Quistor
- A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9
- Radial electron injection
- Mass selective instability mode without a light buffer gas, 103
- Radiofrequency quadrupole mass filter
- Cooling of mass-separated beams using a radiofrequency quadrupole ion guide, 153
- Rearrangement
- Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265
- Resonance excitation
- A comparison of overtone and fundamental resonances for mass range extension by resonance ejection in a quadrupole ion trap mass spectrometer, 145
- Resonances
- Micrometeors and the Paul trap, 1
- Secular frequency
- A dual quadrupole ion trap mass spectrometer, 59
- Silane
- Gas phase ion chemistry in silane/propane and silane/propene mixtures, 243
- Simulation
- Fundamental studies of ion injection and trapping of electrospayed ions on a quadrupole ion trap, 81
- Stability diagram determination
- A retrospective review of the development and application of the quadrupole ion trap prior to the appearance of commercial instruments, 9
- Surface induced dissociation (SID)
- Probing the fragmentation reactions of protonated glycine oligomers via multistage mass spectrometry and gas phase ion molecule hydrogen/deuterium exchange, 209
- Tandem mass spectrometry
- Collision-induced dissociation of singly charged peptide ions in a matrix-assisted laser desorption ionization ion trap mass spectrometer, 313
- Comparison of ion trap and triple quadrupole gas chromatography-tandem mass spectrometry in the quantitative and qualitative trace analysis of muramic acid in complex matrices, 321
- Intra- and inter-molecular isotope effects for hydrogen loss from protonated aniline and the barrier to hydrogen transfer between the ring and substituent, 295
- Waveform activated rearrangement of *n*-butylbenzene molecular ions during tandem mass spectrometry in the quadrupole ion trap, 265
- Thermal dissociation
- Bath gas temperature and the appearance of ion trap tandem mass spectra of high-mass ions, 281
- Time-of-flight methods
- Kinetic energy of an  $N^+$  ion cloud throughout the stability diagram, 37
- Trace analysis
- Comparison of ion trap and triple quadrupole gas chromatography-tandem mass spectrometry in the quantitative and qualitative trace analysis of muramic acid in complex matrices, 321
- Trapped ion cell
- Characterization of a hybrid ion trap, 47
- Trapping efficiency
- Optimum phase angle for laser desorption ion trap mass spectrometry is dependent on the number of ions produced, 69
- Water clusters
- Ion trap studies of  $H^+(H_2SO_4)_m(H_2O)_n$  reactions with water, ammonia, and a variety of organic compounds, 231